```
MySQL  localhost:33060+ ssl  SQL > DROP DATABASE SAVEETHA;
Query OK, 1 row affected (0.0296 sec)
MySQL  localhost:33060+ ssl  SQL > CREATE DATABASE SAVEETHA;
Query OK, 1 row affected (0.0063 sec)
MySQL  localhost:33060+ ssl  SQL > USE SAVEETHA;
Default schema set to `SAVEETHA`.
Fetching global names, object names from `saveetha` for auto-completion... Press ^C to stop.
MySQL  localhost:33060+ ssl  saveetha  SQL > CREATE TABLE Student (
                                          ->     StudentID INT PRIMARY KEY,
                                          ->     StudentName VARCHAR(50),
                                          ->     Department VARCHAR(30),
                                          ->     Age INT,
                                          ->     City VARCHAR(30)
                                          -> );
Query OK, 0 rows affected (0.0155 sec)
MySQL  localhost:33060+ ssl  saveetha  SQL > INSERT INTO Student
                                          -> (StudentID, StudentName, Department, Age, City)
                                          -> VALUES
                                          -> (101, 'Rahul', 'CSE', 19, 'Chennai'),
                                          -> (102, 'Priya', 'ECE', 20, 'Madurai'),
                                          -> (103, 'Karthik', 'IT', 18, 'Coimbatore');
Query OK, 3 rows affected (0.0084 sec)

Records: 3  Duplicates: 0  Warnings: 0
MySQL  localhost:33060+ ssl  saveetha  SQL >
MySQL  localhost:33060+ ssl  saveetha  SQL > SELECT * FROM Student;
```

```
MySQL localhost:33060+ ssl saveetha SQL > SELECT * FROM Student;
+-----------+-------------+------------+-----+------------+
| StudentID | StudentName | Department | Age | City       |
+-----------+-------------+------------+-----+------------+
|       101 | Rahul       | CSE        |  19 | Chennai    |
|       102 | Priya       | ECE        |  20 | Madurai    |
|       103 | Karthik     | IT         |  18 | Coimbatore |
+-----------+-------------+------------+-----+------------+
3 rows in set (0.0006 sec)
MySQL localhost:33060+ ssl saveetha SQL > SELECT * FROM Student;
+-----------+-------------+------------+-----+------------+
| StudentID | StudentName | Department | Age | City       |
+-----------+-------------+------------+-----+------------+
|       101 | Rahul       | CSE        |  19 | Chennai    |
|       102 | Priya       | ECE        |  20 | Madurai    |
|       103 | Karthik     | IT         |  18 | Coimbatore |
+-----------+-------------+------------+-----+------------+
3 rows in set (0.0006 sec)
MySQL localhost:33060+ ssl saveetha SQL > SELECT COUNT(*) FROM Student;
+----------+
| COUNT(*) |
+----------+
|        3 |
+----------+
1 row in set (0.0186 sec)
MySQL localhost:33060+ ssl saveetha SQL > DESCRIBE Student;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| StudentID   | int         | NO   | PRI | NULL    |       |
| StudentName | varchar(50) | YES  |     | NULL    |       |
| Department  | varchar(30) | YES  |     | NULL    |       |
| Age         | int         | YES  |     | NULL    |       |
| City        | varchar(30) | YES  |     | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
5 rows in set (0.0024 sec)
MySQL localhost:33060+ ssl saveetha SQL > INSERT INTO Student1 (StudentID, StudentName, Department, Age, City)
```

```
                                        ->
                                        -> VALUES (104, 'Anitha', 'CSE', 20, 'Chennai');
ERROR: 1146: Table 'saveetha.student1' doesn't exist
 MySQL  localhost:33060+ ssl  saveetha  SQL > ^C
 MySQL  localhost:33060+ ssl  saveetha  SQL > INSERT INTO Student
                                        -> VALUES (105, 'Rahul', 'IT', 19, 'Coimbatore');
Query OK, 1 row affected (0.0308 sec)
 MySQL  localhost:33060+ ssl  saveetha  SQL > SELECT StudentName, Department FROM Student;
+-------------+------------+
| StudentName | Department |
+-------------+------------+
| Rahul       | CSE        |
| Priya       | ECE        |
| Karthik     | IT         |
| Rahul       | IT         |
+-------------+------------+
4 rows in set (0.0013 sec)
 MySQL  localhost:33060+ ssl  saveetha  SQL > SELECT * FROM Student
                                        -> WHERE StudentID = 104;
Empty set (0.0011 sec)
 MySQL  localhost:33060+ ssl  saveetha  SQL > UPDATE Student
                                        -> SET Age = 21
                                        -> WHERE StudentID = 104;
Query OK, 0 rows affected (0.0274 sec)

Rows matched: 0  Changed: 0  Warnings: 0
 MySQL  localhost:33060+ ssl  saveetha  SQL >
 MySQL  localhost:33060+ ssl  saveetha  SQL > SELECT * FROM Student;
+-----------+-------------+------------+-----+------------+
| StudentID | StudentName | Department | Age | City       |
+-----------+-------------+------------+-----+------------+
|       101 | Rahul       | CSE        |  19 | Chennai    |
|       102 | Priya       | ECE        |  20 | Madurai    |
|       103 | Karthik     | IT         |  18 | Coimbatore |
|       105 | Rahul       | IT         |  19 | Coimbatore |
+-----------+-------------+------------+-----+------------+
4 rows in set (0.0010 sec)
 MySQL  localhost:33060+ ssl  saveetha  SQL > DELETE FROM Student
                                        -> WHERE StudentID = 102;
Query OK, 1 row affected (0.0297 sec)
```

```
MySQL localhost:33060+ ssl saveetha SQL > SELECT COUNT(*) FROM Student;
+----------+
| COUNT(*) |
+----------+
|        3 |
+----------+
1 row in set (0.0284 sec)
MySQL localhost:33060+ ssl saveetha SQL > DESCRIBE Student;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| StudentID   | int         | NO   | PRI | NULL    |       |
| StudentName | varchar(50) | YES  |     | NULL    |       |
| Department  | varchar(30) | YES  |     | NULL    |       |
| Age         | int         | YES  |     | NULL    |       |
| City        | varchar(30) | YES  |     | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
5 rows in set (0.0024 sec)
MySQL localhost:33060+ ssl saveetha SQL > SHOW TABLES;
+--------------------+
| Tables_in_saveetha |
+--------------------+
| student            |
+--------------------+
1 row in set (0.0027 sec)
MySQL localhost:33060+ ssl saveetha SQL > SHOW DATABASES;
+--------------------+
| Database           |
+--------------------+
| information_schema |
| mysql              |
| performance_schema |
| saveetha           |
| sys                |
+--------------------+
5 rows in set (0.0020 sec)
MySQL localhost:33060+ ssl saveetha SQL > INSERT INTO Student
                                       -> VALUES (104, 'Anitha', 'CSE', 20, 'Chennai');
Query OK, 1 row affected (0.0311 sec)
MySQL localhost:33060+ ssl saveetha SQL > SELECT * FROM Student;
```

```
MySQL localhost:33060+ ssl saveetha SQL > SELECT * FROM Student;
+-----------+-------------+------------+-----+-------------+
| StudentID | StudentName | Department | Age | City        |
+-----------+-------------+------------+-----+-------------+
|       101 | Rahul       | CSE        |  19 | Chennai     |
|       103 | Karthik     | IT         |  18 | Coimbatore  |
|       104 | Anitha      | CSE        |  20 | Chennai     |
|       105 | Rahul       | IT         |  19 | Coimbatore  |
+-----------+-------------+------------+-----+-------------+
4 rows in set (0.0012 sec)
MySQL localhost:33060+ ssl saveetha SQL >
```