

PULSE

User Acceptance Test Scenarios

Version: 1.1

Document Type: User Acceptance Testing

Status: Draft for Execution

Date: May 28, 2026

Prepared By: _____

Reviewed By: _____

Approved By: _____

Application: Pulse

Audience: Business Users, Project Owners, Project Members, Template Managers, Administrators, QA Testers, Report Viewers

Scope: Functional UAT for Pulse web workflows

Approval Page

Role	Name	Signature	Date	Decision
Business Owner				Approved / Rejected
Product Owner				Approved / Rejected
QA Lead				Approved / Rejected
UAT Lead				Approved / Rejected

Document Revision History

Version	Date	Author	Description of Change
1.0	May 28, 2026		Initial draft
1.1	May 28, 2026		Enhanced formatting, print CSS, anchors, and full expanded scenarios

Distribution List

Name	Role	Department	Copy Type
			Controlled
			Controlled

Table of Contents

- 1. Document Control
- 2. Purpose
- 3. Scope
- 4. Objectives
- 5. Entry Criteria
- 6. Exit Criteria
- 7. Test Roles
- 8. Required Test Data
- 9. Test Execution Guidance
- 10. Formal Test Cases
 - 10.1 Projects
 - 10.2 Status Board
 - 10.3 Tasks
 - 10.4 View
 - 10.5 Chats
 - 10.6 Notifications
 - 10.7 Categories
 - 10.8 Fields
 - 10.9 Forms
 - 10.10 Maturity
 - 10.11 Product Division
 - 10.12 Product Group
 - 10.13 Roadmap
 - 10.14 Reports
 - 10.15 Negative and Access Control Scenarios
- 11. Regression Checklist
- 12. UAT Sign-Off
- 13. Defect Log
- 14. Appendices

Print-ready note: This HTML is formatted for browser viewing and printing to PDF on A4 paper, with page-break helpers, ST-style colors, anchors, and formal test-case tables.

1. Document Control

Item	Value
1.1 Application	Pulse
1.2 Document Title	Pulse User Acceptance Test Scenarios

1.3 Document Type	User Acceptance Testing
1.4 Version	1.1
1.5 Status	Draft for Execution
1.6 Created Date	May 28, 2026
1.7 Last Updated	May 28, 2026
1.8 Owner	UAT Lead / Product Owner
1.9 Approval Required From	Business Owner, Product Owner, QA Lead
1.10 Scope	Functional UAT for Pulse web workflows

[Back to top](#)

2. Purpose

This document defines the User Acceptance Test scenarios for validating Pulse from an end-user and business workflow perspective.

The scenarios cover:

- Project registration and activation
- Project review and execution
- Task updates, scheduling, and closure
- Collaboration through comments, attachments, chats, and notifications
- Template and setup maintenance
- Roadmap governance and synchronization
- Reports and project comparison
- Negative and access-control validation
- Regression validation prior to release

The purpose of this document is to confirm that Pulse supports expected business workflows, enforces intended access restrictions, and is ready for operational deployment.

[Back to top](#)

3. Scope

3.1 In Scope

1. Projects
2. Status Board
3. Tasks
4. View
5. Chats
6. Notifications
7. Categories
8. Fields
9. Forms
10. Maturity
11. Product Division
12. Product Group
13. Roadmap

- 14. Reports
- 15. Negative and Access Control Scenarios
- 16. Regression Validation

3.2 Out of Scope

- Performance and load testing
- Security penetration testing
- Mobile responsiveness validation
- Unsupported browser testing
- Back-end API validation not visible through business workflows
- Data migration validation unless specifically requested

[Back to top](#)

4. Objectives

- Confirm that business users can complete core Pulse workflows successfully.
- Validate that project owners can register, manage, configure, and monitor projects.
- Confirm that task owners can update assigned work, provide evidence, and close tasks.
- Validate that template managers can maintain reusable configuration records.
- Confirm that collaboration features such as comments, chats, attachments, and notifications work correctly.
- Validate that reporting functions support monitoring, export, and comparison needs.
- Confirm that access control prevents unauthorized actions.

[Back to top](#)

5. Entry Criteria

- UAT environment is available
- Required users and roles are provisioned
- Required test data exists
- Functional QA testing is completed
- Known issue list is shared
- Release scope is confirmed

[Back to top](#)

6. Exit Criteria

- All in-scope scenarios have been executed
- Critical and high defects are resolved or formally accepted
- Regression checklist is completed
- Business approval is recorded

[Back to top](#)

7. Test Roles

Role	Primary Focus
Daily User / Task Owner	Tasks, notifications, comments, attachments, task closure

Project Owner	Register, Projects, Project Review, Project Configuration, Status Board
Project Member	Assigned work, collaboration, task updates, review visibility
Template Manager	Categories, Fields, Forms, Maturity, Product Division, Product Group, Roadmap
Administrator	Access governance, controlled actions, maintenance
Report Viewer	Project Export, Monitoring Matrix, Project Comparison

[Back to top](#)

8. Required Test Data

Data Type	Minimum Requirement
Plants / Sites	At least one active site
Users	At least two project users and one admin/template manager
Product Division	At least one active value
Product Group	At least one active value
Product Codes	At least two values
Category	At least one active value
Maturity	At least one active value
Roadmap	At least one roadmap with multiple milestones and tasks
Form / Fields	At least one editable form with DMS or similar field
Project	One active project and one configurable project
File	One small test file
Notifications	At least one read/unread or active/archived notification
Chat Access	At least two users in same chat context

[Back to top](#)

9. Test Execution Guidance

9.1 Result Codes

Result	Meaning
Pass	Scenario completed and expected result met
Fail	Scenario completed but expected result not met
Blocked	Scenario could not be executed
Not Applicable	Scenario does not apply to test role or scope

9.2 Evidence Requirements

- Screenshot
- Export file
- Project ID
- Task ID
- Notification reference
- Chat timestamp
- Defect ID

9.3 Defect Logging

1. Record the exact step where the issue occurred
2. Capture evidence
3. Log a defect
4. Reference the defect ID in the test execution result

[Back to top](#)

10. Formal Test Cases

10.1 Projects

10.1.1 UAT-PROJ-001 - Register Project - Auto-Start On Specific Milestone

Field	Detail
Test Case ID	UAT-PROJ-001
Module	Projects
Test Scenario	Register Project - Auto-Start On Specific Milestone
Objective	Verify that a project can be created and started directly on a selected milestone
Primary Role	Project Owner
Priority	High
Preconditions	User has Register access. A roadmap exists with at least three milestones. Required plant, product, category, maturity, owner, and date values are available
Test Data	Roadmap with Milestone 1, Milestone 2, and Milestone 3. Select Milestone 2 as starting milestone

Step No.	Test Step	Expected Result
1	Open Register	Register screen opens
2	Enter required project details	Required fields accept valid inputs
3	Select start immediately option	Start option is accepted
4	Select Milestone 2 as starting milestone	Selected milestone is retained
5	Save the project	Project is created successfully
6	Open created project from Projects, Project Review, or Status Board	Project is visible
7	Verify status and milestone status	Selected milestone is active, current, or positioned as the start according to Pulse rules

Execution Field	Value
Tester	

Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.2 UAT-PROJ-002 - Register Project - Create Only To Be Started In Status Board

Field	Detail
Test Case ID	UAT-PROJ-002
Module	Projects
Test Scenario	Register Project - Create Only To Be Started In Status Board
Objective	Verify that a project can be created without immediately starting execution
Primary Role	Project Owner
Priority	High
Preconditions	User has Register access and project creation permission

Step No.	Test Step	Expected Result
1	Open Register	Register screen opens
2	Enter all required project details	Data is accepted
3	Select create-only, draft, inactive, or non-start option	Create-only state is selected
4	Save the project	Project record is created
5	Open Status Board	Status Board opens
6	Locate the created project	Created project is visible
7	Start or activate project if included in scope	Project can be started from Status Board

Execution Field	Value
Tester	
Execution Date	
Result	

Defect ID	
Evidence Reference	
Comments	

10.1.3 UAT-PROJ-003 - Project Review - Add ADHOC Task Using My Tasks

Field	Detail
Test Case ID	UAT-PROJ-003
Module	Projects
Test Scenario	Project Review - Add ADHOC Task Using My Tasks
Objective	Verify that a user can add an unplanned ADHOC task from My Tasks in Project Review
Primary Role	Project Owner or Project Member
Priority	High
Preconditions	Active project exists. User has permission to add tasks

Step No.	Test Step	Expected Result
1	Open Projects	Project list opens
2	Select an active project	Project opens
3	Open Project Review	Review page opens
4	Go to My Tasks or member task area	Task section is available
5	Select add task or ADHOC task	Add task form opens
6	Enter task title, assignee, target date, and description	Data is accepted
7	Save the task	ADHOC task is created
8	Refresh the task list if needed	Task appears in task list

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	

Comments	
----------	--

10.1.4 UAT-PROJ-004 - Project Review - Switch Project-Centric To Member-Centric

Field	Detail
Test Case ID	UAT-PROJ-004
Module	Projects
Test Scenario	Project Review - Switch Project-Centric To Member-Centric
Objective	Verify that Project Review supports switching between project-centric and member-centric views
Primary Role	Project Owner
Priority	Medium
Preconditions	Project has multiple tasks assigned to at least two members

Step No.	Test Step	Expected Result
1	Open Projects	Project list opens
2	Select a project with multiple tasks	Project opens
3	Open Project Review	Review page opens
4	Select project-centric view	Tasks grouped by project structure
5	Validate grouping	Milestone, phase, or project structure is correct
6	Switch to member-centric view	Tasks grouped by user or member
7	Validate grouping	Member grouping is correct
8	Switch back to project-centric view	Original grouping restored

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.5 UAT-PROJ-005 - Project Review - Add Attachment

Field	Detail
Test Case ID	UAT-PROJ-005
Module	Projects
Test Scenario	Project Review - Add Attachment
Objective	Verify that attachments can be added to a project or task in Project Review
Primary Role	Project Owner or Project Member
Priority	Medium
Preconditions	User has permission to upload attachments. Test file is available

Step No.	Test Step	Expected Result
1	Open Project Review for an active project	Review page opens
2	Select relevant project item, milestone, or task	Target item is selected
3	Open Attachments	Attachment area opens
4	Upload test file	File upload is accepted
5	Save or confirm upload	File is saved
6	Reopen attachment area	Uploaded file is listed

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.6 UAT-PROJ-006 - Project Review - Remove Attachment

Field	Detail
-------	--------

Test Case ID	UAT-PROJ-006
Module	Projects
Test Scenario	Project Review - Remove Attachment
Objective	Verify that permitted users can remove an attachment from a project or task
Primary Role	Project Owner or Authorized Project Member
Priority	Medium
Preconditions	Attachment exists on selected project or task. User has remove permission

Step No.	Test Step	Expected Result
1	Open project or task attachment list	Attachment list opens
2	Select existing test attachment	Correct attachment selected
3	Choose remove or delete	Removal action initiated
4	Confirm removal if prompted	Attachment removed
5	Refresh or reopen list	Removed attachment no longer appears

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.7 UAT-PROJ-007 - Project Review - Add Comment

Field	Detail
Test Case ID	UAT-PROJ-007
Module	Projects
Test Scenario	Project Review - Add Comment
Objective	Verify that comments can be added in project execution context

Primary Role	Project Owner or Project Member
Priority	Medium
Preconditions	User has access to project review and comments

Step No.	Test Step	Expected Result
1	Open Project Review	Review page opens
2	Select project, milestone, or task area	Correct context selected
3	Open Comments	Comment area opens
4	Enter comment	Comment text accepted
5	Save or post comment	Comment saved
6	Reopen record	Comment remains visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.8 UAT-PROJ-008 - Project Review - Update Task Status

Field	Detail
Test Case ID	UAT-PROJ-008
Module	Projects
Test Scenario	Project Review - Update Task Status
Objective	Verify that task status can be updated from Project Review
Primary Role	Task Owner or Project Owner
Priority	High
Preconditions	Project has at least one editable open task

Step No.	Test Step	Expected Result
----------	-----------	-----------------

1	Open Project Review	Review page opens
2	Locate open task	Task available
3	Open task update controls	Status control visible
4	Change status to In Progress	Status accepted
5	Save	Status saved
6	Reopen task	Updated status visible
7	Change status to Completed or Closed if allowed	Final status accepted
8	Save	Final status saved

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.9 UAT-PROJ-009 - Project Review - Update Task Target Date

Field	Detail
Test Case ID	UAT-PROJ-009
Module	Projects
Test Scenario	Project Review - Update Task Target Date
Objective	Verify that task target dates can be updated and reflected in schedule views
Primary Role	Task Owner or Project Owner
Priority	High
Preconditions	Editable task exists with target date field

Step No.	Test Step	Expected Result
1	Open Project Review	Review page opens
2	Select editable task	Task opens

3	Change target date to future valid date	Date accepted
4	Save	Date saved
5	Reopen task	Updated date visible
6	Check schedule or indicators	Date reflected consistently

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.10 UAT-PROJ-010 - Project Review - Update Task Form Value Such As DMS Number

Field	Detail
Test Case ID	UAT-PROJ-010
Module	Projects
Test Scenario	Project Review - Update Task Form Value Such As DMS Number
Objective	Verify that task form values can be entered and saved
Primary Role	Task Owner or Project Member
Priority	High
Preconditions	Task has a form field such as DMS number. User has edit permission

Step No.	Test Step	Expected Result
1	Open Project Review	Review page opens
2	Select task with data-entry fields	Task opens
3	Enter or update DMS number	Value accepted
4	Save task	Value saved
5	Reopen task	Value remains visible
6	Review task details	Displayed value is correct

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.11 UAT-PROJ-011 - Project Review - Check Progress Bars And Percentages

Field	Detail
Test Case ID	UAT-PROJ-011
Module	Projects
Test Scenario	Project Review - Check Progress Bars And Percentages
Objective	Verify that progress bars and percentages reflect task completion accurately
Primary Role	Project Owner
Priority	High
Preconditions	Project has multiple tasks with different statuses

Step No.	Test Step	Expected Result
1	Open Project Review	Progress values displayed
2	Record current progress	Baseline values captured
3	Complete or close one open task	Status updated
4	Save task	Change saved
5	Refresh Project Review	Values recalculated
6	Compare progress bars and percentages	Progress updated correctly and does not exceed 100%

Execution Field	Value
Tester	
Execution Date	
Result	

Defect ID	
Evidence Reference	
Comments	

10.1.12 UAT-PROJ-012 - Project Review - Close Task

Field	Detail
Test Case ID	UAT-PROJ-012
Module	Projects
Test Scenario	Project Review - Close Task
Objective	Verify that a task can be closed when required work is complete
Primary Role	Task Owner or Project Owner
Priority	High
Preconditions	Open task exists. Required form values and evidence are available

Step No.	Test Step	Expected Result
1	Open Project Review	Review page opens
2	Select open task	Task opens
3	Complete required data-entry fields	Required data provided
4	Add final comment or attachment if required	Supporting evidence added
5	Set status to Closed or Completed	Close status accepted
6	Save	Task closes successfully
7	Refresh review page	Task remains closed

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	

Comments	
----------	--

10.1.13 UAT-PROJ-013 - Project Review - Add Chat

Field	Detail
Test Case ID	UAT-PROJ-013
Module	Projects
Test Scenario	Project Review - Add Chat
Objective	Verify that a chat message can be added from Project Review
Primary Role	Project Owner or Project Member
Priority	Medium
Preconditions	Project chat is enabled. At least two users have project access

Step No.	Test Step	Expected Result
1	Open Project Review	Review page opens
2	Locate project chat area	Chat area visible
3	Enter message	Message text accepted
4	Send message	Message posted
5	Open as another project user	Another user accesses project chat
6	Confirm message visibility	Message visible to authorized user

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.14 UAT-PROJ-014 - Project Configuration - Update Project Information

Field	Detail
-------	--------

Test Case ID	UAT-PROJ-014
Module	Projects
Test Scenario	Project Configuration - Update Project Information
Objective	Verify that authorized users can update project information
Primary Role	Project Owner
Priority	High
Preconditions	User has project configuration access. Existing project is available

Step No.	Test Step	Expected Result
1	Open Projects	Project list opens
2	Select target project	Project opens
3	Open Configure or Project Configuration	Configuration page opens
4	Update editable project fields	Fields accept valid changes
5	Save changes	Data saved
6	Open project details and review	Updated values visible consistently

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.15 UAT-PROJ-015 - Project Configuration - Add Product Code

Field	Detail
Test Case ID	UAT-PROJ-015
Module	Projects
Test Scenario	Project Configuration - Add Product Code
Objective	Verify that product codes can be added to a project

Primary Role	Project Owner
Priority	Medium
Preconditions	Available product codes exist. User has configuration access

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Go to product code assignment section	Product area opens
3	Add an unassigned product code	Product code accepted
4	Save	Assignment saved
5	Reopen section	Added product code remains assigned

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.16 UAT-PROJ-016 - Project Configuration - Remove Product Code

Field	Detail
Test Case ID	UAT-PROJ-016
Module	Projects
Test Scenario	Project Configuration - Remove Product Code
Objective	Verify that product codes can be removed from a project when allowed
Primary Role	Project Owner
Priority	Medium
Preconditions	Project has at least two product codes or one removable test product code

Step No.	Test Step	Expected Result
----------	-----------	-----------------

1	Open Project Configuration	Configuration page opens
2	Go to product code assignment	Product code list opens
3	Select removable product code	Correct code selected
4	Remove selected code	Removal action accepted
5	Save	Updated list saved
6	Reopen configuration	Removed code no longer appears

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.17 UAT-PROJ-017 - Project Configuration - Add Member

Field	Detail
Test Case ID	UAT-PROJ-017
Module	Projects
Test Scenario	Project Configuration - Add Member
Objective	Verify that project members can be added
Primary Role	Project Owner or Administrator
Priority	High
Preconditions	User account exists and is eligible for membership

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Go to Members	Member section opens
3	Add new member	Add member dialog opens
4	Assign role or responsibility if available	Role assigned
5	Save	Member added successfully

6	Confirm appearance in membership and member-centric view	Member visible correctly
---	--	--------------------------

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.18 UAT-PROJ-018 - Project Configuration - Update Member

Field	Detail
Test Case ID	UAT-PROJ-018
Module	Projects
Test Scenario	Project Configuration - Update Member
Objective	Verify that member role or responsibility can be updated
Primary Role	Project Owner or Administrator
Priority	Medium
Preconditions	Project has at least one editable member

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Go to Members	Member section opens
3	Select existing member	Member details open
4	Update role, responsibility, or assignment	Changes accepted
5	Save	Member changes saved
6	Verify in review and member-centric view	Updated values visible

Execution Field	Value
Tester	

Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.19 UAT-PROJ-019 - Project Configuration - Remove Member

Field	Detail
Test Case ID	UAT-PROJ-019
Module	Projects
Test Scenario	Project Configuration - Remove Member
Objective	Verify that project members can be removed when allowed
Primary Role	Project Owner or Administrator
Priority	High
Preconditions	Project has a removable member. Member does not own blocking open work, or reassignment rules are satisfied

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Go to Members	Member section opens
3	Select removable member	Member is selected
4	Remove member	Removal action is accepted
5	Confirm removal if prompted	Removal is confirmed
6	Save	Membership is updated
7	Verify member no longer appears	Member is removed or system shows valid blocking rule

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	

Evidence Reference	
Comments	

10.1.20 UAT-PROJ-020 - Project Configuration - Add Notification

Field	Detail
Test Case ID	UAT-PROJ-020
Module	Projects
Test Scenario	Project Configuration - Add Notification
Objective	Verify that project notifications can be added
Primary Role	Project Owner or Administrator
Priority	Medium
Preconditions	User has notification configuration access. Recipient user exists

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Go to Notifications	Notification area opens
3	Add a notification rule or reminder	Entry form opens
4	Enter recipient, timing, trigger, message, and due details	Data is accepted
5	Save	Notification is created
6	Verify it appears in configuration	Notification is visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.21 UAT-PROJ-021 - Project Configuration - Update Notification

Field	Detail
Test Case ID	UAT-PROJ-021
Module	Projects
Test Scenario	Project Configuration - Update Notification
Objective	Verify that configured notifications can be updated
Primary Role	Project Owner or Administrator
Priority	Medium
Preconditions	Existing notification is configured

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Go to Notifications	Notification list opens
3	Select existing notification	Notification details open
4	Update recipient, timing, trigger, or message	Changes are accepted
5	Save	Notification is updated
6	Reopen notification details	Updated values remain visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.22 UAT-PROJ-022 - Project Configuration - Remove Notification

Field	Detail
Test Case ID	UAT-PROJ-022
Module	Projects
Test Scenario	Project Configuration - Remove Notification

Objective	Verify that project notifications can be removed
Primary Role	Project Owner or Administrator
Priority	Medium
Preconditions	Removable notification exists

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Go to Notifications	Notification list opens
3	Select existing notification	Notification is selected
4	Remove or delete notification	Removal action is triggered
5	Confirm if prompted	Notification is removed
6	Save	Updated configuration is saved

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.23 UAT-PROJ-023 - Project Configuration - Activate Project

Field	Detail
Test Case ID	UAT-PROJ-023
Module	Projects
Test Scenario	Project Configuration - Activate Project
Objective	Verify that a deactivated or inactive project can be activated
Primary Role	Project Owner or Administrator
Priority	High
Preconditions	Project exists in inactive state

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Locate lifecycle or activation controls	Activate control is visible
3	Select Activate	Activation is triggered
4	Confirm if prompted	Project is activated
5	Open Projects or Status Board	Project appears as active

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.24 UAT-PROJ-024 - Project Configuration - Deactivate Project

Field	Detail
Test Case ID	UAT-PROJ-024
Module	Projects
Test Scenario	Project Configuration - Deactivate Project
Objective	Verify that an active project can be deactivated
Primary Role	Project Owner or Administrator
Priority	High
Preconditions	Active project exists and user has permission

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Locate active or inactive controls	Deactivate control visible
3	Select Deactivate	Deactivation is triggered
4	Confirm if prompted	Project is deactivated

5	Review visibility in Projects and Status Board	Project is inactive, hidden, or marked according to rules
---	--	---

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.25 UAT-PROJ-025 - Project Configuration - Delete Project

Field	Detail
Test Case ID	UAT-PROJ-025
Module	Projects
Test Scenario	Project Configuration - Delete Project
Objective	Verify that project deletion is available only to authorized users and behaves correctly
Primary Role	Administrator or Authorized Project Owner
Priority	High
Preconditions	Test project exists specifically for deletion

Step No.	Test Step	Expected Result
1	Open test project	Project opens
2	Open Project Configuration	Configuration page opens
3	Select delete project	Delete action is available
4	Review confirmation message	Warning is displayed
5	Confirm deletion	Project is deleted or archived according to behavior
6	Search in Projects, View, and Status Board	Deleted project no longer appears in active lists

Execution Field	Value
-----------------	-------

Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.26 UAT-PROJ-026 - Project Configuration - Retrieve Latest Roadmap Structure

Field	Detail
Test Case ID	UAT-PROJ-026
Module	Projects
Test Scenario	Project Configuration - Retrieve Latest Roadmap Structure
Objective	Verify that an existing project can retrieve changes from its source roadmap
Primary Role	Project Owner and Template Manager
Priority	High
Preconditions	Existing project uses a roadmap. User can update roadmap and configure project

Step No.	Test Step	Expected Result
1	Open Templates > Roadmap	Roadmap list opens
2	Select roadmap used by project	Correct roadmap opens
3	Add or update milestone or task	Roadmap changes saved
4	Open related project	Project opens
5	Open Project Configuration	Configuration page opens
6	Select Retrieve Latest Roadmap Structure	Differences detected
7	Review detected changes	Differences are visible
8	Apply updates	Selected changes applied
9	Open Project Review	Updated structure visible

Execution Field	Value
-----------------	-------

Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.27 UAT-PROJ-027 - Project Configuration - Insert Project Milestone

Field	Detail
Test Case ID	UAT-PROJ-027
Module	Projects
Test Scenario	Project Configuration - Insert Project Milestone
Objective	Verify that an additional milestone can be inserted into a project
Primary Role	Project Owner
Priority	Medium
Preconditions	User has project configuration access. Project supports insertion

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Locate milestone controls	Insert milestone option visible
3	Select insert milestone	Entry form opens
4	Enter or select milestone details	Data accepted
5	Choose placement if available	Placement accepted
6	Save	Milestone inserted
7	Open Project Review	New milestone visible

Execution Field	Value
Tester	
Execution Date	
Result	

Defect ID	
Evidence Reference	
Comments	

10.1.28 UAT-PROJ-028 - Project Configuration - Arrange Milestones

Field	Detail
Test Case ID	UAT-PROJ-028
Module	Projects
Test Scenario	Project Configuration - Arrange Milestones
Objective	Verify that project milestones can be reordered
Primary Role	Project Owner
Priority	Medium
Preconditions	Project has at least three milestones and user has access

Step No.	Test Step	Expected Result
1	Open Project Configuration	Configuration page opens
2	Locate milestone arrangement controls	Reorder controls visible
3	Move milestone before or after another milestone	New order accepted
4	Save	Order saved
5	Open Project Review and Status Board	New order reflected consistently

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.29 UAT-PROJ-029 - Project View - Read Project Information

Field	Detail
Test Case ID	UAT-PROJ-029
Module	Projects
Test Scenario	Project View - Read Project Information
Objective	Verify that users can inspect project information in a read-oriented project view
Primary Role	Viewer, Project Member, Project Owner
Priority	Medium
Preconditions	User has visibility to at least one project

Step No.	Test Step	Expected Result
1	Open View or project view page	Project search or list opens
2	Locate project	Project is visible
3	Open project	Project details open
4	Review summary, schedule, ownership, progress, risk	Data displays correctly
5	Confirm edit controls hidden for read-only users	Unauthorized edit actions unavailable

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.30 UAT-PROJ-030 - Copy Project

Field	Detail
Test Case ID	UAT-PROJ-030
Module	Projects
Test Scenario	Copy Project

Objective	Verify that users can copy an existing project to create a similar new project
Primary Role	Project Owner
Priority	High
Preconditions	Source project exists. User has permission to copy or create

Step No.	Test Step	Expected Result
1	Open Projects	Project list opens
2	Select source project	Project selected
3	Choose Copy Project	Copy action starts
4	Review copied details	Source values prefilled
5	Update title, dates, owner, products, members	New values accepted
6	Save copied project	New project created
7	Open new project	Copied project is distinct and accessible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.1.31 UAT-PROJ-031 - Quick Edit Project

Field	Detail
Test Case ID	UAT-PROJ-031
Module	Projects
Test Scenario	Quick Edit Project
Objective	Verify that common project fields can be updated quickly without full configuration
Primary Role	Project Owner or Authorized User

Priority	Medium
Preconditions	Project list or workspace provides quick edit action

Step No.	Test Step	Expected Result
1	Open Projects	Project list opens
2	Locate target project	Target project visible
3	Select Quick Edit	Quick edit panel opens
4	Update available fields	Editable values accepted
5	Save	Changes saved
6	Reopen project or list	Updated values visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.2 Status Board

10.2.1 UAT-STAT-001 - Change Status At Project List Level

Field	Detail
Test Case ID	UAT-STAT-001
Module	Status Board
Test Scenario	Change Status At Project List Level
Objective	Verify that project-level status can be changed from Status Board
Primary Role	Project Owner or Coordinator
Priority	High
Preconditions	Project appears in Status Board and user has status update permission

Step No.	Test Step	Expected Result
1	Open Status Board	Status Board opens
2	Locate target project	Project is visible
3	Select current status	Status control opens
4	Choose new valid status	New status selected
5	Save or confirm	Status change saved
6	Refresh board	New status persists and displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.2.2 UAT-STAT-002 - Change Status At Milestone List Level

Field	Detail
Test Case ID	UAT-STAT-002
Module	Status Board
Test Scenario	Change Status At Milestone List Level
Objective	Verify that milestone-level status can be changed from Status Board
Primary Role	Project Owner or Coordinator
Priority	High
Preconditions	Project has milestones visible in Status Board

Step No.	Test Step	Expected Result
1	Open Status Board	Board opens
2	Expand or select a project	Milestones are visible
3	Locate milestone list	Milestone list loads
4	Change milestone status	New status accepted
5	Save or confirm	Status saved
6	Review indicators	Milestone and project indicators update correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.2.3 UAT-STAT-003 - Change Status At Task List Level

Field	Detail
Test Case ID	UAT-STAT-003

Module	Status Board
Test Scenario	Change Status At Task List Level
Objective	Verify that task-level status can be changed from Status Board
Primary Role	Task Owner, Project Member, or Project Owner
Priority	High
Preconditions	Project has task list visible in Status Board

Step No.	Test Step	Expected Result
1	Open Status Board	Board opens
2	Expand target project and milestone	Tasks are visible
3	Locate a task	Task is available
4	Change task status	Status change accepted
5	Save or confirm	Task status saved
6	Open same task from Tasks or Project Review	Status is consistent across modules

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3 Tasks

10.3.1 UAT-TASK-001 - Update Task

Field	Detail
Test Case ID	UAT-TASK-001
Module	Tasks
Test Scenario	Update Task
Objective	Verify that a user can update assigned task details
Primary Role	Task Owner
Priority	High
Preconditions	User has at least one assigned editable task

Step No.	Test Step	Expected Result
1	Open Tasks	Task list opens
2	Select assigned task	Task details open
3	Review status, target date, required values	Fields visible
4	Update status	Status change accepted
5	Update target date if allowed	Date change accepted
6	Save	Changes saved
7	Reopen task	Updated values persist

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3.2 UAT-TASK-002 - Update Task Data Entry

Field	Detail
Test Case ID	UAT-TASK-002
Module	Tasks
Test Scenario	Update Task Data Entry
Objective	Verify that task data-entry fields can be updated
Primary Role	Task Owner
Priority	High
Preconditions	Task includes editable data-entry fields

Step No.	Test Step	Expected Result
1	Open Tasks	Task list opens
2	Select task with form fields	Task details open
3	Enter DMS number or other value	Value accepted
4	Save	Value saved
5	Reopen task	Value persists
6	Check validation	Required rules enforced

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3.3 UAT-TASK-003 - Add Task Attachment

Field	Detail
Test Case ID	UAT-TASK-003
Module	Tasks
Test Scenario	Add Task Attachment

Objective	Verify that a task attachment can be added
Primary Role	Task Owner or Project Member
Priority	Medium
Preconditions	User has attachment permission and a test file

Step No.	Test Step	Expected Result
1	Open Tasks	Task list opens
2	Select task	Task details open
3	Open Attachments	Attachment section opens
4	Upload test file	Upload accepted
5	Save or confirm	Attachment saved
6	Reopen attachments	Uploaded file visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3.4 UAT-TASK-004 - View Task Attachment

Field	Detail
Test Case ID	UAT-TASK-004
Module	Tasks
Test Scenario	View Task Attachment
Objective	Verify that a user can view or download a task attachment
Primary Role	Task Owner, Project Member, or Viewer
Priority	Medium
Preconditions	Task has at least one attachment

Step No.	Test Step	Expected Result
1	Open Tasks	Task list opens
2	Select task with attachment	Task details open
3	Open Attachments	Attachment list visible
4	Select view or download	File opens, downloads, or previews correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3.5 UAT-TASK-005 - Remove Task Attachment

Field	Detail
Test Case ID	UAT-TASK-005
Module	Tasks
Test Scenario	Remove Task Attachment
Objective	Verify that a permitted user can remove a task attachment
Primary Role	Task Owner or Project Owner
Priority	Medium
Preconditions	Task has removable attachment

Step No.	Test Step	Expected Result
1	Open task	Task details open
2	Open Attachments	Attachment list visible
3	Select test attachment	Target attachment selected
4	Remove or delete	Removal triggered
5	Confirm if prompted	Attachment removed

6	Reopen attachments	Removed attachment no longer visible
---	--------------------	--------------------------------------

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3.6 UAT-TASK-006 - Add Text Comment To Task

Field	Detail
Test Case ID	UAT-TASK-006
Module	Tasks
Test Scenario	Add Text Comment To Task
Objective	Verify that a plain text comment can be added to a task
Primary Role	Task Owner or Project Member
Priority	Medium
Preconditions	User has task comment access

Step No.	Test Step	Expected Result
1	Open Tasks	Task list opens
2	Select task	Task details open
3	Open Comments	Comment area opens
4	Enter plain text update	Comment text accepted
5	Save or post	Comment saved
6	Reopen task	Comment remains visible

Execution Field	Value
Tester	
Execution Date	

Result	
Defect ID	
Evidence Reference	
Comments	

10.3.7 UAT-TASK-007 - Add Rich Text Comment To Task

Field	Detail
Test Case ID	UAT-TASK-007
Module	Tasks
Test Scenario	Add Rich Text Comment To Task
Objective	Verify that rich text comments can be added where supported
Primary Role	Task Owner or Project Member
Priority	Medium
Preconditions	Rich text editor is available

Step No.	Test Step	Expected Result
1	Open task	Task details open
2	Open Comments	Comment area opens
3	Enter formatted comment	Formatting is accepted
4	Save or post	Comment is saved
5	Reopen comment history	Formatting is preserved correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3.8 UAT-TASK-008 - Manage Task

Field	Detail
Test Case ID	UAT-TASK-008
Module	Tasks
Test Scenario	Manage Task
Objective	Verify that task owners can manage all required task execution details
Primary Role	Task Owner
Priority	High
Preconditions	User has assigned task requiring updates

Step No.	Test Step	Expected Result
1	Open Tasks	Task list opens
2	Select assigned task	Task details open
3	Review owner, due date, status, required values, comments, and attachments	All relevant data visible
4	Update incomplete values	Changes accepted
5	Add evidence or comments if needed	Supporting data saved
6	Save	Task changes saved
7	Close task if complete and allowed	Task reaches intended state

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.3.9 UAT-TASK-009 - View Task

Field	Detail
Test Case ID	UAT-TASK-009

Module	Tasks
Test Scenario	View Task
Objective	Verify that users can view task details according to access
Primary Role	Viewer, Project Member, Task Owner
Priority	Medium
Preconditions	User has access to a project or task

Step No.	Test Step	Expected Result
1	Open Tasks, Project Review, or notification link	Task list or task opens
2	Select task	Task detail opens
3	Review task details	Data displays correctly
4	Attempt edit only if role should allow	Access matches role permissions

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.4 View

10.4.1 UAT-VIEW-001 - Switch To Overview

Field	Detail
Test Case ID	UAT-VIEW-001
Module	View
Test Scenario	Switch To Overview
Objective	Verify that the Overview tab or section displays project summary information
Primary Role	Viewer, Project Owner, Project Member
Priority	Medium
Preconditions	User has access to View and at least one project

Step No.	Test Step	Expected Result
1	Open View	View page opens
2	Search for and select a project	Project opens
3	Open Overview	Overview tab loads
4	Review summary, status, health, and indicators	Data is accurate

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.4.2 UAT-VIEW-002 - Switch To Schedule

Field	Detail
Test Case ID	UAT-VIEW-002

Module	View
Test Scenario	Switch To Schedule
Objective	Verify that the Schedule view displays timing and date-related information
Primary Role	Viewer or Project Owner
Priority	Medium
Preconditions	Project has milestone or task dates

Step No.	Test Step	Expected Result
1	Open View	View page opens
2	Select project	Project opens
3	Switch to Schedule	Schedule tab loads
4	Review dates, milestones, and tasks	Schedule data is correct

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.4.3 UAT-VIEW-003 - Switch To Risk

Field	Detail
Test Case ID	UAT-VIEW-003
Module	View
Test Scenario	Switch To Risk
Objective	Verify that the Risk view displays blockers, delayed items, or risk indicators
Primary Role	Viewer or Project Owner
Priority	Medium

Preconditions	Project has at least one delayed, blocked, or risk-relevant item if possible
---------------	--

Step No.	Test Step	Expected Result
1	Open View	View page opens
2	Select project	Project opens
3	Switch to Risk	Risk tab loads
4	Review risk indicators and blockers	Risk data is accurate

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.4.4 UAT-VIEW-004 - Switch To Ownership

Field	Detail
Test Case ID	UAT-VIEW-004
Module	View
Test Scenario	Switch To Ownership
Objective	Verify that the Ownership view displays member and responsibility information
Primary Role	Viewer or Project Owner
Priority	Medium
Preconditions	Project has assigned owner and members

Step No.	Test Step	Expected Result
1	Open View	View page opens
2	Select project	Project opens
3	Switch to Ownership	Ownership tab loads

4	Review owner, members, responsibilities, assignments	Data is correct
---	--	-----------------

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.4.5 UAT-VIEW-005 - Search Project

Field	Detail
Test Case ID	UAT-VIEW-005
Module	View
Test Scenario	Search Project
Objective	Verify that project search returns correct results
Primary Role	Any authorized user
Priority	High
Preconditions	User has access to View and test projects exist

Step No.	Test Step	Expected Result
1	Open View	Search interface available
2	Search by project number or ID	Matching project returned
3	Search by title keyword	Relevant results shown
4	Search by owner, plant, product, or category if supported	Filtered results displayed
5	Select matching project	Correct project opens

Execution Field	Value
Tester	
Execution Date	

Result	
Defect ID	
Evidence Reference	
Comments	

10.5 Chats

10.5.1 UAT-CHAT-001 - Send Chat Message

Field	Detail
Test Case ID	UAT-CHAT-001
Module	Chats
Test Scenario	Send Chat Message
Objective	Verify that a user can send a chat message
Primary Role	Project Member or Project Owner
Priority	Medium
Preconditions	Chat feature is available. User has access to conversation or project chat

Step No.	Test Step	Expected Result
1	Open Chats or project chat	Chat opens
2	Select conversation or project context	Target chat selected
3	Type message	Message text accepted
4	Send message	Message posted
5	Refresh or revisit conversation	Message remains visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.5.2 UAT-CHAT-002 - Receive Message With Two Or More Users

Field	Detail
-------	--------

Test Case ID	UAT-CHAT-002
Module	Chats
Test Scenario	Receive Message With Two Or More Users
Objective	Verify that chat messages are delivered between two or more authorized users
Primary Role	Project Members
Priority	High
Preconditions	Two or more test users can access the same chat context

Step No.	Test Step	Expected Result
1	User A opens chat	Chat is accessible
2	User B opens same chat	Same conversation visible
3	User A sends message	Message sent successfully
4	User B confirms receipt	Message visible to User B
5	User B replies	Reply sent
6	User A confirms reply	Reply visible to User A
7	User C validates visibility if available	Authorized participants can view thread

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.6 Notifications

10.6.1 UAT-NOTIF-001 - View Notifications

Field	Detail
Test Case ID	UAT-NOTIF-001
Module	Notifications
Test Scenario	View Notifications
Objective	Verify that users can view notifications and open related records
Primary Role	Any authorized user
Priority	Medium
Preconditions	User has active or unread notifications

Step No.	Test Step	Expected Result
1	Open Notifications	Notification list opens
2	Review unread and active notifications	Notifications display correctly
3	Select notification linked to project or task	Related record opens
4	Return to Notifications	Notification list still accessible
5	Mark as read if available	Read state updates correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.6.2 UAT-NOTIF-002 - Switch Between Archived Hidden And Archived Only

Field	Detail
-------	--------

Test Case ID	UAT-NOTIF-002
Module	Notifications
Test Scenario	Switch Between Archived Hidden And Archived Only
Objective	Verify archive filtering in Notifications
Primary Role	Any authorized user
Priority	Medium
Preconditions	User has active and archived notifications or test data can be created

Step No.	Test Step	Expected Result
1	Open Notifications	Notification list opens
2	Select Archived Hidden	Archived notifications are hidden
3	Validate results	Only active notifications shown
4	Select Archived Only	Only archived notifications shown
5	Validate results	Filter works correctly
6	Switch back if needed	Original filter state restored

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.6.3 UAT-NOTIF-003 - Switch Between Read Visible And Read Hidden

Field	Detail
Test Case ID	UAT-NOTIF-003
Module	Notifications
Test Scenario	Switch Between Read Visible And Read Hidden
Objective	Verify read or unread filtering in Notifications

Primary Role	Any authorized user
Priority	Medium
Preconditions	User has both read and unread notifications if possible

Step No.	Test Step	Expected Result
1	Open Notifications	Notification list opens
2	Select Read Hidden	Read notifications hidden
3	Validate results	Only unread or current items shown
4	Select Read Visible	Read notifications displayed
5	Mark unread as read if available	Read state updated correctly
6	Retest filter behavior	Filter applies correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.7 Categories

10.7.1 UAT-CAT-001 - Add Category

Field	Detail
Test Case ID	UAT-CAT-001
Module	Categories
Test Scenario	Add Category
Objective	Verify that a category can be added
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	User has Templates > Categories access

Step No.	Test Step	Expected Result
1	Open Templates > Categories	Category page opens
2	Select Add or New	Creation form opens
3	Enter category details	Data accepted
4	Save	Category created
5	Search for category	New category visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.7.2 UAT-CAT-002 - Update Category

Field	Detail
Test Case ID	UAT-CAT-002

Module	Categories
Test Scenario	Update Category
Objective	Verify that a category can be updated
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Existing editable category is available

Step No.	Test Step	Expected Result
1	Open Templates > Categories	Category page opens
2	Search for category	Category located
3	Open edit mode	Edit screen opens
4	Change allowed fields	Changes accepted
5	Save	Updates stored
6	Reopen category	Updated values remain visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.7.3 UAT-CAT-003 - View Category

Field	Detail
Test Case ID	UAT-CAT-003
Module	Categories
Test Scenario	View Category
Objective	Verify that a category can be viewed
Primary Role	Template Manager, Administrator, or authorized viewer
Priority	Low

Preconditions	Category exists
---------------	-----------------

Step No.	Test Step	Expected Result
1	Open Templates > Categories	Category page opens
2	Search or filter for category	Category found
3	Open View or Display	Category details open
4	Review details	Data displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.8 Fields

10.8.1 UAT-FIELD-001 - Add Field

Field	Detail
Test Case ID	UAT-FIELD-001
Module	Fields
Test Scenario	Add Field
Objective	Verify that a reusable field can be added
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	User has Templates > Fields access

Step No.	Test Step	Expected Result
1	Open Templates > Fields	Field page opens
2	Select Add or New	Create form opens
3	Enter field setup	Data accepted
4	Save	Field created
5	Search for field	New field visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.8.2 UAT-FIELD-002 - Update Field

Field	Detail
Test Case ID	UAT-FIELD-002

Module	Fields
Test Scenario	Update Field
Objective	Verify that a reusable field can be updated
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Existing editable field is available

Step No.	Test Step	Expected Result
1	Open Templates > Fields	Field page opens
2	Search for field	Field located
3	Open edit mode	Edit page opens
4	Change allowed properties	Changes accepted
5	Save	Updates stored
6	Reopen field	Updated values visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.8.3 UAT-FIELD-003 - Delete Field

Field	Detail
Test Case ID	UAT-FIELD-003
Module	Fields
Test Scenario	Delete Field
Objective	Verify that field deletion is governed correctly
Primary Role	Template Manager or Administrator
Priority	Medium

Preconditions	Test field exists and is safe to remove
---------------	---

Step No.	Test Step	Expected Result
1	Open Templates > Fields	Field page opens
2	Select test field	Field selected
3	Choose delete	Delete action triggered
4	Confirm deletion	Field removed if allowed
5	Search for deleted field	Field no longer visible
6	Attempt delete of in-use field if safe	System blocks unsafe deletion

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.8.4 UAT-FIELD-004 - View Field

Field	Detail
Test Case ID	UAT-FIELD-004
Module	Fields
Test Scenario	View Field
Objective	Verify that field details can be viewed
Primary Role	Template Manager, Administrator, or authorized viewer
Priority	Low
Preconditions	Field exists

Step No.	Test Step	Expected Result
1	Open Templates > Fields	Field page opens
2	Search for field	Field found

3	Open View or Display	Field details open
4	Review details	Configuration displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.9 Forms

10.9.1 UAT-FORM-001 - Add Form

Field	Detail
Test Case ID	UAT-FORM-001
Module	Forms
Test Scenario	Add Form
Objective	Verify that a form can be created with fields
Primary Role	Template Manager or Administrator
Priority	High
Preconditions	Reusable fields exist. User has Templates > Forms access

Step No.	Test Step	Expected Result
1	Open Templates > Forms	Forms page opens
2	Select Add or New	Create form opens
3	Enter form details	Data accepted
4	Add one or more fields	Fields added to form
5	Arrange fields if available	Order saved
6	Save	Form created
7	Search for form	Form visible and usable

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.9.2 UAT-FORM-002 - Update Form

Field	Detail
Test Case ID	UAT-FORM-002
Module	Forms
Test Scenario	Update Form
Objective	Verify that an existing form can be updated
Primary Role	Template Manager or Administrator
Priority	High
Preconditions	Editable form exists

Step No.	Test Step	Expected Result
1	Open Templates > Forms	Forms page opens
2	Search for existing form	Form located
3	Open edit mode	Edit page opens
4	Update form details	Changes accepted
5	Add, remove, or reorder fields	Changes applied
6	Save	Form updates saved
7	Reopen form	Updated structure visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.9.3 UAT-FORM-003 - Delete Form

Field	Detail
Test Case ID	UAT-FORM-003
Module	Forms
Test Scenario	Delete Form

Objective	Verify that form deletion is controlled correctly
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Test form exists

Step No.	Test Step	Expected Result
1	Open Templates > Forms	Forms page opens
2	Select test form	Form selected
3	Choose delete	Delete action triggered
4	Confirm if prompted	Form removed if allowed
5	Search for deleted form	Form no longer visible
6	Try to delete in-use form if safe	System blocks unsafe deletion

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.9.4 UAT-FORM-004 - View Form

Field	Detail
Test Case ID	UAT-FORM-004
Module	Forms
Test Scenario	View Form
Objective	Verify that users can view form configuration
Primary Role	Template Manager, Administrator, or authorized viewer
Priority	Low
Preconditions	Form exists

Step No.	Test Step	Expected Result
1	Open Templates > Forms	Forms page opens
2	Search for form	Form found
3	Open View or Display	Form details open
4	Review form structure	Data displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.9.5 UAT-FORM-005 - Copy Form

Field	Detail
Test Case ID	UAT-FORM-005
Module	Forms
Test Scenario	Copy Form
Objective	Verify that a form can be copied and adjusted
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Source form exists and user has copy or create permission

Step No.	Test Step	Expected Result
1	Open Templates > Forms	Forms page opens
2	Select existing form	Form selected
3	Choose Copy	Copy action starts
4	Rename copied form	New name accepted
5	Adjust field list or ordering	Changes accepted
6	Save	Copied form created

7	Search for copied form	New form visible and distinct
---	------------------------	-------------------------------

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.10 Maturity

10.10.1 UAT-MAT-001 - Add Maturity

Field	Detail
Test Case ID	UAT-MAT-001
Module	Maturity
Test Scenario	Add Maturity
Objective	Verify that a maturity level can be added
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	User has Templates > Maturity access

Step No.	Test Step	Expected Result
1	Open Templates > Maturity	Maturity page opens
2	Select Add or New	Entry form opens
3	Enter maturity details	Data accepted
4	Save	Record created
5	Search for maturity	Record visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.10.2 UAT-MAT-002 - Update Maturity

Field	Detail
Test Case ID	UAT-MAT-002

Module	Maturity
Test Scenario	Update Maturity
Objective	Verify that a maturity level can be updated
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Existing maturity record is available

Step No.	Test Step	Expected Result
1	Open Templates > Maturity	Page opens
2	Search for maturity record	Record located
3	Open edit mode	Edit page opens
4	Change allowed fields	Changes accepted
5	Save	Updates saved
6	Reopen record	Updated values visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.10.3 UAT-MAT-003 - View Maturity

Field	Detail
Test Case ID	UAT-MAT-003
Module	Maturity
Test Scenario	View Maturity
Objective	Verify that maturity details can be viewed
Primary Role	Template Manager, Administrator, or authorized viewer
Priority	Low

Preconditions	Maturity record exists
---------------	------------------------

Step No.	Test Step	Expected Result
1	Open Templates > Maturity	Page opens
2	Search for maturity	Record found
3	Open View or Display	Details page opens
4	Review details	Record displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.11 Product Division

10.11.1 UAT-PDIV-001 - Add Product Division

Field	Detail
Test Case ID	UAT-PDIV-001
Module	Product Division
Test Scenario	Add Product Division
Objective	Verify that a product division can be added
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	User has Templates > Product Division access

Step No.	Test Step	Expected Result
1	Open Templates > Product Division	Page opens
2	Select Add or New	Entry form opens
3	Enter division details	Data accepted
4	Save	Record created
5	Search for division	Record visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.11.2 UAT-PDIV-002 - Update Product Division

Field	Detail
Test Case ID	UAT-PDIV-002

Module	Product Division
Test Scenario	Update Product Division
Objective	Verify that a product division can be updated
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Existing product division is available

Step No.	Test Step	Expected Result
1	Open Templates > Product Division	Page opens
2	Search for product division	Record located
3	Open edit mode	Edit page opens
4	Change allowed fields	Changes accepted
5	Save	Updates saved
6	Reopen record	Updated values visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.11.3 UAT-PDIV-003 - View Product Division

Field	Detail
Test Case ID	UAT-PDIV-003
Module	Product Division
Test Scenario	View Product Division
Objective	Verify that product division details can be viewed
Primary Role	Template Manager, Administrator, or authorized viewer
Priority	Low

Preconditions	Product division exists
---------------	-------------------------

Step No.	Test Step	Expected Result
1	Open Templates > Product Division	Page opens
2	Search for record	Record found
3	Open View or Display	Details page opens
4	Review details	Record displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.12 Product Group

10.12.1 UAT-PGRP-001 - Add Product Group

Field	Detail
Test Case ID	UAT-PGRP-001
Module	Product Group
Test Scenario	Add Product Group
Objective	Verify that a product group can be added
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Product division exists if required for mapping

Step No.	Test Step	Expected Result
1	Open Templates > Product Group	Page opens
2	Select Add or New	Entry form opens
3	Enter group details	Data accepted
4	Save	Record created
5	Search for group	Record visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.12.2 UAT-PGRP-002 - Update Product Group

Field	Detail
Test Case ID	UAT-PGRP-002

Module	Product Group
Test Scenario	Update Product Group
Objective	Verify that a product group can be updated
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Existing product group is available

Step No.	Test Step	Expected Result
1	Open Templates > Product Group	Page opens
2	Search for group	Record located
3	Open edit mode	Edit page opens
4	Change allowed fields	Changes accepted
5	Save	Updates saved
6	Reopen record	Updated values visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.12.3 UAT-PGRP-003 - View Product Group

Field	Detail
Test Case ID	UAT-PGRP-003
Module	Product Group
Test Scenario	View Product Group
Objective	Verify that product group details can be viewed
Primary Role	Template Manager, Administrator, or authorized viewer
Priority	Low

Preconditions	Product group exists
---------------	----------------------

Step No.	Test Step	Expected Result
1	Open Templates > Product Group	Page opens
2	Search for record	Record found
3	Open View or Display	Details page opens
4	Review details	Record displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.13 Roadmap

10.13.1 UAT-RMAP-001 - Add Roadmap

Field	Detail
Test Case ID	UAT-RMAP-001
Module	Roadmap
Test Scenario	Add Roadmap
Objective	Verify that a roadmap can be created with milestones and tasks
Primary Role	Template Manager or Administrator
Priority	High
Preconditions	Categories, maturity, fields, and forms exist as needed

Step No.	Test Step	Expected Result
1	Open Templates > Roadmap	Roadmap page opens
2	Select Add or New	Create form opens
3	Enter roadmap details	Data accepted
4	Add at least two milestones	Milestones added
5	Add at least one task under each milestone	Tasks added correctly
6	Attach forms or prerequisites if supported	Linkages accepted
7	Save	Roadmap created
8	Search for roadmap	Roadmap visible
9	Use roadmap in project registration if applicable	Roadmap available for use

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	

Evidence Reference	
Comments	

10.13.2 UAT-RMAP-002 - Update Roadmap

Field	Detail
Test Case ID	UAT-RMAP-002
Module	Roadmap
Test Scenario	Update Roadmap
Objective	Verify that roadmap details, milestones, tasks, forms, or prerequisites can be updated
Primary Role	Template Manager or Administrator
Priority	High
Preconditions	Existing roadmap is available

Step No.	Test Step	Expected Result
1	Open Templates > Roadmap	Roadmap page opens
2	Search for roadmap	Roadmap found
3	Open edit mode	Edit page opens
4	Update roadmap details	Changes accepted
5	Add, edit, remove, or reorder milestone or task	Changes applied
6	Update linked forms or prerequisites	Link updates saved
7	Save	Roadmap update saved
8	Reopen roadmap	Updated structure visible

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.13.3 UAT-RMAP-003 - View Roadmap

Field	Detail
Test Case ID	UAT-RMAP-003
Module	Roadmap
Test Scenario	View Roadmap
Objective	Verify that roadmap structure can be viewed
Primary Role	Template Manager, Administrator, or authorized viewer
Priority	Low
Preconditions	Roadmap exists

Step No.	Test Step	Expected Result
1	Open Templates > Roadmap	Page opens
2	Search for roadmap	Roadmap found
3	Open View or Display	Details page opens
4	Review milestones, tasks, forms, prerequisites, category, and maturity	Structure displays correctly

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.13.4 UAT-RMAP-004 - Copy Roadmap

Field	Detail
Test Case ID	UAT-RMAP-004
Module	Roadmap
Test Scenario	Copy Roadmap

Objective	Verify that a roadmap can be copied and modified independently
Primary Role	Template Manager or Administrator
Priority	Medium
Preconditions	Source roadmap exists. User has copy or create permission

Step No.	Test Step	Expected Result
1	Open Templates > Roadmap	Page opens
2	Select existing roadmap	Roadmap selected
3	Choose Copy	Copy action starts
4	Rename copied roadmap	New name accepted
5	Adjust milestones, tasks, forms, or prerequisites	Changes accepted
6	Save	Copied roadmap created
7	Search for copied roadmap	New roadmap visible
8	Confirm source remains unchanged	Source roadmap preserved

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.14 Reports

10.14.1 UAT-REP-001 - Project Export

Field	Detail
Test Case ID	UAT-REP-001
Module	Reports
Test Scenario	Project Export
Objective	Verify that users can generate and export project records
Primary Role	Report Viewer, Project Owner, Administrator
Priority	High
Preconditions	User has Reports > Project Export access. Projects exist matching filter criteria

Step No.	Test Step	Expected Result
1	Open Reports > Project Export	Report page opens
2	Set filters	Filter values accepted
3	Run or generate report	Results displayed
4	Review on-screen data	Data matches filters
5	Export or download report	File generated successfully
6	Open exported file	File opens and data matches report

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.14.2 UAT-REP-002 - Monitoring Matrix

Field	Detail
Test Case ID	UAT-REP-002
Module	Reports
Test Scenario	Monitoring Matrix
Objective	Verify that users can review projects in a milestone or task matrix
Primary Role	Report Viewer or Project Owner
Priority	High
Preconditions	User has Reports > Monitoring Matrix access. Multiple projects exist with roadmap structures

Step No.	Test Step	Expected Result
1	Open Reports > Monitoring Matrix	Matrix page opens
2	Apply filters	Filter values accepted
3	Generate matrix	Matrix loads
4	Review project rows and milestone or task columns	Data displays correctly
5	Use frozen, pinned, or scrolling fields if available	Navigation works correctly
6	Export matrix if available	Export matches displayed data

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.14.3 UAT-REP-003 - Project Comparison

Field	Detail
Test Case ID	UAT-REP-003
Module	Reports

Test Scenario	Project Comparison
Objective	Verify that users can compare projects side by side
Primary Role	Report Viewer or Project Owner
Priority	High
Preconditions	At least two comparable projects exist. User has Report access

Step No.	Test Step	Expected Result
1	Open Reports > Project Comparison	Comparison page opens
2	Select two or more projects	Projects selected
3	Run or load comparison	Comparison view loads
4	Compare schedules, milestones, status, progress, owner, and values	Differences are clear
5	Export or capture comparison if available	Evidence or export available
6	Validate access filtering	Only authorized projects shown

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.15 Negative and Access Control Scenarios

10.15.1 UAT-ACCESS-001 - Missing Menu For Unauthorized User

Field	Detail
Test Case ID	UAT-ACCESS-001
Module	Access Control
Test Scenario	Missing Menu For Unauthorized User
Objective	Verify that users without access do not see restricted menus
Primary Role	Any restricted user
Priority	High
Preconditions	User lacks access to at least one controlled module

Step No.	Test Step	Expected Result
1	Log in as restricted user	Login succeeds
2	Check navigation for Templates	Restricted menu hidden or disabled
3	Attempt direct navigation to restricted page if safe	Access denied
4	Repeat for Reports, Admin, or Project Configuration if relevant	Restrictions consistently enforced

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.15.2 UAT-ACCESS-002 - Unauthorized User Cannot Delete Project

Field	Detail
Test Case ID	UAT-ACCESS-002

Module	Access Control
Test Scenario	Unauthorized User Cannot Delete Project
Objective	Verify that project deletion is limited to authorized roles
Primary Role	Restricted project member or viewer
Priority	High
Preconditions	User can view a project but should not delete it

Step No.	Test Step	Expected Result
1	Log in as restricted user	Login succeeds
2	Open visible project	Project opens
3	Open project actions or configuration if visible	Restricted actions hidden or blocked
4	Look for delete action	Delete unavailable or disabled
5	Attempt delete only if safe and visible	System blocks action

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.15.3 UAT-ACCESS-003 - Unauthorized User Cannot Modify Templates

Field	Detail
Test Case ID	UAT-ACCESS-003
Module	Access Control
Test Scenario	Unauthorized User Cannot Modify Templates
Objective	Verify that template maintenance is restricted
Primary Role	Daily User or Project Member
Priority	High

Preconditions	User lacks template manager role
---------------	----------------------------------

Step No.	Test Step	Expected Result
1	Log in as daily user	Login succeeds
2	Attempt to open Templates	Access denied or hidden
3	Attempt to add or update template records if visible	Changes blocked

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

10.15.4 UAT-ACCESS-004 - User Sees Only Authorized Projects

Field	Detail
Test Case ID	UAT-ACCESS-004
Module	Access Control
Test Scenario	User Sees Only Authorized Projects
Objective	Verify that project visibility respects plant, membership, or role scope
Primary Role	Daily User, Viewer, Project Member
Priority	High
Preconditions	Projects exist inside and outside user scope

Step No.	Test Step	Expected Result
1	Log in as test user	Login succeeds
2	Open Projects	Project list opens
3	Search for authorized project	Authorized project visible
4	Search for out-of-scope project	Out-of-scope project hidden or denied

5	Open View, Tasks, Status Board, or Reports as relevant	Visibility remains correctly restricted
---	--	---

Execution Field	Value
Tester	
Execution Date	
Result	
Defect ID	
Evidence Reference	
Comments	

11. Regression Checklist

No.	Area	Check	Result	Notes
11.1	Register	New project can be created		
11.2	Register	Auto-start milestone works		
11.3	Register	Create-only project can later be started		
11.4	Projects	Project Review loads		
11.5	Projects	Tasks update from Project Review		
11.6	Projects	Attachments upload and remove		
11.7	Projects	Comments save correctly		
11.8	Projects	Project Configuration saves changes		
11.9	Projects	Product codes can be maintained		
11.10	Projects	Members can be maintained		
11.11	Projects	Notifications can be maintained		
11.12	Projects	Roadmap retrieval works		
11.13	Status Board	Project status changes		
11.14	Status Board	Milestone status changes		
11.15	Status Board	Task status changes		
11.16	Tasks	Task details update		
11.17	Tasks	Task data entry saves		
11.18	Tasks	Task comments and attachments work		
11.19	View	Overview, Schedule, Risk, Ownership load		

11.20	View	Project search works		
11.21	Chats	Messages send and receive		
11.22	Notifications	Notifications load and filters work		
11.23	Templates	Categories maintenance works		
11.24	Templates	Fields maintenance works		
11.25	Templates	Forms maintenance works		
11.26	Templates	Maturity maintenance works		
11.27	Templates	Product Division maintenance works		
11.28	Templates	Product Group maintenance works		
11.29	Templates	Roadmap maintenance works		
11.30	Reports	Project Export works		
11.31	Reports	Monitoring Matrix works		
11.32	Reports	Project Comparison works		
11.33	Access	Unauthorized users are blocked		

12. UAT Sign-Off

Role	Name	Signature	Date	Overall Result	Notes
Business Owner					
Project Owner Representative					
Template Manager Representative					
Administrator Representative					
QA Lead					

13. Defect Log

Defect ID	Scenario ID	Summary	Steps To Reproduce	Expected Result	Actual Result	Severity	Priority	Owner	Status	Retest Result	Notes

14. Appendices

14.1 Suggested UAT Execution Order

1. Validate access and test data setup
2. Validate template setup records
3. Register projects using both start paths
4. Validate Project Review, tasks, comments, chats, and progress
5. Validate Project Configuration changes
6. Validate Status Board changes
7. Validate Tasks and View workflows
8. Validate Notifications and Chats with multiple users
9. Validate Reports
10. Execute access control scenarios
11. Complete regression checklist
12. Review defects and obtain sign-off

14.2 Evidence Naming Convention

Use:

<ScenarioID>_<TesterInitials>_<YYYYMMDD>_<ShortDescription>

Examples:

- UAT-PROJ-001_CL_20260528_AutoStartMilestone.png
- UAT-REP-001_CL_20260528_ProjectExport.xlsx
- UAT-CHAT-002_CL_20260528_TwoUserMessage.png

14.3 Severity Guidance

Severity	Definition
Critical	Core workflow blocked and no workaround exists
High	Major workflow issue with significant impact
Medium	Functional issue with workaround
Low	Cosmetic or minor usability issue

14.4 Priority Guidance

Priority	Definition
----------	------------

High	Must be executed and required for release confidence
Medium	Important business coverage
Low	Supporting validation if time permits

14.5 Common UAT Notes

- Confirm role, plant scope, and membership before raising an access defect
- Do not treat missing access as a defect until setup is verified
- Use comments for traceable decisions and chat for discussion
- Attach evidence to the most specific record possible
- Do not delete shared setup data unless it is test-only
- Use controlled roadmap or project data for update and retrieval testing

[Back to top](#)