Draft Translation of the Nepalese Version of the *Suśrutasaṃhitā*

Dominik Wujastyk Paras Mehta Deepro Chakraborty Jason Birch Lisa A. Brooks Madhusudan Rimal Harshal Bhatt Jan Gerris et alii

Draft of 7th May 2025 © The Authors

Introduction	11
The date of the Suśrutasaṃhitā	11
The Nepalese Version	
The vulgate	
The Translation	
Part 1. Sūtrasthāna	19
Sūtrasthāna 1: The Origin of Medical Knowledge	21
Literature	21
Translation	21
Sūtrasthāna 2: The Initiation of a Student	29
Literature	29
Translation	29
Sūtrasthāna 3: The Table of Contents	31
Literature	
Translation	31
Sūtrasthāna 10: Diagnosis	33
Sūtrasthāna 11: Preparing and using caustics	35
Sūtrasthāna 13: On Leeches	37
Literature	37
Translation	

<u>4</u> Contents

Sūtrasthāna 14: On the Properties of Blood Previous scholarship	
Sūtrasthāna 16: Repairing Pierced Ears Previous literature	5 3 53 53
Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores Literature	6 3
Sūtrasthāna 46: The Rules about Food and Drink Introduction	6 5
Part 2. Nidānasthāna	67
Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind Literature	69 69 69 69
Part 3. Śārīrasthāna	81
Śārīrasthāna 2: On Semen and Menstrual Fluid Literature Translation Diagnosis by humours Therapies for menstrual blood During menstruation Types of persons Birth irregularities	83 83 84 87 88 91

Śārīrasthāna 3: On Conception and the Development of the Embry	
Literature	
Translation	-
The stages of fetal development	
Effects of the mother's experiences on the unborn child	. 102
Part 4. Cikitsāsthāna	105
Cikitsāsthāna 4: On the Treatment of Wind Diseases	107
Literature	. 107
Translation	. 107
Cikitsāsthāna 5: On the Treatment of Serious Wind Diseases	_
Literature	
Translation	. 115
Cikitsāsthāna 15: On Difficult Delivery	127
Literature	. 127
Translation	. 127
Part 5. Kalpasthāna	131
Kalpasthāna: Introduction	133
The Sequence of Chapters	. 133
The Spread of Indian Toxicological Lore to Medieval Islamic Au-	
thors	
The Kalpasthāna's diffusion	. 134
Kalpasthāna 1: Protecting the King from Poison	137
Introduction	
The meaning of "kalpa"	
Chapter 1 of the Kalpasthāna	
Literature	-
Manuscript notes	
Translation	-
[Threats to the king]	. 140

Kalpasthāna 2: Poisonous Plants	149
Introduction	149
Shock	
Literature	151
Translation	152
The effects of poisons	155
Slow-acting poison	
Kalpasthāna 3: Poisonous Insects and Animals	163
Literature	163
Translation	163
Pollution of the environment	165
The origin of poison	167
The working of poison	168
Patients beyond help	
Kalpasthāna 4: Snakes and Envenomation	171
Introduction	171
Literature	-
The Seven Stages of Toxic Shock	173
Translation	174
[The Taxonomy of Snakes]	174
[Behaviours]	
[Enumeration of Snakes]	-
[Breeding and Gender]	-
[Symptoms of snakebite]	
[Summary Verses]	
Kalpasthāna 5: Therapy for those Bitten by Snakes	187
Introduction	187
Literature	187
Translation	
The application of mantras	189
Blood letting	
Internal medications	190
Therapies at each pulse of toxic reaction	
Subsequent therapies	

Kalpasthāna 6: Rats and Rabies	199
Introduction	199
Mouse or Rat?	199
Literature	201
Translation	202
The types of rat	202
Detailed symptoms	203
The bites of wild animals	207
Kalpasthāna 7: Beating Drums	211
Introduction	211
Literature	211
Translation	211
Kalpasthāna 8: Poisonous insects	217
Introduction	217
Insect names	217
Literature	218
Translation	220
Taxonomy of insects	220
Taxonomy of scorpions	227
Spiders	231
General therapies for poisoning	232
End of the Kalpasthāna	232
Part 6. Uttaratantra	233
Uttaratantra 17: Preventing Diseases of the Pupil	235
Literature	
Translation	
[Complications]	
[Characteristics of the probe]	
[Complications]	
Uttaratantra 38: Diseases of the Female Reproductive System	249
Introduction	249
Literature	249

Placement of the Chapter	
Philological notes	
Metrical alterations	
The original opening verses	-
Translation	
	- 54
Uttaratantra 65: Rules of Interpretation	257
Literature	257
Early Sources	257
The Arthaśāstra	
The Yuktidīpikā	258
Tamil literature	
The <i>Viṣṇudharmottarapurāṇa</i>	259
The Saddanīti	
Āyurvedic literature	
<i>Tantrayukti-</i> inventories	
Earlier Listing	-
Later Listing	
Terminology	-
1. adhikaraṇa	
2. yoga	
3. padārtha	
3. hetvartha	
5–6. <i>uddeśa</i> and <i>nirdeśa</i>	
Notes on Significant Variants	
द्वितीये पादे	
यत्र तु स्नेहस्वेदाभ्यञ्जनेषुपूर्वापरयोगसिद्धो भवति ।	287
सामवेदादयश्च वेदाः	287
विद विन्द इत्येतयोश्च धात्वोः	288
धात्वोरेकार्थः। पश्चात् पदं भवति	280
यदुक्तं साधनं भवति स हेत्वर्थः	201
तथा माषदुग्धप्रभृतिभिर्व्रणः क्लिद्यते	201
समासवचनं समुद्देशः	202
Characteristics of the Manuscript Transmission	202
Translation	
Translation	- 93
Editions and Abbreviations	299

Contents	9	

Index of Manuscripts	305
General Bibliography	307
Materia Medica	337
Abbreviations	. 337
Flora	. 340
Fauna	. 364
Minerals	. 370
Glossary	371

Introduction

What follows is a draft translation of selected chapters of the *Compendium of Suśruta (Suśrutasaṃhitā*). This differs from former translations, being based on the text that survives in the oldest known manuscripts of the work. These old manuscripts are located in Nepal, so we refer to this as "the Nepalese version" of the work, although future research may show that this old version was more widely known.

The date of the Suśrutasamhitā

In a previous publication, I discussed evidence showing that the *Suśruta-saṃhitā* as we have it now began to be assembled in the late centuries BCE, and was heavily revised and supplemented in the period before CE 500.³ The more detailed reflections by Meulenbeld support this dating.⁴ But we also now know, as a result of the Suśruta Project, that the work was subject to at least one further editorial campaign after the ninth century.⁵ Another recently-discovered factor affects older arguments about the dating of the work. The name "Dhanvantari" that is associated with the vulgate version of the *Suśrutasaṃhitā* is not tied in the same way to the older, Nepalese version of the text.⁶ In the late ninth century, the *Suśrutasaṃhitā* was read as a work delivered by Divodāsa, King of Kāśī, not the god Dhanvantari. The

See Wujastyk et al. 2023 for an introduction to the Nepalese text and Wujastyk et al. 2021– for background on the Suśruta Project, 2021–2024.

² For more discussion of this issue, see Wujastyk et al. 2023: Introduction and ch. 2.

³ Wujastyk 2003*b*: 63–64.

⁴ HIML: 1A, 333–352.

⁵ Wujastyk et al. 2023: 16–26.

⁶ Wujastyk 2013*b*; Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021; Birch, Wujastyk, Klebanov, Rimal, et al. 2021; Wujastyk et al. 2023.

12 Introduction

text was thoroughly re-edited after the ninth century, adding the narrative frame of the Dhanvantari attribution as well as verses from the *Carakasaṃ-hitā* and other material. It may be that at least some of this editorial work was performed by the author Candraṭa (fl. 900–1050), since several manuscript colophons of the *Suśrutasaṃhitā* include the statement,

The correction of textual readings in the treatise of Suśruta was done by Candraṭa the son of the doctor Tīsaṭa, after studying the commentary of Jejjaṭa.⁷

The disassociation of Dhanvantari from the *Suśrutasaṃhitā* affects several historical arguments that were summarized by Meulenbeld about the relationship of the work to the *Carakasaṃhitā* and other works.

Furthermore, other former arguments for the priority of the *Carakasaṃ-hitā* to the *Suśrutasaṃhitā* can no longer stand, since the Nepalese version does not include many of the passages from the *Carakasaṃhitā* on which these arguments rest. A particularly striking example of this occurs in the $S\bar{u}trasth\bar{u}na$.

Chapter ten of the $S\bar{u}trasth\bar{u}na$ is dedicated to the topic of becoming a professional physician.⁸ The fourth passage of the chapter, describes how a physician takes note of omens on the way to a patient's home, and then how he diagnoses the patient:

Then he should approach the house of the sick person according to the favourableness of the messenger, the reason given, omens, and good-luck signs. After sitting down, he should have a good look at the sick person, he should palpate them and interrogate them. Diseases are mostly understandable through these three means of gaining knowledge. That is what some people say, but it is not correct. There are six means of gaining knowledge about diseases, i.e., by the five senses, hearing etc., and by interrogation.⁹

⁷ Wujastyk 2024.

⁸ See p. 33 below and Wujastyk 2025 for discussion.

दूतनिमित्तशकुनमङ्गलानुलोम्येनातुरगृहमभिगम्य, उपविश्य, आतुरमभिपश्येत्स्पृशेत्पृच्छेच्च; त्रिभिरेतैर्विज्ञा-नोपायै रोगाः प्रायशो वेदितव्या इत्येके; तत्तु न सम्यक्, षड्विधो हि रोगाणां विज्ञानोपायः, तद्यथा — पञ्चिभिः श्रोत्रादिभिः प्रश्लेन चेति ।।४ ।।।

As we see, the text first proposes a three-part method of diagnosis and then immediately distances itself from that statement and provides a different six-part procedure. One has the sense of hearing two voices.

Who were the "some people" being referred to? The three-part diagnostic procedure is found in the *Carakasaṃhitā* (Ca.ci.25.22). For that reason, this passage has been taken as evidence that the authors of the Suśrutasaṃhitā knew the Caraka text and were responding to it. This is one of the pieces of evidence that is used to argue that the *Suśrutasaṃhitā* is chronologically later than the *Carakasaṃhitā*. In the Nepalese version of the *Suśrutasaṃhitā*, however, the passage is much simpler and omits this second, distancing, voice:

Then, arriving at the house of the sick person according to the favourableness of the messenger, the reason given, omens, and good-luck signs, he should sit down. Then, he should have a good look at the sick person, he should palpate them and interrogate them. Through these three means of gaining knowledge it can be known whether life will be long or life will be short.¹⁰

The passage referring to the *Carakasaṃhitā* is absent.

Luckily, for this part of the *Suśrutasaṃhitā*, the learned commentary of Cakrapāṇidatta (fl. 1075, Bengal) survives. It was edited and published in 1939 by Yādavaśarman T. Ācārya. Commenting on the passage, Ācārya stated that this extra passage was not known to Cakrapāṇidatta.¹¹ Thus, we can say that it was added to the text of the *Suśrutasaṃhitā* some time between the oldest Nepalese manuscript (878 ce) and Cakrapāṇidatta's time, i.e., the eleventh century.

The fact that this reference to the *Carakasaṃhitā* is not present in the early Nepalese version of the *Suśrutasaṃhitā* means that the argument about chronological priority cannot be sustained.

Evidently, Candraṭa or some other editor added material from the *Carakasaṃhitā* to the *Suśrutasaṃhitā* after the ninth century. A piece of evidence that remains independent of the above issues is the remark by the Cakrapāṇidatta that Dṛḍhabala (fl. ca. 300–500 ce) knew and made use

¹⁰ ततो दूतिनिमित्तराकुनमङ्गलानुलोम्येनातुरगृहमागम्योपिवश्यातुरमिभपश्येत्स्पृशेच्च त्रिभिरेतैर्विज्ञानोपायैः दी-र्घमायुषोल्पायुषो वेदितव्यः।

¹¹ अयं पाठश्च चक्रासंगतः.

14 Introduction

of the *Suśrutasaṃhitā*. This provides a latest date for the *Suśrutasaṃhitā* in the period before Dṛḍhabala. This also shows that much of the text of the *Carakasaṃhitā* in its present form, as reconstructed by Dṛḍhabala, postdates the *Suśrutasaṃhitā*.

The Nepalese Version

The Nepalese version has been reconstructed on the basis of three manuscripts from Kathmandu,

- 1. MS Kathmandu KL 699 (siglum K),
- 2. MS Kathmandu NAK 1-1079 (N), and
- 3. MS Kathmandu NAK 5-333 (H).

The first of these MSS is the oldest, dated to CE 878.¹³ It covers most of the *Suśrutasaṃhitā*, but lacks the *Nidānasthāna* and the *Śārīrasthāna* (see Fig. 1). The second is undated but is datable on palaeographical grounds to the twelfth or thirteenth centuries.¹⁴ It contains the *Sūtrasthāna* and *Nidānasthāna* but breaks off shortly afterwards. The third manuscript, H, is the most complete, supporting the text of the whole of the *Suśrutasaṃhitā*. It is dated CE 1513.¹⁵ The text of manuscript H follows K very closely but is probably not a direct apograph.¹⁶ I conjecture that it was either copied from an intermediary that followed K very closely or from a ancestor of K.¹⁷

The vulgate

The version of the *Suśrutasaṃhitā* that we refer to as "the vulgate" is the version of the text that circulates in print today in multiple editions. The

¹² Cakrapāṇidatta *ad Carakasaṃhitā* 8.12.39 (Ca 1941: 735) (see also HIML: 1A, 132, 350–351).

¹³ Klebanov 2021a: 15.

¹⁴ Klebanov 2021a: 17–18.

¹⁵ I follow the arguments of Klebanov (2021*a*: 21–26) on the interpretation of the colophon although, as he pointed out, some interpret the date as CE 1573.

¹⁶ Chakraborty 2022.

[&]quot;...as neither my own research ... nor the study undertaken in Harimoto ... could determine any linear connection between any of the Nepalese manuscripts of the SS, one may assume that [there exists] an older common ancestor of both of the manuscripts K and H." (Klebanov 2021b: 21).

The vulgate 15



Figure 1: Coverage of the text by MSS K, N and H.

most careful and authoritative edition is that of Y. T. Acārya and N. R. Ācārya (Su 1938). 18 It is telling that this edition includes the commentary of Palhaṇa (b. ca. 1175) and, for the *Nidānasthāna*, also that of Gayadāsa (fl. ca. 1000). These important authors commented on a text that is, broadly speaking, what we call "the vulgate." But they both mentioned quite often that the manuscripts they were consulting contained other versions of the text and in a high number of cases, these variations match the Nepalese version. 19 It is possible that Gayadāsa and Palhaṇa, through their commentarial work on the text, participated in shaping "the vulgate."

The scholar Rudolph Hoernle was also aware of this cleavage in the transmission-history of the *Suśrutasaṃhitā*. But with the more limited materials available to him at the turn of the twentieth century he drew the line a little differently. He referred to the text of the Śārīrasthāna of the Suśrutasaṃhitā, transmitted in the printed editions of his day, as "the Traditional Recension."

The recension which is found in Jīvānanda's and all other

¹⁸ This and the following issues have been discussed by Wujastyk et al. (2023:2 and ch. 3).

¹⁹ E.g., see the discussion in footnote 176 below.

16 Introduction

prints,²⁰ and which, in the sequel, will be referred to as the Traditional Recension, has in its favour not only all available manuscripts, but also all ancient commentaries on the Compendium of Suśruta, Or, shortly, the Traditional Recension is supported by the whole body of existing witnesses.²¹

However, Hoernle was unfortunately not aware of the Nepalese manuscripts of the $Su\acute{s}rutasamhit\bar{a}$, which at the time he was writing were in Nepalese libraries that had not yet been explored by scholars of the time. The contrast that Hoernle was drawing was between the Traditional Recension and the $\acute{S}\bar{a}r\bar{i}rasth\bar{a}na$ of the $Carakasamhit\bar{a}$ as printed by the influential Bengali scholar, Kavirāja Gaṅgādhara Ray (1798–1885).²²

The Translation

The translation follows the methods of rigorous philological care and modern principles of translation theory.²³ Major differences in sense from the vulgate text are marked in this manner, but the differences are so pervasive and fine-grained that most have not been explicitly marked.

The text-historical state of the *Suśrutasaṃhitā* bears many resemblances to other early textual transmissions in South Asia. The situation was articulated particularly clearly for the case of Pāli by von Hinüber (1978), in the opening of his chapter,

...we cannot go back beyond the council of Aluvihāra (Alokavihāra) under Vaṭṭagāmaṇī Abhaya (29–17 B.C.) where the Pāli canon ws written down for the first time in Ceylon. This is the very starting point of our tradition handed down to us by the monks of the Mahāvihāra. About recensions of the Pāli canon

²⁰ Hoernle listed four, S. M. Gupta 1835–36; Su 1889; Vīrasvāmi 1900–09; Govindjī et al. 1901.

²¹ Hoernle 1907: 68.

²² Ray 1868–70. Hoernle's evaluation of this edition was not entirely kind: "I have not been able to discover for it any authority whatsoever. ... it is probably that the recension of Gangādhar is a reconstruction of his own to meet those of the difficulties which he had noticed" (Hoernle 1907:70). For a full account of the genesis of this edition, see Pecchia 2022.

²³ See Wujastyk 2003*b*: intro. and Wujastyk 2021: 81–83 for an overview.

The Translation 17

different from the Mahāvihāra tradition and deviating from its wording... we scarcely have any knowledge at all.

Similarly, the manuscript evidence for the *Suśrutasaṃhitā* that is available today allows us to reconstruct a version of the work after it was consolidated into a text of five parts with a sixth or "later" (*uttara*) and somewhat different part already appended to the first five. The prehistory of the work before this form is tantalizingly unknown to us. That the work was assembled from diverse sources and that many hands were involved is without doubt. The oldest surviving manuscript, MS Kathmandu KL 699, gives us physical evidence for the state of the text in the ninth century. We little insight into the formational processes affecting the text before that time. But what we can see plainly is that the text was edited pervasively after that time, being influenced especially by the commentators Jejjaṭa, Candraṭa, Gayadāsa and Cakrapāṇidatta and the editor Candraṭa. However, a clear picture of how these later editorial processes took place will only be possible as a result of further research into a wider manuscript base.



Sūtrasthāna 1: The Origin of Medical Knowledge

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.²⁴

Translation

- 1 "Now I shall narrate the chapter on the origin of this knowledge.²⁵
- 2 "Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.²⁶

- 25 Dalhaṇa understood the word "knowledge (veda)" as specifically "medical knowledge." He said that the word "longevity" (āyur) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, "as the venerable Dhanvantari stated." The absence of this statement in the early Nepalese manuscripts is highly significant because it removes the outer narrative frame of the Suśrutasaṃhitā (Wujastyk 2013b: 148; Klebanov 2021a: § 3.1.2; S. K. Rai 2019; Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021). On the figure of Dhanvatari in medical literature, see HIML: IA 358–361.
- 26 On these persons, see HIML: IA 361–363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (Su 1931:1), and was not included in HIML amongst "authorities mentioned in the *Suśrutasaṃhitā*." Meulenbeld gathered textual evidence about Bhoja at HIML: IA 690–691. Klebanov (2021*b*) has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.

²⁴ HIML: IA, 203-204.

- "O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanābhighāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- "To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (āyurveda) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage."
- The Lord said to them:
 "Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- 6 "As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda.²⁷ Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.²⁸
- "Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes, rejuvenation and aphrodisiacs.
- 8.1 "Now, a collection of the characteristics of each component of Āyurveda.
- 8.1a "Among them, the one called surgery has the goal of extracting various grasses, wood, stone, dust, iron,²⁹ soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- 8.2 "The one named "the doctrine of treating body parts above the clavicles" has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- 8.3 "The one called "general medicine" has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.

²⁷ On the careful wording of this statement, that makes the Atharvaveda connection "something that people say," see Wujastyk 2022: 400–401.

²⁸ Svayambhū is another name for Brahmā, the creator.

²⁹ The identity of the metal in such early literature is somewhat moot. For discussion, see Wujastyk 2019.

Translation 23

"The one called "knowledge of spirits" is for appeasing demons by pacification rites and making food offerings for those whose minds have been possessed by gods, their enemies, "Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, "Nāgas and evil spirits that possess children.

Cite Paul Courtright, Ganesha book.

- 8.5 "The one called "care of children" is for bearing children and purifying defects in a wet-nurse's milk, and curing diseases that have arisen from bad breast milk and demons.
- 8.6 "The one called "the discipline of toxicology" is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.³²
- 8.7 "The one called "the discipline of rejuvenation" is maintaining youth, bringing about a long life and mental vigour and for curing diseases.
- 8.8 "The one called the "discipline of aphrodisiacs" brings about the increase, purity, accumulation and production of semen for those whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
 - 9 "In this way, this Āyurveda is taught with eight components." "Among these [components], tell us which is for whom."
- They said, "After you have made the whole knowledge of surgery accessible, teach it to us, Lord".33
- "So be it," he said.
- They then said, "After probing our opinion, we are unanimous: Suśruta will question you. We too will take in what is being taught to him."
- 13 "So be it," he said.
- 14–16 "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who has been assailed by disease and protecting the healthy;

³⁰ Dānavas. The insertion marks ($k\bar{a}kapadas$) below the text at this point appears to be by the original scribe.

³¹ The vulgate doesn't have *vināyakas* but does add *asuras*, probably under the influence of Dalhana.

³² The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS MS Kathmandu NAK 1-1079 and MS Kathmandu NAK 5-333 include spiders $(l\bar{u}t\bar{a})$ and creepy-crawlies $(sar\bar{s}rpa)$ in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents $(m\bar{u}sika)$.

³³ For discussion of the text-critical significance of this passage, see Harimoto 2013. I have read the passage as including the word अलङ्कृत्वा in the sense "make accessible" (cf. MW: 94, sub अलं विज्ञातुम्.

- Āyurveda is, "where they find a long life," or "that by which long life is known." You should take in its best component (aṅga), which is being taught without conflicting with tradition, perception, inference or analogy.
- "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- "And also, of the eight disciplines of \bar{A} yurveda, [surgery] alone is the best because of the quick action of its procedures ($kriy\bar{a}$), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- "This is what Brahmā said: 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit it to students, for the benefit of people.'
- 21 "There a verse on this:

For I am Dhanvantari, the first god, the remover of old age, pain and death of mortals. Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.³⁴

"Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature ($\bar{a}tmaka$) is twofold, depending on the preponderance of Agni and Soma.³⁵ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweat-born, stone-born, caul-born and egg-born".³⁶ Where

Note that this verse about the origin of surgery is the first place that the name "Dhanvantari" is introduced in the Nepalese version of the work. Dhanvantari is here identified with Brahmā, the creator of the world. For discussion, see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021.

³⁵ See Wujastyk 2004.

This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhelasaṃhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

Translation 25

they are concerned, the human being is the main thing; others are his support. Therefore, the human being (*puruṣa*) is the locus.

"Diseases are said to be the conjunction of the person and suffering (duḥkha). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (vaiṣamya) in wind, bile, phlegm and blood.³⁷

"The mental ($m\bar{a}nasa$) ones, caused by desire ($icch\bar{a}$) and hatred (dveṣa), include: anger (krodha), grief ($\bar{a}śoka$), misery (dainya), overexcitement (harṣa), lust ($k\bar{a}ma$), depression ($viṣ\bar{a}da$), envy ($\bar{i}rṣy\bar{a}$), jealousy ($as\bar{u}y\bar{a}$), malice ($m\bar{a}tsarya$), and greed (lobha).

"The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*).

"These too are located (adhiṣṭhāna) in the mind and body.

- 27 "Scarification (*lekhana*), nourishment (*bṛṃhaṇa*), purification (*saṃśodhana*), pacification (*saṃśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.
- "Furthermore, food is the root ($m\bar{u}la$) of living beings as well as of strength (bala), complexion (varna) and vital energy (ojas). It depends on ($\bar{a}yatta$) the six flavours (rasa). Flavours, furthermore, have substances as their substrate ($\bar{a}\acute{s}rayin$). And substances are remedies ($osadh\bar{i}$ -).³⁸ There are two types: stationary ($sth\bar{a}vara$) and moving ($ja\dot{n}gama$).
- "Of these, there are four types of stationary ones: fruit trees (vanaspati), flowering trees (vrksa), herbs (osadhi) and shrubs (vrudh). Amongst these, the "fruit trees" have fruit but no flowers. The "flowering trees"

³⁷ Note that four humoral substances are assumed here.

³⁸ Pāṇini 6.3.132 provides that the final vowel of the noun oṣadhi may be lengthened (→oṣadhī) under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the author uses the form oṣadhī. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

³⁹ Ca.sū.1.71–72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

⁴⁰ The MSS agree in reading *phalavantyaḥ* "having flowers" which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 Viṣṇudh.: 56r).

- have flowers and fruit. The "herbs" die when the fruit is ripe. "Shrubs" put out shoots.
- ^{*}As is well known, moving remedies are also of four types: those born in in a caul (*jarāyuja*), those born from eggs (*aṇḍaja*), those born of sweat (*svedaja*), and shoots (*udbhid*). Amongst these, those born in a caul include animals (*paśu*), humans, and wild animals (*vyāla*). Birds, creepy-crawlies (*sarīṣṛpa*) and snakes are "born of eggs." Worms (*kṛmi*), small insects (*kunta*) and ants (*pipīlika*) and others are born of sweat. ⁴¹ Shoots include red velvet mites (*indragopa*) and frogs (*mandūka*). ⁴²|
- "In this context, among the stationary remedies, skin (tvak), leaves (patra), flowers (puṣpa), fruits (phala), roots ($m\bar{u}la$), bulbs (kanda), sap ($kṣ\bar{t}ra$), resin ($niry\bar{a}sa$), essence ($s\bar{a}ra$), oil (sneha), and juice extract (svarasa)⁴³ are useful; among the moving remedies pelt (carman), hair, nails, and blood (rudhira) and so forth.
- 32 "And earth products (*pārthiva*) include gold and silver.⁴⁴
- "The items created by time ($k\bar{a}lakrta$) are clusters (samplava) as far as wind and no wind ($niv\bar{a}ta$), heat and shade, darkness and light and the cold, hot and rainy seasons ($vars\bar{a}$) are concerned. The divisions of time are the blink of the eye (nimesa), a trice ($k\bar{a}sth\bar{a}$), minutes ($kal\bar{a}$), three-quarters of an hour ($muh\bar{u}rta$), a day and night (ahoratra), a fortnight (paksa), a month ($m\bar{a}sa$), a season (rtu), a half-year (ayana), a year (samvatsara), and yuga (yuga).
- "These naturally cause accumulation (sañcaya), irritation (prakopa), pacification (upaśama) and alleviation (pratīkāra) of the humours (doṣa). And they have practical purposes (prayojanavat).
- 35 "There are verses about this:

This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.⁴⁶

⁴¹ The word *kunta*, though marked as "lexical" in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

⁴² On indragopa, see Lienhard 1978.

⁴³ On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Dalhana on 4.10.12 (Su 1938: 450).

⁴⁴ The flow of concepts in the treatise seems to be interrupted here.

⁴⁵ These units are presented at 1.6.5 (Su 1938: 24) and discussed by Hayashi (2017: § 59).

⁴⁶ On the topic of the "group of four," the commentator Dalhana considered them to

Translation 27

There are two kinds of invasive diseases. Some certainly⁴⁷ affect $(ni\sqrt{pat})$ the mind, others the body. Their treatment $(kriy\bar{a})$ is of two kinds too.

- For those that affect the body there is physical (śārīravad) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).
- 38 "Along these lines (*evam*), this brief explanation of the four factors (*catustaya*) is given:
 - human being (puruṣa),
 - disease (vyadhi),
 - remedies (oṣadhi),
 - the time for therapies (*kriyākāla*).

"In this context,

- from the mention of the word "human," the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*), flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.
- From the mention of "diseases," all diseases caused by wind, bile, phlegm, congested humours (*sannipāta*), external factors (*āgantu*) and inherent factors (*svabhāva*) are intended (*vyākhyāta*).
- From the mention of "remedies," there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of "procedures $(kriy\bar{a})$," therapies (karman) such as oiling and excision (chedya) are taught.
- From the mention of the word "time," every single teaching about the times for procedures is meant.

39 "There is a verse about this:

be "food, behaviour, earthen products and items created by time." He referred to the author of the lost commentary entitled $Pa\tilde{n}jik\bar{a}$, and to Jejjaṭa (HIML: IA, 372–3, 192). In his view, these early commentators do not agree that the fourfold grouping (caturvarga) refers to the quartet of stationary ($sth\bar{a}vara$), moving (jangama), earthen products ($p\bar{a}rthiva$) and items created by time ($k\bar{a}lakrta$) (Su 1938: 9a).

⁴⁷ The text uses an archaic interjection here, ha.

This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.⁴⁸

- 40 "There are one hundred and twenty chapters in five sections (*ad-hyāya*).⁴⁹ In that regard, having divided them, according to their subject matter, into the Ślokasthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra.⁵⁰
- 41 "There is a verse about this:

Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.

⁴⁸ This is the number of chapters in the first five sections of the work, namely the *Sūtra-, Nidāna-, Śārīra-, Cikitsā-* and *Kalpa-sthāna*s. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

⁴⁹ On vimśa in the sense of "greater by 20" see P.5.2.46 śadantavimśateś ca.

⁵⁰ The end of this sentence reads oddly. The vulgate edition adds an object: "[we shall mention] the remaining topics [in the Uttara]" which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the Uttaratantra (Su 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

Sūtrasthāna 2: The Initiation of a Student

Literature

HIML: IA, 204; Preisendanz 2007; Wujastyk 2012: 82–83.

Translation

1

Sūtrasthāna 3: The Table of Contents

Literature

Translation

54 51

Sūtrasthāna 10: Diagnosis

11 52 content

Sūtrasthāna 11: Preparing and using caustics

7 ⁵³ 11 ⁵⁴ content

⁵³ See p. 203 below.

⁵⁴ See p. 212 below.

Sūtrasthāna 13: On Leeches

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of studies on Indian leeches and their application.⁵⁵

A Persian version of this chapter of the $Su\acute{s}rutasamhit\bar{a}$ was included in $Sikandar~Sh\bar{a}h's~Mine~of~Medicine~(Ma'din~al-shifa'~i~Sikandar-Shah\bar{a}h\bar{\iota})$ composed in 1512 by Miyān Bhūwah b. Khawāṣṣ Khān. 56

More recently Brooks has examined this chapter and leech therapy more broadly terms of leeches and classification, multispecies agencies, and the tactile and intersensory dynamics of leech therapy.⁵⁷

Translation

- 1 And now we shall explain the chapter about leeches.
- 2 The leech is for the benefit of kings, rich people, delicate people, children, the elderly, fearful people and women. It is said to be the most gentle means for letting blood.
- 3 In relation to that, one should let blood that is corrupted by wind, bile or phlegm with a horn, a leech, or a gourd, respectively. Or, each kind can be made to flow by any of them in their particular way.⁵⁸

⁵⁵ HIML: IA, 209; IB, 324, n. 131.

⁵⁶ Siddiqi 1959: 96–109; Azeez Pasha 1971; Storey 1971: 231–232; HIML: IB, 324, n. 128; Speziale 2019: 8–9.

⁵⁷ Brooks 2020*a,b*; 2021*a,b*.

⁵⁸ This sentence is hard to construe grammatically, although its meaning seems clear. In place of विशेषस्तु, Cakrapāṇidatta and Dalhaṇa both read विशेषतस्, which helps interpretation (Su 1939: 95, Su 1938: 55). It is noteworthy that the critical syllable स्तु is smudged or corrected in both MS Kathmandu NAK 1-1079 and in 1-1146, a much later

4 And there are the following about this:

A cow's horn is praised for being unctuous, smooth, and very sweet. Therefore, when wind is troubled, that is good for bloodletting.⁵⁹

- A horn shaped like a half-moon, with a large body the length of seven fingers, should first be placed on the incision. A strong person should suck with the mouth.⁶⁰
- A leech lives in the cold, is sweet and is born in the water. So when someone is afflicted by bile, they are suitable for bloodletting.⁶¹
- 7 A gourd is well known for being pungent, dry and sharp. So when someone is afflicted by phlegm it is suitable for bloodletting.
- 8 In that context, at the scarified location one should let blood using a horn wrapped in a covering of a thin bladder, or with a gourd with a flame inside it because of the suction.⁶²
- 9 Leeches are called " $jala-\bar{a}yu-ka$ " because their life ($\bar{a}yu$ -) is in water (jala). "Home" (okas) means "dwelling;" their home is water, so they are called "water-dwellers (jalaukas)."

Devanāgarī manuscript.

There is an insertion in the text, printed in parentheses in the vulgate at 1.13.4 (Su 1938: 55) as विशेषतस्तु विस्नाव्यं शृङ्गजलौकालाबुभिर्गृह्णीयात्. This insertion is not included in the earlier edition of the vulgate, but is replaced by स्निग्धशीतरूक्षत्वात् (Su 1931: 54). Dalhaṇa noted that, "this reading is discussed to some extent by some compilers (निबन्धकार), but it is definitely rejected by most of them, including Jejjhaṭa."

- 59 The vulgate replaced "smooth" with "hot."
- 60 This passage is not found in the vulgate, but it is similar to the passage cited by Palhaṇa at 1.13.8 (Su 1938: 56) and attributed to Bhāluki. Bhāluki was the author of a *Bhālukitantra* that may have predated Jejjaṭa and might even have been one of the sources for the *Suśrutasaṇhitā* (HIML: IA, 689–690 *et passim*). The editor Ācārya was aware of this reading in the Nepalese manuscripts; see his note 4 on 1.13.5 (Su 1938: 55, note 4).
- Note that the particular qualities (*guṇas*) of the leech in this and the following verses counteract the quality of the affliction. See Brooks 2018: 113, table 1.
- 62 There are questions about the wrapping or covering of the horn. Other versions of the text, and the commentator, propose that there may be two coverings, or that cloth may be a constituent. Our understanding of this verse is that the bladder material is used to cover the mouthpiece and then to block it, in order to preserve suction in the horn for a few minutes while the blood is let.
- 63 The lexeme -āyu- is known almost exclusively from the *Rgveda*.

There are twelve of them: six are venomous and just the same number are non-venomous.

- 11 Here is an explanation of the venomous ones, together with the therapy:
 - Black (kṛṣṇā)
 - Mottled (karburā)
 - Sting-gush (alagardā)⁶⁴
 - Rainbow (*indrāyudhā*)
 - Oceanic (sāmudrikā)
 - Cow-praising (govandanā)⁶⁵

Among these,

- The one called a Black is the colour of kohl and has a broad head;
- The one called Mottled is like the Indian mottled eel, long with a segmented (*chinna*), humped belly.
- The one called Sting-gush is hairy, has large sides and a black mouth.
- The one called Rainbow is coloured like a rainbow, with vertical stripes.
- The one called Oceanic is slightly blackish-yellow, and is covered with variegated flower patterns.
- The one called Govandana is like a cow's testicles, having a bifurcated appearance on the lower side, and a tiny mouth.

When someone is bitten by them, the symptoms are: a swelling at the site of the bite, excessive itching and fainting, fever, a temperature, and vomiting. In that context the Great Antidote ($mah\bar{a}gada$) should be applied in drinks and liniments ($\bar{a}lepana$), etc. ⁶⁶ A bite by the Rainbow leech is not treatable. These venomous ones have been explained together with their remedies.

Now the ones without venom.⁶⁷

⁶⁴ Treating गर्दा as गल्दा and translating as in RV 8.1.20, with Jamison and Brereton (2014: 1023, verse 20 and cf. commentary). But if गर्द is to be taken from $\sqrt{\eta \xi}$ then we might have "crying from the sting."

⁶⁵ The manuscripts all read गोवन्दना against the vulgate's गोचन्दना.

⁶⁶ Palhaṇa and the vulgate included errhines in the list of therapies, and Palhaṇa added that "etc." indicated sprinkling and immersion too. The "Great Antidote" is described in the Kalpasthāna, at 5.5.61–63ab (Su 1938: 578).

⁶⁷ The translations of the names of these leeches are slightly whimsical, but give a sense of the original; सावरिका remains etymologically puzzling.

- Tawny (kapilā)
- Ruddy (pingalā)
- Dart-mouth (*śankumukhī*)
- Mouse (*mūsikā*)
- Lotus-mouth (pundarīkamukhī)
- Sāvarikā (sāvarikā)

Among these,

- The one called Tawny has sides that look as if they are dyed with realgar and is the colour of glossy mung beans on the back.⁶⁸
- The one called Ruddy is a bit red, has a round body, is yellowish, and moves fast.
- The one called Dart-mouth is the colour of liver, drinks fast and has a long mouth.
- The one called Mouse is the colour and shape of a mouse and has an undesirable smell.
- The one called Lotus is the colour of mung beans and has a mouth that looks like a lotus.
- The one called Sāvarikā has the colour of a lotus leaf and is eighteen centimetres long. But that one is used when the purpose is an animal.

The non-venomous ones have been explained.

13 Their lands are Yavana, Pāṇḍya, Sahya, Potana and so on.⁶⁹ Those in

Some scholars have identified the name with modern Bodhan in Telangana (Sircar

⁶⁸ The compound स्निग्धमुद्भवर्ण्णा is supported by all the manuscript witnesses and is translated here. Nevertheless, the reading of the vulgate, that separates स्निग्धा, f., "slimy" as an adjective for the leech, seems more plausible: "it is slimy and the colour of a mung bean."

This passage is discussed by Karttunen (2015:109–110, 388–389). At the time of the composition of the *Suśrutasaṃhitā*, Yavana would most likely have referred the Hellenistic Greek diaspora communities in Bactria and India (Law 1984:136–137; Mairs 2013; 2014). Unproblematically, the Pāṇḍya country is the extreme south-eastern tip of the Indian subcontinent (Schwartzberg, Bajpai, et al. 1978: E8, p. 20 et passim), and Sahya refers to the Western Ghats (Schwartzberg, Bajpai, et al. 1978: D5–7, p. 20 et passim). The vulgate reading "Pautana" is not a known toponymn. Potana was the ancient capital of the Aśmaka Mahājanapada mentioned in Pali sources and in inscriptions at Ajāntā and elsewhere, and identified by Law (1984:142, 179) and P. Gupta (1989:18) with Pratiṣṭhāna, modern Paithan on the Godavari river. The recurring ancient epithet describing the Aśmaka kingdom is that it was on the Godāvarī, and Paithan is flanked to the south west and south east by this river.

particular have large bodies and are strong, they drink rapidly, consume a lot, and are without venom.

- In reference to that, venomous leeches are those originating in decomposing venomous insects, frogs, urine, feces and in polluted water. Non-venomous ones originate in decomposing sacred lotus, blue water-lily, white water-lily, fragrant lotus, pondweed and in pure waters.
- 15 There is a verse on this:

These ones move about in sweet-smelling habitats that abound in water. Tradition teaches that they do not behave in a confused manner or lie in the mud.⁷¹

16 They can be caught with a fresh hide or one may catch them by other means.⁷²

1971: 189; Schwartzberg, Bajpai, et al. 1978: E6, p. 14, 140 *et passim*; Sen 1988: 102), but this implausible identification is traceable to a speculative suggestion by Raychaudhuri (1953: 89, n. 5, 143) based on a variant form "Podana" found in some early manuscripts of the *Mahābhārata*: "This name reminds one of Bodhan in the Nizam's dominions," "possibly to be identified with Bodhan."

Dalhaṇa on 1.13.13 (Su 1938: 57) anachronistically identified "Yavana" as the land of the Turks (নুকজ) and "Pautana" as the Mathurā region. He also noted, as did Cakrapāṇidatta (Su 1939: 97), that this passage was not included by some authorities on the grounds that the habitats of poisonous and non-poisonous creatures are defined by other criteria.

- 70 The vulgate on 4.13.14 (Su 1938: 57) includes fish in this list.
- 71 Dalhaṇa on 1.13.14 (Su 1938: 57) discussed why non-venomous leeches would not "behave in a confused manner" (सङ्कीर्णचारिन्), saying that they do not "eat a diet that is contra-indicated because of poison etc." (विषादिविरुद्धाहारभुजः). On the use of the term विरुद्ध in the sense of "incompatible," see 4.23.4 (Su 1938: 485). Dalhaṇa there noted that such foods are explained in the chapter on wholesome and unwholesome foods (हिताहिताध्याय, 1.20 (Su 1938: 94–99)).
- 72 "Fresh hide" (आर्द्रचर्मन्) may suggest that the animal skin still includes meat or blood that is attractive to a leech.

Dalhaṇa on 1.13.15 (Su 1938: 57) quoted "another treatise" (तन्त्रान्तरवचनात्) that said that autumn is the time to collect leeches. He also explained that "other methods" of collecting leeches included smearing a leg or other limb with cream, butter or milk, etc., or using a piece of flesh from a freshly killed animal.

The Nepalese witnesses all read गृहीत्वा "having (been) caught" for the vulgate's गृह्णी-यात् "one may grasp (by other means)." The Nepalese reading is hard to construe and we have emended to the vulgate's reading.

- Then these should be put into a large new pot furnished with mud and the water from lakes or wells. One should provide what they need to eat. One should grind up pondweed, dried meat, and aquatic tubers, and one should give them grass and aquatic leaves to lie on, and every three days water and food. After seven nights one should transfer them to a different pot.
- 18 And on this:

One should not nurture those that are thick in the middle, that are injured,⁷³ or small, those that are not born in the proper habitat, those that will not attach, that drink little or those that are venomous.

- First of all, if the patient has an ailment that is treatable by bloodletting with leeches, get them to sit or lie down. Then, dry any place (avakāśa) that is diseased with powders of earth and cow-dung.⁷⁴

 Then the leeches, free from impurities, with their bodies smeared with Indian mustard and turmeric, moving about in the middle of a cup of water, should be made to attach to the site of the ailment. Now, for one that is not attaching, one should provide a drop of milk or a drop of blood. Alternatively, one should make some marks with a knife (śastrapada).⁷⁵ And if it still will not attach, make a different one attach.
- One can know that it is attached when it fixes on, making its mouth like a horse's hoof and hunching its neck. Then, one should cover it with a wet cloth and keep it there.
- Now, if one knows, from the arising of pricking and itching at the bite, that clean blood is being taken, one should take it off. Then, if it does not release because of the scent of blood one should sprinkle its mouth with powdered rock salt.

⁷³ Pace Dalhaṇa on 1.13.18 (Su 1938: 57) who glossed परिक्रिष्ट "injured" as अमनोज्ञदर्शन "disagreeable looking."

⁷⁴ Dalhaṇa on 1.13.19 (Su 1938: 57) read अरुजम् (n.), against the vulgate's अरुजः; Cakrapāṇidatta on this verse (Su 1939: 98) read अरुजः. Both commentators specified that the Suśrutasaṃhitā said this procedure should only be applied when there is no wound or opening, for fear of exacerbating the condition. The Nepalese text is saying, differently, that the desiccating powders should be applied to a diseased wound.

⁷⁵ On पद as a "mark," "imprint," or "place of application," cf. 4.1.29 (Su 1938: 399), 5.4.15 (Su 1938: 571), etc. See footnote 594.

Then one should coat it with rice-grain chaff, rub its mouth with sesame oil and salt and cause it to vomit by holding its tail in the left hand and very slowly rubbing it with the thumb and finger of the right hand in the proper direction, as far as the mouth, until it is properly purged.⁷⁶ A properly purged leech placed in a goblet of water moves about, wanting to eat. If it sinks down, not moving, it is badly purged; one should make it vomit once again.

A badly purged leech develops an incurable disease called Indrapada.⁷⁷

One that protects its deflated head with its body, suddenly curls up and makes the water warm is traditionally said to have Indrapada.⁷⁸

Thus, one should keep such a one as before.⁷⁹

- After observing the proper or improper flow of the blood, one should rub the opening made by the leech with honey. Alternatively, one may bind it up and smear it with ointments that are astringent, sweet, oily and cold.
- 25 And about this there is the following:

When the leeches have just drunk, one should pour ghee on it. And one should pour on to the blood things that are capable of stopping the blood.

Someone who knows habitats, the capture, feeding and bloodletting of leeches is worthy to treat a king.

⁷⁶ The expression शालितण्डुलकाण्डन, "rice-grain chaff" could be read as "paddy rice, rice grains and chaff" but this seems unlikely in the context.

⁷⁷ At this point, the Nepalese witnesses read इन्द्रपद/इन्द्रापद, but the vulgate reads इन्द्रपद, a term that is found in other texts such as the *Mānasollāsa* 6.641 (vol. 1, 87), where it is a fever affecting fish, and the *Garuḍapurāṇa* 1.147.3 (tr. A Board of Scholars 1957: 2, 425) where it is fever affecting clouds; see further Brooks in press.

⁷⁸ At this point, witness H, the latest MS, reads इन्द्रपद as before, but the older witnesses K and N have muddled readings, इदमदः and इद्रमदः. The scribes may have been responding to a -पद ।-पद confusion about the name of this condition.

⁷⁹ The vulgate includes "well purged" as the object in this sentence, which makes better sense.

⁸⁰ In the Nepalese witnesses, the object of this passage is जलोकामुखम् "the mouth of the leech," that we have interpreted, perhaps freely, as "opening made by the leech." Logically and as transmitted in the vulgate, this passage should be about managing the wound on the patient that has been made by the leech.

Sūtrasthāna 14: On the Properties of Blood

Previous scholarship

Meulenbeld offered both an annotated summary of this chapter as well as a study specifically on the place of blood in Ayurvedic theory.⁸¹

Translation

The draft translation of this adhyāya is presented by Paras Mehta.

- 1 Now we shall declare the chapter about blood.
- Food is of four types.⁸² It is endowed with six tastes and is made of the five elements.⁸³ It has either two or eight potencies, and is endowed
- 81 HIML: IA, 209–201 and Meulenbeld 1991. Meulenbeld's footnotes on this chapter in HIML: IB, 325 ff. refer often to "Hoernle's note." This appears to be a reference to Hoernle's copious notes to his translation of this chapter (Hoernle 1897: 87–98). Meulenbeld (1990) also discussed Sanskrit veterinary texts in the light of their standard theory of four humours, including blood.
- 82 Dalhaṇa on 1.14.3 (Su 1938: 59) said that the four types of food are those that can be drunk, licked, eaten and chewed (पेयलेह्मभोज्यभक्ष्य). The main text of the Carakasaṃhitā is explicit about these categories at 4.3.4(1) (Ca 1941: 308): पानाशनभक्ष्यलेह्म। "things drunk, eaten, chewed or licked." Yagi (1994) discussed the distinction between भक्ष्य and भोज्य; for further Indological background on foods, see the studies by Olivelle (1995; 2001) and the classic reference works by Achaya (1994; 1998). The long, final adhyāya of the Suśrutasaṃhitā's sūtrasthāna (ch. 46) is a treatise on food in āyurveda.
- 83 *Idem*, Earth, water, fire, air, space

with many qualities. ⁸⁴ Chyle (*rasa*) is the most intangible essence of this food that is properly transformed. It is of the nature of fire.

Chyle is situated in the heart. From the heart, it enters into the twenty-four arteries—ten upward arteries, ten downward, and four sideways—and doing so day after day owing to the reaction of past activities that are caused by the invisible, ⁸⁵ it satisfies the entire body, enlivens it, prolongs it, ⁸⁶ and makes it grow. The motion of the entity that flows throughout the body should be understood by inference. That motion causes deterioration and growth.

With regards to the chyle that flows through all the limbs, humours, body tissues, and impurities of the body, the question arises, "Is it moist or is it fiery?" It is understood to be moist because of its fluidity while flowing⁸⁷ and due to attributes such as mobility, lubrication, enlivening, satisfaction, and supporting.⁸⁸

- 4 That watery chyle is then reddened after reaching the liver and spleen.
- 5 There are verses about this.

Experts know that blood is the untransformed fluid that is reddened by the pure fire element within the bodies of living beings.

- It is only due to chyle that women's blood called menses exists. It increases from the twelfth year and decreases after the fiftieth year.
- 7 The menstrual blood, however, is called fiery.⁸⁹ That is due to the embryo being fiery and moist.⁹⁰
- 84 Dalhaṇa related these qualities to the twenty standard गुण of āyurveda; see, e.g., their listing by Vāgbhaṭa, translated by Wujastyk (2003b: 207).
- 85 अदृष्ट (unseen): Doing any righteous or unrighteous action produces good merit and demerit respectively. This good merit and demerit are called अदृष्ट (invisible) because it cannot be directly known but can only be assumed through logical deduction.
- 86 In the sense of prolonging its lifespan
- 87 The vulgate emends अनुसरणे to अनुसरण- against the Nepalese MSS. This is logical because mobility would seem to be one of the attributes. Although it is awkward, we read अनुसरणे as a locative absolute "while flowing."
- 88 The duality being discussed here is that of the essential qualities of Fire and of Soma (*agni* and *soma*). See further discussion by Wujastyk (2004) and Angermeier (2021).
- 89 Dalhana commented that this is to distinguish the menstrual blood from regular blood that is gentle.
- 90 Dalhaṇa commented here that the embryo is called such because the menstrual blood is fiery and the semen is gentle (सौम्य). On the fiery/moist distinction (आग्नेय।सौम्य), see Wujastyk 2004; Angermeier 2021.

- 8 Others state that the embryo as constituted of the five elements and the preceptors call it the living blood.
- 9 There are verses about this.

That is because blood exhibits the qualities of earth, etc. such as a fleshy smell, fluidity, redness, pulsation and thinness.

- Blood is formed from chyle, flesh from blood, lymph from flesh, bone from lymph, marrow from bone, semen from marrow, and progeny from semen.
- 11 There, the essence (chyle) of food and drink is the nourisher of these body tissues.
- 12 There is a verse about this.

A living being should be known as born from chyle. One should diligently preserve⁹¹ chyle by administering food and drink, being nicely disciplined with food⁹².

- The verbal root *rasa* means movement.⁹³ Because it keeps moving day after day, it is called *rasa* (chyle).⁹⁴
- 14 Chyle stays in every body tissue for 2548 ((25*100)+48) *kalās* and nine *kāṣṭhas*. As such, it becomes semen after a month. For women, it becomes menses.
- 15 Here are verses about this.

According to similar and dissimilar treatises, the quantity of kalās in this group⁹⁵ is 18,090.

This is the particular transformation period regarding chyle that lasts for a person with mild fire⁹⁶. For a person with developed fire, one should know it to last for the exact same time⁹⁷

⁹¹ All three manuscripts have रक्षेत which is an incorrect form. रक्षेत् is the correct form.

⁹² आहरिण - The third case is used. The semantic property of the third case used here is unclear. Unclear regarding if there is any rule in the *Aṣṭādhyāyī* justifying this usage.

⁹³ Kunjalal Bhishagratna 1907–16: 109

⁹⁴ In the list of verbal roots of Pāṇini, the verbal root $\overline{\mathsf{RR}}(\mathit{rasa})$ means taste and moistening. It does not mean movement.

⁹⁵ The duration of chyle in all the body tissues as a whole.

⁹⁶ Perhaps this refers to the digestive fire.

⁹⁷ Although the vulgate does not have this verse, there is an argument presented in

- Resembling the expanse of sound, flame, and water, that entity moves along in a minute manner throughout the entire body.⁹⁸
- 17 The aphrodisiac medicines, however, being used like a purgative due to their excessively strong characteristics, evacuate the semen.
- Just as it cannot be said that the fragrance in a flower bud is present in it or not, but accepting that there is the manifestation of existing entities⁹⁹, it,¹⁰⁰ however, is not experienced only due to its intangibility. That same entity is experienced at another time in the blossomed flower. In the same way regarding children also, the manifestation of semen happens because of the advancement of age¹⁰¹. For women, the manifestation is different as rows of hair, menses, etc.
- 19 That very essence of food does not nourish very old people due to their decaying bodies.
- These entities are called body tissues ($dh\bar{a}tu$ -s) because they bear the body¹⁰².
- 21 Their decay and growth are due to blood. Therefore, I will speak about blood. In that regard: The blood that is foamy, tawny, black, rough, thin, quick-moving, and non-coagulating is vitiated by air. The blood that is dark green, yellow, green, brown, sour-smelling, and unpleasant to ants and flies is vitiated by bile. The blood that is orange, unctuous, cool, dense, slimy, flowing, and resembling the colour of fleshmuscles is vitiated by phlegm. The blood having all these characterist-

Dalhaṇa's commentary on 1.14.16 (Su1938:63) that for a person with intense fire, chyle becomes semen after eight days, and for a person with mild fire, chyle becomes semen after a month. Dalhaṇa said that this opinion is refuted by Gayadāsa Ācārya in many different ways. Dalhaṇa continued that the proper understanding is that for a person with a strong fire, chyle becomes blood in a little less than a month, and for a person with a mild fire, chyle becomes blood in a little more than a month.

⁹⁸ Dalhana comments (Su 1938:63) that the expanse of sound indicates the sideways movement of chyle, the expanse of flame indicates the upward movement of chyle, and the expanse of water indicates the downward movement of chyle. On अणुना वि- शेषेण "in a minute manner" see footnote 265.

⁹⁹ This is the doctrine of pre-existence of the effect (सत्कार्यवाद, satkāryavāda) first propounded by Sāṅkhya philosophers.

¹⁰⁰ fragrance

¹⁰¹ Since chyle becomes semen in a month's time, a question arises "Why then is semen absent in young children?". The reply is given in this passage.

¹⁰² The etymological meaning of the Sanskrit word धातु (dhātu) is "that which bears [the body]". Thus, the body tissues are called dhātu-s because they bear the body. This means that the body tissues are the elements that make up the body and sustain it.

ics is vitiated by the combination of all three of them. The blood that is extremely black is vitiated by blood¹⁰³ just as bile. The blood that has the combined characteristics of vitiations of two humours is vitiated by two humours.

- The blood that is of the colour of insect cochineal, not thick, and not discoloured should be understood to be in its natural state.
- 23 I will speak of the types of blood that should be let out in another section.
- Now, I speak of those that should not be let out. The swelling appearing in all the limbs of the body of a weak person that happens due to consuming sour food. The swellings of people with jaundice, piles, large abdomen, emaciation, and those of pregnant women.
- In that regard, one should quickly insert the surgical instrument that is simple, not very close, fine, uniform, not deep, and not shallow.
- One should not insert the instrument into the heart, lower belly, anus, navel, waist, groins, eyes, forehead, palms, and soles.
- In the case of swellings filled with pus, one should treat them in the same way as stated earlier.
- 27-27a There, when the swelling is not pierced properly, when phlegm and air have not been sweated out, after having a meal, and due to thickness, the blood does not ooze out or oozes out less. Here is a verse regarding it.
- 28ab-cd Blood does not ooze out of humans when in contact with air, passing stool or urine, and when intoxicated, unconscious, fatigued, sleeping, or in cold surroundings.
 - 29 That vitiated blood when not taken out increases the disease.
 - The blood that is let by an ignorant physician in cases of very hot surroundings, profuse perspiration, and excessive piercing, flows excessively. That profuse bleeding causes the appearance of acute headache, blindness, and partial blindness, or it quickly causes subsequent wasting, convulsions, tremors, hemiplegia, paralysis in a limb, hiccups, coughing, panting, jaundice, or death.
- 31ab-cd The physician should let out the blood when the weather is not very hot or cold, when the patient is not perspiring or heated up, and after

¹⁰³ Y. T. Ācārya and N. R. Ācārya (Su 1938: 64) quote Cakrapāṇidatta in a footnote: "This is the symptom when the blood vitiated in one part of the body vitiates the blood in another part."

the patient has had a sufficient intake of gruel.

32ab-cd After coming out properly, when the blood stops automatically, one should know that blood to be pure and drained properly.

33ab-cd The symptoms of the proper drainage of blood are the experience of lightness, alleviation of pain, a complete end of the intensity of the disease, and satisfaction of the mind.

34ab-cd Defects of the skin, tumours, swellings, and all diseases caused by blood never arise for those who regularly drain their blood.

When the blood does not flow out, the physician should rub cardamom and camphor on the opening of the boil with three or four or all among crêpe ginger (Cheilocostus speciosus), butterfly gardenia (Ervatamia coronaria Stapf), velvet-leaf, deodar, embelia, leadwort, the three spices (black pepper, long pepper, and dry ginger), soot from the chimney (āgāradhūma), turmeric, sprouts of purple calotropis, and fruit of the Indian beech, according to availability, with excessive salt. By doing so, the blood flows out properly.

When there is an excessive flow of blood, the physician should sprinkle the opening of the boil with dry powders of lodh tree, liquorice, foxtail millet, sappanwood, red chalk, elixir salve, seashell, barley, green gram, wheat, and resin of the Sāla tree, and then press it with the tip of a finger. One should tightly bind it with powdered barks of Sāla, white dammer tree, arjun, white-bark acacia, granthi, axlewood, and dhanvana (Camelthorn), or a linen cloth¹o⁴, or vadhyāsita, or bone of cuttlefish, or powdered lac, along with the binding materials mentioned. After the piercing, the physician should pierce it again. The physician should serve cool clothing, food, a dwelling place, a bath, cooling ointments, and plastering. Or, one can cauterize it with heat. Or, as mentioned, one should give a decoction of kākolī, etc. sweetened by sugar and honey to drink. Or, one should consume the blood of black buck, deer, ram, buffalo, rabbit, or pig, accompanied by milk, green gram soup and meat soup¹o⁵. The physician should treat the pains as mentioned.

36a Here are verses about this.

37ab-cd When blood flows out due to the decay of body tissue, fire becomes

¹⁰⁴ Su 1938: 66 has क्षौमेण वा ध्मापितेन - "with linen reduced to ashes". Presumably, it is this ash that is also referred to in item 40.

¹⁰⁵ Based on Dalhana's comment as found in Su 1938: 66

	weak 106 and the wind becomes highly agitated because of that endeavour.
38ab-cd	The physician should serve the patient food that is not very cold, light in digestion, unctuous, increases blood, slightly sour or not sour at all.
39ab-cd	This is the four-fold method of hindering blood: joining, coagulation, haemostasis. and cauterization.
40ab-cd	The astringent substance joins the opening, the cold substance coagulates the blood, the ash stops the blood, and cauterization contracts the blood vessel.
41ab-cd	If the blood does not coagulate, the physician should employ joining. If the blood does not stop by joining the opening then he should employ haemostasis.
42ab-cd	The physician should endeavour by employing these three methods according to the procedure. If these methods are unsuccessful then cauterization is highly desirable.
43ab-cd	If the blood remains impure, the disease does not aggravate. The physician should then make the blood pure ¹⁰⁷ and not drain blood in excess.
44ab-cd	Blood is the basis of the body. It is sustained by blood only.
44ef	Blood is called life. One should therefore save blood.
45ab-cd	If the air in the person who underwent blood-letting is aggravated due to a cold shower, etc., the swelling with pricking pain should be sprinkled with lukewarm clarified butter.

¹⁰⁶ This refers to the digestive fire.

¹⁰⁷ Dalhaṇa comments (Su 1938: 66) that one should purify the blood again by sedation, etc.

Sūtrasthāna 16: Repairing Pierced Ears

Previous literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. A book on this topic, arising out of the present project, with edition, translation and discussion of the Nepalese transmission is published by Wujastyk et al. 2023.

Translation

1 Now we shall expound the method for piercing the ear. 109

108 HIML: IA, 211–212317.

109 The topic of piercing the ear (kaṛnavyadha) is not discussed in the Carakasaṃhitā (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the Suśrutasaṃhitā, such as the Kaśāpyasaṃhitā (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the Aṣṭāṅgahṛdayasaṃhitā 1.26.26 (Ah 1939: 321). In the versions of the text known to Dalhaṇa (Su 1938: 76) and Cakrapāṇidatta (Su 1939: 125), the heading of this chapter is "the method of piercing and joining the ear" (कर्णव्यधबन्धविधि), instead of the Nepalese version's "the method of piercing the ear" (कर्णव्यधविधि). The topic of joining the ear (कर्णबन्ध) is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings.

The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions of the text. For a discussion of the frame story in the Nepalese version, see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021.

When commenting on this statement, Dalhana (Su 1938:76) and Cakrapānidatta (Su 1939:125) observed that only the ears of healthy people should be pierced, and they quoted the lost authority Bhoja to affirm this: "When piercing the ears of chil-

- One may pierce a child's ears for the purpose of preserving and decorating. During the bright fortnight, when the child is in the sixth or seventh month, on renowned days, half days, hours and constellations, the physician, with a calming presence, sits the boy, who has received a benediction and the recitation of a blessing,¹¹⁰ on the lap of a wetnurse.¹¹¹ Then, he should pull the ear with his left hand and pierce straight through with his right hand at a naturally-occurring cleft.¹¹² For a boy, do the right ear first; for a girl, do the left one. Use a needle on a thin ear; an awl on a thick one.¹¹³
- 3 One may know that it was pierced in the wrong place if there is excess blood or too much pain. The absence of side-effects is a sign that it has been pierced in the right place.¹¹⁴

dren who are free of disease at these times, their ear flaps and apertures, as well as limbs, increase" (1.16.1 (Su 1938:76)).

Some texts use the adjective कर्ण-वेधनी rather than ॰व्यधनी.

- 110 The causative form व्यथित is known in Classical Sanskrit (Whitney 1885: 166).
 The compound कृतमङ्गलस्वस्तिवाचनं "who has received a benediction and the recitation of a blessing" is an emendation based on the similar text at 3.2.25 (Su 1938: 346). Cf. also 3.10.8, 24 (Su 1938: 388, 390) that have slightly different formulations.
- 111 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939:126) and Dalhaṇa (Su 1938:76) have the additional compound कुमारधराङ्के ("on the lap of one who holds the child") after धात्र्यङ्के. The gender of कुमारधर is made clear by Dalhaṇa's gloss "a man who holds the child." Also, both versions add बालक्रीडनकैः प्रलोभ्य ("having enticed with children's toys") to indicate that the child should be tempted with toys to stay on the assistant's lap. According to Dalhaṇa on 1.16.3 (Su 1938:76), the toys include replica elephants, horses, bulls and parrots. Dalhaṇa further mentions that others read भक्ष्यविशेषैर्वा ("or by special treats") before बालक्रीडनकैः, but we see no trace of these small kindnesses in our witnesses.
- The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Ḍalhaṇa (Su 1938: 76) add that this naturally-occurring cleft is illuminated by a ray of sunshine (आदित्यकरावभा-सिते).
 - The syntax of this slightly long sentence is unusual because of the dual object तौ "the two (ears)" at the start of the sentence, which is remote from the main verb. The other singular accusatives referring to the ear being pierced are governed by absolutives.
- 113 Dalhaṇa on 1.16.3 (Su 1938: 76) clarifies that the awl is a shoe-maker's knife for piercing leather. He also cites the authority of "the notes of Lakṣmaṇa" (Lakṣmaṇa-ṭippaṇaka) on the issue of the thickness of the needle. The Notes of Lakṣmaṇa is not known from any earlier or contemporary sources and was presumably a collection of glosses on the Suśrutasaṃhitā that was available to Dalhaṇa in twelfth-century Bengal. See Meulenbeld (HIML: IA, 386).
- 114 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is

In this context, if an ignorant person randomly pierces a duct there will be fever, burning, swelling, pain, lumps, paralysis of the nape of the neck, convulsions, headache or sharp pain in the ear.¹¹⁵

- 5 Having removed the wick (*vartti*) because of the accumulation of humours or an unsatisfactory piercing at that location, ¹¹⁶ he should smear it with barley, liquorice, Indian madder, and the root of the castor oil tree, thickened with honey and ghee. And when it has healed well, he should pierce it again. ¹¹⁷
- 6 He should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should make a thicker wick and do the very same sprinkling.¹¹⁸
- Once the ear is free from humours or side-effects, one should put in a light dilator (*pravardhanaka*) in order to enlarge it enough.¹¹⁹

constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.

- This passage is significantly augmented in Cakrapāṇidatta's and Dalhaṇa's versions, to outline the specific problems caused by piercing three ducts called कालिका, मर्मिका and लोहितिका (1.16.4 (Su 1939: 126) and 1.16.5 (Su 1938: 77) respectively). In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939: 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: 'लोहितिका, मर्मिका and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing लोहितिका. Pain and lumps are thought to arise from piercing मर्मिका. Piercing कालिका gives rise to swelling, fever and burning.'
- 116 In addition to these reasons, Dalhaṇa at 1.16.6 (Su 1938:77) added "because of piercing with a painful, crooked and unsatisfactory needle" (क्रिष्टजिह्माप्रशस्तसूचीव्यधात्) and "because of a wick that is too thick" (गाढतरवर्तित्वात्). Dalhaṇa was aware of the reading in the Nepalese version because in his commentary on 1.16.6 (Su 1938:77) he noted that some read "because of the accummulation of humours" rather than "because of piercing with a painful, crooked and unsatisfactory needle or because of a wick that is too thick." On the concept of humoral accumulation (samudāya), see the important analysis by Meulenbeld (1992).
- 117 The description of the drug is ambigious: the word "root" could be taken with each plant, or just with the last. The vulgate reads just "castor oil root" so we assume that is the traditional interpretation.
- 118 Describing ear and nose operations similar to those here, Celsus described the use of a quill (Latin *pinna*) where the Sanskrit authors use a cotton wick (*De Medicina* VII ¶10–11, Spencer 1935–38: 3, 366–367).
- 119 Cakrapāṇidatta on 1.16.6 (Su 1939:127) and Palhaṇa on 1.16.8 (Su 1938:77) pointed out that the dilator can be made of wood, such as that of the prickly chaff-flower,

- 8 A person's ear enlarged in this way can split in two, either as a result of the humours¹²⁰ or a blow.
 - Listen to me about the ways of joining it can have.
- Here, there are, in brief, fifteen ways of mending the ear flap. 121 They are as follows: Rim-join (nemīsandhānaka), Lotus-splittable (utpalabhedyaka), Dried Flesh (vallūraka), Fastening (āsaṅgima), Cheek-ear (gaṇḍakarṇa), Take away (āhārya), Ready-Split (nirvedhima), Multi-joins (vyāyojima), Door-hinge (kapāṭasandhika), Half door-hinge (ardhakapāṭasandhika), Compressed (saṇkṣipta), Reduced-ear (hīnakarṇa), Creeper-ear (vallīkarṇa), Stick-ear (yaṣṭīkarṇa), and Crow's lip (kākauṣṭha). 122

In this context, among these,

Rim-join: both flaps are wide, long, and equal.

Lotus-splittable: both flaps are round, long, and equal.

Dried flesh: both flaps are short, round, and equal.

Fastening: one flap is longer on the inside. Cheek-ear: one flap is longer on the outside. 123

Take-away: the flaps are missing, in fact, on both sides.

Ready-split: the flaps are like a dais (*pīṭha*).

Multi-joins: one flap is small, the other thick, one flap is

equal, the other unequal.

Door-hinge: the flap on the inside is long, the other is small. Half door-hinge: the flap on the outside is long, the other is small.

the neem tree and tree cotton. Dalhaṇa added that it can also be made of lead and should have the shape of the datura flower. The manuscripts have variant readings for लघुप्रवर्धनकमामुञ्जेत् at this point that include a scribal emendation, none of which construe plausibly. It is possible that the unusual verb form आ+√मुच् puzzled the scribes and caused the implausible scribal readings and emendations.

¹²⁰ Dalhaṇa on 1.16.9 (Su 1938: 77) notes that the word दोष here can refer to either a humour, such as wind, as we have understood it, or a disease generated from a humour.

¹²¹ The Nepalese version uses the word सन्धान to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Dalhaṇa's version (Su 1938:77) uses the term बन्ध here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.

¹²² For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003*b*: 154).

¹²³ For an artist's impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003*b*: 155).

These ten options for joins of the ear should be bound. They can mostly be explained as resembling their names. The five from compressed (saṃkṣipta) on are incurable. Among these, "Compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy flesh and the flaps are stretched thin and have stiff ducts. "Crow-lip" has a flap without flesh with compressed tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating, or swollen. 126

A person wishing to perform a join of any of these should therefore have supplies specially prepared according to the recommendations of the "Preparatory Supplies" chapter. And in this regard, he should particularly gather top layer of fermented liquor, milk, water, fermented rice-water, and powdered earthenware crockery (kapālacūrṇa).

¹²⁴ Cakrapāṇidatta on 1.16.9–13 (Su 1939: 128–129) and Dalhaṇa on 1.16.10 (Su 1938: 77–78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (nemīṣandhānaka) is similar to the join of the rim of a wheel (cakradhārā).

¹²⁵ Palhaṇa on 1.16.10 (Su 1938: 77–78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

¹²⁶ The version of 1.16.11–13 known to Dalhaṇa (Su 1938: 78) has four verses (रलोक) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the Suśrutasaṃhitā known to Cakrapāṇidatta. He cites the verses separately in his commentary, the Bhānumatī (Su 1939: 128–129), introducing each one as 'some people read' (के चित्पठित्त). However, in Trikamajī Ācārya's edition of the Sūtrasthāna of the Bhānumatī, the root text is largely identical to the one commented on by Dalhaṇa (Su 1938), even in instances like this where Cakrapāṇidatta's commentary indicates that he was reading a different version of the Suśrutasaṃhitā. See further the discussion on p.?? above.

¹²⁷ *Suśrutasaṃhitā* 1.5 (Su 1938: 18–23), probably verse 6 especially, that lists the equipment and medications that a surgeon should have ready.

¹²⁸ The reading in the Nepalese manuscripts of विशेषतश्चाग्रोपहरणीयात् has been emended to विशेषतश्चात्रोपहरेत् to make sense of the list of ingredients, which is in the accusative case. Also, the repetition of अग्रोपहरणीयात् in the Nepalese version suggests that its second occurrence, which does not make good sense here, is a dittographic error.

¹²⁹ The term कपालचूर्ण is unusual. Dalhaṇa (Su 1938: 79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earth-

Next, having made the woman or man tie up the ends of their hair, eat lightly and be firmly held by qualified attendants, the physician considers the joins and then applies them by means of cutting, splitting, scarification, or piercing. Next, he should examine the blood of the ear to know whether it is tainted or not. If it is tainted by wind, the ear should be bathed with fermented rice-water and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then top layer of fermented liquor and water should be used, and then he should scarify it again.

After arranging the join in the ear so that it is neither proud, depressed, nor uneven, and observing that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with tree cotton and gauze (plota), and bind it up with a thread, neither too tightly nor too loosely. Then, the physician should sprinkle earthenware powder on it and provide medical advice ($\bar{a}c\bar{a}rika$). And he should supplement with food as taught in the "Two Wound" chapter.¹³¹

- One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- One should not make a join when the blood is too pure, too copious, or too thin. For when the ear is tainted by wind, then it is obstructed by blood, unhealed and will peel. When tainted with choler, is becomes pinched $(g\bar{a}dha)$, septic and red. When tainted by phlegm, it will be stiff and itchy. It has excessively copious suppuration and is swollen. It has a small amount of wasted $(k\bar{s}\bar{\imath}\eta a)$ flesh and it will not grow. 133
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed

130 There are syntactic difficulties in this sentence. We have adopted the reading in Dalhaṇa's version (Su 1938: 78), which has च कृत्वा following सुपरिगृहीतं. It is likely that a verb, such as कृत्वा, dropped out of the Nepalese transmission.

enware vessels.

¹³¹ Suśrutasaṃhitā 4.1 (Su 1938: 396–408).

^{132 1.16.17} of Dalhaṇa's version (Su 1938: 79) reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to नाशुद्ध- for नातिशुद्ध- in the Nepalese version would yield the same meaning as Dalhaṇa's version.

¹³³ In his edition of Suśrutasaṃhitā, Ācārya (Su 1938: 79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: 'One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days' (आमतैलेन त्रिरात्रं परिषेचयेत्रिरात्राञ्च पिचुं परिवर्तयेत्).

(saṃrambha), burning, septic or painful. It may even split open again.

- Now, massage for the healthy ear, in order to enlarge it. One should gather as much as one can the following: a Indian monitor lizard, scavenging and seed-eating birds, and creatures that live in marshes or water, ¹³⁴ fat, marrow, milk, and sesame oil, and white mustard oil. ¹³⁵ Then cook the oil with an admixture of the following: purple calotropis, white calotropis, heart-leaf sida, country mallow, country sarsaparilla, Indian kudzu, liquorice, and hornwort. ¹³⁶ This should then be deposited in a well-protected spot.
- 15 The wise man who has been sweated should rub the massaged ear with it. Then it will be free of complications, and will enlarge properly and be strong. 137
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole, but not outside it.¹³⁸
- In this tradition, experts know countless repairs to ears. So a physician who is very intent on working in this way may repair them. 139
- 134 For such classifications, see the analyses by Zimmermann (1999) and B. K. Smith (1994).
- 135 Palhaṇa's version of 1.16.19 (Su 1938: 79) includes ghee. However, Palhaṇa's remarks on this passage and Cakrapāṇidatta's on 1.16.18 (Su 1939: 130) indicate that they knew a version of this recipe, perhaps similar to the Nepalese one, that did not include ghee. Palhaṇa also noted that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta said that some say it is made with four oils and milk.
- 136 The version of of this verse known to Dalhaṇa (vulgate (Su 1938:79)) adds several ingredients to this admixture, including prickly chaff-flower, Withania, milk-white, sweet plants and Indian ipecac. Also, it has beggarweed instead of Indian kudzu. When commenting on 1.16.19, Dalhaṇa (Su 1938:79) noted that some do not read sweet plants and Indian ipecac. Therefore, at his time there were other versions of this recipe circulating, with fewer ingredients, as seen in the Nepalese version.
- 137 For these aims (i.e., healing and enlarging the ear), the text known to Dalhana (Su 1938:79) had an additional verse and a half describing an ointment for rubbing the ear and sesame oil cooked with various medicines for massage. Cakrapāṇidatta (Su 1939:131) did not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.
- 138 Dalhaṇa's version of 1.16.23 (Su 1938: 79–80) added another hemistich that stated more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.
- 139 After verse 17, the 1938 edition of Ācārya (Su 1938:80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3(b). However, Cakrapāṇidatta (Su 1939:132) and Palhaṇa (Su 1938:80) stated that some read

- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly. 140
- Now I shall describe the proper method of making a repair when a nose is severed. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- Next, having cut a slice of flesh (vadhra),¹⁴¹ with the same measurements, off the cheek, the end of the nose is then scarified.¹⁴² Then the undistracted physician, should quickly put it back together so that it is well joined.
- Having carefully observed that it has been sewn up properly, he should then fasten it along with two tubes. Having caused it to be raised, the powder of sappanwood, the liquorice and Indian barberry should be sprinkled on it.
- The wound should be covered properly with tree cotton and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the

about the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (*miśrakacikitsa*) (SS 5.25), which does indeed begin with a discussion of the disease परिपोट. Dalhaṇa went on to say that some believe that these verses were not composed by sages and, therefore, do not read them.

¹⁴⁰ The order of verses 17 and 18 is reversed in Dalhana's version (Su 1938: 80).

¹⁴¹ The version of 1.16.28b known to Dalhaṇa (Su 1938: 81) reads "bound, connected (*baddham*)" instead of "slice of flesh (*vadhra*)." This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003*b*: 67–70).

¹⁴² Or 1.16.20 could be mean, '... off the cheek, it is fixed to the end of the nose, which has been scarified.' Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Dalhana (Su 1938:81) clarified the meaning of the vulgate here by stating that one should supply the word "flesh" when reading "connected," thus indicating that he understood the flesh to be connected to the face.

¹⁴³ Dalhaṇa noted that the two tubes should be made of reed or the stalk of the leaf of the castor-oil plant (on 1.16.21 (Su 1938: 81)). They should not be made of lead or betel nut because the weight will cause them to slip down.

¹⁴⁴ The Sanskrit term उन्नामयित्वा in 1.16.21 is non-Pāṇinian.

¹⁴⁵ For पत्ताङ्ग (sappanwood), there are manuscript variants पत्ताङ्ग (MS Kathmandu NAK 5-333) and पत्तङ्ग (MS Kathmandu NAK 1-1079). Also, MS Kathmandu KL 699 (f. 14r:1) has पत्ताङ्ग in a verse in 1.14 (cf. 1.14.36 (Su 1938:66)). The text known to Dalhaṇa has पतङ्ग (1.16.29 (Su 1938:81)) and this term is propagated in modern dictionaries.

¹⁴⁶ Dalhana glossed अञ्चन as रसाञ्चन, elixir salve (Su 1938: 81).

instructions specific to him. 147

And once healed and really come together, what is left of that slice of flesh (vadhra) should then be trimmed. If it is reduced, however, one should make an effort to stretch it, and one should make its overgrown flesh smooth.

147 The expression स्वयथोपदेश is ungrammatical but supported in all available witnesses.

¹⁴⁸ The vulgate transmission has lost the word वध्र and replaced it with अर्ध "half," which makes little sense in this surgical context.

¹⁴⁹ Dalhaṇa accepted a verse following this, 1.16.32 (Su 1938:81), which pointed out that the procedure for joining the nose is similar to that of joining the lips without fusing the ducts. He noted that earlier teachers did not think this statement on the nose and lips was made by sages, but he included it because it was accepted by Jejjaṭa, Gayadāsa and others, although they did not comment on it because it was easy to understand. Cakrapāṇidatta also did not comment on this additional verse (Su 1939: 133).

Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. 150

Goswami studied the commentaries of Dalhana and Cakrapānidatta on this and the following adhyāyas up to 32, focussing on the topic of omens (ariṣṭa). He concluded that both authors were influenced by the Indriyas-thāna of the Carakasaṃhitā in their commentaries on this topic. 151

Translation

Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile.¹⁵²

¹⁵¹ Goswami 2011.

^{152 1.1.28 (}Su 1938:7), tr. P. V. Sharma 1999–2001: 1, 21.

Sūtrasthāna 46: The Rules about Food and Drink

Introduction

83 ¹⁵³

¹⁵³ This is the first place at which the term दूषीविष occurs in the *Suśrutasaṃhitā*. The term दोष was given important discussion by Meulenbeld 1991; 1992; 2011. See also Das 2003: 548–550.



Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹⁵⁴

Subject matter

It is notable that this nosological part of the $Su\acute{s}rutasamhit\bar{a}$ opens with a chapter on diseases of wind $(v\bar{a}ta)$. In all other major \bar{A} yurvedic works, including the $Carakasamhit\bar{a}$, the first chapter in the section on nosology deals with the symptoms of fever (jvara). This is almost a defining feature of works on nosology. But in the $Su\acute{s}rutasamhit\bar{a}$, fever is not addressed at all in the first five sections of the work, but only in the thirty-ninth chapter of the Uttaratantra, which is exceptionally long at about three hundred verses.

The present chapter describes the diseases caused by vitiated wind and wind's mixing with other humours. Contemporary Ayurvedic physicians consider these diseases to include rheumatism.

We have not translated the terms prāṇa ...because the text defines them.



Translation

1 And now we shall explain the chapter about the aetiology of wind diseases.

154 HIML: IA, 234. (Ruben 1954) studied the wind doctrines in the Carakasamhitā.

add footnote here

add refs to Divodāsa as king.

- After holding the feet of Dhanvantari, the foremost of the upholders of righteousness who emerged out of nectar, Suśruta makes this enquiry. 155
- 4 O King! O best of orators! Explain the location and types of diseases of the wind, whether in its natural state or disordered. 156.
- 5–9 On hearing his words, the venerable sage spoke. This lordly wind is declared to be self-born because it is independent, constant and omnipresent. It is worshipped by the whole world. Amongst all beings, it is the self of all. During creation, continued existence and destruction, it is the cause of beings.
 - It is unmanifest though its actions are manifest; it is cold, dry, light, and mobile. It moves horizontally, has two attributes and is full of dust (rajas). It has inconceivable power. It is the leader of the humours and the ruler of the multitude of diseases.
 - It moves fast, it moves constantly, it is located in the stomach and in the rectum. 159
- 9cd Now, learn from me the characteristics of wind as it moves inside the body. 160
 - Wind connects the senses and the sense objects. Unvitiated, it maintains a state of equality between the humours (doṣa), the bodily tissues $(dh\bar{a}tu)$ and heat (agni) and the rightness $(\bar{a}nulomya)$ of actions. ¹⁶¹

The expression "qualities" is used advisedly. It is almost universal practice to refer to

¹⁵⁵ Explain the nectar myth.

¹⁵⁶ MSS H and N both read भूपते instead of कोपनै: in the vulgate: instead of addressing the king, the vulgate is saying "by irritations of the wind...." The vulgate also has Suśruta asking about कर्म, whereas in the Nepalese version he asks only about the types of diseases. Note that Dhanvantari is here addressed as king, a title associated elsewhere with Divosdāsa.

¹⁵⁷ According to Dalhaṇa on 2.1.8 (Su 1938: 257), the two qualities are sound and tangibility. The word रजस् could also refer to the quality of activity in the three-quality (guṇa) theory, which is how Dalhaṇa interpreted it. On the semantic field of रजस्, see Das 2003: 14 note 26 and ff.

¹⁵⁸ Dalhana on 2.1.8 (Su 1938: 257) interpreted नेता "leader" as प्रेरक "impeller."

¹⁵⁹ MS H read आशुचारी, which we have translated ("moves fast"), but MS N and the commentators of the vulgate read आशुकारी, "quick-acting."

¹⁶⁰ Dalhaṇa and Cakrapāṇidatta both interpreted मे as an ablative (2.1.8 (Su 1938: 258)).

¹⁶¹ According to Dalhaṇa on 1.6.3 (Su 1938: 23), सम्पत्तिः=सम्पन्नता. According to Dalhaṇa, Gayadāsa read इन्द्रियार्थोपसंप्राप्तिं but Dalhaṇa did not accept this on the grounds that it was too verbose: गयदासाचार्यस्तु इमं श्लोकं 'इन्द्रियार्थोपसंप्राप्तिऽ इत्यादि कृत्वा पठित, स च विस्तरभयान्न लिखितः । But witnesses H and N suggest the reading इन्द्रियार्थोपसम्पत्तिः.

Just as the fire is divided into five types by name, place and their actions, similarly, one type of air is divided into five types based on name, place, action and diseases.

- 12 Five types of wind:162
 - 1. prāṇa,
 - 2. udāna,
 - 3. samāna,
 - 4. vyāna,
 - 5. apāna.¹⁶³

The above five types of wind remain in their state of equality and support the body.¹⁶⁴

- The wind that flows through the mouth is called the vital wind $(pr\bar{a}na)$, the sustainer of the body. It causes food to enter within and supports the breaths. It mostly causes diseases like hiccups and wheezing $(sv\bar{a}sa)$.
- Since it is the one that flows upwards, that highest of winds is called udāna. ¹⁶⁶ Special acts like speech and singing are all initiated by it. It particularly causes diseases above the neck (*jatru*). ¹⁶⁷
- 16–17ab The samāna wind flows in the receptacles of raw and of digested matter. Assisting the digestive fire (agni), it cooks food and separates out

- 162 See Zysk 1993. Zysk (2007: S110) translated the following descriptions of the winds.
- 163 We use the Sanskrit terms which are generally recognizable to English readers.
- 164 According to Dalhaṇa on 2.1.12 (Su 1938: 259), स्थान=साम्य, यापयन्ति=धारयन्ति. All the manuscripts read प्राणोदानः समानश्च व्यानोपानस्तथैव च I against the vulgate's प्राणोदानौ स-मानश्च व्यानश्चापान एव च I.
- 165 According to Dalhaṇa on 2.1.13–14ab (Su 1938: 259), স্বাण also resides in the throat and nose.
- 166 The sentence plays on the sound उत्- ।ऊर्ध्- in the qualifiers (उदान, ऊर्ध्वम्, उत्तम). According to Dalhaṇa on 2.1.14cd–15 (Su 1938: 260), the places of udāna wind are not mentioned here, but it also flows in the navel, stomach and throat. In yoga literature, it is more common for prāṇa to be called the principle breath.
- 167 Dalhaṇa noted that "above the *jatru*" would include eyes, nose, ears, face, and head. Meulenbeld cited discussions on the difficulties of interpreting the term जन्न (Meulenbeld 1974b: 465). Hoernle (1907: §§62, 98) translated *jatru* as "neck, windpipe". See also Hoernle's notes on the expression "above the *jatru*" (idem, 237–238).
- 168 The "receptacle of raw matter" (आमाराय) is described at 1.21.12 (Su 1938: 102) as one

[&]quot;balance" or "equilibrium" in such contexts, but this misrepresents the metaphor that the Sanskrit sources are using. As the commentators on *Aṣṭāṅgaḥṛdayasaṃhitā* 1.1.20 (Ah 1939: 14) make abundantly clear, the expression *doṣasāṃya* means "equality of humours," as in *quantitative* equality, not balance.

- the substances produced from it.169
- It mainly causes abdominal swelling (gulma), diminished digestive fire (agnisainga) and diarrhoea. ¹⁷⁰
- 17cd–18 The vyāna moves everywhere in the body, active in making chyle (*rasa*) flow. It also makes sweat and blood flow as well as causing movement in every respect. Angered, it causes diseases that generally exist throughout the whole body.
- 19–20ab The apāna resides in the place of digested food and, at the right moment, it draws wind, urine, and feces, as well as semen, fetus and menstrual blood downwards. Angered, it causes terrible diseases located in the bladder and rectum.
- 20cd–21ab Irritated vyāna and apāna winds cause defects of semen and urinary diseases (*prameha*). Simultaneously aggravated, they surely destroy the body.¹⁷²
- 21cd-22ab From here, I shall describe all the diseases, located in the various places of the body, that are caused by wind that is irritated in various ways.
 - 22cd–24 Aggravated wind in the stomach causes diseases like vomiting, as well as disorientation (moha), fainting, thirst, heart-seizure (hrdgraha), and pain in the flanks. ¹⁷³ It also causes rumbling of the bowels, gripes ($s\bar{u}la$), swollen belly, painful urine and feces, constipation, and pain in the sacrum (trika). ¹⁷⁴ Aggravated wind in the ears etc., destroys the senses.
 - 25abc-29 Located in the skin, it causes discolouration (vaivarnya), throbbing,

of the locations of phlegm, and the place where food arrives, just above the location of bile, and where the food is moistened and broken down for easy digestion. The "receptacle of digested matter" (पकाशय) is described at 1.21.6 (Su 1938: 100) as being located below the navel and above the pelvis and rectum.

¹⁶⁹ Gayadāsa had the same reading सहायवान् as the Nepalese version (Su 1938: 260, note 1 and the text of the *Nyācacandrikā*). This suggests that it is the samāna that cooks food, while the vulgate reading involves the equal participation of digestive fire.

¹⁷⁰ Dalhana on 1.11.8 (Su 1938: 46) described अग्निसङ्ग as "the fire is stuck, dissolved."

¹⁷¹ The vulgate text reads पञ्चधा "in five ways," and Dalhana listed five kinds of movement (Dalhana on 2.1.18 (Su 1938: 260)).

¹⁷² Dalhana on 2.1.21ab (Su 1938: 261) clarified that this refers to all five winds being aggravated at once.

¹⁷³ On "disorientation," Dalhaṇa on 2.1.23ab (Su 1938: 261) noted that the condition was नैवात्यन्तं चित्तनाशः "not the complete loss of awareness."

¹⁷⁴ Hoernle (1907: 140) attributed the quite different interpretation of त्रिक by Dalhaṇa on 1.21.14 (Su 1938: 102) to "the decay of anatomical knowledge subsequent to the time of Suśruta."

dryness, numbness (*supti*), itching (*cumucumāyana*), and pricking pain. ¹⁷⁵ Located in the flesh, painful lumps. ¹⁷⁶ Located in the fat, it causes slightly painful lumps that are not wounds.

Located in the ducts, it causes acute pain, contraction and filling up of the duct. When it reaches the sinews, it paralyses the network of sinews, and causes them to tremble. Located in the joints, it destroys the joints and it causes sharp pain and swelling. It causes a splitting of the bones, when it acts there, and dryness as well as sharp pain; and when it is in the marrow, it causes an sickness that never abates. Wind located in the semen, it causes the non-production or faulty production of semen. The semental series are single production of semen.

Wind moves incrementally from the hand to the foot, the head, and the bodily tissues. Or it may pervade people's entire bodies, causing stiffness, convulsion, numbness $(sv\bar{a}pa)$, swelling, and acute pain everywhere.

¹⁷⁵ Maas (2008) definitively clarified the contrasting त्वक्-first and (usually) रस-first models of the bodily elements ($dh\bar{a}tu$) as distinct historical formulations in the earliest medical literature. Das 2003: 267–282 also explored this issue, including the obeservation that the $Bhedasamhit\bar{a}$ seems to have taught that रस "chyle" was the sources of menstrual blood, in contrast to the $K\bar{a}\acute{s}yapasamhit\bar{a}$ that assigned this role to त्वक् "skin." In their comments on this passage, Gayadāsa and Dalhaṇa both tried to square the circle of these contrasting models by suggesting that त्वक् "skin" should be understood to mean रस "chyle" (on 2.1.25 (Su1938: 262)). Gayadāsa explained in more detail that chyle is located in the skin and therefore, the expression त्वक्स्थ "located in the skin" should, by extension, be read as रसस्थ "located in the chyle." He proposed the parallel with the well-known grammatical example of figurative meaning, गङ्गायां घोषः "the village on the Ganges," which means, really, "the village on the bank of the Ganges" (on this example of figurative meaning, lakṣaṇā, see Kunjunni Raja 1963: ch. 6; Ihalakīkar 1978: 698–699).

¹⁷⁶ At this point, the vulgate has a passage that is not present in the Nepalese witnesses. It gives more symptoms of wind in the skin and then addresses wind in the blood: "(wind in the skin) may cause prickling, splitting of the skin and peeling; and when it is in the blood, it causes wounds" (Su 1938: 261). The commentators Gayadāsa and Dalhaṇa were aware that this passage was missing in some of their manuscripts. Gayadāsa said that this was because some authors noticed that वातरक "wind-blood" would be discussed later in the chapter. But they both thought this absence was incorrect (Su 1938: 262).

¹⁷⁷ According to Dalhaṇa सिराकुञ्चनं is also known as कुटिला सिरा (Su 1938: 262), which may refer to varicose veins.

¹⁷⁸ Dalhaṇa and Gayadāsa both suggest that a faulty production विकृतां प्रवृत्तिम् is too fast, too slow, knotty and discoloured Su 1938: 262.

Symptoms of diseases that arise because of a combination of the five breaths with bile and phlegm

31cd-32ab In the stated locations, wind that is compounded causes compounded afflictions. ¹⁷⁹ And located in the limbs, it can cause a multitude of diseases. ¹⁸⁰

Prāṇa

34cd–35ab Prāṇa covered by bile causes vomiting and a burning sensation and when covered by phlegm it causes weakness, exhaustion, lassitude and loss of the sense of taste.¹⁸¹

Udāna

When udāna is joined with bile there is bewilderment (moha), fainting ($m\bar{u}rch\bar{a}$), dizziness (bhrama) and exhaustion. And when covered by phlegm there is exhilaration and an absence of perspiration, slow digestion, and coldness. ¹⁸²

Samāna

36cd–37ab When is samāna is combined with bile there is perspiration, a burning sensation, a temperature and fainting $(m\bar{u}rch\bar{a})$. When in contact with phlegm there is horripilation of the limbs during feces and urine.

¹⁷⁹ Dalhana on 2.1.31cd (Su 1938: 262) explained "wind that is compounded" as wind being mixed with bile and phlegm.

¹⁸⁰ The Nepalese version omits passages 2.1.32cd-33ab which are about the diseases that arise when contaminated wind mixes with cough, phlegm and blood (Su 1938: 263).

¹⁸¹ वैरस्य "loss of the sense of taste" may refer to ageusia. The vulgate reads वैवर्ण "loss of colour" (Su 1938: 263). The vulgate's footnote 1 says that the palm-leaf manuscript reads वैश्वर्य but this is not correct. The palm-leaf manuscript whose readings were sent to Trivikrama Ācārya was witness N, which reads वैरस्य.

¹⁸² The expression "exhilaration and an absence of perspiration" translates the Nepalese version's अस्वेदहर्षः as if it were a dvandva. The vulgate has the easier dvandva, अस्वेदहर्षो "lack of sweating and also exhilaration" 2.1.36ab (Su 1938: 263). Perhaps the Nepalese reading is an Epic form of m. sing. dvandva as described by Oberlies (2003: 361–362, n. 3).

Apāna

37cd–38ab When apāna is associated with bile there is a burning sensation, a temperature and blood in the urine. When covered with phlegm there is a feeling of heaviness in the lower body and coldness.

Vyāna

- 38cd-39.1 When vyāna is covered by bile there is a burning sensation $(d\bar{a}ha)$, shaking of the limbs and fatigue. When covered by phlegm there is paralysis, stiffening (uddandaka), and swelling with pain. 185
 - In general, wind-blood causes inflammation in those who are delicate and enjoy inappropriate food, and because of the torment of the humours, the roads, intoxication from wine, and lack of exercise, from the inversion of the seasons and locales, from the consumption of uncongenial (asātmya) foods, and because of the lack of exercise taken by an overweight person. 188

- 184 The next vulgate verse is absent in the Nepalese version. It describes diseases caused by contaminated vyāna mixed with cough and phlegm (Su 1938: 264). Instead of this verse, Nepalese version has the following sentence about phlegm.
- 185 The word उद्दण्डक "being like a vertical stick" is rare or unknown as a medical term (unrelatedly, it is the name of an ascetic group listed in works such as the *Cāturāśra-myadharma* of Kāṇvāyana (NCC: 3, 306)). Some of these symptoms are in common with Stiff Person Syndrome.
- 186 "Wind-blood" is described in the *Suśrutasaṃhitā* as the combination of corrupted blood obstructing the path of inflamed wind and causing simultaneous pain due to wind and blood at once (4.5.4 (Su 1938: 423)). The *Carakasaṃhitā* describes it as increased wind being blocked in its passage by increased blood (6.29 (Ca 1941: 627–634)). See also references at *Mahākośa*: 1, 740–741. Interpreted as leprosy by Sengupta (1901: 1, 256–260). Several symptoms described below are similar to those of diabetic neuropathy.
- 187 Probably, the "torment of the roads" refers metonymically to excess travel. "Lack of exercise" could be read as just "exercise," and while that may sound like torment, the former interpretation better fits the context. Note that the sequence -प्रमदामद्य- in the vulgate separates "confusion" and "wine" while the Nepalese version's "wine-confusion" is a more obvious reading. Dalhaṇa read मिथ्याहारविहारिन् as a dual "inappropriate food and recreation" (Dalhaṇa on 2.1.40 & 4.5.5 (Su 1938: 263 & 423)).
- 188 Instead of "lack of exercise" the vulgate reads "lack of sexual intercourse," which makes little sense.
 - <code>Dalhaṇa</code> on 2.1.40–41 (Su 1938: 263) commented that some scholars did not read these two verses here because these are read later, at Cikitsāsthāna 4.5.5 (Su 1938: 424). In

¹⁸³ The This probably describes hematuria. Again we have an Epic m. sing. dvandva.

Wind-blood (vātarakta)

The wind may become aggravated by riding elephants, horses, camels and for other reasons. 189

By consuming vegetables that are pungent, hot, sour, or alkali and by strong, habitual anguish (*santāpa*), the blood rapidly becomes liquid and that quickly blocks the pathway of the quick-moving wind;¹⁹⁰ irritated by the obstruction of the pathway, it goes wrong. That blood, mixed with corrupted wind is called "wind-blood" because of the wind's force.

Similarly, bile may be tarnished by corrupted blood. 191

45–46 Because of wind-blood, the feet have an aversion to touch, as well as pricking, splitting, dryness, and a loss of sensation. Contaminated bile mixed with blood causes a sharp burning sensation, excessive heat, a red swelling and a softening of the feet.

When blood is contaminated by phlegm, the feet get itchy, cold and white, swollen, thick and stiff. Furthermore, when blood is contaminated by all of them, the humours display their respective signs in the feet.

Residing in the soles of the feet, and sometimes in the hands, this disease creeps through that body like angry rat poison. 192

49ab, 50ab Wind-blood ($v\bar{a}tarakta$) that bursts out (sphuțita) as far as the knees, and that is split and oozing, is incurable, and that which has lasted for a year can be mitigated ($y\bar{a}pya$). 193

fact, at that location, only 2.1.40ab and 2.1.41cd are read.

The word दोष appears in the Nepalese version of 2.1.40cd, but not in the vulgate (which reads रोग). Therefore, when Gayadāsa said दोषग्रहणं तु विशेषार्थमिति "the use of the word दोष is for the purpose of specificity," at the end of his comment on 2.1.32–39 (Su 1938: 263), it is likely that he had the Nepalese version of at least part of the text before him, pace the comment, "Gayadāsa did not accept this reading" by Y. T. Ācārya and N. R. Ācārya (गयदासासंमतोऽयं पाठः Su 1938: 263, note 2).

- 189 Dalhana exemplified "other reasons," as carrying loads, etc.
- 190 The word सन्ताप, "anguish" can mean physical as well as emotional pain.
- 191 The Nepalese version omits the vulgate's similar statement about phlegm being affected by blood.
- 192 The commentators Gayadāsa and Þalhaṇa both read "the whole body" (सद्देहम् for तद्देहम्, interpreting सद् as सकलम् (Su 1938: 264)). The subject, "this disease," is not expressed in the Sanskrit sentence.
- 193 The sentence appears to describe the condition of the skin, but the word "skin" is not expressed.

When aggravated wind enters into all the ducts (*dhamanī*), the wind, which moves repeatedly, makes the body convulse (*ākṣip*) quickly and repeatedly. Because of the repeated convulsing (*ākṣipaṇa*) it is traditionally called "The Convulsor (*ākṣepaka*)."

- 52–56 Since a person blacks out (*apatāmyate*) completely, it is known as a seizure (*apatānaka*).¹⁹⁴
- 52cd–53ab If wind that is mixed with a lot of phlegm is present in the ducts ($dham-an\bar{\iota}$), it is called Stick Seizure ($dand\bar{a}pat\bar{a}naka$) because it makes one paralyzed like a stick. ¹⁹⁵
 - The one that bends the body like a bow is technically termed Bow Paralysis (*dhanuḥstambha*).
 - Vitiated wind entered in the arteries and bends the body like a bow, it is called धनुःस्तम्भ Tetanus. When vitiated wind accumulated in the regions of finger, ancle, abdomen, heart, chest, and throat swiftly attack on the group of vain and ligaments, it gets a person's eyes stuck, chin stuns, side breaks and vomiting phlegm he moves inwards like a bow and this situation is known as emprosthotonos (antarāyāma). When vitiated wind attacks on outside ligaments, body of a person will stretch forward like a bow. In this situation, if the chest, hip or thigh break, wise men call it incurable.
 - 58 Aggravated phlegm and bile mixed with wind or only vitiated wind causes fourth convulsive disease due to trauma.
 - Convulsions due to miscarriage, excessive bleeding, and injury are incurable ¹⁹⁶.
 - 60–62 When excessively agitated and strong wind flows in the arteries which

¹⁹⁴ Explaining अपतानक by reference to अपताम्यते is a folk etymology, since the words have different etymological roots.

Gayadāsa, in his commentary on 2.1.52 (Su 1938: 265) discussed the reading अपताम्यते, which is also the reading supported by witness N but not the vulgate. This word seems to be unattested elsewhere. Gayadāsa defined अपतानक as a situation in which a person sees darkness and loses consciousness (तमो द्वयते मोह्यते). Gayadāsa presented a detailed and interesting discussion of these terms, including citations from earlier commentators and the texts of Caraka and Dṛḍhabala. Þalhaṇa took up Gayadāsa's discussion and also cited the commentators Jejjaṭa and Brahmadeva.

¹⁹⁵ Against Dalhaṇa on 2.1.52 (Su 1938: 265), we read the intensifier भृशम् with कफान्वित rather than the transitive verb तिष्ठति, for sense.

A verse added in the vulgate at this point asserts that trismus also occurs.

¹⁹⁶ According to Dalhana convulsion (\bar{a} kṣepaka) is also known as अपतानक (Su 1938:266). He further mentions that even if fortunately, it is cured, it cripples the limb.

- spread downward, upward, and sideways, it loses the joints and kills the other side of body. The best of physicians calls it paralysis (*pakṣāghāta*). ¹⁹⁷ Then half of his entire body becomes inefficient and unconscious. Afflicted by wind he suddenly falls or dies.
- 62.1 Bile integrates with wind causes burning sensation, affliction, and infatuation. When it integrates with phlegm causes coldness, morbid swelling, and heaviness. ¹⁹⁸.
 - 63 A paralysis (*pakṣāghāta*) caused by wind ¹⁹⁹ is curable with most difficulty. It becomes curable when caused by bile and phlegm mix with the wind. It becomes incurable when caused by the loss of bodily constituents.
- Verses from 64–66 are not found in the Nepalese manuscripts. These verses discuss the term spasmodic contradiction (āpatantraka) which is the same as अपतानक. Dalhaṇa commented on ni.1.64-66 (Su 1938:267) that because of having the similar condition in both situations, some scholars do not read the अपतन्त्रक. In the verse ni.1.59 Dalhaṇa commented that the आक्षेपक and अपतानक is same (Su 1938:266) and again he suggested that the अपतानक and अपतन्त्रक both are similar condition. Therefore, आक्षेपक, अपतानक and अपतन्त्रक should be the same. Gayadāsa further commented that the Caraka has not read आक्षेपक as अपतानक and therefore described the अपतान्त्रक separately (Su 1938:267).
 - This verse also not found in the Nepalese Manuscripts. The verse describes rigidity of neck (*manyāsthambha*). According to Palhaṇa, rigidity of neck is a prior symptom of spasmodic contradiction.
- By speaking very loudly, eating hard foods, excessively laughing and yawning, lifting heavy loads and sleeping in an awkward position, vitiated wind lodges into face painfully and produces paralysis of the jawbones (*ardita*) disease. In that case, half of the face and neck become curved, head trembles, speech hindrances, deformity occurs in the eys, eyebrows and cheeks.²⁰⁰ Experts in diseases call this disease spasm of

¹⁹⁷ In the ca.6.28.55 पक्षाघात is described as monoplegia (ekāṅgaroga). In that case it damages one of the limbs. In the medical terms paralysis (apakṣāghāta) is known as hemiplegia.

¹⁹⁸ This verse is not available in vulgate. It deals with the symptoms when bile and phlegm mix with the wind. It is already discussed in su.2.1.38.

¹⁹⁹ Here the term যুদ্ধবান suggests the meaning of the wind that is devoid of bile and phlegm.

²⁰⁰ Dalhaṇa suggests नेत्रादीनाम् इत्यादि शब्दात् भूगण्डादि उपसङ्ग्रहः

- the jaw-bones (ardita).
- 73 Spasm of the jawbones cannot be cured when it stays in a person for three years, who is very weak, stays without blinking, trembles, and constantly speaks gibberish.
- Arteries of Heel and toes stricken by vitiated wind prevents stretching of thighs. This disease is known as sciatica (*gṛdhrasī*).
- Arteries which run to the tips of fingers from behind the roots of the upper arm affected by vitiated wind terminates all activities of arms and back. This disease is called paralysis of arms and back (*viśvañci*).
- 76 Vitiated wind and blood in the joint of knee causes synovitis of knee join (*kroṣṭukaśīrṣa*). In this extremely painful situation, the shape of swelling in knee joints seems like a head of Jackal.
- 77 Vitiated wind resides in the waist attacks on the arteries of thigh causes limpness (*khañja*) and when it attacks on both the thighs a person becomes lame (*paṅgu*).
- 78 A person who trembles at the beginning of walking or walks limping and whose foot joint has become loose is called lathyrism (kalāyakhañja).
- 79 Vitiated wind residing in the ankle-joint causes pain when one steps on uneven ground. This disease occurs is called वातकण्टक.
- 80 Vitiated wind mixed with bile and blood cause burning sensation in feet. It should be declared as burning sensation in feet (*pādadāha*).
- 81 A person whose feet tingle and become insensible due to vitiation of phlegm and wind is called पादहर्ष.
- 82 Vitiated wind lying in the shoulder dries the shoulder joints and it is called अंसशोष. It also bends the arteries of shoulder, and this disease is called अवबाहक. ²⁰²
- 83 Vitiated wind singly or mixed with phlegm cover the channel of ears causes deafness.
- Vitiated wind saturated with phlegm covering the arteries which conduct the sound of speech makes a person inactive (*akriya*), dumb (*mūka*). He mumbles (*mimmira*) through the nose and stammers

²⁰¹ Both the MSS N and H read विश्वञ्च instead of the vulgate reading विश्वाची. There is no such word found in other Āyurveda texts.

²⁰² Dalhaṇa and Gayadāsa both have defined two diseases i.e., अंसशोष and अवबाहुक respectively.

- (gadgad).²⁰³
- 85 Vitiated wind penetrating into the cheekbones, temporal bones, head and neck causes piercing pain in the ears. It is called ear-ache (karṇaśūla).²⁰⁴
- 86–87 The pain that arises from the bladder or feces goes down as if it were breaking the rectum and......? is called तूनी, whereas the pain, rising upward from the rectum extending up to the region of the intestines, is called प्रतित्नी.
- Retention of vitiated wind inside abdomen causes distension of the stomach and flatulence and intense pain and rumbling inside, is called tympanites (ādhmāna). Vitiated wind mixed with phlegm causes সুন্যাध्मान. It rises in the stomach and causes pain in the heart and sides.
- 90–91 A knotty stone-like tumour caused by wind appearing in the stomach having an elevated shape and stretched upward direction which obstructing the passage of faeces and urine should be known as বানাষ্ঠীলা. A tumour of similar shape rose obliquely in the abdomen obstructing the passage of wind, faeces and urine should be known as স্ব্যষ্ঠীলা. Names of diseases discussed in the chapter 2.1

Gout (*vātarakta*) convulsion (*ākṣepaka*) paralysis of one side (*pakṣāghāta*) paralysis of the jaw-bones (*ardita*) sciatica (*gṛdhrasī*) paralysis of arms and back (*viśvañci*) synovitis of knee join (*kroṣṭukaśīrṣa*) lathyrism (*kalāyakhañja*) vātakaṇṭaka (*vātakaṇṭaka*) avabāhuka (*avabāhuka*) tūnī (*tūnī*) pratitūnī (*pratitūnī*) tympanites (*ādhmāna*) pratyādhmāna (*pratyādhmāna*) vātāṣṭhīlā (*vātāṣṭhīlā*) pratyaṣṭhīla (*pratyaṣṭhīla*)

²⁰³ Nepalese Manuscripts read मिर्मिर instead of the Vulgate's reading मिन्मिण. Dictionary of MW suggests the meaning of मिर्मिर = having fixed unwinking eyes which is not relevant to the disease of tongue.

²⁰⁴ In the medical terms, this disease is known as Otitis.

²⁰⁵ There's an addition in MS N. नाभेरधस्तात् संजातः संचारी यदि वाऽचलः

Part 3. Śārīrasthāna

Śārīrasthāna 2: On Semen and Menstrual Fluid

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.²⁰⁶ Das (2003: chs 6–8) also studied topics of this chapter and in chapter 13 provided an overview of the conceptual background of ayurveda on the topics discussed in this chapter.

Translation

- 1 We shall now explain the anatomy that is the purification of sperm (*śukra*) and blood (*śoṇita*).
- 3 Semen (*retas*)²⁰⁷ is incompetent to produce offspring if it is [characterized by] wind, bile, phlegm, blood (śοṇita),²⁰⁸ decomposition (kuṇapa), clumps (granthi),²⁰⁹ stinking pus (pūtipūya), low volume (kṣīṇa), urine, or feces.

²⁰⁶ HIML: IA, 244-246.

²⁰⁷ The Nepalese version has -रेतांसि "semen" (in the plural) as the subject of the sentence: "seeds are unable to produce offspring...." In the vulgate, -रेतसः is a masculine bahuvrīhi, making "men whose semen has..." the subject of the sentence.

²⁰⁸ Note that the list begins with the four entities, wind, bile, phlegm and blood, hinting at a four-humour system (see Wujastyk 2000: 485–486).

²⁰⁹ Modern Establishment Medicine (MEM) understands that normal ejaculate contains coagula which, however, dissolve after about half an hour. But coagula that do not dissolve may sometimes be a sign of an underlying disorder (see, e.g., Lamming and Marshall 1990: 2, 614–615; Cohen 1990).

Diagnosis by humours

- When the dysfunction is caused by wind, there is a colour and a type of pain that typically goes with wind problems.
 - If caused by bile the colour and the pain are typical of bile afflictions. If caused by phlegm the discolouration and suffering are characteristic for phlegm disease.
 - And if caused by blood (*śoṇita*) there will be a colouration due to blood and a sensation of a bile affliction. Moreover, when caused by blood (*rakta*) there is the smell of decomposition (*kuṇapa*).²¹⁰
 - Phlegm with wind causes the appearance of clumps.
 - Bile with blood (*śoṇita*) causes the appearance of foul-smelling pus (*pūtipūya*).
 - Bile with wind (*māruta*) cause a weakening of semen.
 - Humoral colligation (sannipāta) causes the smell of urine and feces.²¹¹

Cases of foul-smelling sperm, sperm with clumps, and when it reeks of pus are hard to treat. But when sperm contains urine or faeces there is no treatment.²¹²

- Moreover, seasonal blood ($\bar{a}rtava$) too can become afflicted (upasṛṣṭa), seedless ($ab\bar{\imath}ja$) because of the three humours, and blood as the fourth, taken individually, in pairs or triples or all together.²¹³
 - This can also be known by means of the humour, colour and pain. In these cases, that which displays decomposition (kuṇ apa), clumps and the putrid smell of pus is incurable ($as\bar{a}dhya$). And otherwise it is curable ($s\bar{a}dhya$).
 - Among these, the kind which shows decomposition, or coagula, or putrid pus is incurable. The other types, however, can be treated.

²¹⁰ Note that the text mentions both शोणित and रक्त. This raises the question of whether the author considered these to be different, or whether it is an artefact of textual transmission.

²¹¹ The expression "humoral colligation," translating सन्निपात, refers to the simultaneous disorder of three humours at the same time, a condition that is difficult to treat (see Wujastyk 2016b: 38 et passim).

²¹² Note that the above characterizations presuppose the direct inspection of an ejaculate. The process of collection is not described in the sources in this chapter.

This translates the text of the oldest surviving witness, N, and the vulgate. But MS H, that normally follows K very closely, has a negative particle, ¬¬, reversing the sense of the sentence.

6 And there is a verse on this.

An expert should overcome the first three of these sperm pathologies with special treatments such as unction and sweating, as well as by means of a urethral instillation (uttarabasti).²¹⁴

find out about uttarabasti

Therapies by humour

- 6.1 In that context, when the sperm is of the nature of wind, there is an enema (āsthāpana) consisting of Bengal quince, Indian kudzu and milk.²¹⁵ In the urethral instillations one should use sesame oil well cooked with mahua, grey orchid, deodar, and chir pine. One can also make the patient drink clarified butter with ripe pomegranate, citron fruit, rock salt, a caustic (kṣāra), and two kinds of salt.²¹⁶
- 6.2 When the sperm is of the nature of bile, there is an enema of milk cooked with curds, Malay beechwood and liquoricek. One should also apply a paste (*kalka*) of white dammer tree and axlewood in the vagina. There is an oily enema (*anuvāsana*) of sesame oil cooked with liquorice; in the same way, it should only be applied as a urethral instillation.²¹⁷ One should make him swallow ghee cooked with wild sugar cane, common smilax, heart-leaved moonseed, white teak, false daisy, and the five roots.
- 6.3 When the sperm is of the nature of phlegm, there is an enema (ās-thāpana) consisting of a decoction (kaṣāya) of golden shower tree. And one should also apply an oily enema (anuvāsana) of sesame oil cooked with long pepper, embelia and honey; and it should only be applied as a urethral instillation.
 - One should make him drink a ghee cooked with hairy bergenia, white teak, emblic myrobalan, long pepper, bearded premna, and prickly chaff-flower.

²¹⁴ Palhaṇa on 3.2.6 (Su 1938: 345) noted that "unction and sweating" indicates the "five treatements": वमन, विरेचन, अनिरूह, अनुवासन and उत्तरबस्ति. He noted that the explicit mention of urethral enema in the verse was for the purpose of highlighting its priority. However, a natural reading of the verse does not suggest that these distinctions were in the author's mind.

²¹⁵ These three recipes are not present in the vulgate text of the Suśrutasaṃhitā.

^{216 -}विपक्क "well cooked with..." might be interpreted as "with ripe...".

²¹⁷ By specifying "upper (i.e., urethral) instillation" the author is clarifying that this is not a rectal enema.

3.2.7 And there are verses about this.

When there is blood in the sperm, the physician should give the person ghee cooked with flowers of the fire-flame bush, catechu, pomegranate, and arjun.

- 3.2.8 When it smells like a corpse, he should drink ghee cooked with the sal group of trees. †When clumps appear, it is cooked with stones, or also in ash from a flame-of-the-forest.²¹⁸
 - 9 And also, when it resembles pus, it is treated with items such as phalsa and banyan. When the sperm is deficient it should be treated as was stated before and also as will be described.²¹⁹
 - 10 When it looks like feces, he should be made to drink ghee together with leadwort, vetiver and devil's dung.
 - 10.1 In these six cases, a wise person should carry out the sequence that starts with oleation.²²⁰
- It deteriorates as a result of not having sex with women for a long time as well as from the use of actions, and from overusing the drugs that are astringent, spicy and sharp, that are acidic (amla), salty, sere (rūkṣa), sour (śukta) or stale (paryuṣita), and because of suppressing (vegāghāta) the impulses in vaginas and from intercourse (gamana).²²¹
 - When there is a defect (doṣa) in the menstrual blood (ārtava) one should advise the therapy starting with oleation.

 And one should use a urethral instillation (uttaravasti) exactly as was described before.

to what?

²¹⁸ The Nepalese text and translation of this sentence are uncertain. The vulgate text reads, 3.2.8 (Su 1938: 345): ग्रन्थिभूते शटीसिद्धं पालाशे वा ऽपि भस्मिन "If clumps appear, it is cooked with śaṭī or in ash from a palāśa." The vulgate edition notes in a footnote that some vulgate manuscripts add an extra line, स्नेहादिश्च क्रमः षद्भेतासु विजानता. The Nepalese manuscripts read this line two verses further down.

²¹⁹ Dalhaṇa on 3.2.9 (Su 1938: 345) noted that "what was stated before" refers to the स्व-योनिवर्धन section, i.e., Suśrutasaṃhitā 1.15.10 (Su 1938: 69), and that "what will be described" refers to Suśrutasaṃhitā 4.26 (Su 1938: 496), the chapter on weakness and strength (क्षीणबलीय).

²²⁰ It is difficult to know which six cases the author intended. Dalhana on 3.2.10 (Su 1938)

²²¹ This passage is hard to interpret and there are no parallels, commentary or meaningful alternate readings.

And there is a verse about this:

To purify the menstrual blood (ārtava), one should apply the procedure that finishes with a urethral installation.

From

Therapies for menstrual blood

- For purifying the menstrual blood one should follow the procedure, the last of which is a urethral instillation (*uttarabasti*).²²²
 - One should use a paste (kalka) as well as cloths and a salutary lavages ($\bar{a}camana$).²²³
 - In case of a bad smell and the appearance of pus, or the appearance of marrow in the blood.
 - 15 He should drink a decoction (*kvātha*) of white sandalwood or a decoction of red sandalwood.²²⁴
- 14ab When clumps (*granthi*) appear, he should drink velvet-leaf, three heating spices, and Indrajao.²²⁵
- 14a He should drink a a decoction (*niḥkvātha*) that is the extracted juice (*surasa*) of a caustic (*kṣāra*), dried ginger, and devil's dung.
- 24 Thus a man has unblemished semen and a woman has pure menstrual blood.²²⁶

²²² The "procedure ending with a urethral instillation" probably refers to verse 6 above (see page 85).

²²³ The word आचमन, normally "sipping water from the palm" is here translated "lavage" following the context and Dalhaṇa on 3.2.13 (Su 1938: 345), who described it as "water for washing the vagina" (योनिप्रक्षालनोदक). This treatment may be intended for the condition mentioned in 12cd, but in the vulgate text there is a preceding half verse stating that the treatment is for the "four disorders of menstrual blood."

²²⁴ The name चन्दन may refer to several types of sandalwood; presumably one is meant here that is different from white sandalwood, i.e., perhaps Pterocarpus santalinus Linn. f. The vulgate has an extra half-śloka here.

²²⁵ On ग्रन्थि, see note 209.

²²⁶ On this and the following texts, cf. Smets 2010: 389 et passim.

During menstruation

During the season (*ṛtu*), starting from the first day onwards, the chaste woman (*brahmacāriṇī*) foregoes bathing, anointments, ornaments and grooming (*vilekhana*).²²⁷ She should abstain from sleeping during the day, collyriums, weeping tears (*aśrupāta*), massages, cutting her nails, taking showers, laughing, telling stories, hearing too much noise and from exertion.²²⁸

For what reason? By sleeping during the day, the fetus becomes deaf.²²⁹ From collyrium he becomes blind. From weeping, his vision is impaired. From bathing and anointing, he becomes badly behaved. From massage with oil he gets a pallid skin disease (*kuṣṭha*).²³⁰ From cutting the nails he gets ugly nails (*kunakha*). From smearing an unguent he becomes bald. From habitually exercising in the open air he goes mad. For this reason one should avoid these.

For three days of ritual food, the husband should protect (\sqrt{rak}) the woman. She lies on a layer of halfa grass, and eats a different kind of food from the palm of her hand, or from a plate or from a leaf.²³¹

On the forth day, one should show to the husband the woman who has had a purifying bath, is wearing unstitched clothes, is ornamented and who has chanted a benediction and recited a blessing.²³²

What is the reason for that?

26 And there is a verse on this.

A woman has a bath after her period. The type of man she sees after that determines the type of son to whom she will give birth. She may then show her son to her husband.

²²⁷ The word ऋतु "season" in āyurvedic texts can, according to context, refer either to the period of menstruation or else to the period of fecundity following menstruation (Das 2003: 15 ff., note 27, et passim). Dalhaṇa on 3.2.25 (Su 1938: 347) noted that the woman's abstention should last three days from the first appearence of her menses.

²²⁸ On the similar prohibitions relating to a menstruating woman as described in Dharmaśāstra literature, as well as the similar defects accruing from disobedience (see Leslie 1989: 284–287).

²²⁹ Here, the vulgate reads स्वप्नशीलः "he tends to sleep."

²³⁰ On translating কুম্ব in Āyurvedic texts, see Emmerick 1984: 96 ff.


²³¹ This sentence is hard to construe because हविष्यं "ritual food" cannot agree with -भोजिनीं.

²³² See Wujastyk et al. 2023: 58 and fn. 167.

Next, the priest (upādhyāya) should perform the appropriate ritual for producing a son. At the end of the ritual, the expert (vicakṣaṇa) should anticipate the following procedure.

- Next, after the man has eaten a rice porridge with ghee and milk in the afternoon, having been celibate for a month, at night he should sexually approach the woman who has had a diet rich in oil and mung beans. He then soothes her in a friendly way and he may go to her optionally on the fourth, sixth, eighth, tenth or twelfth day.²³³
- Henceforth, he should approach after a month [At this point there is a misplaced folio in MS N]
- 32 And when conception has occurred in this way

During one of these nights, the pregnant woman should press three or four drops of juice from one or other of the following: convolvulus, banyan, Indian bat tree, country mallow, carray cheddie. Then she should administer them in the right nostril if she desires a son and in the left if she wants a girl, and she should not sneeze them out.²³⁴



Children born in this manner are beautiful, of noble character and enjoy long lives. They provide release from obligation (rna) and they





²³³ In the Nepalese version, this text presents a general rule for lovemaking on even days. In the vulgate, the word पुत्रकाम is added, making this a specific rule for conceiving a male child. After this text, sections 29, 30 and 31 of the vulgate are not present in the Nepalese version. These verses state that the above-mentioned special days are beneficial, that odd days lead to the conception of a girl child, and finally the vulgate gives a list of the consequences of conceiving a child with a menstruating woman.

²³⁴ There is a textual problem at the start of this passage.

²³⁵ The Nepalese version reads क्षेल्रबीजोदकतृणाम् "of field, seed, water and grass" in contrast to the vulgate's ऋतुक्षेत्रामुबीजानाम् "of season, field, water and seed." This gives the two versions quite different meanings. In the Nepalese version, the author is referring to the four plants mentioned in the previous verse, convolvulus, banyan, Indian bat tree, country mallow, and carray cheddie. Then the author presents a simple agricultural simile. In the vulgate version, the words of the compound each have a double meaning: they can refer to the agricultural simile, but they can also be construed to mean "menstrual season, womb, nourishing bodily fluids, and male and female semen," a parallelism not present in the Nepalese transmission. This is how Dalhana interpreted the verse.

²³⁶ We translate महासत्त्वाः as "noble character;" Dalhaṇa, commenting on the vulgate

themselves have children, benefitting their parents.²³⁷

In that context, the element of heat (*tejas*) is the most important factor as far as complexion (*varṇa*) is concerned. That being granted, at the moment the fetus is formed, when the food has water as its chief element, then the fetus is fair.²³⁸ When earth is the predominant element, it is dark (*kṛṣṇa*). When earth and ether are the chief elements, it is dark brown (*śyāma*).²³⁹ Some people say that the newborn (*prasava*) has the same colour as the colour of the food that the pregnant woman commonly eats. Similarly, creatures like snakes, scorpions and large geckos that inhabit black, yellow or white habitats are black, yellow or white.²⁴⁰

In that context, congenital blindness ($j\bar{a}tyandha$) is caused by the element of brilliance (tejas) not reaching the location of eye (drsti). Similarly, red eyes are a consequence of blood, white eyes are a consequence of phlegm, yellow eyes are a consequence of bile, and dysfunctional eyes ($vikrt\bar{a}ksa$) are a consequence of wind.²⁴¹

35.1–4 And on this, there are the following:²⁴²

If a pure wind affects someone's eyes, they become sunken, blue and dark.

When bile mixed with phlegm, with no impurity, goes into someone's eyes, their eyes are termed "yellowish-red."

reading सत्त्ववन्तः, refers to the गुणस्, interpreting the expression as "not strongly influenced by रजस् and तमस्."

²³⁷ Children born in this manner fulfil their parent's obligation to have children and they themselves have children, thus continuing the family. The three debts are normally understood as being to the gods, the ancestors and to sages. But Dalhaṇa's phrasing is odd in that he says पितृणामृणत्रयमोक्षणशीलाः "behaving so as to provide release from the three debts to the ancestors."

²³⁸ The food of the mother, that is.

²³⁹ The terms कृष्ण and रयाम often mean more or less the same, a dark blue or black colour. The latter can shade into brown or dark green.

²⁴⁰ Cf. also n., p. 223. Cf. HIML: IA, 70 and notes on these poisonous animals as described in the *Carakasaṃhitā*, and Meulenbeld 1974b: 455-456 on the names *kṛkalāsa/kṛkalāśaka*, śaya and saraṭa and the confusion surrounding this topic and the indigenous names of some species such as ṭikṭikī, jyaṣṭhi, jyaiṣṭhī, girgiṭ.

²⁴¹ The term विकृताक्ष was known to Kātyāyana (Mahābhāṣya on P.6.3.3, (Mahābhāṣya: 3,142)).

²⁴² The next four verses are absent in the vulgate; they were reproduced by the editor in a footnote (Su 1938: 348a, n. 3).

The phrase "and here are some verses" appears in the vulgate before 3.2.36.

When phlegm that is free of any impurity moves to the eyes, their eyes shine with a white circle within a circle.²⁴³

When blood mixed with phlegm moves into the eyes, those people have eyes that become pigeon-blue, or else bloodshot.

- 3.2.36 Just as the ghee in a pot placed on a fire melts, so the menstrual blood of a woman may flow out after sex with a man.²⁴⁴
- 3.2.37 But when the wind splits the seed $(b\bar{\imath}ja)$, two lives $(j\bar{\imath}va)$ come into the belly (kuk si). They are called "twins (yama)," being created from preceding virtue (dharma) or its opposite.²⁴⁵
- 3.2.37.1 When the mixing is happening, if the man's semen (retas) is plentiful and pure then the pregnant woman gives birth to two boys.
- 3.2.37.2 When the mixing is happening, if the woman has a lot of semen (śukra) then the pregnant woman gives birth to two girls. There is no doubt about this.

Types of persons

3.2.38 The term for men and women who have diminished seed is \bar{A} sekya.²⁴⁶ Without doubt, after eating something white (\acute{s} ukla), his flag is raised.²⁴⁷

244 It is difficult to know what the author means here, since menstruation is not physiologically caused by intercourse.

Note that the text actually says "a pot of ghee ... melts." But it's not the pot that melts, but the ghee. This may explain the vulgate reading ঘূর্নি "a lump of ghee." The reviser did not like the imprecise idea of a pot melting.

- 245 Note the adverbial -पुरा at the end of a Bahuvrīhi.
 - The commentator Gayadāsa (cited here by Þalhaṇa) disagreed with this interpretation. He preferred to understand धर्मेतर not as "dharma and its opposite," but as "the opposite of dharma." He explained that according to both scripture and tradition, twins are the result of अधर्म "sin," and that is why penances are necessary after the birth of twins (on 3.2.27 (Su 1938: 348)).
 - The next two verses are absent in the vulgate; they were reproduced by the editor in a footnote (Su 1938: 348b, n. 3).
- 246 Etymologically, "to be poured into." On this and the following typologies, see the brief treatment by Meulenbeld (1997: 216–217).
- 247 Dalhana on 3.2.38 (Su 1938: 348) made it clear that this is a metaphor for having a penile erection.

²⁴³ Perhaps this describes the appearance of arcus senilis.

39 Someone who is born in a foul womb is termed a *Saugandhika*. That person gains strength from smelling a vagina and a penis.²⁴⁸

40abc A man, who has activity in his own anus because of being celibate and then has activity amongst his own women is known as a *Kumbhīka*. Add—41abc Hear about the next one, the *Īrṣyaka*. Someone who has sexual activity after seeing the copulation of other people is termed an *Īrsyaka*.

"Eating something white" may refer to যুক্ত "sperm," as the vulgate reads. But note that works on aphrodisiacs and fertility (বাজীক্ষ্ণ) in āyurveda and rasaśāstra routinely recommend white substances such as milk for strengthening reproductive ability. See, for example, Suśrutasaṃhitā 4.26.27–31ab (Su 1938: 498) and Carakasaṃhitā 6.2, all of sub-chapter 2 (Ca 1941: 392–394).

The vulgate has a different reading for the first half of this verse, stating that such a man is a product of parents with deficient seed. Dalhaṇa also gave a detailed description of a man eating the semen ejaculated by another man, and he stated that the terms षण्ड and मुखयोनि were synonyms for such a person.

The term आसेक्य is given in MW: 161 as "impotent, a man of slight generative power." This is wrong. It is the referent of the term, not its meaning. Cf. Mahākośa: 1, 98. Some of the features referred to by the term षण्ड ।षण्ड may have included conditions today covered by Mayer-Rokitansky-Küster-Hauser syndrome and Morris syndrome. The central idea in the Sanskrit usages was that such a person cannot produce children.

248 Etymologically, "Sweet Smelling."

249 The vulgate adds an avagraha before ब्रह्मचर्याद्, meaning "because of not being celibate." Dalhana on 3.2.40abc (Su 1938: 348-349) read the text this way, paraphrasing अब्रह्मचर्यात्, thus inverting the meaning but not clarifying what he thought it meant. But he then cited a passage from "others" that read ब्रह्मचर्यात्, i.e., the anal sex followed or was caused by celibacy, ब्रह्मचर्यात् क्रैब्यवशसंजाताप्रवृत्तित्वात् "because of celibacy, that is, because of being unable to perform because of the effect of impotence." These unnamed commentators also referred explicitly to erectile dysfunction, शिथिले-नैव मेहनेन, as the result of this celibacy and proposed that a man could get an erection through abnormal (विप्रकृत्या) means and as a result could have sex as a male with a woman. Dalhana also stated that the origin of a person with such a condition was described "in another book" (तन्त्रान्तरे), and proceeded to cite Carakasaṃhitā 4.2.20 (Ca 1941: 303). Dalhana then also cited another verse from Gayadāsa, who himself ascribed it to Kāśyapa (HIML: IA, 164–166), saying that, "A Kumbhila (sic) is born when a man with phlegm for semen has sex with a woman who is not passionate (or not menstruating) during her season, when the love is attached to another." (Also cited in *Mahākośa*: 1, 220a–b.)

It is noteworthy that the $Su\acute{s}rutasamhit\bar{a}$ is factual and descriptive in these passages, as befits a medical work, while the commentators introduce a moralistic and critical tone.

250 Etymologically "one who envies." Here again, Dalhaṇa on 3.2.40–41 (Su 1938: 349) cited the opinion of "another book"

Hear about the fifth, the Ṣaṇdhaka. A man who, out of delusion, has sexual activity with a young girl (kaumārī) during her season as if he were a woman. In such a case, a male is born who looks and behaves like a woman. He is termed a Ṣaṇḍha.²⁵¹

- 43 Moreover, if a woman, during her season, has sexual activity like a man, then if a girl is born she will have the behaviours of a man.
- The *Āsekya*, the *Sugandhin*, the *Kumbhīka* and the *Īrṣyaka* are known to have semen. The man with no semen is termed a Ṣaṇḍha.²⁵²
- In both of these cases, they have a semen-carrying vessel that dilates as a result of unnatural excitement.²⁵³ Then the flag may be raised.²⁵⁴

Birth irregularities

- The appearance, behaviour and mentality that is associated with a man and a woman is also the same as that which their offspring (garbha) has.²⁵⁵
 - and cited a passage from *Carakasaṃhitā* 4.2.20 (Ca 1941: 303) that covers similar ground. The description of the *Carakasaṃhitā* is causally framed in terms of the factors वायु and अग्नि.
- 251 The vulgate's भार्या "woman, wife" for the Nepalese version's कौमारी "girl" is probably bowdlerization.
- 252 It remains a question as to whether the authors meant the absence of an ejaculate or the clinical observation of childlessness even in the presence of an ejaculate. For a discussion of the present passages and further literature on षण्ढ, see Das 2003: 581–584; on आसेक्य, see ibid., 527. See also M. J. Sweet and Zwilling 1993: 593–597, et passim; Zwilling and M. J. Sweet 2000; Zwilling and M. Sweet 2010.
- 253 Palhaṇa on 3.5.45 (Su 1938: 349) cited the expression नरनारीषण्ढी from the *Carakasaṃ-hitā* (Ca4.2.17303, reads -नारि) to establish that women too may have these unnatural excitements.
 - We have emended the Nepalese verb to the singular, because witness H clearly has शुक्रवहा सिरा "semen-carry vessel" in the singular. Does Ayurvedic anatomy have a single vessel or many? Carakasaṃhitā 3.5.8 (Ca 1941: 250) has a plural, शुक्रवहानां स्रोत-सां. But the Suśrutasaṃhitā 3.9.12 (Su 1938: 3.9.12) has a clear statement that there are two ducts (srotas) that carry semen: शुक्रवहे द्वे तयोर्मूलं स्तनौ वृषणौ च "there are two vessels that carry semen. They are rooted in the breasts and the testicles." The Ayurvedic Man painting has a single शुक्रमार्ग (Wujastyk 2008: 233, 243). The Jaina Tandulaveyāliya lists 10 sperm-carrying vessels (दस सिराओ सुक्खधारिणीओ, Schubring 1969: 145 ff; Caillat 2019: 5; I am grateful to Jan Gerris for this reference).
- 254 On this euphemism, see footnote 247 above.
- 255 The vulgate has "food" for the Nepalese version's आकार "appearance," and "son" for "offspring." The Nepalese version seems more perceptive on this point of heredity.

- Whenever a woman and a woman have sex together, they release semen on each other. Then a being without bones comes into being.²⁵⁶
- Offspring (garbha) of a deformed shape like a gourd, a scorpion or a snake and others of the same type are known to be often brought about by sin.²⁵⁷
- Offspring that is $vim\bar{a}nita\bar{h}$ by irritation of wind and by pregnant longing may become hunchbacked, have a shrivelled hand $(k\bar{u}ni)$, be lame, mute or have a stutter.²⁵⁸
- The newborn may have abnormalities because of the bad behaviour of its mother and father and because of bad actions from the past, by means of the irritation of wind etc.²⁵⁹
- The child in the womb does not make wind, urine and feces because it has little impurity and because the wind in the stomach is not functioning.
- The child in the womb does not cry out because the movement of the wind is obstructed since the mouth is covered by the caul and the throat is surrounded by phlegm.
- 256 The grammar of the Nepalese and vulgate versions of this verse are quite different. This striking verse has been discussed by several scholars (e.g., Smets 2006: 232–233). The concept of a being born with flesh but no bone and vice versa occurs in <code>Jaiminīy-abrāhmaṇa 1.259</code> and <code>Ṣaḍviṃśabrāhmaṇa 2.1.1</code> (Kolhatkar 2005) and later in Purāṇic literature (O'Flaherty 1980). The Nepalese version of the <code>Suśrutasaṃhitā</code> does not have the following two verses
 - that occur in the vulgate. Dalhana on 3.2.48–48 (Su 1938: 349) said that Jejjaṭa did not read these two verses. Thus, the Nepalese version is the same as Jejjaṭa's version, as far as this omission is concerned.
- 257 The vulgate version of this text says that it is sinful behaviour of women that causes abnormalities. The Nepalese version is quite different, simply attributing deformity to sin and not blaming women at all.
- 258 The Nepalese version has कूनि while the vulgate reads कुणि. Dalhaṇa on 3.2.51 (Su 1938: 349) felt the need to explain the unusual term, saying कुणि: विकलपाणि: "having a crippled hand," but Y. T. Ācārya and N. Śarman (Su 1939: footnote 5) noted a variant विकृतपाणि:, suggesting some instability in the interpretation of this term. Cakrapāṇidatta on 8.2.21 (Su 1939: 690) gave the meaning कुञ्जितकरः "having a hunched hand" (where there is also a variant reading नष्टकरः), cf. Mahākośa: 1, 216. The Tamil lexemes kūṇ means "bend, curve, hump on the back, humpback" and kūṇi means "... become hunchbacked" (DED2: #1927). It seems likely that this is a Dravidian word that has been absorbed into Ayurvedic terminology at an early period.
- 259 Palhaṇa on 3.2.52 (Su 1938: 349) took the position that the bad actions were those of the parents, not the child.



The inward and outward breathing, movement and sleep that the fetus adopts conform to the inward and outward breathing, movement and sleep of the mother.

- The composition of the body parts, the descent and appearance of the teeth, the absence of hair on the palms all happen by themselves.²⁶⁰
- Those cultivated people who in previous embodiments were constantly aware of the scriptures are rich in sattva and have memory of their previous births.²⁶¹

Here ends the second chapter that is the anatomy.

²⁶⁰ The text reads रारीराणाम् "of the bodies" that we have translated "of the body parts," following Dalhaṇa's interpretation. He also said that "palms" included the soles of the feet.

²⁶¹ The vulgate text adds a final verse about how the karma of a previous embodiment follows a person to his new life. Witness L adds yet another verse that says the lack of hair on the palms is because they come from the mother, while the areas of the body from the father have much hair.

Śārīrasthāna 3: On Conception and the Development of the Embryo

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.²⁶² Important subsequent studies of the chapter include those of Das and of Kritzer.²⁶³

²⁶² HIML: IA, 247-247.

²⁶³ Das 2003: ch. 8, et passim; Kritzer 2009; 2013; see also the valuable terminological study by Suneson (1991).

- 1 We shall now explain the anatomy that is the descent of the embryo.
- Semen is of the nature of Soma (saumya) and menstrual blood is of the nature of Agni ($\bar{a}gneya$).²⁶⁴ Furthermore, in this context there also exists a proximity of the other elements ($bh\bar{u}ta$), by way of a minute special property, because they help one another and they enter into one another.²⁶⁵
- 4 In this case, when there is a union of a husband and wife, the wind from the body stimulates the heat (*tejas*).
 - In that case, because of the colligation (*sannipāta*) of fire and wind, the semen that is ejaculated finds its way to the vagina.
 - It is commingled with menstrual blood ($\bar{a}rtava$), then because of the joining together of Agni and Soma, what is being mingled together arrives in the receptacle of the fetus.
 - He is referred to by names that express synonyms such as, the knower of the field, the sentient, the toucher, the smeller, the seer, the hearer, the taster, the human, the goer, the witness, the creator, the speaker, the one who is, "who is the one that is life at the start?" ²⁶⁶

Driven by fate, and impelled by wind, the imperishable, unchanging, inconceivable elemental self ($bh\bar{u}t\bar{a}tman$) enters into the uterus ($garbh\bar{a}-\acute{s}aya$) together with sattva, rajas and tamas, gods and demons, and other

²⁶⁴ On the Saumya–Agni classification, see Das 2003: 521–527; Wujastyk 2004; Angermeier 2021. The fiery nature of menstrual blood is already stated in 1.14.7 (Su 1938: 59), "...but menstrual blood is of the nature of Agni, because the embryo is of the nature of fire and water."

²⁶⁵ Dalhaṇa on 3.3.3 (Su 1938: 350) glossed अणुना विशेषेण "by way of a minute special property" as सूक्ष्मप्रकारेण "in an attenuated manner." I am grateful to Christèle Barois for drawing attention to the treatment of this topic, and specifically the परस्परोपकार "mutual support" between atoms, by the Buddhist author Subhagupta (fl. 720–780) Saccone 2015: 126.

Dalhaṇa on 3.3.3 (Su 1938: 350) drew attention to 3.1.21ab (Su 1938: 343) where the idea of this interpenetration (अनुप्रवेश) is mentioned.

²⁶⁶ The last phrase is awkward. It translates यः कोऽसावाद्य आयुरित, which could be paraphrased, "the one who is the answer to the question 'who is the one who is life at the outset?'" or "...'who is that first one who is life?'." The text differs from he vulgate's यः को ऽसाव् इति, that omits आद्य आयुर् (3.3.4 (Su 1938: 350)). Most other early editions print योऽसाविति (e.g., S. M. Gupta 1835–36: v. 1, 320; Su 1889: 313; M. Śarmā 1895–99: v. 2, 635; Bhaṭṭācārya 1908–11: v. 3, 30. Ghāṇekara (1936–41: v. 2, 65) read यः कोऽसावित्य्). No other translators translate this phrase, nor does Dalhaṇa gloss it.

entities.267

5 In that context, a predominance of sperm leads to a male, a predominance of menstrual blood leads to a female, and equality of the two leads to a person who is neither male nor female (napunsaka).

6ab In that context, there is a twelve-night period that is the season (rtu). ²⁶⁸

3.3.6.1 †In that context, approaching a woman in season for intercourse during the first day is not conducive to long life (anāyuṣya); a man comes into being.²⁶⁹ To the extent that the fetus is deposited at that time, because of being expelled it is lost.²⁷⁰ †

And on the third day, similarly, the body is incomplete and has little duration of life. For that reason, one should avoid the third night. And seed and menses do not develop the proper quality as expected. †Just as an object thrown into a river against the flow does not come back.† Sperm should be seen the same way. Therefore the restricted third night should be avoided. In this context, after seeing the twelve nights of the season, she has no menses.

6cd Some call such women, "having invisible menses."

3.3.9 And on this:

When the day is over, the lotus inevitably closes. In the same way, when the season is over, the woman's uterus closes.²⁷¹

3.3.7–8 One may know that a woman has her season because she has a full, clear face, a moist body, mouth and teeth, she desires a man, she speaks nicely, and she has relaxed belly, eyes, and hair. Her arms, breasts,

²⁶⁷ In the vulgate, भूतात्मन् "elemental self" is not the subject of the sentence, which then reads less clearly overall.

²⁶⁸ Slaje (1995) clarified the misconception in early Indological scholarship that ऋतु referred to the period of the menses rather that this longer period of menses and ovulation.

²⁶⁹ This passage appears in the Nepalese version at this point, and is absent from the vulgate version. MS H is the sole witness to the Nepalese version at this point and it is damaged, making the interpretation of this passage difficult. In this sentence, a nominative would read better than the accusative अनायुष्यम्.

²⁷⁰ In this and the following sentences, parts of witness H are damaged and impossible to read.

²⁷¹ The √kuc "close, contract" appears in this sense in the Dhātupāṭha (1.199 संकोचने) but it is not common in literature. The more common word in this sense would be from √kuñc "contract," although kuc is probably the primary IE form (EWA: 1, 361). "Given by the grammarians as two distinct roots, not without some justification," Whitney 1885: 19.

- loins, navel, thighs, hips and bottom are vibrant and she has the utmost excitement and eagerness.
- 3.3.10 At the right time, what has accumulated over a month and has come via the two pipes ($dhaman\bar{\iota}$) is led by wind towards the mouth of uterus. ²⁷² It is slightly dark and smells. ²⁷³
- 3.3.11 From twelve years onwards, blood is present periodically. It ceases after fifty amongst those whose bodies are old and aged.
- 3.3.12 It is declared that there will be a male on even days and a female otherwise. Therefore a clean man who wants descendants should approach the woman at the time of her flower.²⁷⁴
- 3.3.13 In that context, women who have recently become pregnant experience tiredness, fatigue, thirst, heaviness of the legs, flatulence, clogging of semen and blood, and a rough pulsation of the vagina.
- 3.3.14ab And about this, there is the following:

The sign of a pregnant woman is said to be: both nipples become dark and a row of hair appears, there is nausea and tiredness.

3.3.16 From that moment onwards, she should not practice intercourse, exertion, excessive dieting, sleeping by day, waking at night, grief, riding in a vehicle, fear, excessive coughing, or therapies like oleation or bloodletting while alone and at the wrong time.²⁷⁵

^{272 &}quot;Pipes" (धमनी) are defined in the *Suśrutasaṃhitā* at 3.9.8–11 (Su 1938: 385). This verse was discussed by Das (2003: 64–66) (see some corrective remarks by C. Vogel (2005).) On the "pipes" and other conduits in the āyurvedic body, see also Wujastyk 2022: 404–406.

²⁷³ The reading of the vulgate text contains the object of the sentence, menses ($\bar{a}rtava$), explicitly. The commentators take "at the right time" to indicate the onset of menses in a young woman.

^{274 &}quot;Flower" referring to the twelve-day period that has been discussed earlier. Palhaṇa on 3.3.12 (Su 1938: 352) noted the conflict between the idea presented in passage 5 above and the present idea about odd and even days. He quoted passages by the ancient authorities Videha (see footnote 651) and Bhoja (footnote 26) that squared the circle by asserting that there are greater amounts of semen on even days, and greater amounts of menstrual blood on odd days, etc. See tr. by P. V. Sharma (1999–2001: 2, 143).

²⁷⁵ The vulgate passage 3.3.17, which is not present in the Nepalese version, presents the doctrine that if a part of the pregnant woman's body is assailed by a humour, that same part of the child's body in the womb will be damaged. A similar idea is presented in 3.3.21 below and previously in 3.2.25 (p. 88).

The stages of fetal development

In that connection, in the first month, a *kalala* comes into being.²⁷⁶ In the second, ripening by means of blood, heat and air, a conjunction of the great elements becomes a *ghana*.²⁷⁷ If it is a granthi (*knot*), it is a male; it is a woman if it is a $pe\hat{s}\bar{i}$; it is a neuter if it is an *arbuda*.

In the third, the hands feet and head develop into five bulges (*piṭaka*).²⁷⁸ And the distinction of the limbs and minor body parts (*pratyaṅga*) is minute.

In the fourth, the distinction of the limbs and minor body parts (*praty-aṅga*) become apparent (*pravyakta*).

In the fifth, the distinction of the limbs and minor body parts (*praty-anga*) become even more apparent (*pravyaktatara*).

The element of consciousness (*cetanādhātu*) becomes manifest (*abhivya-kta*) because of the fact that the heart of the fetus becomes apparent.²⁷⁹ How so?

Because it (the consciousness) is located there.²⁸⁰

During the fourth month the fetus develops intentionality ($abhipr\bar{a}ya$) with respect to the objects of sense. And the woman starts to have two hearts; she perceives its purposes (nimitta).²⁸¹ If the dual-hearted nature of the woman is ignored, she will give birth to a hunchback with a withered arm, a man with no semen (sanda), a dwarf with dys-

²⁷⁶ On *kalala*, see the useful historical notes by Das (2003: 535–536), that may suggest a meaning such as "slime." For a discussion of these terms in Buddhist and other contexts, and further literature references, see Suneson 1991; Agostini 2004; Kritzer 2009; 2013.

²⁷⁷ The word घन in the sense "coagulate, lump" is normally masculine in this sense, but is neuter in the Nepalese version.

²⁷⁸ The word पिटक "bulge" usually means "basket." Here, perhaps, it suggests a small upside-down basket. MW:652 cites the word from the *Carakasaṃhitā* in the sense "blister." The vulgate normalizes the word to पिण्डक "lump."

²⁷⁹ The Nepalese version of this passage is interestingly different from the vulgate and, as usual, contains some puzzles.

²⁸⁰ The word कस्मात् "how so?" could, because of sandhi, be read अकस्मात् "for no reason, suddenly." This would radically change the meaning of the passage: "The element of consciousness suddenly (or "for no reason") becomes manifest because of the fact that the heart of the fetus becomes apparent."

²⁸¹ The subject of the sentence, "she," probably refers to the woman, but may refer to the fetus, "it reveals its goals." It is not clear why the focus of events has jumped back to the fourth month.

- functional eyes (*vikṛtākṣa*), or someone eyeless.²⁸² Therefore she should be given whatever she wants. With her dual-hearted nature being acknowledged, she will give birth to someone heroic and long-lived.
- 19 The physician should gather and give to the pregnant woman whatever objects of sense she wishes to experience, because of the danger of damaging the fetus.
- A woman whose pregnant cravings have been satisfied will give birth to a son full of good qualities. And a woman whose pregnant cravings have not been satisfied causes danger for the fetus or herself.²⁸³

Effects of the mother's experiences on the unborn child

- When a woman, sharing her heart with the fetus (*dauhṛda*), is slighted in respect of one of the objects of sense, she will bring forth a son who suffers pain in that selfsame sense organ.²⁸⁴
- A woman who has a pregnant longing (*dauhṛda*) to see a king gives birth to a son who is wealthy and very fortunate.
- A woman sharing her heart with the fetus (*dauhṛdā*), who is in fine raiment, undergarments, silk and decoration, will produce a charming son who likes ornamentation.
- When she is in an ashram, she gives birth to one who is self-restrained and habituated to virtue.
 - If she gives birth in the presence of an image of a deity, her child is like one who gives joy. ²⁸⁵
 - If she is within sight of wild species of animals then she gives birth to one who has violent habits.

²⁸² The term षण्ढ is discussed on p. 92 above.

²⁸³ The गर्भ "fetus" could also mean "the womb." आत्मन् "(danger for) herself" could mean "for the body (of the fetus)."

²⁸⁴ Note the historical and scribal confusions of forms connected with द्वि-हृद् "two-heart" and दोहद "pregnant longing" (from two-heartedness with the fetus) as opposed to derivatives of दुर्-हृद् "bad-heart," such as दौर्हद "bad-heartedness." The lexeme दौहद "having pregnant longings (from two-heartedness)," is a false Sanskritization of the MIA दोहळ, itself < *द्वैहद (Lüders 1940: 46, 183 n. 2). Cf. further notes, parallels and confusions in CDIAL: #6690. The expression "morbid cravings," appearing in translations and dictionaries, is the result of conflating the two distinct historical forms.

²⁸⁵ The reading of the vulgate, पाषेद- "is like an attendant," makes better sense than the Nepalese हर्षद- "one who gives joy."

The son of a woman who eats Indian monitor lizard has an inclination to sleep and a murderous nature. ²⁸⁶ If she eats the meat of cattle, he is born strong and tolerant of all suffering.

- 26 Because of pregnant craving for buffalo meat, the son is a hero, has red eyes and is hairy.²⁸⁷
- 28 Therefore, as regards things that have not yet been mentioned, if a woman concentrates on feminine pregnant cravings she will cause a son to be born who is the same, in terms of body, diet and behaviour.
- What will happen, impelled by the person's karma, recurs repeatedly. In the same way, the effect of fate generates pregnant craving (*dauhṛda*) in her heart.
- In the fifth month, the mind becomes more awakened. In the sixth, the intellect. In the seventh, the body becomes pravyakta (differentiated) in all parts. In the eighth month the vital energy (ojas) is unstable; one born at that time does not survive.²⁸⁸
 - Then, a ritual offering (bali) of meat and boiled rice should be given for him as tribute ($bh\bar{a}gadheya$) because tribute is due to Nairṛta.²⁸⁹
 - The birth happens on any of the ninth, tenth, eleventh or twelfth months. If it is different than this, there will be something wrong with him.
- As a matter of fact, the fetal conduit $(garbhan\bar{a}d\bar{\iota})$ is connected to mother's navel that supplies chyle (rasa).²⁹⁰ It supplies his mother's strength $(v\bar{\imath}rya)$ that comes from the essence (rasa) of food.²⁹¹ Due

²⁸⁶ The noun सुषुप्सुर्, m., "sleepy," is nominative when it should be accusative (as in the vulgate). Perhaps we have a change of gender as documented for epic Sanskrit by Oberlies 2003: xxxviii–xl, et passim.

²⁸⁷ At this point, The Nepalese version does not include the vulgate's passages on eating boar, deer, and partridge and their consequences for the child.

²⁸⁸ On the concept of ओजस् and its translation as "vital energy," see Das 2003: 530–535; Wujastyk 2003b: xl, et passim.

²⁸⁹ Nairṛta is a demoness who threatens children. In his commentary on this passage, Dalhaṇa cited a passage from the *Kumāratantra* (Su 1938: 353). On this work and its genre, see Filliozat 1937; Bagchi 1941; Wujastyk 1999: 261–264.

²⁹⁰ In the vulgate text, the umbilical is connected to the mother's नाडी not नाभि. Also, the vulgate is explicit that the umbilicus is connected to the fetus's navel. From the contemporary physiological view it is the mother's placenta, not navel, that connects with the umbilical cord. In contemporary usage, a navel can only be a post-delivery anatomical region, and the fluid flowing in the cord is blood, not chyle.

²⁹¹ Or "it supplies the mother's tastes (rasa) and strength (vīrya) that come from food." The option here is whether the terms रस and वीर्य should be taken in the technical

to this infusion (upasneha), it grows bigger. That causes it to live, even before the differentiation of the limbs has begun, because of the infusion of the criss-crossing ducts ($dhaman\bar{\imath}$) that carry chyle (rasa) and that from conception onwards run through the whole body.

32 ²⁹² ₂₉₃

pharmacological sense (रस, वीर्य, विपाक, प्रभाव, see Meulenbeld 1987), or as generic adjectives. Dalhaṇa did not comment on this issue.

²⁹² Note that the vulgate attributes this view to Dhanvantari, while the Nepalese version does not. Dalhana apparently did not have this attribution in the text before him, suggesting that it may have been added after the twelfth century.

²⁹³ Dalhaṇa on 3.3.32 (Su 1938: 354) cited a passage from the author Bhoja at this point (on Bhoja, see p. 21).

Part 4. Cikitsāsthāna

Cikitsāsthāna 4: On the Treatment of Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.²⁹⁴

Translation

- 1 Now we shall describe the treatment of wind diseases. weight
- 3 When the wind enters the stomach, one should sequentially give to the patient, who has vomited, the formulation (*yoga*) with six-units (*ṣaḍ-dharaṇa*), together with tepid water, for seven nights.²⁹⁵

295 The vulgate has the reading छर्दियत्वा which means "after making [him] vomit". Thus, vomiting is a part of the treatment. Whereas छर्दित in the H manuscript is ambiguous: vomiting may be part of the treatment or a symptom of the ailment.

The expression "six units" refers to the six ingredients listed in the next passage. Palhaṇa on 4.4.3 (Su 1938: 420) noted that धरण in this context means a particular weight characterized as equivalent to 21 medium-sized hyacinth beans. P. V. Sharma (1999–2001: 303) proposed that that the formulation contains six ingredients each the weight of a *dharaṇa*. See 4.31.7 (Su 1938: 508) where the term धरण is defined in terms of other weights. (In epigraphical Sanskrit, a धरण may be a silver or gold coin (Sircar 1966: 91).)

Aṣṭāṅgaḥṛdayasaṇḥitā 4.21.14 (Ah 1939: 723) is the same verse, mutatis mutandis, but the editor noted (f.n. 6) a variant reading षद्धाण in the commentary of Śrīkaṇṭha. There seems to be some confusion about this expression.

Dalhana also noted that सुखाम्ब ("pleasant water") means "slightly warm water."

²⁹⁴ HIML: IA, 265-266.

- "Six-unit" is traditionally the formulation that is leadwort, Indrajao, velvet-leaf, kutki, Indian aconite, and myrobalan. It cures serious diseases.
- 5 When the wind has entered the abdomen (*pakvāśa*) one should treat it with an oil purge. One should also treat it with cleansing enemas and very salty foods.
- 6 When the wind has entered the bladder, a cleansing enema method should be carried out. And once an inflamed wind is in the ears and the like, a procedure that destroys wind should be done.
- When the wind has reached the skin, flesh, and blood, one should do an oil rub (*abhyaṅga*), apply a poultice (*upanāha*), rubbing (*mardana*) and ointments (*ālepana*). One should also perform blood-letting.²⁹⁶
- 8 When the wind has got into the ligaments, joints, and bones, an expert should apply oleation (*sneha*), a poultice (*upanāha*), cauterization (*agnikarma*), binding, and rubbing (*unmardana*).
- When the wind is deep within the bone, then a strong physician should insert a tube $(n\bar{a}d\bar{i})$ into the bone, which has been split open by manual agitation $(p\bar{a}nimantha)$, and suck out the wind.²⁹⁷
- 10ab When the wind has reached the semen, one should perform the treatment for the defects of the semen.²⁹⁸
- When the wind has reached the whole body, an intelligent person should conquer it by means of immersion, sauna $(kut\bar{i})$, trench sweating $(kars\bar{u})$, blanket sweating (prastara), oil massage, enema, and blood-letting.²⁹⁹ Or, if is located in a single limb and is stuck there, a

²⁹⁶ On the translation of methods of medical touch, such as अभ्यङ्ग and संवाहन, see Brooks 2021b: 122–131. मर्दन, उन्मर्दन mean "pressing or vigorous rubbing." The vulgate includes ducts (sirā) as an added place that wind can enter.

²⁹⁷ The expression "which is split" could be construed with "wind." The word order is not obvious. Dalhana on 4.4.9 (Su 1938: 420) interpreted पाणिमन्थ as the name of a particular awl and described the bone being pierced by this awl so that a double-headed tube can be inserted into the resulting opening. This verse is in *na* vipulā metre.

²⁹⁸ Palhaṇa comments (Su 1938: 421) that this treatment for the defects of the semen is mentioned [earlier] as the शुक्रशोणितशुद्धि, the purification of the semen and the blood. This is the Śārīrasthāna Ch. 2, शुक्रशोणितिवशुद्धि.

²⁹⁹ These forms of sweating treatment are described in the *Carakasaṃhitā* (1.14.39–63 ($Ca_{1941:90-92}$)).

Regarding blood-letting, Dalhaṇa on 4.4.11 (Su 1938: 421) commented that because the verse has the plural form सिरामोक्षे:, five blood vessels have to be drained of blood

- thoughtful physician may conquer it with cow-horns.³⁰⁰
- Or, if it is mingled with phlegm $(bal\bar{a}sa)$, bile, and blood, the physician should treat it with non-hostile remedies.³⁰¹ However, when the wind is inactive, he should perform blood-letting many times.³⁰²
- And one should lick the milk cooked in ?? together with salt and soot from the chimney ($\bar{a}g\bar{a}radh\bar{u}ma$), mixed with oil and also a juice (rasa) that has the sourness of a fruit.³⁰³
- 14–15 Alternatively, cereal soup with a good amount of ghee is a wholesome food that repels wind. However, "Sālvala" is well-known to be a lukewarm and very salty substance that is the cottony jujube group combined with an item that repels wind and together with all the sour drugs and the meat of creatures from marshes and water that have all the oils.³⁰⁴
- 16ab One should always apply a bandage with that to people who are ill with wind.
- 16cd-18ab One should tightly bind someone who is bent, afflicted by pain, or whose limbs are stabdha (numb), with a paṭṭa ($strip\ of\ cloth$) made of bark, cotton or wool ($\bar{u}rna$).

Alternatively, one should put it into a skin sack

Or, after massaging the affected body part and applying the śālvala³⁰⁵

if the wind is not pacified by oil massage, etc.

³⁰⁰ প্রত্ন "cow-horns" refers to bloodletting by horn; see the description at *Suśrutasaṃhitā* 1.13.5 (Su 1938: 55).

³⁰¹ The word बलास is used here in the slightly unusual meaning "phlegm;" see Dalhana on 1.45.70, 6.61.33 (Su 1938: 202, 802) and *Mahākośa*: 553.

³⁰² We read सुप्तवाते with witness H, but Dalhana glossed सुप्ति-, the reading of the vulgate, "it is wind characterized by drowsiness (*supti*) caused by a covering of blood."

³⁰³ The vulgate reading दिह्यात् for the Nepalese लिह्यात् changes the meaning to "one should smear."

Palhaṇa on 4.4.13 (Su 1938: 421) glossed पञ्चमूली as optionally the first or the second five roots. On this therapy, cf. Cakrapāṇi's commentary on 1.5.3 (Ca 1941: 36) for a similar therapy.

The "juice" (रस) was glossed by Dalhana as specifically being a meat broth (māṃsarasa). He said that the sourness may come from fruits such as pomegranate. रसाम्ल may mean a vinegar made from fruit (MW:70), so the expression फलाम्लो रसः in the text here may mean a vinegar made from sour fruit. Cf. धान्याम्ल.

³⁰⁴ Cf. साल्वण "sweat from a poultice" in *Mahākośa*: 898. *Aṣṭāṅgasaṅgraha* 1.26.3a (As 1980: 188) describes a poultice called "sālvala" made with numerous ingredients (the commentator Indu elaborates, p. 189).

³⁰⁵ This seems to be the correct spelling as against the unclarity in the earlier verses.

poultice on it, one should insert it into a sack made of the hide of a cat, mongoose, *udra*³⁰⁶, or deer.

- Vomiting and an errhine done skilfully alleviate the wind that has entered the chest, between the shoulder-blades (*trika*), the shoulders, or the nape of the neck.³⁰⁷ The wind located in the head is defeated by blood-letting and by the application of oil to the head (*śirobasti*).
- In that context, one should let the oil remain carefully for a one thousand measures $(m\bar{a}tr\bar{a})$. Only an enema (basti) can curtail the wind, whether it is throughout the whole body or in just one limb. Its force (vega) is like the wind.
- Oils, perspiration, oil massage, enema, unctuous purging of the bowels, *śirobasti*, oiling the head, unctuous smoke, gargling with lukewarm water, *nasya*, unctuous paste, milks, meats³¹⁰, soups, oils³¹¹, any unctuous substance, unctuous and salty meals that are made sour by fruits, bathing with lukewarm water, massages, saffron, agarwood, malabathrum, costus, cardamom, crape jasmine, garments made of silk, wool, and fur, soft cotton garments, inner rooms with sunlight, no wind flow, and a soft bed, taking the warmth of fire, and celibacy, etc. are to be collectively employed for patients with wind diseases.

Draft tr. from here 21cd-26

Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक).

could also mean the

Terminalia

(विभीतक)

Oils, perspiration, oil massage, enema, unctuous purging of the bowels, $\dot{s}irobasti$, oiling the head, unctuous smoke, gargling with lukewarm water, nasya, unctuous paste, milks, meats³¹², soups, oils³¹³, any unctuous substance, unctuous

³⁰⁶ some aquatic animal

³⁰⁷ On त्रिक, see *Mahākośa*: 1, 387, citing Dalhaṇa on 3.6.26 (Su 1938: 374) "the junction between the shoulder-blades and the neck."

³⁰⁸ Dalhaṇa on 4.2.20 (Su 1938: 422) interpreted मात्रा as a measure of time, citing an unattributed verse defining it as the time of a blink, a snap of the fingers or the utterance of a single vowel. The expression might possibly be taken to refer to a measure of the oil's volume.

³⁰⁹ This phrase is awkward. The idea here seems to be that an enema decisively stops the wind. The vulgate revised this to make it more obvious: "only an enema can block the force of the wind, like a mountain."

³¹⁰ The plural indicates milk and meat from various animals.

³¹¹ This is the second occurrence of the word स्रेहाः in this sentence. This seems to be an anomaly.

³¹² The plural indicates milk and meat from various animals.

³¹³ This is the second occurrence of the word स्रेहाः in this sentence. This seems to be an anomaly.

and salty meals that are made sour by fruits, bathing with lukewarm water, massages, saffron, agarwood, malabathrum, costus, cardamom, crape jasmine, garments made of silk, wool, and fur, soft cotton garments, inner rooms with sunlight, no wind flow, and a soft bed, taking the warmth of fire, and celibacy, etc. are to be collectively employed for patients with wind diseases.

One should take akṣa quantities of unguent pastes³¹⁴ of turpeth,³¹⁵ red physic nut, ??, ??, the three myrobalans, and embelia, a Bengal quince fruit equivalent measure of viburnum-root and ??, two pātra quantities of both triphalā-decoction³¹⁶ and yogurt, and one pātra measure of ghee.³¹⁷ One should mix these ingredients all at once and cook the mixture properly. This (resultant) is viburnum-ghee. Unctuous purging of bowels is prescribed for treating wind disorders.³¹⁸

This procedure of making viburnum-ghee should also be referred for making Asoka tree-ghee and ??-ghee.³¹⁹

One should collect the wooden logs of the instruments that have been used for a long time for extracting oil from sesame seeds. One should then have them chopped into very tiny pieces and then pound those pieces. Next, one should put them in a big vessel, submerge them in water, and boil them. Thereafter, one should collect the oil from the surface of the water with a goblet or by hand. Thereafter, one should properly cook wind-alleviating herbs with this oil that was effectively cooked. This is the anutaila

³¹⁴ केल्क also means an unguent paste. Refer to Apte's dictionary.

³¹⁵ In H, perhaps it should have been त्रिवृद् instead of तृवृत्.

³¹⁶ त्रिफलारस is here taken to mean a decoction of triphalā.

³¹⁷ The exact measurements of akṣa and $p\bar{a}tra$ are given in Palhaṇa's commentary in Su 1938: 422.

³¹⁸ It should be understood here that the unctuous substance to be used for purging the bowels is the viburnum-ghee.

³¹⁹ अशोक and रम्यक are the Ashoka and Chinaberry respectively.

³²⁰ In H, the word दन्तप्रतीवायं in the compound word वातम्रौषधदन्तप्रतीवायं does not appear to make sense. Perhaps the syllable य should be प, thus making the word प्रतीवापं that refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams's Sanskrit dictionary.

(अनुतैल)³²¹ that is mentioned in wind disorders. It is called anutaila because it is produced from tiny oily objects. 322 29 Alternatively, one should burn a great amount of ??-wood on the ground for one night. When the fire gets extinguished the ash should be removed. Then, the ground that is relieved of the fire should be soaked with a hundred pots of oil cooked with ??, ??, and other herbs, and left in that condition for one night. Thereafter, one should take all the earth that is $oily^{323}$ in a big vessel and totally cover it with water.324 The oil that rises up in that vessel should be taken out with both hands and kept nicely covered. Thereafter, one should properly cook that oil for as long as $possible^{325}$ with one thousand parts of each of the following --- a decoction of wind-alleviating herbs, meat soup, milk, and $k\bar{a}\tilde{n}jika^{326}$ ---and thus prepare the sahasra-pāka (that which is cooked with thousands). The admixture added to the oil contains the *hemavata* herbs 327 , herbs of the southern region, Withania, and other wind-alleviating herbs.

While the oil is being cooked, conchshells should be blown loudly, umbrellas should be held, huge drums should be resounded, and whisk fans should be waved. Thereafter, the perfectly cooked oil should be poured into a golden or silver pot and stored. This $sahasra-p\bar{a}ka$ is the oil possessing undiminishing potency and is fit for kings.

³²¹ The न् should be read ण्.

³²² The word अनु in the compound word अनुतैलद्रव्येभ्यः should be read अण्.

³²³ In H, the word यावन् should have been यावान्.

³²⁴ The reading in H, कटाहेभ्यः सिंचेत्, does not make sense here. Thus, we have accepted the vulgate reading कटाहे ऽभ्यासिंचेत् for the translation.

³²⁵ The phrase "यावता कालेन राक्नुयात् पक्तुम्" appears as a part of a new sentence in H. But, we should take it to be a part of the earlier sentence for it to make proper sense.

³²⁶ Dalhaṇa comments (Su 1938: 423) that the word अम्ल here means काञ्चिक which is the water drained after boiling rice and is a little fermented. Refer Monier Willams's Sanskrit Dictionary.

³²⁷ The word should be हैमवताः as in the vulgate. It means "the herbs of the snowy mountains". Dalhaṇa comments (Su 1938: 423) that हैमवताः refers to the herbs that grow in the northern region.

³²⁸ These activities are a symbolic way of showing reverence.

Thus, that which is cooked with a thousand parts is called $sahasra-p\bar{a}ka$.

- 30 One should collect fresh leaves of castor oil tree, ??, ??, weaver's beam tree, Indian beech, ??, and leadwort.³²⁹ These leaves should be completely pounded along with salt in a mortar. This mixture should be put in a pot filled with oil³³⁰. It (pot) should be smeared³³¹ with cow-dung. Thereafter, the pot should be heated.³³² This (resultant) is the patra-lavaṇa (leaf-salt) that is mentioned in wind disorders.
- 31 In the same way, one should pound the stalks of oleander spurge and eggplants smeared with salt and fill a pot with it.³³³ In that pot, one should add ghee, oil, fat, and marrow. Then, one should smear it³³⁴ and heat it as earlier. This (resultant) is the *sneha-lavaṇa* (fat-salt) that is mentioned in wind disorders.

Euphorbia Antiquorum (Antique spurge)

32 One should collect the fresh fruits, roots, leaves, and branches of all the twenty [herbs]: ??, flame-of-the-forest, Tellicherry bark, Bengal quince, purple calotropis, oleander spurge, ??, weaver's beam tree, corky coral tree, ??, ??, ??, ??, ??, ??, ??, Indian beech, ??, hairy-fruited eggplant, ??, marking-nut tree, Asoka tree, ??. One should then mix them with salt and heat them as earlier. 335 The oil on top should be poured out completely with the salty mixture intact [at the bottom]. This mixture should be cooked thoroughly. The admixture added to it consists of long pepper, etc. This (resultant) is the salt called kalyāṇaka that is mentioned in wind disorders and in meals and drinks

³²⁹ In H, the ending नाम् should be णाम् due to sandhi.

³³⁰ स्नेहघट can also mean a pot filled with ghee

³³¹ The H or vulgate do not specify with words that it is the pot to be smeared. But, it is to be understood.

³³² The word दाह्येत् usually refers to burning, but sometimes it can refer to heating.

³³³ In H, there should be a visarga after लवणा.

³³⁴ As earlier, the pot should be smeared with cow-dung.

³³⁵ It is to be understood that all these fresh branches, leaves, fruits, and roots of the herbs should be completely pounded together with salt. The mixture should then be put into a pot filled with oil or ghee. The pot should be smeared with cow-dung and then heated.

for the patients troubled by $pl\bar{\imath}h\bar{a}gnisamga$, indigestion, loss of appetite, and piles.

Thus ends the fourth chapter on the treatment of wind diseases.

Cikitsāsthāna 5: On the Treatment of Serious Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.³³⁶

Translation

1 Now we shall describe the treatment of serious wind diseases.

2

- One group says that the blood afflicted by wind (wind-blood) (vāta-rakta) is of two types: spreading out over a surface (उत्तान) and deep (अवगाढ).³³⁷ However, this is not correct.³³⁸ Why? Just as leprosy, after spreading over a surface it (afflicted blood) becomes deeply situated. Therefore, its being of two different types is refuted.
- 4 When the wind is aggravated by fighting a strong person, etc.³³⁹, one's corrupted blood caused by eating heavy or hot food before the last meal is digested blocks the path of the aggravated wind. It then combines with the wind and simultaneously creates pain due to the wind-blood.

³³⁶ HIML: IA, 266.

³³⁷ Dalhaṇa commented (Su 1938: 424) that उत्तान refers to being situated in the skin and flesh, and अवगाढ refers to being situated internally.

³³⁸ In H, the word तन् should be तत्.

³³⁹ These factors that aggravate the wind are mentioned in Nidānasthāna, Ch. 12, text 6.

This [condition] is called wind-blood (*vāta-śoṇita*). At first, it is situated in the hands and feet.³⁴⁰ Later, it spreads throughout the body. Its early forms are pricking pain, burning, itching, ulcer, trembling³⁴¹, roughness of the skin, pulsation in the blood vessels, tendons, and tubular vessels³⁴², weakness of the thighs, as well as the sudden appearance of dark brown, tawny, or red spots on the soles of the feet, fingers, ankles, and wrists. The disease becomes fully manifest in the person who does not undertake the means to revert the disease or applies a wrong treatment. Its symptoms have been mentioned. Among them, weakness occurs for the one who does not counter the disease.

- 5 Generally, wind-blood occurs in those who are very delicate, those who eat the wrong foods and enjoy improperly, those who are fat, and even in those who indulge in pleasure.
- In that regard, one should treat the patient who is not degenerating due to wasting of life air, thirst, fever, unconsciousness, dyspnea, trembling, and loss of appetite, is not oppressed by the contraction [of limbs], is strong, composed, and has the means.
- In the treatment, at the beginning itself one should do blood-letting of the wind-affected body part little by little and more than once. That (slow blood-letting) is because of the danger of further aggravation of wind. One should avoid doing blood-letting of the part hardened or weakened by excessive wind.³⁴³ Thereafter, one should make the patient do the remedies of vomiting, etc. If the wind that is mixed [with blood] or separated is very aggravated then one should make him consume aged ghee or goat-milk. Or, [one can give him] half a measure of oil added with an *akṣa* of liquorice and cooked with hare foot uraria³⁴⁴, or the oil that is sweetened by sugar and honey and cooked with dried ginger and bulrush. Or, one should boil milk with an eight times volume of the decoction of the following herbs: beautyberry, grey orchid, ??, hare foot uraria³⁴⁵, ??, wild asparagus, ??, and ??. This milk should then be used to cook oil with the admixture of pastes of ??, ??,

³⁴⁰ In H, the word तन् should be तत्.

³⁴¹ In H, there should not have been the स् after स्तम्भ.

³⁴² In addition to blood vessels, it would also include the nerves.

³⁴³ In H, the reading अम्लान does not make sense given the context. Therefore, we have accepted the vulgate reading ম্লান for the translation.

³⁴⁴ Dalhaṇa glossed (Su 1938: 425) śṛgālavinnā as pṛśniparṇī.

³⁴⁵ According to Dalhaṇa, śṛgālavinnā is pṛśniparṇī.

??, ??, deodar, sweet flag, and ??. This (resultant) should be utilised in drinks, etc. Or, one should use the oil that is cooked with a decoction of wild asparagus, prickly chaff-flower³⁴⁶, ??, liquorice, giant potato, heart-leaf sida, country mallow, and ??³⁴⁷, with the admixture of cottony jujube, etc. Or, one should use the heart-leaf sida-oil that is cooked as śatapāka.³⁴⁸ Or, [the affected body part] should be moistened with milk that is boiled with the roots of wind-alleviating herbs, or it should be moistened with sour things.³⁴⁹ In that regard, five remedies prepared with milk are described. For preparing a poultice, milk should be cooked in ghee, oil, fat, marrow, and dugdha³⁵⁰ separately with each of these powdered grains or pulses—barley, wheat, sesame, mung beans, or green gram—that is mixed with unctuous pastes of cottony jujube, purple roscoea, ??, ??, heart-leaf sida, country mallow, hare foot uraria³⁵¹, ??, sugar, bulrush³⁵², ??, and sweet flag. Or, the essence of unctuous fruits³⁵³ can be used as a poultice. Or, a veśavāra³⁵⁴ prepared from the flesh of a fat *cilicima* fish³⁵⁵ can be used instead. Or, [one

346 Dalhaṇa glossed (Su 1938: 425) $\it may \bar{u} \it raka$ as $\it ap \bar{a} \it m \bar{a} \it rga$. The webpage https://hindi.shabd.in/vairagya-shatakam-bhag-acharya-arjum-tiwari/post/117629 says that this verse belongs to the Nītiratna. I could not

find this

³⁴⁷ Dalhana commented (Su 1938: 425) that halfa grass, ??, ??, halfa grass, ??, and ?? are called *trna* (grass).

³⁴⁸ Śatapāka seems to be an oil that is prepared with a hundred parts of some things similar to sahasrapāka that is prepared with one thousand parts of some herbs. Refer *Cikitsāsthāna* Ch. 4 text 29 for the preparation of sahasrapāka.

³⁴⁹ Dalhaṇa commented (Su 1938: 425) that the sour things (amla) are ??, Indian jujube, ??-water, etc. Surā is some kind of liquor, sauvīraka is perhaps the fruit of the jujube tree, and tuṣa is perhaps Terminalia Bellerica (विभीतक).

³⁵⁰ In the *Suśrutasaṃhitā*, the word for milk is *kṣīra* or *payas* but not *dugdha*. Therefore, the word *dugdha* here can mean the sap of plants or something that is extracted.

³⁵¹ śrgālavinnā

³⁵² For kaśerukā

³⁵³ Dalhana commented (Su 1938: 425) that the unctuous fruits mentioned here are sesame, castor, flax, ??, etc.

³⁵⁴ In H, the reading वैशवारो does not make sense. It should have been वेशवारो, as shown in the vulgate, which is the reading we have accepted here.

Veśavāra is boneless meat minced, steamed, and added with spices, ghee, etc. Refer to 'Ayurveda Medical Dictionary' by Ranganayakulu Potturu.

Perhaps the word वैशवार is an earlier form of the word वेशवार.

³⁵⁵ H has the compound word नलपीनमत्स्य. नलमीन is a particular fish known as *cilicima* (चिलिचिमः). See *Amarakośa*. Also, if the name is नलमत्स्य then the word पीन (fat) within the name is not according to proper Sanskrit. But, it can be allowed because the word मत्स्य (fish), instead of being a part of the name, can be considered to mean fish in general and thus the word पीन becomes its modifier. Thus, नलपीनमत्स्य can mean "a

can use] the poultice containing Bengal quince-rind³⁵⁶, crape jasmine, deodar, ??, grey orchid, peas, costus, ??, liquor, yogurt, and whey. Or, [one can use] the ointment prepared by mixing citron, *amla*³⁵⁷, salt, and ghee with honey and horseradish tree-root. Or else, [one can use] the unctuous sesame paste.

When the [condition of wind-blood] has a predominance of bile, the patient should be made to drink a decoction of grapes, ??-fruit, Indian ipecac, liquorice, sandalwood, and white teak. This decoction is sweetened with honey and sugar before consumption. Or, the decoction of wild asparagus, pointed gourd, malabathrum, *triphalā*, ??, and heart-leaved moonseed should be given. [The patient should be administered] ghee that is prepared with sweet, bitter, and astringent [remedies].³⁵⁸

[The patient] should be sprinkled with a decoction of ??, lotus stalk, white sandalwood, and wild Himalayan cherry mixed with goatmilk³⁵⁹, or with rice water that is mixed with milk, sugarcane juice, honey, and sugar, or with whey and sour rice gruel mixed with a decoction of grapes and sugarcane. Or else, [the patient] should be sprinkled with ghee that is prepared with *jīvanīya*³⁶⁰ or sprinkled with ghee that is purified for one hundred times.

The poultice [to be applied] should be made of rice flour or of the paste of sour rice gruel mixed with ??, pussywillow, scramberry³⁶¹, ??, ??, turmeric, horned pondweed, sacred lotus, etc. The poultice should be mixed with ghee.

fat fish that is a ਜਲ (cilicima)".

Dalhaṇa says in his comment (Su 1938: 425) that नलमीन is a type of रोहित (rohita). Monier Williams says that rohita is a kind of fish: Cyprinus Rohitaka. Regarding the rohita fish, there is a subhāṣita: अगाधजलसञ्चारी न गर्वं याति रोहितः | अङ्गुष्ठोदकमात्रेण शफरी फर्फरायते || This indicates that rohita is a deep water fish.

³⁵⁶ The word पेसिका in H should be read पेशिका.

³⁵⁷ Perhaps it could mean vinegar or sour curds. Refer to Monier Williams Sanskrit Dictionary.

³⁵⁸ Dalhana commented (Su 1938: 425) that the sweet remedies are cottony jujube, etc., bitter remedies are pointed gourd, etc., and astringent remedies are *triphalā*, etc.

³⁵⁹ The compound word ending with कषायेण is taken to be a bahuvrīhi for अजाक्षीरेण (goatmilk).

³⁶⁰ Jīvanīya seems to be a group of medicinal herbs. There is an Ayurvedic preparation called jīvanīya-ghṛta. Refer to the Āyurvedīya Śabdakośa vol. 1.

³⁶¹ तालीस should be read तालीश

9 The [condition of wind-blood] with a predominance of blood should be treated in the same way. Also, blood-letting should be done repeatedly.

However, when the [condition of wind-blood] has a predominance of phlegm, the patient should be made to consume a decoction of emblic myrobalan and turmeric that is sweetened with honey, or a decoction of *triphalā*, or a paste of liquorice, ??, chebulic myrobalan, and ??. He should be made to drink chebulic myrobalan with water mixed with a little urine. He should be sprinkled with oil, urine, salty water, and liquor that are acidic³⁶². Or, he should be sprinkled with a decoction of golden shower tree, etc.

The patient should be massaged with ghee cooked with sour cream, urine, liquor, ??³⁶³, liquorice, ??³⁶⁴, and wild Himalayan cherry.

The poultice should be made of either the paste of white mustard, or the paste of sesame and Withania, or the paste of ??³⁶⁵, Indian cherry, and wood-apple, or the paste of honey, horseradish tree, and hogweed,³⁶⁶ or the paste of dry ginger, long pepper, black pepper,³⁶⁷ hare foot uraria, and hairy-fruited eggplant.³⁶⁸ These five poultices are prepared with salty water. Thus, they have been described.

In case of combined aggravation of two humours or simultaneous aggravation of all three humours, the stated methods of treating those aggravations should be combined.³⁶⁹

In all [aggravations], one should consume chebulic myrobalan with jaggery. Or, one should have a diet of rice cooked in milk for ten days and should drink a mixture of long peppers crushed in milk, with increasing by five long peppers each night. Then one should reduce them again by the order of five more [each night].³⁷⁰ In this way, one should

The provisional edition should be modified accordingly.

³⁶² Reading the word सुक्त in H as शुक्त

³⁶³ Monier Williams states Rumex Vesicarius for śuktā

³⁶⁴ DCS has this entry: Cryptolepsis buchananii Roem. et Schult. (Surapāla (1988), 453) Decalepis hamiltonii Wight et Arn. (Surapāla (1988), 453)

³⁶⁵ According to V. S. Apte, दारु can mean देवदारु.

³⁶⁶ H has a short अ at the end instead of the long आ.

³⁶⁷ व्योषतिक्ता refers to the group of these three pungent spices. Also see Sūtrasthāna 14.35.

³⁶⁸ In H, the Sanskrit syntax does not match up with what the author is trying to say. The name of the fifth paste should also have been in the nominative case, as the other four pastes.

³⁶⁹ It means that the respective methods of treating the aggravation of individual humours should be combined.

³⁷⁰ In H, the letter ञ্ in भूयञ्च should have been য্.

[reduce] all the long peppers. This is called *Pippalīvarddhamānakam* (Increasing Long Peppers). It indeed cures wind-blood, intense fever,³⁷¹ loss of appetite, jaundice, abdominal affection, piles, heavy breathing, cough, wasting disease, weak digestion, and heart disease.

The poultice is a paste of bluebell barleria, sandalwood, rajmahal hemp, ??, wild asparagus, bulrush,³⁷² country mallow, wild Himalayan cherry, liquorice, Indian dill, ??, ??, ??, heart-leaf sida, country mallow, and Holostemma creeper mixed with milk. Or it is a paste of white teak, liquorice, and ?? mixed with ghee and cream. Or it is olibanum cooked with milk that is mixed with ??, ??, resin of white dammer tree, liquorice and the group of sweet herbs.

Old ghee that is cooked with emblic myrobalan and chir pine and sweetened with sugar and honey is for drinking. Old ghee that is cooked with *jīvanīya* or that is cooked with a decoction of ?? is for sprinkling. Cooked heart-leaf sida oil is for sprinkling, bathing, enema, and eating³⁷³. One should eat food preparations made of rice, ??, barley and wheat accompanied with milk, meat soup, or mung beans soup that is not sour. Blood-letting also [should be done]. The treatments of vomiting, purging of bowels, enema, and oily enema should be conducted when the humours are highly aggravated.

13

There are verses in this regard.³⁷⁴

There is immediate relief by the application of remedies such as these by which the physicians cure the chronic condition of wind-blood.

15-16 Poultice, sprinkling [oil], plaster, oil massage,³⁷⁵ spacious and comfortable rooms³⁷⁶ with no wind, soft pillows, comfortable beds,

³⁷¹ Perhaps विषमज्वर could mean irregular fever.

³⁷² H has कशेरुका.

³⁷³ Perhaps it means that one should eat foods cooked in that oil.

³⁷⁴ The word भवति in H should have been भवन्ति.

³⁷⁵ In H, the part व्यजनानिलाः does not make proper sense in the verse. Emending it to व्यजनानि च could be a consideration, but fanning (व्यजन) a patient with wind-blood is not good, as understood from the recommendation that such a patient should stay in a non-windy room. Therefore, we have accepted the vulgate reading for the first half of this verse.

³⁷⁶ In H, read the स सरणानि as श.

and soft massages are recommended in the condition of wind-blood.

Exercise, mating, anger, eating hot, sour, or salty foods, sleeping during the day, and food that is slimy or heavy should be avoided.

One should treat the person who is affected with spasmodic contraction,³⁷⁷ who does not have droopy eyes and crooked eyebrows, whose fingers have not become rigid, who is not perspiring or trembling, who is not in a state of delirium, who is not bed-ridden,³⁷⁸ and who is not restrained externally. There at the beginning itself,³⁷⁹ after rubbing the patient with oil and making him perspire, one should treat him with a strong <code>avapīḍa³80</code> in order to clear his head. Then, the patient should be made to drink filtered ghee that is properly cooked with a decoction of beggarweed and other herbs, sugarcane juice, milk, and yogurt. In that way, the wind does not spread exceedingly.

Thereafter, one should gather wind-alleviating herbs such as deodar, etc. and other constituent parts, along with barley, ??, and horse gram, and the flesh of a freshwater aquatic creature all at one place and prepare a decoction of them. One should take this decoction and mix it properly with sour substances and milk, and then cook the *pratīvāpa*³⁸¹ of liquorice in this mixture along with ghee, oil, body fat, and bone marrow. This is *trivṛt* that should be recommended in treatments of sprinkling, oil massage, applying a poultice, oral consumption, oily enema, and errhine for patients having spasmodic contractions.

The patient should then be made to sweat by the methods described earlier. If the wind is stronger then the patient should be immersed in [a vessel] filled with lukewarm fluid used for sprinkling (trivrt). Or he should be kept in the hot fireplace of a blacksmith.³⁸² Or else he should

There, Dalhana commented that de-liberation on avapida had been done earlier when it was mentioned. Find that description to know more de-

³⁷⁷ In H, the reading अपताकिनम् should have been अपतानिकनम्.

³⁷⁸ V. S. Apte has खद्वयति. The *Āyurvedīya Śabdakośa* has the entry खद्वापातिन् which means "one who is inclined to fall from bed." Perhaps the reading in H has an error of the letter या which should have been पा.

³⁷⁹ In H, प्रागैव should have been प्रागेव.

³⁸⁰ The Āyurvedīya Śabdakośa has the entry अवपीड that means administering an oily paste through the nose. Refer SS Cikitsāsthāna Ch. 40 text 44 for a better understanding of avapīḍa.

³⁸¹ It refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams's Sanskrit dictionary.

³⁸² H has the reading रथाकारचूल्ल्याम् that means "fireplace shaped like a chariot", but the

be made to sweat by [a mixture of] ??, veśavāra,383 and milk.

Oil cooked with the juice of radish, ??, ??, spurge, and ?? should be used in sprinking, etc. for patients with spasmodic contractions.³⁸⁴ Sour yogurt mixed with black pepper and drunk on an empty stomach alleviates spasmodic contractions. Or else, ghee, oil, body fat, or bone marrow [can be consumed on an empty stomach].

This procedure of treatment thus described is for spasmodic contractions caused only by wind. When mixed humours cause it then the treatment should also be mixed. And when the spasms subside the patient should be given *avapīḍa*-s. One should also consider the fats of cock, crab, black fish, and porpoise.³⁸⁵ Milk prepared with wind-alleviating medicines. Gruel prepared with barley, ??, horse gram, radish, yogurt, ghee, and oil.

One should treat this recurring spasm for ten nights with oil massage, purging of bowels, enemas, and oily enemas. One should also look up the treatment of diseases caused by wind. One should also undertake preventive measures.

One should treat the paralytic (hemiplegic) patient whose limbs are not languid, who is in pain, and who is self-composed. There, at the beginning itself the patient should be massaged with oil and made to sweat. After cleansing the patient with a mild purifier,³⁸⁶ he should be administered with an oily enema and then a non-oily enema. Then at the appropriate time, he should be treated with special enemas of the brain and the head according to the method prescribed in the treatment of ākṣepaka.³⁸⁷ Anutaila should be used for massage.³⁸⁸ Sālvala should be used for poultice.³⁸⁹ heart-leaf sida oil should be used for oily enema. In this way, the unremitting patient should take the treatment for three to four months.

Search for the section where the treatment of $\bar{a}k$, sepaka is described.

Make the first letter of sentence capital.

vulgate reading रथकारचुल्ल्याम् makes more sense here. Thus, we have accepted it.

³⁸³ Refer the above text no.7 for *veśavāra*. In H, the syllable ਕੈ should have been ਕੇ.

³⁸⁴ The word ਰੈਲਸ਼ is not present in H but is present in the vulgate. We have accepted it.

³⁸⁵ H has the reading रसान् which means "juices". It seems unrealistic that juice would be extracted by crushing these whole animals. Vulgate has the reading वसाः instead of रसान् which appears to be the more probable reading. Thus, we have accepted it.

³⁸⁶ According to P. V. Sharma, this refers to mild evacuatives (purgatives).

³⁸⁷ Refer Nidānasthāna 1.50-51 for ākṣepaka.

³⁸⁸ For the procedure of preparing anutaila, refer Cikitsāsthāna 4.28.

³⁸⁹ For the procedure of preparing sālvala, refer Cikitsāsthāna 4.14-15.

20

21

- One should treat the patient with *ardita*³⁹⁰ who is strong and possesses the means with the method prescribed in treating wind diseases. The unique thing is the treatment with enemas of the brain and the head, errhine, smoke, poultice, and steam bath through tubes. Then, one should take the great five roots (*pañcamūlī*) with grass and prepare its decoction in milk mixed with twice the water. Then, the decoction with the milk remaining³⁹¹ should be brought down [the stove] and filtered. It should then be mixed with a *prastha*³⁹² of oil and again placed over fire and cooked thoroughly. Then, the oil mixed with milk should be brought down [the stove] and then churned after it cools down. This is called *kṣīrataila* that should be used in drinks, etc. for patients with *ardita*.
- In the diseases of <code>gṛdhrasī</code>, <code>viścañcī</code>, <code>kroṣṭukaśīrṣa</code>, <code>paṅgukalāya</code>, lameness, <code>vātakaṇṭaka</code>, burning sensation in the foot, numbness of the foot, <code>avabāhuka</code>, deafness, and <code>dhamanīvāta</code>, one should pierce the blood vessel as described earlier and, barring the case of <code>avabāhuka</code>, one should look up the treatment for wind diseases.
- However, in the case of *karṇamūla*,³⁹³ lukewarm juice of ??³⁹⁴ mixed with liquorice, oil, and salt should be put into the ears.³⁹⁵ Or else one can use goat urine, liquorice, and oil. Or else one can use oil that is cooked with citron, pomegranate, ?? juice, and urine.³⁹⁶ Or else one can use oil that is cooked with sour liquor, buttermilk, and urine.
 - One should also make the patient sweat with a steam bath through tubes. One should also look up the treatment for wind diseases. More will be said later.

³⁹⁰ Refer Nidānasthāna 1.71-72 for ardita.

³⁹¹ It means that the water has evaporated.

³⁹² Dalhana commented (Su 1938: 425) that a *prastha* is a measure of weight that is equal to 32 *pala-s*.

³⁹³ The vulgate has the reading कर्णशूले which appears to be a more credible reading according to the context.

³⁹⁴ পূৰ্ব্লব appears to be a name of ginger. Refer to the Sanskrit dictionary of Monier Williams.

³⁹⁵ In H, the reading रसैः does not seem to make sense here. Hence we have accepted the vulgate reading रसम्.

³⁹⁶ In H, the word ਹੈਲ should have been ਹੈਲਸ਼ to make proper sense. The vulgate has this reading. Thus we have accepted it.

- In the case of tūnī and pratitūnī, one should make the patient drink ghee and salt with hot water. Or else one should administer the powder of long pepper and other herbs with hot water. Or else one should make the patient drink ghee that is made thick with asafoetida and barley ash.³⁹⁷ One should also treat the patient with enemas.
- In the case of ādhmāna,³⁹⁸ however, one should do avatarpaṇa,³⁹⁹ heating the hands, phalavartikriyā,⁴⁰⁰ stimulation of digestion, and [administer] digestives. One should also employ the purging of bowels and enemas. In the case of pratyādhmāna,⁴⁰¹ one should employ vomiting, fasting, and stimulation of digestion.
- In the case of $aṣṭh\bar{\imath}l\bar{a}$ and $pratyaṣṭh\bar{\imath}l\bar{a}$, the procedure is that of gulma and internal abscess.
- The beneficial asafoetida, the three pungent spices (long pepper, black pepper, and dry ginger), sweet flag, ?? grains, wild spider flower, pomegranate, ??, velvet-leaf, leadwort, ??, rock salt, ??, ??, barley ash, natron, long pepper root, ??, ??, ?? (juniper berry), and ?? (cumin seeds) should be powdered. This powder should be mixed with a lot of citron juice. Then it should be made into pills each weighing one akṣa. Thereafter the patient of wind disease should consume one pill every morning. This medicine indeed cures gulma, rapid breathing, cough, loss of appetite, heart disease, ādhmāna, pārśvodara, bastiśūla, anāhamūtra, painful piles, plīhodara, and pāṇḍuroga. Also, this medicine is excessively used in cases of tūnī and pratitūnī.
- 29 There are verses in this regard.

The wind that has entered into the body tissues should be correctly

³⁹⁷ यवश्वार is an alkali prepared from the ashes of burnt green barleycorns. Refer to the Sanskrit dictionary of Monier Williams.

³⁹⁸ Refer to *Nidānasthāna* 1.88. V. S. Apte explains it as "swelling of the belly". P.V. Sharma has translated it as flatulence.

³⁹⁹ We are unclear about its meaning. The vulgate has the reading अपतर्पण that means fasting.

⁴⁰⁰ The entry फलवर्ति has the meaning "suppository" in the Sanskrit dictionary of Monier Williams. The Cambridge dictionary explains suppository as "a small, solid pill containing a drug that is put inside the anus, where it dissolves easily." Refer to the link https://dictionary.cambridge.org/dictionary/english/suppository. Last accessed 30-Oct-2023.

⁴⁰¹ Refer to *Nidānasthāna* 1.89. According to the Sanskrit dictionary of Monier Williams, it is a kind of tympanites or wind-dropsy.

⁴⁰² Refer to Nidānasthāna 1.90 and 1.91.

understood as either pure or vitiated by humours⁴⁰³ and should be cured accordingly.

- The wind that is accompanied by fat causes a swelling that is painful, hard, and cold. The physician should properly treat it like a treating a swelling.
- When the wind accompanied by phlegm and fat enters the thighs, it causes pain in and immobility of the thighs due to numbness, pain, and fever.
- Also, the thighs become pained, stiff, cold, and do not quiver due to sleep. They become heavy and as if belonging to someone else.⁴⁰⁴
- That is called ūrūstambha. Others call it āḍhyavāta. In that case, one should drink the ṣandharaṇa powder with cool water.
- 34 Similarly, consuming the powder of long pepper and other herbs with hot water is beneficial. Or else, one should consume the powder of triphalā with honey and kutki.
- Or else, one should drink the best Indian bdellium-tree or ?? with urine. Such a person cures the wind that is afflicted by phlegm and accompanied by fat, as well as heart disease, loss of appetite, gulma, and internal abscess.

One should employ salty urine [therapy], sudation, and hard rubbing. One should also apply [the paste of] mustard and pongame oiltree fruits mixed with urine.⁴⁰⁵

One should eat old ??s, ??, etc. along with uncooked⁴⁰⁶ flesh of wild animals and unsalted vegetables that are beneficial.

When the phlegm and fat become amply reduced one should again employ the treatment of oil massage, etc. for the patient.

⁴⁰³ In H, the reading लक्षणोन्याम् does not make sense. Hence I cannot translate it. Perhaps the correct reading could be लक्षणाभ्याञ्च. This would connect with the two conditions of the wind as stated in the verse.

⁴⁰⁴ In H, the verb वर्तते should have been in the dual. Also, the word आस्थिरौ does not make sense. The vulgate has the sensible reading अस्थिरौ which we have accepted here.

⁴⁰⁵ The word दिहेत् in H is not a proper Sanskrit word. We have taken its proper form दिह्यात् as given in the vulgate.

⁴⁰⁶ The vulgate has the reading अपृतैः that means without ghee.

Cikitsāsthāna 15: On Difficult Delivery

Literature

Meulenbeld offered an annotated overview of this chapter on fetal malpresentation and a bibliography of earlier scholarship to 2002.⁴⁰⁷ Das made observations about the afterbirth (*aparā*) that is mentioned in 4.15.17 (Su 1938: 432).⁴⁰⁸ Selby has explored gyencological narratives in ayurveda.⁴⁰⁹

Translation

- 1 And now we shall explain the difficult delivery medically treated.
- Nothing else is more difficult than the extraction of a foetus since it has to be performed in the region of vagina, liver, spleen, intestines and the uterus. Actions like pushing up, pulling down, cutting off, incising, removing, pressing and straightening must be done using one hand, without hurting the foetus or the pregnant woman, Therefore, having considered that and obtaining permission, one should proceed with care.
- 4 Eight types of the positions of difficult foetus have earlier been mentioned briefly. Even if, in the natural birth process also the large / wrong way of the head, shoulders or hips of a foetus / child cling firmly in the passage.

⁴⁰⁸ Das 2003: 517.

⁴⁰⁹ Selby 2005*a*,*b*.

- 5 In the case of a live foetus, the delivering ladies should attempt to deliver it. And, during this process, they should be made to hear the sacred verses repeatedly meant for expulsion of a foetus.
 - 6 O beautiful woman, may the divine nectar and the moon and the sun and Uccaiśravas reside icumbhalakan your house.
 - 7 O lady, may this nectar extracted from the water release this tiny foetus of yours. May the fire, wind, sun and Indra together with the ocean bestow upon you the peace.
- And, as mentioned before (3.10.16-20) the medicine should be administered. In the case of a dead fetus, (the physician) having inserted (his) hand lubricated with the dhanvaka, $mrttik\bar{a}$ – soil, the $s\bar{a}lmal\bar{\iota}$ - the seemul and ghee into the vagina of a woman lying on her back, whose thighs are bent with the elevated waist with the support of the cloth of *cumbhalaka* should take away the fetus. In the case, the fetus coming out with both the thighs, should be stretched out in a normal way. If the fetus has reached with only one thigh, spreading out its other thigh it should be taken out. If the fetus is coming out with its buttocks portion, squeezing the buttocks upward, spreading the thighs it should be taken out. A fetus having come in a transverse position like an oblique (तियेक्चीनस्य ?) iron club, lifting upward its half of the lower part from behind, straightening its half of the upper part, bringing it to the passage of vagina, it should be taken out. The last two positions of the dead fetus cannot be accomplished. Thus, in this state, instrument should be employed / surgery should be undertaken.
- But, the live fetus should not be torn apart in any case. As, the live fetus may kill the mother and self soon.
- Next, assuring safety to the lady, cutting the head of the fetus with the instrument that has disc on the top (मण्डलाग्र) or finger shaped instrument(अङ्गुलिशस्त्र); removing the skull, the fetus should be taken out holding the forceps at its chest and armpit. If the head of the fetus is not separated, the fetus should be drawn out from its orbital regions or cheek (with the forceps); if the shoulders are stuck up in the passage, the fetus should be taken out by cutting its arm / arms at the shoulder region; tearing the abdomen when bloated with wind just like a stretched leather bag used for holding water, casting off the intestine,

the loosened fetus should be taken out. Or else, if its thighs are adhered to the passage, the bones of the thighs should be cut and fetus is removed.

- 13 The fetus is adhered to the passage from whichever its body part, the physician by separating that part should remove the fetus carefully and by all means the woman should be protected.
- For, irritated wind causes different movements of the fetus. In this situation, the wise physician should act intelligently.
- And, the learned physician should not delay even for moment in removing the dead fetus as it kills mother in no time like a breathless animal.
 - If impacted with hip, the hip bones should be cut and then delivered.

Part 5. Kalpasthāna

Kalpasthāna: Introduction

The Kalpasthāna of the Compendium of Suśruta is one of the most important treatises on toxicology surviving from the ancient world. Other treatises, such as the $\theta\eta\rho\iota\alpha\kappa\dot{\alpha}$ (On Beasts) and Aleξίφαρμακα (Antidotes) of Nicander of Colophon (fl. second century BCE) or the Π ερὶ τῶν ἰοβολῶν $\theta\eta\rho\iota\omega\nu$ καὶ δηλητηρίων φαρμάκων (On Venomous Beasts and Poisonous Drugs) by Aelius Promotus (fl. ca. first century BCE– first century CE) do not approach the Kalpasthāna in length, taxonomic detail or organization.

The Sequence of Chapters

The Nepalese version of the *Suśrutasaṃhitā* reverses the sequence of chapters six and seven (see Table 2). This difference in sequence does not have an immediately obvious significance, but it appears to be the most original known sequence of chapters, since it was already known to Jejjaṭa.⁴¹²

⁴¹⁰ Liu (2021) provides a valuable overview of poison treatises in the ancient world, inexplicably omitting mention of the *Kalpasthāna*.

⁴¹¹ On Nicander, see Gow and Scholfield 1953 and the facsimile of MS Paris BNF Greek suppl. 247 published by Touwaide et al. (1997). On Aelius Promotus, see W. Smith 1870: 29; Gostomiris 1897: 363–368; Ihm 1995.

⁴¹² See note 675 below.

Chapter title	Nepalese	vulgate
Annapānarakṣākalpa	1	1
Sthāvaraviṣavijñāna	2	2
Jangamaviṣavijñāna	3	3
Sarppadastavijñāna	4	4
Sarppadastacikitsita	5	5
Mūṣikākalpa	6	_7
Dundubhisvana	7	~ 6
Kīṭakalpa	8	8

Table 2: Chapters of the *Kalpasthāna*.

The Spread of Indian Toxicological Lore to Medieval Islamic Authors

The Kalpasthāna's diffusion

From the late eighth century onwards, the *Kalpasthāna*, or parts of it, began to circulate beyond the Indian subcontinent and to influence medical literature in early Persia, Tibet and Cambodia.

In the late eighth century, the *Kalpasthāna*, as part of the *Suśrutasaṃhitā*, was translated into Persian and Arabic at the Abbasid court of Baghdad by an Indian physician who is often known by the name Mankah. The principle source of information about this translation is the *Uyūn al-anbā'* fī ṭabaqāt al-aṭibbā of Ibn Abī Uṣaybicah (ca. 1201–1270). Ibn Abī Uṣaybicah mentioned that al-Rāzī used the *Suśrutasaṃhitā*, among other Indian works, and that it had been translated into Arabic at the orders of the Barmakid Yaḥyā ibn Khālid. The *Suśrutasaṃhitā* passages used by al-Rāzī

⁴¹³ On the name and its variants, see HIML: IB, 202, notes 2, 3. For an account of this translation process see the account of Kahl (2015: 14–18) and especially his useful reconstruction of likely historical events (16–17).

⁴¹⁴ On Ibn 'Abī Uṣayb'ah, see Hilloowala 2019. This author based his information on the earlier authors Abū Ḥafṣ al-Kirmānī (fl. ca. 800) and on an-Nadīm (d. 990). Al-Kirmānī's treatise is unfortunately lost to history and known only through citations in other authors (see Bosworth 1994; van Bladel 2011).

⁴¹⁵ Savage-Smith et al. 2019: 3.2, 987. Ibn Abī Uṣaybicah said the work consisted of ten

have been identified and printed in parallel with the Arabic translation by Kahl. 416

Ibn Abī Uṣaybi^cah gave a detailed description of the translation in Baghdad of a work that was almost certainly the *Kalpasthāna*:

Shānāq was the author of several books, notably: 1. On poisons, in five parts. Mankah al-Hindī translated it from Sanskrit into Persian, and a man by the name of Abū Ḥātim al-Balkhī was assigned the task of transcribing it in Persian writing; he then expounded upon it to Yaḥyā ibn Khālid ibn Barmak. The work was subsequently translated [into Arabic] for the caliph al-Maomūn by his client, al-cAbbās ibn Sacīd al-Jawharī. The latter was also assigned the task of reading it aloud to al-Maomūn.

There are several interesting features of this account, some of which have been discussed elsewhere.⁴¹⁸ As the pioneering work of Strauss showed, the *Poison Book* of "Shanaq" contained material directly translated from the first chapter of the *Kalpasthāna*.⁴¹⁹ The reception of these materials from the *Suśrutasaṃhitā* under the name "Shanaq" remains a historical puzzle.⁴²⁰

chapters, which does not match the six books of the known *Suśrutasaṃhitā*. He listed separately a work on poisonous snakes that could have been the *Kalpasthāna* (*ibid*, 989). On the transmission of Sanskrit medical knowledge to Baghdad through the influence of the Barmakids, see van Bladel 2011; Shefer-Mossensohn and Hershkovitz 2013; Kahl 2015; Wujastyk 2016a.

⁴¹⁶ Kahl 2015: 76–82. Unfortunately, Kahl (p. 14) accepted the impossible dating of a medical author Suśruta to the sixth century BCE, in spite of citing Meulenbeld, HIML, amongst his references. However, his remarks dating the redaction of the Suśrutasaṃ-hitā to the period third-sixth century CE are not incorrect.

⁴¹⁷ Savage-Smith et al. 2019: 3.2, 990.

⁴¹⁸ E.g., in the notes to the translation of Savage-Smith et al., in HIML: IA, 352 and elsewhere. It has not been remarked before that the interpreter Abū Ḥātim al-Balkhī was from Balkh, the original home of the Buddhist Barmakid family.

⁴¹⁹ The passages cited by Strauss (1934: 14–19) include quite literal translations of *Kalpasthāna* 1.37, 1.40, 1.42, 1.29–34cd, 1.47, 1.51cd–52, 1.69, and the famous characterization of a poisoner at 1.19cd–23 (see above, p. ??). The translator of this Arabic work may only have been aware of chapter 1 of the *Kalpasthāna*.

⁴²⁰ Most scholars agree that this is a Perso-Arabic reception of the Sanskrit name Cāṇakya, but that name was associated not with the *Suśrutasaṃhitā*, but with the *Arthaśāstra* during or after the time of the Gupta empire (Olivelle 2013: 33–36). The suggestion that it may be "Śaunaka" is not supportable HIML: 1A, 150–152.

Several other Islamic authors knew and cited the Suśrutasaṃhitā. 421

The *Suśrutasaṃhitā* was also a formative source for later Arabic works on toxicology. One of the earliest mentions of Shanaq is made in ibn Wahshiya's *Book on Poisons* (ca. 950). He refers to Shanaq's book as great and important. This statement is attested to by the fact that much of Shanaq's work was used by ibn Wahshiya.⁴²²

The author Suśruta was also cited as a famous authority in Tibetan lexicographical literature of the early ninth century.⁴²³

Shortly after this time, inscriptional evidence by King Yasovarman I (r. 889–910) shows that the *Suśrutasaṃhitā* was known in Cambodia.⁴²⁴

⁴²¹ Listed with references in HIML: 1A, 352.

⁴²² Levey 1966: 6.

⁴²³ HIML: IA, 352.

⁴²⁴ Idem.

Kalpasthāna 1: Protecting the King from Poison

Introduction

The meaning of "kalpa"

What does "kalpa" mean in the context of this section of the Suśrutasaṃhitā? In medical contexts, this polysemic term can mean an appropriate drug recipe, a suitable medication, or any proper therapy. The present section of the Suśrutasaṃhitā deals with poisonous herbs, animals and insects, so one might expect the term to refer to antidotes or at least drugs. However, the usage here points more to the sense "procedure," or "formal procedure," a sense that, in a secular context, echoes the kalpa of the Kalpasūtras, the "formal procedures" of Vedic ritual. 425 The twelfth-century author Aruṇadatta, 426 glossed कल्प simply as प्रयोगः "procedure" and as योजनम्. 427

Chapter 1 of the Kalpasthāna

The first chapter of the Kalpasthāna of the *Suśrutasaṃhitā* addresses the topic of protecting a king from those who would assassinate him using poison. The king's kitchen is presented as the site of greatest vulnerability.

⁴²⁵ Winternitz (1981–85: 252) translated कल्प in the Vedic context simply as "ritual." He went on to describe the *Kalpasūtras* as, "born out of the necessity to compile the rules for the sacrificial ritual...for the practical purposes of the priests." Gonda (1977: 467) also used "ritual practice," giving useful further notes from classical authors in footnote 8.

^{426 &}quot;A learned man with a great command of a number of sciences," (HIML: 1A, 661). 427 Sarvāngasundarī on Aṣṭāngahṛdayasaṃhitā 1.16.17ab (Ah 1939: 246) and 5.1 gadyasūtre 2 (Ah 1939: 735) respectively.

The staff in the kitchen must be vetted carefully and watched for signs of dissimulation. The description of the body-language that tells a poisoner (verses 18–25) are engaging and vivid. These verses are closely parallel in sense to a passage in the *Arthaśāstra* that says,

The signs of a poisoner, on the other hand, are as follow: dry and dark look on the face, stuttering speech, excessive perspiration and yawning, trembling, stumbling, looking around while speaking, agitation while working, and not remaining in his place.⁴²⁸

Next, the text discusses the signs of poison in toothbrushes, in food, drink, massage oil and other items that are likely to come into physical contact with the king. In passages that are again paralleled in the *Arthaśāstra* the work describes how poisoned food kills insects and crackles in a fire, flashing blue and the reactions of various birds to poison are described.⁴²⁹

The work then moves on to the various symptoms experienced by the king after being poisoned, and remedies appropriate to each case. Poison exhibits characteristic signs when added to milk and other drinks.⁴³⁰ Further forms of poisoning, their symptoms and treatments are described and finally the king is advised to live amongst trusted friends and to protect his heart by drinking various ghee compounds. He should eat the meat and soup made from various animals, including peacock, mongoose, alligator, deer. The chapter ends with the description of an emetic.

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁴³¹ Translations of this chapter since Meulenbeld's listing have appeared by Wujastyk (2003*b*: 131–139), P. V. Sharma (1999–2001: 3, 1–15), and Srikantha Murthy (2000–02).⁴³²

```
428 Arthaśāstra 1.21.8 (Kangle 1965: 1, 30), translation by Olivelle (2013: 97).
429 Cf. Arthaśāstra 1.21.6, ibid., Olivelle (2013: 96).
430 Cf. Arthaśāstra 1.21.6 again.
431 HIML: IA, 289–290.
432 For a bibliography of translations to 2002, including Latin (1847), English (1877), Gujarati (1963) and Japanese (1971), see HIML: IB, 314–315. Singhal and Dwivedi (1976) translated this sthāna.
```

Manuscript notes 139

Manuscript notes

• MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge CUL Add.1693, 433 dated to 1165 CE. 434

⁴³³ Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

⁴³⁴ See Bendall's chart of Nepalese letter-numerals (Bendall 1883: Lithograph V, after p. 225).

- 1–2 And now I shall explain the procedure (*kalpa*) for safeguarding food and drink, as were declared by the Venerable Dhanvantari.⁴³⁵
 - 3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.⁴³⁶

[Threats to the king]

- 4–5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find.⁴³⁷
 - 6 Therefore, a king should always be protected from poison by a physician.
 - 435 MS H adds in the margin अथ खलु वत्स सुभ्रतः "Now begins Vatsa Suśruta." This phrase has been copied here by the scribe from the beginning of the Suśrutasaṃhitā chapter in the sūtrasthāna on the rules about food and drink (1.46.3 (Su 1938: 214)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is one of the few places in the Nepalese transmission of the Suśrutasaṃhitā that names Dhanvantari and integrates him into the narrative of the Suśrutasaṃhitā as the teacher of Suśruta.
 - The mention of Dhanvantari here is one of the few times in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, "as was declared by the Venerable Dhanvantari." See the discussion by Klebanov (2021a: 28–32), who concluded that the earliest recoverable recension of the *Suśrutasaṃhitā* may have had the phrase only at this point and not elsewhere in the work. See the further discussion by Birch, Wujastyk, Klebanov, Parameswaran, et al. (2021). "Dhanvantari" is mentioned in the Nepalese version at 1.1.21, 1.19.37, 1.46.3, 1.29.71, 1.34.1.1, 2.1.3, 2.7.3, 3.19.13.3, 4.2.3, (5.1.2, note), 5.4.3, 6.60.2, 6.64.84.
 - 436 This is a quite different statement from the vulgate which has Dhanvantari as the teacher, and calls him the Lord of Kāśī (kāśipati) (Su 1938: 559). Dalhaṇa followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षितिपतिस्तपोधर्मश्रुताकरः "Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue."
 - 437 Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. Wujastyk 2003*b*: 81 f., 132. This material is present in the commentary of Gayadāsa.

Is Dh. the teacher of Su. elsewhere?

7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone.⁴³⁸

- 8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.
- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light,⁴³⁹ have clean utensils and be staffed by men and women who have been vetted.⁴⁴⁰
- 17–18ab The chefs, bearers (*voḍhāra*), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor.⁴⁴¹
- 18cd–19ab An expert knows people's body language (*ingita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.
 - Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he cuts at things with his nails.⁴⁴² A poisoner goes the wrong way and is absent-minded.
 - I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (abhyaṅga) and combs (avalekhana); in dry rubs (utsādana) and showers, in decoctions (kaṣāya) and massage ointment (anulepana); in garlands (sraj), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in snuff (nasya), inhaled smoke (dhūma), eye make-up (añjana), etc., and any other things which are commonly poisoned. Then, I shall

438 The verb $\sqrt{\text{s}}$ svas is conjugated as a first class root in the Nepalese manuscripts.

Cf. Arthaśāstra 1.21.8.

⁴³⁹ We read महच्छुचिः with the Nepalese manuscripts and against the vulgate's महच्छुचि. We understand शुचिस् as a neuter noun meaning "light" following Apte (Apte: 1050a).

⁴⁴⁰ Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. Su 1938: 560; Wujastyk 2003*b*: 132.

⁴⁴¹ The word सौपोदनैकपूपिक "chefs for the boiled rice soups and cakes" is grammatically interesting. The term सूपोदन (as opposed to सूपौदन) is attested in the *Bodhāyanīya-gṛhyasūtra* 2.10.54 (Shastri 1920: 68). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (Hoernle 1893–1912: vol. 1, p. 43).

⁴⁴² The word ध्याम is glossed by Dalhana (in a variant reading) as someone who is the colour of dirty clothes 5.1 (Su 1938: 560).

- also explain the remedy.
- Flies or crows or other creatures that eat a poisonous morsel (*bali*) served from the king's portion, die on the spot.
- 29 Such food makes a fire crackle violently, and gives it an overpowering colour like a peacock's throat.
- 30–33 After a chukar partridge partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; grey peacock-pheasant drops dead. A koel changes its song and the common crane rises up excitedly.⁴⁴³ It will excite a Indian peafowl and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.⁴⁴⁴ The bull sheds tears and the monkey releases excrement.⁴⁴⁵
- Vapour rising from tainted food gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache.
- 35, 36cd In such a case, an errhine and a collyrium that are costus, ??, spikenard and honey (*madhus*);⁴⁴⁷ a paste of sandalwood on the heart may also

⁴⁴³ The verb अर्च्छित "rises up" is a rare form best known from epic Sanskrit (see Oberlies 2003: 212, §7.6.1). The transmitted form क्रोञ्च is obviously a colloquial version of Sanskrit क्रोञ्च. Commenting on 1.7.10 (Su 1938: 31), Dalhaṇa interestingly gave the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kāṇyakubja. For क्रोञ्च he said that people pronounce it कुरञ्ज and कोंचि. The form कोञ्च is found in Pāli (see Cone 2001: 731, who notes that Ardhamāgadhī has the same form). Elsewhere, Dalhaṇa called the bird क्रोञ्चिर, क्रोञ्चि, and कैचर (1.46.105 (Su 1938: 223), 6.31.154 (Su 1938: 684) and (6.58.44 (Su 1938: 790) respectively).

⁴⁴⁴ Dalhana seemed confused about the racket-tailed drongo (bhṛṅgarāja). He called it a generic drongo (भ्रमरक), a word that can also mean "bee" (Dave 1985: 62), and then he said that it is like the black drongo (dhūmyāṭa) (for a nice explanation of this name, see Dave 1985: 62–63) and that people call it "the king of birds."

⁴⁴⁵ MS Kathmandu KL 699 reads "bull (*vṛṣabha*)" for "chital deer (*pṛṣata*)." The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS Kathmandu KL 699 is hard to read at this point.

^{446 &}quot;Tainted" translates उपक्षिप्त. The word's semantic field includes "to hurl, throw against," and especially "to insult verbally, insinuate, accuse." The commentator Dalhaṇa glossed the term as, "spoiled food given to be eaten" (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read "उखाक्षिप्त" or "thrown into a pan." Other translators have commonly translated it as "served," perhaps influenced by Dalhaṇa's "given (दत्त)."

⁴⁴⁷ The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.

- provide relief.448
- 37 Held in the hand, it makes the hand burn, and the nails fall out. In such a case, the ointment (*pralepa*) is beautyberry, velvet-mite, soma and blue water-lily.⁴⁴⁹
- If he eats that food, through inattention or by mistake, then his tongue will feel like a pebble $(a \not= t h \bar{t} l \bar{a})$ and it will lose its sense of taste. It stings and burns, and his saliva $(\acute{s} l e \not= man)$ dribbles out. 450 In such a case, he should apply the treatment recommended above for vapour $(b \bar{a} \not= pa)$, and what will be stated below under "toothbrush twigs". 451
 - On reaching his stomach, it causes stupor $(m\bar{u}rcch\bar{a})$, vomiting, the hair stands on end, there is distension, a burning feeling and an impairment of the senses.⁴⁵²
 - 448 Singhal et al. (1972–82: 350) discussed the difficulties in identifying लामज्ज, a plant cited more often in the *Suśrutasaṃhitā* than in the *Carakasaṃhitā*; Dalhaṇa adopted the common view that it is a type of *uśīra* or vetiver grass. The grammatical neuter form मधुस् "sweetness" of the Nepalese manuscripts is less common than neuter मधु "honey, sweetness, liquorice."
 - 449 "Beautyberry" (Callicarpa macrophylla Vahl.) is one identification of श्यामा, but vaidyas and commentators have different ideas about the plant's identity (see glossary). On translating इन्द्रगोप as "velvet-mite," see Lienhard 1978. Dalhana's remarks show that he had a reading इन्द्रागोपा before him, and he tries to explain इन्द्रा and गोपा as separate plants. But he also says that some people read इन्द्रगोप. Dalhana curiously parsed the name सोमा (f.) out of the compound; this feminine noun is almost unknown to Ayurvedic literature. Some dictionaries and commentators consider it a synonym for गुडूची, others for ब्राह्मी or चन्द्रतरु. Dalhana also mentioned that some people think the word refers to the soma creeper (सोमलता), which might explain his choice to take the word as feminine. But the compounded word is far more likely to be सोम (m.), the well-known mystery plant (see Wujastyk 2003b: 76–78, 125). If this can be taken as rue (Ruta graveolens, L.), as some assert, one can point to a pleasing passage in Dioscorides where rue plays an antitoxic role: "...it is a counterpoison of serpents, the stinging of Scorpions, Bees, Hornets and Wasps; and it is reported that if a man be anointed with the juice of the Rue, these will not hurt him; and that the serpent is driven away at the smell thereof when it is burned; insomuch that when the weasel is to fight with the serpent she armeth herself by eating Rue, against the might of the serpent" (cited from Potter: 262; not found in Osbaldeston and Wood 2000).
 - 450 The word अष्ठीला is normally feminine. The Nepalese manuscripts read it with a short अ- ending. Gayadāsa noticed that some manuscripts read अष्ठील with a short -अ ending (MS Bikaner RORI 5157, f. 5v:7–8) and Dalhana reproduced his observation. The vulgate reading चास्यात् "and from his mouth" is more obvious (*lectio facilior*), but is not attested in the Nepalese manuscripts.
 - 451 Poisoned toothbrushes are discussed in verses 48 ff. below.
 - 452 I translate मुर्च्छा in the light of the metaphors discussed by Meulenbeld (2011), that

- In this case, vomiting must quickly be induced using the fruits of emetic nut, gourd, red gourd, and ??, taken with milk and watered buttermilk, or alternatively with rice-water.
- Reaching the intestines ($pakv\bar{a}\acute{s}aya$), it causes a burning feeling, stupor, diarrhoea, thirst, impairment of the senses, flatulence ($\bar{a}\rlap{t}opa$) and it makes him pallid and thin.
- In such a case, purgation with the fruit of indigo $(n\bar{\imath}l\bar{\imath})$, together with ghee, is best. And 'slow-acting poison antidote $(d\bar{\imath}s\bar{\imath}vis\bar{\imath}ari)$ ' should be drunk with honey and curds (dadhi).⁴⁵³
- When poison is in any liquid substances such as milk, wine or water, there are various streaks, and foam and bubbles form.
- And no reflections are visible or, however, if they can be seen once more, they are distorted, fractured, or tenuous and distorted too.⁴⁵⁴
- Vegetables, soups, food and meat are soggy and tasteless. They seem to go stale suddenly, and they have no aroma.
- 47 All edibles lack aroma, colour or taste. Ripe fruits rapidly rot $(pra\sqrt{kuth})$ and unripe ones ripen.⁴⁵⁵
- 48 When a toothbrush twig has poison on it, the bristles are corroded and the flesh of the tongue, gums and lips swells up. 456
- Then, once his swelling is lanced, one should rub (*pratisāraṇa*) it with fire-flame bush flowers jambul, mango stones and chebulic myrobalan fruit mixed with honey.⁴⁵⁷
- 50 Alternatively, the rubbing (*pratisāraṇa*) can be done with either the roots of sage-leaved alangium, the bark of blackboard tree or siris

I'm still unhappy about this verse.

Mention this in the introduction as an example of the scribe knowing the vulgate.

fn about sadyas+

include thickening and losing consciousness.

⁴⁵³ The 'slow-acting poison' is discussed at 5.2.25 ff. (Su 1938: 565).

⁴⁵⁴ Both Nepalese witnesses read विकृत (distorted) twice, which is tautologous. In the first occurrence both read विकृता without proper termination. One might read the sandhi in the second occurrence as or not distorted (vāvikṛtā), but this gives no better sense. The scribe of MS Kathmandu NAK 5-333, apparently the original hand, added in the margin the alternate reading "double (yamalā)" as in the vulgate. Perhaps the scribe too was troubled by the tautology. It is also evidence that he was aware of a witness with variant readings similar to the vulgate. We emend for grammar but retain the lectio difficilior.

⁴⁵⁵ The root $\sqrt{3}$ পু "stink, putrify, rot" is apparently known only from its few uses in the $Su\'{s}rutasamhit\bar{a}$.

⁴⁵⁶ Gayadāsa and Dalhaṇa pointed out that "tooth socket (दन्तवेष्ट)" and "gum (दन्तमांस)" have the same meaning (2.16.14–26 (Su 1938: 331–332)).

⁴⁵⁷ This recipe is different from the vulgate.

seeds.458

One should give advice about a poisoned tongue-scraper or mouthwash (*kavala*) in the same way as for a toothbrush twig.

- 51cd Massage oil that has been laced with poison is slimy, thick and discoloured.
 - When the massage oil has been contaminated with poison, boils arise, pain, a discharge $(sr\bar{a}va)$, inflammation of the skin, and sweating. And the flesh splits open.
- 53–54 In such a case, sandalwood, crape jasmine, costus, and vetiver, bamboo leaves, heart-leaved moonseed and heart-leaved moonseed, white clitoria, sacred lotus, and Indian barberry should be made into an ointment (*anulepana*) for the patient, who has been sprinkled with cold water. That is also recommended as a drink with the juice and leaves of wood-apple.⁴⁶⁰
 - In the case of a dry rub (*utsādana*), a shower (*parīṣeka*), an infusion, a massage ointment (*anulepana*), or in beds, clothes, or armour, the physician should understand that it is the same as for oil massage (*abhy-aṅga*).⁴⁶¹
- When a comb has poison in it, the hair falls out, the head aches and blood oozes from the follicles (*kha*) and lumps (*granthi*) appear on the head. In such a case, one should repeatedly apply an ointment of black earth soaked with bear's bile, ⁴⁶² ghee, beautyberry, ⁴⁶³ black creeper, and amaranth. Good alternatives are either the fluid extract of cowdung, or the juice of royal jasmine, the juice of purging nut tree, or household soot. ⁴⁶⁴



⁴⁵⁸ The spelling of the name अङ्कोल varies अङ्कोट, अङ्कोठ, अङ्कोल (GVDB: 5); Dalhaṇa noted that the form अङ्कोल is a colloquialism (1.37.12 (Su 1938: 161)). The sentence is awkward and we have emended হিথিমামক to be a plural, as in the vulgate, rather than the ablative singular of the Nepalese witnesses. We follow Dalhaṇa in interpreting the compound to refer to the distinctive bean-like siris seeds, rather than to mung beans (5.1.50 (Su 1938: 562)).

⁴⁵⁹ The feminine स्फोटा for "boils" is unattested.

⁴⁶⁰ This compound could be interpreted as "wood apple juice and malabathrum." Note that this recipe is differs from that of the vulgate, which requires urine.

⁴⁶¹ See verse 52 above.

⁴⁶² Dalhaṇa comments here that 'bile is that fluid which goes along inside the tube attached to the liver' (कालखण्डलग्रनलिकामध्यगतजलं पित्तम्) 5.1.57 (Su 1938: 562).

⁴⁶³ See note 449.

⁴⁶⁴ The plant identifications in this passage follow Dalhana's glosses, although he noted

- If either massage oil for the head, or a helmet for the head, in a wash, turban, or garlands that are contaminated with poison, then one should treat it in the same way as a comb.
- 60–61 When face make-up is poisoned, the face becomes dark and has the symptoms found with poisoned massage oil. It is covered with spots (kaṇṭaka) that are like lotus-spots (padminīkaṇṭaka).⁴⁶⁵ In this case, the drink is honey and ghee, and the ointment (pralepa) is sandalwood with ghee, curds, honey, verbena, scarlet mallow and hogweed.⁴⁶⁶

punarṇṇavā in the N & K MSS

- 62–63ab Elephants and the like become ill and they dribble saliva. And the rider gets spots (*sphoṭa*) and a discharge on his scrotum, penis, and rectum. In this case, one prescribes the same therapy as for poisoned massage
- 63cd–65ab When there is poison in snuff (*nasya*) or smoke, the symptom (*linga*) is blood coming out of the apertures of the head (*kha*), a headache, a flow of mucus (*kapha*) and impairment of the senses.

oil for both the rider and the mount.

traditional for face make-up.

In such a case, ghee of cows etc., boiled up with their milk and Indian aconite, is prescribed, with henna, as a cold drink or errhine.

65cd–66 Flowers lose their fragrance and colour, and wilt. On smelling them, he gets a headache and his eyes fill with water. In this case, the treatment is what was proposed above for vapour (bāṣpa) and that which is

67–68 When it is in ear-oil, there is degeneration in the ear, and painful swelling. There is also a discharge from the ear and in such a case it needs to be irrigated (*pratipūraṇa*) promptly with ghee and honey. Extracted juice (*svarasa*) of wild asparagus and very cold juice of white cutch tree are also recommended as something good.⁴⁶⁷

explain more

a difference of opinion on the identity of purging nut tree (lit. "mouse-ear").

467 The syntax of the Nepalese version is slightly unclear, but the vulgate has smoothed

The expression धूमो वागारसंज्ञितः '...or the smoke termed "house" ' is commonly interpreted by translators and in Ayurvedic dictionaries as 'household soot,' and this does seem to be the meaning, in context. The term was comprehensively discussed by Meulenbeld (2008b: 443). Cf. note 566, p. 169.

⁴⁶⁵ See the description of this condition at 2.13.40 (Su 1938: 323), where the skin on the face is characterized as having pale circular patches that are itchy and have spots.

⁴⁶⁶ The common plant-name पुनर्नवा is read as पुनर्णवा in both Nepalese witnesses. This unusual form is technically-speaking legal according to Pāṇini 8.4.3, but is not attested in published texts. पुनर्णवा is found rarely in some other Nepalese manuscripts such as the *Brahmayāmala* (a.k.a. *Picumata*, 44.81, transcription thanks to Shaman Hatley), and elsewhere (e.g., in Gaṇapatiśāstrī 1920–25: 20, where it is the name of a constellation.

69 When poison is mixed in with eye make-up (añjana), he gets tears and rheum (upadeha), with a burning feeling, pain, faulty vision (dṛṣtivibhrama), and possibly even blindness.⁴⁶⁸

70–71 In this case, one must immediately drink ghee and have it also in an eyewash (*tarpaṇa*) with long pepper. One should have an eye ointment (*añjana*) of the juice of periploca of the woods and have the extract (*niryāsa*) of three-leaved caper, wood-apple and periploca of the woods and the flower of marking-nut tree.

Because of poisoned slippers there will definitely be a swelling, numbness $(sv\bar{a}pa)$, a discharge $(sr\bar{a}va)$ and an outbreak of spots (spho!a) on the feet. One should clean $(pra\sqrt{s\bar{a}dh})$ footstools together with slippers.

Ornaments lose their lustre, and they do not shine as they used to. They damage their respective locations with burning, sepsis $(p\bar{a}ka)$, and fissuring $(avad\bar{a}rana)$.⁴⁶⁹

One should apply the stated procedure for massage oil (*abhyaṅga*) to poisoned slippers and ornaments.

- 75cd–76 In the case of the affliction (*upasarga*) by poison which has been described above, starting from 'vapour' and ending with 'ornaments,' the physician should observe the side-effects (*upadrava*) and then prescribe the therapy called the Great Fragrance (*mahāsugandha*) antidote, which I shall describe.⁴⁷⁰
- 77–78ab He should prescribe it in drinks, liniments ($\bar{a}lepana$), errhines (nasya), and in eye ointment ($a\tilde{n}jana$). Also, he should use sharp purgatives and emetics. If bleeding is present, he should have the indicated veins pierced.
- 78cd–79ab If either purging nut or a fern is tied on to the King's wrist, then all food that is mixed with poison will be rendered free of poison.⁴⁷¹

out the difficulties.

- 468 The term translated as "faulty vision" could also mean "rolling eyes." "Eye make-up" is normally made of Indian barberry.
- 469 The reading अवदारुण in MS Kathmandu KL 699 is not attested elsewhere in Sanskrit literature. On "sepsis" for पाक, see Wujastyk 2003b: xlv–xlvi.
- 470 This antidote is indeed described later, in dramatic terms, at 5.6.14–27 (Su 1938: 581). A recipe with eighty-five ingredients including cow's bile, it is praised as chief of all antidotes, one that can drag the patient back from the very jaws of death, from even the poisonous fangs of Vāsuki. A useful survery of the meanings of उप्सर्ग ("affliction") was given by HIML: IB, 332
- 471 In early Ayurvedic literature, the plant अजरुहा is mentioned only here and its identity is unknown. It may be a fern of the Nephrodium family, according to T. B. Singh and

Medical difference from Sharma.

example where the vulgate clarifies that these should be used separately; appears to be a gloss inserted into the vulgate text.

The two
uses of
prāpta are
hard to
translate.
prāptāh — kṣipram
is an example of
the vulgate
banalizing
the Sanskrit text to
make sense
of a difficult passage.

√ vyadh not √ vedh (also elsewhere and for the ears), causative optative.

- 79cd–80 He should always guard his heart when amongst people who are not his friends. 472 Before eating, he should drink the kinds of ghee called "Invincible" and "Immortal". 473 He should drink ghee (sarpiṣ), honey, curds (dadhi), milk (payas), or cold water.
 - 81 He should consume monitor lizard, peacock, mongoose, chital deer, and blackbuck too, that destroy poison, and their juices.
 - 82 As discerning person should add well-crushed black creeper,⁴⁷⁴ liquorice, and sugar to the meats of Indian monitor lizard, mongoose and blackbuck too.
 - 83 Add sugar and Indian aconite to peacock flesh, together with ginger. And for meat from a chital deer, he should add long pepper, with ginger.
 - 84ab A cold neem broth with honey and ghee is wholesome too.
 - 84cd A discerning person should partake of hard and soft foods that counteract poison.⁴⁷⁵
 - 85 If poison might have been drunk, a person who has protected his heart should make himself vomit using long pepper, liquorice, honey, sugar, sugar cane juice, and water.

The first chapter in the Kalpas.

Chunekar (GVDB:7). Dalhaṇa, on 5.1.78 (Su 1938: 563), cited a description of the two plants from the little-known authority Uśanas (HIML: IA, 660 et passim) who described স্থাবছা as a white root with spots on it that looks like collyrium when it is split; when drunk with sandalwood it causes poison to be digested.

⁴⁷² The Carakasaṃhitā described "protecting the heart" (हृदयावरण) as drinking several sweet, oily drinks to surround the heart and keep it safe (6.23.46 (Ca 1941: 574)). Dalhaṇa on 5.1.79–81 (Su 1938: 563) explained it as taking a number of anti-toxic medicines, including those listed in the present passage, in order to cover or hide (प्रच्छादन) the heart. Note that the Nepalese version reads the opposite of the vulgate: one should guard one's heart when amongst enemies, not friends. This is far more logical; it is also the reading known to the 1.8.89a (As 1980: 79).

⁴⁷³ These ghee compounds are described in later chapters: see 5.2.47–49 (Su 1938: 566) and 5.6.13 (Su 1938: 581).

⁴⁷⁴ Dalhana on 5.1.82 (Su 1938: 563) equated this with turpeth.

⁴⁷⁵ On this expression, see Yagi 1994.

Kalpasthāna 2: Poisonous Plants

Introduction

This section begins with several lists of poisonous plants. The Sanskrit names for these plants are mostly not standard or familiar from anywhere in Sanskrit or ethnobotanical literature. It remains a historical puzzle why these particular names are so difficult to interpret. However, we are not the first to encounter these difficulties.

In the eleventh century, Cakrapāṇidatta commentated on a similar list of poisons in the $Carakasaṃhit\bar{a}$, and referred to the $Su\acute{srutasaṃhit\bar{a}}$ on the topic. ⁴⁷⁶ He also noted that,

In assigning the names to these plants, the main authorities are the Kirātas and Śabaras, who know about these things because they can explain these matters on the basis of a succession of teachers.⁴⁷⁷

About a century later, the learned commentator on the *Suśrutasaṃhitā*, Dalhaṇa, remarked,

In spite of having made the greatest effort, it has been impossible to identify these plants. In the Himalayan regions, Kirātas and Śabaras are able to identify them.⁴⁷⁸

From the view of Sanskrit authors, Kirātas and Śabaras were tribal peoples.⁴⁷⁹

```
476 Cakrapāṇidatta on 6.23.11 (Su 1939: 571).
477 Cakrapāṇidatta on Carakasaṃhitā 6.23.11 (Su 1938: 571).
478 After Suśrutasaṃhitā, kalpasthāna 2.5 (Su 1938: 564).
479 Both communities are mentioned in Sanskrit literature from antiquity. The Kirātas
```

Interestingly, the author Bhikṣu Govinda (tenth or eleventh century), cast his alchemical treatise as a dialogue with a Kirāta king called Madana who was a master of the alchemical art.⁴⁸⁰ So there was an awareness amongst Sanskrit medical and alchemical authors of that period that socially different populations were a source of specialized knowledge in these domains, and the Sanskrit authors were open to these sources and indeed depended on them.

Dalhaṇa also recorded variant readings of these poison names from the manuscripts that he consulted of the lost commentary of Gayadāsa (fl. c. ce 1000). The identities of these poisons have thus been in doubt for at least a thousand years.⁴⁸¹ Firm identification has in many cases been equally impossible for us today.

One path for exploration in this situation is to attempt to reverse-engineer some identifications by considering the known toxic plants of India. 482

Shock

An important new topic introduced in this chapter (34–39) is that of "toxic shock" (*vega*). When a patient has been poisoned, the effect of the toxin is expressed in their body in seven waves or pulses, *vegas*. At each stage, symptoms are slightly different and a different therapeutic regime is prescribed (40–44).

The Sanskrit term *vega* has a range of uses, from "impulse" to "urge, jerk, rush, speed," or "impetus." It appears in the well-known passage in

are associated especially with Eastern Nepal, the Himalayan and north-eastern regions of South Asia, while the Śabara people are mainly associated with Odisha and West Bengal. Representative studies on these communities include Elwin (1955), Roy (1970), Chatterji (1974), G. P. Singh (1990), Subba (1999), G. P. Singh (2008), and R. Rai (2019).

⁴⁸⁰ HIML: IIA, 620.

⁴⁸¹ See Wujastyk 2003*b*: 80–81.

⁴⁸² Valuable reference sources on Indian plant toxicology in general include Pillay 2013: chs. 10, 11 and Barceloux 2008: parts 1.II, 3 and 4. More generally Bown (NEH: 41 et passim) comments usefully of herbs in general that "it goes without saying that if they can do good, they must contain substances that in excess can poison."

Introduction 151

the *Carakasaṃhitā* about avoiding illness not ignoring or suppressing "natural urges," *vegas*, such as the desire to urinate.⁴⁸³

According to the author of the $A\underline{s}t\bar{a}ngasangraha$, \bar{A} lambāyana was the ancient authority who declared that the seven pulses (vega) of toxic shocks affect, successively, the seven substrata ($\bar{a}sraya$) of the body, from blood to semen, and Dhanvantari originated the idea that this applied to victims of snake-bite.

The commentator Indu (fl. 1000–1150) cited verses by $\bar{\text{A}}$ lambāyana asserting that the pipes in the body carry poison to the heart, but that the heart can be protected by ghee. ⁴⁸⁵

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁴⁸⁶

⁴⁸³ See *Carakasaṃhitā* 1.7 (Ca 1941: 49–55), discussed and translated in Wujastyk 2003b: 7–8, 15–17.

⁴⁸⁴ Aṣṭāṅgasaṅgraha 6.40.35a (As 1980: 844): सप्तेति वेगा मूर्छाद्या विदेहपतिना स्मृताः ॥३४ ॥ रक्तमां-सवसास्रायु तथाऽस्थ्याद्यास्त्रयः क्रमात् । आश्रयाः सप्त सप्तानामित्यालम्बायनोऽब्रवीत् ॥३५ ॥. The following verse named Dhanvantari as the originator of the idea that toxic pulses are experienced specifically by a person bitten by a snake (वेगान्धन्वन्तरिस्तद्वत्सर्पदष्टस्य मन्यते । 36ab). The commentator Indu noted that Dhanvantari was the teacher of Suśruta, i.e., that "Dhanvantari" was shorthand for Suśrutasaṃhitā. On Ālambāyana, see p. 202, note 697.

⁴⁸⁵ Aṣṭāṅgasaṅgraha 6.40.60a (As 1980): याः सिराः सर्वगात्रेषु हृदये सम्प्रतिष्ठिताः| ताभिरस्य विषं सर्वं हृदयं सम्प्रधावति ॥ घृतेन तु प्रतिच्छन्नं विषं नाति प्रपीडयेत् । निर्वाणजननं सर्पिः प्राणिनां प्राणवर्द्धनम् ॥ हृदयावरणास्तद्भद्धक्ष्या भोज्याश्च सागदाः॥

⁴⁸⁶ HIML: IA, 290–291.

- 1 And now I shall explain required knowledge (vijñānīya) about stationary poisons.⁴⁸⁷
- 3 It is said that there are two kinds of poisons, stationary (*sthāvara*) and mobile (*jaṅgama*). The former dwells in ten sites, the latter in sixteen places.
- 4 Traditionally, the ten are: root, leaf, fruit, flower, bark, milky sap $(k \cdot \bar{s} ira)$, pith $(s \bar{a} ra)$, resin $(n ir y \bar{a} sa)$, the elements $(dh \bar{a} tu)$, and the tuber.
- 5 In that context,
 - the eight root-poisons are:⁴⁸⁸
 - 1. liquorice (?),⁴⁸⁹
 - 2. sweet-scented oleander,⁴⁹⁰
 - 3. jequirity,⁴⁹¹
 - 4. false daisy,⁴⁹²
 - 5. emetic nut (?),⁴⁹³ and ending with
 - 6. leadwort, 494
- 487 No reference is made to Dhanvantari (see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021). "Stationary" here is a term contrasted with "moving," and signifies plants as opposed to animals and insects.
- 488 Some South Asian plants with poisonous roots that we would expect to see in this list include *Croton tiglium*, L., *Calotropis* spp., *Citrullus colocynthus* L. Schrad., and *Ricinus communis* L. (CIPP).
- 489 Liquorice eaten in excess can be poisonous, but it is unlikely to be the plant intended here. T. B. Singh and Chunekar (GVDB: 124) noted that the poisonous root mentioned in this passage, "remains to be identified."
- 490 The roots of sweet-scented oleander are highly toxic, as are most parts of the plant (Pillay and Sasidharan 2019).
- 491 Jequirity contains a dangerous toxin called Abrin in its seeds and to a lesser extent in its leaves, but apparently not in its roots or bulb. Abrin is not harmful if eaten, but an infusion of the bruised (not boiled) seeds injected or rubbed in the eyes can be fatal (NK: # 6). The dose can be quite small.
- 492 The plant is usually called just *bhangurā* without the prefix *su-* "good." However, there is no reported toxicity associated with *E. prostrata*. The vulgate reads सुगन्धा (snakeroot).
- 493 This poisonous root cannot at present be securely identified. Similar-sounding candidates include <code>karkaṭaka</code>, <code>karahāṭa</code> (emetic nut), and <code>karaghāṭa</code>, but since this is a prose passage, there would be no reason to alter the word to fit a metre. Monier-Williams et al. (MW: 255) cite an unknown lexical source that equates <code>karaṭa</code> (mn.) with safflower (<code>Carthamus tinctorius</code>, L.), but this plant does not have a poisonous root.
- 494 The roots of both rose and white leadwort are very toxic.

- 7. country sarsaparilla (?),⁴⁹⁵ and 8. medhshingi,⁴⁹⁶
- the leaf-poisons include:
 - aconite leaf (?),
 - drum-giver (?),
 - thorn apple, and
 - big thorn apple;
- the fruits of items like: jequirity, marking-nut tree, and poison-altar (?) are
 - water snowflake (?),
 - pollen (?),
 - bluebell barleria,
 - unknown fruit poison,
 - thorn apple
 - big thorn apple (?)
 - spurge (?),
 - crow (?),
- the flower-poisons include those of:
 - musk mallow,
 - Indian fumitory,⁴⁹⁷
 - thorn apple, and
 - big thorn apple (?).
- 495 The text reads masculine *ananta*, which is not a plant name. Gayī's commentary on 5.2.5 (Su 1938: 564) noted a variant reading of feminine *anantā* in place of *gargaraka*, earlier in the compound. But the feminine *anantā*, country sarsaparilla, is not a poisonous plant.
- 496 Meulenbeld (1989: 61, n. 3) argued that our text reads a masculine or neuter noun *vijaya*, which never signifies cannabis. However, unlike the vulgate, the unanimous readings of the Nepalese manuscripts give feminine *vijayā*. Nevertheless, even the feminine form only started to signify *Cannabis sativa* L. after the end of the first millennium (Meulenbeld 1989; Wujastyk 2002; McHugh 2021). The *Sauśrutanighanṭu* gives a number of synonyms for *vijayā*, almost none of which have any poisonous parts (Suvedī and Tīvārī 2000: 5.77, 10.143). But one of them, *viṣāṇī* (also *meṣaśṛṅgī*), is sometimes equated with *Dolichandrone falcata* (*DC*.) *Seemann* (ADPS: 518), a plant used as an abortifacient and fish poison (NK: #862). This identification is tenuous.
- 497 रेणु and रेणुक ।का are different plants. MS K reads the first; the scribe of MS H added an additional -क in the margin.

- the bark, pith $(s\bar{a}ra)$ and resin $(niry\bar{a}sa)$ of:
 - gourd,
 - emetic nut,
 - thorn apple, and
 - munj grass;
- the milky sap (*kṣīra*) of:
 - water snowflake (?),⁴⁹⁸
 - red physic nut,
 - oleander spurge, and
 - luffa
- the mineral $(dh\bar{a}tu)$ poisons include:⁴⁹⁹
 - orpiment,
 - cuttle-fish bone (?),
 - ashes, and
 - vermilion.⁵⁰⁰
- the tubers poisons are:
 - jequirity,
 - Indian aconite,
 - Indian mustard,
 - leadwort,
 - muddy (?),
 - 'Virāţa's plant',
 - nutgrass,
 - atis root,
 - long-stamen Wendlandia (?),
 - radish,
 - 'alas, alas' (?),
 - big poison (?), and
 - galls (?)

⁴⁹⁸ While the identity of this plant is uncertain, the Nepalese version of the *Suśrutasaṃhitā* does not present the hopeless problem of the vulgate's reading कुमुदग्नी.

⁴⁹⁹ These identifications are more than usually uncertain. Note that the vulgate text specifies that there are two mineral poisons.

⁵⁰⁰ If this identification as vermilion (cinnabar) is correct, it is an unexpectedly early mention of the substance.

The effects of poisons

Symptoms of root poisoning

7–10 People should know that root-poisons cause writhing (udvestana), ranting (pralapa), and delirium (moha), and leaf-poisons cause yawning, writhing, and wheezing ($\dot{s}vasa$).

Fruit-poisons cause swelling of the scrotum, a burning feeling and writhing. Flower-poisons will cause vomiting, distension ($\bar{a}dhm\bar{a}na$) and sleep ($sv\bar{a}pa$).

The consumption of poisons from bark, pith $(s\bar{a}ra)$ and resin $(niry\bar{a}sa)$ will cause foul breath, hoarseness $(p\bar{a}ru\bar{s}ya)$, a headache, and a discharge of phlegm (kapha).⁵⁰¹

The milky sap $(k \circ \bar{\imath} ra)$ -poisons make one froth at the mouth, cause loose stool, and make the tongue feel heavy.⁵⁰² The element $(dh \bar{a} tu)$ -poisons give one a crushing pain in the chest, make one faint and cause a burning feeling on the palate.

These poisons are classified as ones which are generally speaking lethal after a period of time.

11-17 Symptoms of tuber poisoning

The tuber-poisons, though, are severe. I shall talk about them in detail.⁵⁰³

With jequirity, there is numbness and very severe trembling.

With Indian aconite, there is rigidity of the neck, and the faeces, and urine become yellow.

With marking nut tree (?), the wind becomes defective $(v\bar{a}tavaigunya)$, there is constipation $(\bar{a}n\bar{a}ha)$, and lumps (granthi) start to appear.

With leadwort, there is weakness in the neck, and speech gets jumbled.⁵⁰⁴

⁵⁰¹ At 1.2.6 (Su 1938: 11), Dalhaṇa glossed hoarseness (*pāruṣya*) as *vāgrūkṣatā*, "a rough, dry voice."

⁵⁰² At 6.54.10 (Su 1938: 773), Dalhaṇa glossed loose stool (viḍbheda) as dravapurīṣatā, "having liquid stool."

⁵⁰³ See Dalhana's comments on the impossibility of identifying the following plants, p. 149 above.

⁵⁰⁴ The verse in the Nepalese version ends with a plural verb that does not agree with the dual of the sentence subject.

With the one called muddy (?), there is a discharge (*praseka*), the faeces pour out, and the eyes turn yellow.

The 'Virāṭa's plant' (vairāṭaka) causes pain in the body and illness in the head.

Paralysis of one's arms and legs and trembling are said to be caused by nutgrass. ⁵⁰⁵

- 15b With big poison (?), one's limbs grow weak, there is a burning feeling and swelling of the belly. 506
- 16a With white lotus, one's eyes go red, and one's belly becomes distended. 507
- 16b With radish, one's body is drained of colour and the limbs are paralysed. 508
- 17a With 'alas, alas' (?), a man turns a dark colour (*dhyāma*), and gasps.⁵⁰⁹
- 17b With atis root one gets violent knots (*granthi*) and stabbing pains in the heart.⁵¹⁰
- 18a With monkey (?), one leaps up, laughs, and bites.
- Experts have said that one should know that the thirteen highly potent tuber-poisons, which are mentioned here, have ten qualities (*guṇa*).
- 19b–20a The ten are:

505 The substitution in MS NAK 5-333 affecting 15cd is caused by an eye-skip to the word *viṣeṇa* in 2.17.

Mustaka commonly refers to Cyperus rotundus, L.; the root is used in \bar{a} yurveda but is not poisonous. However other dictionaries list mustaka amongst serious poisons, for example $R\bar{a}$ janighanṭu (22 v. 42) and Rasaratnasamuccaya 16, v. 80. However, its ancient identity is still doubtful.

- 506 The poisonous root big poison (?) (*mahāviṣa*) is not clearly identifiable, although *viṣā* is commonly aconite. Verse 6 above notes that there are several kinds of aconite.
- 507 The word <code>pundarīka</code> very commonly means white lotus. The entire plant is edible and cannot be the poison intended here. T. B. Singh and Chunekar (GVDB: 252) noted that this poison is unidentified and that it is also listed as a poison in <code>Carakasaṃhitāci.23.12</code>.
- 508 The word *mūlaka* very commonly means the radish, *Raphanus sativus*, L. The root is edible and cannot be the poison intended here. T. B. Singh and Chunekar (GVDB: 317) noted that this poison is unidentified.
- 509 Identification of *hālāhala* is uncertain. It may simply be a mythical poison, or its specific identity may have been lost over the centuries. Late *nighaṇṭu*s identify it as *stomaka* = *vatsanābha*, i.e., *Aconitum napellus*, L. (*Soḍhalanighaṇṭu* p. 43). Dalhaṇa on 5.2.17 (Su 1938: 564) interpreted our "gasps" as "the man laughs and
 - grinds his teeth." But this gloss is probably displaced and intended to apply to verse 2.18.
- 510 T. B. Singh and Chunekar (GVDB: 407) noted that *vatsanābha* and *śṛṅgīviṣa* are two different varieties of poisonous Aconites that are difficult to distinguish.

Look up the ca. reference.

- dry (rūkṣa),
- hot,
- sharp,
- rarefied (sūksma),
- fast-acting,
- pervasive (vyavāyin),
- expansive (*vikāsin*),
- limpid (viśada),
- light, and
- indigestible.
- Because of dryness, it may cause inflammation of the wind; because of heat it inflames the choler and blood. Because of the sharpness it unhinges the mind, and it cuts through the connections with the sensitive points (*marman*). Because it is rarified it can infiltrate and distort the parts of the body.⁵¹¹
- Because it is fast-acting it kills quickly, and because of its pervasiveness it affects one's whole physical constitution (prakrti).⁵¹² Because of its expansiveness it enters into the humour (doṣa)s, bodily constituents $(dh\bar{a}tu)$ s, and even the impurities. Because it is limpid it overflows, and because it is light it is difficult to treat. Because it is indigestible it is hard to eliminate. Therefore, it causes suffering for a long time.
- Any poison that is instantly lethal, whether it be stationary, mobile, or artificial, will be known to have all ten of these qualities.

Slow-acting poison

A poison that is old or destroyed by anti-toxic medicines, or else dried up by blazing fire, wind, or sunshine, or which has just spontaneously lost its features, 513 becomes a slow-acting poison $(d\bar{u}_{\bar{s}}\bar{v}vi_{\bar{s}}a)$. Because it has lost its potency it is no longer perceived. Because it is surrounded by phlegm (kapha) it has an aftermath that lasts for a very long time.

⁵¹¹ We read the active *vikaroti* with Dalhana against the transmitted passive *vikriyeta*, since it must be the parts of the body that are distorted, not the poison.

⁵¹² Dalhaṇa on 5.2.22 (Su 1938: 565) explained this as "takes the form of pervading the whole body (akhiladehavyāptirūpam)."

⁵¹³ Dalhana specified that this refers to the ten qualities that are mentioned above (5.2.26 (Su 1938: 565)).

⁵¹⁴ Palhaṇa cited this verse at 1.46.83 (Su 1938: 222) while explaining dūṣīviṣa (see p. 159.

- 27 If he is suffering from this, the colour of his stools changes, he gets a sour, bad taste and is very thirsty. Speaking nonsensically and close to death, wandering about, he may feel faint, giddy, and aroused.⁵¹⁵
- If it lodges in his stomach (āmāśaya), he becomes sick because of wind and phlegm; if it lodges in his intestines (pakvāśaya), he becomes sick because of wind and choler. A man's hair and limbs fall away and he looks like a bird whose wings have been chopped off.
- 29a–c If it lodges in one of the body tissues such as chyle (*rasa*), it causes the diseases arising from the body tissues, that have been said to be wrong.⁵¹⁶ and it rapidly becomes inflamed on days that are nasty because of cold and wind.
- 29d–31 Listen to its initial symptoms (*liṅga*): it causes heaviness due to sleep, yawning, disjunction (*viśleṣa*) and horripilation (*harṣa*) and a bruising of the limbs (*aṅgamarda*).⁵¹⁷ Next, it causes intoxication from food (*annamada*) and indigestion, loss of appetite (*arocaka*), the condition of having a skin disease (*koṭha*) with round blotches (*maṇḍala*),⁵¹⁸ dwindling away (*kṣaya*) of flesh, swelling of the feet, hands, and face, the fever called *pralepaka*, vomiting and diarrhoea.⁵¹⁹ The slow-acting poison might cause wheezing, thirst and fever, and it might also cause distension of the abdomen.
 - These various disorders are of many different types: one poison may produce madness, while another one may cause constipation $(\bar{a}n\bar{a}ha)$, and yet another may ruin the semen. One may cause emaciation, while another pallid skin disease (kustha).
 - Something is "corrupted" by repetitively keeping to bad locations, times, foods, and sleeping in the daytime. Or, traditionally, "corrupting poison" (slow-acting poison $(d\bar{u}s\bar{\imath}-visa)$) is so called because it may corrupt $(d\bar{u}sayet)$ the body tissue $(dh\bar{a}tu)s$.

⁵¹⁵ Similar symptoms of slow-acting poison are described at 2.7.11–13 (Su 1938: 296) in the context of contamination dropsy (*duṣyodara*). This this may explain why the vulgate inserted reference to this disease at this point.

⁵¹⁶ The expression *ayathāyathoktān* "stated to be unsuitable" is hard to understand here, but is clearly transmitted in the Nepalese version.

⁵¹⁷ Dalhaṇa 5.2.30ab (Su 1938: 565) glossed "disjunction" as the loss of function of the joints in regard to movement.

⁵¹⁸ The last ailment could perhaps be ringworm.

⁵¹⁹ The *pralepaka* fever was described by Dalhana, at 6.39.52 (Su 1938: 675), as an accumulation of phlegm in the joints. Its symptoms are described in 6.39.54

34- The stages of toxic shock

In the first shock of having taken a stationary poison, a person's tongue becomes dark brown and stiff, he grows faint, and panics.

- In the second, he trembles, feels exhausted, has a burning feeling, as well as a sore throat. When the poison reaches the stomach $(\bar{a}m\bar{a}\acute{s}aya)$, it causes pain in the chest (hrd).
- In the third, his palate goes dry, he gets violent pain (\hat{sula}) in the stomach $(\bar{a}m\bar{a}\hat{s}aya)$, and his eyes become weak, swollen and yellow.
- In the fourth shock, it causes the intestines and stomach to be exhausted $(s\bar{a}da)$, he gets hiccups, a cough, a rumbling in the gut (antra), and his head becomes heavy too.
- In the fifth he dribbles phlegm (*kapha*), goes a bad colour, his ribs crack (*parśvabheda*), all his humours are irritated, and he also has a pain in his intestines (*pakvādhāna*).
- 39a In the sixth, he loses consciousness and he completely loses control of his bowels.
- 39b In the seventh, there are breaks in his shoulders, back and loins, and he stops breathing.⁵²⁰

Remedies for the stages of slow poisoning

- In the first shock of the poison, the physician should make the man, who has vomited and been sprinkled with cold water, drink an antidote (agada) mixed with with honey and ghee.
- In the second, he should make the man who has vomited and been purged drink as before;
- on the third, drink an antidote and a beneficial nasal medicine (nasya) as well as an eye salve ($a\tilde{n}jana$).
- 42a In the fourth, the physician should make him drink an antidote that is salt with a little oil.⁵²¹
- In the fifth, he should be prescribed the antidote together with a decoction $(kv\bar{a}tha)$ of honey and liquorice.

⁵²⁰ Here at 5.2.24 (Su 1938: 566) Dalhaṇa glossed sannirodha as "complete cessation, i.e., of breath" (sannirodhaḥ samyannirodhaḥ, ucchvāsasya iti śeṣaḥ). The manuscripts all read skanda where skandha must be intended; this confusion is known from Buddhist Hybrid Sanskrit (Edgerton 1953: 2, 608).

⁵²¹ At 6.52.30 (Su 1938: 769) Dalhana noted that *sindhu* can be interpreted as salt (*saindhava*).

- In the sixth, the cure (*siddhi*) is the same as for diarrhoea. And in the seventh, he perishes.⁵²²
- In between any one of these shocks, once the above treatment has been done, he should give the patient the following cold gruel $(yav\bar{a}g\bar{u})$ together with ghee and honey, that will take away the poison.
- 45–46 A gruel (yavāgū) made of the following items in a stewed juice (niḥ-kvātha) destroys the two poisons: luffa,523 wild celery,524 velvet-leaf, sunflower,525 heart-leaved moonseed, myrobalan siris, and Indian cherry, white siris, the two kinds of turmeric,526 and the two kinds of hairy-fruited eggplant,527 hogweed, peas, the three heating spices, the
 - 522 The vulgate text here is quite different, recommending that the patient have medicated powder blown up his nose. It may be possible to detect the evolution of the Nepalese अवसीदेत् to the vulgate's अवपीड्य. The vulgate version is hard to construe, and we see Dalhana struggling to interpret it in his commentary on 5.2.43ab (Su 1938: 566). This sternutatory is, however, recommended in the Nepalese version at 5.5.30ab (Su 1938: 576), for the seventh shock of poisoning by a striped snake (rājimat). It is possible the text migrated from that location to this. Another difference at this point is that the Nepalese version also does not support the vulgate's passage on the crow's foot (kākapada) therapy (Wujastyk 2003b: 145, n. 106). The same is the case at 5.5.24 (Su 1938: 575) and the clear description at 5.5.45 (Su 1938: 577), in neither of which is the therapy supported in the Nepalese version. This therapy seems unknown to the Nepalese transmission. The therapy may have migrated into the vulgate Suśrutasaṃhitā from the Carakasaṃhitā 6.23.66–67 (Ca 1941: 574).
 - 523 At 4.10.8 (Su 1938: 449) Dalhaṇa glossed कोशवती as देवदाली and at 4.18.20 (Su 1938: 472) as कटुकोशातकी, vocabulary pointing to Cucumis cylindrica, Cucumis actangula or Luffa echinata. See glossary under ??.
 - 524 A plant often cited in *Suśrutasaṃhitā*, but rarely in *Carakasaṃhitā* (GVDB: 4). Dalhaṇa glossed it here, 5.2.45 (Su 1938: 566), as *ajamodā*, wild celery, but noted that others consider it to be *moraṭa*, rajmahal hemp. There is considerable complexity surrounding the identification of *moraṭa/mūrvā* and related synonyms (GVDB: 314-316). Taking *agnika* as a short reference to *agnimantha*, often identified as migraine tree, might be plausible, since that is antitoxic or anti-inflammatory, but such a short reference is not known elsewhere.
 - 525 At 5.2.45 (Su 1938: 566) Dalhaṇa said that this plant has leaves like the *paṭola*, pointed gourd, T. B. Singh and Chunekar (GVDB: 280, 443) argued plausibly that this is a synonym for *arkapuṣpī*, panacea twiner, as Dalhaṇa also stated in 1.45.120 (Su 1938: 206), and the leaves of Holostemma and Trichosanthes are indeed strikingly similar. The appearance of the plant, a creeper with sun-like flowers, fits the name. But there remains much controversy about the identities of these candidates (e.g., ADPS: 195–198).
 - 526 I.e., turmeric and Indian barberry.
 - 527 I.e., hairy-fruited eggplant and yellow-berried nightshade.

two kinds of Indian sarsaparilla⁵²⁸ and blue water-lily.

The Invincible Ghee

There is a famous ghee called "Invincible". It rapidly destroys all poisons but is itself unconquered. It is prepared with a mash (*kalka*) of the following plants: liquorice, crape jasmine, costus, deodar, peas, Indian madder, cardamom and cherry, cobra's saffron, blue water-lily, sugar, embelia, sandalwood, malabathrum, foxtail millet, rosha grass, the two turmerics, ⁵²⁹ the two Indian nightshades, ⁵³⁰ the two kinds of Indian sarsaparilla, ⁵³¹ beggarweed, and heart-leaf sida.

Curing the 'slow-acting' poison

- 50–52 Someone suffering from "slow-acting poison $(d\bar{u}s\bar{v}isa)$ " should be well sweated, and purged both top and bottom. Then he should be made to drink the following eminent antidote which removes "slow-acting poison:"
 - Take long pepper, rosha grass, spikenard, lodh tree, cardamom, natron, scented pavonia, red ochre, as well as gold, and pondweed.
 - This antitoxin, taken with honey, eliminates slow-acting poison. It is called the "enemy of slow-acting poison $(d\bar{u} s\bar{t} v i s\bar{a} r i)$," and it is not prohibited in other situations.
- 53–54 If there are any other side-effects (*upadrava*), such as fever, a burning feeling, hiccups, constipation (*ānāha*), depletion of the semen, distension, diarrhoea, fainting, skin problems, bellyache (*jaṭhara*), madness, trembling, then one should treat each one in its own terms, using antitoxic medicines.
 - For a prudent person, the slow-acting poison can be cured $(s\bar{a}dhya)$ immediately. It is treatable $(y\bar{a}pya)$ if it is of a year's standing. Other than this, it should be avoided for the person who eats unwholesome things.

⁵²⁸ I.e., country sarsaparilla and black creeper.

⁵²⁹ I.e., turmeric and Indian barberry.

⁵³⁰ I.e., hairy-fruited eggplant and yellow-berried nightshade.

⁵³¹ I.e., country sarsaparilla and black creeper.

Kalpasthāna 3: Poisonous Insects and Animals

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁵³²

Translation

- 1 And now we shall explain the formal procedure (*kalpa*) that is the required knowledge about mobile poisons.⁵³³
- 3 The full explanation about the sixteen carriers (*adhiṣṭhāna*) of the mobile poisons, that have been mentioned by me in brief, will be stated.⁵³⁴
- 4 In that context, they are:⁵³⁵

1. gaze

2. breath,

3. teeth,

4. nails,

5. mouth,

6. urine,

7. feces,

8. menstrual blood,

9. semen,

10. tail,

⁵³² HIML: IA, 291–292.

⁵³³ In contrast to stationary, plant poisons. No reference is made to Dhanvantari (see Birch, Wujastyk, Klebanov, Parameswaran, et al. 2021).

^{534 &}quot;Carrier" for base, foundation (*adhiṣṭhāna*) aims to capture the idea that the author will describe the creatures in which poisons inhere.

⁵³⁵ The content of this section is presented as a table, for clarity for the contemporary reader and mindful of the theoretical issues surrounding notational variation, including the "symbolic rewriting" and the modification of "expressive capacities" discussed by Sarukkai (2016: 321 ff). For further discussion, see Wujastyk 2021: 81–83.

```
11. contact with saliva,
12. nipping with the mouth 16. bile, (mukhasaṃdaṃśā),
13. fart (avaśardhita), 536
14. anus, 537
15. bones,
16. bile,
17. bristles (śūka), and
18. corpses. 538
```

5 In that context,

location of the poison	creatures ⁵³⁹		
in their breath and gaze	divine snakes		
in their fangs	the ones on earth ⁵⁴⁰		
in their nails, mouths and fangs a	cats, dogs, monkeys, men (<i>nara</i>), ⁵⁴¹ crocodiles, frogs, cook-fish insect, ⁵⁴² monitor lizards, cone snails, 'poisonous snakes' (<i>pracalāka</i>), ⁵⁴³ house geckos, ⁵⁴⁴ four-footed insects and others		
in their urine and faeces	lice (kiṭipa), 'flat insects' (picciṭā), 'orange-dwellers' (kaṣāyavāsika), 'pepper snakes' (sarṣapaka), 'angry beetles' (toṭaka), dung beetles (varcaḥkīṭa), and 'pot insects' (kauṇḍinya)		

⁵³⁶ This interpretation comes from Dalhana on 5.3.4 (Su 1938: 567), but he reads विशर्धित.

⁵³⁷ Dalhana on 5.3.4 (Su 1938: 567) noted this reading.

⁵³⁸ This list has grown in transmission by two items.

⁵³⁹ Many of these names are mere dubious placeholders.

⁵⁴⁰ Palhaṇa on 5.3.5 (Su 1938: 567) cited the otherwise unknown authority Sāvitra on the topic of poisonous snakes (HIML: IA, 377, IB 497, n. 105).

⁵⁴¹ Perhaps dittography from the previous word, monkey (*vānara*). But it is supported in both Nepalese witnesses, so it must go back to an earlier exemplar.

⁵⁴² MS KL 699 separates the words पाक and मत्स्य with a danda, indicating that the scribe thought they were separate terms (see 221).

⁵⁴³ *Arthaśāstra* 14.1.14, 23 (Olivelle 2013: 448), where it might also be a chameleon; but the latter are not venomous.

⁵⁴⁴ The scribe of MS Kathmandu NAK 5-333 noted in the margin that some of his sources read गलगोडिका, which is the name of a snake known also in the *Carakasaṃhitā* and elsewhere in literature (cf. note 240, p. ??).

location of the poison	creatures
in their semen	rats
in their stings (śūla)	scorpions, all-supports, wasps, ⁵⁴⁵ fish, crickets, and wing-scorpions
in their saliva, nails, urine, feces, blood, semen and fangs	spiders
in the bites of their mouths	flies, wasps (kaṇabha) and leeches
in the bites of their mouths, in their fangs, faces, †, farts, anuses and feces continue	'speckle-heads' (citraśīrṣa), 'lids' (śārava), 'bellied' (kukṣita), 'wood-enemies' (dārukāri), 'liquors' (medaka), and 'darts' (śārikā). continue
continue	continue

Table 3: Passage 5, expressed in tabular format.



got to here
- 2023-01
continue
with table
for #5

Pollution of the environment

- 6 The enemies of the king pollute the waters, roads and foodstuffs in enemy territory. The experienced physician, who has learned how to purify things, should clean up those polluted things.
- 7 Polluted water is slimy and smells of tears.⁵⁴⁷ It is covered with froth and covered with streaks. The frogs and fish die, the birds are crazed and, along with the wetland creatures, they wander about aimlessly.

⁵⁴⁵ वरटी is a wasp; वरिक in the Nepalese MSS may be an alternant of this word. Dalhaṇa on 5.3.5 (Su 1938: 568) remarked that some interpreted वरिकमत्स्य as two items, "wasp and fish," others as a single one, "wasp-fish."

⁵⁴⁶ Kaur and L. Singh 2018 is unhelpful, in spite of a section on the *Suśrutasaṃhitā* (pp. 61–63).

⁵⁴⁷ अस normally means "tears," but rarely means "blood."

- 8 Men, horses and elephants who swim in it experience vomiting, delusion, fever, swelling and sharp pains.⁵⁴⁸ He should try to purify that polluted water, after curing their ailments.
- 9 And so, he should burn axlewood and garjan oil tree, as well as corky coral tree, and small-flowered crape myrtle and weaver's beam tree, and with golden shower tree and white cutch tree.⁵⁴⁹ Then he should sprinkle that ash, cold, on the waters.
- 10–11 And in the same way, putting a handful of the ash in a pot, one may also purify water that one wants. If any one of the limbs of cows, horses, elephants, men or women, touch a place on the ground that enemies have spoiled with poison, or a ford or rock or a flat surface, then it swells up and burns and its hair and nails fall out on that place.⁵⁵⁰
 - In that situation, he should grind up country sarsaparilla together with all the aromatic items, with alcoholic drinks. And then he should sprinkle the paths that need to be used with waters mixed with mud.⁵⁵¹ And if there exists another path, he should go by that.⁵⁵²
 - When grasses and foods are polluted, people collapse, fall unconscious. And others vomit. They get loose stool or they die. 553 One should apply to them the therapy as described.
- 14–15 Alternatively, one should smear various musical instruments with antidotes that remove poison and then play them. What is called the most excellent paste for a musical instrument is certain minerals⁵⁵⁴ together

⁵⁴⁸ On the polysemy of elephant/snake (*nāga*), see Semeka-Pankratov 1979.

⁵⁴⁹ Cf. with the recipe at *Suśrutasaṃhitā* 5.6.3 (Su 1938: 580) for a paste to put on drums etc., p. 211 below.

^{550 &}quot;Swells up" translates an unclear reading that was probably शूयित, which may be an irregular form of √शू, श्वा, श्वि (see Whitney 1885: 175–176).

⁵⁵¹ Our "alcoholic drinks" translates सुरा. For a discussion of this term at our period see McHugh 2021: 37–39 et passim.

⁵⁵² Dalhaṇa on 5.3.12 (Su 1938: 568) cited a similar reading for the fourth pāda, but with a negative particle, "and if there is no other way, one should go by that."

⁵⁵³ In "they get loose stool," the verb आर्च्छन्ति ($\sqrt{\pi}$), transmitted in both Nepalese manuscripts, has an irregular initial strong vowel. Alternatively, and perhaps more likely, it is a combination of आ+ $\sqrt{\pi}$, conjugated unusually as a class 6 verb, but with an appropriate sense of "to fall into (misfortune)."

^{554 &}quot;Certain minerals" translates तारावितार, the unanimous reading of the Nepalese witnesses. But the meaning of this expression is not clear and may even refer to plants, like the other ingredients. The vulgate reads तारः सुतारः, which is also not very clear. However, Dalhaṇa on 5.3.14 (Su 1938: 568) identified these as "silver" and "mercury." This is highly unlikely to be a correct understanding of the passage. Historically, mer-

with gold and sarsaparilla, and a portion of of nutgrass equal to that, together with the bile called "brown cow". 555 By the sound of the musical instrument, even terrible poisons that may be present at that place are destroyed.

- 16 If there is smoke or wind that is affected by poison then birds are dazed and fall to the ground. People get coughs, colds, and head illnesses, and acute eye diseases.⁵⁵⁶
- 17 The smoke and air can be purified by putting into the air: lac, turmeric, Indian aconite, and myrobalan, with Himalayan mayapple, costus, cardamom,⁵⁵⁷ as well as peas, and foxtail millet.

write footnote: don't repeat ativiṣā; vulgate similar to H.

The origin of poison

- As it is told, the arrogant demon called Kaiṭabha created an obstacle for lotus-born Brahmā, at the very time that he was creating these creatures.⁵⁵⁸
- Pitiless Fury took a body and burst out of the mouth of furious Brahmā's store of fiery energy.⁵⁵⁹
- 20 He burned that great, thundering, apocalyptic demon. Then, after bringing about the annihilation of that demon, his amazing fiery energy increased.

cury is not naturally present in the South Asian peninsula (Watt $_{Dict}$: 5, 233) and the word पारद that Dalhaṇa used is probably a loan-word from Persian (sub paranda, parranda Steingass 1930: 244b). Mercurial compounds are not reliably attested in South Asia until two or three centuries after the composition of the Suśrutasaṇihitā at the earliest. The currently available "śāstric" recension of the Arthaśāstra that is datable to 175–300 CE (Olivelle 2013: 29–31) does not mention mercury (ibid, 534). See further the study by Dagmar Wujastyk (2013a: 17, et passim).

- 555 सुरेन्द्रगोप and कुरुविन्द are both uncertain, see index. Dalhaṇa's opinion has been followed here, but it seems fair to say that all commentators were guessing.
- 556 The syntax of this verse is somewhat loose; the vulgate has regularized it, smoothing out the difficulties.

557

- 558 At this point, the text seems to make a new beginning to the topic of toxicology, as if starting a new chapter. It is notable that no reference is made here to the famous origin story of poison in the churning of the primal milk ocean; for discussion of the sources of this account, see Bedekar 1967. For reflections on this passage, connecting it with Rudra and the Śatapathabrāhmaṇa, see Mānasa-taraṅgiṇī 2019.
- 559 "Fury" is here anthropomorphised.

- And so, there was a sinking down (visada) of the Daityas. Observing that, it was named "poison (visa)" because of it's ability to produce a "sinking down."
- 22 After that, the Lord created beings and subsequently made that fury enter into creatures still and moving.

The working of poison

- Water that falls from the sky to the earth has no obvious flavour. The savour of the different places it lands on enters into it. In the same way, whatever substance a poison reaches, it establishes itself there and by its nature it takes on that substance's savour.⁵⁶⁰
 - Generally speaking, in a poison, all the qualities are really sharp. For this reason, every poison is known to irritate all of the humours.
 - 26 Irritated and afflicted by the poison, they leave their natural functions. Poison does not get digested, so it blocks the breaths.⁵⁶¹
 - 27 Breathing is obstructed because its pathway is blocked by phlegm. Even if life continues, a man remains without consciousness.
 - 28 Similar to semen, the poison of all angry snakes pervades the whole body, and goes to the limbs like semen because of being stirred up.
 - The fang of snakes is like a hook. When it gets there, it sticks inside them. That is why the unagitated poison of a snake is not released.
 - 30 Sprinkling with very cold water is traditional for all cases of poisoning, because poison is declared to be extremely hot and sharp.⁵⁶²
 - Poison in insects is slow and not very hot, having a lot of wind and phlegm. So in cases of insect poisoning, sweating is not forbidden.
- 32cd In cases of a strike or a bite, the poison may, of its own accord, stay there.
- 33–35ab thaving come upon a body, 563 in the case of corpses that have been pierced by a poisoned arrow and bitten by a snake, someone who eats

⁵⁶⁰ The scribal emendation in MS Kathmandu NAK 5-333 of नियच्छति to निगच्छति suggests that the scribe had more than one manuscript before him, one of them representing the reading of the vulgate recension.

⁵⁶¹ Probably a reference to the five breaths. Dalhana referred to winds (বার), but this does not seem correct since it is a reference to humours rather than breaths.

⁵⁶² The verb पठ् "is declared, read aloud" here could possibly suggest that the author is working within a written, not oral, tradition.

^{563 &}quot;Having come upon" translates प्रख्याप्य, which is hard to interpret unless it is a rare form connected with the sense "to see."

the poisoned flesh of a recent corpse out of carelessness will suffer with illness according to the poison, or even die. And therefore, the flesh of those should not be eaten when they have just died.

- It is admissable after three quarters of an hour, but without the poisoned arrow and the snakebite.
- [At this point an Upajāti verse is added in the margin of K but is not fully legible; the version of the text in H is also incomplete and not fully comprehensible.] ⁵⁶⁴
- 35.3 †When, in a wound, the poison that is connected with these qualities runs, ...Therefore, not everything that is damaged by poison and eaten causes death.⁵⁶⁵
- [ślokas in the MSS that aren't in the vulgate. The first line doesn't scan. Witness K addsa part of the start of this in the bottom margin. This material is repeated at 3.39.2in MS H.]
- 35cd & 36cd One designates a person who has diarrhoea of feces looking like soot (*gṛhadhūma*) with wind,⁵⁶⁶ and who vomits foam, as "someone who has drunk poison."
 - Therefore, fire burns a heart that is pervaded by poison. For, having pervaded of its own accord the location of consciousness, it abides.⁵⁶⁷

Patients beyond help

Patients who should not be accepted include: those who have been bitten under a peepul tree, in a temple, in a cemetery, at an ant-hill, at

⁵⁶⁴ Mādhavanidāna, 69.20–21 (MN1: 480) has verses that are directly parallel to this section: दर्वीकराणां विषम् आशुघाति सर्वाणि चोष्णे द्विगुणीभवन्ति ॥ अजीर्णपित्तातपपीडितेषु बालेषु वृद्धेषु बुभुक्षितेषु ॥२०॥ क्षीणक्षते मोहिनि कुष्ठयुक्ते रूक्षे ऽबले गर्भवतीषु चापि ॥ शस्त्रक्षते यस्य न रक्तम् एति राज्यो लताभिश् च न संभवन्ति ॥२१॥. This passage is the only occurrence in the ayurvedic text corpus that relates to the Nepalese version of the Suśrutasaṃhitā at this point. This suggests that Mādhavakara (fl. ca. 700, Bengal) knew and used the Nepalese version.

⁵⁶⁵ At this point, witness H inserts a marginal Indravajrā verse about diseases that afflict immoral women.

⁵⁶⁶ गृहधूम is not a plant in this context, pace MW: 362. See the discussion in note 464, p. 146 above.

⁵⁶⁷ Palhaṇa said that someone who has died from drinking poison has a heart that cannot be burned because it is pervaded by poison (5.3.37 (Su 1938: 570)). But the sense of the Nepalese MSS is the opposite.

- dawn or dusk, at a crossroads, under Yama's asterism,⁵⁶⁸ under the Great Bear and people who have been bitten in lethal spots.
- The poison of cobras kills rapidly. They all gain twice the intensity in those who have indigestion, those who are afflicted by bile or wind, old people, children and the hungry.
- 39.1 In those whose who are mad or intoxicated, or who suffer from anxiety, or who are unable to tolerate its various strengths, it becomes sharp. †...
 39.2 569
- 3.4ocd-3.43ab

One should reject someone overcome by poison who does not bleed when cut with a knife, where weals do not appear as a result of lashes,⁵⁷⁰ or where there is no horripilation because of cold water, whose mouth is crooked, whose hair is falling out of his head. A man who is fatigued and those who stammer,⁵⁷¹ one who has a black and red swelling at the site of the bite, with lockjaw, should be avoided. The same goes for someone who has a solid plug emerge from their mouth and someone who has blood running from above and below. The physician should also avoid a person who has fangs that have not fallen out quickly.⁵⁷²

⁵⁶⁸ याम्ये means "southerly" but Dalhaṇa on 5.3.38 (Su 1938: 570) interpreted it as "in Yama's direction" as "under the seventh asterism."

⁵⁶⁹ Material corresponds to SS.1.45.205ab, where it describes how alcohol produces intoxication because it is fine, hot and sharp and travels through the vessels disturbing the senses and the mind and intoxicating the potency.

⁵⁷⁰ Dalhaṇa, on 5.3.40 (Su 1938: 570), glossed लताभिस् "by means of whips," as "when the body is struck by whips."

⁵⁷¹ nāsāvasāda & plural sakaņthabhangāh

⁵⁷² The grammatical verb-form परिवर्जयीत "he should avoid," opt., 3rd, sg., is unusual. Renou (1940:10 ff) documented such forms from the *Aitareyabrāhmaṇa* onwards. Oberlies (2003: ¶6.3.3 "Peculiar optative endings", pp. 176–177) showed that the form is well-documented in *manuscripts* of the *Mahābhārata*, but has been edited out of the printed critical edition in almost all cases. Cf. also Kulikov 2006.

The concern about a patient who "has fangs that have not fallen out" is hard to understand. The word देष्ट्रा does not mean human teeth (दन्त). We therefore prefer to understand this as describing a patient where the fangs of a venomous creature remain in the bite-wound. This requires construing the expression as a *bahuvrīhi* compound: देष्ट्रा or देष्ट्र + अनिपातः.

Kalpasthāna 4: Snakes and Envenomation

Introduction

The fourth chapter of the Kalpasthāna of the *Suśrutasaṃhitā* addresses the topic of snake bites and snake venom. Exceptionally for the Nepalese version of the *Suśrutasaṃhitā*, the discussion is framed as a question from Suśruta to the wise Dhanvantari. Suśruta's questions are about the number of snakes, how they are classified, the symptoms of their bites and the pulses or stages of toxic shock experienced by a victim of snakebite, and related topics. The taxonomy of snakes is presented in tabular form in Figures 2 and 3.⁵⁷³

The *Carakasaṃhitā* also addressed this topic of snake taxonomy, but only included the first three of the *Suśrutasaṃhitā*'s five types, namely Darvīkara, Maṇḍalī and Rājimān.⁵⁷⁴ These three categories of snakes were framed within a humoral scheme, aggravating wind, bile and phlegm respectively, a scheme that was carried forward into symptoms and therapy.⁵⁷⁵ The *Suśrutasaṃhitā* did not use this snake–humour parallelism. By contrast, the system of seven pulses or toxic shocks (*vega*) that was central to the *Suśrutasaṃhitā*'s understanding of envenomation is absent from the *Carakasaṃhitā*.⁵⁷⁶

⁵⁷³ On the idea of notational variants in scientific translation, see Elshakry 2008; Sarukkai 2016; Wujastyk 2021: 81–83.

^{574 6.23.124} ff. (Ca 1941: 577).

⁵⁷⁵ *Carakasaṃhitā* 6.23.165–176 (Ca 1941: 579). Note that the *Carakasaṃhitā* then described symptoms and therapies without reference to the three-humour scheme: 6.23.177–254 (Ca 1941: 579–582).

⁵⁷⁶ One mention of the term in the Carakasaṃhitā refers to the peak of a tertian fever

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁵⁷⁷ There also exists a substantial herpetological literature from colonial India as well as more recent studies of snakes in the context of cultural and religious life.

Chevers (1870) gave a characteristically evidential and gripping nineteenth-century account of death by snakebite in the context of homicide. He discussed the specific species of snake most associated with envenomation and their common geographical distribution. He also provided numerous vivid case histories of envenomation as well as murder and execution by deliberate snakebite.⁵⁷⁸

The properly ophiological literature of the colonial period began in the late nineteenth century with the work of Fayrer, whose publication included striking colour paintings of snakes.⁵⁷⁹ Fayrer provided a biological taxonomy of snakes as well as chapters on mortality statistics during the nineteenth century, treatment and effects of poison, and experimental data. Ewart (1878) included descriptions of appearance and behaviour of poisonous snakes and sometimes their local names and reproducing Fayrer's illustrations.⁵⁸⁰ Wall (1913:75–124) provided a useful analysis of the medical effects of snake envenomation in India arranged by the varied symptomatology of different snakes. He also discussed the difference between the symptoms of toxicity and fright (69–75) and also the difficulties arising out of uncertainty about the effects of snake-bite (124–126). The *Suśrutasaṃhitā* too recognized the emotional and somatic effects of fright (see note 596 below). Wall (1921) provided a wealth of detail of the snakes of Sri Lanka, including line drawings.

 $^{(6.3.70 \}text{ (Ca 1941: 404)})$. In other contexts, it had the ordinary-language meaning of a natural "impulse" or "pressure" that should not be suppressed (1.25.40 et passim (Ca 1941: 131–132)).

⁵⁷⁷ HIML: IA, 292–294. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314–315), a translation of this chapter was included in P. V. Sharma 1999–2001: 3, 35–45. The classic work of Jolly (1951: ¶93) offered a short but accurate overview of Indian toxicology.

⁵⁷⁸ Chevers 1870: 368–386.

⁵⁷⁹ Fayrer 1874, first published in 1872.

⁵⁸⁰ Calling his work a supplement to Fayrer (1874), but also being cited by Fayrer, Ewart 1878 evidently also collected local indigenous knowledge from his "snakeman" (p. 22).

Literature 173

Semeka-Pankratov (1979) traced semiotics of the term $n\bar{a}ga$ through Vedic, Pali and Sanskrit literature. Doniger (2015) provided a good survey of snakes as protagonists in religious literature from the *Atharvaveda* through the epics, *Purāṇas* and Buddhist literature. Slouber (2016a: 31–33 et passim) discussed the *Suśrutasaṇhitā*'s *Kalpasthāna* as a precursor and influence on later Tantric traditions of snake-bite interpretation and therapy. In particular, the Tantric *Kriyākālaguṇottara* text that Slouber presented divided snakes into two basic categories, divine and mundane, as the *Suśrutasaṇhitā* does.⁵⁸¹ But unlike the *Suśrutasaṇhitā*, in the *Kriyākālaguṇottara* the chief taxonomic principle for both groups is the four *varṇas*.

A discussion of this chapter specifically in the light of the Nepalese manuscripts was published by Harimoto.⁵⁸² After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, "the Nepalese version is internally consistent while the [vulgate] editions are not." Harimoto showed how the vulgate editions had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes.⁵⁸³

Include info on Hidas 2019

The Seven Stages of Toxic Shock

A prominent feature the $Su\acute{s}rutasamhit\bar{a}'s$ interpretation of envenomation symptoms is the concept of seven successive stages or pulses (vega) of toxic shock after a bite. This is interestingly coordinated with the $Su\acute{s}rutasamhit\bar{a}'s$ concept of the $kal\bar{a}s$, which are either seven layers of skin that come into existence during embryonic development or seven interstitial tissues that separate the various parts of the body.⁵⁸⁴

Contemporary clinical studies of snake envenomation and treatment do not show any awareness of such a seven-stage symptomatology as found in

⁵⁸¹ Slouber 2016a: 144–145.

⁵⁸² Harimoto 2011: 101–104.

⁵⁸³ The two editions that Harimoto noted, Su 1938 and Su 1889, present identical texts.

⁵⁸⁴ The system of the কলা is described at 4.4.4–20 (Su1938: 355–357). Cf. Mahākośa: 1, 183–184, Śabdasindhu: 227–228, Kutumbiah 1962: 6, HIML: 1, 247–248 and notes. This system of dermal and interstitial কলা was not known to the Carakasaṃhitā as such; rather, the Carakasaṃhitā mentioned six kinds of skin (त्वच्) (4.7.4 (Ca1941: 337)), with different names and characteristics, a contradiction discussed by the commentator Cakrapāṇidatta (idem). It appears in later works such as the fourteenth-century Śārngadharasaṃhitā (1.1.60 (Śāstrī 1931: 15)).

traditional Indian medicine.⁵⁸⁵ Exceptionally, the studies by Barceloux and Özbulat et al., do identify and tabulate three stages of envenomation.⁵⁸⁶ The symptoms of these three stages are mainly characterized by increasing degrees of edema. This differs from the *Suśrutasaṃhitā*'s detailed characterization of changes in skin colour etc.⁵⁸⁷

Translation

- 1 Now we shall explain the procedure (*kalpa*) that is required knowledge (*vijñānīya*) concerning the venom in those who have been bitten by snakes.⁵⁸⁸
- 3 Suśruta, grasping his feet, questions the wise Dhanvantari, the expert in all the sciences.
- 4 "My Lord, please speak about the number of snakes, and their divisions, the symptoms of someone who has been bitten, and the knowledge about the toxic reactions of poisoning".⁵⁸⁹

[The Taxonomy of Snakes]

- 5 On hearing his query, that distinguished physician spoke. "The venerable snakes such as Vāsukī and Takṣaka are uncountable.
- 6–9ab "They are snake-lords who support the earth, as bright as the ritual fire, ceaselessly roaring, raining and scorching. They hold up the earth, with its oceans, mountains and continents. If they are angered, they can destroy the whole world with a breath and a look. Honour to them. They have no role here in medicine.

⁵⁸⁵ E.g., Ellenhorn 1997; Mehta and Sashindran 2002; Weinstein et al. 2009; Pillay 2013: 1747–1749; WHO 2019: 19; Hamza et al. 2021; A. M. Deshpande et al. 2022.

⁵⁸⁶ Barceloux 2008: 1017, Table 176.3, and Özbulat et al. 2021: 7, and Table 1, broadly following Barceloux.

⁵⁸⁷ I am grateful to Prof. Jan Gerris (U. Ghent) and Prof. Jan Tytgat (KU Leuven) for assistance in finding relevant toxicological literature.

⁵⁸⁸ The Sarvāṅgasundarī, commenting on Aṣṭāṅgahṛdayasaṃhitā 1.16.17 (Ah 1939: 246), glossed कल्प as प्रयोग.

⁵⁸⁹ The expression "toxic reactions" translates वेग, which is other contexts may mean "(natural) urge." Here, it is rather the discrete stages or phases of physiological reaction to envenomation. Cf. the symptoms of cobra poisoning described by Wall (1913: 80).




Figure 2: The taxonomy of snakes in the vulgate, 5.4.9–13ab (Su 1938: 571).



Figure 3: The taxonomy of snakes in the Nepalese version of the *Suśruta-saṃhitā*.

"The ones that I shall enumerate in due order are those mundane ones with poison in their fangs who bite humans.⁵⁹⁰

- 9cd–10 "There are eighty kinds of snakes and they are divided in five ways: Darvīkaras, Maṇḍalins, Rājīmats, and Nirviṣas. And Vaikarañjas that are traditionally of three kinds.⁵⁹¹
 - "Of those, there are twenty and six hooded snakes, and the same number of Maṇḍalins are known. There are thirteen Rājīmats.⁵⁹²
 - "There are said to be twelve Niriviṣas and, according to tradition, three Vaikarañjas.

590 The next few verses are discussed in detail by Harimoto (2011: 101–104), who shows that in the taxonomy of snakes, the Nepalese version of the *Suśrutasaṃhitā* has greater internal coherence than the vulgate recension.

Or "There are 20 phanins and 6 mandalins. The same number are known. There are 13 Rājīmats." Or even, "there are 20 Phanins and six of them are Mandalins." Are phanins really the same as darvīkaras?

⁵⁹¹ Harimoto (2011) translated these names as "hooded," "spotted," "striped," "harmless," and "hybrid." Figure 2 shows the taxonomy described in the vulgate text; Figure 3 shows the different and more logical division of the Nepalese version of the *Suśrutasaṃhitā*.

⁵⁹² The phrasing of this śloka is awkward.

[Behaviours]

- "If they are trodden on, ill-natured or provoked or even just looking for food, those very angry snakes will bite. And that is said to happen in three ways: serpented (*sarpita*), torn (*darita*) and thirdly without venom (*nirviṣa*). Some experts on this want to add "hurt by the snake's body".⁵⁹³
 - "The physician can recognize the following as "ophidian (*sarpita*)": Where a rearing snake makes one, two or more puncture-marks of its teeth, when they are deep and without much blood,⁵⁹⁴ accompanied by a little ring of spots (*cuñcumālaka*),⁵⁹⁵ lead to degeneration, and are close together and swollen.
 - Where there are streaks with blood, whether it be blue or white, the physican should recognize that to be "torn (darita)," having a small amount of venom.
 - 18 The physician can recognize the locations of the bites of a person in a normal state as being free from poison, when the location is not swollen, and there is little corrupted blood.
 - 19 The wind of a timid person who has been touched by a snake can get irritated by fear. It causes swelling.⁵⁹⁶ That is "hurt by a snake's body."

Note that $\prescript{$\presc$

595 The usual dictionary lexeme is चञ्च, not चुञ्च as in the Nepalese witnesses. We translate "spots" following Dalhana and Gayadāsa on 5.4.15 (Su 1938: 571), where they described a group of spots or swellings at the site of the bite. On the history of the word मालक, see Kieffer-Pülz 1996.

596 Wall (1913:69) remarked on the difficulty of separating toxicity symptoms from the psychosomatic effects of terror:

The gravity of symptoms due to fright does not appear to me to be sufficiently recognised, though there is no doubt in my mind that fatal cases from this cause are abundant, especially among the timid natives of this country.

grammar

⁵⁹³ This might refer to constriction. The phrase reads like a commentarial addition rather than the main text of the *Suśrutasaṃhitā*.

⁵⁹⁴ The word उद्भृत "aroused" was glossed by Dalhaṇa at 5.4.15 (Su 1938: 571) as उच्चोट्य, a word not found as such in standard dictionaries (MW; KEWA; Mahākośa; Apte). Semantic considerations suggest that the word is not related to √muṭ "break" or mūta/mūṭa "woven basket." Perhaps it is related to the Tamil மோடி (mōṭi,) whose meanings include "arrogance, grandeur, display" (DED₂: #5133) or to faintly-documented forms like moṭyate "is twisted" (CDIAL: #10186). Dalhaṇa's उच्चोट्य may thus mean "twisting up" or "making an arrogant display."

20 Locations bitten by sick or frightened snakes are known to have little poison. Similarly, a site bitten by very young or old snakes has little poison.

Poison does not progress in a place frequented by eagles,⁵⁹⁷ gods, holy sages, spirits, and saints, or in places full of herbs that destroy poison.⁵⁹⁸

[Characteristic Features of Snakes]

- 22 Darvīkara snakes are know to have hoods, to move rapidly, and to have rings, ploughs, umbrellas, crosses, and hooks on them.
- Maṇḍalin snakes are known for being large and slow-moving. They are decorated with many kinds of circles. They are like a flaming fire because of their poisons.
- Rājimat snakes are smooth and traditionally said to be, as it were, mottled with multicoloured streaks across and above.

[Classes of Snake]

- Snakes that are shine like pearls and silver, and that are amber and that shine like gold, and smell sweet are traditionally thought of as being of the Brāhmaṇa caste.
- Warrior snakes, however, are those that look glossy and get very angry. The have the mark of the sun, the moon, the earth, an umbrella and bitumen.
- 27 Merchant snakes may traditionally be black, shine like diamond or have a red colour or be grey like pigeons.

Wall went on to give several case studies in which patients experienced syncope or even died as a result of bites from toxicologically harmless creatures.

⁵⁹⁷ Dalhaṇa on 5.4.21 (Su 1938: 571) identified the सुपर्ण as a गरुड. On the bird called सुपर्ण, Dave (1985: 72 ff, 514) too noted that it may be a synonym for Garuḍa, and in some contexts may refer to the Golden Eagle, Golden Oriole, Lammergeyer, etc. Dave (1985: 199 ff, 492) noted again that the Garuḍa is a mythical bird but may refer to the Himalayan Golden Eagle and other species of eagle. He pointed out that historically, The original physical basis for गरुड as the नागाशी (snake-eater) was most probably the Sea-Eagle who picks up sea-snakes from the sea or sand-beach and devours them on a nearby tree... (Dave 1985: 201).

Dave continued with interesting reference to Śrīharṣa's *Nāgānanda*.

⁵⁹⁸ For "spirits" the Nepalese version has भूत while the vulgate reads यक्ष.

- Any snakes that are coloured like a buffalo and a tiger, with rough skin and different colours are known as servants.⁵⁹⁹
- 31 All snakes that are variegated (Rājīmats) move about during the first watch of the night. The rest, on the other hand, the Mandalins and the Darvīkaras, are diurnal. 600
- 29 Wind is irritated by all hooded snakes; bile by Mandalins and phlegm by those with many stripes.
- 30 Because of the two classes having greater, lesser or equal class, there is the characteristic of irritating two humours.
 - And he will explain the opposing view that is to be known as a result of the non-union of a male and female. 601

[Enumeration of Snakes]

34.1

In that context, here are the Darvīkaras.				
1.	The Black snake (kṛṣṇasarpa);		(parisarpa);	
2.	The Big Black (mahākṛṣṇa);	12.	The Break Hood	
3.	The Black Belly (kṛṣṇodara);		(khaṇḍaphaṇa);	
4.	The All Black (sarvakṛṣṇa);602	13.	The Kūkuṭa (kūkuṭa);	
5.	The White Pigeon	14.	The Lotus (padma);	
	(śvetakapota); ⁶ 03	15.	The Great Lotus	
6.	The Rain Cloud (valāhako);		(mahāpadma);	
7.	The Great Snake	16.	The Grass Flower (apuspa);	
	(mahāsarpa);	17.	The Curd Mouth	
8.	The Conch Keeper		(dadhimukha);	
	(śaṃkhapāla);	18.	The Lotus Mouth	
9.	The Red Eye (lohitākṣa);		(puṇḍarīkamukha);	
10.	The Gavedhuka (gavedhuka);	19.	The Brown Hut Mouth	
11.	The Snake Around		(babhrūkuṭīmukha);	

⁵⁹⁹ Presumably "different" from the earlier-mentioned castes.

The sequence of the following three verses is slightly different from the vulgate (5.4.29–31 (Su 1938: 572)).

⁶⁰⁰ The readings of the vulgate, that Rājīmats are active in the early night, the Maṇḍalins in the later night, and Darvīkaras in the day, seem clearer.

⁶⁰¹ The sense of the last phrase here is quite different from the vulgate, which says only that "details" will be explained below.

⁶⁰² Not in the vulgate.

⁶⁰³ The vulgate adds The Big Pigeon (*mahākapota*).

	20.	The Variegated (vicitra);		(ṛjusarpa);
	21.	The Flower Sprinkle Beauty	24.	The White Rip (<i>śvetadara</i>);
		(puṣpābhikīrṇnābha);	25.	The Big Head (mahāśīrṣa);
	22.	The Mountain Snake		and
		(girisarpa);	26.	The Hungry Sting (alagarda);
	23.	The Straight Snake		
34.2	Her	e are the Maṇḍalins		
	1.	The Mirror Ring	13.	The Morning Glory
		(ādarśamaṇḍala);	9	(pālindaka);
	2.	The White Ring	14.	The Stretch (tantuka);
		(śvetamaṇḍala);	15.	The Pale as a Flower
	3.	The Red Ring (raktamanḍala);	,	(puṣpapāṇḍu);
	4.	The Speckled (pṛṣata);	16.	The Six Part (ṣaḍaṅga);
	5.	The Gift of God (devadinna);	17.	The Flame (agnika);
	6.	The Pilindaka (pilindaka);	18.	The Brown (babhru);
	7.	The Big Cow Snout	19.	The Ochre (kaṣāya);
	•	(vṛddhagonasa);	20.	The Khaluṣa (khaluṣa);
	8.	The Jackfruit (panasaka);	21.	The Pigeon (pārāvata);
	9.	The Big Jackfruit	22.	The Hand Decoration
		(mahāpanasaka);		(hastābharaṇaka);
	10.	The Bamboo Leaf	23.	The Tatra (tatra); ⁶⁰⁴
		(veṇupatraka);	24.	The Mark (citraka);
	11.	The Kid (śiśuka);	25.	The Deer Foot (eṇīpada).605
	12.	The Intoxicator (madanaka);		
34.3	Her	e are the Rājīmats. ⁶⁰⁶		
	1.	The Lotus (puṇḍarīka);	5.	The Drop Stripe (bindurāji);
	2.	The Stripe Speckle (<i>rājicitra</i>);	6.	The Mud (kardama);
	3.	The Finger Stripe (aṅgulirāji);	7.	The Grass Drier (tṛṇaśoṣaka);
	4.	The Two Finger Stripe	8.	The White Jaw (svetahanu);
		(dvyangulirāji);	9.	The Grass Flower
			1	

⁶⁰⁴ This seems implausible, but otherwise the list of Mandalins would be short.

⁶⁰⁵ The list is short by one item. Perhaps the one of the snakes named in the vulgate, *citramaṇḍala, gonasa* or *pingala*, should be considered here.

⁶⁰⁶ The following list is one item short. The vulgate text, however, has several names that do not appear in the Nepalese Rājīmat list, for example Sarṣapaka and Godhūmaka.

⁶⁰⁷ Also in the Darvīkara list.

⁶⁰⁸ Also in the Darvīkara list.

- (darbhapuṣpa);⁶⁰⁷
 to. The Red Eye (lohitākṣa);⁶⁰⁸
- 11. The Ringed (cakraka);
- 12. The Worm Eater (*kikkisāda*);
- 34.4 Here are the Nirvisas.
 - 1. The Rain Cloud (valāhako);⁶⁰⁹
 - 2. Thei Snake Flag (ahipatāka);
 - 3. The White Leaf (*śukapatra*);
 - The Goat Swallower (ajagara);
 - 5. The Stimulator (*dīpyaka*);
 - 6. The Ilikinī (*ilikinī*);
 - 7. The Year-Snake (*varṣāhīka*);

- 8. The Two-day (dvyāhika);
- 9. The Milk Flower (kṣīrikāpuṣpa);
- 10. The Flower All (puṣpasakalī);
- 11. The Chariot of Light (*jyotīratha*);
- 12. The Little Tree (*vṛkṣaka*);

[Breeding and Gender]

- 34.5 The Vaikarañjas originate out of contrary unions amongst the three colours. 610 Thus:
 - The Mākuli (mākuli);
 - The Pota Throat (potagala);
 - 3. The Oil Stripe (*snigdharāji*);

Amongst those, the Mākuli (*mākuli*); is born when a male Black Snake mates with a female Cow Snout (*gonasa*), or the reverse. The Poṭa Throat (*poṭagala*) is born when a male Rājila mates with a female Cow Snout (*gonasa*) or the reverse. The Oily Stripe (*snigdharāji*) is born when a male Black Snake mates with a female Rājimat, or the reverse. Their poison is like that of their father, because it is the superior one out of the two; but others say it is like the mother. Thus eighty of these snakes have been described.

35 Amongst them, males have large eyes, tongues and heads. 611 Females



⁶⁰⁹ Also in the Darvīkara list.

⁶¹⁰ The word *varṇa* in this chapter normally means "colour" not "class." ("Class is expressed by "jāti.") While *kṛṣṇasarpa* is clearly a colour-type, it is less obvious that *gonasī* is a special colour, and *rājimat* is a group of snakes.

⁶¹¹ The vulgate includes the snake's mouth in this and the next list.

have small eyes, tongues and heads. Neuters have both characteristics, and are slow to exert themselves or be angry. ⁶¹²

36 In that context we shall give instruction in a general way about the sign of having been bitten by any of the snakes.

For what reason?

Because poison acts quickly, like a fire with an oblation, a honed sword, or a thunderbolt.⁶¹³ And ignored for even a period of time, it can drag the patient away. There is not even an opportunity to follow the literature.⁶¹⁴

And when the symptom of being bitten is stated, there will be three ways of treating it because there are three kinds of snake. Therefore we shall explain it in three ways. "For this is good for people who are ill, and it removes confusion and in this very case it prevents all symptoms".⁶¹⁵

[Symptoms of snakebite]

In this context, the poison of a Darvīkara causes the skin, nails, eyes, mouth, urine, feces, and the bite-mark to be black; there is dryness, the joints hurt and the head feels heavy; the waist, back and neck feel weak; there is yawning, the voice becomes faint, there is gurgling, paralysis, dry throat, cough, wheezing, and hiccups; the wind goes upwards, the patient convulses with sharp pain, black saliva dribbles out, foam appears, the ducts (*srotas*) are blocked and every kind of pain that is due to wind.⁶¹⁶

⁶¹² The reading मन्दचेष्टाक्रोधा is an awkward compound; possibly the original reading was मन्दचेष्टाः + अक्रोधा and sandhi was applied twice.

⁶¹³ Perhaps the image suggested by "a fire with an oblation" is that of the Pravargya, in which a large flame rises suddenly from the ritual fire.

⁶¹⁴ The idea seems to be that there is no time to consult the verbose āyurvedic teachings. The "extensive meaning of the collection of statements (वाक्समूहार्थविस्तार)" is singled out as one of Āyurveda's virtues in 5.8.142 (Su 1938: 594). Alternatively, perhaps the patient is unable to understand what the doctor is saying to him.

⁶¹⁵ In the next passage, the symptoms of snake poisoning are indeed explained under three headings.

⁶¹⁶ Cf. the similar symptoms of snake venom poisoning by the so-called Brahmin warriors of Harmatelia, described by the classical author Diodorus Siculus (fl. ca. 30–60 BCE) (Eggermont 1975: 108).

The poison of a Maṇḍalin causes the skin, nails, eyes, teeth, mouth, urine, feces, bitemark to be yellow; there is a desire for cold, a temperature, giving off fumes, ⁶¹⁷ a burning feeling, thirst, intoxication, fainting, fever, haemorrhaging (śonitāgamana), and the degeneration of the flesh and fat above and below. There is swelling, suppuration of the bite, metamorphopsia (*viparītadarśana*), anger caused by the suffering, and every kind of pain that is due to bile. ⁶¹⁸

The poison of a Rājīmat causes the skin, nails, eyes, teeth, mouth, urine, feces, and bitemark to be pale; there is a cold fever, the hair stands on end, there is stiffness and swelling of the limbs including the site of the bite. There is a discharge of viscous phlegm, vomiting, itchy eyes, and a rattling sound. The breath is obstructed and there is every kind of pain due to phlegm.

In that context, "someone bitten by a male gazes upwards, by a female horizontally, and by a neuter, downwards." One bitten by a pregnant snake has a pale face and becomes swollen (ādhmāta). One bitten by a recently-delivered snake is afflicted with abdominal pain and urinates with blood. One bitten by a hungry snake craves food. Those bitten by an old snake have delayed and slow reactions. And one bitten by a young snake is fast and keen. One bitten by a non-venomous snake has the characteristic mark of non-poisoning. Some that are bitten by a blind snake become blind. A constrictor (ajagara) is deadly because it swallows, not because of poison.

[Toxic reactions]

39 In that context, all snake toxins have seven toxic reactions. 620

⁶¹⁷ The term "giving of fumes (परिधूपायन)" is not in MW: 596 as such, although परिधूपन, परिधूमन and परिधूपायन are cited and referred to the Suśrutasaṃhitā. "Giving off fumes (परिधूपन)" is listed at Suśrutasaṃhitā 2.6.13 (Su 1938: 291) amongst the symptoms of urinary disease caused by phlegm. The editors note a variant reading परिधूमायन but do not tell us in which manuscript (Su 1938: 291, n. 3). Dalhaṇa on 2.6.13 (Su 1938: 292) glossed परिधूपन as "hot all over (समन्ततस्तापः)" and in our current passage as "hot over the whole body (सर्वाङ्गसन्तापः)" (Su 1938: 573). See also Mahākośa: 1, 429: धूमायन "अङ्गानां धूमोद्गमनमिव" citing the Suśrutasaṃhitā.

⁶¹⁸ Ghosh et al. (2023) describes visual disturbances due to snake envenomation.

⁶¹⁹ The grammar of अविषलिङ्गम् is not quite right; it should be a masculine or plural bahuvrīhi.

⁶²⁰ Cf. the same concept in the context of plants, at 159

[Darvīkaras] Thus, at the first pulse of the Darvīkaras the poison corrupts the blood. That corrupted blood turns black. Because of that, blackness and a feeling of ants crawling about on the body develop.⁶²¹ In the second pulse, it corrupts the flesh. That causes extreme blackness and lumps.

In the third, it corrupts the fat. That causes a discharge at the bite, heaviness of the head and an eclipse of the vision. 622

In the fourth, it penetrates the trunk of the body (*koṣṭha*). From there, it irritates the humors, particularly phlegm. That causes exhaustion and oozing phlegm, and dislocation of the joints.

In the fifth pulse, it penetrates the bones. That causes breaking of the joints, hiccups and burning.

In the sixth pulse, it penetrates the marrow. That causes humours in the seat of fire in the gut $(grahan\bar{\iota})$, heaviness of the limbs, diarrhoea, pain in the heart and fainting. ⁶²³

In the seventh, it penetrates the semen and greatly irritates the vyāna breath $(vy\bar{a}na)$, and causes the phlegm (kapha) to run imperceptibly out of the tubes (srotas). That causes the appearence of mucous (śleṣman), breaking of the hips, back and shoulders, impediment to all movements and shortness of breath.

[Mandalins] Thus, at the first pulse of the Mandalins, the poison corrupts the blood. Corrupted by that, it turns yellow. That causes a yellow appearance and a feeling of heat all over (*paridāha*).

In the second pulse, it corrupts the flesh. And that causes the limbs to be very yellow and an extreme feeling of heat all over $(parid\bar{a}ha)$, and swelling at the bite.

In the third, it corrupts the fat. That causes a discharge at the black bite and sweating.

In the fourth, it penetrates as before and brings on fever.

In the fifth, it causes heat in all the limbs.

In the sixth and seventh, it is the same as before.

⁶²¹ Strictly, we would expect a dual verb here, instead of the plural of the witnesses.

⁶²² Dalhana on 5.4.39 (Su 1938: 574) glossed the last expression as "blockage of the vision (दृष्ट्यवरोध)."

⁶²³ The "seat of fire in the gut (ग्रहणी)" is an ayurvedic organ in the digestive tract that does not correspond to any specific organ known to contemporary anatomy. For discussion, see *Mahākośa*: v. 1, 304; Meulenbeld 1974*b*: 619; Das 2003: 544–545.

[**Rājīmats**] Thus, in the first pulse of the Rājīmats, the poison corrupts the blood. Corrupted by that, it turns yellow. It causes a person to have hair standing on end and a pale appearance.

In the second pulse, it corrupts the flesh. That causes him to become pale and to become extremely benumbed $(j\bar{a}dya)$.

In the third, it corrupts the fat. That causes moistness of the bite and runny eyes and nose.

In the fourth, it is the same as before. After penetrating, it brings on stiffness of the neck (*manyāstambha*) and heaviness of the head.

In the fifth, speech is slurred and there is a cold fever.

In the sixth and seventh, it is the same as before.

[Summary Verses]

40 There are verses on this.

It is well known that there are seven al layers (kal \bar{a}) in between the bodily tissues (dh \bar{a} tu). Poison passing through these one by one produces the toxic reaction (vega).⁶²⁴

- The interval taken by the deadly substance ($k\bar{a}$ lakalpa), propelled ($\sqrt{u}h$) by air (samīraṇa), to cut the layers of skin is known as the "pulse interval (vegāntara)".⁶²⁵
- In the first pulse, an animal has a swollen body, is distressed and broods. 626

In the second, it dribbles somewhat, 627 the hair stands up on its body, and it has pain $(\sqrt{p_1}d)$ in the heart.

⁶²⁴ See note 584 above.

⁶²⁵ Dalhaṇa on 5.4.41 (Su 1938: 574) glossed कालकल्प as मृत्युसदृशं विषं "the poison resembles death."

⁶²⁶ The verb $\sqrt{\pi}$ "meditate, be thoughtful, brood" is unexpected here and in the second class, an epic form. Dalhaṇa on 5.4.42 (Su 1938: 574) noted that some manuscripts did not include the text about animals from this point on. The fact that these verses are present in the Nepales witnesses testifies to their antiquity.

⁶²⁷ The Nepalese witnesses use लालि-, not लाला-, for "saliva."

The third stage brings headache and it breaks the ears and necks. 628
In the fourth, the bewildered creature trembles and gnashing its teeth, it gives up life.

44–45 *Some experts say that elephants have three toxic reactions.* 629

So, at the first toxic reaction, an bird becomes bewildered and is confused from that point on. At the second, the bird is distressed and, crying out, it dies.

Some people claim that where birds are concerned, there is really just a single toxic reaction (vega) and that amongst animals like cats and mongooses, poison does not take much effect.⁶³⁰

⁶²⁸ The scribe of MS H emended the text to read কण्ठग्रीव with the vulgate. Intransitive use of pass. भञ्जू.

⁶²⁹ On अन्तःस्वेद as "elephant," cf. Arthaśāstra 9.1.46 (Kangle 1965: v. 1, 219; Olivelle 2013: 351): हस्तिनो ह्यन्तःस्वेदाः कुष्ठिनो भवन्ति ॥ ४६ ॥.

⁶³⁰ See on this subject: Brunton and Fayrer 1909: 39-40; S. A. Minton and M. R. Minton 1969: 88-89 (references taken from HIML: 1B, 399, n. 124).

Kalpasthāna 5: Therapy for those Bitten by Snakes

Introduction

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld. ⁶³¹

⁶³¹ HIML: IA, 294–295. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314–315), a translation of this chapter was included in P. V. Sharma 1999–2001: 3, 35–45.

Passage numbers refer to the canonical numbering of the vulgate edition (Su 1938).

- 1 Now we shall explain the formal procedure (*kalpa*) that is the therapy for someone bitten by a snake. ⁶³²
- For a person bitten on a limb by any snake, one should first of all make a strong binding, at four fingers measure above the bite.⁶³³
- 4 Poison does not move around into the body if it is prevented by bandages (*ariṣṭā*) or by any other soft items of cloth (*plota*), leather (*carmānta*) or bark.⁶³⁴
- 5 Where a bandage (*bandha*) is not suitable, one should raise the bite up and then cauterize it.⁶³⁵ Suction, cutting and cauterizing are recommended in all cases.
- 6 Suction will be good after filling the mouth with earth (*pāṃśu*).⁶³⁶ Alternatively, the snake should be bitten by the person who knows that they have just been bitten.⁶³⁷

⁶³² On कल्प, see note 588.

⁶³³ Application of a tourniquet is deprecated by modern establishment medicine, which relies on antivenom medications (e.g., Pillay 2013: 150–151 et passim in the literature). The vulgate introduces the word अरिष्टा at this point. This may be a borrowing from Ci.23.251cd (Ca 1941: 582).

⁶³⁴ It is hard to translate the word अरिष्ठा otherwise than "bandage," as referred to by ब-भीयात् in the previous verse, and apparently similar to items of cloth etc., and called a बन्ध in the next verse. But in general Sanskrit literature, including medical literature, the word (in masc. gender) means either "an alcoholic tonic" or "an omen of death," (1.30.3 (Su 1938: 137)), or is a plant name. This raises a question mark over its unique meaning in the present context. The Aṣṭāṅgaḥṛdayasaṃḥitā (Utt.36.42cd (Ah 1939: 910)) seems to be a gloss on अरिष्ठा, saying "An expert in mantras may bind using a braid made of silk etc., empowered with mantras" (see also 5.5.8 (Su 1938: 575)). On problems that can arise from tying a bandage too tightly, see 5.5.56 (Su 1938: 577) below.

⁶³⁵ The vulgate reads उत्कृत्य "having excised" rather than translate उद्धृत्य "having raised up."

⁶³⁶ The vulgate recommends cloth, not earth (5.5.6 (Su 1938: 574)).

⁶³⁷ The syntax is odd here, and the vulgate has removed the difficulties. Dalhaṇa on 5.5.6 (Su 1938: 574) noted that one should hold the snake firmly and give a good bite to its head and tail (हस्ताभ्यामुपसंगृह्य पुच्छे वक्रे च सर्पः सम्यग् दष्टव्यः). Our colleague Dr Madhu K. Paramesvaran reports that this procedure is known in Malayalam viṣavaidya treatises and is practiced in Kerala, though rarely: "this practice has been described as one of

7 Now, one should in no way cauterize someone bitten by a Maṇḍalin. Because of the over-abundance of poison in the bile (*pittaviṣa*), that bite will be lethal as a result of cauterization.⁶³⁸

The application of mantras

- 8 An expert in mantras should tie on a bandage $(ariṣṭ\bar{a})$ too, with mantras. But they say that a bandage that is tied on with cords and so on causes the poison to be purified.⁶³⁹
- 9 Mantrās prescribed by gods and holy sages (*brahmarṣi*), that are imbued with truth and religious power (*tapas*) are inexorable and they rapidly destroy intractable poison.
- Drugs cannot eliminate poison as quickly as the application of mantras imbued with religious power (*tapas*) and imbued with truth, holiness (*brahma*) and religious power.⁶⁴⁰
- 11 The mantras should be received by a person who is abstaining from women, meat and mead (*madhu*), who has a restricted diet, and who is pure and lying on a bed of halfa grass.
- For the mantras to be successful, one should diligently worship the deity ($devat\bar{a}$) with perfume, garlands, and oblations ($upah\bar{a}ra$), as well as sacrificial offerings (bali), and with mantra repetition (japa) and rituals.⁶⁴¹
 - the first-response cares for snakebite in most of the Malayalam texts of Vishavaidya. I have never seen this happening in real life and my teachers used to consider it to be a method (albeit a bit outrageously dangerous) for self-reassurance by the patient." (Paramesvaran 2023). Cf. the Viṣavaidya text edited by Mahādeva Śāstrī (1958).
- 638 Verses 5.4.29, and 37 above note that the venom of Mandalins particularly irritates the bile.
- 639 Palhaṇa on 5.5.8 (Su 1938: 575) clarified that on the one hand the bandage must be accompanied with mantras, but on the other hand, it may also be used without mantras. The verse seems to put two points of view.
- 640 Palhaṇa on 5.5.10 (Su 1938: 575) noted that mantras like "kurukullā" and "bheruṇḍā" are explained in other treatises and therefore not explained further in his commentary. These two mantras are the names of tantric Śaiva and Buddhist goddesses. For a study on this specific subject see Slouber (2016b). HIML: IIB, 151, n. 344 provides a bibliography to 2002 of studies on Kurukullā, who is mentioned in Māhuka's *Haramekhalā*, and Meulenbeld 2008a: 30–34 includes discussion of Bheruṇḍa as a bird, with related terms.
- 641 Dalhaṇa on 5.5.12 (Su 1938: 575) noted that उपहार includes incense, while बिल refers to sacrifice with an animal (सपश्नेवेद्य).

But mantras pronounced illicitly or that are deficient in accents (*svara*) and letters do not give success. So antitoxic (*agada*) procedures need to be employed.

Blood letting

- A skilled physician should puncture a duct (*sirā*) which is located on the limb (*śākhāśrayā*), and comes from the bite and the general area. If the poison has spread, one on the forehead should be pierced.
- 15 The blood being drawn out draws away all the poison. 642 Therefore one should cause blood to flow, for that is his very best procedure.
- 16 After incising (*pracchāna*) the area around the bite, one should smear it with antidotes and sprinkle it with water infused with sandalwood and vetiver.⁶⁴³

Internal medications

- One should make him drink various antidotes together with milk, honey and ghee. If they are unavailable, the earth of black ants can be good.⁶⁴⁴
- 18 Alternatively, he should consume orchid tree, siris and purple calotropis or white siris too. He should not drink sesame oil or horse gram, nor wine or Indian jujube.
- But after drinking any other liquid at all, he should throw up after drinking it. For on the whole, poison is easily removed by means of vomiting.

⁶⁴² The Nepalese version uses a present passive participle construction here, that is less common than the vulgate's locative absolute. The Nepalese version states that it is the blood coming out of the patient that carries away the venom; the vulgate text says merely that the venom emerges while the blood comes out.

⁶⁴³ प्रच्छान is the second of the two methods of blood letting described in the vulgate text of the *Suśrutasaṃhitā* at 1.14.25 (Su 1938: 64); this verse does not appear in the Nepalese version of the *Suśrutasaṃhitā*.

⁶⁴⁴ This refers to earth taken from an anthill. In South Asia, there is a long tradition of considering such earth to be beneficial and even holy (e.g., Irwin 1982).

Therapies at each pulse of toxic reaction

In the case of hooded snakes, when there is a toxic reaction (*vega*) first one should let blood. At the second, one should make him drink an antidote (*agada*) together with honey and ghee.⁶⁴⁵

- 21 At the third one should use errhines and collyrium ($a\tilde{n}jana$) that destroy poison.⁶⁴⁶ At the fourth, when he has vomited, the physician should make him drink a gruel ($yav\bar{a}g\bar{u}$) that destroys poison.
- At the fifth and sixth toxic reactions one should make the person drink something that aids cooling, that is cleansing and sharp $(t\bar{\imath}k\bar{\imath}na)$, and a well-regarded gruel too.
- But at the seventh, one should purge (\sqrt{sodh}) his head with a sharp sternutatory.⁶⁴⁷

In the case of Mandalins

- 24 Amongst Maṇḍalins, the earliest toxic reaction (*vega*) should be treated in the same way as with Darvīkaras.⁶⁴⁸
- 25 At the second, one should make him drink ghee and honey and then make him vomit.⁶⁴⁹
- At the third, one should give the purged patient healthy gruel. At the fourth and the fifth too, one should do the same as for the Darvīkara.
- 645 This section reproduces some of the therapies from *Suśrutasaṃhitā* 5.2.40–43 (Su 1938: 566) on the stages of slow poisoning (*dūṣīviṣa*) by plant poisons; see translation on p. 159 above.
- 646 The rare word नस्तः "from or into the nose" in नस्तःकर्म "errhine" is supported by both Nepalese manuscripts. The term is more common in the *Carakasaṃhitā*, occurring eleven times, e.g., at 1.20.13 (Ca 1941: 114), 2.1.36 (Ca 1941: 203), et passim. The *Carakasaṃhitā* describes how collyriums, especially रसाञ्चन, cause phlegm to flow, thus clearing the eyes (1.5.14–19 (Ca 1941: 38–39)). This could be appropriate in expelling poisons.
- 647 The vulgate adds a half-verse here recommending the application of a collyrium ($a\tilde{n}$ -jana) to a cut made on the patient's head.
- 648 The vulgate again adds a half-verse here, recommending the "crow's foot" incision on the patient's head. On this procedure, described in *Carakasaṃhitā* 6.23.66–67 (Ca 1941: 574), see Wujastyk 2003*b*: 145. This text is not supported here, as it was not in the Nepalese text at *Suśrutasaṃhitā* 5.2.43 (Su 1938: 566) either. See footnote 522, p. 160 above. As stated there, it appears that this procedure was known in the tradition of the *Carakasaṃhitā*, but not in the earliest text of the *Suśrutasaṃhitā*.
- 649 Again, the vulgate text differs substantively, adding another half-verse. But the general idea of the treatment is the similar.

At the sixth, wholesome things from the group of plants starting with cottony jujube should be drunk and a sweet antidote. And at the seventh, a wholesome antidote that destroys poison in a sternutatory (avapīḍa). 551

In the case of Rājimats

- Now, Amongst Rājimats, one should let blood at the first toxic shock. 652
- At the second, a patient who has vomited should be made to drink an antidote that destroys poison. At the third, fourth and fifth, the rule that applies to the Darvīkara is suitable.
- 30 At the sixth, use a very sharp collyrium (añjana), and at the seventh a sternutatory (avapīḍa). There is a prohibition on using blood-letting for pregnant women, children and the elderly.
- In those who are in pain because of poison, it is advised that the prescribed procedures be applied gently.

31ab In animals

In goats and sheep, bleeding and collyriums are the same as for people. 32cd In cows and horses, that is twice as much; three times as much for buffalos and camels, four times for elephants and simply (*kevala*) for all birds. 653654

- 650 The "group of seventeen plants beginning with cottony jujube" (काकोल्यादि गण) is described at *Suśrutasaṃhitā* 1.38.35–36 (Su 1938: 167). These plants pacify the bile, blood and wind and increase phlegm, body-weight, semen and breastmilk.
- 651 The अवपीड is described at Suśrutasaṃhitā 4.40.44–45 (Su 1938: 556), where it is also recommended for victims of snakebite. It is a type of head-evacuant. Commenting on that passage, Dalhaṇa cited "other treatises" as saying that अवपीड treatment was suitable for restoring the consciousness of those who have been poisoned. He also quoted a text by an authority called Videha, that says the same. Videha was an author known to Dṛḍhabala (according to Cakrapāṇidatta) and often cited in the Madhukośa on the topic of eye diseases (HIML: IA, 132 et passim). See also Mahākośa: 1, 62–63.
- 652 The vulgate text says that the blood-letting should be done with a gourd. It also has an extra half-verse here, prescribing an antitoxin to be drunk together with honey and ghee.
- 653 Dalhaṇa on 5.5.32 (Su 1938: 576) explained "simply for all birds" as meaning that birds should receive just drugs, and not blood-letting or collyriums. See p. 185 for the toxic reactions in birds and other animals.

write note on parișekān pradehāṃś

Subsequent therapies

- One should consider carefully with one's intellect the location, constitution (prakrti), suitability ($s\bar{a}tmya$), the season, the poison, and the strength or weakness of the toxic reaction and then proceed with therapy.⁶⁵⁵
- 47–48ab One should eliminate this poison completely. It is extremely hard to overcome. For even a small amount remaining can strongly bring about a toxic reaction.⁶⁵⁶
- Or it may lead to dejection, pallor, fever, cough and headaches, dessication, swelling, catarrh, poor vision, disinterest in food (*aruci*) or rigidity (*jāḍyatā*).⁶⁵⁷ And in such cases one should apply the cure as appropriate.⁶⁵⁸
- One should also treat the secondary ailments (*upadrava*) of a poisoned patient each as appropriate.

 Now, after the bandage (*ariṣṭā*) has been removed and after the place
 - 654 The vulgate includes several verses after this sentence that give a recipe and also a list of specific items like place and constitution that should be given careful consideration. Dalhaṇa on 5.5.33 (Su 1938: 576) cited the opinions of Gayadāsa and Jejjaṭa on this recipe but stated that he preferred to follow the contrasting opinions of Vṛddhavāgbhaṭa (1.25.24cd-25aba (As 1980: 184)) and Suśruta (4.31.29cd-30ab (Su 1938: 511)) on this topic, as well as several citations "another work" (तन्त्रान्तर) that is unidentified.
 - 655 The vulgate here has twelve verses not found in the Nepalese version. These verses explicitly switch subject away from assesments according to toxic reactions and to the treatment of both mobile and immobile poisons, starting from physical symptoms such as swelling and discolouration as well as humoral theory. At the point where the vulgate summarizes the extra verses, saying that cases should be treated "according to their humors" (यथादोषं), the Nepalese witnesses have "as is appropriate" (यथायोपं, 5.5.49cd (Su 1938: 577)). This suggests that the text has been edited to fit the insertion of the verses referring to humoral therapy. These verses also include therapies such as the crow's foot treatment (see footnotes 522 and 648, pp. 160, 191 above) and the beating of drums that have been smeared with antidotes, as discussed in Suśrutasaṃlhitā 5.6 (Su 1938: 580–582) (see p. 211 below).
 - 656 The word अवतिष्ठं "remaining" is hard to parse. It cannot be a णमुल् formation (Pāṇini 3.4.22 ff), because of the root's reduplication, and should not be a present participle because it is not neuter. However, lack of gender concord is not unknown in Epic Sanskrit; several of the examples cited by Oberlies (2003: § 10.2.1) even involve present participles without gender concord. Cf. Edgerton 1953: 1, § 6.12 for examples in BHS.
 - 657 Dalhaṇa on 5.5.49ab (Su 1938: 577) reported a reading from Jejjaṭa of स्तैमित्य "immobility" instead of प्रतिश्याय "catarrh."
 - 658 The vulgate introduces दोष theory here, which is absent in the Nepalese version.

marked by it has been quickly incised (*pracchāna*) one may see poison that has leaked out there, and a toxic reaction may strongly result.

Treatment of secondary ailments

- Once the poison has disappeared one can conquer irritated wind using items that restrain the wind.⁶⁵⁹
 - One can conquer bile using substances that remove bile-fever (*pittajvara*), with decoctions, oleation and purges, combined with substances that remove poison, with the exception of sesame oil (*taila*), wine, horse gram, and mangosteen. 660
 - One can conquer phlegm with the group that starts with golden shower tree, together with honey. 661

Formal verses

- If the the bandage (ariṣṭā) is bound tightly, or if it is incised (pracchita) with sharp ointment or with the remnants of the poison, then, when the limb swells up, the flesh weeps, smells a great deal and is is putrid (śīrṇa), it is designated "poison-stink (viṣapūti)."662
- One may be certain that a person has been struck by something poisoned (*digdha*) if their wound immediately starts to suppurate has black blood that flows and is inflamed, as well as having black, weeping and exceptionally foul-smelling flesh coming out of the wound and also someone who has thirst, fainting (*mūrcchā*), fever and a temperature.⁶⁶³
- 58.1–60 One who is known to have these exact symptoms may have poison in their wound that is † given by mistake.† And they may have a wound

⁶⁵⁹ This half-verse is is not present in the vulgate, but has broadly the same sense as 5.5.52cd (Su 1938: 577), that is not present in the Nepalese version.

⁶⁶⁰ The vulgate reads "fish" in place of "wine."

⁶⁶¹ The आरंबधगण is listed at *Suśrutasaṃhitā* 1.38.6 (Su 1938: 164). These herbs are there explicitly said to pacify phlegm and to remove poison, etc. (1.38.7 (Su 1938: 164)).

⁶⁶² *Suśrutasaṃhitā* 5.5.16 (Su 1938: 575) (p. 190 above) suggests smearing an incised area with antidotes.

⁶⁶³ The Nepalese witnesses describe someone who has been struck or hurt (ধ্বন, आहत), while the vulgate describes someone who is pierced (विद्ध). Dalhaṇa on 5.5.58ab (Su 1938: 576) interpreted the latter wording as being struck by a poison-smeared arrow.

that has been hit by something poisoned (*digdha*) and is full of poison. And others are sick because of a wound that stinks because of poison. The wise person debrides the excess flesh of such people and then, after removing the blood by means of leeches and after removing the humours from above and below, he should irrigate with cold bark decoctions from milky trees. And he should apply items that destroy poison such as cloths containing ointments together with cold liquids mixed with ghee.

61ab When the bone is **injured** by poisons, the very same rule should be followed as for bile poison.

Antitoxin drugs

61cd–63ab The following items are powdered, mixed with honey and stored in a horn: turpeth, weaver's beam tree, liquorice, the two kinds of turmeric, Indian madder and Himalayan mayapple,⁶⁶⁴ and all kinds of salt.⁶⁶⁵ This antidote, taken with drinks, collyrium (añjana), oil rubs (abhyañjana), errhines and drugs, destroys poison.

With its relentless potency $(v\bar{\imath}rya)$ and as a destroyer of the toxic reaction (vega) to poison, it is called "mahāgada (*The Great Antidote*) and has great power.

Very fine embelia, velvet-leaf, the three myrobalans, wild celery, and devil's dung, as well as Himalayan mayapple and the three pungent drugs, the whole group of salts, together with leadwort and honey should be placed in a cow's horn and covered with something made of cow's horn. It should be set aside for two weeks. This antidote is called "Unbeaten" because it conquers both stationary and mobile poisons.

One should make a fine powder of the following items and place them in a horn, together with honey: long-stamen Wendlandia (?), deodar, grey orchid, black creeper, kutki, Himalayan yew, rosha grass, wild Himalayan cherry, Alexandrian laurel, ??, natron, sedge, cardamom, blue Indian symphorema, powdered ruffle lichen, costus, crape jasmine, foxtail millet, lodh tree, Indian bdellium-tree, red ochre, rock salt, long pepper, and dried ginger. This antidote (agada) is identified as "Garuḍa"

⁶⁶⁴ There is no मञ्जिष्ठा group, but there is a plant वक्र.

⁶⁶⁵ There is a लवणवर्ग, (1.46.313-321 (Su 1938: 236-237)).

(*tārkṣya*)." It can even destroy the poison of the snake prince Takṣaka (*taksaka*).

One should make powder of the following items and place it in a horn: spikenard, peas, the three myrobalans, horseradish tree, Indian madder, liquorice, wild Himalayan cherry, embelia, ??, Indian sarsaparilla, cardamom, cinnamon, costus, Himalayan mayapple, sandalwood, verbena, bitter gourd, white siris, velvet-leaf, colocynth, hare foot uraria, black creeper, Asoka tree, mulberry, toothed-leaf limonia, and the flower that is the blossom (*prasūna*) born from the fruit of the marking-nut. The bile derived from boars, monitor lizards, peacocks, and porcupines is to be added, with honey, and the products of civet, chital deer and mongoose.

This properly-prepared antidote is called "Bull." Someone who has it in the house is called "Bull Amongst Men." There will be no snakes there, nor even insects: they lose their potency and their toxins too.

- 72cd-73ab Drums and tabors smeared with this rapidly destroy poison when they are sounded. Smeared flags flags being looked upon easily and quickly overcome poison.
- One should make a powder of the following items and place the collection in a cow's horn, mixed with turmeric, and mingled with honey and ghee. As before, there is a cover: lac, the two peass, spikenard, foxtail millet, Indian madder, liquorice and gummy gardenia. It should then be used with collyrium (añjana), drinks and errhines. This antidote is called "Resuscitator (sañjīvana)" because it brings to life the dead whose breath is almost gone.
- 75cd–76ab The best antidote for the poisons of Darvīkaras and Rājilas is Indian cherry, 668 bayberry, citron, white clitoria, winged-stem canscora, white siris, and sugar, taken with amaranth. 669
- 76cd–78ab The best antidote for the poison of Maṇḍalins is grapes, Withania, Indian frankincense, ground white clitoria, combined in equal amounts

⁶⁶⁶ Palhaṇa on 5.5.70 (Su 1938: 579) glossed प्रसून more specifically as तुलसीपुष्प "the Tulasi flower."

⁶⁶⁷ All three animals produce musk. Dalhana on 5.5.71 (Su 1938: 579) remarked that some people thought शिखी was a cock, not a peacock. He also here glossed पृषत as चित्तल.

⁶⁶⁸ Palhana on 5.5.75 (Su 1938: 579) noted the common name बहुवार for श्लेष्पातकी.

⁶⁶⁹ राजिल appears to be a synonym for राजिमत्, a "striped" snake. Dalhana on 5.5.76ab (Su 1938: 579) once again gives interesting local synonyms for these plant names.

and given with two parts of the leaves of holy basil, and those from wood-apple, Bengal quince and pomegranate, as well as one measure from those of white Indian symphorema sage-leaved alangium seed as well as red ochre.⁶⁷⁰

The following group is known as the One Essence (*ekarasa*):⁶⁷¹ beautyberry, hibiscus (?), weevil wort, and mango, as well as maloo creeper, Indian pennywort, three-leaved caper, spurge, hogweed, smooth angelica, croton tree, and Indian snakeroot as well; black earth (*bhūmī*),⁶⁷² and bluebell barleria. Whether used separately or in pairs, it removes poison.⁶⁷³

⁶⁷⁰ After this passage, the vulgate has five and a half verses that do not appear in the Nepalese version.

⁶⁷¹ The vulgate reads एकसर, "one run." Dalhaṇa on 5.5.86 (Su 1938: 580) also read एकसर and glossed it as the proper name of a गण.

⁶⁷² A hapax in this meaning $Mah\bar{a}kośa$: 1, 582. So glossed by Dalhaṇa on 5.5.86 (Su 1938: 580): भूमिः कृष्णमृत्तिका ॥;

⁶⁷³ Das (1983: 55–56) discussed this passage, suggesting that भूमीकुरबक may be a plantname.

Kalpasthāna 6: Rats and Rabies

Introduction

A notable macro-difference between the vulgate and the Nepalese versions of the *Suśrutasaṃhitā* is that this chapter and the next are reversed in the vulgate. In the Nepalese version, this is chapter six and the chapter on antitoxic drumming is chapter seven.⁶⁷⁴ Jejjaṭa too read the chapters this way round, as reported by Palhaṇa.⁶⁷⁵

Mouse or Rat?

In 2004, Umberto Eco published a characteristically subtle and enlightening book about translation entitled *Mouse or Rat?*.⁶⁷⁶ The title alluded to Eco's discussion of the example of translating words for mice and rats across several European languages that do not always distinguish these animals from each other, or confuse them in other ways. In Sanskrit too, $m\bar{u}$, the subject and title of this chapter, does not distinguish between mouse and rat. The same is true for MIA and NIA derivatives.⁶⁷⁷ It is hard to know quite how to translate the term since "rodent" is too broad a term. In what follows, I have chosen "rat" for $m\bar{u}$, i in order to produce a working translation of a text about an animal that is viewed as potentially toxic and threatening. "Mouse" does not have quite these connotations for a contemporary English speaker.⁶⁷⁸

```
674 See p. 133 above.
```

⁶⁷⁵ Dalhaṇa on 5.6.32 (Su 1938: 582): जेज्जटस्तु मूषिककल्पानन्तरं दुन्दुभिस्वनीयं कल्पं पठति.

⁶⁷⁶ Eco 2004.

⁶⁷⁷ CDIAL: #10258.

⁶⁷⁸ Kunjalal Bhishagratna made the same choice (Kunjalal Bhishagratna 1907–16: 2, 728–736).

The rodents that may be described as mice or rats in contemporary South Asia and that are especially associated with the spread of disease include the house or black rat (*Rattus rattus*, L.), the brown rat (*R. norve*gicus, Berkenhout), the house mouse (Mus musculus, L.) and bandicoots (Bandicota).⁶⁷⁹ Also present in SA are the Indian desert gerbille (Meriones hurrianae, Jerdon), the Indian gerbille (Tatera indica, Hardwicke), the spiny field mouse (Mus platythrix, Bennett), the Indian field mouse (M. booduga, Gray), the Metad (Millardia meltada, Gray), the Indian bush rat (Golunda ellioti, Gray), the longtailed tree mouse (Vandeleuria oleracea, Bennett), Royle's vole (Aticola roylei, Gray), the Indian mole-rat (Bandicota bengalensis, Gray & Hardwicke), 680 the bandicoot rat (B. indica, Bechstein), the shorttailed bandicoot (*Nesokia indica*, Gray & Hardwicke), the whitetailed wood rat (Madromys blanfordi, Thomas), the bay bamboo rat (Cannomys badius, Hodgson), and other similar rodents.⁶⁸¹ However, plausibly matching these creatures to the Sanskrit names listed in this chapter is hard to impossible.⁶⁸² Almost no works engage directly with the representation or identity of rodents in pre-modern India.⁶⁸³

Rabies

Passages 43 ff. (p. 207) describe rabies fairly unambiguously, including the symptoms of hydrophobia.⁶⁸⁴ As Meulenbeld noted, the idea that the bitevictim displays the behaviours of the creature that bit them is not unique to South Asia.⁶⁸⁵

A sympathetic description was given in the seventeenth century by Emperor Jahangir, in his *Memoirs* (*Tuzuk-e-Jahangiri*), of the death of two of his elephants resulting from the bites of a mad dog.⁶⁸⁶

⁶⁷⁹ BIA: 194.

^{680 &}quot;Recent studies...show that the mole-rat forms 98% of the total rodent population of Calcutta," BIA: 206.

⁶⁸¹ BIA: ill. plates 45, 46 et passim. See also Menon 2014: passim.

⁶⁸² Mouse-words that we do not see in this chapter include the *kirika*, *giri*, *girikā* group (EWA: 1, 353, 488, 566).

⁶⁸³ One of the few is van der Geer 2008: ch. 3.

⁶⁸⁴ For a short historical bibliography on rabies, see HIML: IB, 400, note 163.

⁶⁸⁵ HIML: IB, 400, note 164.

⁶⁸⁶ Alvi and Rahman 1968: 132–134; Thackston 1999: 145–146.

Introduction 201

Literature

A brief survey of this chapter's contents and reference to the limited existing research on it to 2002 was provided by Meulenbeld.⁶⁸⁷

Chevers provided a characteristically vivid nineteenth-century discussion of injuries inflicted by wild animals, including details of those killed by wolves, tigers, dogs, jackals and other animals, and in his classic survey of the diseases of India, he discussed rabies specifically.⁶⁸⁸ The experiments with cannabis anesthesia conducted by William O'Shaughenessy in Calcutta earlier in the nineteenth century were largely aimed at palliative care for rabies patients, an incurable, lethal disease.⁶⁸⁹

A rich description of Indian rodents is available by Prater, including several useful illustrations.⁶⁹⁰ Unfortunately, Prater rarely provided Indianlanguage names for the animals he described.

In Sanskrit literature, the *Arthaśāstra* referred to the problem of rats more than once. For example, to rid a country of the threat of rats,

When there is a danger from rats, cats and mongooses should be released. If these are captured or killed, the fine is 12 Paṇas, as also for not keeping dogs confined, except in the case of foresters. He should strew grains smeared with the milk of the Snuhi-plant or mixed with secret compounds. Or, he should institute a rat tax; or thaumaturgic ascetics should perform a pacificatory rite. On the days of the moon's change ..., moreover, he should have rites of rat worship carried out.⁶⁹¹

⁶⁸⁷ HIML: IA, 295–296. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314–315), a translation of this chapter was included in P. V. Sharma 1999–2001: 3, 67–77. Sekhar Namburi (2023) omitted mention of this type of poisoning, although he discussed rabies, a subsection of this chapter.

⁶⁸⁸ Chevers 1870: 359-368; 1886: 426-440.

⁶⁸⁹ Wujastyk 2002: 50-55.

⁶⁹⁰ BIA: ch. 13, esp. 205–215.

⁶⁹¹ Arthaśāstra 4.3.20–26, tr. Olivelle 2013: 230.

- Now I shall explain the procedure (kalpa) relating to rats ($m\bar{u}$ s $ik\bar{a}$). 692
- Learn concisely about aforementioned eighteen kinds of rats that have poison in their semen, according to their names, characteristics and the herbal treatments.⁶⁹³

The types of rat

4–6 The eighteen rats are traditionally called, 694

	O	J	,
1.	Fondling rat,	10	o. Invincible rat,
2.	Sonny rat,	13	1. Fidgety rat,
3.	Black rat,	12	2. Brown rat,
4.	Gajpipul rat,	13	3. the one called Mole-rat and
5.	Little rat,	14	4. Tawny rat,
6.	House shrew	15	5. the large black rat,
7.	Arala rat, ⁶⁹⁵	16	6. White rat, together with the
8.	Red-toothed shrew,	17	7. the large Brown rat,
9.	Bad-marked rat,	18	8. and the Pigeon rat-like rat. 696

7 If a part of the body has their sperm fall on it or if they touch it with their nails or teeth, etc., that have been touched by sperm, then the blood is corrupted.⁶⁹⁷

⁶⁹² The word मूषिका does not distinguish between rats and mice. See Introduction above.

⁶⁹³ Rats with poisonous semen were mentioned in 5.3.5 (Su 1938: 567) (see p. 165 above).

⁶⁹⁴ Palhaṇa on 5.6.4 (Su 1938: 582) gave no comment on any of these names. The identifications are mostly guesswork and sometimes whimsical. The glossary gives lexical discussion of individual names.

⁶⁹⁵ The word अरल is a hapax legomenon and has not previously been identified as a lexeme because it did not appear in earlier editions of the *Suśrutasaṃhitā*. It is a loan-word from Dravidian (see glossary).

⁶⁹⁶ The Nepalese list has विसर (Gajpipul rat) for the vulgate's हंसिर. The terms आखु, मूषिका and उन्दुरु are here used as generic names of rat/mouse rodents.

⁶⁹⁷ On this, Palhaṇa on 5.7.7 (Su 1938: 582) quoted an authority called Ālambāyana who elaborated on this subject (see HIML: IA, 658 for references to this author of a lost treatise on toxicology). Palhaṇa also cited Ālambāyana elsewhere on the topics of insects and spiders (HIML: IB, 722, note 5). See also the <code>Aṣṭāṅgasaṅgraha</code>'s assertion that Ālambāyana was responsible for the doctrine of toxic pulse (<code>vega</code>)s, p. 151 above. Ālambāyana, who was already known as "the famous soul of compassion" in the <code>Mahābhārata</code> (13.18.4), was also known in Buddhist literature. Book 22, tale 543 of

8–10ab It happens that there are lumps (*granthi*), swellings, small earlike growths (*karṇika*) and rings, accumulations of severe blisters (*piṭaka*), spreading rashes (*visarpa*) and dark, rough patches of skin (*kiṭibha*). ⁶⁹⁸ There are severe conditions such as pain in the joints, pain, fever, fainting, weakness, loss of appetite, exhaustion, nausea and horripilation. ⁶⁹⁹

This is a concise description of the appearance of someone who has been bitten. Now listen to a longer version.

Detailed symptoms

10cd-11ab The Fondling rat causes a flow of saliva, vomiting and hiccups. For that, one should lick a paste of amaranth with honey.

11cd–12 The Sonny rat causes the limbs to droop and creates a pale beauty,⁷⁰⁰ and the body is heaped with lumps like the young of a rat.⁷⁰¹ One should lick siris, odal oil plant and malabathrum with

the Jātakas includes mention of an Ālambāyana who claimed to be a doctor and specialist in snakebite poisons: $n\bar{a}ham$ $dij\bar{a}dhipo$ homi, na dith garulo $may\bar{a}$, $\bar{a}s\bar{v}isena$ vitto ti vejjo mam $br\bar{a}hmanam$ $vid\bar{u}$ ti 793 (Fausbøll 1877–96: 6, 181, tr. Cowell et al. 1895–1907: 6, 95). In the same tale, there is a herbal "Ālambāyana mantra" given to an ascetic by a Garuḍa who has just caught and eaten a Nāga, thus invoking the Garuḍa-snake-poison motif (Cowell et al. 1895–1907: 6, 93–94). The Jātakas were translated into Chinese in the third century CE.

See further discussion by Slouber (2016a: 33–34), who calls the mantra "Alampāyana," adopting the reading of the Burmese MS Bd against the Fausbøll's critical reading "Ālambāyana" (see Fausbøll 1877–96: 2 & 3, Preliminary remarks 3 and 7).

698 "Little ears" was strikingly described by Palhana on 5.7.8 (Su 1938: 582) as looking like the seed pod in the middle of a lotus (कमलमध्यबीजकोशाकृतिः), a graphic image (see also Palhana on 5.8.136 (Su 1938: 594)). Perhaps similar to hypergranulation. The Nepalese version has पिटक "blisters" for the vulgate's पीडक "boils" (itself perhaps a typo for पिडक). किटिभ "dark rash" was described by Palhana on 1.11.7 (Su 1938: 46) as a kind of कुष्ठ, which is variously a skin disease of pallor, leucoderma, or leprosy (Emmerick 1984). But it was described in the Carakasanhitā as being dark and as rough as a callous to the touch (6.7.21cd–22ab (Ca 1941: 451)) (Mahākośa: 1, 208).

699 पर्वभेद "pain in the joints" was glossed by Dalhana on 5.7.9 (Su 1938: 582) as "spots on the joints" (सन्धेः स्फोटः). This seems unlikely, since symptoms on the surface of the body were described in the previous verse, and also because of the obvious etymological meaning of the compound.

700 The expression -वल्गु "beauty" in the Nepalese MSS, for the vulgate's simpler -वर्ण "complexion," is unusual.

701 The grammar here is very loose. হাির্যু cannot stand outside the compound, which

- honey.702
- 13 The Black rat causes one to vomit blood, especially when the weather is bad. One should drink siris and malabathrum, with costus and cardamom, with the flame-of-the-forest ashes.⁷⁰³
- 14 The Gajpipul rat causes a person have a revulsion for food, to yawn, and makes their body-hair leprous.⁷⁰⁴ They should drink items like golden shower tree and be quickly made to vomit.
- The Little rat causes headache, swelling, hiccups and nausea. One should have thorough emesis using decoctions of luffa, and he should drink the juice of sage-leaved alangium.
- The House shrew causes constipation, paralysis of the neck, and gasping (*vijṛmbhikā*).⁷⁰⁵ In this case, one should administer a caustic made of barley ash and velvet bean as well as the two hairy-fruited eggplants.⁷⁰⁶

should read मूषिकशिसुसंस्थितैः. The vulgate text has the simpler and grammatical आ-खुशावकसन्निभैः "resembling the offspring of a rat."

⁷⁰² Palhaṇa on 5.7.11-12 (Su 1938: 582) here cited a passage by an unknown author called Nāgārjuna, about the visible symptoms of a bite by this kind of rat (cf. P. V. Sharma 1982: 45–46, HIML: IB, 497, note 100) as well as variant readings by Gayadāsa and Jejjaṭa on the exact formulation of the lickable medication.

⁷⁰³ Dalhaṇa on 5.7.13 (Su 1938: 583) explained "with the ashes of flame-of-the-forest" as "water with the ashes of flame-of-the-forest."

⁷⁰⁴ The qualifier कुष्ठता (रोम्णां) is odd; the vulgate's हर्षण "horripilation" reads more easily. कुष्ठ has a lesser-known meaning "prominent part, mouth or opening" which might perhaps be considered here, though it is hard to see how.

⁷⁰⁵ विजृम्भिका is one of the eighty wind diseases listed in the Kāśyapasaṃhitā and glossed by Hemarājaśarman as "yawning" (Hindī जंभाई, 1.27.19–28 (Hemarājaśarman 1938: 41–42)). However, in the Carakasaṃhitā it is a term for one of the disorders of an improperly treated post-partum umbilical cord (glossed by Dalhaṇa as मुहुर्मृहुर्वृद्धिमती "growing larger moment by moment," 4.8.45 (Ca 1941: 348–349)) and translated by P. Sharma (1994: 1, 480) as "umbilical hernia." Cf. Mahākośa: 1, 756.

⁷⁰⁶ Note that half-verses 16cd and 16ab are reversed compared to the vulgate edition. This makes the caustic a remedy for the bite of the House shrew, while the earlier luffa remedy is for the Little rat, which makes betters sense.

The vulgate has text at this point, 17 and 18ab, that are not present in the Nepalese version. They are about further symptoms and treatment of stiffness of the neck, anosmia, etc., presumably arising from the bite of the House shrew. Dalhaṇa on 16cd–17 (Su 1938: 583) recorded different readings from Gayadāsa's commentary here (see edition notes); it seems these verses became slightly confused at an early period. We would expect symptoms of the bite of the Arala rat at this point in the text, and the Great Antidote treatment in the next line would be its therapy.

18cd–19 The Arala rat causes stiffness of the neck and pain in the area of the bite. In that case, one should lick The Great Antidote ($mah\bar{a}gada$), that is of great potency ($v\bar{i}rya$), together with honey.⁷⁰⁷

- 19cd–20ab The Red-toothed shrew causes sleep and especially emaciation. In that case, one should lick the sap and seeds of siris with honey.⁷⁰⁸
- 20cd—21ab The Bad-marked rat causes pains, swelling and lines up to the area of the bite. In that case, one should lick the two kinds of bluebell barleria, together with Indian symphorema and honey.
- The Invincible rat causes nauseous fainting, heart-seizure (*hṛd-graha*) and blackness of the limbs. In that case, one should lick Indian madder mixed with the milky latex of oleander spurge and honey.
- 22cd-23ab The Fidgety rat causes vomiting and fainting together with thirst. One should drink the three myrobalans with wood-ash, spikenard and honey.
- 23cd–24ab The Brown rat causes a wound, hives (*koṭha*), fever, and an outbreak of lumps (*granthi*).⁷⁰⁹ In this case, white clitoria or white hogweed should be licked with honey.
- 24cd-25ab The Mole-rat is said to cause lumps, fever, and an intense feeling of heat $(d\bar{a}ha)$. In that case, one should drink ghee cooked with an decoction $(kv\bar{a}tha)$ of indigo and hogweed.

The last five, from the Tawny rat on

25cd–26 The Tawny rat causes the wind to be angry, creating illnesses that originate in wind. The Large Black (rat) causes bile, the White rat phlegm, the Large Brown rat causes blood, and the Pigeon rat

^{707 &}quot;The great antidote" recipe is described at *Suśrutasaṃhitā* 5.6.63 (p. 195 above).

⁷⁰⁸ The difficult expression शिरीषस्य सारमाषकान् probably accounts for the easier version of the vulgate, with its dvandva सारफलत्वचः. Taking सारमाषकान् as a dvandva, we can read माषक as in the compound शिरीषमाषक "siris seeds."

⁷⁰⁹ কীত was a skin ailment variously described by authorities as a redness that appeared and disappeared rapidly, that was itchy, that was caused by an excess of salty items, etc. (see *Mahākośa*: 1, 239, HIML: IIB, 76, n. 47). It may have referred to conditions such as urticaria, allergy, ringworm or vitiligo. The English word "hives" has a history going back to ca. 1500, referring to various eruptions in the skin that may feel hot (OED: s.v. "hives (n.)").

- causes all four.⁷¹⁰
- In the bites of these ones there are lumps, rings and small ear-like growths (*karṇika*).⁷¹¹ There are accumulations of blisters (*piṭaka*) on the body, and severely painful swellings.
- A half litre (*prastha*) each of curds, milk and ghee are measured out.⁷¹² Make a broth of pongame oiltree, golden shower tree, the three pungent drugs, hairy-fruited eggplant, beggarweed, and beggarweed,⁷¹³ and once again make that broth into one fourth part. One should add turpeth, viburnum, heart-leaved moonseed, Himalayan mayapple, Indian snakeroot, Indian frankincense,⁷¹⁴ wood-apple, pomegranate, and cinnamon. Mix all that together and cook it over a gentle flame. This gets rid of the poison of the five rats from Tawny rat on.
 - Alternatively, prepare in the juices of hedge caper and black night-shade.
 - 32 Also, you should pierce the affected veins $(sir\bar{a})$ and apply purifications. As an alternative, one may apply this rule in all cases of rat poisoning.
- One should cauterize the bite, then bleed it and, having made small cuts (*pracchita*), smear it with a paste of siris, turmeric, Himalayan mayapple, saffron, and heart-leaved moonseed.⁷¹⁵ Emesis is with a decoction (*kvātha*) of indigo with parakeet and sage-leaved alangium.⁷¹⁶
 - 37–38 When doing a purge, turpeth, red physic nut, and the three myrobalans are recommended; when purging the head, either

⁷¹⁰ Note the switch to humoral theory with these last five rats in the list, and the assumption of blood as a fourth humour .

⁷¹¹ On कर्णिका, see footnote 698.

⁷¹² The measure of a प्रस्थ is approximate and different authors have various estimates.

⁷¹³ अंशुमती and स्थिरा are both normally identified as beggarweed, but when a pair are mentioned the second is probably painted uraria.

⁷¹⁴ For the vulgate's reading समृत्तिका "with earth," Dalhana on 5.7.29 (Su 1938: 583) specified "black earth" and noted that some people read अहिमृत्तिका "snake earth" meaning earth taken from anthills, while Jejjata read अगवृत्तिका, meaning शह्नकी, "Indian frankincense" (see also GVDB: 392). Jejjata's reading is essentially that of the Nepalese MSS, with a म/ब alternant, if Trikamji Ācārya's edition is correct on this.

⁷¹⁵ The vulgate substitutes কুম্ব for বক্সা.

⁷¹⁶ The vulgate has two and a half more verses at this point, expanding the recipe considerably and adding the appropriate verb, "he should vomit."

- the juice of siris or its fruits. Juice of cow-dung with a lot of the three pungent drugs is good in collyrium.⁷¹⁷ an electuary of the juice of wood-apple and cow-dung, with the two kinds of honey, is recommended.⁷¹⁸
- 40 The person should drink ghee cooked in roots of amaranth, or either cooked with the roots of bread flower or the five products of the wood-apple.⁷¹⁹
- The poison that comes out of rats is most irritant during cloudy weather. And in that case too, the procedure that should be carried out is the one for removing slow-acting poison $(d\bar{u}\bar{s}\bar{t}vi\bar{s}a)$.
- 42 The physician should cut $(pra\sqrt{ch\bar{a}})$ the small ear-like growths (karnika) that are hard and slightly painful. And in every single case of poison he should perform the procedure as for a wound.⁷²¹

The bites of wild animals

- When a creature such as a dog, a jackal, wolf, tiger or hyena has the poison, the corrupted phlegm which resides in the conduits of consciousness takes away consciousness.⁷²² Then, its tail, jaw and shoulders droop down, it drools, it is deaf to unclear sounds and blind and it charges against one another.⁷²³
- 45–46ab And there is numbness in the limb of one who has been bitten by such a creature, and the blood runs black.⁷²⁴

⁷¹⁷ The Nepalese MSS appear to read "juice that is cow-dung" (गोमयः स्वरसो) but the vulgate has the grammatically easier, "juice of cow-dung" (गोमयस्वरसो).

⁷¹⁸ Verse 5.7.39 (Su 1938: 584) of the vulgate is not present in the Nepalese version.

⁷¹⁹ Dalhana on 5.7.40 (Su 1938:584) glossed the last item as, "a decoction of the pulp of the fruit, roots, flowers, bark and leaves of the wood-apple."

⁷²⁰ The Nepalese witnesses read निर्हतम् "removed, taken out," in contrast to the vulgate's अनिर्हतम् "not removed." The vulgate refers to rat-poison remaining in a patient, while the Nepalese version is talking more generically about poison that comes from rats.

⁷²¹ On प्रच्छित् "cut off, scarify" cf. the same verb at 4.9.10 (Su 1938: 443), 6.14.10 (Su 1938: 621), and derivatives प्रच्छन, प्रच्छित, etc., cited at *Mahākośa*: 1, 523. The wording of the vulgate text of this verse is quite different, and it introduced the idea of treatment according to the humour.

⁷²² The Nepalese version does not mention wind, unlike the vulgate, but the sentence structure is harder than the vulgate.

⁷²³ The grammatical number of "it charges against one another" is odd in Sanskrit too.

⁷²⁴ This translation of the text is tentative and does not account for स्युः. The sentence is not clear in the witnesses or later derived versions such as *Aṣṭāṅgaḥṛḍayasaṃḥitā* 6.38.10

- And it is in the main marked by the signs of someone who has been pierced by a poisoned arrow.⁷²⁵
- The person, repeatedly imitating the movement and cries of the creature that bit him, loses the power of movement and is destroyed.
- 47–48ab If the bitten person sees, in water or in a mirror, the one who was bitten by the creature with fangs, it is an indicator of impending death.
- 48cd–49ab If someone who has not been bitten nevertheless trembles at the sight, touch or sound, that should be known as hydrophobia (*jalatrāsa*), and that too is a sign of impending death.
- When one is bitten, one should make that bite flow and then it should be cauterized (*paridāhita*) with ghee. One should anoint it with antidotes and one should also make the patient drink aged ghee. One should also quickly give them an evacuative mixed with the latex of purple calotropis. One should also give them white clitoria and hogweed, together with datura.⁷²⁶
- 5.7.60–60.1 He should be made to bathe on the bank of a river or at a cross-roads, accompanied with mantras, with pots full of seeds, jewels and medicinal herbs, filled with cold water.
- 5.7.61–62ab O Yakṣa, Ruler of Mad Dogs, Lord of the Pack of Dogs, make this dog affliction free from poison, quickly, Svāhā!

⁽Ah 1939: 921). Taking सुप्तः as "numbness" is not comfortable, though the vulgate seems to have taken this sense, reading सुप्तता (that Dalhana glosses as बाधिर्यम्).

The vulgate version is a full śloka, rather than the Nepalese half-śloka, and translates as, "But there is numbness at the bite of the one bitten by such a mad, fanged, poisonous creature, and black blood overflows" (5.7.45 (Su 1938: 584)).

The main interpreters state that it is the limb or the location of the bite that becomes numb, not that the person loses consciousness. It is tempting to think that a more original text might have been referring to the victim losing consciousness. Srikantha Murthy (1991: 3, 375) took this view (against the commentator Aruṇadatta): "... the person gets into stupor"

⁷²⁵ अभिलिङ्गित "marked by" is not a common word and is perhaps a hapax legomenon. The vulgate has the simpler expression उपलक्षित.

⁷²⁶ At this point, the vulgate has seven and a half verses (5.7.52cd–59) that are not present in the Nepalese version. They describe a recipe that causes or aggravates the same symptoms as the bite of the animal. The interesting theory is presented that the patient will only survive if the poison is assisted in expressing its inflammatory symptoms fully (कुप्येत्स्वयं विषं यस्य न स जीवित मानवः। तस्मात्प्रकोपयेदाशु स्वयं यावत्प्रकुप्यित ॥ (5.7.58cd–59ab (Su 1938: 585)).

5.7.62cd One should provide an intense evacuation (*saṃśodhana*) for the person who has been bathed.

- 5.7.63 That poison flares up again in a person who has not been evacuated, even though the wound may have healed.
- 5.7.63.1 Whether asleep or awake, a healthy person who is frightened does not succeed. And a mortal who is afraid of water as well as one who gets inflamed when bitten.⁷²⁷

Thus the Kalpa 6.

⁷²⁷ The sense of this verse, which does not appear in the vulgate, is uncertain.

Kalpasthāna 7: Beating Drums

Introduction

This chapter is numbered 7 in the Nepalese version, but 6 in the vulgate.

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁷²⁸

Translation

- 1 Now I shall explain the procedure (*kalpa*) on the topic of sounding the kettle drum (*dundubhi*).⁷²⁹
- One should take the ash of the following items, mix it with cows' urine and an caustic (*kṣāra*) compound, take an extract and cook it thoroughly: axlewood, garjan oil tree, sandan, neem, weaver's beam tree, corky coral tree,⁷³⁰ cluster fig, emetic nut, arjun, white dammer tree, white siris (?), Indian cherry, sage-leaved alangium, Tellicherry bark, shami tree, wood-apple, maloo creeper, purple calotropis, Indian elm, oleander spurge, tree of heaven, liquorice, horseradish tree, teak,

⁷²⁸ HIML: IA, 295. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314–315), a translation of this chapter was included in P. V. Sharma 1999–2001: 3, 61–66.

⁷²⁹ This title suggests that the chapter may once have begun with the words "the drums are to be sounded" or at least that this is the subject of the chapter (Pāṇini 4.3.87). On the translation "kettle drum" see Hopkins 1889: 318; Rossi 2014.

⁷³⁰ The ingredients to this point are similar to the water-detoxifier described in *Suśruta-saṃhitā* 5.3.9 (Su 1938: 568), p. 166 above.

prickly-leaved elephant's foot, Himalayan birch,⁷³¹ viburnum, marsh barbel, woody-fruited jujube, and white-bark acacia.

One should add to this the powder of the following items, together with an equal quantity of metals: long pepper, long pepper root, amaranth, cinnamon, smooth angelica, Indian madder, pongame oiltree, gajpipul, embelia, soot, Indian symphorema, soma,⁷³² chir pine, saffron, halfa grass, mango, Indian mustard, three-leaved caper, Indian laurel, itchytree, castor-oil tree, pussywillow, purging nut, blackboard tree, Indian trumpet tree, cherry, croton tree,⁷³³ Indian aconite, deodar, black pepper, costus, and sweet flag.⁷³⁴ Once it has been brought to the boil with the alkali, one should take it down and place it in a iron pot.⁷³⁵

- 4 One should smear this onto a drum as well as onto flags and carpets.⁷³⁶ One is released from all poisons as a result of seeing and hearing these.⁷³⁷
- 5–6 This is called "The Caustic Antidote (*kṣārāgada*)".⁷³⁸ It should be given

⁷³¹ Note the unanimous Nepalese MS reading भूज, the Middle Indo-Aryan form of Sanskrit भूजं (CDIAL:#9570).

⁷³² The literature on the identification of Soma is large and continuing (Wujastyk 2003*b*: 76–78, 125–131; Clark 2017). To the cited literature, the useful historical discussion by T. B. Singh and Chunekar (GVDB: 449–455) gave special attention to the āyurvedic literature. Its presence in this recipe may add special value or power to the resulting compound.

⁷³³ Dalhaṇa on 5.6.3 (Su 1938: 580) glossed नागदन्ती as a type of इन्द्रवारुणी (colocynth), but he noted that Jejjaṭa had thought it was दन्ती (red physic nut).

⁷³⁴ Palhaṇa on 5.6.3 (Su 1938: 580) noted that Gayadāsa omitted several of the above ingredients, keeping thirty.

⁷³⁵ Dalhaṇa on 5.6.3 (Su 1938: 580) explained that the above substances, from pepper onwards, should be placed in liquid alkali and then cooked until they are neither too runny nor too viscous (a phrase he copied from 1.11.11 (Su 1938: 47)). The preparation of पाक is particularly common in the Suśrutasaṃhitā and the Aṣṭāṅgahṛdayasaṃhitā. Cf. the very similar ingredients and procedure in the chapter on alkali preparations, Suśrutasaṃhitā 1.11.11 (Su 1938: 46–47), p. 35 above.

⁷³⁶ The vulgate has तोरण "gateways" instead of आस्तरण "carpets." On the meaning of the latter term, see Bailey 1970: 31, 33 *et passim* and the remarks of Rotman (2008: 1, 390–391, note 171). I am grateful to Michael Willis who has drawn my attention to similar practices described in Tibetan Buddhist literature, some of which may preserve material from before the fifth century CE (Gongkatsang and Willis 2018).

⁷³⁷ The vulgate adds "and touching" 5.6.4 (Su 1938: 580). Note the ditransitive (द्विकर्मक) -मुच्यते; cf. *Meghadūta*, uttaramegha 33 (Kale 1947: ७१, 120).

⁷³⁸ Cf. 4.23.95-104 (Ca 1941: 575-576).

in cases of small urinary stones ($\acute{sarkara}$), urinary stones (\acute{asmart}), 739 hemorrhoids, wind-swelling ($v\bar{a}tagulma$), cough, abdominal gripes ($\acute{su}la$) and swollen belly (udara). It should be given for indigestion, humours of the abdomen ($grahan\bar{u}dosa$), 740 and severe aversion to food (bhaktadvesa), 741 in swelling, mouth ulcer (sarvasara), 742 and persistent asthma ($\acute{sv}\bar{a}sa$).

- 7 This is to be employed in all cases where someone is suffering as a result of any poison. Thus, it is the antidote that is the Snakes' Controlling Hook (*sarpāṅkuśa*) even for the snakes led by Takṣaka.^{743,744}
- 12–13 Grind prickly chaff-flower seeds and the beans of siris, the two white clitorias and black nightshade with cows' urine.⁷⁴⁵ A ghee mixed with these is the most effective means of soothing poison. It is famous under the name "Immortal (Amṛta)." It can revive even the dead.
- 14–23 Collect together the following requisites:
 - 739 अश्मरी and शर्करा are described in Suśrutasaṃhitā 2.3 (Su 1938: 276–280), the latter being smaller and more easily expelled (2.3.13cd–14 (Su 1938: 279); cf. Mahākośa: 1, 67–68, 808–809). The commentators Cakrapāṇidatta and Dalhaṇa discussed the lack of a firm distinction between these categories.
 - 740 On the organ called ग्रहणी, see the useful summary by Ramachandra Rao and Sudarshan (1985–2005: 2, 20–21, 96 et passim).
 - 741 A sign of impending death according to *Suśrutasaṃhitā* 1.32.4 (Su 1938:142).
 - 742 See *Mahākośa*: 1, 888 and *Suśrutasaṃhitā* 2.16.65–66 (Su 1938: 336) and 4.23.3 (Su 1938).
 - 743 तक्षक is an ancient name for a Nāga, mentioned in the *Kauśikasūtra* (28.1 *et passim*, Bloomfield 1890: 78). Takṣaka is mentioned briefly in the *Rāmāyaṇa* (Pollock 1991: 292, n. 13) and more in later works. See further, Slouber 2016a: 22, 26, 37, *et passim*. The *Kriyākālottaratantra*, edited by Slouber, contains a similar sentence (7.26cd, p. 232): "Even someone bitten by Takṣaka will be rapidly cured of poison."
 - 744 There follow four verses in the vulgate, 8–11, that are not present in the Nepalese version. These list ingredients that form a ghee called The Salutary (kalyāṇaka). This ghee recipe with the same name is also present in the Uttaratantra at 6.39.229–232 (Su 1938: 689), where it is a treatment for mostly similar ailments: chronic fever, asthma, cough, swelling, madness and a toxic potion (gara) (defined at 5.8.24cd–25ab (Su 1938: 587) as something manufactured, कृतिम). However, in the Nepalese version at 6.39.232, the vulgate statement of this name "एतत्कल्याणकं नाम सर्पिमोङ्गल्यमुत्तमम्" is not present. Thus, in the Nepalese version, The Salutary (kalyāṇaka) is not named. The same named ghee also appears in the Carakasaṇhitā at 6.9.35–42ab (Ca 1941: 471), where it is presented as a treatment for madness (unmāda) as well as many other ailments including those mentioned above in the Suśrutasaṃhitā (excluding swelling); it is possible that this is a case where a text from the Carakasaṃhitā was added to the Suśrutasaṃhitā after the Nepalese version.
 - 745 On the BHS form पीषयेत्, see Edgerton 1953: 2, 346, Edgerton 1953: 1, §28.4, p. 220.

sandalwood, agarwood, costus, crape jasmine, wild spider flower, long-stamen Wendlandia (?), spikenard, chir pine, deodar, white sandalwood, plants like asthma plant and Gulf sandmat, verbena, indigo, Indian sarsaparilla, woody turmeric, wild Himalayan cherry, liquorice, thorny (sanakha) spikenard, Alexandrian laurel, cardamom, cherry, red ochre, rosha grass, scented pavonia, resin of white dammer tree, spikenard, Indian dill, peas, scramberry, cardamom, foxtail millet, sedge, sesame flowers, powdered ruffle lichen, malabathrum, black sarsaparilla, the three pungent drugs, camphor, white teak, kutki, purple fleabane, Indian aconite, gummy gardenia, colocynth, vetiver and lemon grass (?), three-leaved caper, coriander, sweet hoof, cinnamon, smooth angelica,⁷⁴⁶ scutch grass,⁷⁴⁷ chebulic myrobalan, the two types of clitoria, the two types of turmeric, Himalayan yew, lac, and the salts,⁷⁴⁸ white water-lily, blue water-lily, sacred lotus flowers, pale Java tea and the flowers of champak, Asoka tree, royal jasmine, long-stamen Wendlandia (?),749 weaver's beam tree, silk-cotton tree, Indian cherry, siris, toothed-leaf limonia, Arabian jasmine, Indian symphorema, axlewood, garjan oil tree, and sandan.

Collect these ingredients and then have a fine powder made out of them and place that in a horn together with cow's bile, honey and ghee.

- This foremost antidote can rescue a man, with hunched shoulders and rolling eyes, from within the jaws of death.
- This antidote can even destroy the irresistible, fire-like poison of Vāsuki, the lord of all the snakes, who is angry, and infinitely ardent.⁷⁵⁰

⁷⁴⁶ The plant is usually called चोरक, literally "thief." The Nepalese text here uses the unusual expression तस्करसाह्व "called the same as 'thief'."

⁷⁴⁷ The preceding three plants are in a half-verse that appears in the Nepalese version of the Suśrutasaṃhitā but not in the vulgate. It is notable that चोरक (syn. तस्कर) is distributed across Afghanistan, Himalaya and western Tibet. ग्रन्थिला (more commonly ग्रन्थिल, n.) is mentioned in the version of this Mahāsugandha recipe in the Aṣṭāṅgasaṅgraha, Utt.47.69a (As 1980: 899) (but not in the Aṣṭāṅgahṛdayasaṃhitā), suggesting that the Aṣṭāṅgasaṅgraha at this point had access to sources similar to the Nepalese witnesses.

⁷⁴⁸ Dalhana specified "the five salts" (Dalhana on 5.6.19 (Su 1938: 581)).

⁷⁴⁹ The Nepalese witnesses unanimously read तिलक not the vulgate's तिल्वक. Both plants have fragrant flowers.

⁷⁵⁰ This Nepalese MSS unanimously read सर्वनागगित "the progress of all the snakes" for the vulgate's विषं नागपित "the poison of the king of snakes." We emend to सर्वनागपित "the lord of all the snakes."

26 Out of all the royal antidotes, this one, called The Great Perfume (*Mahāsugandha*), assembled out of eighty-five components, should always be in the king's hand.

- A king anointed with this will become beloved of all the people. He becomes refulgent even when surrounded by his enemies.
- For those afflicted by poison, the expert should apply a therapy that avoids heat. The exception is insect poison, because coldness makes that grow.⁷⁵¹
- Someone suffering from poison should avoid sleeping during the day, sexual intercourse, exercise, anger, the heat of the sun, wine $(sur\bar{a})$, sesame and horse gram.⁷⁵²
- A physician can recognize that a person is free of poison if their humours are calm, if their tissues $(dh\bar{a}tu)$ are in a normal state, if they have an appetite, if their urine and feces are regular (sama), and if the movement of their senses and mind is calm.⁷⁵³

⁷⁵¹ Verses 29 and 30 of the vulgate, giving dietary advice, are not present in the Nepalese version.

⁷⁵² Dalhaṇa on 5.6.31 (Su 1938: 581) took the "and" in this sentence to mean the inclusion of a list of additional avoidances, from long pepper to river dolphins and tortoises.

⁷⁵³ This verse is much clearer in the Nepalese version. The vulgate seems to have acquired corrupted readings before the time of Dalhana.

Kalpasthāna 8: Poisonous insects

Introduction

This is the last chapter of the *Kalpasthāna*. Since the chapter-colophons of the Nepalese manuscripts of the whole *Suśrutasaṃhitā* commonly end with the statement, "here ends the *Suśrutasaṃhitā* together with the *Uttaratantra*," we can presume that an older version of the *Suśrutasaṃhitā*, sans *Uttaratantra*, ended with the present chapter. Added to this, the beginning of the next section of the work, the *Uttaratantra*, reads,

It being declared in the preceding 120 chapters, from here on, in the latter section, I shall explain the meanings in detail, fully.⁷⁵⁴ Now, I shall explain the treatise called "the latter" where diseases in their diversity are fully revealed.

It is often the case with evolving works that new chapters are added at the start or, especially, at the end of a work. This has been true since the *Rgveda*. The *Kalpasthāna* has a different character from the rest of the *Suśrutasaṃhitā*, for example eschewing theoretical considerations in many situations. It may therefore itself have once been an addition to an even earlier medical work consisting of four main divisions.

Insect names

It is more than usually difficult to equate the Sanskrit names of insects with contemporary creatures. In fact, it is mostly impossible. This is partly, at least, because historical entomology is non-existent as a discipline. Furthermore, entomology as a science in South Asia is dramatically

⁷⁵⁴ Note that this is not the reading of the vulgate, which says that the *Uttaratantra* will explain everything that was *not* completely explained before.

undeveloped when compared, for example, with botany.⁷⁵⁵ There are few general surveys of insects in India and virtually none that record historical names or literary references. In the twelfth century, Dalhana made the following remark about the commentators who lived before his time:

These different types of insects are not described by commentators like Suvīra, Nandin, Varāha, Jejjjaṭa and Gayadāsa, so they have to be identified by people from different localities.⁷⁵⁶

Thus, even pre-modern Sanskrit authors were not expert regarding the identities of the insects discussed in the *Suśrutasamhitā*.⁷⁵⁷

In general the names listed in passages 5–14 are the least recognizable. Most seem never to appear elsewhere in Sanskrit literature or even elsewhere in the *Suśrutasaṃhitā*. The names mentioned from passages 25 onwards are mostly recognizable and do appear elsewhere Sanskrit literature.⁷⁵⁸ This chapter therefore gives the appearance of having two distinct parts. First, there is a taxonomy arranged according to humoral characteristics, containing otherwise unknown insect names. Second follows a concatenated treatise with more recognizable ordinary-language nomenclature coupled with creature-by-creature nosology and therapy.

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁷⁵⁹

The early history of entomology in India was fragmented until the study of Maxwell-Lefroy (1909) who provided a comprehensive and well illustrated reference compendium. Dover (1922) gave an overview of the early years of the field, though he admitted that, "I have not the linguistic attainments to discuss the mention of various insects in ancient Sanskrit

⁷⁵⁵ Desmond (1992) devoted a book of 368 pages to the early history of Indian botany; Dover (1922: 338–345) described the history of Indian entomology in seven pages.

⁷⁵⁶ Palhaṇa on 5.8.4 (Su 1938: 586): एते कीटकभेदा नानादेशीयलोकादवगन्तव्याः, यतः सुवीरनन्दि-वराहजेज्जटगयदासादिभिः टीकाकारैर्न व्याख्याताः. (Varāha is called Vārāha by Palhaṇa on 2.13.3 (Su 1938: 318).) Cf. Meulenbeld (HIML: IA, 387–388) on Suvīra and mutatis mutandis on the other commentators

⁷⁵⁷ MW includes 191 insect names, almost none of which are identified.

⁷⁵⁸ E.g., T. R. Mitra 2005.

⁷⁵⁹ HIML: IA, 296-299.

Introduction 219

works." Entomological studies focussed on south India include those of Baingrigge Fletcher (1914) and Ramakrishna Ayyar (1963). Meulenbeld (HIML: IB, 402) provided short bibliographies on Indian scorpions (note 214) and on spiders (note 222). Some insects were included by Ball (1888) in his study of the Indian flora and fauna known to classical Greek authors. Kaur and L. Singh (2018) provided a unique but very brief historical sketch of some arthropod references in Sanskrit literature.

1 And now I shall explain the procedure (*kalpa*) about insects.

Taxonomy of insects

- 3 Insects originate from snakes' semen, feces, urine, the rot of corpses, and eggs.⁷⁶⁰ Their characters are traditionally divided into three: wind, fire, and water.
- 4 Yet others hold the opinion that they are connected with the characters of all of the humours. And those insects are also very fierce and all of them are divided into four groups.⁷⁶¹

The wind group

5–6	1.	Tick-navel,	10.	Revolver, and
	2.	Beaked,	11.	Sheep-insect,
	3.	Horned, and	12.	Myna-face, and
	4.	Hundred-kulimbhakas,	13.	Legume-insect,
	5.	Cricket,	14.	Hundred-creeper,
	6.	??,	15.	Stripy,
	7.	Little-voice,	16.	Spotted,
	8.	Vicitiṅgas, and	17.	Speckle-head. ⁷⁶²
	9.	Lentil insects.		_

7cd–8ab These eighteen insects, being of airy character, irritate the wind. The diseases of people bitten by one of these are caused by wind.

The fire group

8cd-11ab

⁷⁶⁰ P. V. Sharma (1999–2001: 3, 78) omitted "snakes'" making it sound as if insects are just born of any semen, etc.

⁷⁶¹ The insects named in the following lists are all unidentifiable at the present time. The English translations are based mostly on the etymologies of the Sanskrit names. Future ethno-linguistic studies of insect-names in South Asia may solve some cases.

⁷⁶² The list is deficient in the Nepalese version. The vulgate text has another half-verse here listing two more names, হানৰাहু "hundred-arm" and रक्तराजि "red-stripe." It does not include the Nepalese version's अल्पवाच "little voice."

1.	Pitcher-like,	15.	Lotus-insect,
2.	Shining-like-grain,	16.	Drummer,
3.	Celestial, and	17.	Mosquito,
4.	Warding off,	18.	Centipede,
5.	Wing-scorpion,	19.	Five-venom,
6.	Noseless,	20.	Cook-fish insect,
7.	Devout,	21.	Black-beak,
8.	Droplet,	22.	She-ass insect.
9.	Bee,		These are the insects, as well
10.	Outsider.		as the
11.	Picciţās,	23.	Worm-dish,
12.	Pot-turd,		and the other one that is
13.	Maggot,		known as the
14.	Enemy-liquor,	24.	Slimy.
These are the twenty-four insects that have the character of fire. The			

These are the twenty-four insects that have the character of fire. The diseases of people bitten by one of these are caused by bile.

The phlegm group

12-15ab

- 1. All-support,
- 2. Five-white,
- 3. Five-black,
- 4. Kokila-insect,
- 5. Šairyaka-insect,
- 6. Pravalāka,
- 7. Bhaṭābha,

- 8. Kitibha,
- 9. Atakī,
- 10. Needle-mouth,
- 11. Black monitor lizard,
- 12. Kusta-insect,
- 13. Red-dweller,

These are the thirteen watery (*saumya*) insects that irritate the phlegm. The diseases of people bitten by one of these are caused by phlegm.

The three humours group

15cd-17ab

- 1. Tuṅgīnāsa,
- 2. Valabhika,
- 3. Tolaka,
- 4. Nāhana,
- 5. Kontāgīrī,
- 6. Krimikara,

- 7. Mandalapuspaka,
- 8. Tundavakra,
- 9. Sarsapaka,
- 10. Spotaka,
- 11. Śambuka,
- 12. Fiery insect,

17ab The fire insects are terrible. There are twelve, born of the three humours.

Symptoms

- For someone bitten by one of these, the information about the stages of toxic shock (vega) is the same as with snakes.⁷⁶³
- The following are found in the area of a bite, or in a body overflowing ($\bar{a}kula$) with poison: an eruption of blisters, swelling, lumps and circles, ringworm (dardru), r^{64} small ear-like growths ($karnik\bar{a}$), spreading rashes (visarpa), and dark, rough patches of skin (kitibha). r^{65}

Taxonomy according to symptoms and prognosis

25cd From here onwards he will explain each individual class of insects separately.⁷⁶⁶

Hornets

- These four hornets (*kaṇabha*) that cause sharp pain are described in general terms according to the symptoms of the person bitten, and according to whether they are treatable or non-treatable:⁷⁶⁷
- 763 Two verses appear at this point in the vulgate that are not in the Nepalese version. They introduce a categorization of insect poisons into severe versus mild, a scheme that the Nepalese version does not reference.
- 764 More usually दढू, a skin disease like कुष्ठ, i.e., leprosy or vitiligo, caused by an excess of bile and phlegm (*Mahākośa*: 390), although the form दर्ढू is mentioned in the *Uṇādisūtra* commentary by Śvetavanavāsin (fl. tenth to fifteenth century), "दर्दू: कुष्ठभेदः" (I.88). Translated here as "ringworm" because that is prominent amongst the NIA usages of the lexeme and derivatives (CDIAL: 1, #6142).
- 765 These symptoms are the same as those listed at 5.7.8 (Su 1938: 582) as being caused by rat poisoning, and similar to the list at 1.11.7 (Su 1938: 46). See footnote 698, p. 203. Again, the vulgate has three and a half added verses. They describe how to recognize severe poisoning and mild poisoning, developing the idea of graded degrees mentioned in note 763 above.
- 766 On वक्ष्यते "he will explain" see note to the edition.
- 767 The translation "hornet" is adopted in light of the Tamil *kaṭampai* and cognates described by DED₂: #1117.

- Triple-sting (*trikaṇṭaka*),⁷⁶⁸
- Hopper (*kunī*),⁷⁶⁹
- Lion (hastikakṣya), and
- Undefeated (aparājita).
- 27 Someone stung (*daṣṭa*) by one of these experiences heaviness of the limbs and pain in the body, a flow of saliva and a severe rupture of the legs.⁷⁷⁰

Iguanas

28, verses 1, 2 There are traditionally five iguanas:

- Counter-sun (pratisūrya),
- Yellow-shine (pingabhāsa),
- Multicolour (bahuvarṇa),
- Bighead (mahāśiras),
- Peerless (*nirupama*).

The information about the toxic pulses that affect someone bitten by one of these is the same as for snakes. There are pains of various kinds and extremely sore lumps.⁷⁷¹

⁷⁶⁸ Cf. Tamil $t\bar{e}t$ - $kott\bar{q}n$ "a green insect whose touch produces the same sensation as a scorpion-sting" (DED₂:#2064).

⁷⁶⁹ The translation "hopper" gestures, with no real basis, to the Tamil word kuṇi and cognates, meaning "dance, jump, leap" (DED₂:#1863). For कुनी, the vulgate has the equally unknown term करिणी, which slightly resembles Dravidian kūṛa, kūṛān "moth, cockroach" (DED₂:#1926).

⁷⁷⁰ The Nepalese and vulgate texts diverge noticeably at this point. This passage, 27, is in verse in the Nepalese version, but in prose in the vulgate. At this point, the Nepalese text continues with further passages in verse, while the vulgate has a series of prose passages (5.8.28-37) and verse passages that are similar but not identical to the Nepalese version (39-41). In several cases, the Nepalese version's verses are in irregular forms of śloka $(vipul\bar{a})$, which may have prompted a redactor to recast the text as prose.

⁷⁷¹ The Nepalese reading of this passage was known to Dalhaṇa, who quoted it almost exactly as the reading "of some" (Su 1938: 587). It differs significantly from the vulgate. Dalhaṇa also quoted the description of the iguana (गोधेरक) from तन्त्रान्तर "another book," i.e., the *Carakasaṃhitā* (6.23.134 (Ca 1941: 577) with minor differences).

Geckos

29 verses 1, 2 These are the six house geckos:⁷⁷²

- White (śvetā),
- Black (kṛṣṇā),
- Black-striped (*kṛṣṇarājī*),
- Crimson and Crimson-ringed (raktā),
- All-white (*sarvaśvetā*),
- Mustard (*sarṣapikā*).

Centipedes

30, verses 1, 2 There are traditionally eight centipedes:

- Harsh (paruṣā),
- the two kinds of Black-pattern (*kṛṣṇacitra*),
- Brown (*kapilā*),
- Yellow (pītikā),
- Crimson (raktā),
- White (śvetavarṇā),
- Fire coloured (*agnivarṇā*).

Someone stung (dasta) by one of these experiences sharp pains and tearing swelling at the sting. Spots appear at the sting and there is dreadful fainting.⁷⁷³

Frogs

31, verses 1, 2 There are eight frogs that are well known to be defined as insects ($k\bar{t}ta$):

- White frog,
- Black-coloured,
- Arrow-coloured,
- Matt,
- Cavity,
- Greenish,
- Frown,
- Little point.

⁷⁷² See n. 240, p. 90.

⁷⁷³ The Nepalese and vulgate texts continue to diverge in form and content.

Someone bitten by one of these gets itchy, greenish, faint and vomits.⁷⁷⁴

Leeches

31 add There are declared to be six leeches, with their characteristics and treatments:⁷⁷⁵

- Snake-sore,
- Sore-maker, and the
- Round-bristleRound-bristle.⁷⁷⁶

All-supports

- 32 verse There are said to be three All-supports. They bring burning, fever and pain.⁷⁷⁷ As soon as one is bitten by one of them, there is swelling, and itching at the site of the bite.⁷⁷⁸
- 34 verses 1, 2 There is a discharge of foam, diarrhoea, and the appearance of dreadful hives (*koṭha*).⁷⁷⁹

⁷⁷⁴ Palhaṇa on 5.8.31 (Su 1938: 588) quoted a passage from "another book" (not the Carakasaṃhitā) that described the भुक्रदी frog as follows: "When it rains, during the rainy season, a great snake may discharge semen. Then, when autumn comes, the water has froth (maṇḍu). In that frothy water, frogs (maṇḍūka) are born, which is why they are called that. Experts say that a frog walks like a cow (gogati) so it is called a koṭika. It's bite kills; there is no countermeasure against it."

⁷⁷⁵ Puzzlingly, only three types are actually named. This verse occurs in the Nepalese MSS (K and H for this part of the text), but not in the vulgate.

⁷⁷⁶ The English translations are whimsical, based on the possibly-related word कोथ meaning variously, "afflicted with pain" or "putrefaction, corruption."

⁷⁷⁷ Breaking the pattern of these descriptions, the names of this animal are not listed here in the Nepalese version.

⁷⁷⁸ The next passage in the vulgate sequence, 5.8.33 (Su 1938: 588), describes an animal called <code>Ahiṇḍukā</code>. This passage does not occur in the Nepalese manuscripts, and Dalhaṇa's comment on this passage shows that he knew of a transmission of the text that omitted this material: "Some people do not read the symptoms of being bitten by Ahiṇḍukās, Kaṇḍūmakas, and Śūkavṛntas, because they are included as a type of All-support(Viśvambhara). But others include each separate symptom of being bitten by Ahiṇḍukas and the others, because they need to be treated separately." The Nepalese version of the <code>Suśrutasamhitā</code> fits Dalhana's description.

⁷⁷⁹ On the translation "hives" see note 709.

Ants

These are said to be the six kinds of ant:

- Massage-ant,
- Thick-head,
- Brahman woman ant,
- Finger-ant,
- Colourless, and
- Brown.⁷⁸⁰

If one is bitten by one of them there is pain, burning and particularly itchy swelling.⁷⁸¹

These ones are enamoured of eyes and bite the eyes in particular.

Mosquitoes

36 verses 1–3 Five kinds of mosquito are famous:

- District,
- Mountainous,
- Black,
- Oceanic,
- and the mosquito called Elephant.

If one is stung by one of these, there is swelling in the area of the sting together with anger. There is pain; blood with much red colour $(r\bar{a}ga)$, accompanied by itching, flows out.⁷⁸²

- 38 In each of the individual groups, the following cannot be treated successfully:⁷⁸³
 - Iguana,
 - Stench,

⁷⁸⁰ Note the marginal insertions in both MSS K and H, the latter attributed to ग्रन्थान्तरे "in another book." The scribe of H was aware of variant readings in other manuscripts.

⁷⁸¹ Or "pain and burning as well as itching and swelling" if these are grammatically relaxed dvandvas. The end of this verse is different in witnesses K and H. The earliest recoverable text is disturbed here. There follows a verse, दाहचोषो... that is in H alone that corresponds to some extent to the vulgate's 5.8.35 on bees.

⁷⁸² This passage in both Nepalese witnesses not in the vulgate. The three preceding passages in the Nepalese version are somewhat corrupted and appear to treat of bees and mosquitos.

⁷⁸³ The reference is to the groups introduced at p. 222.

- White gecko,
- Fire-centipede,
- Frown, and
- Little point.

Therapies

- One should tend to those who have been stung by vicious insects ($k\bar{\imath}ta$) in the same way as for snakes. For the remaining three kinds, the therapy is three-fold.⁷⁸⁴
- 43ab One should employ sweating and multiple therapies, except for a patient who has fainted.
- 44ab And one should use the procedure for destroying poisons and one should apply evacuants.⁷⁸⁵

Taxonomy of scorpions

- 56ef Scorpions are said to be of three types: having slow, medium or great toxin.
- 57cd Those born of the filth of snakes are sharp. By their poisons, they kill the person who has been stung by the poisoned tip.⁷⁸⁶
 - 58 Medium ones are in the filth of cows, etc. The best are traditionally thought to be in the filth of dung.⁷⁸⁷ It is declared that there are twenty-seven in number.⁷⁸⁸
- 59, 60cd, 61ab All of the following are considered slow-poison types:

⁷⁸⁴ The meaning of this sentence is not obvious. Dalhaṇa on 5.8.42 (Su 1938: 588) interpreted "three-fold" as referring to the therapies used for the three humours, and "of the three kinds" as referring to the divisions of the origin of the semen of the three classes of snake, Darvīkara, Maṇḍalin and Rājila. This refers to the idea presented at the start of this chapter that it is the semen of snakes that is one of the origins of insects ($k\bar{\imath}$ †a) and that they are divided into three kinds according to their humoral characters.

⁷⁸⁵ At this point, the vulgate has about thirteen verses that are not present in the Nepalese version. These verses describe medications against poisoning.

⁷⁸⁶ Reading हते as a rare ātmanepada third person plural.

⁷⁸⁷ This sentence in the Nepalese version is hard to construe. The vulgate text enumerates the three levels of scorpion, saying there are twelve mild (born of cow dung), three moderate (born of wood or bricks) and fifteen virulent ones (born of snake filth, etc.).

⁷⁸⁸ In contrast to the vulgate's total of thirty.



Figure 4: Husain, Shaykh, Shaykh Ali and Shaykh Hatim, "Asavari Ragini: Cropped Image of Scorpions" (Husain et al. 1591). Courtesy of the Smithsonian Institution.

- Black scorpion,
- Brown scorpion,
- Variegated scorpion,
- Hairy scorpion,
- Scorpion the colour of cow's urine,
- Spotted scorpion,
- Dark blue scorpion,
- White scorpion,
- Red scorpion,
- Hairy-head scorpion, and
- Fierce-purple scorpion.

If bitten by one of these, there is pain and trembling. The limbs are paralyzed and dark blood flows out.

- When pierced in the limbs, there is pain and it goes upwards. There is sweat at the site of the bite, and sharp swelling of the face.
- 61cd Those of medium virulence have a belly that is red yellow and brown, and they have a smoky colour.
- 63ab When the sting is from one of medium venom, the tongue ($jihv\bar{a}$) swells

up, the the sense of taste (*rasana*) is damaged and there is intense fainting.

63cd, 64cd, 65ab

The following scorpions of various colours and forms are known to be terrible. They are deadly. White, variegated, dappled, blood-coloured, black, dark, white-and-blue-bellied, red, tawny, and with a single joint as before, and those with two joints, also as before.

66 If stung by one of these, the pulses (*vega*) associated with poison start to happen, with the appearance of spots, fever and burning, and trembling. Black blood flows copiously from the pores. After that, the person is rapidly caused to relinquish his breaths.

Therapies for scorpion-sting

67ab One has to provide medical care for those stung with fierce or middling poison in the same manner as for someone bitten by a snake.

70

Slow poison But for those stung by a slow poison one should irrigate the bite with wheel-oil.⁷⁸⁹ Alternatively, the oil of beggarweed can be used, gently warmed.

67cd–68ab The bite should be fomented, scarified and one should rub it with powders made from turmeric, rock salt, and the fruit and flowers of the three pungent drugs, and siris.

68cd–69ab In an oitment, the leaf-tips of holy basil, mashed with citron, mangosteen and cow's urine are said to be beneficial, as is warm cow dung.⁷⁹⁰

Some authorities interpret चक्रतेल as referring to the oil of sickle senna (cakramarda) (normally part of a therapy for ringworm (dadru)) and that might fit the present context better.

790 On the wider history of the association of holy basil with scorpions, see Simoons

⁷⁸⁹ Palhaṇa on 5.8.70 (Su 1938: 591) explained "wheel oil" as sesame oil produced from pressing on a wheel, in contrast to that pressed with an instrument by hand. The term is discussed at <code>Suśrutasaṃhitā</code> 1.44.47–48 (Su 1938: 193), where Palhaṇa elaborated on the superiority of wheel-oil over hand-machine oil: "The expression 'wheel-oil' means sesame oil that has been pressed on a wheel. This is meant to rule out pressing using manual instruments. Items like sesame that are pressed on a wheel are not roasted. Therefore, they are of the highest quality. The qualities of oiliness and heaviness are lost when sesame that has been roasted and dried is pressed by machine." See Fig. 5. (Palhaṇa gave a different interpretation of the production of wheel-oil at 4.2.72 and 4.3.12 (Su 1938: 413, 415).)



Figure 5: The Oil-Presser. MS British Library Add.Or.1707, no. 16. "Album of Kashmiri Trades." Datable to 1850–1860.

l, 72cd, 71ab, 73ab

One should use the following, together with plasters that counteract poisons: ghee with honey in a drink, or milk with a lot of sugar; alternatively, healthy jaggery-water steeped with the four $j\bar{a}ta$ drugs. Also, one should use sweating and poultices and use sesame oil, salt, and the tail-feathers of a peacock or a cock. This fumigation $(dh\bar{u}pa)$ rapidly destroys scorpion poison.

73cd–74 Alternatively, the flowers of safflower, turmeric, and Indian barberry, 7^{91} should be mixed with ghee and made into a fumigant to be applied in the anal area. It can rapidly destroy poison that comes from an insect $(k\bar{\imath}t,a)$ or from a scorpion.

Spiders

- The poison of spiders is the most terrible and the one that is hardest to understand. It is also the most difficult for a slow-witted doctor to treat.
- 76 If there is any doubt about whether it is poisonous or not, treat it with unobstructive medication that destroys poison.⁷⁹²
- 77 The proper use of anti-toxins (*agada*) is for a person injured (*duṣṭa*) by poison. An anti-toxin applied to a person who has no poison itself turns into a toxin (*gada*).

Origin story for spiders

90-93 XX

Taxonomy of spiders

94–100ab xx

Specific symptoms and treatment for spider poisoning

100cd-120 XX

^{(1998: 40} et passim), who cites Watt (Watt_{Dict}: 5, 442).

⁷⁹¹ $Rajan\bar{\imath}$ and $niṣy\bar{a}$ (syn. $niś\bar{a}$), as mentioned in this passage, separately both mean turmeric. But when mentioned together, the second is understood to mean Indian barberry (GVDB: 227).

⁷⁹² Dalhaṇa on 5.8.76 (Su 1938: 591) interpreted "unobstructive medication" as referring to food and drink that do not obstruct the body tissues (*dhātu*), rather than with an actual antitoxin (*agada*) that would block the body tissues.

Untreatable spider poisons

121-127 XX

Curable and incurable

128-129 XX

Therapies for spider poisoning

130-134 XX

General therapies for poisoning

135-139 xx

End of the Kalpasthāna

140-143 XX



Uttaratantra 17: Preventing Diseases of the Pupil

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁷⁹³

The history of couching in India has been discussed since the nineteenth century,⁷⁹⁴

The therapies in this chapter make frequent use of collyrium ($a\tilde{n}jana$). This substance and its uses and variants are described in $Carakasamhit\bar{a}$ 1.5.14–19 (Ca 1941: 38–39). In the $Su\acute{s}rutasamhit\bar{a}$, they are included in the "group starting with $a\tilde{n}jana$ " ($a\tilde{n}jan\bar{a}digama$), that is listed at 1.38.41–42 (Su 1938: 167). They are described as valuable for counteracting blood-bile (raktapitta), poison and overheating ($d\bar{a}ha$).

Translation

- 1 Now I shall explain the counteraction (*pratiṣedha*) of diseases located in the pupil (*dṛṣṭi*).
- There are three curable $(s\bar{a}dhya)$, three incurable $(as\bar{a}dhya)$, and six mitigatible $(y\bar{a}pya)$ diseases located in peoples eyes. Among these, three

⁷⁹³ HIML: IA, 305-306.

⁷⁹⁴ Scott 1817; Breton 1826; Jack 1884; Hendley 1895; Elliot 1918; Pārśvanātha Śāstrī 1940; V. Deshpande 1999; 2000; Wujastyk 2003*b*; Fan 2005; Leffler et al. 2020; Hirschberg and Leffler 2024.

are curable ($s\bar{a}dhya$). Amongst these three, the remedy ($prat\bar{\imath}k\bar{a}ra$) has been stated for the one called "seeing smoke ($dh\bar{\imath}madar\acute{s}in$)".⁷⁹⁵

When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*), irrigation (*seka*), application of collyrium (*añjana*), liniment (*ālepa*), and medicines cooked in a crucible (*puṭapāka*), together with an eyewash (*tarpaṇa*),⁷⁹⁶ but not cutting with a blade (*śastrakṣata*).⁷⁹⁷

One should drink ghee (*sarpis*) prepared with the three fruits ($triphal\bar{a}$) and in the first [case where the problem is bile], and prepared with turpeth (traivrta) in the latter [case, of phlegm].

And ghee with viburnum extract is wholesome in both cases, or else aged ghee on its own.

5cd–7ab In a collyrium (*añjana*), these four compounds (*yoga*) are beneficial in both cases:

- red ochre, rock salt, long pepper and the black soot (*maṣī*) from cow's teeth;
- cow's flesh (*gomāṃsa*), black pepper, siris and realgar;
- stalk (*vṛnta*) from a wood-apple with honey (*madhu*);⁷⁹⁸
- or the the fruits of the velvet bean.
- 8 The physician should make a collyrium (*añjana*) with ground up metal (*kupyaka*),⁷⁹⁹ Asoka tree, sal tree, mango, foxtail millet, lotus, blue water-lily, together with peas, emblic myrobalan, myrobalans, long pepper. It should be combined with ghee and honey.
- 9–10 Also, when bile and phlegm have developed, the physician should apply peas with the expressed juice (*svarasa*) of the flowers from mango

where is cutting with a knife related to removing bile or phlegm.

burned charcoal. Find refs.

⁷⁹⁵ This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 (Su 1938: 609 and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

⁷⁹⁶ These therapies are described in SS.6.18 (Su 1938: 633–640).

⁷⁹⁷ Dalhaṇa interpreted this as blood-letting (*sirāvedha*), which is discussed in SS.1.14 (Su 1938).

⁷⁹⁸ Wood apple (कपित्थ) in this verse is ablative singular or accusative plural, neither of which construe obviously.

⁷⁹⁹ A metal other than gold or silver, according to V. Jośī and N. H. Jośī (*Mahākośa*: 1, 217) (on কুप्प). The Nepalese witnesses have the rare কুप्पक rather than the vulgate's কুভাক, which makes no real sense. Perhaps lead, which is used in making contemporary collyrium.

and jambul trees.

Then this collyrium $(a\tilde{n}jana)$, matured (vipakva) with ghee and honey, should then be applied.

- Filaments ($ki\tilde{n}jalka$) of lotus and blue water-lily, with red ochre, and the juice of cow-dung ($go\acute{s}akrt$) are a collyrium ($a\~{n}jana$) in the form of a pill ($gu\rlap/qik\=a$). This is good for both day and night blindness.
- Elixir-salve (*rasānjana*), honey, ghee, scramberry, together with gold and ochre, with the juice of cow-dung (*gośakṛt*) are for an eye afflicted with bile.
 - Alternatively, wise physician should first grind together elixir-salve $(s\bar{\imath}ta)$ and stibnite $(sauv\bar{\imath}raka)$, infused $(bh\bar{a}vita)$ with the blood of birds and animals (rasa). Then he mixes it with the bile of a tortoise or with extract of rohu carp (rauhita). It should always be used with powdered collyrium $(a\tilde{\imath}jana)$ to quell the bile.
 - Thus, a collyrium (añjana) of white teak flowers, liquorice, Indian barberry, lodh tree and elixir salve (rasāñjana) is always good as a collyrium in this case.
 - Alternatively, for those who cannot see during the day, this pill $(gudik\bar{a})$, with sandalwood, is recommended: salt $(nad\bar{\imath}ja)$, conch shell and the three spices, collyrium $(a\tilde{n}jana)$, realgar $(mana\dot{n}sil\bar{a})$, the two turmerics $(rajana)^{801}$ and liver extract $(yakrdrasa)^{802}$
 - One should grind up kohl (srotoja), 803 and ?? and long pepper and also harenu (harenu). Such wicks with goats urine are good in a collyrium ($a\tilde{n}jana$) for night blindness (ksanadandhya).
 - 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla $(k\bar{a}l\bar{a}nus\bar{a}riva)^{804}$ long pepper, dried ginger $(n\bar{a}gara)$ and honey, the leaf of the scramberry $(t\bar{a}l\bar{i}\acute{s}apatra)$, the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away

⁸⁰⁰ This was Dalhaṇa's preferred interpretation of rasa "juice" in this context. He also noted that some take elixir-salve $(s\bar{\imath}ta)$ to be camphor.

⁸⁰¹ Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of Ferula asafoetida, Linn.

⁸⁰² This verse appears as no. 27 in the vulgate.

⁸⁰³ Glossed by Dalhana as a kind of collyrium (*añjana*). Cf. Nadkarni 1954: 2.M13 and P. V. Sharma 1982: 197–198

⁸⁰⁴ There are two forms of *sārivā* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (ADPS: 434–438) for a clear discussion.

illness (ruj).

- 18cd–19ab Wicks made of red arsenic ($mana h sil \bar{a}$), chebulic myrobalan ($abhay \bar{a}$), the three spices (vyo sa). Indian sarsaparilla ($s \bar{a} r i v a$), cuttlefish bone (s a m u d r a p h e n a), combined with goat's milk are good.
- One should cook a honey collyrium ($k = audr \bar{a} \bar{n} = audr \bar{a} = audr \bar{a$
 - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium (añjana) is good.
 - Alternatively, a collyrium $(a\tilde{n}jana)$ that is harenu (harenu) mixed with long pepper $(m\bar{a}gadh\bar{\iota})$, the bone and the marrow of a goat, cardamom $(el\bar{a})$ and liver, together with liver extract, is good for eyes afflicted by phlegm. 806
 - Over a fire, one should cook the liver (*yakṛt*) of a monitor lizard (*godhā*) prepared with entrails (*antra*) and stuffed with long pepper (*māgadhi*). As is well known, liver (*yakṛt*) which is used (*niṣevita*) with collyrium (*añjana*) certainly destroys night blindness.
 - After preparing both a spleen ($pl\bar{l}han$) and a liver on a spit, one should eat them both with ghee and oil.⁸⁰⁷

⁸⁰⁵ At SS 6.12.31, Dalhaṇa glossed *arṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *arṇavamala* "ocean-filth" might refer to ambergris.

⁸⁰⁶ On the identities of <code>elā</code> and <code>hareṇu</code>, Watt (Watt_Comm: 511 ff) described the former as "true" or "lesser" or "Malabar" cardamom, <code>Elettaria</code> cardamomum, Maton & White. In contrast, the "greater" cardamom is <code>Amomum</code> subulatum (that Watt discussed on p. 65) that is commonly used as an inferior substitute for <code>E. cardamomum</code>. T. B. Singh and Chunekar (GVDB: 467 f) provided an interesting discussion of <code>hareṇu</code>, noting that the term refers to two substances, first the <code>satīna</code> pulse (<code>Pisum sativum</code>, Linn.), and second an unknown fruit such as perhaps a <code>Vitex</code>. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although <code>Palhaṇa</code> described it as aromatic and identical to <code>reṇukā</code> (SS.ci.2.75).

⁸⁰⁷ We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).

- When an eye-disease is caused by wind (*pavanodbhava*) they say that castor oil (*pañcāṅgulataila*) mixed with milk is good.⁸⁰⁸ In the case of diseases of blood (*śonita*) and bile (*pitta*), one should drink ghee with the three fruits; it is particularly cleansing.⁸⁰⁹ In the case of phlegm, a purgative by means of turpeth (*trivṛt*) is recommended. In the case of all three humours, sandal (*sugandhi*) in oil is prepared with it (turpeth).⁸¹⁰
 - 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- 28cd–29ab One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (meṣaviṣāṇa). A man who is suffering from partial blindess should lick the finely-ground three fruits mixed with ghee off his hand (sapāṇa). 811
 - 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
 - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

 In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
 - And in the case of wind one should apply turpeth (trivrt) based on strong mallow $(atibal\bar{a})$, and country mallow $(bal\bar{a})$ in an errhine (nasya).⁸¹²

⁸⁰⁸ Palhana said that the unexpressed topic of this recipe is partial blindness (timira).

⁸⁰⁹ Blood-bile (*śonita-pitta, rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

⁸¹⁰ The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighaṇṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

^{811 &}quot;Off his hand" translates the adverbial *sapāṇam*, an unusual word. Dalhaṇa reproduced a reading close to the Nepalese recension but says that Jejjaṭa rejects it and so he also does (Su 1938: 627).

^{812 &}quot;Based on" translates *-āśrita* "depending on" which does not construe easily here. The vulgate has *śṛta* "cooked" which makes easier sense but is not supported by the Nepalese MSS.

- Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
- †An enclosed roasting (puṭākhya) with Sindh salt and the product of the meat of a carnivore (kravyabhuj) and a deer (eṇa), is combined with honey and ghee.⁸¹³
 - Fat $(vas\bar{a})$ from a horse, a vulture, a snake, and a cock $(t\bar{a}mrac\bar{u}da)$, combined with mahua is always good in a collyrium $(a\tilde{n}jana)$.†⁸¹⁴
- Having prepared (nisevita) a collyrium ($a\tilde{n}jana$) made of kohl (srotas), gradually combine it with juices (rasa), milk and ghee. ⁸¹⁵ For thirty days, this collyrium ($a\tilde{n}jana$) is put in the mouth of a black snake that is covered with kuśa grass (kuśa).
- Next, a collyrium ($a\tilde{n}jana$) that is milk containing long pepper ($m\bar{a}gadh\bar{i}$), lye ($ks\bar{a}raka$) and ?? that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness ($r\bar{a}gin\ timira$). 816
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile. And here, an eyewash (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*puṭāhvaya*).⁸¹⁷
- 36 And realgar (*manaḥśilā*) mixed with elixir salve (*rasāñjana*) and honey
- 813 Palhaṇa noted (Su 1938: 628a) that puṭāhvaya (see verse 35 below) is a synonym for puṭapāka, and that the process is described in the Kriyākalpa chapter, i.e., SS.6.18.33–38 (Su 1938: 635). On the puṭa process in the Suśrutasaṃhitā, which is earlier and different than that of rasaśāstra literature, see the discussion by Wujastyk (2019: 83):
 - The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.
- 814 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.
- 815 On स्रोतस् "kohl" see footnote 803. Dalhana on 6.17.36ab (Su 1938: 628) explicitly specified that the juices are meat soups of various animals that are "pleasing to the eye" (चक्षष्यमृगपक्षिमांसरसः).
- 816 Palhaṇa described this blindness as a type of $k\bar{a}ca$ disease caused by wind (Su 1938: 628). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.
- 817 The expression taken hot (puṭāhvaya) is a guess.

is a liquid collyrium ($drav\bar{a}\tilde{n}jana$) which is, in this case, combined with mahua.⁸¹⁸

- Alternatively, experts on this say that finely ground blue vitriol (*tuttha*) extracted from a gold mine is the "same collyrium (*samāñjana*)". 819
- Conch mixed with equal parts of sheep's horn and stibnite $(a\tilde{n}jana)$ removes the impurity of the glassy opacity $(k\bar{a}ca)$ because of the application of collyrium $(a\tilde{n}jana)$.⁸²⁰
 - The extracts (rasa) produced from aflame of the forest $(pal\bar{a}\hat{s}a)$, Rohīta tree $(roh\bar{t}a)$, Rohīta tree $(roh\bar{t$
- Alternatively, one should cook an errhine with cuscus grass (*uśīra*), lodh tree (*lodhra*), the three fruits (*triphalā*), beauty berry (*priyaṅgu*) to pacify eye diseases caused by phlegm.⁸²²
 One should apply smoke of the bark of embelia (*vidaṅga*), velvet leaf
 - ($p\bar{a}th\bar{a}$), white siris ($kinih\bar{\iota}$), and desert date ($i\dot{n}gud\bar{\iota}$); and cuscus grass ($u\dot{s}\bar{\imath}ra$) alone.
- A ghee that is cooked ($bh\bar{a}vita$) from a decoction of a non-flowering tree (vanaspati)⁸²³ as well as turmeric ($haridr\bar{a}$) and spikenard (nalada) is good in a eyewash (tarpaṇa).
 - Alternatively, one may have an enclosed roasting ($puṭap\bar{a}ka$) done with arid-land animals ($j\bar{a}\dot{n}gala$)⁸²⁴ and a plentiful amount of long pepper ($m\bar{a}gadha$), Sindh salt and honey.
- 40 A treatment (kriyā) with realgar (manaḥśilā), the three spices, conch,

⁸¹⁸ The expression liquid collyrium (*dravāñjana*) is only known from Palhaṇa's comments on 6.17.11ab (Su 1938: 626). The recipe in the present collyrium is different from that discussed by Dalhaṇa.

⁸¹⁹ On *tuttha*, which may also be identified with zinc oxide or as crushed sea-urchin shells, see Falk (1991: 112 ff.); zinc oxide is a component of skin-balms but is not recommended for application in the eyes themselves. The expression "same collyrium (*samāñjana*)" is a hapax legomenon glossed inexplicably by Þalhaṇa as "a collyrium with an equal amount of fermented barley" (*tulyasauvīrāñjana*) (Su 1938: 628).

⁸²⁰ The ablative "from collyrium" is hard to construe, but Dalhana used this term and phrase in his commentary on 6.17.41ab (Su 1938: 629).

⁸²¹ Probably Soymida febrifuga A. Juss.

⁸²² Palhaṇa invoked a general rule ($paribh\bar{a}s\bar{a}$) to indicate that this mixture should be cooked with sesame oil.

⁸²³ These are fig trees. The *Sauśrutanighaṇṭu* (252) specifies the Udumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

⁸²⁴ On this term, see SS.1.35.42 (Su 1938: 157) and the discussion by Zimmermann (1999: 25–31).

honey, along with Sindh salt, green vitriol ($k\bar{a}s\bar{i}sa$) and elixir salve ($ras\bar{a}\tilde{n}jana$).⁸²⁵

They say that an elixir salve (*rasāñjana*) combined with myrobalans, treacle and dried ginger is good.⁸²⁶

- Alternatively, a collyrium $(a\tilde{n}jana)$ that has been prepared many times in the eight types of urine⁸²⁷ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature $(nis\bar{a}cara)^{828}$ one should place it in a conch (salilotthita) for two months.⁸²⁹
- One should apply that collyrium $(a\tilde{n}jana)$ together with the flowers of mahua and horseradish tree $(\acute{s}igru)$ when [the disease] is caused by all [the humours].
 - But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract $(ml\bar{a}yin)$.⁸³⁰
- For one who has a humour, the physician should consider the rule in all humoral cases and then smear the ointment on the face.⁸³¹

 The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual.⁸³²
- The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.⁸³³
- 45 Someone who uses matured ghee, the three fruits, wild asparagus, as

find ref.

Check out these refs.

meaning of kalpa

⁸²⁵ Palhaṇa glossed treatment $(kriy\bar{a})$ specifically as inspissation $(rasakriy\bar{a})$ (Su 1938: 629).

⁸²⁶ We emend हिते to हितम्, against the MSS.

⁸²⁷ See Suśrutasaṃhitā mūtravarga

⁸²⁸ Þalhaṇa glossed nocturnal creature (niśācara) as "vulture," although elsewhere in the Suśrutasaṇhitā it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

⁸²⁹ We interpret "water-born (*salilotthita*)" as "conch" in line with *jalodbhava*, but the term is uncertain.

⁸³⁰ The vulgate follows <code>Dalhaṇa</code> in glossing <code>mlāyin</code> as <code>parimlāya</code>. The description of this condition at SS.6.7.27–28 appears to refer to "blue dot" or "cerulean" cataract. \sqrt{mlai} derivatives can mean "dark" or "black."), which is normally a different ailment.

⁸³¹ The vulgate edition omits part of this verse (ab) combining earlier and later passages.

⁸³² The term watery eye (*syanda*) refers to the specific disease *abhiṣyanda*. See SS.6.6.5, 1.46.51, etc.

⁸³³ Dalhana noted that *Kalpa* means the Uttaratantra adhyāya 18 (Su 1938: 633 ff).

well as mung beans, emblic and barley has nothing to fear from cases of severe blindness (*timira*).

- Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.
- Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it can be mitigated ($y\bar{a}pya$). 834
- 49 I shall explain the therapy for success when there is a cataract ($lingan\bar{a}\acute{s}a$) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl ($mukt\bar{a}$) or a spiral ($\bar{a}varta$).
- 50 Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*). A humour (*doṣa*) in the pupil may be characterized as being painful or having blood.⁸³⁵
- 51–52 At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.
 - The wise physician should separate $(muktv\bar{a})$ two white sections from the black part (krsna) and from the outer corner of the eye $(ap\bar{a}nga)$. Then he should press $(p\bar{i}d-)$ properly into the eye, 836 at the naturally-occurring (daivakrte) opening (chidra) with a probe $(sal\bar{a}k\bar{a})$ made of copper or iron, with a tip like a barley-corn, held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done properly, there is the issue of a drop of liquid and a sound. 837

⁸³⁴ Although the text says with difficulty (*kṛcchra*), the implication is that it is untreatable (*asādhya*) (cf. 6.17.2 (Su 1938: 625) above). The three categories, treatable, untreatable and possibly mitigated are standard categories of triage.

⁸³⁵ In the vulgate, and in parallel passages in the AS, the reading "it may be (*bhavet*)" is replaced with the negative "if, then not (*na ced*)" (cf. utt.17.1–3a (As 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

⁸³⁶ We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

⁸³⁷ Dalhana remarked on 6.17.61ab (Su 1938: 630) that when the piercing is not correctly

- The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (dṛṣṭimaṇḍala) with the tip of the probe (śalākā).⁸³⁸
- Without injuring, gently pushing the phlegm in the circuit of the pupil against the nose, he should remove it by means of sniffing (*ucchingana*).839
- Whether the humour is solid ($sty\bar{a}na$) or liquid (cala), one should apply sweating to the eye externally, with leaves ($bha\dot{n}ga$) that remove wind, after fixing the needle ($s\bar{u}c\bar{\iota}$) properly.⁸⁴⁰
- But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- Now the pupil (drsti) shines like the sun (hari) in a cloudless sky; then, when objects become visible, one may slowly remove the probe $(sal\bar{a}k\bar{a})$.⁸⁴¹
- Having smeared ghee on the eye, one should cover it with a bandage. Then, he must lie down supine in a house free from disturbances.⁸⁴²
- At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions $(yantranaa \bar{a})$ as in the case of someone who has drunk oil.⁸⁴³
- 62 Every three days one should wash it with decoctions $(ka s\bar{a}ya)$ that remove wind. After three days, one should sweat the eye externally be-

done, blood issues and there is no sound.

⁸³⁸ The anatomy of the eye is described in 6.1.14-16 (Su 1938: 596). The disks or *maṇḍalas* are the circuits or disks of the eye.

⁸³⁹ Dalhana described sniffing (*ucchingana*) at 6.19.8 (Su 1938: 641), clearly intending inward sniffing.

⁸⁴⁰ We interpret *bhanga* as leaves, following the usage elsewhere in this sthāna 4.32.9, 6.11.5 (Su 1938: 513, 614) where *bhanga* means shoots (*pallava*). A similar procedure is described at 6.17.25a (As 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

⁸⁴¹ There are many problems with the MS readings and interpretation of this half-verse. We have inferred "sky" and emended from "free from the point (*agramukta*)" to "free from clouds (*abhramukta*)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

⁸⁴² Dalhana explained disturbances specifically as dust, smoke, drafts and sunlight 6.17.67 (Su 1938: 631a).

⁸⁴³ Palhaṇa glossed "restrictions (yantraṇā)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (6.17.68 (Su 1938: 631)). These restrictions are also described at 6.18.28 (Su 1938: 635) and 1.16.25cd (Ah 1939: 249).

- cause of the danger of wind.
- 63 Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*dṛṣṭi*) and also he should take light food in measure.

[Complications]

- When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein.⁸⁴⁴
 - A hard probe leads to shooting pain $(s\bar{u}la)$, a thin to unsteadiness of the humours (doṣapariplava), ⁸⁴⁵
- a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsaṅga*). 846
- 66 Therefore, one should make a good probe that is free from these defects.

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like a bud at both ends (*vaktra*).

67 A commendable probe should be made of silver, iron or gold (\hat{satak} - $numbh\bar{i}$). 847

⁸⁴⁴ The condition of "misshapen eye" is referred to briefly in 6.61.9 (Su 1938: 800), where Dalhana glossed it as "bent brow and eye (vakrabhrūnetra)." The vulgate's reading of "with blood (śonitena)" is easier to construe.

⁸⁴⁵ There is a medically significant difference here from the vulgate, which reads "a rough (*khara*) probe" not a "thin" probe.

⁸⁴⁶ This translation of loss of function (*kriyāsaṅga*) is given on the basis of Dalhaṇa's gloss of *kriyāsaṅgakarin* at 3.8.19 (Su 1938: 382) as "causing the destruction of actions such as moving (*gamanādikriyāvināśakarī*)."

⁸⁴⁷ The vulgate reads "copper (tāmra)" in place of "silver."

[Complications]

Redness, swelling, lumps, driness (coṣa), bubbling (budbuda), ⁸⁴⁸ pigs' eye $(s\bar{u}kar\bar{a}kṣit\bar{a})$, ⁸⁴⁹, irritation (adhimantha), etc. and other diseases arise from faults in the piercing,

- or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes. Red chalk (*gairikaḥ*), Indian sarsaparilla (*śārivā*), panic grass (*dūrvā*), and ghee ground with barley.
 - 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*).⁸⁵⁰ This is immediately beneficial when someone is looking for relief.
 - 72 A paste with Holostemma $(payasy\bar{a})$, 851 Indian sarsaparilla $(\bar{s}\bar{a}riv\bar{a})$, cassia cinnamon (patra), Indian madder $(ma\tilde{n}jisth\bar{a})$, and liquorice (madhukair) stirred with goat's milk, pleasantly warmed, is said to be healthy. 852
 - Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
 - Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
 - Having cooked it with liquorice, water-lily, and costus, mixed with grapes $(dr\bar{a}k\bar{s}\bar{a})$, lac $(l\bar{a}k\bar{s}\bar{a})$, white sugar $(sit\bar{a})$, with wild asparagus, Hare Foot Uraria $(prthakparn\bar{i})$, 853 nutgrass $(must\bar{a})$, liquorice, Hi-

⁸⁴⁸ Palhaṇa glossed "bubbling (budbuda)" as "prolapse ($m\bar{a}msanirgama$) that looks like bubbles."

⁸⁴⁹ The expression "pigs' eye" appears to be a *hapax*. It was glossed as "downward vision (*adhodṛṣṭitva*)" by Palhaṇa.

⁸⁵⁰ On the adverbial use of gently (*mṛdu*), see Gombrich 1979.

⁸⁵¹ The identity of *payasyā* is debated (GVDB: 538), and was already in doubt at the time of Dalhaṇa but likely candidates may be those suggested by Dalhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (ADPS: 195-196). The *Sauśrutanighaṇṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tīvārī 2000: v. 307).

⁸⁵² The expression "stirred with goat's milk (*ajākṣīrārdita*)" is difficult. It may be connected with the rare root *ard* documented by Whitney (1885:15). Cf. √*ard gatau* (*Dhātupāṭha* 1.56).

⁸⁵³ Suvedī and Tīvārī 2000: 18.

malayan cherry (padmaka), and Sindh salts, one should apply it [irrigation] gently warm.

- Ghee that has been cooked in four times the amount of milk that has 76cd-77ab itself been cooked with drugs that destroy wind.854 This has an admixture of cottony jujube $(k\bar{a}kol\bar{i})$ etc., should be prescribed in all treatments.855
- 77cd-78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner. 856
- Now listen to two excellent collyriums for making the pupils clear. 78cd–8oab After grinding the flowers of perploca of the woods (mesaśrnga), siris (śirīṣa), axelwood (dhava) royal jasmine (jātī), pearl and beryl (vaidūrya) with goat's milk, one should put it in a copper pot for seven days.
 - Having made it into wicks (vartti), the physician should apply it as a 80cd-81 collyrium (añjana). Alternatively, one should make kohl (*srotoja*), coral or a dual? (vidruma), cuttlefish bone (phena), and realgar (manahśilā) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.

82 I shall again discuss the foremost collyriums at length in the *Kriyākalpa* section. Those various methods may be applied here too.

⁸⁵⁴ Palhana mentioned that these drugs include Deodar (bhadradāru) and other winddestroying drugs. The vātasamśamana group is listed in Suśrutasamhitā sūtrasthāna

⁸⁵⁵ Dalhana noted that this would include errhines, ointments, etc.

⁸⁵⁶ The vulgate reads vāpi for cāpi, so Dalhaṇa saw blood-letting and cautery as alternatives, not a sequence of treatments. Dalhana listed the places that cauterization may be applied, such as the brow, forehead, etc.

Uttaratantra 38: Diseases of the Female Reproductive System

Introduction

The chapter talks about various diseases of the female reproductive system and, in doing so, combines both aspects that go into a representation of diseases in āyurvedic literature: signs, symptoms and pathogenesis ($ni-d\bar{a}na$), on the one hand, and medical treatment ($cikits\bar{a}$), on the other. In chapters of the Uttaratantra, these two aspects are sometime dealt with in two different chapters $X-vij\bar{n}\bar{a}n\bar{i}ya$ and X-pratisedha. There are, however, many examples where this distinction is not made.

Literature

The chapter is summarized, with notes on vocabulary and references to further research literature, in HIML: IA, 313. (Tivārī 1990) dedicated a monograph to this topic, and Selby (2005a,b) has explored gyencological narratives in ayurveda.

Placement of the Chapter

In the vulgate text (Su 1938) the current chapter, 6.38, is found after the Uttaratantra's subsection on paediatrics, the *Kumāratantra*, see Table 4.857 But in the Nepalese version, this is chapter 6.58 of the Uttaratantra. And it is also counted as chapter 23 of the subsection *Kāyācikitsā*.

⁸⁵⁷ Or Kumārabhṛtya as this section is named in MS Kathmandu KL 699.

Section	Chapters	Internal count
Śālakyatantra	1–26	1–26
Kumāratantra	27-38	1-12
Kāyacikitsātantra	39-59	1-21
Bhūtavidyātantra	60–62	1-3
Tantrabhūṣaṇādhyāya	63–66	1–4

Table 4: Subdivisions of the Uttaratantra, in the vulgate.

Several things are noteworthy in this regard:

• In the placement of the vulgate, this chapter follows upon 6.37 *Grahotpatti* (6.35 in the Nepalese version), a chapter that talks about the origination of nine demons (*graha*) that are responsible for all children's diseases described in previous chapters of the *Kumāratantra*. In this way, the current chapter retains the general focus on the child bearing (*kaumārabhṛtya*), but, at the same time, marks a change to a distinct, less mystical approach to the topic at hand (that could originate in a cultural milieu different from that of the preceding eleven chapters). Dalhaṇa explained how the chapter fits its context in the following way:

It is appropriate that, for the sake of treating the disorders of the female reproductive system, the chapter called "Countermeasures Against Disorders of the Female Reproductive System" is taught immediately after the chapter called "The Origination of Demons (*graha*)." It is because (1) there is an explicit mention of the word "*yoni*" in the statement "born in the womb (*yoni*) of animal and human" [in 6.37.13bc (Su 1938: 667)] and because (2) the disorders of the female reproductive system are the causes for the inborn disorders of children.⁸⁵⁸

- In the placement of the Nepalese version,
 - 6. Yonivyāpatpratiṣedha is preceded by

⁸⁵⁸ Dalhaṇa on 6.38.1 (Su 1938: 668): ग्रहोत्पत्त्यध्यायानन्तरं 'तिर्यग्योनिं मानुषं च' इति वचनेन योने-र्नामसंकीर्तनात् कुमारजन्मविकारकारणत्वाञ्च योनेर्व्यापञ्चिकित्सितार्थं योनिव्यापत्प्रतिषेधाध्यायारम्भो यु-ज्यत [...]।

Parallels 251

- 6.56 Mūtrāghātapratiṣedha (6.58 in Su 1938) and
- 6.57 Mūtrakṛcchrapratiṣedha (6.59 in Su 1938), two chapters dealing with the diseases of the urinary tract.

The current chapter carries on with the topic of diseases that affect genitalia. In its Nepalese version, the chapter opens with two verses that explain the reasons for treating the particular set of diseases. These lack any reference to the inborn disorders of children, mentioned by Dalhaṇa, and instead highlight the importance of curing female diseases for the satisfaction of male partner.

- SS.1.3 in both Su 1938 and the Nepalese version lists the chapter at the place where it is found in the vulgate. 859
- Parallel chapters in the *Aṣṭāṅgasaṃgraha* and the *Aṣṭāṅgahṛdayasaṃ-hitā* form a part of the *Śalyatantra* section of each text.

Parallels

The current chapter is parallel in its content to *Aṣṭāṅgasaṃgraha* 6.38 and 6.39 as well as *Aṣṭāṅgahṛdayasaṃhitā* 6.33 and 6.34 (*Guhyarogavijñāna* and *Guhyarogapratiṣedha* respectively).

A close literary parallel to the first part of the chapter is found in $M\bar{a}dhavanid\bar{a}na$ (MN₃) 62, or at least its version printed in Y. T. $\bar{A}c\bar{a}rya$ (MN₃: 361). The readings of the MN₃ as it stands now usually side with the vulgate version rather than with the Nepalese. In addition to the basic text, there are several valuable pointers made in the Madhukośa, an early commentary on the MN₃. This part of the text is authored by Śrīkaṇṭhadatta, who was most like a direct student of Vijarakṣita. The latter wrote the first part of the Madhukośa, up to chapter 32, and, what is more, can be dated to the late eleventh or early twelfth centuries. ⁸⁶⁰

Another most interesting parallel is found in $Carakasamhit\bar{a}$ 6(Ci).30.

Philological notes

Metrical alterations

The original opening verses

From verse <code>Suśrutasaṃhitā</code> 6.38.5.1 onwards, the Nepalese version of the text continues with three hemistichs in the same classical <code>upajāti</code> metre (the syllabic pattern above). ⁸⁶² By contrast, the vulgate contains two complete verses (four hemistichs) in the <code>anuṣṭubh</code> metre, again with only loosely-related content. ⁸⁶³ The three final hemistichs of this group are borrowed verbatim from the <code>Carakasaṃhitā</code>. ⁸⁶⁴ We can be sure of the direction of borrowing because one of these shared verses says that the twenty kinds of diseases of the female reproductive system "have already been indicated in the <code>Compendium</code> of <code>Diseases</code> (rogasaṃgraha)". ⁸⁶⁵ This statement does not make any sense in the context of the <code>Suśrutasaṃhitā</code>, where no such Compendium exists. ⁸⁶⁶ By contrast, in the <code>Carakasaṃhitā</code> this reference points back to chapter 1.19 (<code>Ca1941:109-112</code>), which calls itself "The Compendium of Diseases". ⁸⁶⁷ This Compendium lists all the diseases dealt with in later sections of the text, and specifically mentions the twenty diseases of female reproductive system. ⁸⁶⁸ Even the vocabulary and wording of this

```
861 Suśrutasaṃhitā 6.38.3–4ab (Su 1938: 668).
862 The metre of these verses is not perfect.
863 Suśrutasaṃhitā 6.38.4cd–6ab (Su 1938: 668).
864 Carakasaṃhitā 6.30.7cd–8 (Ca 1941: 634).
865 Suśrutasaṃhitā 6.38.5ab (Su 1938: 668): विंशतिर्व्यापदो योनेर्निर्दिष्टा रोगसंग्रहे ॥ ← Carakasaṃhitā 6.30.7cd (Ca 1941: 634).
866 The remark was not commented on by Þalhaṇa.
867 Carakasaṃhitā 1.19.9cd (Ca 1941: 112): रोगाध्याये प्रकाशिताः.
868 Carakasaṃhitā 1.19.3 (Ca 1941: 110): विंशतिर्योनिव्यापदः।
```

passage is identical to the later verses. It is beyond doubt that this passage originated in the $Carakasamhit\bar{a}$ and was borrowed by the editors of the vulgate text of the $Su\acute{s}rutasamhit\bar{a}$.

⁸⁶⁹ The above three hemistichs in anus tubh are also repeated in the MN_3 62.1–2ab. Given that the subsequent verses in the MN_3 stem from the $Su\'srutasamhit\bar{a}$, it is likely that MN_3 62.1–2ab too was borrowed from from the $Su\'srutasamhit\bar{a}$ and not from its original location in the $Carakasamhit\bar{a}$).

Translation

- 1 And now I shall explain the countermeasures against disorders of the female reproductive system (*yonivyāpat*).⁸⁷⁰
- *3 For good men, a woman is the most pleasurable thing. Therefore a physician should diligently attend to the diseases located in the female reproductive system (*yoni*), because he is entirely devoted to it (that is, to curing these diseases) for the sake of (people's) happiness.⁸⁷¹
- *4 A corrupted female reproductive system (yoni) cannot consume semen $(b\bar{\imath}ja)$, and therefore, the woman cannot take a fetus (that is, become pregnant). She gets severe prolapses $(ar\acute{s}as)$, abdominal lump (gulma) and similarly many other diseases (roga).
- *5 Humours (doṣa), wind $(v\bar{a}ta)$, etc., corrupted due to faulty medical treatment $(mithyopac\bar{a}ra)$, sexual activity, fate, and also defects (doṣa) of menstrual blood $(\bar{a}rtava)$ and semen $(b\bar{\imath}ja)$, produce various diseases in the female reproductive organ (yoni). These 20 diseases are taught here distinctly and one by one along with their treatment

⁸⁷⁰ On this broad understanding of the term *yoni* as "female reproductive system" see Das 2003: pp. 572–5.

⁸⁷¹ As our translation indicates, the sentence construction does not allow an unambiguous identification of who or what is the referent of the pronoun *tad* in the compound form *tadadhīna* 'devoted to it.' Our current understanding is that *tad* refers to the 'most pleasurable thing' mentioned in pāda a. It could, however, also refer to 'them,' that is, the 'good men.'

⁸⁷² In our translation of the compound मिथ्योपचार, we decided for the technical meaning of the term उपचार, that is, "medical application" or "treatment." The combination मिथ्या+उप-√चर् is attested several times in medical literature. At least once, at *Caraka*saṃhitā 3.3.38 (Ca 1941: 245), it is given an explicit gloss by Cakrapāṇidatta: मिथ्यो-पचरितानिति असम्यक् चिकित्सितान् "... given improper therapy". In the Suśrutasaṃhitā (Su 1938), it is used once in a passage (6.18.30 (Su 1938: 635)) where it refers specifically to the wrong application of irrigation (tarpaṇa) and roasting (puṭapāka), both of which are mentioned in the previous verse. Another use of the compound in a similar meaning is found in a citation from Bhoja's work (see p. 21) quoted by Gayadāsa at Suśrutasaṃhitā 2.5.17 (Su 1938: 287): श्वित्रं तु द्विविधं प्रोक्तं दोषजं व्रणजं तथा। तत्र मिथ्योपचा-राद्धि व्रणस्य व्रणजं स्मृतम् ॥ "... arises from wrong treatment of the wound." In contrast to this, the parallel verse in Suśrutasamhitā 6.38.5ab (Su 1938: 668) = Carakasamhitā 6.30.8 (Ca 1941: 634) = MN₃ 62.1 reads मिथ्याचार "wrong conduct." All commentators (Cakrapāṇidatta on the Carakasaṃhitā, Śrīkaṇṭhadatta on the MN₃, and Dalhaṇa on the Suśrutasaṃhitā) explain that the wrong conduct stands here specifically for unwholesome diet. The parallel in *Aṣṭāṅgaḥṛdayasaṃhitā* 6.33.27 (Ah 1939: 895) = *Aṣṭāṅ*gasaṅgraha 6.38.34a (As 1980: 829) plainly reads दुष्तभोजन "corrupted food" instead.

Translation 255

(bheṣaja), causes (hetu) and signs (cihna).

- *6.1 Because of wind (*vāta*), female reproductive organ (*yoni*) becomes:
 - 1. udāvartā (udāvartā),
 - 2. called Infertile (vandhyā), and
 - 3. Sprung (plutā),
 - 4. Flooded (pariplutā), and
 - 5. Windy (vātalā).
- *6.2 And because of choler (*pitta*), occur:
 - 1. With bloodloss (raktakṣayā),
 - 2. Vomiting (*vāminī*), and
 - 3. Causing a Fall (*sraṃsanī*),
 - 4. Child-murderess (putraghnī), and also
 - 5. Bilious / Choleric (*pittalā*).
- *7.1 And because of phlegm (*kapha*) occur:
 - 1. Extremely Excited (atyānandā),
 - 2. Protuberant (karninī), and
 - 3. & 4. two Caraṇī (caraṇī), and
 - 5. other Phlegmatic (*śleṣmalā*).
- *7.2 And similarly there are other (kinds of morbid female reproductive system) involving all *doṣa*s:
 - 1. Impotent (śaṇḍhī),
 - 2. With testicles $(and\bar{n}\bar{n})$,
 - 3. two Huge (mahatī),
 - 4. With a needle-like opening (sūcīvaktrā),
 - 5. Sarvātmikā (*sarvātmikā*).

Uttaratantra 65: Rules of Interpretation

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. ⁸⁷³ Other explorations of this topic have included TY; Dasgupta 1952; Oberhammer 1968; TYV; Lele 1981; Scharfe 1993; Comba 1994; Mejor 2000; A. Singh 2003.

Scherrer-Schaub (1981) discussed the term *yukti* in Buddhist literature; see also Biardeau 1964: 444–446 Prets and Prandstetter 1991–2006: 343–345, while Frauwallner 1958 discussed the influence of the *tantrayuktis* in the Sāṅkhya tradition. Preisendanz (2013: 105–106, fn. 109) provided further references to the discussion of *yukti* in Buddhist literatures. Manevskaia (2008) gave examples of the use of tantrayuktis in Buddhist commentarial literature. Chevillard (2009) discusses the translation of the *tantrayuktis* in Tamil literary tradition, with a specific focus on *Tolkāppiyam* and its commentaries.

Early Sources

An ancient tradition of enumerating the *tantrayuktis* served as a foundational source not only for medical texts but also for works in various other disciplines, including Arthaśāstra, philosophy, and even grammar. The *Suśrutasaṃhitā* stands as the earliest Āyurvedic text that presents a compilation of a list of *tantrayuktis* followed by their definitions and usage. Mentions to Tantrayuktis are also found in the *Carakasaṃhitā* 8.12 (Ca 1941)

which introduce four additional *tantrayuktis*. However, the *tantrayuktis* remain undefined in the *Carakasaṃhitā*.

The Arthaśāstra

The enumeration and definitions of the *tantrayuktis* in the *Suśrutasaṃhitā* closely parallel their treatment in the *Arthaśāstra*. *Tantrayuktis* are discussed in the fifteenth and final chapter of the *Arthaśāstra*, called the *Tantrayukti*.⁸⁷⁴ For a side-by-side comparison of the *tantrayuktis* in the *Suśrutasaṃhitā* and the *Arthaśāstra*, please refer to Table 5.

The Yuktidīpikā

Yuktidīpikā (circa late sixth to early eighth century), an anonymous commentary on Īśvarakṛṣṇa's Sāṅkhyakārikā, initiates its discourse with a detailed discussion of the characteristics of a scientific treatise, some of which align with the tantrayuktis. The Yuktidīpikā, these terms are referred to as tantraguṇa or tantrasampat. They are: (1) sūtropapatti (2) pramāṇopapatti (3) avayavopapatti (4) anyūnatā (5) saṃśayokti (6) nirṇayokti (7) uddeśa (8) nirdeśa (9) anukrama (10) saṃjñā and (11) upadeśa. Apart from these, the Yuktidīpikā also exemplifies (12) utsarga (general rule), (13) apavāda (exception), and (14) atideśa (extended application). However, utsarga and apavāda are not considered tantrayuktis in other comprehensive lists. The Yuktidīpikā further states that while other tantrayuktis can be demonstrated in a similar manner, since they are peripheral topics, the text does not delve into their discussion.

⁸⁷⁴ Arthaśāstra: 280–283

⁸⁷⁵ See Oberhammer 1968: 605–614 for a detailed discussion of the use of the tantrayukt in the $Yuktid\bar{t}pik\bar{a}$.

⁸⁷⁶ सूत्रप्रमाणावयवोपपत्तिरन्यूनता संशयनिर्णयोक्तिः। उद्देशनिर्देशमनुक्रमश्च संज्ञोपदेशाविह तन्त्रसम्पत्॥ Yuktidīpikā: 3

⁸⁷⁷ एवमारा अन्येऽपि द्रस्तव्याह् । तद्यथोत्सर्गोऽपवादोऽतिदेश इत्यादि ।...इत्येवमन्या अपि तन्त्रयुक्तयः शक्या इह प्रदर्शयितुम् । अतिप्रसङ्गस्तु प्रकृतं तिरोदधातीति निवर्त्यते । सिद्धं तन्त्रयुक्तीनां सम्बन्धोपपत्तेस्तन्त्रम् इदम् इति ।.Yuktidīpikā:8

Early Sources 259

Tamil literature

Discussions on the *tantrayuktis* are also found in Tamil technical literature, the earliest of which is the *Tolkāppiyam*.⁸⁷⁸ A list of 32 tantrayuktis, called utti or tantiravutti in Tamil, are given in the 27th (the final) chapter titled Marapiyal "Chapter on conventions" of the last book called Porul "Matters" of the *Tolkāppiyam*. There is no consensus regarding the dating of the *Tolkāppiyam*. However, if we endorse Zvelebil's view, which posits that the final redaction of the *Tolkāppiyam* occurred around the fifth century AD, it follows that this section of the *Tolkappiyam* cannot postdate the fifth century. If we follow the dating of Zvelebil, we can safely argue that by that time, Sanskrit tantrayuktis had already been translated into Tamil. Nevertheless, determining the correspondence between specific tantrayuktis and Tamil *uttis* poses a challenge. A major factor contributing to this challenge is the disagreement between two commentators of the *Tolkāppiyam*, namely Ilampūraṇar (11th or 12th century) and Pērāciriyar (possibly 13th century), regarding the interpretation of the list of *uttis*. It is still not clear which list of 32 *tantrayuktis* was before the author of the *Tolkāppiyam*.

After the *Tolkāppiyam*, several other Tamil texts refer to the *tantrayuktis*. Among them the *Yāpparuṅkalam* (possibly 10th century), the *Vīracoliyam* (11th century), *Naṇṇūl* (late 12th or early 13th century), and their commentaries hold significant importance in this context.

The Viṣṇudharmottarapurāṇa

The third book of the *Viṣṇudharmattarapurāṇa*, believed to have been composed between the fifth and seventh centuries, includes a chapter dedicated to the *tantrayuktis*. ⁸⁷⁹ Unlike the *Arthaśāstra* and the *Suśrutasaṃhitā*, this chapter lacks illustrative examples of the *tantrayuktis*. The chapter lists 32 *tantrayuktis* followed by definitions. Notably, the list and definitions given here – we are using the critical edition by Priyabala Shah – in most cases bear a striking resemblance to those found in the *Suśrutasaṃhitā*. Given the striking alignment between the list and definitions of *tantrayuktis*, one could suggest that the *Viṣṇudharmottarapurāṇa's* chapter on *tantrayuktis* likely draws directly or indirectly from the *Suśrutasaṃhitā* or

⁸⁷⁸ For a detailed discussion of the treatment of the *tantrayuktis* in the *Tolkāppiyam* see Chevillard 2009.

⁸⁷⁹ Adhyāya 6, Viṣṇudh 3:13-14.

from a common source. The designations and the order of the *tantrayuktis* in the *Viṣṇudharmottarapurāṇa* are almost identical. The only differences in the order are as follows:

- 1. *Viparyaya* is placed after *vidhāna* whereas in the *Suśrutasaṃhitā* it follows *arthāpatti*.
- 2. *Anumata* is placed after *vyākhyāna* whereas in the *Suśrutasaṃhitā* it follows *niṛṇaya*.
- 3. *Anāgatāvekṣaṇa* (*anāgatāpekṣaṇa* in the Nepalese version) occurs after *atikrāntāvekṣaṇa* (*atikrāntāpekṣaṇa* in the Nepalese version) whereas the order is reverse in the *Suśrutasaṃhitā*.

For a side-by-side comparison of the *tantrayukti*s in the *Suśrutasaṃhitā* and the *Viṣṇudharmottarapurāṇa*, please refer to Table 5.

The Saddanīti

A list of the 32 tantrayuktis accompanied by definitions also appear in the final chapter (*Pariccheda* 28) of the final book (book 3: *Suttamālā*) of the renowned Pali grammar *Saddanīti* composed by Aggavaṃsa in Arimaddanapura (modern Bagan, Burma) in the twelfth-century. Just as the *Viṣṇudharmottarapurāṇa*, this list also does not provide examples of the *tantrayuktis*. Although written in Pali, the order and the definition of the *tantrayuktis* (*tantiyutti* in Pali) closely resemble those of the *Suśrutasaṃhitā*. There are, however, a few differences:

- 1. The *tantrayukti pradeśa* is referred to as *paṭidesa* (Sanskrit *pratideśa*) and is positioned after *atidesa* (Sanskrit *atideśa*) whereas in the *Su-śrutasaṃhitā* it follows *apadeśa*.
- 2. *Atikrāntāpekṣaṇa* is designated as atītāpekkhana (Sanskrit atītāpekṣaṇa).
- 3. Svasanijna is designated as ananna sakasanijna (Sanskrit ananya svasanijna) and is defined with subtle variations.
- 4. Ūhya is designated as upānīya.

Early Sources 261

For a side-by-side comparison of the tantrayuktis in the $Su\acute{s}ruta$ $Saṃhit\bar{a}$ and the $Saddan\bar{\imath}ti$, please refer to Table 5. 881

Table 5: Tantrayuktis in *Suśrutasaṃhitā* (S), *Viṣṇudharmottarapurāṇa* (V), *Arthaśāstra* (A), and *Saddanīti* (N)

Sequence	Terms	Definitions
(S) 1. (V) 1.	adhikaraṇa adhikaraṇa	तत्र यमर्थमधिकृत्योच्यते तदधिकरणम् । तत्र यमर्थमधिकृत्योच्यते तदधिकरणम् ।
(A) 1.	adhikaraṇa adhikaraṇa	यमर्थमधिकृत्योच्यते तदधिकरण। तत्थ यं अधिकिच्च वुच्चति, तं अधिकरणं।
(N) 1. (S) 2.	уода	येन वाक्यं युज्यते स योगः। यथा व्यत्यासेनो- क्तानां सन्निकृष्टविप्रकृष्टानां पदार्थानाम् एकी- करणम्।
(V) 2.	yoga	येन वाक्यार्थो युज्यते स योगः।
(A) 3. (N) 2.	yoga yoga	वाक्ययोजना योगः। पुब्बापरवसेन वुत्तानं सन्निहितासन्निहितानं प- दानं एकीकरणं योगो;।
(S) 3.	padārtha	योऽर्थोऽभिहितः सूत्रे पदे वा स पदार्थः। पदस्य पदयोः पदानां वा योऽर्थः स पदार्थः। अपरिमि- ताश्च पदार्थाः।
(V) 3.	padārtha	योऽर्थो विधिकृतः सूत्रपदे स पदार्थः।
(A) 4. (N) 3.	padārtha padattha	पदावधिकः पदार्थः। सुत्तपदेसु पुब्बापरयोगतो यो अत्थो विहितो, सो पदत्थो।
(S) 4. (V) 4. (A) 5. (N) 4.	hetvartha hetvartha hetvartha hetuattha	यदुक्तं साधनं भवति स हेत्वर्थः। यदन्यद्युक्तिमदर्थस्य साधनं स हेत्वर्थः। हेतुरर्थसाधको हेत्वर्थः। यं वुत्तत्थसाधकं, सो हेतुअत्थो। ⁸⁸²

⁸⁸¹ For the reading of *Saddanīti*, we used the edition by H. Smith who also provided an apparatus with variants. However, the edition by Thera sometimes consists of variants which do not appear in the apparatus of Helmer Smith's edition. In those cases, we noted the variants in footnotes.

⁸⁸² yam vuttaatthasādhanam? so hetuttho. Thera 1909: 807.

Sequence	Terms	Definitions
(S) 5.	uddeśa / samuddeśa	समासवचनं समुद्देशः।
(V) 5.	uddeśa	समासवचनमुद्देशः।
(A) 6.	uddeśa	समासवाक्यमुद्देशः।
(N) 5.	uddesa	समासवचनं उद्देसो।
(S) 6.	nirdeśa	विस्तरवचनं निर्देशः।
(V) 6.	nirdeśa	विस्तरवचनं निर्देशः।
(A) 7.	nirdeśa	व्यासवाक्यं निर्देशः।
(N) 6.	niddesa	वित्थारवचनं निद्देसो।
(S) 7.	upadeśa	एवमित्युपदेशः।
(V) 7.	upadeśa	एवमेवेत्युपदेशः।
(A) 8.	upadeśa	एवं वर्तितव्यमित्युपदेशः।
(N) 7.	upadesa	एवन् ति उपदेसो।
(S) 8.	apadeśa	अनेन कारणेनेत्यपदेशः।
(V) 8.	apadeśa	अनेन कारणेनेत्यपदेशः।
(A) 9.	apadeśa	एवमसावाहेत्यपदेशः।
(N) 8.	apadesa	अनेन कारणेना ति अपदेसो।
(S) 9.	pradeśa	प्रकृतस्यातिक्रान्तेन साधनं प्रदेशः।
(V) 9.	pradeśa	प्रकृतस्यानागतेन साधनं प्रदेशः।
(A) 11.	predeśa	वक्तव्येन साधनं प्रदेशः।
(N) 10.	paṭidesa	पकतस्स अनागतेन अत्थसाधनं पटिदेसो।
(S) 10.	atideśa	प्रकृतस्यानागतेन साधनम् अतिदेशः।
(V) 10.	atideśa	अतिक्रमणेन अतिदेशः।
(A) 10.	atideśa	उक्तेन साधनमतिदेशः।
(N) 9.	atidesa	पकतस्स अतिक्कन्तेन साधनं अतिदेसो।
(S) 11.	apavarga	अभिप्रमृज्यापकर्षणमपवर्गः।
(V) 11.	apavarga	अभिप्रायानुकर्षणमपवर्गः।
(A) 22.	apavarga	अभिप्लुतव्यपकर्षणमपवर्गः ।
(N) 11.	apavagga	अतिव्यापेत्वा अपनयनं अपवग्गो।
(S) 12.	vākyaśeṣa	येन पदेनानुक्तेन वाक्यं समाप्यते स वाक्य- शेषः।
(V) 12.	vākyaśeṣa	येनार्थः परिसमाप्यते पदेनाहार्येण स वाक्य- शेषः।

Sequence	Terms	Definitions
(A) 17.	vākyaśeṣa	येन वाक्यं समाप्यते स वाक्यशेषः।
(N) 12.	vākyadosa	येन पदेन अवुत्तेन वाक्यपरिसमापनं भवति, सो वाक्यदोसो।
(S) (V)		_
(A) 12. (N)	иратāпа	दृष्टेनादृष्टस्य साधनमुपमानम्।
(S) 13.	arthāpatti	यदकीर्तितमर्थादापद्यते सार्थापत्तिः।
(V) 13.	arthāpatti	यदकीर्तितमर्थादापद्यते सार्थापत्तिः।
(A) 13.	arthāpatti	यदनुक्तमर्थादापद्यते सार्थापत्तिः।
(N) 13.	atthāpatti	यद् अकित्तितं अत्थतो आपज्जति, सा अत्था- पत्ति।
(S) 14.	viparyaya	यद्यस्य प्रातिलोम्यं तद्विपर्ययः।
(V) 20.	viparyaya	तस्य प्रातिलोम्यं विपर्ययः।
(A) 16.	viparyaya	प्रतिलोमेन साधनं विपर्ययः।
(N) 14.	vipariyaya	यं यत्थ विहितं, तत्र यं तस्स पटिलोमं, सो वि- परिययो।
(S) 15.	prasaṅga	प्रकरणान्तरेण समानः प्रसङ्गः।
(V) 14.	prasaṅga	प्रकरणाभिहितोऽर्थः केनचिदुपोद्घातेन पुनरु- च्यमानः प्रसङ्गः।
(A) 15.	prasaṅga	प्रकरणान्तरेण समानोऽर्थः प्रसङ्गः।
(N) 15.	pasaṅga	पकरणन्तरेन समानो अत्थो पसङ्गो।
(S) 16.	ekānta	यदवधारणेनोच्यते स एकान्तः।
(V) 15.	ekānta	यथा तथा स एकान्तः।
(A) 26.	ekānta	सर्वत्रायत्तमेकान्तः।
(N) 16.	ekānta	सब्बथा यं तथा, सो एकान्तो।
(S) 17.	anekānta	क्वचित्तथा क्वचिदन्यथा सोऽनेकान्तः।
(V) 16.	anekānta	क्वचित्तथा क्वचिदन्यथाऽसावनेकान्तः।
(A) (N) 17.	anekānta	यो पन कत्थचि अञ्जथा सो अनेकान्तो।
(S) 18.	pūrvapakṣa	यस्तु निःसंशयमभिधीयते स पूर्वपक्षः। ⁸⁸ 3

⁸⁸³ This definition of *pūrvapakṣa* in the Nepalese version is problematic.

Cognopas	Тонта	Definitions
Sequence	Terms	Definitions
(V) 17.	pūrvapakṣa	प्रतिषेधवचनं पूर्वपक्षः।
(A) 24.	pūrvapakṣa	प्रतिषेद्धव्यं वाक्यं पूर्वपक्षः।
(N) 18.	pubbapakkha	[यो] तु निस्सन्देहम् अभिधीयते, सो पुब्बप- क्स्वो।
(S) 19.	nirṇaya	तस्योत्तरं निर्णयः।
(V) 18.	nirṇaya	उत्तरवचनं निर्णयः।
(A) 25.	uttarapakṣa	निर्णयवाक्यमुत्तरपक्षः।
(N) 19.	піṇṇауа	तस्स यं उत्तरं, सो निण्णयो।
(S) 20.	anumata	परमतमप्रतिषिद्धमनुमतम् ।
(V) 25.	anumata	परमतमप्रतिषिद्धमनुमतम् ।
(A) 18.	anumata	परवाक्यमप्रतिषिद्धमनुमतम्।
(N) 20.	anumata	परमतम् अप्पटिसिद्धं अनुमतं ।
(S) 21.	vidhāna	प्रकरणानुपूर्व्यादभिहितं विधानम् ।
(V) 19.	vidhāna	प्रकरणानुपूर्वं विधानम् ।
(A) 2.	vidhāna	शास्त्रस्य प्रकरणानुपूर्वी विधानम्।
(N) 21.	vidhāna	पकरणानुपुब्बं विधानं।
(S) 22.	anāgatāpekṣaṇa	एवं वक्ष्यतीत्यनागतापेक्षणम् ।
(V) 22.	anāgatāpekṣaṇa	परत्र वक्षामीत्यनागतावेक्षणम् ।
(A) 27.	anāgatāvekṣaṇa	पश्चादेवं विहितमित्यनागतावेक्षणम्।
(N) 22.	anāgatāpekkhana	एवं वक्खामि ति अनागतापेक्खनं।
(S) 23.	atikrāntāpekṣaṇa	इत्युक्तमित्यतिक्रान्तापेक्षणम् ।
(V) 21.	atikrāntāpekṣaṇa	इत्युक्तमतिक्रान्तावेक्षणम् ।
(A) 28.	atikrāntāvekṣaṇa	पुरस्तादेवं विहितमित्यतिक्रान्तावेक्षणम्।
(N) 23.	atītāpekkhana	इति वुत्तन् ति अतीतापेक्खनं।
(S) 24.	saṃśaya	उभयहेतुनिदर्शनं संशयः।
(V) 23.	saṃśaya	उभयतो हेतुदर्शनं संशयः।
(A) 14.	saṃśaya	उभयतो हेतुमानर्थः संशयः।
(N) 24.	saṃsaya	उभयहेतुदस्सनं संसयो।
(S) 25.	vyākhyāna	तत्रातिशयोपवर्णनं व्याख्यानम् ।
(V) 24.	vyākhyāna	तत्रातिशयवर्णनातिव्याख्यानम् ।
(A) 19.	vyākhyāna	अतिशयवर्णना व्याख्यानम् ।
(N) 25.	vyākhyāna	संवण्णना व्याख्यानम् ।

Early Sources 265

Sequence	Terms	Definitions
(S) 26.	svasamjñā	अन्यशास्त्रासामान्या स्वसंज्ञा।
(V) 26.	svasaṃjñā	परैरसम्मतः शब्दः स्वसंज्ञा ।
(A) 23.	ร <i>ง</i> ลรลทุjñā	परैरसमितः शब्दः स्वसंज्ञा।
(N) 26.	anaññā sakasaññā	भूतानं पवत्ता आरम्भचिन्ता अनञ्जा, सस्स सा- धारणा सकसञ्जा।
(S) 27.	nirvacana	लोकप्रथितमुदाहरणं निर्वचनम्।
(V) 27.	nirvacana	लोके प्रतीतमुदाहरणं निर्वचनम्।
(A) 20.	nirvacana	गुणतः शब्दिनिष्पत्तिर्निर्वचनम् ।
(N) 27.	nibbacana	लोकप्पतीतम् उदाहरणं निब्बचनं।
(S) 28.	nidarśana	दृष्टान्तव्यक्तिर्निदर्शनम् ।
(V) 28.	nidarśana	तद्यक्तिनिदर्शनं दृष्टान्तः।
(A) 21.	nidarśana	दृष्टान्तो दृष्टान्तयुक्तो निदर्शनम् ।
(N) 28.	nidassana	दिट्टन्तसंयोगो निंदस्सनं ।
(S) 29.	niyoga	इदमेवेति नियोगः।
(V) 29.	niyoga	एवेति नियोगः।
(A) 29.	niyoga	एवं नान्यथेति नियोगः।
(N) 29.	niyoga	इदम् एवा ति नियोगो।
(S) 30.	vikalpa	1
(V) 30.	vikalpa	इदं वेदं वेति विकल्पः।
(A) 30.	vikalpa	अनेन वानेन वेति विकल्पः।
(N) 30.	vikappa	इदं वा ति विकप्पो।
(S) 31.	samuccaya	1
(V) 31.	samuccaya	इदं चेदं चेति समुच्चयः।
(A) 31.	samuccaya	अनेन चानेन चेति समुच्चयः।
(N) 31.	samuccaya	संखेपवचनं समुच्चयो।
(S) 32.	ūhya	यदनिर्दिष्टं बुद्धिगम्यं तदूह्यम् ।
(V) 32.	ūhya	अत्र यदनिर्देष्टं युक्तिगम्यं तदूह्यम् ।
(A)	ūhya	अनुक्तकरणमूह्यम् ।
(N) 32.	ирāпīуа	यद् अनिद्दिट्ठं बुद्धिया अवगमनीयं, तद् उपानी- यन् ति ।

Āyurvedic literature

Primary texts

While references to tantrayuktis can be found across various disciplines, Āyurveda places a particular emphasis on their discussion, especially evident in key texts of Ayurveda, such as the Caraka- and the Suśruta- samhitās, as well as the Astāngasangraha. The Carakasamhitā and Astāngasangraha present an identical list of tantrayuktis contained in a stanza of four anustubh verses.884 However, unlike the Suśrutasamhitā they lack explicit definitions and examples. This list of the tantrayuktis appear in the final chapter of the last book in both Carakasamhitā (41b-45a, chapter 12, Siddhisthāna) and Astāngasangraha (150–153, chapter 50, Uttarasthāna). The same has been quoted by Arunadatta in his commentary Sarvāngasundarī on the Astāngahrdaya while elucidating the concept of tantraguna (qualities of the system)⁸⁸⁵ and by Śrīdāsa Pandita in the prefatory section of his commentary Hrdayabodhikā on the Aṣṭāngahṛdayasamhitā. 886 Notably, this list consists of 36 tantrayuktis instead of 32 found in the Suśrutasamhitā and other texts. The additional four are: prayojana (objective), pratyutsāra (rebuttal), uddhāra, and sambhava (origin).

The presence of identical verses enumerating the *tantrayukti*s in the *Aṣṭāṅgahṛdayasaṃhitā*, *Carakasaṃhitā*, *Sarvāṅgasundarī* and *Hṛdayabodhikā* strongly suggests a shared origin. However, a critical issue arises due to the absence of a comprehensive critical edition of the chapter 12 of the *Siddhisthāna* of the *Carakasaṃhitā*, leaving uncertainty about the total number of *tantrayukti*s recognized by Dṛḍhabala in this section.⁸⁸⁷ The

```
884 तत्राधिकरणं योगो हेत्वर्थोऽर्थः पदस्य च।
प्रदेशोद्देशनिर्देशवाक्यशेषाः प्रयोजनम् ॥
उपदेशापदेशातिदेशार्थापत्तिनिर्णयाः।
प्रसङ्गैकान्तनैकान्ताः सापवर्गो विपर्ययः॥
पूर्वपक्षविधानानुमतव्याख्यानसंशयाः।
अतीतानागतापेक्षास्वसंज्ञोह्यसमुञ्चयाः॥
निदर्शनं निर्वचनं नियोगोऽथ विकल्पनम्।
प्रत्युत्सारस्तथोद्धारः सम्भवस्तन्त्रयुक्तयः॥
Aṣṭāṅgasaṅgraha 6.50.150–153a (As 1980: 959). Carakasaṃhitā 8.12.41b–45a (Ca 1941: 736) reads almost the same. The only two variants are (1) अतीतानागनावेक्षा... and (2) निर्वचनं संनियोगो विकल्पनम्.
885 Aruṇadatta on the Aṣṭāṅgahṛdayasaṃhitā 6.40.78 (Ah 1939: 946).
886 AHS 1940: 1–2.
```

Early Sources 267

problem arises from different readings of the half-verse that occurs right before the list of 36 tantrayuktis. In MS Kathmandu NAK 1/1648 (dated 1183 AD, the oldest dated manuscript of the Carakasamhitā known to us), the reading of this verse is: षद्विंशद्भिर्विचित्राभिर्भृषि]तं तन्त्रयुक्तिभिः॥ This number of 36 tantrayuktis perfectly agrees with the following list of the 36 tantrayuktis. A similar reading is found in Trikamji's 1933 Carakasamhitā edition which contains only the mūla-text.⁸⁸⁸ However, although most of the other editions consist of the same reading, a number of editions show quite a lot of discrepancies with the number. For example, Trikamji's 1941 edition of the Carakasamhitā reads the same half-verse as षड्रिंशता विचित्राभिर्भूषितं तन्त्रयुक्तिभिः। 8.12.41a (Ca 1941: 735). In the same edition, the reading of Cakrapāni's *Āyurvedadīpikā* supports the reading: षड्गिंशत्तन्त्रयुक्तिभिभृषितमपुरयदृढबल इति योजना. However, after this verse, the same edition consists of the versified list of the 36 tantrayuktis and commenting on these verses, the *Āyurvedadīpikā* confirms the total number of the tantrayuktis as 36: इत्येताः षद्विंशत्तन्त्रयुक्तयो व्याहृताः।. 889 Moreover, the edition of Rāmaprasāda Vaidyopādhyāya reads the half-verse as— पञ्च-त्रिंशद्विचित्राभिर्भूषितं तन्त्रयुक्तिभिः. 890 Rāmaprasāda Vaidyopādhyāya excludes *ūhya*. 891 The same reading is found in Satīśacandra Śarmā's third edition of the *Carakasamhitā*. 892 However, adding more troubles to it, Satīśacandra Sarmā, in his Bengali translation, says that there are 34 tantrayuktis (even though the main Sanskrit text of his edition counts 35). Then he in fact illustrates 36 tantrayuktis making a remark that states—

"in Gangadhara's reading, there are 36 tantrayuktis because he counts saṃśaya twice in his commentary. But 35 was reckoned

```
which the list of the tantrayuktis appear was originally authored by Dṛḍhabala, who lived in a town called Pañcanada sometime between 300 and 500 AD. Cf. अखण्डार्थं दृढबलो जातः पञ्चनदे पुरे। कृत्वा बहुभ्यस्तन्त्रेभ्यो विशेषोञ्छशिलोञ्चयम्॥ सप्तदशौषधाध्यायसिद्धिकल्पैरपूरयत्। 8.12.39–40a (Ca 1941: 735) 888 षट्गिंशता विचित्राभिभूषितं तन्त्रयुक्तिभिः॥ 8.12.70a (Ca 1933: 972). 889 Ca 1941: 737. 890 Ca 1911: 1913. 891 Understanding the tantrayukti samuccaya as asamuccaya, he reads the verse where ūhya appears as— अतीतानागतापक्षा स्वसंज्ञा ह्यसमुञ्चयाः. Surely, this reading is erroneous as the plural ending after samuccaya does not make sense.
```

plural ending after *samuccaya* does not make sense. 892 Ca 1923: 1020. His first edition, however, reads the half-verse the same as the reading in Ca 1933.(Ca 1904: 884)

in his $m\bar{u}la$ -text. Another manuscript reckons 34 tantrayuktis excluding $apade \acute{s}a$. This edition reads thirty-five instead of thirty-four or thirty-six."⁸⁹³

In the edition of Narendranātha Senagupta and Balāicandra Senagupta that includes Cakrapāṇi's Āyurvedadīpikā and Gaṅgādhara's Jalpakalpataru, the Sanskrit mūla and the Jalpakalpataru enumerate 36 tantrayuktis. However, in the same edition, the Āyurvedadīpikā reads, पञ्चित्रंशत्तन्त्रयुक्तिभिभूषितमपूरयदृढबल इति योजना. ⁸⁹⁴ Again, after the illustrations of the 36 tantrayuktis it reads, इत्येताः षड्गिंशत्तन्त्रयुक्तयो व्याहृताः. ⁸⁹⁵ In his edition of the Tantrayuktivicāra, Muthuswami also mentions that 35 tantrayuktis are reckoned in the Carakasaṃhitā. ⁸⁹⁶ Jivānanda Vidyāsagara's edition gives no number at all— तथा च ता विचित्राभिभूषितं तन्त्रयुक्तिभिः. ⁸⁹⁷

Commentaries on the Carakasamhitā prior to Cakrapāni's Āyurvedadīpikā, such as the Carakanyāsa of Bhaṭṭāra Hariścandra (c. mid-sixth century) or *Nirantarapadavyākhyā* of Jejjaṭa (c. 7th or 8th century AD) do not help much because the extant portions of these commentaries do not include the concerned section of the 12th chapter of the Siddhisthāna. However, Hariscandra was possibly not aware of the total number and the list of the tantrayuktis in the final chapter of the Siddhisthāna because he discussed the tantrayuktis right at the beginning of his commentary and showed no indication to the awareness about the discussion on the tantrayuktis at the end of the text. Moreover, he discusses 40 tantrayuktis instead of 36. It is not yet settled whether or not Hariścandra was aware of Drdhabala's redaction of the Carakasamhitā. However, Hariścandra's treatment of the *tantrayuktis* supports the latter.⁸⁹⁸. It is clear from Cakrapāṇi's commentary on the Carakasaṃhitā that in the version of the text he commented upon contained the four verses that list the 36 tantrayuktis. It is, however, not improbable that the four verses that list the 36 tantrayuktis were later added to the Carakasamhitā sometime between the sixth (the date of Hariscandra) and the eleventh century (the date of

^{893 &}quot;গঙ্গাধর পাঠ— তন্ত্রযুক্তি ছত্রিশ প্রকার। তিনি টীকাতে সংশয়কে দুই বার উল্লেখ করিয়া ছত্রিশ প্রকার গণনা করিয়াছেন, কিন্তু তাঁহার মূলে পঁয়ত্রিশ প্রকার আছে; গ্রন্থান্তরে ৩৪ প্রকার আছে; তাহাতে 'অপদেশ' ধর্ত্তব্য হয় নাই। এই অনুবাদের মূলে চতুন্ত্রিংশৎ বা ষট্ত্রিংশৎ স্থলে পঞ্চত্রিংশৎ লিখিত হইল।" Ca 1923: 1022.

⁸⁹⁴ Ca 1928-33: III, 3814.

⁸⁹⁵ Ca 1928-33: III, 3822.

^{896 &#}x27;पञ्जित्रंशद्विचित्राभिर्भूषितं तन्त्रयुक्तिभिः।' इति चरके। द्वात्रिंशदिति सुश्रुतः।(TYV: 2, fn. 2).

⁸⁹⁷ Ca 1877: 961.

⁸⁹⁸ HIML: IA, 189.

Early Sources 269

Cakrapāṇi) and the discrepancy appeared when the previous verse that gives the total number of the *tantrayukti*s was not properly emended by the scribes complying with the following list of 36 *tantrayukti*s. There is a need of a critical edition of the twelfth chapter of the *Siddhisthāna* of the *Carakasaṇhitā* to address these issues definitely.

Commentaries

The commentators who extensively delved into the discussion of the tantrayuktis are Hariścandra, the author of Carakanyāsa, and Aruṇadatta (12th century), 899 who authored his commentary Sarvāṅgasundarī on the Aṣṭāṅgahṛdaya of Vāgbhaṭa. Hariścandra meticulously defined and analyzed 40 tantrayuktis at the beginning of his work. The four additional tantrayuktis are: paripraśna (question), vyākaraṇa (grammatical clarification), vyutkrāntābhidhāna (overpassing statement) and hetu (means of knowledge).900

Aruṇadatta, while discussing the concept of tantraguṇa at the end of the Aṣṭāṅgahṛdaya, provided an elaborate description of tantrayuktis, considering them as part of a system of ninety-five tantraguṇas. Śrīdāsa Paṇḍita (14th century), a commentator on the Aṣṭāṅgahṛdaya, echoed Aruṇadatta's exploration of tantrayuktis in the beginning of his commentary, Hṛdayabodhikā. 901 Thus, both Hariścandra and Śrīdāsa Paṇḍita engage with this topic right at the beginning, underscoring the significance they attribute to the subject. Other noteworthy commentators who discussed the topic of tantrayukti are Cakrapāṇi (11th century) and Indu (sometime between 8th

⁸⁹⁹ HIML: IA, 663-664.

⁹⁰⁰ This text has only been published once (only until the third chapter of Sūtrasthāna) by Masta Ram Shastri from Lahore in 1932/33. (HIML: IB, 290) Unfortunately, it is currently inaccessible to us. Although some fragmented manuscripts of the Carakanyāsa exist, for this section (Chapter 1, Sūtrasthāna), we were able to consult only MS MS Jamnagar GAU 114. This is a recent apograph with several lacunae and corruptions. The list of the tantrayuktis provided in the Carakanyāsa is as follows (with some emendations made in the reading): तन्त्रस्य युक्तयोऽधिकरणाद्याश्चर्त्वारिशत् ।... युक्तयस्तावद-धिकरणं योगो हेत्वर्थ उद्देशो [निर्देश] उपदेशोऽपदेशोऽतिदेशः प्रदेशो निर्णयोऽर्धापत्तिर्वाक्यशेषः प्रयोजनं प्रसङ्ग एकान्तोऽनेकान्तो विपर्ययोऽपवर्गः पूर्वपक्षो विधानमनुमतं व्याख्यानं परिप्रश्नो व्याकरणमतीतापेक्ष-णमनागतापेक्षणं संशयः स्वसंज्ञोह्यः समुञ्चयो निदर्शनं निर्वचनं नियोगो विकल्पः प्रत्युत्सार उद्धारः सम्भवो व्युत्क्रान्ताभिधानं हेतुरिति।

⁹⁰¹ HIML: IA, 680.

and 12th century). Cakrapāṇi and Indu defined and illustrated the *tantrayuktis* mentioned in the *Carakasaṃhitā* and the *Aṣṭāṅgasaṅgraha*, respectively. They affirm the inclusion of the four additional *tantrayuktis* in Hariścandra's list. Cakrapāṇi, aligning them with existing concepts, incorporates *paripraśna*, *vyākaraṇa*, and *vyutkrāntābhidhāna* under the *tantrayuktis uddeśa*, *vyākhyāna*, and *nirdeśa*, respectively. According to him, *hetu* serves as an overarching term encompassing all *pramāṇas* (means of knowledge) such as *pratyakṣa* (perception) and others. Indu, however, outlines three possible reasons for not incorporating these *tantrayuktis* into the list: (1) they lack direct mention in the main text, (2) they could be considered as falling within the scopes of already enumerated *tantrayuktis*, or (3) they are not recognized as *tantrayuktis*.

Detailed discussions on the *tantrayuktis* also appear in the *Jalpakalpataru*, a nineteenth-century commentary on the *Carakasaṃhitā* by Gaṅgādhara Kavirāja from Bengal. Gaṅgādhara included the commentary with his *editio princeps* of the *Carakasaṃhitā*. He defines the *tantrayuktis* most often as defined in the *Suśrutasaṃhitā* making explicit quotations from the *Suśrutasaṃhitā* itself. Hence, this commentary serves as a testimonium for most part of the *tantrayukti* section of the *Suśrutasaṃhitā*.

Monographs

two texts authored by Āyurvedic scholars exclusively delve into the topic of *tantrayukti*. The first is the *Tantrayuktivicāra* by a physician named Nīlamegha (also known as Vaidyanātha), while the second is called the *Tantrayukti*, which is a sort of recast of the former by an anonymous author. The anonymous author describes himself as being from the same lineage as Nīlamegha and asserts that Nīlamegha belongs to the same lineage of Bhiṣagārya (also known as Nārāyaṇa Bhiṣaj). Both Nīlamegha and the author of Tantrayukti are likely from Kerala or coastal Karnataka.⁹⁰² According to Koļatteri Śankaramenon and Meulenbeld,

⁹⁰² Kolatteri Sankaramenon, the first editor of the *Tantrayuktivicāra*, believes that Nīlamegha hails from Kerala. This conclusion is drawn from Nīlamegha's reference to his guru as Sundara, whom Sankaramenon identifies as the same individual credited with composing the *Lakṣaṇāmṛta*, a treatise on toxicology. This assertion is plausible because the only known manuscript of *Tantrayuktivicāra* belongs to a member of one of the Aṣṭavaidya families of Kerala, aligning with the Vāgbhaṭa school, to which Nīlamegha also belongs.((HIML: IIA, 143)) On the other hand, the anonymous au-

Early Sources 271

Nīlamegha flourished in the first half of ninth century.⁹⁰³ The *Tantrayukti* was very likely composed after the sixteenth century.⁹⁰⁴

Nīlamegha's *Tantrayuktivicāra* is a versified text accompanied by an autocommentary. The text comprises eighteen verses plus a hemistich, resulting in a total of 37 hemistichs. Each hemistich serves as a definition for a *tantrayukti*. Nīlamegha enumerates a total of 36 *tantrayuktis*, as mentioned in the *Aṣṭāṅgasaṅgraha* and *Carakasaṃhitā*. The additional hemistich defines *aviparyaya*, which, according to Nīlamegha, is sometimes considered instead of *viparyaya*. This substitution occurs when one understands that the negative prefix a- is deleted due to a $p\bar{u}rvar\bar{u}pa$ sandhi— $s\bar{a}pavargaḥ + aviparyayaḥ \rightarrow s\bar{a}pavargo viparyayaḥ$ (See footnote 884.).

The text of the *Tantrayukti* includes some verses at the beginning and end, where the author discusses the lineage of Nīlamegha. The author explicitly states that his text is a revised version of Nīlamegha's *Tantrayuktivicāra* because the available manuscripts were mostly corrupt. It is evident that there are substantial reproductions of parts of the *Tantrayuktivicāra* and its autocommentary. The total number of *tantrayuktis* and their enumeration remains identical to that of the *Tantrayuktivicāra*. What distinguishes it from the *Tantrayuktivicāra* is the incorporation of a list of other *tantraguṇas* and 14 *tantradoṣas*. This list of *tantraguṇas* includes 15 types of

thor of the *Tantrayukti* associates Nīlamegha with the lineage of Bhiṣagārya, who hails from Uṇṭuru, a village located 3 kilometers from Gokarṇa which is in coastal Karnataka.(TY: 30).

⁹⁰³ Nīlamegha mentions Vāhaṭa (Vāgbhaṭa), Indu, and Jejjaṭa in his work. This places him definitively after the seventh century. The Buddhist influence in the Tantrayukti indicates a date not much later than 800 AD. (TYV: अवतारिका ५–६, HIML: IIA, 143.)

⁹⁰⁴ From the explicit mention of Nīlamegha and Bhiṣagārya in the work *Tantrayukti*, we can say that the author flourished after them. Determining the date of Bhiṣagārya is problematic. However, since the Kairalī commentary on the *Aṣṭāṅgahṛdayasaṃhitā* frequently quotes from Bhiṣagārya's *Abhidhānamañjarī*, it indicates that Bhiṣagārya predates the composition of this commentary. Meulenbeld suggests the end of the seventeenth century as the terminus post quem for the Kairalī (HIML: IA, 675). Moreover, he views *Abhidhānamañjarī* as a work composed after the sixteenth century, citing details within it that affirm its posteriority to the *Rājanighaṇṭu* and *Bhāvaprakāśa* (HIML: IIA, 442).

⁹⁰⁵ वैद्यनाथोपसृष्टानां लक्ष्यलक्षणवाप्नुषाम् ॥ तासां प्रायः प्रकाशानां दुर्लेखापङ्कदूषणात् । क्रियते साम्प्रतं कृच्छादुद्धृत्य परिमार्ज्जनम् ॥ TY: 1

vyākhyā, 7 types of kalpanā, 20 types of āśraya, and 17 types of metaphoric and metonymic devices, such as tācchīlya and so on.

Tantrayukti-inventories

It is evident from the discussion on the early sources that all these listings of the *tantrayuktis* in the early sources can be grouped into two categories. For the ease of our following discussion, we name these two inventories as (1) earlier listing and (2) later listing.

Earlier Listing

The four inventories of tantrayuktis from the Arthaśāstra, Suśrutasaṃhitā, Viṣṇudharmottarapurāṇa, and Saddanīti belong to what we call the "earlier Listing." The reason to call this listing as "earlier listing" is: two early Sanskrit texts, viz., the Arthaśāstra and the Suśrutasaṃhitā consists of this listing. The Tamil list of the tantrayuktis as found in the Tolkāppiyam also belongs to this group, even though not all of the uttis in this list might correspond accurately to the Sanskrit and Pali lists. A defining characteristic of this listing is that each inventory explicitly states the total number of tantrayuktis as thirty-two. ⁹⁰⁶ Even though there are sometimes different tantrayuktis enumerated in different lists, the total count always remains consistent at 32. As demonstrated in Table 5, the Sanskrit and Pali lists are similarly ordered and are always accompanied by similar or identical definitions. This list appears across diverse disciplines.

Later Listing

The "later listing" is the one we find in the Aṣṭāṅgasaṅgraha, Caraka-saṃhitā, the commentaries on the Carakasaṃhitā, Aṣṭāṅgasaṅgraha and Aṣṭāṅgahṛdayasaṃhitā and the two monographs, the Tantrayuktivicāra

⁹⁰⁶ तद् द्वात्रिंशद् युक्तियुक्तम् । (5.1.3 Kangle 1965: 1, 280) "that (Arthaśāstra) is furnished with thirty-two logical methods of the system", तत्र द्वात्रिंशत् तन्त्रयुक्तयो भवन्ति । (Suśrutasaṃ-hitā6.64.2) "there are thirty-two logical methods of the system", battiṃsa tantiyuttiyo bhavanti/ (Suttamālā, 28 Saddanīti 3: 920) "there are thirty-two logical methods of the system", எண்ணான்கு உத்தியின்... "It employs thirtytwo rules of criticism regarding writing." (Nannūl: 9–10)

and Tantrayukti. This list has sprung from a single source— a versified list of thirty-six tantrayuktis comprising four verses that appear in the Aṣṭāṅgasaṅgraha, Carakasaṃhitā and Aruṇadatta's commentary on the Aṣṭāṅgahṛdayasaṃhitā. It remains unclear whether these verses initially appeared in the Dṛḍhabala's redaction of the Carakasaṃhitā or Vāgbhaṭa's Aṣṭāṅgasaṅgraha. Unlike the "earlier Listing," this list lacks definitions of the tantrayuktis. Definitions and illustrations are given by the authors of the commentaries and monographs as discussed in the previous section. Although Hariścandra's list includes 40 tantrayuktis instead of 36, his enumeration aligns more closely with "later listing" than the earlier one. Despite the earlier listing's corss-disciplinary appearance, the later listing notably influences the field of Āyurveda, likely due to the popularity of Vāgbhaṭa's works. The Suśrutasaṃhitā, incorporating the "earlier listing" distinguishes itself among Āyurvedic texts that list the tantrayuktis.

Terminology

The terms have been translated into English in numerous books and articles. English renditions of the terms can be found in English translations of the *Suśrutasaṃhitā* such as in Singhal and J. Mitra 1980: 171–172, and P. V. Sharma 1999–2001: 3, 631–639; in translations of the *Carakasaṃhitā* such as in R. K. Sharma and B. Dash 2006: 436–444 and in Shree Gulabkunverba Ayurvedic Society 1949: 1050, in the translation of the *Arthaśāstra* such as in Shamasastry 1951: 459, Kangle 1965: 593, Unni 2006: 1103 and Olivelle 2013, and by K. Srikanta Moorthy in TYV: Appendix xi–xxxiv. They are also found in various books and articles dedicated to discussing the *tantrayuktis* such as in Oberhammer 1968: 601–602, Solomon 1976–78: 1, 72, Lele 1981: 34–155, 2006: 36–150 and so on. German translations of the terms can be found in Meyer 1926: 663–664 (German translation of the *Arthaśāstra*) and in Prets and Prandstetter 1991–2006.

The definitions of *tantrayuktis* exhibit numerous variations across different texts. Here we will discuss each of the *tantrayuktis* that occur in the *Suśruta Saṃhitā* in comparison with their definitions in other texts. As indicated in Table 5, the definitions of *tantrayuktis* in the *Suśrutasaṃhitā* are frequently either identical or nearly identical to those found in the *Arthaśāstra*, *Viṣṇudharmottarapurāṇa* and *Saddanīti*. Therefore, unless the

definitions in these two texts notably deviate from those in the *Suśruta-saṃhitā*, we will not make explicit references to them in the subsequent elucidation of the terms.

1. adhikarana

Adhikaraṇa appears as the first tantrayukti in all traditional enumerations. It is among those tantrayuktis for which there is little disagreement concerning its definition. This tantrayukti functions as a structural and interpretative device. With a tautological expression, the Suśrutasaṇhitā defines adhikaraṇa as something, with reference to which statements are made. While defining adhikaraṇa, the text employs the same verb, adhi- kṛ- (to refer), whence the noun adhikaraṇa has been derived. The text supplies examples of rasa (taste) and doṣa (humour), for which two chapters of the Uttaratantra, namely chapter 62 (Kāyacikitsā 27) and chapter 65 (Kāyacikitsā 30) are dedicated. Oceanly, adhikaraṇa is the topic or theme.

Cakrapāṇi and Gaṅgādhara define adhikaraṇa in almost the same way as does the Suśrutasaṇhitā. Aruṇadatta's definition is similar but he specifies that adhikaraṇa can be of an entire discipline (śāstra), or a book (sthāna) of it, or a chapter (adhyāya), or a section (prakaraṇa), or even of a sentence (vākya). Srīdāsa Paṇḍita follows Aruṇadatta. However, in the commentaries of Hariścandra and Indu, we explore two more aspects of the concept of adhikaraṇa. According to Hariścandra, adhikaraṇa is the reason or ground referring to which the authors direct their discourse. For example, diseases create misery and the authors of Āyurveda began their discussion addressing them. Thus disease is the adhikaraṇa or theme of their discussion. Indu identifies adhikaraṇa as a binding force that links

⁹⁰⁷ They are chapters 63 and 66 in A (Su 1938: B).

⁹⁰⁸ यमर्थमधिकृत्य प्रवर्तते कर्ता। यथा "विघ्नभूता यदा रोगा" इत्यादि। अत्र रोगादिकमधिकृत्यायुर्वेदो मह-र्षिभिः कृत इति 'रोगाः' इत्यधिकरणम्। Āyurvedadīpikā (Ca 1941: 736). तद् यमर्थमधिकृत्योच्यते; Jalpakalpataru (Ca 1928-33: III, 3815).

⁹⁰⁹ तत्र अधिकरणं नाम, यदिधकृत्य प्रवर्तते शास्त्रं स्थानमध्यायं प्रकरणं वाक्यं वा।... (Ah 1939: 947). 910 AHS 1940: 2.

⁹¹¹ तत्राधिकरणं नाम यन्निमित्तमधिकृत्य प्रवर्तते कर्ता।... उत वा विघ्नभूता यदा रोगाः प्रादुर्भूताः तदिदं नि-मित्तमधिकृत्य जगदनुकम्पया महर्षिभिरयमायुर्वेद आगमः। एवमधिकरणव्याख्या वर्णयितव्या। MS MS Jamnagar GAU 114, p.4–5.

ideas. According to him, *adhikaraṇa* as an introductory reference and it exposes a general statement to a specific context.⁹¹²

Nīlamegha defines adhikaraṇa using the Paninian terminology. According to him, adhikāraṇa is the locus in which the tātparya, "reference" lies. 913 Adhikaraṇa is one of the six kāraka-s (a sort of semantic roles recognized by Sanskrit grammarians). Pāṇini calls it a locus (ādhāra). 914 Through metaphorical extensions, the idea of a locus can apply to abstract domains and not merely to physical locus. In traditional Sanskrit grammar, a metonymic or metaphorical domain is called vaiṣayika adhikaraṇa. Patañjali considers vaiṣayika as one of the three types of adhikaraṇa. He quotes Aṣṭāṅgahṛdaya-saṃhitā Sūtrasthāna 1.5b-6a and explains how the eight limbs of Āyurveda serve as the adhikaraṇas of cikitsā "treatment". In Nīlamegha's understanding, adhikaraṇa "theme" is the domain of a reference. The Tantrayukti repeats Nīlamegha's idea but it also adds different types of adhikaraṇa as suggested by Aruṇadatta.

In the *Tolkāppiyam*, however, the equivalent expression for this *tantrayukti* remains unclear, as commentators, namely Ilampūraṇar and Pērāciriyar, list the item differently. In Sastri's translation of the *Tolkāppiyam*, *adhikaraṇa* was identified with *atikāra murai*, the second element in Ilampūraṇar's list. Sastri translates this expression as "deciding the extent where one serves as *adhikāra sūtra* or a word or words in a sūtra taken along with the *sūtra*-s that follow."916 However, Dikshitar, in his brief article on the *tantrayuktis*, equates *adhikaraṇa* with *nutaliyatu arital*, the first element in Pērāciriyar's list, and translates it as "that division of a book which centers around a chief topic and deals wholly with that topic."917 Clearly, Dikshitar's interpretation stands close to our definition of *adhikaraṇa*. Sastri's interpretation, on the other hand, corresponds to the concept of *adhikāra* "heading" and *anuvṛtti* "recurrence" in the *sūtra* literature, especially in Pāṇini's *Aṣṭādhyāyī*.918

The translators usually translated this tantrayukti as "topic" or "subject

⁹¹² अधिकरणं प्रस्तावः सामान्येनोक्तमप्यर्थजातं यद्बलाद्विशेषेऽवस्थाप्यते तद्धिकरणम् । (As 1980: 959). 913 तत्राधरोऽधिकरणं तात्पर्यं तत्र तिष्ठति । 1 TYV: 2. 914 आधारोऽधिकरणम् । *Aṣṭādhyāyī* 1.4.45. 915 On *Aṣṭādhyāyī* 6.1.72 Mahābhāṣya: 3, 51. 916 P. S. S. Sastri 2002: 233. 917 Dikshitar 1930: 85 918 See Chevillard 2009: 111.

matter".

2. yoga

This tantrayukti typically occupies the second position in most lists, except in the Arthaśāstra where it appears third following vidhāna. Functioning as a syntactic and semantic tool, yoga, as defined in the Suśrutasaṃhitā, represents the faculty responsible for the cohesion of a sentence. If we consider the main purpose of the tantrayuktis as narrated in the Suśrutasaṃhitā, namely, cohesion of a sentence (vākyayojana) and cohesion of meaning (arthayojana), it becomes evident that this tantrayukti is one of the fundamental tantrayuktis functioning as the device for vākyayojana. The Suśrutasamhitā further describes yoga as a syntactic connection between words, facilitating the linking of words even when they are in reverse order or placed apart. However, this paraphrased statement is absent in the vulgate; instead, it appears in the commentary of Dalhana with a minor variation.⁹¹⁹ The definitions of yoga in the Viṣṇudharmottarapurāṇa and Arthaśāstra closely mirror that of the Suśrutasamhitā. the Viṣṇudharmottarapurāṇa's definition introduces a slight variation by including the term artha "meaning". According to this definition, yoga is that by which the meaning of a sentence coheres. The Arthaśāstra employs a nominalized verb in a compound noun instead of a relative clause— vākyayojanā "connecting a sentence". The definition we find in the Saddanīti is close to the paraphrased part of the definition of the Suśrutasamhitā.920

For illustration, a verse from chapter 18 of the *Cikitsāsthāna* is quoted in the *Suśrutasaṃhitā*—

```
तैलं पिबेच्चामृतवल्लिनिम्बहंसाह्वयावृक्षकपिप्पलीभिः।
सिद्धं बलाभ्याञ्च सदेवदारु हिताय नित्यं गलगण्डरोगे॥<sup>921</sup>
```

In this verse, the noun sesame oil (*tailam*) appears at the beginning of the first hemistich, while its adjective cooked (*siddham*) is placed at the beginning of the final hemistich. Despite not being colocated, the *tantrayukti*

⁹¹⁹ See 6.65.9 (Su 1938: 815). 920 See Table 5. 921 4.18.47 (Su 1938: 474).

yoga effectively connects them, facilitating our comprehension of the intended meaning. Evidently, this exemplifies a device for linking words within a sentence.

In the commentaries of Hariścandra, Indu, Cakrapāni and Aruna, however, the tantrayukti yoga is used in a broader sense. In these interpretations, yoga serves not only as a device for cohesion within a sentence but also fosters coherence among sentences in a discourse. Hariścandra identifies three alternative interpretations of yoga. 922 Arunadatta also interprets yoga in a similar fashion but instead of three alternatives he talks about the first two alternatives of Hariścandra. In the first alternative, yoga is coherence between the main statement ($s\bar{u}tra$) and its gloss ($bh\bar{a}sya$). Arunadatta expands its scope to coherence between mention (uddeśa) and description (*nirdeśa*) as well.⁹²³ In the second alternative, *yoga* is reasoning (*yukti*) having five types: (1) pratijñā "proposition", (2) hetu "reason", (3) udāharaṇa "exemplification" (4) upanaya "application", and (5) nigamana "conclusion", resembling the five-membered syllogism of inference (anumāna) in the Nyāya-Vaiśeṣika school.924 Śrīdāsa Paṇḍita's comment is similar to that of Arunadatta.⁹²⁵ Hariścandra also notes a different understanding of this tantrayukti by some others. In this sense, yoga is connectedness. This alternative definition is close to that of the Suśrutasamhitā. In Indu's interpretation, yoga is lexical cohesion, as he understands yoga as a relation between a word and its meaning or a sentence and its meaning. 926 Cakrapāṇi, while defining yoga in a fashion similar to the Suśrutasamhitā, exemplifies it as a connection between five logical elements, namely pratijñā, hetu, udāharaṇa, upanaya and nigamana, conflating the definition of yoga with Hariscandra's second alternative i.e. *yoga* is reasoning (*yukti*).⁹²⁷ Nīlamegha defines *yoga* as connecting words one by one coherently. 928 As he further explains in the autocommentary with examples from the Aṣṭāngahṛdayasaṃhitā, it is evident that he understands yoga as coherence between a part of a sentence

⁹²² योगो नाम योजना ग्रन्थानां यथार्थसूत्रभाष्यसूत्रयोः... पञ्चलक्षणो वा योगः। प्रतिज्ञाहेतूदाहरणनिगमनानि... यद् इह युज्यते स योग इत्येके। (MS Jamnagar GAU 114, p.5.)

⁹²³ योगो नाम योजना, उद्देशनिर्देशयोः सूत्रभाष्ययोर्वा । Sarvāṅgasundarī on 6.40.80 (Ah 1939: 947). 924 युक्तिर्वा योगः, प्रतिज्ञा हेतुर्दृष्टान्त उपनयो निगमनमिति पञ्चविधः। 6.40.80 (Ah 1939: 947).

⁹²⁵ AHS 1940: 2.

⁹²⁶ योगो नाम योगः सम्बन्धः स च पदार्थयोर्वाक्यार्थयोर्वा । Śaśilekhā on 6.50.150aa (As 1980: 959).

⁹²⁷ योगो नाम योजना व्यस्तानां पदानामेकीकरणम् । उदाहरणं तावद्यथा प्रतिज्ञाहेतूदाहरणोपनयनिगमनानि । 8.12.41 (Ca 1941: 736).

⁹²⁸ योगः पदानामेकैकमर्थौचित्येन योजना । 2 TYV: 3.

and the discourse.⁹²⁹ Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified the *tantrayukti yoga* with any *utti* mentioned in the *Tolkāppiyam*.⁹³⁰

The word *yoga* derives from the Sanskrit root \sqrt{yuj} "to connect" with the primary suffix $GHa\tilde{N}$, which is often used for creating action nouns. In Sanskrit technical literature, the term *yoga* is used in a broad sense to mean any kind of linguistic connection or connectedness. In the Aṣṭādhyāyī of Pāṇini, it often refers to the connection with a word or a word-element. 931 Hence, it refers to a morphosemantic or syntaco-semantic connection. Patañjali uses this term several times in his Mahābhāṣya. In the Suśrutasaṃhitā the word *yoga* is primarily used to mean the connection between words in a sentence. According to this definition and illustration, it is primarily intrasentential cohesion. Unlike the later commentators on the works of Caraka and Vāgbhaṭa, it does not extend the scope of this term to inter-sentential cohesion and coherence. Keeping in mind such definition given in the Suśrutasamhitā, we translate the term as cohesion even though no other translators of the *tantrayuktis* used this translation. In some other contexts, however, *yoga* can be extended to coherence. Both coherence and cohesion are derived from the Latin verb cohaere- (< con-"with" haereō "cling") "to cling together." In other translations of the *tantrayuktis* (see p. 273), *yoga* is variously translated as employment, arrangement, conjoiner, connecting, concomitance, uniting, union, rational linking, joining and so on. We preferred the term cohesion because the other options are either too narrow or too vague. 'Employment' is rather *prayoga*, not *yoga*. 'Rational linking' disregards the grammatical aspect of yoga. 'Conjoiner', 'connecting', 'union', 'uniting' or 'arrangement' are vague and they do not reflect the technical import of the term yoga.

3. padārtha

In the earlier listing, padārtha follows yoga, while in the later listing, this tantrayukti is enumerated after hetvartha, possibly due to metrical requirements. The Suśrutasaṃhitā dedicates more words to describing this tantrayukti than any other early texts.

⁹²⁹ TYV: 3.

⁹³⁰ Chevillard 2009: 84.

⁹³¹ Joshi and Roodbergen 1991: 64.

The description in the *Suśrutasaṃhitā* commences with the definition of *padārtha*, which is articulated as the meaning conveyed in an aphorism or a word. It then delves into the literal interpretation of the term *padārtha*. The straightforward meaning of the compound *padārtha*, obtained by dissecting its components—*pada* "word," and *artha* "meaning"—is "the meaning of one or more words." After presenting the literal interpretation of *padārtha*, the *Suśrutasaṃhitā* provides the rationale why mere word meanings cannot suffice as the *tantrayukti padārtha*—since a word or words may have multiple meanings. Therefore, as a *tantrayukti*, the term *padārtha* denotes the meaning of a word or words within a specific context.⁹³² Dalhaṇa also supports this perspective, indicating that the term *padārtha* refers to a specific meaning of a word or words.⁹³³

In (Su 1938), a variant reading of the definition of padārtha is noted: सूत्रपदे in the place of सूत्रे पदे वा. It remains unclear which reading was available to Dalhaṇa. He proposed an etymological meaning of the word pada, defining it as that by which a meaning is understood, and includes sūtra under the semantic scope of pada. Essentially, he viewed sūtra as a type of pada because, by conveying a meaning, a sūtra falls under the category of pada, which by definition signifies a meaning-conveying unit. This interpretation does not separate sūtra and pada as mutually exclusive entities. Thus, if Dalhaṇa's reading of the text is सूत्रे पदे वा, he perceived pada as a synonym or an alternative term for sūtra. On the other hand, if the reading was सूत्रपदे, he understood the meaning of the word सूत्रपदे as pada (a meaning-conveying unit) in the form of a sūtra. The editor of (Su 1938) offered a more straightforward explanation of the variant reading सूत्रपदे—a word (pada) in a sūtra is a sūtrapada.934 The Viṣṇudharmottarapurāṇa adopts a definition of padārtha close to this variant reading.935

The tantrayukti padārtha is illustrated with two examples in the Suśruta-saṃhitā. In the first example, three polysemous words—sneha, sveda and abhyañjana— are provided. Dalhaṇa gave various meanings of these words—sneha can mean lubricity or grease or affection; sveda can mean sauna either with fire (sāgni) or without fire (niragni); abhyañjana may mean the black

⁹³² See fn. 986.

⁹³³ अधुना बहुषु पदार्थेषु निर्धार्य विशिष्टपदार्थग्रहणाय पदार्थबहुत्वं प्रतिपादयति— अपरिमिता इत्यादि। Dalhaṇa on 6.65.10 (Su 1938: 816).

⁹³⁴ अन्ये तु सूत्रपदे इति पठित्वा व्याख्यानयन्ति--- सूत्रस्य पदं सूत्रपदं तस्मिन् योऽर्थः स पदार्थः। fn.2 (Su 1938: 813).

⁹³⁵ See table 5.

eye make-up or oil rub (abhyanga). ⁹³⁶ In the case of such polysemy, $pad\bar{a}rtha$ or relevant meaning will be the meaning which coheres with the prior and subsequent elements ($p\bar{u}rv\bar{a}parayogasiddha$). The definition of this tantrayukti in Saddanīti corresponds to this explanation. ⁹³⁷ Thus, $pad\bar{a}rtha$ is that meaning which fits the context.

The second example is taken from the very beginning of the first chapter of the $S\bar{u}trasth\bar{u}na$ that says वेदोत्पत्तिमध्यायं व्याख्यास्यामः, "I shall narrate the chapter on the origin of knowledge (veda)." The problem is, what does this word "veda" refer to? Is it the Veda, as in $S\bar{a}maveda$? Or something derived from the roots $\sqrt{vi(n)}d$ or \sqrt{vid} ? Context ("prior and subsequent elements") can help us to know that "veda" means only $\bar{a}yurveda$ and that the $Su\acute{s}rutasamhit\bar{a}$ is talking about the origin of $\bar{a}yurveda$, specifically. The same issue is also addressed by Dalhaṇa at 1.1.1 (Su 1938: 1).

Among the texts of the early listing, the *Arthaśāstra* presents a notably distinct definition of *padārtha*. Here, it is defined as that which has its limit within the word. 938 Though somewhat ambiguous, this definition implies that *padārtha* is the referent indicated by a word or in other words, *padārtha* is the scope of meaning that corresponds to a word. Hence, this definition of *padārtha* does not necessarily refer to a contextual meaning. It indirectly suggests that *padārtha* is basically the meaning of a word.

Similar to *Arthaśāstra*'s understanding, the commentators Hariścandra, Indu, Cakrapāṇi, Aruṇadatta and Śrīdāsapaṇḍita interpret *padārtha* as the referents indicated by a word. However, by this time, the term *padārtha* became an important point of discussion among certain philosophical schools, particularly Vaiśeṣika and Nyāya.⁹³⁹ In the Vaiśeṣika ontology, padārtha is the term used for denoting the fundamental ontological categories. Such a wider use of the term among philosophical schools also influenced the *Bṛhattrayī* commentators, most prominently Hariścandra, whose interpretation of *padārtha* aligns with the framework of Vaiśeṣika philosophy. Following the Vaiśeṣika doctrine, he lists six types of *padārthas*, namely, substance (*dravya*), attribute (*guṇa*), movement

⁹³⁶ तत्र स्नेहशब्दे निर्दिष्टे हि गुणप्रेमसर्पिषां त्रयाणामर्थानामुपपत्तिर्दृश्यते, स्वेदशब्देनापि साग्निनिरग्निकयोरूष्म-णोः प्राप्तिः, अञ्जनशब्देनापि नयनाञ्जनाभ्यङ्गयोः प्राप्तिः। Dalhaṇa on 6.65.10 (Su 1938: 816).

⁹³⁷ See table 5.

⁹³⁸ पदावधिकः पदार्थः। (15.1.10 Kangle 1965: 1, 280).

⁹³⁹ The concept *padārtha* is also discussed by grammarians such as Patañjali and others. For the treatment of the term *padārtha* in different Indian philosophical schools, see Prets and Prandstetter 1991–2006: 2, 153–154.

(karman), universality (sāmānya), individuality (viśeṣa), and inherence (samavāya).940 In his understanding, a word (pada) is a universal category that may have several referents called padārtha. While other commentators such as Indu, Aruṇadatta, Śrīdāsa Paṇḍita follow Hariścandra while defining this tantrayukti and cite Vaiśeṣika padārthas such as dravya or guṇa as instances of padārtha, it is not clear whether they endorse the Vaiśeṣika interpretation.941 Cakrapāṇi adopts the literal definition of padārtha as mentioned in the Suśrutasaṃhitā. With examples, he emphasizes that word-meaning (padārtha) can stem from one word, two words or more.942 Gaṅgādhara, however, defined padārtha in the line of the Suśrutasaṃhitā considering padārtha as relevant word sense.943

Nīlamegha presents a distinct perspective, defining padārtha as polysemy within a given context. In his autocommentary, he also acknowledges another viewpoint that perceives *padārtha* as synonymy within a context. The author of the *Tantrayukti* merely quoted Nīlamegha's statements on this matter while incorporating the additional definition of *padārtha* found in commentaries such as those of Aruṇadatta, Indu, or Śrīdāsa Paṇḍita. Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified the *tantrayukti padārtha* with any *utti* mentioned in the *Tolkāppiyam*. P47

From the discussion above, it is clear that *Suśrutasaṃhitā*'s understanding of the *tantrayukti padārtha* is distinct from its definition offered

⁹⁴⁰ पदार्थो नाम य एकेन पदेनानेकार्थो गम्यते। यथा द्रव्यं गुणः कर्म सामान्यं विशेषः समवायः।. MS Jamnagar GAU 114, p.6.

⁹⁴¹ पदार्थो नाम येनार्थो गम्यते। यथा गुर्वादयो गुणशब्दादवगम्यते। *Saśilekhā* on 6.50.150aa (As 1980: 959). पदार्थो नाम, पदेनार्थो गम्यते। यथा द्रव्यमिति पदं, तस्यार्थो भूजलादिः। गुण इति पदं तस्यार्थो गुर्वादिः। *Sarvāṅgasundarī* on 6.40.80 (Ah 1939: 947). The same reading appears in *Hṛdayabodhikā* (AHS 1940: 2).

⁹⁴² पदस्य पदयोः पदानां वाऽर्थः पदार्थः। तत्र द्रव्यमिति पदेन खादयश्चेतनाषष्ठा उच्यन्ते; पदयोरर्थो नाम यथा—'आयुषो वेद' इति पदयोरायुर्बोधकं तन्त्रमित्यर्थः, एवं पदानामप्यर्थ उदाहार्यः। Āyurvedadīpikā on 8.12.41 (Ca 1941: 736).

⁹⁴³ अर्थः पदस्य चेति पदार्थो नाम तन्त्रयुक्तिः सा योऽर्थोऽभिहितः सूत्रे पदे वा। पदार्थस्त्वनेकस्तत्र योऽर्थः पूर्वापरयोगसिद्धो भवति सोऽर्थो ग्राह्यः। Jalpakalpataru on (Ca 1928-33: 3, 3816).

⁹⁴⁴ पदार्थस्तु पदैक्येऽपि भिन्नमर्थं प्रकाशयेत्। 4 TYV: 4.

⁹⁴⁵ केचित्तु "पदार्थः पदभेदेऽपि न भेदः पुनरर्थतः।/ TYV: 5.

⁹⁴⁶ पदार्थस्तु य ऐक्येऽपि भिन्नमर्थं प्रकाशयेत् ...पदार्थोऽपि च भेदेऽपि न भेदः पुनरर्थतः। पदेन योऽर्थो ज्ञायते यथा गुर्वादयो गुणे॥ TY:8–10.

⁹⁴⁷ Chevillard 2009: 84.

by the later commentators of the works of Dṛḍhabala and Vāgbhaṭa. The *Arthaśāstra*, which most often defines the *tantrayuktis* similarly to the *Suśrutasaṃhitā*, provides a definition of *padārtha* that is closer to the understanding of the commentators such as Hariścandra and so on. In the *Suśrutasaṃhitā*, *padārtha* is not merely the meaning of a word or words but the meaning arising within a particular context or co-text. It is the result of word sense disambiguation. Singhal and Mitra translates *padārtha* as "context." However, padārtha denotes not the context but rather the meaning intended in a context or co-text. Most other translators render this term as "import of words," which fits better in this case. The translation chosen here is "relevant meaning" because in the *Suśrutasaṃhitā*, *padārtha* refers to the meaning that is relevant within a context or co-text.

3. hetvartha

Hetvartha appears after padārtha in the earlier listing and before padārtha in the later listing. The word hetvartha is a compound of two words—reason (hetu) and purpose (artha). Although the term hetvartha is present in all lists of the tantrayuktis, it has not been lexicalized as a compound word. Thus, we need to understand the term through its components—hetu and artha. Depending on the meaning of the word artha, the word hetvartha can have different meanings. For example, Bhaṭṭoji Dīkṣita uses the term hetvartha to mean simply the sense of a cause. As a tantrayukti, hetvartha is a logical device that serves as the purpose (artha) of a reason (hetu).

The Suśrutasaṃhitā provides an analytical definition of hetvartha, where it is described as a statement functioning as a premise (sādhana). The text supplies an example about moistening of wounds by milk etc. on the basis of the known fact that water moistens a lump of earth. Notably, the word ukta in the definition likely does not imply an explicit statement in the text. As appears in the example, it can be a known fact from the outside world that aids in predicting a similar case related to our body. The Suśrutasaṃhitā does not mention that water moistens a lump of earth; this is understood from general empirical knowledge. The Suśrutasaṃhitā prescribes moistening of a wound in certain cases but does not explicitly state how

⁹⁴⁸ हेत्वर्थे तृतीया स्यात् | SiddhKau: 137.

⁹⁴⁹ Cf. अत्र बाह्येन मृत्पिण्डदृष्टान्तेन माषदुग्धयोगादिभिराभ्यन्तरो व्रणप्रक्लेदः साध्यते। Dalhaṇa on 6.65.11 (Su 1938: 813).

to do so. The knowledge that milk and similar substances can be used to moisten a wound derives from the empirical knowledge of moistening a lump of earth with water. The causal relationship between water and moistening a lump of earth serves a purpose elsewhere as a premise for understanding the causal relationship between milk or other similar substances and moistening of a wound. The definition is clearer in 6.65.11 (Su 1938: 813) because it includes the word other (anya), emphasizing that an idea stated in one one context serves a purpose in another. The author of the *Viṣṇudharmottarapurāṇa* as well as commentators such as Hariścandra, Cakrapāṇi, Indu, Aruṇadatta, and Śrīdāsa Paṇḍita define this tantrayukti similarly. However, in their interpretation, the term stated (ukta) means an explicit statement in the text.

A different definition appears in Nīlamegha's Tantrayuktivicāra, where he defines hetvartha as a situation where an entity is represented by its cause. For example, in the statement, रोगस् तु दोषवैषम्यम्, "disease, however, is the disproportion of the humours," the cause "disproportion of the humours" represents its effect, "disease." It can also be the reverse, where disease is the cause of disproportion of the humours. When a cause and its effect are considered equivalent and one represents the other, it is called hetvartha. This definition by Nīlamegha is not found elsewhere. This may explain why the author of the Tantrayukti does not refer to this

⁹⁵⁰ The definition is similar in *Saddanīti*. In the *Arthaśāstra*, *hetvartha* is defined as a cause that serves a purpose. Although phrased differently, this definition refers to the same concept. See table 5.

⁹⁵¹ यदन्यदुक्तमन्यार्थसाधकं भवति स हेत्वर्थः। 6.65.11 (Su 1938:813). The testimonium in Gaṅgādhara's *Jalpakalpataru* supports the reading of (Su 1938). In his own definition, Gaṅgādhara merely reproduces the definition of the *Suśrutasaṃhitā*. Ca 1928-33: 3, 3815.

⁹⁵² The definition of hetvartha is quite consistent across all the commentaries. Cakrapāṇi's definition: हेत्वर्थो नाम यदन्यत्राभिहितमन्यत्रोपपद्यते । Āyurvedadīpikā on 8.12.41 (Ca 1941: 736). Indu's definition: हेत्वर्थो नाम यदेकत्रोच्यमानमन्यत्रापि तथैवोपयुज्यते । Śaśilekhā on 6.50.150aa (As 1980: 959). Hariścandra's definition is also quite similar: हेत्वर्थो नाम यदन्यप्रस्तावाभिहितमर्थजातमन्यत्रापि तथैवापाद्यते । MS Jamnagar GAU 114 p. 5. Aruṇadatta's definition: हेत्वर्थो नाम यदन्यप्रस्तावोक्तमन्यत्रापि तथैवापाद्यते । Sarvāṅgasundarī on 6.40.80 (Ah 1939: 947). Śrīdāsa Paṇḍita's definition: हेत्वर्थो नामान्यप्रस्तावोक्तमन्यत्रापि तथैवापाद्यते । Hṛdayabodhikā (AHS 1940: 2).

⁹⁵³ हेत्वर्थो हेतुनैव स्यात् तत्तदर्थप्रकाशनम् ॥३ ॥ यथा—'रोगस्तु दोषवैषम्यम्ऽ (अ.ह्र.सू. १.२९) इत्यादौ रोगो नाम दोषवैषम्यहेतुः। न तु दोषवैषम्यम्। तत्तु वृद्धिः क्षयो वा। अतो हेतोर् एव रोगः। अत्र तुशब्देन रोगोऽपि दोषवैषम्यस्य हेतुरिति द्योतयति।. TYV: 4.

definition at all, even though he frequently quotes Nīlamegha. Instead, the author of *Tantrayukti* uses Aruaṇadatta's definition without attribution. He concludes with another definition, describing *hetvartha* as a statement where a reason is expressed. 954 Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified *hetvartha* with any *utti* mentioned in the *Tolkāppiyam*. 955

The term *hetvartha* has been translated in various ways, including "extension of argument," "implication," "goal of a reason," and merely "reason." We chose to translate *hetvartha* as "purpose of a reason" based on the components of the compound, which closely aligns with Olivelle's translation, "goal of a reason." While other translations may capture the application of *hetvartha*, they do not convey the lexical meaning of the term.

5-6. uddeśa and nirdeśa

It is necessary to consider the *tantrayuktis uddeśa* and *nirdeśa* in relation to each other as they form a pair of relational antonyms. They consistently appear together in all listings—following *hetvartha* in the earlier listing and *pradeśa* in the later listing. The *Suśrutasaṃhitā* defines *samuddeśa* as a brief statement and *nirdeśa* as a detailed statement. An example of *uddeśa* is given as the simple mention of the word "spike (*śalya*)." In contrast, the example of *nirdeśa* is the phrase "in the body or exogenous," where spike is described in more detail as being of two kinds. These two *tantrayuktis* are stylistic structural devices used in scientific compositions for precision and clarity.

The texts of the earlier listing provide identical or near-identical definitions of *uddeśa* and *nirdeśa*.957 They are also similarly defined and exemplified in the *Yuktidīpikā*.958 Commentators on the works of Dṛḍhabala and Vāgbhaṭa also defined *uddeśa* and *nirdeśa* similarly.959 However, Indu's

```
954 हेतुना सह यत्रोक्तिः स हेत्वर्थः प्रकीर्तितः॥ TY:8.
```

⁹⁵⁵ Chevillard 2009: 84.

⁹⁵⁶ Olivelle 2013: 436.

⁹⁵⁷ See table 5.

⁹⁵⁸ Yuktidīpikā: 7.

⁹⁵⁹ उद्देशो नाम सङ्क्षेपाभिधानम्...निर्देशो नाम विस्ता... MS Jamnagar GAU 114 p.6. उद्देशो नाम स-ङ्क्षेपाभिधानम्...निर्देशो नाम संख्येयोक्तस्य (सङ्क्षेपोक्तस्य ?) विवरणम्। Āyurvedadīpikā on 8.12.42 (Ca 1941:736). उद्देशो नाम सङ्क्षेपाभिधानम्...निर्देशो नाम तस्यैव विस्तारोक्तिः। Sarvāṅgasundarī

definitions of these two *tantrayuktis* are more informative. According to him, *uddeśa* refers to objects mentioned merely by single words, while *nirdeśa* involves restating those objects to show their specific features.⁹⁶⁰

There is a difference between the examples of *uddeśa* and *nirdeśa* in the Suśrutasamhitā and other texts. In the Suśrutasamhitā, the example of uddeśa is a single word, not a complete sentence, while in other texts, including the Arthaśāstra, it is a complete sentence, usually a simple equative sentence. For instance, Arunadatta and Śrīdāsa Paṇḍita quote 1.1.6b (Ah 1939: 6) as an example of uddeśa: वायुः पित्तं कफश्चेति त्रयो दोषाः समासतः।, "the three humours are wind, bile, and phlegm." As an example of nirdeśa, they quote 1.1.11 (Ah 1939: 9), which describes the characteristics of wind: तत्र रूक्षो ल-घुः शीतः खरः सूक्ष्मश्चलोऽनिलः।, "wind is rough, light, cold, harsh, subtle, and mobile." Even in these cases, where uddeśa is given with a complete sentence, uddeśa is exemplified by the individual items in those sentences. Thus, there are three *uddeśa*s in that sentence, and the description of each functions as nirdeśa. What constitutes uddeśa and nirdeśa is contextually determined. In the example of the Suśrutasamhitā, spike (śalya) is the uddeśa, and its nirdeśa is the expression that provides its two varieties: (1) in the body and (2) extraneous. When each variety is further described, each variety of the spike functions as uddeśa. The author of the Tantrayukti indicates this mutual relatedness of *uddeśa* and *nirdeśa* in a verse. 961 He also provides a versified definition of these two tantrayuktis, in addition to repeating Nīlamegha's statements. 962 Nīlamegha also defined these tantrayuktis in a similar fashion.⁹⁶³ Similar *utti*s also appear in the *Tolkappiyam*. However, Sastri and Dikshitar differently identified these tantrayuktis with

on 6.40.80 (Ah 1939: 947) and *Hṛḍayabodhikā* (AHS 1940: 2). उद्देशो नाम तन्त्रयुक्तिः सा, यत् समासकथनम्।...निर्देशो नाम तन्त्रयुक्तिः सा, यद् विस्तरेणोच्यते। *Jalpakalpataru*, Ca 1928-33: 3, 3816.

⁹⁶⁰ उद्देशो नाम यत्रार्थानां शब्दमात्रेणैव कीर्तनमुद्देशः।...निर्देशो नाम यच्छब्दमात्रेण निर्दिष्टानां स्वरूपविशेषप्र-दर्शनाय पुनः कीर्तनं निर्देशः। *Śaśilekhā* on 6.50.150ba (As 1980: 960).

⁹⁶¹ उद्देशनिर्देशकयोरन्योन्यापेक्षिता भवेत्। यत्तदोरिव नित्यैव शास्त्रे सर्वत्र सर्वदा॥ TY:12.

⁹⁶² प्राक् सङ्क्षेपेण कथनमुद्देश इति कीर्तितम्। निर्देशो नाम तस्यैव विस्तरोक्तिरुदाहृतः॥ TY: 12.

⁹⁶³ उद्देशः समवायोक्तिरिति प्राहुर्मनीषिणः। निर्देशः स्याद् विवरणं पूर्वोक्तानामनुक्रमात्॥ TYV:6.

the *uttis* of *Tolkāppiyam*.⁹⁶⁴

Uddeśa is a common technical term in Sanskrit literature. Sometimes it appears paired with lakṣaṇa, where uddeśa means mentioning an item by name, and lakṣaṇa is its definition. In this sense, lakṣaṇa and nirdeśa are similar. However, nirdeśa means any elaboration of the mentioned item, whereas lakṣaṇa refers to precise features. In Pakṣilasvāmin's Nyāyabhāṣya, the term uddeśa appears with lakṣaṇa and investigation (parīkṣā), and the triad of these three is called the course of the discipline.

We mentioned before that Hariścandra added four more *tantrayuktis* to the later listing. Indu and Cakrapāṇi suggested that the scope of these *tantrayuktis* could be included in those already enumerated. According to Cakrapāṇi *paripraśna* could be included in *uddeśa* and *vyutkrāntābhidhāna* is a variety of *nirdeśa*. The only manuscript of Hariścandra's *Carakanyāsa* available to us (MS MS Jamnagar GAU 114) is full of lacunae, making it challenging to determine its reading. It seems that asking a question about a topic is *paripraśna*, and stating something without mentioning the order of its items or objects is *vyutkrāntābhidhāna*. Including *paripraśna* and *vyutkrāntābhidhāna* under *uddeśa* and *nirdeśa* respectively may be an oversimplification.

The tantrayukti *uddeśa* has been variously translated as enunciation, concise statement, allusion, mention, etc. We chose the translation "mention." The expressions enunciation, allusion, and concise statement are vaguer than "mention." The *tantrayukti nirdeśa* is translated as elaboration, detailed statement, explanation, amplification, exposition, etc. All these translations are accurate. We translated *nirdeśa* as "exposition."

⁹⁶⁴ Chevillard 2009: 85.

⁹⁶⁵ For more references to the term *uddeśa* check Prets and Prandstetter 1991–2006: 2, 28–30.

⁹⁶⁶ त्रिविधा चास्य शास्त्रस्य प्रवृत्तिः, उद्देशो लक्षणं परीक्षा चेति । तत्र नामधेयेन पदार्थमात्रस्याभिधानमुद्देशः। तत्रोद्दिष्टस्यातत्त्वव्यवच्छेदको धर्मो लक्षणम् । लक्षितस्य यथालक्षणमुपपद्यते न वेति प्रमाणैरवधारणं परी-क्षा । Jośī 1922:14.

⁹⁶⁷ तत्र परिप्रश्न उद्देशेऽन्तर्भवति,...व्युत्क्रान्ताभिधानं निर्देशप्रभेदः Āyurvedadīpikā on 8.12.41b-45a (Ca 1941: 737).

Notes on Significant Variants

...द्वितीये पादे...

The Nepalese version reads द्वितीये पादे which would properly mean the second quarter of the first line; the vulgate reads तृतीये पादे "third quarter" which seems more correct.

यत्र तु स्नेहस्वेदाभ्यञ्जनेषु...पूर्वापरयोगसिद्धो भवति।

There is a dangling relative clause, योऽर्थः, in the Nepalese version that is avoided in the vulgate recension by the addition of स ग्रहीतव्यः. There are two possible explanations for this discrepancy: firstly, the missing main clause may have been present in the archetype but inadvertently omitted in the Nepalese version due to a scribal error. Alternatively, the main clause could have been elliptical in the archetype. The scribes of the Nepalese manuscripts accurately transmitted the text. However, at some stage during the transmission process, the main clause was supplied as an attempt to rectify the ungrammatical sentence. The interpolation may also stem from Dalhaṇa's commentary in which the exact clause was used. Gensidering the principle lectio difficilior potior, we may posit that the second scenario is more plausible. This is because the subject of the main clause can be inferred from the subject of the previous sentence, and within the context, the meaning of the sentence remains totally intelligible even without the explicit main clause.

सामवेदादयश्च वेदाः

Both , Su 1938 and the excerpts from the Suśrutasaṃhitā cited in the Jalpakalpataru read ऋग्वेदादयस्तु वेदाः, ê "Rgveda and so on are the Vedas." Traditionally, the Rgveda, being the earliest composed Veda, is often considered the prototype. However, the selection of Sāmaveda as the prototype in the Nepalese Version of the Suśrutasaṃhitā is intriguing. This choice brings to mind a verse from the Bhagavadgīta where Kṛṣṇa

⁹⁶⁸ तत्र योऽर्थ इत्यादि। पूर्वोक्तपरोक्तवाक्यसम्बन्धेनोपपन्नो योऽर्थो भवति स ग्रहीतव्य इत्यर्थः Dalhaṇa on 6.65.10 (Su 1938: 816).

declares, वेदानां सामवेदोऽस्मि⁹⁶⁹, "I am the *Sāmaveda* among the Vedas." With its incorporation of musical elements, the *Sāmaveda* holds a unique charm compared to the *Rgveda*. Thus, the decision to prioritize the *Sāmaveda* as the prototype may stem from its intrinsic appeal or enchantment rather than chronological precedence.⁹⁷⁰ However, this reading not just appear in the Nepalese version. Another early *Suśrutasaṃhitā* manuscript from 1595 also keeps the same reading.⁹⁷¹

...विद विन्द इत्येतयोश्च धात्वोः...

Three issues need to be addressed here: (1) nomenclature of the verb roots in Sanskrit, (2) the homonymy of vid, and (3) variant readings in , Su 1938 and Jalpakalpataru.

- (1) The text suggests the etymology of the word veda by mentioning two verb roots, namely vinda and vida. It is worth noting that there are multiple ways of representing Sanskrit verb roots, even within traditional Sanskrit grammar like that of Pāṇini. Verb roots are presented in various forms, including mere lexical root forms, 972 forms ending in $^{-a}$, 973 ending in $^{-i}$, 974 or with the ending $^{-ti}$ in the present stem, 975 or sometimes with indicatory sounds (anubandha) as found in the $Dh\bar{a}tup\bar{a}tha^{976}$ In the reading of the Nepalese version of the $Su\acute{s}rutasaṃhit\bar{a}$, the second option, representing the verbs with a final $^{-a}$, is adopted.
- (2) The second issue pertains to the homonymy of vid in Sanskrit $Dh\bar{a}tup\bar{a}thas$, where at least four homonymous verbs are mentioned. They all belong to different classes and signify different meanings: \sqrt{vid} "to know" belongs to the second class ($ad\bar{a}di$ or the root class), \sqrt{vid} "to find,

^{969 10.22} BhaGī: 456.

⁹⁷⁰ Cf. Madhusūdana Sarasvatī's comment on the same verse: चतुर्णां वेदानां मध्ये गानमा-धुर्येणातिरमणीयः सामवेदोऽहमस्मि (10.22 BhaGī: 456), "amongst the four Vedas I am the Sāmaveda, which is extremely delightful due to its musical charm."

⁹⁷¹ MS Jodhpur RORI 20060 f.265r5.

⁹⁷² E.g. as \sqrt{gup} , \sqrt{tij} , and \sqrt{kit} are mentioned in गुप्तिज्किद्भाः सन् (Aṣṭādhyāyī: 3.1.5).

⁹⁷³ E.g. as \sqrt{gam} , \sqrt{han} , \sqrt{vid} , and $\sqrt{vi\acute{s}}$ are mentioned in विभाषा गमहनविद्विशाम् (Aṣṭād-hyāyī: 7.2.68).

⁹⁷⁴ E.g. as √mṛj is mentioned in मृजेर्विभाषा (Aṣṭādhyāyī: 3.1.113).

⁹⁷⁵ E.g. as \sqrt{as} , \sqrt{vac} , and \sqrt{khya} are mentioned in अस्यितविक्तिंख्यातिभ्योऽङ् (Aṣṭād-hyāyī: 3.1.52).

⁹⁷⁶ E.g. as \sqrt{i} \$ is mentioned in इषुगिमयमां छः (Asṭādhyāyī: 6, 7.3.77). Cf. इषुम्ँ इच्छायाम् (Dhātupāṭha 6.78).

to attain" to the sixth class ($tud\bar{a}di$) or the suffixally accented thematic class), \sqrt{vid} "to consider" to the 7th class ($rudh\bar{a}di$) or the athematic nasal infix class) and \sqrt{vid} "to exist" to the fourth class ($div\bar{a}di$) or the thematic ya-suffix class). A 10th-class verb \sqrt{vid} is also mentioned in the $Dh\bar{a}tup\bar{a}tha$ but this appears to be derived from the other vid verbs with a pleonastic causative suffix. The 4th-class vid is also originally a derivative of the other vid verbs formed with the passive suffix. The sixth-class verb vid belongs to a subclass called $muc\bar{a}di$, characterized by a nasal infix. Thus, it is clear that vinda, the first of the two verbs mentioned in the $Su\acute{s}rutasam\dot{h}it\bar{a}$, is the vid of the 6th class. The form vinda is, therefore, the present stem of the sixth-class verb vid. The other one may be the 2nd-or the 7th-class vid. The nominalized form of all of these verbs, using the suffix $GHa\tilde{N}$, is veda. This is where the ambiguity appears.

(3) In , Su 1938, the verbs are represented as they appear in the Paninian Dhātupāṭha, with indicatory letters (anubandha) and meanings attached to the roots: विद विचारणे, विदू लाभे. 979 However, the citation from the Jalpakalpataru presents another variant— विद् विचारणे विद् विन्दित 980. In both of these variants, the meanings of the verb roots appear. The verbs mentioned here are the 7th- and the 6th-class √vid respectively. The absence of meanings attached to the verb roots in the Nepalese version suggests the preservation of an older form of the text. 981

...धात्वोरेकार्थः। पश्चात् पदं भवति...

The Nepalese version of this passage significantly diverges from other witnesses. For a comparison the readings of four witnesses are provided:

 पूर्वापरम् उपलक्ष्य विन्द विद इत्येतयोश्च धात्वोरेकार्थः | पश्चात् पदम् भवति आयुर्वे-दोत्पत्तिमयं विवक्षुरिति (Nepalese version)

⁹⁷⁷ Cf. सत्तायां विद्यते ज्ञाने वेत्ति विन्ते विचारणे। विन्दते विन्दित प्राप्तौ श्यन्लुक्श्नम्शेष्विदं क्रमात्॥ (SiddhKau: 402).

⁹⁷⁸ Mentioning verbs in their present stem forms is not uncommon. The same 6th class verb \sqrt{vid} is mentioned as vinda in this rule: अनुपसर्गाल्लिम्पविन्दधारिपारिवेद्युदेजिचेतिसाति-साहिभ्यश्च (Aṣṭādhyāyī: 3.1.138).

^{979 6.65.10 (}Su 1938: 813).

⁹⁸⁰ Ca 1928-33: 3, 3816.

⁹⁸¹ Scholars believe that meanings were not initially attached to verb roots in the original Paninian *Dhātupāṭha* and were later additions, possibly by Bhīmasena. See Cardona 1976: 161–163.

- 2. तत्र पूर्वापरयोगमुपलभ्य विंदतीत्येतयोश्च धात्वोरेकार्थयोः पश्चात् पदं भवति आयुर्वेदो-त्पत्तिमयं विवक्षरिति (Śuśrutapāṭhaśuddhi MS London BL IOLR 1842)
- 3. तत्र पूर्वापरयोगमुपलभ्य विद् विचारणे विद् विन्दतीत्येतयोश्च धात्वोरनेकार्थयोः प्रयोगः पश्चात् प्रतिपत्तिर्भवति आयुर्वेदोत्पत्तिमयं विवक्षुरिति (Jalpakalpataru)
- 4. विद विचारणे, विद्रू लाभे, इत्येतयोश्च धात्वोरनेकार्थयोः प्रयोगात्, तत्र पूर्वापरयोगमु-पलभ्य प्रतिपत्तिर्भवति आयुर्वेदोत्पत्तिमयं विवक्षुरिति (Su 1938)

Evidently, the readings gradually change across these manuscripts, with the Nepalese version representing the earliest and the last drawing from more recent manuscripts. Two key issues emerge: firstly, the contradictory readings of एकार्थः or एकार्थयोः versus अनेकार्थयोः, and secondly, the syntactic structure of the sentence.

- (1) The Nepalese version and MS London BL IOLR 1842 uphold the former of the contradictory readings, while the Jalpakalpataru and (Su 1938) adhere to the latter. Dalhana's commentary provides no definitive insight about his preferred reading. Nevertheless, the earlier reading appears more coherent. Although the two homonymous verbs bear distinct meanings, the context fails to privilege one over the other. In essence, we are not able to grasp the relevant meaning (padārtha) of the word *veda* by choosing one or the other meanings of the homonymous verb vid—be it Sāmaveda or Ayurveda, the meaning of the root vid does not change. The comprehension of veda as Ayurveda only occurs upon encountering the word "āyurveda" itself appearing after two sentences. 982. Hence, the reading अनेकार्थयोः appears less tenable. But if we take the meaning of the word artha as "meaning," the phrase विन्द विद इत्येतयोश्च धात्वोरेकार्थः does not make sense either because these two homonymous verbs indeed have two different meanings. However, interpreting the word artha as "purpose" offers a more plausible explanation—both verbs, regardless of their individual meanings, serve the same purpose when nominalized with the suffix *GHaN*, yielding the same form *veda*.
- (2) The other issue pertains to the sentence's syntax. In the Nepalese version, there are two separate sentences: "पूर्वापरमुपलक्ष्य विन्द विद इत्येतयोश्च धात्वोरेकार्थः" and "पश्चात् पदम् भवति…", whereas all other witnesses present a unified sentence. The fact of having two different sentences in the Nepalese

⁹⁸² Cf. 'आयुर्वेदिमच्छाम इहोपिदश्यमानम्' इत्यस्मिन्नायुर्वेदशब्दः श्रूयते, अतोऽत्र वेद आयुर्वेद इत्यभिप्रायः॥ (Dalhaṇa on 6.65.10 (Su 1938: 816)).

version is determined by the use of the nominative case in the word एकार्थः, while the nominative of the second sentence is पदम्. In other readings, the genitive case is employed (एकार्थयोः) and thus the entire chunk in question constitutes a single sentence. Under this interpretation, the sentence conveys the meaning as: "when the prior and the subsequent elements are considered, after the fact that the roots *vin*d and *vid* have the same meaning, the clue appears that he wants to talk about the origin of Āyurveda." Here, the word पदम् likely denotes a sign or a clue, rather than its conventional meaning "word", which would be incongruous in this context.

यदुक्तं साधनं भवति स हेत्वर्थः

The reading in 6.65.11 (Su 1938: 813) is यदन्यदुक्तमन्यार्थसाधकं भवित स हेत्वर्धः. The same reading appears in MS London BL IOLR 1842 and the testimonium in the Jalpakalpataru. MS Jodhpur RORI 20060 reads यदुक्तमुभयार्थ-साधनं भवित स हेत्वर्थः. Clearly, the reading in the Nepalese version represents an older stage of the textual transmission, while the vulgate version indicates an attempt to clarify the definition. A comparison with the readings found in the texts of earlier listing may also suggest that the reading in the Nepalese version is older.

...तथा माषदुग्धप्रभृतिभिर्त्रणः क्लिद्यते

The reading माषद्वाय...presents some challenges. The Nepalese manuscripts, (Su 1938), Dalhaṇa's reading in (Su 1938), and MS London BL IOLR 1842—all have māṣadugdha-. However, this reading does not make much sense. Should we interpret it as a dvandva (beans and milk) or a tatpuruṣa (milk mixed with beans or bean milk)? The first option (dvandva) is untenable because a wound cannot be moistened with a solid substance like beans. The second option is also unlikely for two reasons:

- 1. In the Suśrutasaṃhitā, the word -prabhṛti- typically follows more than one item in a dvandva compound. Therefore, the reading माषदुग्धप्र- भृतिभिः, where māṣadugdha signifies one item, is statistically improbable.
- 2. Does *māṣadugdha* mean bean milk? This expression is not found elsewhere. Does it mean milk mixed with beans? If so, it should be used for a specific remedial recipe and mentioned in the *Suśrutasaṃhitā*.

However, there is no such reference to *māṣadugdha* in the text. If māṣadugdha is not mentioned elsewhere, it is unlikely the author intended such a complex example.

We conjecture that the original term was not $m\bar{a}$ sadugdha- but $c\bar{a}$ jyadugdha- or \bar{a} jyadugdha-. MS Jodhpur RORI 20060 supports this reading. In this manuscript, The character before jya is unclear, but it is clear that there is a medial vowel \bar{a} before jya. The expression \bar{a} jyadugdha- appears in other Sanskrit texts. If we read \bar{a} jya- or $c\bar{a}$ jya- instead of $m\bar{a}$ sa, it would mean "a wound gets moistened with ghee, milk, etc.," which makes much more sense. If \bar{a} jya- or $c\bar{a}$ jya- was the original reading, the scribal error likely occurred quite early when the ligature jya looked similar to sa.

समासवचनं समुद्देशः ।

The reading समुद्देशः appears in the Nepalese manuscripts and MS Jodhpur RORI 20060. Everywhere else, the reading is उद्देश, which matches the list of tantrayuktis provided at the beginning of the chapter. The version of the Jalpakalpataru includes another variant, समासकथनम्, which is not supported by any other witnesses.

Characteristics of the Manuscript Transmission

Translation 293

Translation

1 Now we shall explain the chapter called, "the enunciation of the logical methods of the system (*tantrayukti*)."

3 There are thirty-two logical methods of the system. They are as follows:

1.	topic (adhikaraṇa)	18.	objection (pūrvapakṣa)
2.	cohesion (yoga)	19.	determination (nirṇaya)
3.	relevant meaning (padārtha)	20.	consent (anumata)
4.	purpose of a reason	21.	itemization (vidhāna)
	(hetvartha)	22.	future reference
5.	mention (samuddeśa)		(anāgatāpekṣaṇa)
6.	exposition (nirdeśa)	23.	past reference
7.	prescription (upadeśa)		(atikrāntāpekṣaṇa)
8.	statement of reason (apadeśa)	24.	doubt (saṃśaya)
9.	indication (<i>pradeśa</i>)	25.	explication (<i>vyākhyāna</i>)
10.	prediction (atideśa)	26.	field-specific term
11.	exception (apavarga)		(svasaṃjñā)
12.	ellipis (<i>vākyaśeṣa</i>)	27.	interpretation (nirvacana)
13.	implication (arthāpatti)	28.	illustration (<i>nidarśana</i>)
14.	contraposition (viparyaya)	29.	compulsion (niyoga)
15.	recontextualization	30.	option (vikalpa)
	(prasaṅga)	31.	aggregation (samuccaya)
16.	invariable statement (<i>ekānta</i>)	32.	deducible ($\bar{u}hya$)
17.	variable statement (anekānta)		

- 4 It is said about this, "what is the purpose of these methods?" The answer is, "cohesion of a sentence and cohesion of meaning".983
- 5-6 There are two verses about this:

The logical methods of the system prohibit statements employed by people who do not speak the truth. They also bring about the validity of one's own statements. And they also clarify meanings that are stated back to front, that are implicit, unclear and any that are partially stated.

⁹⁸³ Dalhaṇa on 6.65.4 (Su 1938: 815) explained "cohesion of a sentence" as "connecting up a sentence that is not connected," and "cohesion of meaning" as "clarifying or making appropriate a meaning that is implied or inappropriate."

- 8 Among them, "topic (*adhikaraṇa*)" refers to the object, with reference to which statements are made, such as flavour (*rasa*) or humour (*doṣa*).984
- "Cohesion (*yoga*)" is that by which a sentence coheres, as when words that are in a reversed order, whether placed close or apart, have their meanings unified.

Sesame oil he should drink, with heart-leaved moonseed creeper, neem tree, maidenhair fern, Indrajao, and long pepper

that is cooked with heart-leaf sida and country mallow, and deodar, always for a benefit in the case of the disease goitre.

In this verse, one ought to say, first, "one should drink cooked...." However, the word "cooked" is used in the second line.⁹⁸⁵ Unifying the meanings of words in this way, even though they are far apart, is cohesion.

The meaning that is conveyed in an aphorism $(s\bar{u}tra)$ or a word is called relevant meaning $(pad\bar{a}rtha)$. The meaning that is attached to one or more words is the meaning of one or more words $(pad\bar{a}rtha)$. There are innumerable meanings of a word or words.⁹⁸⁶

Where two or three meanings of words such as *sneha*, *sveda* or *añjana* appear to be possible, the relevant meaning is the one that coheres with prior and subsequent elements. For example, when it is said that, "We

⁹⁸⁴ The idea here is that "rasa" may be the topic of a chapter, and statements in that chapter are all understood to be about that topic

⁹⁸⁵ See note on 287.

⁹⁸⁶ Contrary to the translations by previous translators Singhal and J. Mitra and P. V. Sharma, we believe that there is a distinction in how the term padārtha is employed in the first sentence, which serves as the definition of this tantrayukti, and in the two subsequent sentences, which pertain to the non-technical understanding of the word padārtha. We have translated the initial use of the word padārtha as "relevant meaning" and the subsequent use as mere "meaning of one or more words." Without presupposing the distinct usage of the word padārtha in this passage, the statement, अपरिमित्ताश्च पदार्थाः, might seem out of context, as it would not make sense to assert that there are innumerable padārthas once the text has already specified that padārtha refers to the particular meaning conveyed in a sūtra or a word. Furthermore, the subsequent illustration featuring three polysemic words—sneha, sveda, and añjana—also supports our argument. Through these examples, the text advocates for the perspective that in cases where a word has multiple meanings, only the interpretation that aligns with the preceding and subsequent elements should be regarded as padārtha.

Translation 295

are going to explain the chapter on the *veda*-origin" the mind may be confused about which "*veda*" will be spoken about. *Sāmaveda* and so on are the Vedas. Taking note of the prior and subsequent elements, the two roots *vind* "find" and *vid* "know" have a single meaning.⁹⁸⁷ Subsequently, the understanding takes place that there is a wish to talk about the origin of *āyurveda*. So that is the meaning of the word.

- The purpose of a reason (hetvartha) is a statement that becomes a premise ($s\bar{a}dhana$). e For example, just as a lump of earth is moistened by water, so a wound is moistened by substances like milk with green gram.
- 12 A mention (samuddeśa) is a brief statement such as "spike (śalya)". 988
- 13 A exposition (*nirdeśa*) is a detailed statement. For example, "in the body or exogenous".⁹⁸⁹
- "Prescription" (*upadeśa*) refers to statements like "it should be this way." For example, one should not stay awake at night; one should not sleep during the day.
- "Statement of reason" (*apadeśa*) refers to statements like "this happens because of this." For example, in the sentence "Sweet substances increase phlegm," the reason is stated.⁹⁹⁰
- 16 Substantiation of the subject matter through past evidence is "indication (*pradeśa*)." For example, he pulled out Devadatta's splinter (*śalya*), therefore he will pull out Yajñadatta's.
- Substantiation of the subject matter through a future event is "prediction (*atideśa*)." For example, if his wind moves upwards, that will cause him to have colic."⁹⁹¹

⁹⁸⁷ The Nepalese text here is hard to follow, and the vulgate has a significantly different reading. But the problem situation seems to be as follows. The *Suśrutasaṃhitā* opens with a statement saying that it will describe the "origin of the *veda*" (*vedotpatti*). The problem is, what does this word "*veda*" refer to? Is it the Veda, as in Sāmaveda? Or something derived from the roots $\sqrt{\text{vind}}$ or $\sqrt{\text{vid}}$? Context ("prior and subsequent elements") can help us to know that "*veda*" means only "āyurveda" and that the *Suśrutasaṃhitā* is talking about the origin of ayurveda, specifically. This same issue is also addressed by Dalhaṇa at 1.1.1 (Su 1938: 1).

⁹⁸⁸ Generally, शल्य refers to any painful foreign body embedded in the flesh that requires surgical removal.

⁹⁸⁹ This is a reference to 1.26.4 (Su 1938: 121) where शल्य is described in more detail as being of two kinds.

⁹⁹⁰ A techical term also in Nyāyaśāstra (Jhalakīkar 1978: 54).

⁹⁹¹ A techical term also in Nyāyaśāstra (Jhalakīkar 1978: 6–7).

- A deviation after generalization is exception (*apavarga*). For example, those afflicted by poison should not go through sudorific treatment other than the cases of poisoning by urinary worms.
- Ellipsis (*vākyaśeṣa*) refers to an unstated word that completes a sentence. For example, despite not mentioning the word 'person', when mentioning someone as 'the one having a head, hands, feet, flanks, and abdomen,' it's apparent that the reference is to a person.
- Implication refers to an unstated idea that becomes evident through context. For example, when one said, "We will eat rice" it becomes evident from the context that he did not wish to drink gruel.
- When there is the reversal of it, it is contraposition (*viparyaya*). For example, when it is said, "Weak, dyspneic, and fearful people are difficult to treat," the converse holds true: "Those who are strong and so on are easily treatable."
- Recontextualization (*prasaṅga*) refers to a concept common to another section. For example, a concept belonging to another section is brought up by mentioning it repeatedly throughout.
- Invariable statement ($ek\bar{a}nta$) is one that is stated with certainty. For example, turpeth causes purgation; emetic nut induces vomiting.
- Variable statement (*anekānta*) is one that is true in one way in some cases and in another way elsewhere. For example, some teachers identify the main element as substance, others as fluid, some as semen, and some as digestion.
- A first point of view ($p\bar{u}rvapak$, a) is something stated with certainty. For example, how are the four types of diabetes caused by wind incurable?
- Its answer is determination. For example, afflicting the body and trickling downwards, it creates urine mixed with fat, fatty tissues, and marrow. Thus, those caused by wind are incurable.
- 28 Consent (*anumata*) refers to others' opinion that is not rejected. For example, when the assertor says that there are six flavours and that somehow gets accepted with affirmation, it is termed consent.
- Itemization (*vidhāna*) refers to sequentially ordered statements within a chapter. For example, the eleven lethal points of thigh are mentioned

See chapter 40 of Sūtrasthāna.

vasā / medas / maj-

⁹⁹² The adverb निःसंशयम् is problematic: the example expresses a query or doubt, the opposite of certainty, which is answered in the next passage. It would seem to make more sense to read something like यस् तु ससंशयम् अभिधीयते स पूर्वपक्षः, but our manuscripts are unanimous in their reading.

Translation 297

- sequentially in a chapter.
- 30 A statement like "Thus will be stated" is future reference (anāg-atāpekṣaṇa) such as when he says in the Sūtrasthāna, "I will mention it in the Cikitsāsthāna."
- 31 A statement like "Thus has been stated" is past reference (atikrāntāpekṣaṇa) such as when one says in the Cikitsāsthāna, "As mentioned in the Sūtrasthāna..."
- An indication pointing to causes on both sides is doubt (*saṃśaya*). For example, a blow to the sole-heart (*talaḥṛdaya*)⁹⁹³ is fatal, whereas cutting hands and feet is not fatal.
- An elaborate description is explication (*vyākhyāna*). For example, the twenty-fifth entity, person (*puruṣa*), is being explicated here. Thus, no other Āyurvedic texts discuss entities beginning with matters.
- A field-specific term ($svasamj\tilde{n}a$) is uncommon in other fields of studies. The term used in one's own systems is called field-specific term, such as in this system, pair (mithuna) denotes honey and ghee, and triad (mithuna) denotes ghee, sesame oil and fat.
- A customary potrayal is interpretation (*nirvacana*). For example, one goes along the shade fearing heat.
- 36 Providing examples is illustration (*nidarśana*). For example, just as fire spreads rapidly in a dry forest when accompanied by wind, a wound intensifies affected by wind, bile, and phlegm.
- A statement like "This is the only way..." ... compulsion (*niyoga*). For example, one should consume only a healthy diet.
- A statement like "This and this..." is option (*vikalpa*). For example, in the section on meat, the major ones are blackbuck, deer, quail and partridge. 994
- A summarized statement is aggregation (*samuccaya*).⁹⁹⁵ For example, let there be rice with meat broth, rice with milk, or burley with ghee.

A meaningful reading of these two rules would be

Does bhūtādi a compound or it means ahaṅkāra or ego?

triad? -DW

⁹⁹³ तलहृदय is one of the muscle-group of lethal points mentioned in 3.6.7 (Su 1938: 370). 994 The example here matches समुच्चय (next text), not विकल्प. There seems to have been a metathesis of terms. Y. T. Ācārya and N. R. Ācārya (Su 1945: 1005, footnote 6) notes that this text and the next have been swapped in the Calcutta edition that includes Hārāṇacandra's commentary Bhaṭṭācārya 1908–11: 2, in the same way as in the Nepalese version.

⁹⁹⁵ As stated in the previous footnote, the example here is of विकल्प, not समुच्चय.

39 idam vedam veti vikalpah / yathā rasodanah kṣīrodanah saghṛtā vā yavāgūr bhavatv iti //

38 saṃkṣepavacanaṃ samuccayaḥ / yathā māṃsavarge eṇahariṇalāvatittirāḥ pradhānā iti

What is not explicitly stated but can be understood through discernment is deducible ($\bar{u}hya$). For example, in the section on rules of foods and drinks, four types of foods and drinks are mentioned—masticable (bhak sya), edible (bhojya), suckable (lehya), and drinkable (peya). Thus, while four types are needed to be stated, two types are actually mentioned. Here it is deducible that in the section on foods and drinks, by specifically mentioning two types, the four types are also mentioned. Furthermore, a masticable item is not excluded from the category of food because it shares the same characteristic of solidity. A suckable item is not excluded from being classified as a drink because it shares the same characteristic of liquidity. Four types of aliments are rare. They are usually just twofold. Therefore, lord Dhanvantari says "Twofold is popular".

Editions and Abbreviations

Ah 1939	Kuṃṭe, Aṇṇā Moreśvara, Navare, Kṛṣṇaśāstrī, and Parādkar, Hariśāstrī (1939) (eds.), श्रीमद्वाग्भटिवरचितम् अष्टाङ्गहृदयम्, श्रीमद-रुणदत्तिवरिचितया सर्वाङ्गसुन्दराख्यया व्याख्यया, हेमाद्रिप्रणीतया आयुर्वेदर-सायनाह्वया टीकया च समुल्लसितम् = The Astāngahṛidaya (6th edn., Muṃbayyām: Nirṇayasāgara Press), ARK: https://n2t.net/ark:/13960/t3tt6967d.
AHS 1940	Mūss, C. N. Nārāyaṇan (1940) (ed.), श्रीमद्वाहटाचार्यप्रणीतम् अष्टाङ्गहृदयम्. श्रीदासपण्डितविरचितया हृदयबोधिकाख्यया व्याख्यया समलङ्कृतम् (Śrīcitrāyurvedagranthamālā, 4; Trivandrum: Rājakīyamudrāśālā), ARK: https://n2t.net/ark:/13960/s23qzpqc61j.
Apte	Apte, Vaman Shivaram (1992), <i>The Practical Sanskrit-English Dictionary</i> (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from Gode and Karve 1957–59.
Arthaśāstra	Kangle, R. P. (1960), <i>The Kauṭilīya Arthaśāstra</i> (University of Bombay Studies Sanskrit, Prakrit and Pali, 1; Bombay: University of Bombay), accessed 23/09/2021.
As 1980	Āṭhavale, Anaṃta Dāmodara (1980) (ed.), अष्टाङ्गसङ्ग्रहः श्रीमद्द्-द्धवाग्भटिवरचितः इन्दुव्याख्यासिहतः [= Vāgbhaṭa's Aṣṭāṅgasaṅgraha with Indu's Commentary] (Puṇe: M. A. Āṭhavale, Śrīmad Ātreya Prakāśanam), ARK: https://n2t.net/ark:/13960/s25bwqsd0n7.
Aṣṭādhyāyī	Sharma, Rama Nath (2002–03), <i>The Aṣṭādhyāyī of Pāṇini</i> , 6 vols.

Manoharlal Publishers Pvt. Ltd.).

(Second revised and enlarged edition, New Delhi: Munshiram

BhaGī

Paṇśīkar, Wāsudev Laxmaṇ Shāstrī (1936) (ed.), श्रीमद्भगवद्गीता श्रीमच्छाङ्करभाष्येण - आनन्दिगिरिकृतव्याख्यायुजा संवलिता तथा नीलकण्ठी - भाष्योत्कर्षदीपिका - श्रीधरीयसुबोधिनी - अभिनवगुप्ताचार्यव्याख्या - श्रीमधुसूदनसरस्वती - स्वामिकृतगूढार्थदीपिकाख्यव्याख्यासहिता तद्भ्याख्यानेन श्रीधर्मदत्तशर्म (प्रसिद्धबच्चाशर्म) विरचित - गूढार्थतत्त्वालोकेन युता च [= Bhagavadgīta with commentaries] (2nd edn., Bombay: Nirṇaya-Sāgar Press), ARK: https://n2t.net/ark:/13960/t7jq76w6m.

Bhela 1921

Mookerjee, Ashutosh, and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), *The Bhela Samhita. Sanskrit Text* (Calcutta: University of Calcutta), ARK: https://n2t.net/ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, Burnell 1880:63–4, P. P. S. Sastri 1933:#11085).

Bhela 2000

Krishnamurthy, K. H. (2000), *Bhela-saṃhitā*. *Text with English Translation, Commentary and Critical Notes* (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).

Ca 1877

Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1877) (ed.), चरकसंहिता सूत्र-निदान-विमान-शारीरेन्द्रिय-चिकित्सित-कल्प-सिद्धिस्थानात्मका। भगवता आत्रेयेण पुनर्वसुना उपदिष्टा अग्निवेशनामधेयेन तत् शिषेण विरचिता चर-काभिधेयेन ऋषिणा प्रतिसंस्कृता (Calcutta: Sarasvatī Yantra), ARK: https://n2t.net/ark:/13960/t0sq9gf44.

Ca 1904

Śarmā, Satīśacandra (1904) (ed.), চরকসংহিতা (1st edn., Kalikātā: Bhaiṣajya Steam Machine Press), ARK: https://n2t.net/ark:/13960/t51g4nm8m.

Ca 1911

Vaidyopādhyāya, Rāmaprasāda (1911) (ed.), चरकसंहिता। श्रीमन्महर्षिप्रवरचरकप्रणीता। पण्डितरामप्रसादवैद्योपाध्यायविरचितप्रसादनी-भाषाटीकासहिता। (mumbayī: Kṣemarāja-Śrīkṛṣṇadāsaśreṣṭhin), ARK: https://n2t.net/ark:/13960/t2r59q189.

Ca 1923

Śarmā, Satīśacandra (1923) (ed.), চরকসংহিতা (3rd edn., Kalikātā: Bhaiṣajya Steam Machine Press), ARK: https://n2t.net/ark:/13960/t17m5hp8c.

Ca 1928-33

Senagupta, Narendranātha, and Senagupta, Balāicandra (1928—33) (eds.), चरक-संहिता। महामुनिना भगवताग्निवेशेन प्रणीता महर्षिचरकेण दृढबलेन च प्रतिसंस्कृता चरकचतुरानन-श्रीमञ्चक्रपाणिदत्तप्रणीतया आयुर्वे-ददीपिकाख्यटीकया महामहोपाध्याय-श्रीगङ्गाधरकविरत्नकविराजविरचितया जल्पकल्पतरुसमाख्यया टीकया च समलङ्कृता, 3 vols. (kalikātānagarī: Dhanvantari Electric Machine Yantra).

Ca 1933 Ācārya, Yādavaśarma Trivikrama (1933) (ed.), महर्षिणा अग्निवेशेन प्रणीता चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ARK: https://n2t.net/ark:/13960/t42s3kk45.

Ca 1941 Ācārya, Yādavaśarma Trivikrama (1941) (ed.), महर्षिणा पुन-र्वसुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संव-लिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ARK: https://n2t.net/ark:/13960/t48q2f20n.

CDIAL

Turner, R. L. (1966–85), A Comparative Dictionary of the IndoAryan Languages (2nd edn., London, New York, Toronto:
Oxford University Press), ISBN: 0197135501, URL: http://
n2t.net/ark:/13960/t2n69n06g; v.2: Indexes by D. R. Turner
(OUP, London, 1969), v.3: Phonetic Analysis by R. L. and D.
R. Turner (OUP, London, 1971), v.4: Addenda and Corrigenda
ed. J. C. Wright (SOAS, London, 1985). Online database at
http://dsal.uchicago.edu/dictionaries/soas/.

DED₂ Burrow, Thomas, and Emeneau, Murray B. (1984), *A Dravidian Etymological Dictionary* (2nd edn., Oxford: Clarendon Press), ARK: https://n2t.net/ark:/13960/s24rgc5rsz0, URL: http://dsal.uchicago.edu/dictionaries/burrow/.

EWA Mayrhofer, Manfred (1992–2001), Etymologisches Wörterbuch des Altindoarischen (Heidelberg: Carl Winter, Universitätsverlag), ISBN: 3-533-03826-2.

Garuḍapurāṇa Pāṇḍeya, Rāmateja (1963) (ed.), श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुड-पुराणम् (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), ARK: https://n2t.net/ark:/13960/t6pz7tg7j.

HIML Meulenbeld, Gerrit Jan (1999–2002), A History of Indian Medical Literature, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.

KEWA Mayrhofer, Manfred (1953–72), Kurzgefaßtes etymologisches Wörterbuch des Altindoarischen; a Concise Etymological Sanskrit Dictionary (Heidelberg: Carl Winter, Universitätsverlag).

Mahābhāṣya Kielhorn, F. (1880–85) (ed.), *The Vyâkaraṇa-Mahâbhâshya of Patanjali* (Bombay: Government Central Book Depot), ARK: https://n2t.net/ark:/13960/s258g7r6bxf.

Mahākośa

Jośī, Veṇīmādhavaśāstrī, and Jośī, Nārāyaṇa Harī (1968), आयु-वेदीय महाकोशः अर्थात् आयुर्वेदीय शब्दकोशः संस्कृत-संस्कृत (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Maṃḍaļa), ARK: https://n2t.net/ark:/13960/t22c41g8t.

Mānasollāsa

Shrigondekar, Gajanan K. (1925–61) (ed.), मानसोल्लासः = Mānasollāsa [or Abhilaṣitārthacintāmaṇi] of King Someśvara (Gaekwad's Oriental Series; Baroda: Oriental Institute), ARK: https://n2t.net/ark:/13960/t87h8tn95; v. 2: ark:/13960/t3gz41v8m.

 MN_1

Ācārya, Yādavaśarma Trivikrama (1920) (ed.), महामतिश्रीमाध्वकरप्रणीतं माध्वनिदानम् श्रीविजयरक्षित-श्रीकण्थदत्ताभ्यां विरचितया मधुकोशाख्यव्याख्यया, श्रीवाचस्पतिवैद्यविरचितया आतङ्कदर्पणव्याख्याया विशिष्टांशेन च समुल्लसितम् = Mādhavanidāna by Mādhavakara with the Two Commentaries, Madhukosha by Vijayarakshita & Shrīkanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya (1st edn., Bombay: Nirnaya Sagara Press), ARK: https://n2t.net/ark:/13960/t9z08jn5j.

 MN_3

Ācārya, Yādavaśarma Trivikrama (1932) (ed.), महामतिश्रीमाध्यकरप्रणीतं माधविनदानम् श्रीविजयरक्षित-श्रीकण्थदत्ताभ्यां विरचितया मधुकोशाख्यव्याः, श्रीवाचस्पतिवैद्यविरचितया आतङ्कदर्पणव्याख्याया विशिष्टांशेन च समुष्लसितम् = Mādhavanidāna by Mādhavakara with the Two Commentaries, Madhukosha by Vijayarakshita & Shrīkanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya (3rd edn., Bombay: Nirnaya Sagara Press), ARK: https://n2t.net/ark:/13960/t66452x0h; Reprinted Varanasi: Chowkhambha, 1986.

MW

Monier-Williams, Monier, Leumann, E., Cappeller, C., et al. (1899), *A Sanskrit–English Dictionary Etymologically and Philologically Arranged, New Edition* (Oxford: Clarendon Press); 1970 reprint.

Nannūl

Sripathi, Muthu Krishna (1995) (ed.), *Naṇṇūl: A pereptive and comprehensive translation in English* (Madurai: MK Sripathi).

NCC

Raghavan, V., et al. (1949–), New Catalogus Catalogorum, an Alphabetical Register of Sanskrit and Allied Works and Authors, 39 vols. (Madras University Sanskrit Series; Madras: University of Madras); v.1: revised edition, 1968. Searchable at https://vmlt.in/ncc/.

OED

Simpson, J. A., and Weiner, E. S. C. (1989–), *The Oxford English Dictionary* (2nd edn., Oxford: Oxford University Press), ISBN: 0198611862, URL: https://www.oed.com; 20V.

PWK

Böhtlingk, Otto (1879), Sanskrit-wörterbuch in kürzerer fassung (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), URL: https://www.sanskrit-lexicon.uni-koeln.de/scans/PWScan/2020/web/, accessed 18/05/2023.

Śabdasindhu

Gupta, Umeśachandra, and Sena, Nagendra Nātha (1983), वैद्यक-शब्दसिन्धुः = Vaidyaka-Śabdasindhuḥ (3rd edn., Varanasi & Delhi: Chaukhambha Orientalia); 3rd ed. first published in 1914.

Saddanīti 3

Smith, Helmer (1930) (ed.), Saddanīti la grammaire Palie d'Aggavaṃsa: III Sūttamālā (Pariccheda XX—XXVIII) (Skrifter utgivna av Kungl. Humanistiska Vetenskapssamfundet i Lund, XII:3; Lund: C. W. K. Gleerup), ARK: https://n2t.net/ark:/13960/t1jh9w87b.

SiddhKau

Gāḍagiḷa, Dinakaraśāstrī K., and Paṇaśīkara, Vāsudevaśarman (1904) (eds.), तत्त्वबोधिनीसमाख्यव्याख्यासंविता सिद्धान्तकौमुदी नाम भट्टोजिदीक्षितप्रणीता पाणिनीयव्याकरणसूत्रवृत्तिः (3rd edn., Mumbayī: Niṛnaya Sāgara), ARK: https://n2t.net/ark:/13960/t0zq08k33.

Su 1889

Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सुश्रुतः. सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरि-णोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Sarasvatī Press), ARK: https://n2t.net/ark:/13960/t1nh6j09c; HIML: IB, 311, edition b.

Su 1931

Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुतसंहिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवशर्मणा संशोधिता = The Sushrutasaṃ-hitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ARK: https://n2t.net/ark:/13960/t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition *v.

Su 1938

Ācārya, Yādavaśarma Trivikrama, and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रिकाख्यपञ्जिकाव्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (3rd edn., Bombay: Nirṇayasāgara Press), ARK: https://n2t.net/ark:/13960/t09x0sk1h; HIML: IB, 313, edition cc ('the vulgate').

Su 1939

Ācārya, Yādavaśarma Trivikrama, and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचितया भानुमतीव्याख्याया समेतम् = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), ARK: https://n2t.net/ark:/13960/s207htc1xpj; Printed at the Nirṇayasāgara Press, Bombay.

Su 1945

Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), ARK: https://n2t.net/ark:/13960/t8kd4jh7n.

TY

Nārāyaṇa, Śaṃkaraśarman (1949), *Tantrayuktiḥ*, ed. Vayaskara N. S. Mooss (Vaidyasārathigranthāvaliḥ, 6; Koṭṭayanagaryāṃ: Vaidyasarathi Press), ARK: https://n2t.net/ark:/13960/t6zx3wv30.

TYV

Muthuswami, Nurani Easwara (1976) (ed.), *Tantrayuktivicāraḥ* [by Nīlameghabhiṣaj] (Kerala Praśāsanāyurveda Granthāvaliḥ, 1; 2nd edn., Trivandrum: Publications Division, Govt. Ayurveda College), ARK: https://n2t.net/ark:/13960/s2j1p7k0526.

Visnudh 3

Shah, Priyabala (1958) (ed.), *Viṣṇudharmottara-Purāṇa. Third Khaṇḍa* (Gaekwad's Oriental Series, 130; Baroda: Oriental Institute), ARK: https://n2t.net/ark:/13960/t52g33q88.

Visnudh.

Śarman, Madhusūdana, and Śarman, Mādhavaprasāda (1912) (eds.), विष्णुधर्मोत्तरपुराणम् = [Viṣṇudharmottarapurāṇa] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ARK: https://n2t.net/ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

Yuktidīpikā

Wezler, Albrecht, and Motegi, Shujun (1998) (eds.), *Yuktidīpikā: The Most Significant Commentary on the Sāṃkhyakārikā* (Alt- und Neu-Indische Studien herausgegeben vom Institut für Kultur und Geschichte Indiens und Tibets an der Universität Hamburg, 44; Stuttgart: Franz Steiner Verlag).

Index of Manuscripts

Numbers after the final colon refer to pages in this book.

Bikaner RORI 5157: 143

Cambridge CUL Add.1693: 139

Hyderabad Osmania 137-3(b): 59

Jamnagar GAU 114: 281, 283f Jodhpur RORI 20060: 288, 291f

Kathmandu KL 699: 14, 17, 54, 60, 142, 249 Kathmandu NAK 1-1079: 14, 23, 37, 55, 60

Kathmandu NAK 1-1146: 38 Kathmandu NAK 1/1648: 267

Kathmandu NAK 5-333: 14, 23, 55, 60, 139, 144, 164, 168

London BL IOLR 1842: 290f

MS Jamnagar GAU 114: 269, 274, 286

NAK 5-333: 156

Paris BNF Greek suppl. 247: 133

Thanjavur TMSSML 10773: 300

General Bibliography

- Ācārya, Yādavaśarma Trivikrama (1933) (ed.), महर्षिणा अग्निवेशेन प्रणीता चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ARK: https://n2t.net/ark:/13960/t42s3kk45.
- ——(1941) (ed.), महर्षिणा पुनर्वसुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संविलता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ARK: https://n2t.net/ark:/13960/t48q2f20n.
- Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवित्रा = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), ARK: https://n2t.net/ark:/13960/t8kd4jh7n.
- Achaya, K. T. (1994), *Indian Food: A Historical Companion* (Delhi: Oxford University Press), ISBN: 0195628454.
- ——(1998), A Historical Dictionary of Indian Food (Delhi: Oxford University Press), ISBN: 0195642546.
- Agostini, Giulio (2004), "Buddhist Sources on Feticide as Distinct from Homicide," *Journal of the International Association of Buddhist Studies*, 27/1: 63–96.
- Ali, Salim, and Ripley, S. Dillon (1983), *Handbook of the Birds of India and Pakistan, Together with Those of Bangladesh, Nepal, Bhutan, and Sri Lanka. Compact Edition,* 10 vols. (Delhi: Oxford University Press).
- Alvi, M. A., and Rahman, A. (1968), *Jahangir the Naturalist* (Mongraph Series, 3; New Delhi: National Institute of Sciences of India), ARK: https://n2t.net/ark:/13960/t59d2897k.

- Angermeier, Vitus (2021), "Agni and Soma Revisited: A Primordial Āyurvedic Concept?," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos* (Leiden: Brill), chap. 3, 15–32. DOI: https://doi.org/10.1163/9789004438224_004.
- Azeez Pasha, M. (1971), "English Translation of Madan-ul-Shifa, Tibbe Sikandar Shahi (Sikandar Shah's Mine of Medicine)," *Bulletin of the Department of History of Medicine* (*Osmania University, Hyderabad*), 2/4: 227–2324; continued in BDHM 3(1) 29–38; BIHM 1(3/4) 127–134; & BIHM 2(1), 17–22.
- Bagchi, P. C. (1941), "New Materials for the Study of the Kumāratantra of Rāvaṇa," *Indian Culture*, 7/4: 269-86, URL: https://archive.org/details/in.ernet.dli.2015.281551/page/n280/mode/1up.
- Bailey, Harold W. (1970), "Vāsta," *Acta Orientalia*, 30: 20, ISSN: 0001-6438. DOI: https://doi.org/10.5617/ao.5229.
- Baingrigge Fletcher, T. (1914), Some South Indian Insects and Other Animals of Importance Considered Especially from an Economic Point of View (Madras: Government Press), ARK: https://n2t.net/ark:/13960/t2f76s67n.
- Ball, Valentine (1888), "On the Identification of the Animals and Plants of India Which Were Known to Early Greek Authors," *Proceedings of the Royal Irish Academy*, 2 (1879–1888)/6: 302–46, URL: https://www.jstor.org/stable/20651530.
- Barceloux, Donald G. (2008), *Medical Toxicology of Natural Substances. Foods, Fungi, Medicinal Herbs, Plants, and Venomous Animals* (Hoboken, NJ, etc.: John Wiley & Sons), ISBN: 047172761X.
- Bedekar, V. M. (1967), "The Legend of the Churning of the Ocean in the Epics and the Purāṇas: A Comparative Study," *Purāṇa*, 9/1: 7–61, ARK: https://n2t.net/ark:/13960/t57d2r97r.
- Bendall, Cecil (1883), Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal (Cambridge: University Press), ARK: https://n2t.net/ark:/13960/t03x8vz7b.
- Bhaṭṭācārya, Candrakānta (1908–11) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्मकम् हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य्य-प्रमुखैः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthas-andīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); edition "t" in HIML: IB, 312.

- Biardeau, Madeleine (1964), Théorie de la connaissance et la philosophie de la parole dans la brahmanisme classique (Paris & La Haye: Mouton & Co.), ARK: https://n2t.net/ark:/13960/t42r7g950.
- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Parameswaran, Madhu K., et al. (2021), "Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā," *Academia Letters*. DOI: https://doi.org/10.20935/AL2992.
- Birch, Jason, Wujastyk, Dominik, Klebanov, Andrey, Rimal, Madhusudan, et al. (2021), "Dalhaṇa and the Early 'Nepalese' Version of the Suśrutasaṃhitā." DOI: https://doi.org/10.20935/al3733.
- Bloomfield, Maurice (1890), "The Kauśika Sūtra of Atharva Veda With Extracts from the Commentaries of Dārila and Keśava," *Journal of the American Oriental Society*, 14, ISSN: 0003-0279. DOI: https://doi.org/10.2307/592399; reprint of the 1889 edition, JAOS.
- Böhtlingk, Otto (1879), Sanskrit-wörterbuch in kürzerer fassung (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), URL: https://www.sanskrit-lexicon.uni-koeln.de/scans/PWScan/2020/web/, accessed 18/05/2023.
- Bosworth, C. Edmund (1994), "Abū Ḥafṣ 'umar Al-kirmānī and the Rise of the Barmakid," *Bulletin of the School of Oriental and African Studies*, 57/2: 268–82, URL: http://www.jstor.org/stable/620573.
- Breton, P. (1826), "On the Native Mode of Couching," Transactions of the Medical and Physical Society of Calcutta, 2: 341–82, ARK: https://n2t.net/ark:/13960/t3dz8nn5t, URL: https://archive.org/details/s8id13658440/page/338/mode/2up, accessed 02/06/2021.
- Bronkhorst, Johannes (2016), *How the Brahmins Won: From Alexander to the Guptas* (Leiden: Brill). DOI: https://doi.org/10.1163/9789004315518.
- Brooks, Lisa Allette (2018), "Epistemology and Embodiment: Diagnosis and the Senses in Classical Ayurvedic Medicine," *Asian Review of World Histories*, 6: 98–135. DOI: https://doi.org/10.1163/22879811-12340027.
- ——(2020*a*), "A Surgeon's Hand: Reflections on Surgical Tactility in Early Ayurveda," *Asian Medicine*, 15/1: 30–62. DOI: https://doi.org/10.1163/15734218 –12341460.
- ——(2020*b*), "Whose Life is Water, Whose Food is Blood: Fluid Bodies in Āyurvedic Leech Therapy," in Natalie Köhle and Shigehisa Kuriyama (eds.), *Fluid Matter*(*s*): Flow and Transformation in the History of the Body (Asian Studies Monograph Series, 14; Canberra: ANU Press). DOI: https://doi.org/10.22459/fm.2020.

- Brooks, Lisa Allette (2021a), "The Vascularity of Ayurvedic Leech Therapy: Sensory Translations and Emergent Agencies in Interspecies Medicine," *Medical Anthropology Quarterly*, 35/1: 82–101. DOI: https://doi.org/10.1111/maq.12595.
- ——(2021b), "Translating Touch in Āyurveda: Medicine, Sense, and Subjectivity in Early south Asia and Contemporary Kerala," PhD thesis (University of California, Berkeley).
- (in press), "Leech Logic: Classification, Sensation, and Care," in Hsiao-wen Cheng, Yan Liu, and Margaret Ng (eds.), *Global Lives of Medicines: Materials, Markets, and Healing Practices Across Asia* (Seattle: University of Washington Press).
- Brunton, T. Lauder, and Fayrer, J. (1909), "On the Nature and Physiological Action of the Poison of Naja tripudians and other Indian Venomous Snakes, parts I and II," in *On the Poison of Venomous Snakes and the Methods of Preventing Death from their Bite* (London: Macmillan and Co.), 1–22, 23–110, ARK: https://n2t.net/ark:/13960/t0bv7ts2c.
- Burnell, Arthur Coke (1880), A Classified Index to the Sanskrit Mss. in the Palace at Tanjore (London: Trübner), ARK: https://n2t.net/ark:/13960/t4xh86j61; Bhelasaṃhitā described on pp. 67 ff.
- Burrow, Thomas (1948), "Dravidian Studies VII," Bulletin of the School of Oriental and African Studies (London), 12/2: 365-96, URL: https://www.jstor.org/stable/608752.
- ——(1971), "Spontaneous Cerebrals in Sanskrit," Bulletin of the School of Oriental and African Studies, 34/3: 538-59. DOI: https://doi.org/10.1017/s0041977x00128538, URL: https://www.jstor.org/stable/613901.
- Byrski, Maria Christopher (1981), "Is there a Sanskrit Word for Pumice," *Indologica Taurinensia*, 8–9, URL: http://www.asiainstitutetorino.it/Indologica/volumes/vol08-09/vol_08-09_art09_byrski.pdf.
- Caillat, Colette (2019), "On the Medical Doctrines in the Tandulaveyāliya: 2. Teachings of Anatomy," trans. Brianne Donaldson, International Journal of Jaina Studies, 15/1: 1–12, ISSN: 1748-1074, URL: https://www.soas.ac.uk/sites/default/files/2022-06/0n%20the%20Medical%20Doctrines%20in%20the%20Tandulavey%C4%81liya%202%20Teachings%20of%20Anatomy%20file139945.pdf, accessed 07/07/2019.
- Cardona, George (1976), *Pāṇini: A Survey of Research* (Trends in Linguistics State-of-the Art Reports, 6; The Hague: Mouton & Co. B.V., Publishers), ARK: https://n2t.net/ark:/13960/s2mtq72w6s2.

- Chakraborty, Deepro (2022), "NAK 5/333 is not a direct copy of KL 699: further evidence." DOI: https://doi.org/10.5281/ZENODO.6537884.
- Chatterji, Suniti Kumar (1974), *Kiraata-Jana-Kṛti* (2nd edn., Calcutta: The Asiatic Society), ARK: https://n2t.net/ark:/13960/t47q4b12c; 1998 reprint.
- Chevers, Norman (1870), A Manual of Medical Jurisprudence for India, Including the Outline of a History of Crime against the Person in India (3rd edn., Calcutta), With plates, ARK: https://n2t.net/ark:/13960/t7sn5b13b.
- ——(1886), A Commentary on the Diseases of India (London: J. & A. Churchill), ARK: https://n2t.net/ark:/13960/t72v3bn2q.
- Chevillard, Jean-Luc (2009), "The Metagrammatical Vocabulary inside the Lists of 32 Tantrayukti-s and its Adaptation to Tamil: Towards a Sanskrit-Tamil Dictionary," in Eva Wilden (ed.), Between Preservation and Recreation: Tamil Traditions of Commentary. Proceedings of a Workshop in honour of T.V. Gopal Iyer (École Française d'Extrême-Orient Collection Indologie, 109; Pondichéry: Institut français de Pondichéry / École Française d'extrême-Orient), 71–132, URL: https://www.academia.edu/4769252, accessed 15/11/2023.
- Clark, Matthew (2017), *The Tawny One. Soma, Haoma and Ayahuasca* (London: Muswell Hill Press), ISBN: 978-1908995223.
- Cohen, Jack (1990), "The Function of Human Semen Coagulation and Lique-faction In Vivo," in *Advances in Assisted Reproductive Technologies*, ed. Shlomo Mashiach et al. (NY & London: Plenum Press), 443–52, ISBN: 9781461306450. DOI: https://doi.org/10.1007/978-1-4613-0645-0_49.
- Comba, Antonella (1994), "L'enseignement médical en Inde. Un méthode d'exposition (tantra-yukti): l'adhikaraṇa ou spécification du sujet," in Nalini Balbir (ed.), *Genres littéraires en Inde* (Paris: Presses de La Sorbonne Nouvelle), 151–64, ARK: https://n2t.net/ark:/13960/s2mb8kpr6px.
- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Cowell, E. B., et al. (1895–1907), *The Jātaka or Stories of the Buddha's Former Births, Translated from the Pāli by Various Hands*, ed. E. B. Cowell (Cambridge: Cambridge University Press); v.1 ark:/13960/t5j969876; v.2 ark:/13960/toms3vr71; v.3 ark:/13960/t7mp55t98; v.4 ark:/13960/t2p61wr9z; v.5; v.6 (1907) ark:/13960/tojt8933k.

- Cox, Whitney (2011), "Saffron in the Rasam," in Y. Bronner, L. McCrea, and W. Cox (eds.), South Asian Texts in History: Critical Engagements with Sheldon Pollock (Asia Past & Present: New Research from AAS, 7; Ann Arbor: Association for Asian Studies), chap. 8, 177–201, ISBN: 9780924304637, ARK: https://n2t.net/ark:/13960/t5r89k36f; reprinted Delhi, 2016.
- Das, Rahul Peter (1983), "Miscellanea de Operibus Āyurvedics," *Journal of the European Āyurvedic Society*, 1: 47–68, ARK: https://n2t.net/ark:/13960/t53g37n9t.
- —— (2003), The Origin of the Life of a Human Being. Conception and the Female According to Ancient Indian Medical and Sexological Literature (Indian Medical Tradition; Delhi: Motilal Banarsidas), ISBN: 81-208-1998-5.
- Dasgupta, S. N. (1952), "Speculations in the Medical Schools," in *A History of Indian Philosophy*, 2 (Reprint of 1932 edition, Cambridge: Cambridge University Press), chap. 13, 273–436, ARK: https://n2t.net/ark:/13960/t1hh6c83r.
- Dave, K. N. (1985), Birds in Sanskrit Literature (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, ARK: https://n2t.net/ark:/13960/t2c94cv80.
- Deshpande, Adwait M., Sastry, K. Venkata, and Bhise, Satish B. (2022), "A Contemporary Exploration of Traditional Indian Snake Envenomation Therapies," *Tropical Medicine and Infectious Disease*, 7/6: 108, ISSN: 2414-6366. DOI: https://doi.org/10.3390/tropicalmed7060108.
- Deshpande, Vijaya (1999), "Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study," *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: https://doi.org/10.1017/S0041977X00016724.
- ——(2000), "Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts," *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: https://doi.org/10.1017/s0041977x00008454.
- Desmond, Ray (1992), The European Discovery of the Indian Flora (Oxford, Delhi: Oxford University Press), ISBN: 9780198546849. DOI: https://doi.org/10.1093/oso/9780198546849.001.0001.
- Deuti, Kaushik (2020), *Skinks of India*, ed. Sujoy Raha and Probath Bag (Kolkata: Zoological Survey of India), ISBN: 9788181715517.
- Diedrich, Veronica, Zweerink, Kara, and Elder, Brandon (2024), "Plant Dermatitis," *Emergency Medicine Clinics of North America*, 42/3: 613–38, ISSN: 0733-8627. DOI: https://doi.org/10.1016/j.emc.2024.03.001.
- Dikshitar, V. R. Ramachandra (1930), "Tantrayukti," *Journal of Oriental Research*, 4: 82–9, ARK: https://n2t.net/ark:/13960/t3b04m19g.

- Doniger, Wendy (2015), "Introduction: Sympathy for the Devi: Snakes and Snake Goddesses in Hinduism," in Kaiser Haq, *The Triumph of the Snake Goddess* (Cambridge, MA: Harvard University Press), 1–28. DOI: https://doi.org/10.4159/9780674089136-intro.
- Dover, Cedric (1922), "Entomology in India," *The Calcutta Review*, 3/2: 336–49, ARK: https://n2t.net/ark:/13960/t16n5nm66.
- Eco, Umberto (2004), Mouse or Rat? Translation As Negotiation (London: Orion), ISBN: 9780297830016.
- Edgerton, Franklin (1953), *Buddhist Hybrid Sanskrit Grammar and Dictionary* (William Dwight Whitney Linguistic Series; New Haven: Yale University Press); vol. 1: Grammar, vol. 2: Dictionary.
- Edgeworth, M. Pakenham (1851), "Descriptions of Some Unpublished Species of Plants from North-Western India," *Transactions of the Linnean Society of London*, 20: 23–92, ARK: https://n2t.net/ark:/13960/t9x060p3b.
- Eggermont, Pierre Herman Leonard (1975), Alexander's Campaigns in Sind and Baluchistan and the Siege of the Brahmin Town of Harmatelia (Louvain: Leuven University Press), ISBN: 9061860377, ARK: https://n2t.net/ark:/13960/s2bf83pchxw.
- Ellenhorn, Matthew J. (1997), Ellenhorn's Medical Toxicology. Diagnosis and Treatment of Human Poisoning (2. ed., Baltimore, MD: Williams & Wilkins), ISBN: 0683300318, ARK: https://n2t.net/ark:/13960/s21qsb3jf1v; Previous ed.: London: Elsevier, 1988.
- Elliot, Robert Henry (1918), *The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February* 19 and 21, 1917 (London: H. K. Lewis).
- Elshakry, Marwa S. (2008), "Knowledge in Motion: The Cultural Politics of Modern Science Translations in Arabic," *Isis*, 99/4: 701–30. DOI: https://doi.org/10.1086/595767, URL: https://www.jstor.org/stable/10.1086/595767, accessed 24/02/2019.
- Elwin, Verrier (1955), *The Religioin of an Indian Tribe* (London, Glasgow, New York, etc.: Oxford University Press), ARK: https://n2t.net/ark:/13960/t0tr5kj79.
- Emeneau, M. B. (1969), "Sanskrit Syntactic Particles "kila, khalu, nūnam"," *Indo-Iranian Journal*, 11/4: 241–68.
- Emmerick, Ronald E. (1984), "Some Remarks on the History of Leprosy in India," Indologica Taurinensia, 12: 93–105. DOI: https://doi.org/10.5281/zenodo.10798623.

- Ewart, Joseph (1878), *The Poisonous Snakes of India: For the Use of the Officials and Others Residing in the Indian Empire* (London: J & A Churchill), ISBN: 81-7002-011-5, ARK: https://n2t.net/ark:/13960/t9z07w72g; Reprinted Delhi: Himalayan Books, 1985.
- Falk, Harry (1991), "Silver, Lead and Zinc in Early Indian Literature," *South Asian Studies*, 7/1: 111–7. DOI: https://doi.org/10.1080/02666030.1991.9628430.
- Fan, Ka Wai (2005), "Couching for Cataract and Sino-Indian Medical Exchange From the Sixth to the Twelfth Century AD," *Clinical and Experimental Ophthalmology*, 33/2: 188–90. DOI: https://doi.org/10.1111/j.1442-9071.2005.00978.x; unaware of V. Deshpande 1999; 2000.
- Fausbøll, Viggo (1877–96), *The Jātaka. Together with Its Commentary. Being Tales of the Anterior Births of Gotama Buddha*, 7 vols. (London: Trübner); V.7 is indexes by Dines Andersen.
- Fayrer, Joseph (1874), The Thanatophidia of India, Being a Description of the Venomous Snakes of the Indian Peninsula with and Account of the Influence of their Poison on Life and a Series of Experiments (2nd edn., London: Churchill), ARK: https://n2t.net/ark:/13960/t9h49dg5c; First edition 1872.
- Filliozat, Jean (1937), Étude de démonologie indienne: le Kumāratantra de Rāvaṇa et les textes parallèles Indiens Tibétains, Chinois, Cambodgien et Arabe (Cahiers de la Société asiatique. Première série, 4; Paris: Imprimerie Nationale), ARK: https://n2t.net/ark:/13960/s2n9zpkg11f.
- Frauwallner, Erich (1958), "Die Erkenntnislehere des klassischen Sāṃkhya-Systems," Wiener Zeitschrift für die Kunde Süd- und Ostasiens und Archiv für indische Philosophie, 2: 84–139, ARK: https://n2t.net/ark:/13960/s2sdmmt8nf8.
- Froese, R., and Pauly, D. (2022) (eds.), "Fishbase: The Global Encyclopedia about Fish," url: https://www.fishbase.org.au/v4.
- Gaṇapatiśāstrī, T. (1920–25), Āryamañjuśrīmūlakalpaḥ (Trivandrum Sanskrit Series, 70; Anantaśayane: Rājakīyamudraṇayantrālaye), ARK: https://n2t.net/ark:/13960/t4pk5sj0j.
- Ghāṇekara, Bhāskara Govinda (1936–41), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता आयुर्वेदरहस्यदीपिकाख्यया हिन्दीव्याख्यया समुष्ठसिता = Sushruta Saṃhitā with Hindi Commentary Named "Ayurveda Rahasyadīpikā", 2 vols. (1st edn., Lahore: Meharacandra Lakṣmaṇadāsa); no more published. Edition "ee" in HIML: IB, 313, 2: शारीरस्थानात्मकः द्वितीयो भागः = Shārirsthān (1941), 2: सूत्रनिदानस्थानात्मकः प्रथमो भागः = Volume 1, Sutra and Nidānsthān (1936).

- Ghosh, Ritwik, et al. (2023), "Snakebite Envenomation-Induced Posterior Reversible Encephalopathy Syndrome Presenting with Bálint Syndrome," Neurología (English Edition), 38/6 (July): 440–2, ISSN: 2173-5808. DOI: https://doi.org/10.1016/j.nrleng.2022.06.001.
- Gode, P. K., and Karve, C. G. (1957–59) (eds.), Revised and Enlarged Edition of Prin. V. S. Apte's the Practical Sanskrit-English Dictionary (Poona: Prasad Prakashan), ARK: https://n2t.net/ark:/13960/t3gx47212, accessed 20/10/2017.
- Gombrich, Richard (1979), "'He Cooks Softly': Adverbs in Sanskrit Grammar," *Bulletin of the School of Oriental and African Studies*, 42/2: 244–56. DOI: https://doi.org/10.1017/s0041977x0014580x.
- Gonda, Jan (1977), *The Ritual Sutras* (A History of Indian Literature, 1.2; Wiesbaden: Harrassowitz).
- Gongkatsang, Tsering, and Willis, Michael (2018), "How to Use a Text and What to Expect: Translation of the Instructions Appended to the Āryatathāgatoṣṇīṣasītātapatre Aparajītamahāpratyaṃgīraparamasiddhanāma Dhāraṇī," url: http://doi.org/10.5281/zenodo.1470798.
- Gostomiris, A.-G. (1897), "Études sur les écrits inédits des anciens médecins grecs et ceux dont le texte original est perdu, mais qui existent en latain or en arabe, première série," *Revue des Études Grecques*, 2/8: 343–83, ARK: https://n2t.net/ark:/13960/t9j469d5d, URL: https://www.jstor.org/stable/44265629.
- Goswami, Pradip Kumar (2011), "Comparative Studies of Bhanumati and Nibandha Samgraha with Special Reference to Arista Vijnana (prognostic Science)," AYU (An International Quarterly Journal of Research in Ayurveda), 32/2: 147. DOI: https://doi.org/10.4103/0974-8520.92540.
- Govindjī, Śāstrī Kālidās, Jīvanrām, Vaidyarāj Prabhurām, and Prabhurām, Papat (1901) (eds.), सृश्रुत आयुर्वेद. गुजराती भाषान्तर = [Suśrutasaṃhitā with a Gujarati Translation] (Muṃbaī: Nirṇaya Sāgara Press), ARK: https://n2t.net/ark:/13960/t08w8r74f; edition *r in HIML.
- Gow, A. S. F., and Scholfield, A. F. (1953), *Nicander. The Poems and Poetical Fragments, Edited with a Translation and Notes* (Cambridge: Cambridge University Press), ARK: https://n2t.net/ark:/13960/t5n95440h.
- Gupta, Parmanand (1989), Geography from Ancient Indian Coins & Seals (New Delhi: Concept Publishing Company), ISBN: 9788170222484.

- Gupta, Sri Madhusudana (1835–36) (ed.), Āyur-veda-prakāśa [Also Called Suśruta-saṃhitā] by Suśruta. The Suśruta, or System of Medicine, Taught by Dhanwantari, and Composed by His Disciple Suśruta, 2 vols. (Calcutta: Education Press and Baptist Mission Press), ARK: https://n2t.net/ark:/13960/t6841qw6x.
- Gupta, Śyāmacaraṇa (1887), আয়ুর্বেদার্থ চন্দ্রিকা [= Āyurvedārtha candrikā] (Calcutta), ARK: https://n2t.net/ark:/13960/t5w71k903.
- Hamza, Muhammad, et al. (2021), "Clinical Management of Snakebite Envenoming: Future Perspectives," *Toxicon: X* 11/100079: 1–12, ISSN: 2590-1710. DOI: https://doi.org/10.1016/j.toxcx.2021.100079.
- Harimoto, Kengo (2011), "In Search of the Oldest Nepalese Manuscript," *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL: https://www.academia.edu/4128593/, accessed 08/09/2019.
- —— (2013), "More Observations on the Old Nepalese Manuscripts of the Suśrutasaṃhitā: oral presentation of the 20th congress of the Association for the Study of the History of Indian Thought, the University of Tokyo, December 2013."
- Hayashi, Takao (2017), "The Units of Time in Ancient and Medieval India," *History of Science in South Asia*, 5/1: 1–116. DOI: https://doi.org/10.18732/h2ht0h.
- Hellwig, Oliver (2009), Wörterbuch Der Mittelalterlichen Indischen Alchemie (Groningen: Barkhuis & University of Groningen, University Library), ISBN: 9789077922620. DOI: https://doi.org/10.2307/j.ctt22728hs, URL: https://www.academia.edu/1268947/, accessed 19/06/2020.
- Hemarājaśarman (1938) (ed.), काश्यपसंहिता (वृद्धजीवकीयं तन्त्रं वा) महर्षिणा मारीचकश्य-पेनोपदिष्टा ... हेमराजशर्मणा लिखितेन विस्तृतेन उपोद्धातेन सहिता ... सत्यपाल भिषगा कृतया विद्योतिनी हिन्दीव्याख्यया ... समुल्लसिता (1st edn., Mumba: Nirṇayasāgara Press), ARK: https://n2t.net/ark:/13960/t3mw5gb9p.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).
- Hidas, Gergely (2019), A Buddhist Ritual Manual on Agriculture: Vajratuṇḍasamayakal-parāja Critical Edition (Berlin & Boston: De Gruyter), ISBN: 9783110621051.

 DOI: https://doi.org/10.1515/9783110621051.
- Hilloowala, Franmak (2019), "Ibn Abī Uṣaybi^cah: His Life and Career," in Emily Savage-Smith (ed.), *A Literary History of Medicine The ^cUyūn al-anbā^o fī ṭabaqāt al-aṭibbā^o of Ibn Abī Uṣaybi^cah, 1 (Leiden: Brill), chap. 2, 13–26. DOI: https://doi.org/10.1163/9789004545564_003.*

- Hirschberg, Julius, and Leffler, Christopher T. (2024) (eds.), *A New History of Catqract Surgery: From Antiquity through* 1750 (The History of Ophthalmology The Monographs, 17; Amsterdam: Wayenborgh Publications), ISBN: 9789062994724.
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), ARK: https://n2t.net/ark:/13960/t05z1bg4q.
- ——(1897), सुश्रुतसंहिता = The Suçruta-Saṃhitā or the Hindū System of Medicine According to Suçruta Translated from the Original Sanskrit (Bibliotheca Indica, 911; Calcutta: Asiatic Society), ARK: https://n2t.net/ark:/13960/t8pd1kw9r, accessed 03/01/2018; No more published; Hoernle does not state which edition he is translating, but it includes the "Dhanvantari phrase".
- ——(1907), Studies in the Medicine of Ancient India: Osteology or the Bones of the Human Body (Oxford: Clarendon Press), ARK: https://n2t.net/ark:/13960/tlpg9cq8b.
- Hopkins, Edward W. (1889), "The Social and Military Position of the Ruling Caste in Ancient India, as Represented by the Sanskrit Epic," *Journal of the American Oriental Society*, 13: 57–376.
- Husain, Shaykh, Ali, Shaykh, and Hatim, Shaykh (1591), "Scorpions (Detail of Asavari Ragini Painting)," National Museum of Asian Art, Smithsonian Institution, ARK: https://n2t.net/ark:/65665/ye31efef5ad-31e8-45a1-bfcb-856e338b5486, accessed 18/01/2025.
- Ihm, Sibylle (1995), Der Traktat περί τῶν ἰοβόλων θηρίων καὶ δηλητηρίων φαρμάκων des sog. Aelius Promotus (Serta Graeca; Wiesbaden: L. Reichert), ISBN: 9783882268225.
- Irwin, John C. (1982), "The Sacred Anthill and the Cult of the Primordial Mound," History of Religions, 21/4: 339–60, ISSN: 00182710, 15456935, URL: http://www.jstor.org/stable/1062329, accessed 24/01/2024.
- Jack, David Morton (1884), "A Thesis on Cataract in India: Its Pathology and Treatment," Wellcome Library, London, MS 3007, URL: https://catalogue.wellcomelibrary.org/record=b1842019~S8, accessed 02/06/2021.
- Jamison, Stephanie W., and Brereton, Joel P. (2014), *The Rigveda. The Earliest Religious Poetry of India* (South Asia Research; New York: Oxford University Press), ISBN: 9780199370184; With commentary at http://rigvedacommentary.alc.ucla.edu/.

- Jhalakīkar, Bhīmācārya (1978), न्यायकोशः (सकलशास्त्रोपकारकन्यायादिशास्त्रीयपदार्थ-प्रकाशकः) = Nyāyakośa or Dictionary of Technical Terms of Indian Philosophy (Poona: Bhandarkar Oriental Research Institute), ARK: https://n2t.net/ ark:/13960/t4cp7242f.
- Jolly, Julius (1951), Indian Medicine, Translated from the German...by C. G. Kashikar (Poona: C. G. Kashikar), URL: https://archive.org/details/in.gov.ignca.8567, accessed 08/11/2017; 2nd edition Delhi: Munshiram Manoharlal, 1977, 1994 etc.
- Joshi, S. D., and Roodbergen, J. A. F. (1991), *The Aṣṭādhyāyī of Pānini with Translation and Explanatory Notes* (New Delhi: Sahitya Akademi).
- Kahl, Oliver (2015), The Sanskrit, Syriac, and Persian Sources in the Comprehensive Book of Rhazes (Leiden: Brill), ISBN: 9789004290259.
- Kale, M. R. (1947), The Meghadūta of Kālidāsa With the Commentary (Saṃjīvanī) of Mallinātha, Edited with a Literal English Translation... (4th edn., Bombay: B. D. Mulgaokar, of Gopal Narayen & Co), ARK: https://n2t.net/ark:/13960/t3fz6x53f.
- Kangle, R. P. (1965), *The Kauṭilīya Arthaśāstra*, 3 vols. (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0042-7, ARK: https://n2t.net/ark:/13960/t3gz6qh1s; reprint of 2010, 1: *Part I, Sanskrit Text With a Glossary* (1969), 2: *Part II, Translation with Critical and Explanatory Notes* (1972), 3: *Part III A Study* (1965).
- Karttunen, Klaus (2015), Yonas and Yavanas in Indian Literature (Studia Orientalia, 116; Helsinki: Finnish Oriental Society), 454, ISBN: 978-951-9380-88-9, URL: https://journal.fi/store/issue/view/4184; Published electronically in 2016 as a back issue of Studia Orientalia.
- Kaur, Sagan Deep, and Singh, Lakhvir (2018), *Indian Arthropods in Early Sanskrit Literature: A Taxonomical Analysis*. DOI: https://doi.org/10.16943/ijhs/2018/v53i1/49364.
- Khan, Zihan Rahman, et al. (2018), "Medicinal Values of Aquatic Plant Genus Nymphoides Grown in Asia: A Review," *Asian Pacific Journal of Tropical Biomedicine*, 8/2: 113–9, ISSN: 2221-1691. DOI: https://doi.org/10.4103/2221-1691.225615.
- Kieffer-Pülz, Petra (1996), "The Meaning of Māļa(ka)/māla(ka) in Pāli," in N. Balbir, G.-J. Pinault, and J. Fezas (eds.), Langue, style et structure dans le monde indien, Centenaire de Louis Renou. Actes du Colloque international (Paris, 25–27 janvier 1996 (Paris), 285–325, URL: https://www.academia.edu/5597472, accessed 17/05/2023.

- Klebanov, Andrey (2021a), "On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts," *eJIM: Electronic Journal of Indian Medicine*, 12/1: 1–64. DOI: https://doi.org/10.21827/ejim.12.1.37385.
- ——(2021*b*), "On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39. DOI: https://doi.org/10.1163/9789004438224_008.
- Kokoszko, Maciej, and Rzeźnicka, Zofia (2018), "Malabathron (μαλάβαθρον) in Ancient and Early Byzantine Medicine and Cuisine," *Medicina Nei Secoli Arte E Scienza / Journal of History of Medicine*, 30/2: 579–616, ISSN: 0394-9001, URL: https://rosa.uniromal.it/rosa01/medicina_nei_secoli/article/view/1551.
- Kolhatkar, Madhavi (2005), "Jaiminīyabrāhmaṇa, Pseudocyesis and Homosexuality," *Annals of the Bhandarkar Oriental Research Institute*, 86: 81–92.
- Kritzer, Robert (2009), "Life in the Womb: Conception and Gestation in Buddhist Scripture and Classical Indian Medical Literature," in Vanessa R. Sasson and Jane Marie Law (eds.), *Imagining the Fetus: The Unborn in Myth, Religion, and Culture* (New York: Oxford University Press), 73–90.
- ——(2013), "Garbhāvakrāntau ('In the Garbhāvakrānti'): Quotations from the Garbhāvakrāntisūtra in Abhidharma Literature and the Yogācārabhūmi," in Ulrich Timme Kragh (ed.), *The Foundation for Yoga Practitioners. the Buddhist Yogācārabhūmi Treatise and Its Adaptation in India, East Asia, and Tibet* (Harvard Oriental Series, 75; Cambridge, Mass.: Harvard University Press), 738–71, ISBN: 9780674725430.
- Kulikov, Leonid (2006), "The Sanskrit -yet- Optative: A Formation Not Yet Recorded in Sanskrit Grammars," Wiener Zeitschrift für die Kunde Südasiens, 50: 27–68. DOI: https://doi.org/10.1553/wzksls27, URL: https://www.jstor.org/stable/24007742.
- Kunjalal Bhishagratna, Kaviraj (1907–16), *An English Translation of the Sushruta Samhita Based on Original Sanskrit Text*, 3 vols. (1st edn., Calcutta: The Author), URL: https://tinyurl.com/bhishagratna, accessed 18/02/2021.
- Kunjunni Raja, K. (1963), *Indian Theories of Meaning* (Madras: The Adyar Library and Research Centre), URL: https://archive.org/details/in.ernet.dli.2015.495203, accessed 09/01/2018; 2 ed., 1969.
- Kutumbiah, P. (1962), *Ancient Indian Medicine* (Bombay, etc.: Orient Longmans), ARK: https://n2t.net/ark:/13960/t6r01v93g; Often reprinted.

- Lamming, George E., and Marshall, Francis H. (1990) (eds.), *Marshall's Physiology of Reproduction: Reproduction in the Male* (4th edn., London: Chapman & Hall), ISBN: 0443019673.
- Law, Bimala Churn (1984), *Historical Geography of Ancient India* (New Delhi: Orient Books Reprint), ARK: https://n2t.net/ark:/13960/t3d01t737; Reprint of 1954 Paris edition.
- Leffler, Christopher T., et al. (2020), "The History of Cataract Surgery: From Couching to Phacoemulsification," *Annals of Translational Medicine*, 8/22: 1551–97, ISSN: 2305-5847. DOI: https://doi.org/10.21037/atm-2019-rcs-04, URL: http://atm.amegroups.com/article/view/54993, accessed 02/11/2020.
- Lele, W. K. (1981), The Doctrine of the Tantrayukti-s: Methodology of Theoreticoscientific Treatises in Sanskrit (Chaukhamba Surabharati Studies, 3; Varanasi: Chaukhamba Surabharati Prakashan), ARK: https://n2t.net/ark:/13960/ s28vqzhkdjq.
- ——(2006), Methodology of Ancient Indian Sciences (The Chaukhamba Surbharati Studies, 3; Varanasi: Chaukhamba Surbharati Prakashan), ARK: https://n2t.net/ark:/13960/s2dc7zd8hf1.
- Leslie, I. Julia (1989), The Perfect Wife (New Delhi: Oxford University Press).
- Levey, Martin (1966), *Medieval Arabic Toxicology: The* Book on Poisons *of Ibn Waḥshīya and Its Relation to Early Indian and Greek Texts* (New Series, 56.7; Philadelphia: American Philosophical Society).
- Lienhard, Siegfried (1978), "On the Meaning and Use of the Word Indragopa," *Indologica taurinensia*, 6: 177–88, URL: https://tinyurl.com/Lienhard1978, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Liu, Yan (2021), "Poisons in the Premodern World," *Encyclopedia of the History of Science*. Doi: https://doi.org/10.34758/yazp-kz74.
- Lüders, Heinrich (1940), Philologica Indica. Ausgewählte kleine Schriftenvon Heinrich Lüders. Festgabe zum siebzigsten Geburtstageam 25. Juni 1939 dargebracht von Kollegen, Freunden und Schülern (Göttingen: Vandenhoeck & Ruprecht), ARK: https://n2t.net/ark:/13960/t2d880f53.
- Maas, Philipp André (2008), "The Concepts of the Human Body and Disease in Classical Yoga and Āyurveda," Wiener Zeitschrift für die Kunde Südasiens = Vienna Journal of South Asian Studies, 51: 125–62. DOI: https://doi.org/10.1553/wzkslis123.

- Mahādeva Śāstrī, K. (1958) (ed.), ജ്യോത്സ്റിക: വിഷവൈദ്യം *Jyotsnika* (Viṣa Vaidya) [The Jyotsnikā of Kārāṭṭu Nārāyaṇan Nampūtir] (Srī Vañci Setu Lakṣmī series, 9; 3rd edn., Trivandrum: The Government of His Highness The Maharaja of Travancore); First published in 1927.
- Mairs, Rachel (2013), "Greek Settler Communities in Central and South Asia, 323 BCE to 10 CE," in Ato Quayson (ed.), *A Companion To Diaspora And Transnationalism* (Oxford: John Wiley and Sons Ltd), 443–54, ISBN: 9781405188265.
- ——(2014), The Hellenistic Far East: Archæology, Language, and Identity in Greek Central Asia: Archæology, Language, and Identity in Greek Central Asia (Berkeley: University of California Press), 250, ISBN: 9780520292468. DOI: https://doi.org/10.1525/9780520959545.
- Majno, Guido (1975), The Healing Hand. Man and Wound in the Ancient World (Cambridge, MA: Harvard University Press), ARK: https://n2t.net/ark:/13960/t4hm7xf2c.
- Mānasa-taraṅgiṇī (2019), "Kaiṭabha, Poison and Death: Meanderings through Tradition," mAnasa-taraMgiNI Blog (1 Sept.), URL: https://tinyurl.com/kaitabha, accessed 31/01/2023.
- Manevskaia, Ilona (2008), "Preliminary Observations on Compositional Methods in Haribhadra's Ālokā," in Richard Gombrich and Cristina Scherrer-Schaub (eds.), *Buddhist Studies* (Papers of the 12th World Sanskrit Conference, 8; Delhi: Motilal Banarsidass), 97–117.
- Maxwell-Lefroy, Harold (1909), Indian Insect Life. A Manual of the Insects of the Plains (Tropical India) (Calcutta, Simla, etc.: Thacker, Spink & Co.), ARK: https://n2t.net/ark:/13960/t40s7sf4r.
- McHugh, James (2012), "The Disputed Civets and the Complexion of the God: Secretions and History in India," *Journal of the American Oriental Society*, 132/2: 245, ISSN: 0003-0279. DOI: https://doi.org/10.7817/jameroriesoci.132.2.0245.
- ——(2013), "Blattes de Byzance in India: Mollusk Opercula and the History of Perfumery," *Journal of the Royal Asiatic Society of Great Britain & Ireland*, 23/1: 53–67, ISSN: 2051-2066. DOI: https://doi.org/10.1017/s1356186312000727.
- —— (2021), An Unholy Brew: Alcohol in Indian History and Religions (New York: Oxford University Press), 416 pp., ISBN: 9780199375936.
- Mehta, S. R., and Sashindran, V. K. (2002), "Clinical Features And Management Of Snake Bite," *Medical Journal Armed Forces India*, 58/3: 247–9, ISSN: 0377-1237. DOI: https://doi.org/10.1016/s0377-1237(02)80140-x.

- Mejor, Marek (2000), "Some Observations on the Date of the *Yukti-dīpikā* (apropos of a New Edition)," in Piotr Blcerowicz and Marek Mejor (eds.), *On the Understanding of Other Cultures*, 7 (Studia Indologiczne; Warszawa: Instytut Orientalistyczny, Uniwersytet Warszawski), 255–89.
- Menon, Vivek (2014), *Indian Mammals: A Field Guide* (Gurgaon: Hachette India), ISBN: 978-93-5009-760-1.
- Meulenbeld, Gerrit Jan (1974b), The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes (Leiden: Brill), ISBN: 978-90-04-03892-9, ARK: https://n2t.net/ark:/13960/t25b8q97g.
- ——(1987), "Reflections on the Basic Concepts of Indian Pharmacology," in Gerrit Jan Meulenbeld and Dominik Wujastyk (eds.), Studies on Indian Medical History (Groningen: Egbert Forsten), chap. 1, 1–17, ARK: https://n2t.net/ark:/13960/t8tc08626.
- ——(1989), "The Search for Clues to the Chronology of Sanskrit Medical Texts As Illustrated by the History of Bhangā (cannabis Sativa Linn.)," Studien zur Indologie und Iranistik, 15: 59–70.
- ——(1990), "Conformities and Divergences of Basic Ayurvedic Concepts in Veterinary Texts," *Journal of the European Ayurvedic Society*, 1: 1–6, URL: https://archive.org/details/journalofeuropea01unse/page/n5/mode/2up, accessed 16/02/2022.
- —— (1991), "The Constraints of Theory in the Evolution of Nosological Classifications: A Study on the Position of Blood in Indian Medicine (Āyurveda)," in *Medical Literature from India, Sri Lanka, and Tibet*, 91–106, ISBN: 90-04-09522-5, URL: https://goo.gl/D79azA.
- —— (1992), "The Characteristics of a Doṣa," Journal of the European Āyurvedic Society, 2/1: 1–5, ARK: https://n2t.net/ark:/13960/t8hf69z8j.
- ——(1997), "Aspects of Indian Psychiatry," in Yosio Kawakita, Shizu Sakai, and Yasuo Otsuka (eds.), History of Psychiatric Diagnoses: Proceedings of the 16th International Symposium on the Comparative History of Medicine East and West September 1—8, 1991, Susono-shi, Shizuoka, Japan (Tokyo; Brentwood, Missouri: Ishiyaku EuroAmerica), 183—237, ISBN: 1563860430, ARK: https://n2t.net/ark:/13960/s27rkrfvdd4.
- —— (2008a), "A Quest for Poison Trees in Indian Literature, Along with Notes on Some Plants and Animals of the Kauṭilīya Arthaśāstra," Wiener Zeitschrift für die Kunde Südasiens / Vienna Journal of South Asian Studies, 51 (2007–2008): 5–75, URL: https://www.jstor.org/stable/24007714.

- ——(2008b), The Mādhavanidāna with "Madhukośa," the Commentary by Vijayarakṣita and Śrīkanṭhadatta (Ch. 1-10). Introduction, Translation, and Notes (Delhi: Motilal Banarsidass).
- ——(2011), "The Relationships between Doṣas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūrch," eJournal of Indian Medicine, 4/2: 35–135, URL: http://ugp.rug.nl/eJIM/article/view/24740, accessed 13/10/2017.
- Meyer, Johann Jakob (1926), Das altindische Buch vom Welt- und Staatsleben. Das Arthaçāstra des Kauṭilya (Leipzig: Otto Harrassowitz), ARK: https://n2t.net/ark:/13960/s21gb96bcxv.
- Minton, Sherman A., and Minton, Madge Rutherford (1969), Venomous Reptiles (New York: Charles Scribners' Sons), ARK: https://n2t.net/ark:/13960/t9k423s9k.
- Mitra, T. R. (2005), "Taxonomic Assessment of Insects Recorded n Kalidasa's Works," *Records of the Zoological Survey of India*, 105/1–2: 97–103.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (Third ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ARK: https://n2t.net/ark:/13960/t6rz4h160.
- O'Flaherty, Wendy Doniger (1980), "Karma and Rebirth in the Vedas and Purāṇas," in id. (ed.), Karma and Rebirth in Classical Indian Traditions (Berkeley: University of California Press), chap. 1, 3–37. DOI: https://doi.org/10.1525/9780520377967, URL: https://www.jstor.org/stable/jj.15707015.
- Oberhammer, Gerhard (1968), "Notes on the Tantrayukti-s," *The Adyar Library Bulletin*, 31–32 (1967–1968): 600–16. DOI: https://doi.org/10.5281/zenodo.10440052.
- Oberlies, Thomas (2003), A Grammar of Epic Sanskrit (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: https://doi.org/10.1515/9783110899344.
- Olivelle, Patrick (1995), "Food in India," *Journal of Indian Philosophy*, 23/3: 367–80. DOI: https://doi.org/10.1007/bf01463136.
- ——(2001), Food for Thought. Dietary Rules and Social Organization in Ancient India (Gonda Lectures, 9; Amsterdam: Royal Netherlands Academy of Arts and Sciences), URL: https://storage.knaw.nl/2022-06/20021013.pdf, accessed 28/06/2023.

- Olivelle, Patrick (2013), King, Governance, and Law in Ancient India: Kauṭilya's Arthaśāstra. a New Annotated Translation (New York: Oxford University Press), ISBN: 9780199891825. DOI: https://doi.org/10.1093/acprof:osobl/9780199891825.003.0001.
- Osbaldeston, Tess Anne, and Wood, R. P. A. (2000), Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. A New Indexed Version in Modern English [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 9780620234351. DOI: https://doi.org/10.5281/zenodo.15330582, URL: https://web.archive.org/web/20160301000627/http://panaceavera.com/demateriaindex.html, accessed 01/03/2016.
- Özbulat, Mehmet, et al. (2021), "Factors Affecting Prognosis in Patients with Snakebite," Eurasian Journal of Emergency Medicine, 20/1 (Mar.): 6–11, ISSN: 2149-6048. DOI: https://doi.org/10.4274/eajem.galenos.2020.69885.
- Pāṇḍeya, Rāmateja (1963) (ed.), श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुडपुराणम् (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), ARK: https://n2t.net/ark:/13960/t6pz7tg7j.
- Paramesvaran, Madhu K. (2023), "Personal email communication," 26 Dec.
- Pārśvanātha Śāstrī, Vardhamāna (1940) (ed.), उग्रादित्याचार्यकृत कल्याणकारक (राष्ट्रभाषानुवादसित) = The Kalyāṇa-kārakam of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary (Sakhārāma Nemacaṃda Graṃthamālā, 129; Solāpura: Seṭha Goviṃdajī Rāvajī Dośī), ARK: https://n2t.net/ark:/13960/t2q617g4d.
- Pecchia, Cristina (2022), "Ayurveda, Philology and Print: On the First Printed Edition of The Carakasaṃhitā and Its Context," *South Asian History and Culture*, 13/1: 112–34. DOI: https://doi.org/10.1080/19472498.2022.2036402.
- Pillay, V. V. (2013), *Modern Medical Toxicology* (New Delhi: Jaypee Brothers Pvt. Ltd.), ISBN: 9789350259658.
- Pillay, Vijay V., and Sasidharan, Anu (2019), "Oleander and Datura Poisoning: An Update," *Indian Journal of Critical Care Medicine*, 23/Supplement 4: 5250–5. DOI: https://doi.org/10.5005/jp-journals-10071-23302.
- Pollock, Sheldon (1991), *The Rāmāyaṇa of Vālmīki: an Epic of Ancient India: Volume III: Araṇyakāṇḍa*, ed. Robert P. Goldman (Princeton: Princeton University Press), ISBN: 0-691-06660-4.

- Poudel, Ram C., et al. (2013), "Yews (Taxus) along the Hindu Kush-Himalayan Region: Exploring the Ethnopharmacological Relevance among Communities of Mongol and Caucasian Origins," *Journal of Ethnopharmacology*, 147/1: 190–203, ISSN: 0378-8741. DOI: https://doi.org/10.1016/j.jep.2013.02.031.
- Preisendanz, Karin (2007), "The Initiation of the Medical Student in Early Classical Āyurveda: Caraka's Treatment in Context," in Birgit Kellner et al. (eds.), Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2, 2, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL: https://www.istb.univie.ac.at/caraka/file_download/36.
- ——(2013), "Logic, Debate and Epistemology in Ancient Indian Medical Science: An Investigation Into the History and Historiography of Indian Philosophy. Part I," in Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (eds.), *Medical Texts and Manuscripts in Indian Cultural History* (Delhi: Manohar Publishers and Distributors), 63–139, ISBN: 978-9350980194.
- Prets, Ernst, and Prandstetter, Joachim (1991–2006), Terminologie der frühen philosophischen Scholastik in Indien: Ein Begriffswörterbuch zur altinidischen Dialektik, Erkenntnislehre und Metholologie, ed. Gerhard Oberhammer, 3 vols. (Österreichische Akademie der Wissenschaften, Philosoophisch-Historische Klasse, Denkschriften, 223, 248, 343; Wien: Verlag der Österreicheischen Akademie der Wissenschaften); Beitraäge zur Kultur- und Geistesgeschichte Asiens; Nr. 9, 17, 49.
- Rādhākāntā Deva, Rājā (1876), शब्दकल्पद्भमः = Shabda Kalpadrumah, Or, the Tree Bearing All the Words That May Be Wished For (Calcutta: Baradākānta Mitra & Co. at the New Bengal Press), ARK: https://n2t.net/ark:/13960/t9x10x61b.
- Rai, Rishu (2019), "Kirata Tribes of Colonial Darjeeling: Historical Understanding through Discourse Analysis," *International Journal of Research and Analytical Reviews*, 6/1: 390–9, URL: https://www.ijrar.org/papers/IJRAR19J5465.pdf.
- Rai, Saurav Kumar (2019), "Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse," *The Indian Economic & Social History Review*, 56/4: 411–26. DOI: https://doi.org/10.1177/0019464619873820; Online first.
- Ramachandra Rao, S. K., and Sudarshan, S. R. (1985–2005), Encyclopaedia of Indian Medicine, 6 vols. (Bombay: Popular Prakashan), eprint: ark:/13960/s2dn77q7v39, 1: Historical Perspective (1985), 2: Basic Concepts (1985), 3: Clinical Examination and Diagnostic Methods (1987), 4: Materia Medica, Herbal

- *Drugs* (2005), 5: *Materia Medica, Mineral and Metallic Drugs* (2005), 6: *Diseases and their Cures* (2005).
- Ramakrishna Ayyar, T. V. (1963), Handbook of Economic Entomology for South India (Madras: Government of Madras), ARK: https://n2t.net/ark:/13960/t59d5461t.
- Ray, Kavirāja Gaṅgādhara (1868–70) (ed.), चरकसंहिता ... श्रीमद्-गङ्गाधर-किवराज-किवरत्न-विरचितया जल्प-कल्प-तरु-समाख्यया व्याख्यया सहितम् तेनैव संशोधितम् = [The Carakasaṃhitā edited by Kavirāja Gaṅgādhara with his Commentary Jalpakalpatāru] (Calcutta: Samvada Jnanaratnakara Press).
- Raychaudhuri, Hemachandra (1953), *Political History of Ancient India* (Calcutta: University of Calcutta), ARK: https://n2t.net/ark:/13960/s25hz0hz29p.
- Renou, Louis (1940), "Sur certaines anomolies de l'optatif Sanskrit," Bulletin de la Société de Linguistique de Paris, 41: 5–17, ARK: https://n2t.net/ark:/12148/bpt6k121049.
- Rossi, Paola M. (2014), "The Sounds of the Warriors: The Vedic Drums between War and Poetry," *Indologica Taurinensia*, 40, URL: http://www.asiainstitutetorino.it/Indologica/volumes/vol40/14_ROSSI.pdf.
- Rotman, Andy (2008), Divine Stories दिव्यावदान Divyāvadāna (Classics of Indian Buddhism; Somerville, MA: Wisdom Publications), ISBN: 978-1-61429-470-2, ARK: https://n2t.net/ark:/13960/t7nq1444m.
- Roy, B. K. (1970), *The Savar: A Scheduled Tribe in West Bengal* (New Delhi: Office of the Registrar General), URL: https://censusindia.gov.in/nada/index.php/catalog/32384/download/35565/42925_1961_SAV.pdf.
- Ruben, Walter (1954), "Medizin (Caraka) und Logik (Nyāya) (um 100 u. Z.)," in id., Geschichte der indischen Philosophie [collected articles] (Berlin: Deutscher Verlag), chap. 21, 212–22, ARK: https://n2t.net/ark:/13960/t9v18cc78.
- Saccone, Margherita Serena (2015), "The Conception of Atoms as Substantially Existing in Śubhagupta," *Journal of the International Association of Buddhist Studies*, 38: 107–37, ISSN: 2507-0347, 2507-0347. DOI: https://doi.org/10.2143/JIABS.38.0.3134539.
- Saraswat, K. S. (1991), "Archaeobotanical Remains in Ancient Cultural and Socio-Economical Dynamics of the Indian Subcontinent," *Palaeobotanist*, 40: 514–45. DOI: https://doi.org/10.54991/jop.1991.1797.

- Sarmā, Muralīdhara (1895–99) (ed.), श्रीधन्वन्तरिभागवतसमुपदिष्टा, तच्छिष्येण सुश्रुतेन विरचिता सुश्रुतसंहिता, आरोग्यसुधाकरसम्पादकेन फर्रुखनगरिनवासिना पंडित मुरलीधरशर्मणा राजवैद्येन सान्वयसिटप्पणिकासपरिशिष्ट्या भाषाटीकया संभूषिता (Mumbayyam: Khemarāja Śrīkṛṣṇadāsa at Śrīveṅkaṭeśvara Press), ARK: https://n2t.net/ark:/13960/t6n066p8x; Volume 1 (sūtrasthāna): ark:/13960/t6n066p8x; vol. 2 (nidāna and śārīra): ark:/13960/t5q87zp52; vol. 4 (uttaratantra): ark:/13960/t24b84s9c.
- Sarukkai, Sundar (2016), "Translation As Method: Implications for History of Science," in Bernard Lightman, Gordon McOuat, and Larry Stewart (eds.), *The Circulation of Knowledge Between Britain, India and China* (Leiden: BRILL), 309–29. DOI: https://doi.org/10.1163/9789004251410_014.
- Sastri, P. P. S. (1933), A Descriptive Catalogue of the Sanskrit Manuscripts in the Tanjore Maharaja Serfoji's Sarasvati Mahal Library Tanjore: Natya, Sangita, Kamasastra, Vaidya & Jyotisa, nos. 10650 – 11737 (Srirangam: Sri Vani Vilas Press), ARK: https://n2t.net/ark:/13960/t3nw8bc12.
- Sastri, P. S. Subrahmanya (2002), *Tolkāppiyam. The Earliest Extant Tamil Grammar, with a Short Commentary in English: Volume II. Poruļatikāram* (2nd edn., Chennai: The Kuppuswami Sastri Research Institute), ISBN: 81-85170-27-4, ARK: https://n2t.net/ark:/13960/t7jq8k19s; reprint of 1936 edition.
- Śāstrī, Paraśurāma (1931) (ed.), दामोदरसूनुशार्ङ्गधराचार्यविरचिता शार्ङ्गधरसंहिता [= The Śārṅgadharasaṃhitā by Śārṅgadhara with the Commentaries of Āḍhamalla and Kāśīrāma] (2nd edn., Muṃbai: Nirṇayasāgara Press), ARK: https://n2t.net/ark:/13960/t7wn11g9r; 1st ed. 1920.
- Savage-Smith, Emilie, Swain, Simon, and van Gelder, Geert Jan (2019) (eds.), A Literary History of Medicine - The 'Uyūn al-anbā' fī ṭabaqāt al-aṭibbā' of Ibn Abī Uṣaybi'ah, 3 vols. (Handbook of Oriental Studies. Section 1 The Near and Middle East, 134; Leiden: Brill), ISBN: 978-90-04-41031-2, URL: https://brill.com/view/db/lhom.
- Scharfe, Hartmut (1993), Investigations in Kauṭalya's Manual of Political Science (2nd edn., Wiesbaden: Harrassowitz), ISBN: 3447033304; 2nd. rev. ed. of Untersuchungen zur Staatsrechtslehre des Kauṭalya. Extracts at https://tinyurl.com/scha-1993.
- Scherrer-Schaub, Cristina (1981), "Le Terme Yukti: Première étude in Hommage à Constantin Regamey," Etudes Asiatiques. Revue de la Société Suisse d'Etude Asiatique Bern, 35/2: 185–99. DOI: https://doi.org/10.5169/seals-146624.

- Schubring, Walther (1969), *Tandulaveyāliya: ein Pannaya des Jaina-Siddhānta. Textausgabe, Analyse und Erklärung* (Abhandlungen der Geistes- und Sozialwissenschaftlichen Klasse, 6; Wiesbaden: Franz Steiner Verlag). DOI: https://doi.org/10.2307/598613.
- Schwartzberg, Joseph E., Bajpai, Shiva G., et al. (1978) (eds.), A Historical Atlas of South Asia (Chicago: University of Chicago Press), URL: http://dsal.uchicago.edu/reference/schwartzberg/.
- Scott, H. (1817), "Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects," *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ARK: https://n2t.net/ark:/13960/t9870jt4g; Breton 1826: 358–363 cites Scott's description of cataract couching.
- Sekhar Namburi, U. R. (2023), *A Text Book of Agada Tantra* (*Illustrated*) (repr. Varanas: Chaukhambha Sanskrit Sansthan).
- Selby, Martha Ann (2005*a*), "Narratives of Conception, Gestation, and Labour in Sanskrit Ayurvedic Texts," *Asian Medicine*, 1/2: 254–75, ISSN: 1573-420X. DOI: https://doi.org/10.1163/157342105777996638.
- ——(2005b), "Sanskrit Gynecologies in Postmodernity: The Commoditization of Indian Medicine in Alternative Medical and New-age Discourses on Women's Health," in Asian Medicine and Globalization, chap. 8, 120–31, URL: https://www.dropbox.com/s/uuwxd2urvkke5uv/2005%20Sanskrit%20Gynecologies%20in%20Postmodernity%20-%20in%20Alter.pdf?dl=0, accessed 22/03/2018.
- Semalty, Mona, et al. (2010), "Semecarpus anacardium Linn.: A review," *Pharmacognosy Reviews*, 4/7: 88, ISSN: 0973-7847. DOI: https://doi.org/10.4103/0973-7847.65328.
- Semeka-Pankratov, Elena (1979), "A Semiotic Approach to the Polysemy of the Symbol *nāga* in Indian Mythology," in Irene Portis Winner and Jean Umiker-Sebeok (eds.), *Semiotics of Culture* (Approaches to Semiotics, 53; The Hague, Paris, NY: Mouton), 237–90. DOI: https://doi.org/10.1515/9783110823134 -009; The contents of this volume were published simultaneously in *Semiotica* (1/3) 1979.
- Sen, Sailendra Nath (1988), Ancient Indian History and Civilization (Delhi: New Age International), ARK: https://n2t.net/ark:/13960/t8gf8pz34.

- Sengupta, Nagendra Nath (1901), The Ayurvedic System of Medicine, or an Exposition, in English, of Hindu Medicin As Occurring in Charaka, Sucruta, Bágbhata, and Other Authoritative Works, Ancient and Modern, in Sanskrit (1st edn., Calcutta: Keval Ram Chatterjee), ARK: https://n2t.net/ark:/13960/t4tj3wj4v; Often reprinted. Vol.2: https://archive.org/details/in.ernet.dli.2015.47497.
- Shamasastry, R. (1951), *Kauṭilya's Arthaśāstra* (4th edn., Mysore: Sri Raghuveer Printing Press), ARK: https://n2t.net/ark:/13960/t04z1mp6c.
- Sharma, Priya Vrat (1982), *Dalhaṇa and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- ——(1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Dalhaṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati), ARK: https://n2t.net/ark:/13960/s2gpx8453k1.
- Sharma, Priyavrat (1994), Caraka-saṃhitā. Critical Notes (Incorporating the commentaries of Jejjaṭa, Cakrapāṇi, Gaṅgādhara and Yogīndranātha) (Jaikrishnadas Ayurveda Series, 36; 1st edn., Varanasi, Delhi: Chaukhambha Orientalia).
- Sharma, Ram Karan, and Dash, Bhagwan (2006), *Agniveśa's Caraka Saṃhitā*. *Text with English translation & Critical Exposition Based on Cakrapāṇi Datta's Āyur-vedadīpikā* (Chowkhamba Sanskrit Studies, 94; repr. Varanasi: Chowkhamba Sanskrit Series Office).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् The Bodhāyana Grihyasutra (Mysore: University of Mysore), ARK: https://n2t.net/ark:/13960/t2t492622.
- Shefer-Mossensohn, Miri, and Hershkovitz, K. Abou (2013), "Early Muslim Medicine and the Indian Context: A Reinterpretation," *Medieval Encounters*, 19/3: 274–99. DOI: https://doi.org/10.1163/15700674-12342139, URL: https://academia.edu/4049722.
- Shree Gulabkunverba Ayurvedic Society (1949), The Caraka Saṃhitā. Expounded by the Worshipful Ātreya Punarvasu Compiled by the Great Sage Agniveśa and Redacted by Caraka & Dridhabala. Edited and Published in Six Volumes with Translations in Hindi, Gujarati and English (First Impression, Jamnagar: Shree Gulabkunverba Ayurvedic Society), ARK: https://n2t.net/ark:/13960/t5m95n971.
- Siddiqi, Muhammad Zubayr (1959), Studies in Arabic and Persian Medical Literature, ARK: https://n2t.net/ark:/13960/s25bxqt84xm.
- Simoons, Frederick J. (1998), *Plants of Life, Plants of Death* (Madison, Wisconsin: University of Wisconsin Press), ISBN: 9780299159009.

- Simpson, J. A., and Weiner, E. S. C. (1989–), *The Oxford English Dictionary* (2nd edn., Oxford: Oxford University Press), ISBN: 0198611862, URL: https://www.oed.com; 20v.
- Singh, A. (2003), "Tantra Yukti: Method of Theorization in Ayurveda," *Ancient Science Of Life*, 22/3: 64–74.
- Singh, G. P. (1990), *The Kirātas in Ancient India. A Historical Study of their Life, Culture and Civilization* (Delhi: Gian Publishing House), ISBN: 9788121203296.
- Singh, Girish P. (2008), *Researches into the History and Civilization of the Kirātas* (New Delhi: Gyan Publishing House), 572 pp., ISBN: 8121202817; Includes bibliographical references (p. [503]-526) and index.
- Singhal, G. D., et al. (1972–82), *Diagnostic* [and Other] Considerations in Ancient Indian Surgery (Varanasi: Singhal Publications); A translation of the Suśrutasaṃhitā in 10v.
- Singhal, G. D., and Dwivedi, R. N. (1976), *Toxicological Considerations in Ancient Indian Surgery: Based on Kalpa-Sthāna of Suśruta Saṃhitā* (Ancient Indian Surgery, 7; Allahabad: Singhal Publications).
- Singhal, G. D., and Mitra, Jyotir (1980), *Paediatric & Gynaecological Considerations* and Aphorisms in Ancient Indian Surgery: Based on Suśruta Saṃhitā, Uttara-tantra Chapters 27–38 & 63–66 (Varanasi: Singhal Publications).
- Sircar, Dinesh Chandra (1966), *Indian Epigraphical Glossary* (Delhi: Motilal Banarsidass), ARK: https://n2t.net/ark:/13960/t85h7f98n.
- —— (1971), Studies in the Geography of Ancient and Medieval India (2nd edn., Delhi: Motilal Banarsidass), ARK: https://n2t.net/ark:/13960/t72w2zd8w.
- Siromaṇi, Bharatacandra (1873) (ed.), चतुर्वगीचिन्तामणि-दानखण्डम् (Calcutta: Asiatic Society of Bengal), ARK: https://n2t.net/ark:/13960/t1rf9jd94.
- Slaje, Walter (1995), "Ḥtú-, Ḥtv(i)ya-, artavá-. Weibliche 'Fertilität' im Denken vedischer Inder," Journal of the European Ayurvedic Society, 4: 109–48, ARK: https://n2t.net/ark:/13960/t0mt26p1b.
- Slouber, Michael (2016a), Early Tantric Medicine: Snakebite, Mantras, and Healing in the Garuda Tantras (New York: OUP), 392 pp., ISBN: 9780190461812.
- ——(2016b), "Snakebite Goddesses in the Śākta Traditions: Roots and Incorporations of Tvaritā, Kurukullā and Bheruṇḍā: History, practice and doctrine," in Bjarne Wernicke Olesen (ed.), Goddess Traditions in Tantric Hinduism (Routledge studies in tantric traditions; London: Routledge,), chap. 4, ISBN: 9781317585213.

- Smets, Sandra (2006), "Grossesses atypiques selon l' Ayurveda," *Bulletin des Etudes indiennes*, 24–25: 225–37, ISSN: 0761-3156.
- ——(2010), "Les fausses couches dans la littérature āyurvédique," *Asiatische Studien / Etudes asiatique*, 64/2: 387–414.
- Smith, Brian K. (1994), Classifying the Universe: The Ancient Indian Varṇa System and the Origins of Caste (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Smith, William (1870), Dictionary of Greek and Roman Antiquities, 1, 3 vols. (Boston: Little, Brown, and Company), ARK: https://n2t.net/ark:/13960/t9s17xn41.
- Solomon, Esther A. (1976–78), *Indian Dialectics. Methods of Philosophical Discussion*, 2 vols. (Sheth Bholabhai Jeshingbhai Institute of Learning and Research Research Series, 70/74; Ahmedabad: B. J. Institute of Learning and Research. Gujarat Vidya Sabha), ARK: https://n2t.net/ark:/13960/t5jb4x70d.
- Spencer, Walter George (1935–38), Celsus: De Medicina. with an English Translation by W. G. Spencer, 3 vols. (Loeb Classical Library, 292, 304, 336; Cambridge, MA; London: Harvard University Press; William Heinemann), URL: https://tinyurl.com/loebcelsus, accessed 02/06/2021.
- Speziale, Fabrizio (2019), "Rasāyana and Rasaśāstra in the Persian Medical Culture of South Asia," *History of Science in South Asia*, 7: 1–41. doi: https://doi.org/10.18732/hssa.v7i0.40.
- Srikantha Murthy, K. R. (1991), *Vāgbhaṭa's Aṣṭāñga Hṛdayam (Text, English Translation, Notes, Appendices and Indices)* (1st edn., Varanas: Krishnadas Academy).
- —— (2000–02), Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Steingass, F. (1930), A Comprehensive Persian-English Dictionary Including the Arabic Words and Phrases to Be Met with in Persian Literature (London: Kegan Paul, Trench, Trubner), ARK: https://n2t.net/ark:/13960/s25bwz0337d; Reprint, Delhi: Oriental Reprint, 1973.
- Storey, C. A. (1971), Persian Literature, a Bio-bibliographical Survey. Vol. II.2: Medicine (London: Royal Asiatic Society of Great Britain and Ireland), ARK: https://n2t.net/ark:/13960/t9v18bf68.
- Strauss, Bettina (1934), "Das Giftbuch des Sānāq: eine Literaturgeschichtliche Untersuchung," Quellen und Studien zur Geschichte der Naturwissenschaften und der Medizin, 4/2: [89]–[152] followed by Arabic text, ARK: https://n2t.net/ark:/13960/s2hb5j66s95.

- Subba, Tanka Bahadur (1999), Politics of Culture: A Study of Three Kirata Communities in the Eastern Himalayas (1st edn., Chennai [u.a.]: Orient Longman), ISBN: 8125016937.
- Suneson, Carl (1991), "Remarks on Some Interrelated Terms in the Ancient Indian Embryology," Wiener Zeitschrift für die Kunde Südasiens = Vienna Journal of South Asian Studies, 35: 109–21, URL: https://www.jstor.org/stable/24006727.
- Suvedī, K. S., and Tīvārī, N. (2000) (eds.), सौश्रुतिनघण्टुः: ग्रन्थादौ विस्तृतेन ग्रन्थवैशिष्ट्य-प्रकाशकेनोपोद्घातेन अवसाने च द्रव्याणामनेकभाषानामावली-पर्यायसङ्ग्रहाभ्यां समलङ्गृतः सुश्र-तसंहितायां प्रयुक्तानामौषधद्रव्याणां पर्याय-गुणकर्मवर्णात्मको ऽपूर्वग्रन्थः (Belajhuṇḍī, Dāṅ: Mahendrasaṃskṛtaviśvavidyālayaḥ).
- Sweet, Michael J., and Zwilling, Leonard (1993), "The First Medicalization: The Taxonomy and Etiology of Queerness in Classical Indian Medicine," *Journal of the History of Sexuality*, 3/4: 590–607, URL: http://www.jstor.org/stable/3704394.
- Talwar, P. K., and Kacker, R. K. (1984), *Commercial Sea Fishes of India* (Calcutt: Zoological Survey of India), ARK: https://n2t.net/ark:/13960/t5s841v5m.
- Thackston, Wheeler M. (1999), *The Jahangirnama: Memoirs of Jahangir, Emperor of India* (New York, etc.: Oxford University Press), ISBN: 0195127188.
- Tivārī, Premvatī (1990), Āyurvedīya prasūti-tantra evam strī-rog; pratham bhāg: Prasūti-tantra, dvitīya bhāg: Strī-rog (Jayakṛṣṇadāsa Āyurvedīya Granthamālā, 41; Varanas: Caukhamba Orientaliai).
- Touwaide, Alain, Aslanoff, Grégoire, and Föerstel, Christian (1997) (eds.), *Theriaka y Alexipharmaka de Nicandro. Facsimil y transcripción con estudio* (Barcelona: Moleiro), ISBN: 9788488526298; digital images of the MS are online at ARK.
- Unni, N. P. (2006), The Arthaśāstra of Kauṭalya with the Commentary "Śrīmūlā" of Mahāmahopādhyāya T. Gaṇapati Śāstrī: Part III—8, 9, 10, 11, 12, 13, 14 & 15 Adhikaraṇas (Delhi: New Bharatiya Corporation), ARK: https://n2t.net/ark:/13960/t41s58879.
- Vaidyopādhyāya, Rāmaprasāda (1911) (ed.), चरकसंहिता । श्रीमन्महर्षिप्रवरचरकप्रणीता । पण्डितरामप्रसादवैद्योपाध्यायविरचितप्रसादनी-भाषाटीकासहिता । (mumbayī: Kṣemarāja-Śrīkṛṣṇadāsaśreṣṭhin), ARK: https://n2t.net/ark:/13960/t2r59q189.
- Van Bladel, Kevin Thomas (2011), "The Bactrian Background of the Barmakids," in Anna Akasoy, Charles Burnett, and Ronit Yoeli-Tlalim (eds.), *Islam and Tibet: Interactions along the Musk Routes* (Farnham: Ashgate), chap. 3, 43–88, URL: https://academia.edu/5857685.

- Van der Geer, Alexandra (2008) (ed.), *Animals in Stone: Indian Mammals Sculptured Through Time* (Handbuch der Orientalistik 2: India; Leiden & Boston: Brill), ISBN: 9789004168190.
- Varshney, R. K. (2000), "First Authentic Record of the Lac Insect from Gujarat," *Bionotes*, 2/2: 27, URL: https://tinyurl.com/varshney2000, accessed 24/09/2024.
- Vīrasvāmi (1900–09) (ed.), [*Suśrutasaṃhitā*] (Madras); unidentified edition mentioned by Hoernle (1907: 68); date uncertain.
- Vogel, Claus (2005), review of Rahul Peter Das (2003), *The Origin of the Life of a Human Being. Conception and the Female According to Ancient Indian Medical and Sexological Literature* (Indian Medical Tradition; Delhi: Motilal Banarsidas), ISBN: 81-208-1998-5, in *Indo-Iranian Journal*, 48/1/2: 127–32, URL: https://www.jstor.org/stable/24664092.
- Vogel, Jean (1962), *The Goose in Indian Literature and Art* (Arts & Letters, XXVII; Leiden), 1952, ARK: https://n2t.net/ark:/13960/t9j425x5z.
- Von Hinüber, Oskar (1978), "On the Tradition of Pali Texts in India, Ceylon and Burma," in Heinz Bechert (ed.), *Buddhism in Ceylon and Studies on Religious Syncretism in Buddhist Countries* (Gottingen: Vandenhoeck & Ruprecht), 48–60, ISBN: 9783525823873.
- Wall, Frank (1913), The Poisonous Terrestrial Snakes of Our British Indian Dominions (Including Ceylon) and How to Recognize Them; With Symptoms of Snake Poisoning and Treatment (3rd edn., Bombay: Bombay Natural History Society), ARK: https://n2t.net/ark:/13960/t1zc8g94b.
- ——(1921), Ophidia Taprobanica or the Snakes of Ceylon (Colombo: Cottle, Government Printer), ARK: https://n2t.net/ark:/13960/t39z9q93n.
- Weinstein, Scott, et al. (2009), "Envenomations: An Overview of Clinical Toxinology for the Primary Care Physician.," *American family physician*, 80 (8): 793–802, ISSN: 1532-0650 (ppublish).
- Whitney, William Dwight (1885), *The Roots, Verb-forms, and Primary Derivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar* (Leipzig: Breitkopf and Härtel), ARK: https://n2t.net/ark:/13960/t3qv3p906.
- WHO (2019), Snakebite Envenoming: A Strategy for Prevention and Control (Geneva: WHO), ISBN: 978-92-4-151564-1.
- Winternitz, Maurice (1981–85), *A History of Indian Literature*, trans. V. Srinivasa Sarma and Subhadra Jha (2nd edn., Delhi: Motilal Banarsidas), ISBN: 81-208-0264-0, ARK: https://n2t.net/ark:/13960/s2p4419t5qd.

- Woodcock, Martin W. (1980), Collins Handguide to the Birds of the Indian Subcontinent, Including India, Pakistan, Bangladesh, Sri Lanka and Nepal (Collins), ISBN: 0-00-219712-X; Reprinted 1990.
- Wujastyk, Dagmar (2012), Well-Mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: https://doi.org/10.1093/acprof:oso/9780199856268.001.0001.
- ——(2013*a*), "Perfect Medicine. Mercury in Sanskrit Medical Literature," *Asian Medicine: Tradition & Modernity*, 8/1 (Sept.): 15–40, ISSN: 1573-4218. DOI: https://doi.org/10.1163/15734218-12341278.
- ——(2019), "Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda," *HIMALAYA: The Journal of the Association for Nepal and Himalayan Studies*, 39/1, ISSN: 2471-3716. DOI: https://doi.org/10.5281/zenodo.7746874.
- Wujastyk, Dominik (1999), "Miscarriages of Justice: Demonic Vengeance in Classical Indian Medicine," in John Hinnells and Roy Porter (eds.), *Religion, Health, and Suffering* (London: Kegan Paul International), 256–75, ISBN: 9780710306111, URL: https://www.academia.edu/492293/, accessed 21/09/2019; Reprinted as an eBook, Routledge 2011, 2016.
- ——(2000), "The Combinatorics of Tastes and Humours in Classical Indian Medicine and Mathematics," *Journal of Indian Philosophy*, 28: 479–95. DOI: https://doi.org/10.1023/a:1017514013759.
- ——(2002), "Cannabis in Traditional Indian Herbal Medicine," in Ana Salema (ed.), Äyurveda at the Crossroads of Care and Cure. Proceedings of the Indo-European Seminar on Ayurveda held at Arrábida, Portugal, in November 2001 (Lisbon: Centro de História de Além-Mar, Universidade Nova de Lisboa), 45–73, ISBN: 972-98672-5-9, URL: https://www.academia.edu/188844/, accessed 27/05/2019.
- —— (2003*a*), "Black Plum Island," in *2nd International Conference on Indian Studies. Proceedings* (Kraków: Jagiellonian University, Institute of Oriental Philology and Księgarnia Akademicka), 637–49.
- —— (2003*b*), *The Roots of Ayurveda: Selections from Sanskrit Medical Writings* (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.
- —— (2004), "Agni and Soma: A Universal Classification," Studia Asiatica: International Journal for Asian Studies, IV–V, ed. Eugen Ciurtin: 347–70, ISSN: 1582-9111, URL: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2585368/, accessed 30/01/2021.

- ——(2008), "A Body of Knowledge: The Wellcome Ayurvedic Anatomical Man and His Sanskrit Context," *Asian Medicine: Tradition & Modernity*, 4/1: 201–48. DOI: https://doi.org/10.1163/157342109X423793.
- ——(2013b), "New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine," in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL: https://www.academia.edu/4125988/.
- ——(2016a), "From Balkh to Baghdad. Indian Science and the Birth of the Islamic Golden Age in the Eighth Century," *Indian Journal of the History of Science*, 51/4: 679–90. DOI: https://doi.org/10.5281/zenodo.14796895, URL: http://doi.org/10.16943/ijhs/2016/v51/i4/41244.
- ——(2016b), "Models of Disease in Ayurvedic Medicine," in Mark Jackson (ed.), The Routledge History of Disease (Abingdon: Routledge), chap. 3, 38–53, ISBN: 9780415720014. DOI: https://doi.org/10.4324/9781315543420-4.
- ——(2021), "A New Translation of Carakasaṃhitā, Vimānasthāna, Chapter 1, Based on the Vienna Critical Edition," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos. Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), chap. 6, 77–109. DOI: https://doi.org/10.1163/9789004438224_007.
- Wujastyk, Dominik, et al. (2021–), "The Suśruta Project: The Textual and Cultural History of Medicine in South Asia Based on Newly-Discovered Manuscript Evidenc," ed. Dominik Wujastyk, Jason Birch, Andrey Klebanov, et al., URL: https://sushrutaproject.org, accessed 21/01/2023.
- Wujastyk, Dominik (2022), "The Science of Medicine," in Gavin D. Flood (ed.), *The Wiley Blackwell Companion to Hinduism* (2nd edn., Hoboken, NJ: Wiley and Sons, Ltd.), chap. 23, 399–413, ISBN: 9781119144861. DOI: https://doi.org/10.1002/9781119144892.ch23.
- ——(2024), "Candraṭa's editing of the Suśrutasaṃhitā," version 2, The Suśruta Project (12 Sept.), URL: https://sushrutaproject.org/2024/09/12/candrata/, accessed 29/09/2023; first published 2023-07-04.
- ——(2025), "Intertextuality and the Methods of Diagnosis," version 1, The Su-śruta Project (20 Mar.), URL: https://sushrutaproject.org/2025/02/25/, accessed 20/03/2025; first published 2025-02-25.
- Wujastyk, Dominik, et al. (2023), On the Plastic Surgery of the Ears and Nose. The Nepalese Version of the Suśrutasaṃhitā (Heidelberg: Heidelberg Asian Studies Publishing), ISBN: 978-3-948791-63-6. DOI: https://doi.org/10.11588/hasp.1203.

- Yagi, Toru (1994), "A Note on bhojya- and bhakṣya-," in Yasuke Ikari (ed.), *A Study of the Nīlamata. Aspects of Hinduism in Ancient Kashmir* (Kyoto: Kyoto Institute for Research in Humanities, Kyoto University).
- Yule, Henry, and Burnell, Arthur Coke (1903), Hobson-Jobson: A Glossary of Colloquial Anglo-Indian Words and Phrases, and of Kindred Terms, Etymological, Historical, Geographical and Discursive (London: John Murray), ISBN: 81-215-0109-1, ARK: https://n2t.net/ark:/13960/t1zc7wm8w; Often reprinted.
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.
- Zwilling, Leonard, and Sweet, Michael (2010), ""Like a City Ablaze": The Third Sex and the Creation of Sexuality in Jain Religious Literature," in Stephen Hunt (ed.), Religions of the East (New Delhi: Routledge, May), 425–50. DOI: https://doi.org/10.4324/9781315244679-17.
- Zwilling, Leonard, and Sweet, Michael J. (2000), "The Evolution of Third-Sex Constructs in Ancient India a Study in Ambiguity," in Julia Leslie and Mary McGee (eds.), *Invented Identities: The Inter play of Gender, Religion and Politics in India* (New Delhi: Oxford University Press), 99–132, ISBN: 9780195652932.
- Zysk, Kenneth G. (1993), "The Science of Respiration and the Doctrine of the Bodily Winds in Ancient India," *Journal of the American Oriental Society*, 113: 198–213. DOI: https://doi.org/10.2307/603025.
- —— (2007), "Revisited," *Journal of the Royal Anthropological Institute* (N.S.), S105–S115.

Materia Medica

Abbreviations

	ADPS	Sivarajan,	V.	V., and	Balachandran,	Indira	(1994),	Ayurvedic
--	------	------------	----	---------	---------------	--------	---------	-----------

Drugs and Their Plant Sources (New Delhi, Bombay, Calcutta:

Oxford & IBH Publishing).

AVS Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–

96) (eds.), Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal (Madras:

Orient Longman).

BIA Prater, S. H. (1993), *The Book of Indian Animals* (3rd edn., Bombay,

Delhi, etc.: Oxford University Press), ARK: https://n2t.net/ark:/13960/t6356w32f; 4th impression of 3rd corrected 1980

edition.

Chevillard Chevallier, Andrew (2000), The Encyclopedia of Herbal Medicine,

ed. Penny Warren et al. (1st edn., New York: Dorling Kindersley), ISBN: 9780751303148, ARK: https://n2t.net/ark:/13960/

s2bh76qc88s.

Chopra, R. N., Nayar, S. L., and Chopra, I. C. (1956), Glossary

of Indian Medicinal Plants (3rd reprint, 1992, New Delhi: Council of Scientific and Industrial Research); vol. 2: R. N. Chopra, I. C.

Chopra, and Varma (Chopra $_{sup}$).

Chopra IDG Chopra, R. N., Chopra, I. C., Handa, K. L., et al. (1958), Chopra's

Indigenous Drugs of India (2nd edn., Calcutta: Dhur & Sons), ARK:

https://n2t.net/ark:/13960/t9673t140.

Chopra, R. N., Chopra, I. C., and Varma, B. S. (1969), *Supplement*

to Glossary of Indian Medicinal Plants (Reprint 1986, New Delhi: National Institute of Science Communication), ISBN: 8185038872.

Abbreviations 338

CIPP Pillay, V. V. (2010), "Common Indian Poisonous Plants," in D. A.

Warrell, T. M. Cox, and J. D. Firth (eds.), Oxford Textbook of Medicine (5th edn., Oxford University Press), 1371–5. Doi: https://

doi.org/10.1093/med/9780199204854.003.090302.

Dutt Dutt, Uday Chand (1922), The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), ARK: https://n2t.net/ark:/13960/

t59c7tg9z; Reprinted Varanasi: Chowkhamba Saraswatibhavan,

1980.

Dymock Dymock, William, Warden, C. J. H., and Hooper, David (1890), Pharmacographia Indica: A History of the Principal Drugs of Veget-

able Origin Met with in British India (London, Bombay, Calcutta: Kegan Paul), URL: https://tinyurl.com/dymock1890, accessed

16/03/2023.

Meulenbeld, Gerrit Jan (1974a), "Sanskrit Names of Plants GJM₁ and their Botanical Equivalents," in id., The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes (Leiden: Brill), chap. Appendix Four, 520-611, ARK:

https://n2t.net/ark:/13960/t25b8q97g.

Meulenbeld, Gerrit Jan (1988), "G. J. Meulenbeld's Additions to his "Sanskrit Names of Plants and their Botanical Equivalents"," in Rahul Peter Das, Das Wissen von der Lebensspanne der Bäume: Surapālas Vrksāyurveda (Stuttgart: Franz Steiner Verlag), chap. Appendix 1, 425–65, ISBN: 9783515046633; Supplement to

GJM₁.

Singh, Thakur Balwant, and Chunekar, K. C. (1972), Glossary of Vegetable Drugs in Brhattrayī (Varanasi: Chowkhamba Sanskrit Series Office), ARK: https://n2t.net/ark:/13960/

s2cvp72x58j.

Hilgenberg, Luise, and Kirfel, Willibald (1941), Vāgbhaṭa's Astāngahrdayasamhitā, ein altindisches Lehrbuch der Heilkunde, aus dem Sanskrit ins Deutsche übertragen mit Einleitung, Anmerkungen und Indices (Leiden: Brill), ARK: https://n2t.net/ark:/13960/

t52h05616.

GJM₂

GVDB

HK

Abbreviations 339

IGP Griffiths, Mark (1994), The New Royal Horticultural Society Index of Garden Plants (London: Macmillan), ARK: https://n2t.net/ ark:/13960/t2q61gn9z.

> Khare, C. P. (2004), Indian Herbal Remedies: Rational Western Therapy, Ayurvedic and Other Traditional Usage, Botany (Berlin and Heidelberg: Springer), ISBN: 978-3-642-62229-8. DOI: https://doi.org/10.1007/978-3-642-18659-2, ARK: https://n2t.net/ark:/13960/t2p67054f.

Issar, T. P. (1994), *Blossoms of Bangalore* (Bangalore: T. P. Issar). Issar

IW Israel, Samuel, et al. (1988), Indian Wildlife: Sri Lanka Nepal (Insight Guides; Singapore etc.: APA Publications), ISBN: 9780245545238, ARK: https://n2t.net/ark:/13960/ s2p9d5pqd1w.

K & B Kirtikar, K. R., Basu, B. D., and an I.C.S (1987), Indian Medicinal Plants, ed. E. Blatter, J. F. Caius, and K. S. Mhaskar, 8 vols. (2nd edn., Dehradun: International Book Distributors); First published in Allahabad, 1918.

Missouri Botanical Garden (2024), "Missouri Botanical Garden: Plant Finder," Missouri Botanical Garden, URL: https://bit.ly/MissouriPlantfinder.

> Bown, Deni (2001), New Encyclopedia of Herbs and Their Uses (2nd edn., London, New York etc: .Dorling Kindersly).

> Nadkarni, K. M. (1982), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL: https://tinyurl.com/Nadkarni1982; First published in 1954.

> Peter, K. V. (2012) (ed.), Handbook of Herbs and Spices (Food Science, Technology and Nutrition, 228; 2nd edn., Oxford, Cambridge, Philadelphaia, New Delhi: Woodhead Publishing), ISBN: 9780857090393.

> Wren, R. C. (1956), Potter's New Cyclopaedia of Botanical Drugs and Preparations, ed. R. W. Wren (7th edn., Rustington, Sussex: Health Science Press), ARK: https://n2t.net/ark:/13960/ t14n65c9g.

IHR

MBG

NEH

NK

Peter

Potter

 $Potter_{rev}$ Wren, R. C., Williamson, Elizabeth M., and Evans, Fred J. (1994), Potter's New Cyclopaedia of Botanical Drugs and Preparations (Saffron Walden: C. W. Daniel Company Ltd.); Reprint of revised 1988 edition. **POWO** Kew Gardens (2024), "Plants of the World," Royal Botanic Gardens, url: https://powo.science.kew.org. Reptiles Daniel, J. C. (1983), The Book of Indian Reptiles (Bombay: Oxford University Press). Trees Bole, P. V., and Vaghani, Yogini (1986), Field Guide to the Common Trees of India (Bombay, Delhi, Oxford, etc.: World Wildlife Fund – India and Oxford University Press), ISBN: 0-19-561595-6; 4th reprint. Watt, George (1908), The Commercial Products of India, Being an $Watt_{Comm}$ Abridgement of "the Dictionary of the Economic Products of India" (London: John Murray), ARK: https://n2t.net/ark:/13960/ t8cg7dm79. $Watt_{Dict}$ Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture, Government of India), URL: https://tinyurl.com/watt1889, accessed

Flora

(taṇḍulīyaka): 196

28/04/2021.

aconite leaf (?) (visapatrikā) Unknown. Cf. amaranth (tandulīyaka) Amaranthus perhaps, Indian aconite (viṣā) (but that spinosus L. See GVDB: 174, Dutt: 321, is feminine). Cf. GVDB: 373, NK: 1, #144, Potter_{rev}: 15. Cf. "unidentified": 153 AVS: 1, 121. Amaranth (etym. amṛta!) is a large family, many originally endemic agarwood (aguru) Aquilaria malaccensis to S. America. A. hypochondriacus L. is Lam., GVDB: 3: 110, 111, 214 sometimes identified with taṇḍulīyaka, 'alas, alas' (?) (hālāhala) unknown. See Cf. but A. spinosus L. is better known and Sodhalanighantu p.43 (sub bola) =attested in S. Asia in the first stomaka = Indian aconite (vatsanābha): millennium BCE (Saraswat 1991): 145, 154, 156 203, 207, 212, 340 Alexandrian laurel (punnāga) Calophyllum inophyllum, L. See Arabian jasmin (*trnaśūnya*) see Arabian AVS: 1, 338, NK: 1, #425: 195, 214 jasmine (*mallikā*), GVDB: 190 MW: 453 says Jasminium sambac. GVDB: 190 amaranth (tandulīya) see amaranth

also suggest screwpine (ketaka): 341

```
Arabian jasmine (mallikā) Jasminum
                                                 discussed. T. B. Singh and Chunekar
   sambac (L.) Aiton, GVDB: 300: 340
                                                 (GVDB: 363) note that when vasuka is
                                                 mentioned with vasira, two varieties of
Arabian jasmine (tṛṇaśūlya) probably an
                                                 salt are often meant (see vasukavasirā).
   alternative pronunciation for Arabian
   jasmin (tṛṇaśūnya), GVDB: 190: 214
                                                See also NK: #1299 who identifies it
                                                 with Indigofera enneaphylla, Linn.
arjun (arjuna) Terminalia arjuna, Bedd. See
                                                 (Birdsville Indigo), apparently without
   HK: 738: 50, 86, 211
                                                 controversy: 85
Asoka tree (aśoka) Saraca indica Linn.,
                                             beautyberry (śyāmā) Callicarpa
   GVDB: 26: 111, 113, 196, 214, 236, 357
                                                 macrophylla, Vahl. See AVS: 1, 334,
atis root (śrngīvisa) Aconitum
                                                 NK: 1, #420: 116, 143, 145, 197
   heterophyllum, Wall. ex Royle. See
                                             beggarweed (amśumatī) see beggarweed
   AVS: 1, 42, NK: 1, #39: 154, 156
                                                 (śālaparnī), GVDB: 1, mentioning that
axlewood (dhava) Anogeissus latifolia
                                                 the pair of these refers to beggarweed
   (Roxb. ex DC.) Wall. ex Guill & Perr.
                                                 and ??: 161, 206
   See AVS: 1, 163 f, Chopra: 20: 50, 85,
                                             beggarweed (sthirā) see beggarweed
   166, 211, 214
                                                 (śālaparṇī), GVDB: 458: 206
bamboo leaves (venupatrikā) Bambusa
                                             beggarweed (vidārigandhā) see
   bambos, Druce. See NK: 1, #307: 145
                                                 beggarweed (śālaparnī): 59, 121,
banyan (nyagrodha) Ficus benghalensis, L.,
                                                 229, 352
   GVDB: 356, HK: 748: 341
banyan (vaṭa) see banyan (nyagrodha):
                                             beggarweed (śālaparnī) Desmodium
                                                 gangeticum (L.) DC. See
   86, 89
                                                 Dymock: 1, 428, GJM1: 602, NK: 1,
barley (yava) Hordeum vulgare, L. See
                                                 #1192; ADPS: 382, 414 and AVS: 2, 319,
   HK: 752: 121
                                                 4.366 are confusing: 341
barley ash (yavakṣāra) The preparation
                                             beleric myrobalan (bibhītaka) Terminalia
   method is described at GVDB: 327:
                                                bellirica Roxb. One of the components
   124, 341
                                                 of the three myrobalans (triphalā)
barley ash (yavanāla) see barley ash
                                                 GVDB: 274, 196: 360
   (yavakṣāra), GVDB: 327: 204
                                             Bengal quince (bilva) Aegle marmelos (L.)
bayberry (katphala) M. esculenta
                                                 Corr. See AVS: 1, 62, Chevillard: 161,
   Buch.-Ham. ex D.Don, which is is
                                                 NK: 1, #62, i(MW: 732a): 85, 111, 113,
   native to the Himalaya, from Kashmir
                                                 118, 197, 342, 346, 358
   to Assam, as well as S. China and SE
                                             big poison (?) (mahāviṣa) unknown.:
   Asia. Nageia nagi (Thunb.) Kuntze
                                                 154, 156
   (syn of Myrica nagi Thunb.), as
                                             big thorn apple (?) (mahākarambha)
   suggested by T. B. Singh and Chunekar
                                                 Perhaps Datura metel, L.?. See thorn
   (GVDB: 66), is native to East Asia, not
                                                 apple (karambha): 153
   India: 196
                                             bitter gourd (patolī) see pointed gourd
bearded premna (vasuka) Premna barbata
                                                 (paṭola), cite[233]gvdb: 196
   Wall. (\leftarrow vasuhatta), according to
                                             bitumen (adrija) \rightarrow \acute{sil}\bar{a}jit. A tar-like, black,
   Cakrapāṇidatta. See the discussion by
                                                 resinous rock exudate. See
   T. B. Singh and Chunekar
                                                 Mahākośa: 1, 21: 177
   (GVDB: 362–363), where other
   candidate species such as Osmanthus,
                                             black Bengal quince (krsnaśrīphalikā)
   Calotropis, and Trianthema are
                                                 GVDB: 412, on śrīphala, synonym of
```

Bengal quince (bilva) fruit: 347 black creeper (kālānusārī) Ichnocarpus frutescens R. Br. or Cryptolepis buchanani Roemer & Schultes. Probably a synonym for kṛṣṇasārivā (GVDB: 94–95). I. frutescens has dark, rust-colored stems, so has been preferred here. However, Cryptolepis grandiflora, Wight, also has black stems. Synonym of kālānusāriņī, kālānusārivā. kālanusārya may be a synonym of *tagara*, itself hard to identify: 195, 342 black creeper (pālindī) Ichnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes. See AVS: 3, 141, 145, 203, NK: 1, #1283, 1210, ADPS: 434. Palhaṇa on SS 5.1.82 identified *pālindī* with *trivṛt* (turpeth) and T. B. Singh and Chunekar (GVDB: 246) supported this as a usual identification: 145, 148, 161, 196 black nightshade (kākamācī) Solanum nigrum, Linn., GVDB: 86–87. May also be the less poisonous S. dulcamara, "bittersweet nightshade," K & B: 1,889–892:206,213,344 black pepper (marica) Piper nigrum, L. See ADPS: 294, NK: 1, #1929. Known to ancient Greek authors (Ball 1888: 341): 122, 212, 236, 346, 360 black sarsaparilla (kālānusārivā) see Indian sarsaparilla (*sārivā*); see also black creeper (kālānusārī). Problems about identifying this plant are discussed at GVDB: 94–95 and GVDB: 429–431: 214 blackboard tree (saptachada) Alstonia scholaris R. Br. GVDB: 420: 144, 342 blackboard tree (saptaparna) see blackboard tree (saptachada): 212 blackbuck (hariṇa) Antilope cervicapra, L. See BIA: 270 IW: 95, 165, et passim: 148 blue water-lily (utpala) Nymphaea stellata, Willd. See GJM1: 528, IGP 790; Dutt: 110, NK: 1, #1726: 41, 143, 161,

214, 236, 237, 346 bluebell barleria (kuravaka) see bluebell barleria (kuruvaka): 197 bluebell barleria (kuruvaka) Or kurubaka. T. B. Singh and Chunekar (GVDB: 108) notes that this is sometimes listed as a type of rice, as at Suśrutasamhitā 1.46.8 (Su 1938: 215). Further discussion at GVDB: 447–448, sub bluebell barleria (saireyaka), where kurubaka is said to be identifiable with baka and būka. T. B. Singh and Chunekar (GVDB) finally propose a red-flowering Rhododendron, admitting that this is a novel suggestion: 153, 342 bluebell barleria (sahā) see bluebell barleria (*sahācara*), GVDB: 428: 120, 205 bluebell barleria (sahācara) see bluebell barleria (*saireyaka*), GVDB: 427: 342 bluebell barleria (saireyaka) A Barleria, perhaps B. cristata L. that is particularly well-known in South India. Four kinds are distinguished in ayurveda, based on the colour of their flowers. See substantive discussion at GVDB: 444-449: 342 bread flower (āsphota) GVDB: 41 argue for Vallaris solanacea (Roth ex Roem. & Schult.) Kuntze. This has the right distribution in S. Asia POWO: s.v.: 207 bull's head (goksura) Tribulus terrestris L. GVDB: 144–145, 193. A component of lesser five roots: 342 bull's head (trikantaka) \rightarrow bull's head (gokṣura) GVDB: 193. A component of lesser five roots: 352 bulrush (kaśeru) "Two species, Scirpus kysoor Roxb., and S. grossus Linn. f., are used" GVDB: 85. Also kaśeruka and *kaseru* : 116, 117, 120 calabash gourd $(k\bar{u}$ smāṇḍa) \rightarrow puṣpaphala. Beninkasa hispida, (Thunb.) Cogn. See AVS: 2, 1127; cf. AVS: 1, 261: 346 camphor $(karp\bar{u}ra) \rightarrow s\bar{\imath}tasiva$. Cinnamomum camphora, (L.) Sieb. See

```
IGP 253: 343
                                                  (L.) Baill. ex Pierre, GVDB: 154: 214
camphor (śītaśiva) rarely mentioned.
                                              chebulic myrobalan (harītakī) Terminalia
   Taken as rock salt (saindhava) or shami
                                                  chebula Retz. GVDB: 466: 119, 144,
   tree (śam\bar{\imath}), etc., by some authors,
                                                  214, 360
   GVDB: 402. Dalhana on 5.6.18
                                              cherry (elavālu) Prunus cerasus, L. See
   (Su 1938: 581) glossed it as camphor
                                                  GVDB: 58 for a thoughtful discussion
   (karpūra), but noticed other
                                                  NK: 1, #2037.: 161, 214, 343
   interpretations: 214
                                              cherry (elavāluka) see cherry (elavālu): 212
cardamom (elā) Elettaria cardamomum,
                                              chir pine (sarala) Pinus roxburghii, Sarg.
   Maton. See AVS: 2, 360, NK: 1, #924,
                                                  GVDB: 423: 85, 120, 212, 214
   Potter<sub>rev</sub>: 66: 110, 111, 161, 167, 195, 196,
                                              cinnamon (tvac) Cinnamomum cassia,
   204, 214, 343, 359
                                                  Blume. See NK: 1, #579: 206, 214,
cardamom (kṣudrailā) see cardamom (elā),
                                                  343, 359
   GVDB: 128. This expression, "small
                                              cinnamon (tvak) see cinnamon (tvac): 196
   cardamom" is only used at
                                              cinnamon (varānga) see cinnamon (tvac),
   Suśrutasamhitā Kalpasthāna 6.17: 214
                                                  GVDB: 360: 212
carray cheddie (vi\acute{s}vadev\bar{a}) \rightarrow g\bar{a}\dot{n}geruk\bar{\iota}
                                              citron (mātulunga) Citrus medica, Linn.
   Canthium parviflorum, Lam. See
                                                  GVDB: 276, 306. Also spelled mātulinga,
   AVS: 1, 366 f. Or Sida rhombifolia Linn.
                                                  mātulanga, mātulānga: 85, 118, 123, 124,
   (GVDB: 372, 444 ff. et passim): 89
                                                  196, 229
castor oil tree (gandharvahasta) see
                                              cluster fig (udumbara) Ficus racemosa, L.
   castor-oil (eranda). GVDB: 135, K &
                                                  See ADPS: 487: 211
   B: 3, 2277: 55, 113
                                              cobra's saffron (n\bar{a}gapuspa) \rightarrow n\bar{a}gakeśara.
castor-oil (eranda) Ricinus communis, L.
                                                  Mesua ferrea, L. See NK: 1, #1595,
   See NK: 1, #2145, Chopra: 214: 60, 343
                                                  GVDB: 220: 161
castor-oil tree (vardhamāna) see castor-oil
                                              colocynth (indravārunī) Citrullus
   (eranda), GVDB: 361: 212
                                                  colocynthis (L.) Schrad., GVDB: 46.
catechu (khadira) Senegalia catechu (L.f.)
                                                  The two varieties of this plant are
   P. J. Hurter & Mabb = Acacia catechu
                                                  discussed by (ADPS: 180-183); the first
   Willd. GVDB: 129-130: 86
                                                  is agreed to be colocynth, the second is
certain minerals (tārāvitāra) Unknown. It is
                                                  debated but is likely to be a
                                                  Curcubitaceae: 212, 214, 343
   not even certain that these are minerals.
   The variant reading in the vulgate,
                                              colocynth (mrgādanī) see colocynth
   tārah sutārah was glossed by Dalhana on
                                                  (indravāruņī) GVDB: 46, 318: 196
   5.3.14 (Su 1938: 568) as follows tāro
                                              common smilax (śvadamśtra) Smilax
   rūpyam, sutārah pāradah, "tāra means
                                                  aspera L., GVDB: 414:85
   silver; sutāra means mercury.": 166
                                              convolvulus (laksmanā) Sivarajan and
chaff (kāndana) The word kāndana is not
                                                  Balachandran (ADPS: 273-275)
   found in dictionaries; kandana is
                                                  suggest Ipomoea marginata (Desr.)
   threshing, separating the chaff from the
                                                  Verdc. or I. obscura (Linn.)
   grain in a mortar. Cf. Hemādri's
                                                  AVS: 3, 237–238 suggests Ipomoea
   Caturvargacintāmaņi (PWK: 2,8)
                                                  sepiaria Roxb. (looks like a little boy
   (Śiromaṇi 1873: 1, 138: 21, citing the
                                                  (putraka), and generates a boy
   Vāyupurāṇa): 43, 357
                                                  (putrajananī), according to the
                                                  Bhāvaprakāśa). Sivarajan and
champak (campaka) Magnolia champaca
```

```
Balachandran (ADPS: 273-275) firmly
   reject Mandragora officinalis which is
   European; but possible consideration
   could be given to Mandragora
   caulescens C.B.Clarke, a variant that is
   known in South Asia. Cf.
   GVDB: 346-347. NK: #1546, #2323
   suggests Mandragora officinalum,
   Linn., known as putrada: 89
coriander (dhānyaka) Coriandrum sativum
   L., GVDB: 213: 344
coriander (kustumburya) see coriander
   (dhānyaka), GVDB: 113: 214
corky coral tree (pāribhadra) Erythrina
   suberosa Roxb. See GVDB: 245:
   166, 344
corky coral tree (pāribhadraka) see corky
   coral tree (pāribhadra): 113, 211
costus (kustha) Dolomiaea costus (Falc.)
   Kasana & A. K. Pandey. See GVDB: 112,
   NK: 1, #2239. Known to ancient Greek
   authors (Ball 1888: 345): 110, 111, 118,
   145, 161, 167, 195, 196, 204, 212, 214
cottony jujube (kākolī) Ziziphus
   mauritanica, Lam. See IGP: 1233, NK: 1,
   #2663; IGP 1233. Cf. NK: 1, #1170: 109,
   117, 118, 192
country mallow (atibalā) Abutilon
   indicum, (L.) Sweet, but may be other
   kinds of mallow, e.g., Sida rhombifolia,
   L.. See NK: 1, #11, IGP: 1080, NK: 1,
   #2300, ADPS: 71, 77: 59, 117, 120, 294
country mallow (sahadev\bar{a}) \rightarrow bal\bar{a}
   (GVDB: 428). Contains ephedrine:
   89, 120
country sarsaparilla (anantā) Hemidesmus
   indicus, (L.) R. Br. See ADPS: 434,
   AVS: 3, 141–145, NK: 1, #1210. But see
   GVDB: 13 for complications that may
   suggest that it is to be equated with
   sārivā, which may sometimes be
   Cryptolepis or Ichnocarpus fruitescens
   R. Rr. (GVDB: 429-431): 59, 153,
   161, 166
```

crape jasmine (tagara) Tabernaæmontana

```
divaricata (L.) R.Br. ex Roem. &
   Schultes. See GJM1: 557, AVS: 5, 232.
   Synonym of nata. But some say
   Valeriana jatamansi, Jones. See
   GVDB: 173-174 for discussion (and
   charming comments on brain-liquid
   testing). Some say tagara is Indian
   rose-bay or Indian valerian or a
   Nymphoides (see water snowflake (?)
   (kumudavat\bar{\iota})), but there remain many
   historical questions about the ancient
   and regional identities of this plant See,
   e.g., AVS: 5, 334, 345. See also
   IGP: 1147, K & B: 1, 796, #758: 110, 111,
   118, 145, 161, 195, 214, 348, 362
crimson trumpet-flower tree (pātalā)
   Stereospermum chelonides, (L. f.) A.
   DC. See GJM1: 573, AVS: 5, 192 ff,
   ADPS: 362 f, AVS: 3, 1848 f, IGP 1120,
   Dymock: 3, 20 ff: 346, 362
croton tree (nāgadantī) Croton persimilis
   Müll.Arg., GVDB: 222: 212, 344, 356
croton tree (nāgavinnā) Croton persimilis
   Müll.Arg. GVDB: 222 I have taken this
   as croton tree (nāgadantī) because of
   context in Suśrutasamhitā Kalpasthāna
   5:197
crow (?) (kāka2) an unidentified poisonous
   plant apparently called "crow."
   T. B. Singh and Chunekar (GVDB: 86)
   note that several drugs named after the
   crow are unidentifiable. Black
   nightshade, (kākamācī) is toxic, but this
   is a stretch: 153
datura (dhattūra) Datura metel, L. See
   AVS: 2, 305 (cf. Abhidhānamañjarī),
   NK: 1, #796 ff. Potter<sub>rev</sub>: 292 f,
   ADPS: 132: 56, 344
datura (dhuttūrakā) see datura (dhattūra):
   208
deodar (bhadradāru) Cedrus deodara,
    (Roxb.ex D.Don) G. Don. See AVS 41,
   NK: 1, #516: 50, 117, 121, 161, 212
deodar (devadāru) Cedrus deodara (Roxb.)
```

Loud. GVDB: 206-207: 85, 118, 214,

```
294, 345
deodar (suradāru) see deodar (devadāru):
devil's dung (hingu) Ferula foetida Regel.,
   GVDB: 471–472: 86, 87, 195
dried ginger (n\bar{a}gara) \rightarrow dried ginger
   (śuṇṭhī) GVDB: 221–222: 87, 195
dried ginger (śunthī) Zingiber officinale,
   Roscoe. See ADPS: 50, NK: 1, #2658,
   AVS: 5, 435, IGP: 1232: 116, 345, 360
dried meat (vallūra) MW: 929,
   Mahākośa: 1,730. The term is used,
   rarely, in both the CS (1.5.10) and SS
   (1.13. 16, 6.42.75–76). It is a Dravidian
   loanword and occurs in the Arthaśāstra
   etc. (KEWA: 3, 167): 42
drum-giver (?) (lambaradā) Unknown; cf.
   GVDB: 348: 153
elixir salve (rasāñjana) cf. Indian barberry
   (a\tilde{n}jana): 50, 60, 349
embelia (vidanga) Embelia ribes, Burm. f.
   See ADPS: 507, AVS: 2, 368, NK: 1,
   #929, Potter<sub>rev</sub>: 113: 50, 85, 111, 161, 195,
emblic myrobalan (āmalaka) Phyllanthus
   emblica, L. See AVS: 4, 256:85, 119,
   120, 236, 360
emetic nut (karaghāṭa) Probably a synonym
   for karahāṭa (emetic nut), q.v.,
   GVDB: 74: 345
emetic nut (karaghāṭaka) see emetic nut
   (karaghāṭa) : 154, 211
emetic nut (karahāṭa) Randia dumetorum,
   Lamk. See GVDB: 291-292 and NK: 1,
   #2091. T. B. Singh and Chunekar
   (GVDB: 74, 77–78) noted that it may be
   a synonym for karaghāṭa, emetic nut,
   and pointed rather to Gardenia turgida
   Roxb. on the basis of local knowledge
   in U. P.: 345
emetic nut (?) (karaṭā) Not in GVDB. Cf.
   perhaps karahāṭa (emetic nut): 152
emetic nut (madana) Randia dumetorum,
   Lamk. See NK: 1, #2091: 144, 296
false daisy (bhṛṅga) Eclipta prostrata (L.)
```

```
L. See GVDB: 288: 85
false daisy (subhangura) (su) bhangura =
   bhṛṅga? Eclipta prostrata (L.) L. See
   GVDB: 288: 152
fermented rice-water (dh\bar{a}ny\bar{a}mla) \rightarrow k\bar{a}\tilde{n}j\bar{\iota},
   kāñjikā, sauvīra. GVDB: 458, NK: 2,
   appendix VI, #18: 57, 58
fern (ajaruhā) Nephrodium species
   GVDB: 7, uncertain. Perhbaps
   Christella dentata(Forssk.) Brownsey
   & Jermy, which is reported to have folk
   applications against skin diseases in
   India: 147
fire-flame bush (dhātakī) Woodfordia
   fruticosa (L.) Kurz. See AVS: 5, 412,
   NK: 1, #2626. Known to ancient Greek
   authors (Ball 1888: 344): 86, 144
five roots (pañcamūla) Described at
   Suśrutasamhitā 1.38.66-69
   (Su 1938: 169). There are two
   pañcamūlas, the laghupañcamūla (the
   lesser five roots) and brhatpañcamūla
   (greater five roots), with differing
   properties. Combined they are called
   daśamūla (ten roots). See also
   Mahākośa: 1, 468:85
flame-of-the-forest (kimśuka) see
   flame-of-the-forest (palāśa),
   GVDB: 97-98: 204
flame-of-the-forest (palāśa) Butea
   monosperma (Lam.) Taub. GVDB: 241.
   pālāśa in some sources: 86, 113, 345
flax (atasī) Linum usitatissimum, L. See
   NK#1495: 117
foxtail millet (priyangu) also śyāmā. Setaria
   italica (L.) P. Beauvois GVDB: 263–264,
   GJM1: 576. The most widely-grown
   species of millet in Asia. Some say
   Callicarpa macrophylla, Vahl. See
   AVS: 1, 334, NK: 1, #420. The fruits of
   S. italica and C. macroyphylla are
   similar. See also GVDB: 413, where the
   authors suggest that priyangu is meant
```

by gondī or gondanī and may have

originally been called gundrabīja: 50,

```
opinions that surendra was "Tellicherry
   161, 167, 195, 196, 236, 346
                                                 bark": 167
foxtail millet (priyangū) see foxtail millet
   (priyangu): 214
                                              golden shower tree (rājadruma) see golden
fragrant lotus (saugandhika) A type of
                                                 shower tree (āragvadha): 166
                                              golden shower tree (rājavrksa) see golden
   white water-lily (kumuda) or blue
   water-lily (utpala), GVDB: 457: 41
                                                 shower tree (āragvadha): 85
fruit of the marking-nut (āruṣkara) see
                                              golden shower tree (āragvadha) Cassia
   marking-nut tree (aruskara). "āruṣkara
                                                 fistula L. GVDB: 37-38, ADPS: 48,
   = aruṣkara phala" ADPS: 23; see also
                                                 AVS: 2, 11 ff, AVS: 2, 854, IGP: 215.
   MW: 151: 196
                                                 Known to ancient Greek authors (Ball
gajpipul (gajapippalī) GVDB: 469, 132, syn.
                                                 1888: 343). The plant has many
   hastipippalī. A controversial plant, but
                                                 synonyms: 119, 194, 204, 206, 346
   the conjecture of T. B. Singh and
                                              gourd (alābu) Lagenaria siceraria Standl.
   Chunekar that Scindapsus officinalis
                                                 GVDB: 25. Some say Lagenaria
   (Roxb.) Schott is the more ancient
                                                 vulgaris, Seringe (NK: 1, #1419) but
   identity is accepted here: 346, 366
                                                 this is not appropriate for
gajpipul (hastipippalī) see gajpipul
                                                 blood-letting: 37, 38, 144, 192
   (gajapippalī), GVDB: 469, 132: 212
                                              gourd (vallija) see gourd (vallija): 154
galangal (galangala) Alpinia galanga (L.)
                                              gourd (vallīja) This is a guess. According
   Sw. Identified with grey orchid in
                                                 to some lexical sources, syn. for black
   Kerala (ADPS: 398). The name is
                                                  pepper (marica) (MW: 929). See NK: 1,
   borrowed from Chinese, perhaps via
                                                 #1929. T. B. Singh and Chunekar
   Persian or Arabic (Peter: 2, 304), and
                                                  (GVDB: 362) note that valliphala may be
   the name does not occur in early
                                                 calabash gourd (kūṣmāṇḍa), which I
   āyurvedic literature (GVDB): 347
                                                 follow. The related spiny bitter gourd
galls (?) (karkata) almost impossible to
                                                 has poisonous seeds, but not flowers.
   identify with certainty, GVDB: 78–80.
                                                 Commenting on Bṛhatsaṃhitā 8.13ab
   Perhaps Rhus succedanea, L. See
                                                 and 16.24ab, Bhattotpala glossed it as
   NK: 1, #2136: 154
                                                 mudgādi, "mung beans etc.": 346
garjan oil tree (aśvakarna) Dipterocarpus
                                              grapes (drākṣā) Vitis vinifera L.
   turbinatus Gaertn. f. See GVDB: 28,
                                                 GVDB: 208-209: 196
   Chopra: 100: 166, 211, 214
                                              greater five roots (bṛhatpañcamūla)
giant potato (ks\bar{\imath}ravid\bar{a}r\bar{\imath}) possibly \rightarrow
                                                 Described at Suśrutasamhitā 1.38.68–69
   kṣīraśukla. Ipmoea mauritiana, Jacq. See
                                                  (Su 1938: 169). Consists of Bengal
   ADPS: 510, AVS: 3, 222, AVS: 3, 1717 ff:
                                                 quince, migraine tree, Indian trumpet
                                                 tree, crimson trumpet-flower tree, and
   117, 350, 354, 355, 357
ginger (mahauṣadha) Zingiber officinale,
                                                 white teak: 345, 351, 359
   Roscoe. See ADPS: 50, NK: 1, #2658,
                                              green gram (māṣa) Vigna radiata (L.) R.
                                                 Wilcz. See ADPS: 296, IGP 1204: 50,
   IGP: 1232: 148
gold (hema) gold: 161
                                                  117, 295
gold and sarsaparilla (surendragopa)
                                              grey orchid (rāsnā) Vanda tessellata
   Unknown. Dalhana on 5.3.15
                                                  (Roxb.) Hook. ex G.Don, usually. But
   (Su 1938: 568) glossed surendra as
                                                 Pluchea lanceolata, Oliver & Hiern, is a
   "gold" and gopā as "Indian
                                                 more common identification in Punjab
   sarsaparilla." He also noted other
                                                 and Gujarat (GVDB: 337-338); Alpinia
```

galanga (L.) Sw. is more common in Kerala (ADPS: 398; Peter: 2, 303–318), though this is usually identified with galangal. As all authorities note, the identification of this plant is debated. Sivarajan and Balachandran (ADPS: 398–401) note that sources describe it as having leaves like cardamom and sweet-smelling roots and that "there is great confusion with regard to the identity of the drug.": 85, 116, 118, 195, 346

gummy gardenia (*pṛthvīkā*) ← *hiṅgupatrikā*, Gardenia gummifera L.f., GVDB: 257, q.v. for discussion: 196, 214

hairy bergenia (*pāṣāṇabheda*) Bergenia ligulata (Wall.) Engl. GVDB: 246–247:

hairy-fruited eggplant (*bṛhatī*) Solanum lasiocarpum Dunal. (syn. S. ferox, L. & S. indicum L.), GVDB: 277–278, who discuss the two kinds of *bṛhatī*, which may be large and small eggplants (Solanum melongena L.). See also ADPS: 100, NK: 1, #2329, AVS: 5, 151, IHR: 429–430: 113, 119, 160, 161, 204, 206, 352

halfa grass (*darbha*) Demostachya bipinnnata Stapf. GVDB: 201. Synonym of *kuśa*: 88, 117

halfa grass (*kuśa*) Desmostachya bipinnata, (L.) Stapf. GVDB: 111, AVS: 2, 326: 117, 189, 212

hare foot uraria (kroṣṭakamekhalā) see hare foot uraria (pṛśniparṇī)

Mahākośa: 1, 246. kṛoṣṭaka can mean
"jackal" śṛgāla, as in śṛgālavinna, "a kind of pṛśnaparṇī) Mahākośa: 1, 839: 196

hare foot uraria (*pṛthakparṇī*) → hare foot uraria (*pṛśniparṇī*) and rajmahal hemp (*mūrvā*) GVDB: 257. A component of lesser five roots: 119, 352

hare foot uraria (*pṛśniparṇī*) → *sahā*? Uraria lagopoides, DC. and U. picta Desv. See GVDB: 257–258, GJM1: 577, Dymock: 1, 426, AVS: 1, 750 ff, NK: 1, #2542; ADPS: 382, AVS: 2, 319 and AVS: 4, 366 are confusing. Also called *pṛthakparṇī*. A component of lesser five roots: 116, 117, 347

heart-leaf sida (*balā*) Sida cordifolia, Linn. See ADPS: 71, NK: 1, #2297: 59, 117, 120, 122, 161, 294

heart-leaved moonseed (amṛtā) Tinospora cordifolia(Thunb.) Miers., synonym of guḍūcī. See ADPS: 38, NK: 1, #2472, 624, Dastur #229, GVDB: 17–18. Also amṛta, m.: 145, 160, 206

heart-leaved moonseed (guḍūcī) Tinospora cordifolia, (Thunb.) Miers. ADPS: 38, NK: 1, #2472 & #624, Dastur #229, GVDB: 141–142. Also identified as Cocculus cordifolius DC. by Nadkarni (NK) and others (see also the Tropicos botanical database). Also commonly called amrtā: 85, 118

heart-leaved moonseed (somavallī)
Tinospora cordifolia (Thunb.) Miers.
GVDB: 456. Likely, but uncertain: 145

heart-leaved moonseed creeper (amṛtavalli) See amṛtā: 294

hedge caper (*hiṃsrā*) Capparis sepiaria L., GVDB: 471, IHR: 124, K & B: 1, 109: 347

hedge caper (kākādanī) synonym of hedge caper (hiṃsrā), GVDB: 88, 471, IHR: 124, K & B: 1, 109. This name is not used in the Carakasaṃhitā. At 5.7.31 (Su 1938: 583), Dalhaṇa glossed kādādanī as black Bengal quince (kṛṣṇaśrīphalikā). GVDB: vi, 471 note that they have identified kākādanī as Cardiospermum halicacabum L. "balloonvine": 206

henna (*madayantikā*) Lawsonia inermis, L. See AVS: 3, 303, NK: 1, #1448, Potter_{rev}: 151: 146

hibiscus (?) (ambaṣṭhā) possibly Hibiscus rosa-sinensis L.? T. B. Singh and Chunekar (GVDB: 18–19) discuss the confusions surrounding the identity of

this plant, and especially between this plant and velvet-leaf ($p\bar{a}th\bar{a}$); they must be different items. T. B. Singh and Chunekar propose that $ambasth\bar{a}$ is either the fruit of Hibiscus or the galls of a Quercus or Tamarix species. According to Meulenbeld 1974b: 599, $vanak\bar{a}rp\bar{a}s\bar{i}$ is more likely a name for a hibiscus: 197

Himalayan birch (*bhūja*) see Himalayan birch (*bhūrja*): 212

Himalayan birch (*bhūrja*) Betula utilis D. Don, GVDB: 287: 348

Himalayan mayapple (*vakra*)
Podophyllum hexandrum, Royle
(NK:#1971), K & B: 1, 68. But perhaps
a synonm of crape jasmine (*tagara*, *nata*q.v. (GVDB: 354)): 167, 195, 196, 206

Himalayan yew (*sthauṇeya*) see Himalayan yew (*sthauṇeyaka*): 214

Himalayan yew (sthauneyaka) T. B. Singh and Chunekar (GVDB: 458–459) suggested Taxus baccata L., but that tree is endemic to the Mediterraenean and not South Asia. Poudel et al. 2013 show that T. contorta Griff., T mairei (Lemée & Lév.) and T. wallichiana Zucc. are distributed in the Hindu Kush - Himalaya region. The Nepalese name Thuneraka is etymologically cognate with the Sanskrit name. T. contorta is of medicinal importance, so its common name is used here: 195, 348

hogweed (*punarnavā*) Boerhaavia diffusa, L. See ADPS: 387, AVS: 1, 281, NK: 1, #363: 119, 146, 160, 197, 348

hogweed (punarṇavā) see hogweed (punarnavā): 205

hogweed (punarnnavā) see hogweed (punarnavā): 208

hogweed (varṣābhu) see hogweed (varṣābhū): 205

hogweed (*varṣābhū*) see hogweed (*punarnavā*). According to GVDB: 361, it is Trianthema portulacastrum L., but

this is mainly known from Africa and the new world. The name is often considered a synonym for hogweed (punarnavā): 348

Holostemma creeper (*jīvantī*) → sūryavallī? Holostemma ada-kodien, Schultes. See ADPS: 195, AVS: 3, 167, 169, NK: 1, #1242: 120, 355

holy basil (*surasa*) Ocimum tenuiflorum, Linn. GVDB: 438–439. Not always distinguished from O. basilicum L., Watt_{Dict}: 5, 443: 197, 229

honey (*kṣaudra*) Eight varieties of honey are described in the *Suśrutasaṃhitā* (NK: 2, Appendix 192). *Kṣaudra* is the product of a small bee of tawny colour, called *kṣudra*: 125, 148, 236, 237

horned pondweed (śaivāla) also śaivāla, śevāra. Zannichellia palustris L. The uncertainties of this identification are discussed by T. B. Singh and Chunekar (GVDB: 409). Sometimes identified with scutch grass (dūrvā) (GVDB: 409). Identified as Ceratophyllum demersum Linn. ("hornwort") by AVS: 2, 56–57x: 118, 348, 356

hornwort (*jalaśūka*) → *jalanīlikā*.

Ceratophyllum demersum, L. See
AVS: 2, 56, IGP: 232. T. B. Singh and
Chunekar (GVDB: 166) suggest horned
pondweed. Þalhaṇa noted on 1.16.19
(Su 1938: 79) that some people
interpret it as a poisonous, hairy,
air-breathing, underwater creature: 59

horse gram (kaulattha) See horse gram (kulattha): 190

horse gram (*kulattha*) Macrotyloma uniflorum (Lam.) Verdcourt, syn. Dolichos biflorus, L., D. uniflorus, Lam., GVDB: 109, POWO: sub Macrotyloma uniflorum: 121, 122, 194, 215, 348

horseradish tree (*madhukaśigru*) Moringa oleifera Lam., GVDB: 398–399. See horseradish tree (*śigru*): 211

horseradish tree (*murungī*) see horseradish according to *Śabdasindhu*: 1058; idem tree (*śigru*) (GVDB: 311): 196 also suggests vatavrksa, i.e., Ficus benghalensis Linn. and āmrātaka, horseradish tree (śigru) Moringa oleifera Spondias pinnata (L.f.) Kurz. (native to Lam. See IGP: 759, GJM1: 603, Dymock: 1, 396, GVDB: 398-399: 118, S.E Asia but naturalized in S. Asia). Contrasted with vata at Suśrutasamhitā 119, 348, 349 3.2.32. Cf. MW: 1081.: 89 hyacinth beans (niṣpāva) Lablab purpureus Indian bdellium-tree (guggula) See Indian (L.) Sweet (1826) GVDB: 228: 107 bdellium-tree (guggulu): 195 Indian aconite (ativisā) Aconitum ferox, Indian bdellium-tree (*guggulu*) Wall. ex Ser., or perhaps A. Commiphora wightii (Arn.) Bhandari heterophyllum Wall. ex Royle, (GVDB: 140). This is a flowering shrub GVDB: 12, NK: 1, #39. Also called "atis roots" or just viṣā. A. ferox is also called or small tree that produces a fragrant aconite, monkshood, wolfsbane, etc. A. resin commonly called *guggulu*. The ferox is extremely poisonous. See also name sometimes refers to the plant and Indian aconite (vatsanābha). It grows sometimes to the resin. Known to ancient Greek authors (Ball 1888: 340): especially in mountainous Sikkim: 108, 146, 148, 167, 212, 214, 349 125, 349 Indian aconite (vatsanābha) Aconitum Indian beech (naktamāla) Pongamia ferox, Wall. ex Ser. Cf. AVS: 1, 47 (A. pinnata, (L.) Pierre. See AVS: 4, 339, Napellus, L., which is European and NK: 1, #2003: 50, 113 now taxonomically separated from A. Indian cherry (śelu) Cordia myxa, L. non ferox), NK: 1, #42, Potter_{rev}: 4 f. A. Forssk. See GJM1: 529 (2), IGP: 291b, cf. chasmanthum Stapf ex Holmes AVS: 3, 1677 f; cf. AVS: 2, 180 (C. according to GVDB: 357, but that is dichotoma, Forst.f.), NK: 1, #672 (C. distributed in Pakistan, Afghanistan latifolia, Roxb.). See Indian cherry and Tibet, Mongolia and Siberia. (śleṣmātakī) : 119, 160 "vatsanābha" occurs in only once in the Indian cherry ($\acute{s}el\bar{u}$) see Indian cherry Carakasaṃhitā and thrice in the (ślesmātakī), GVDB: 408: 214 Suśrutasaṃhitā (Ca4.23.11571, Su5.2. 5, Indian cherry (*ślesmātakā*) see Indian 6, 12564): 154, 155, 340, 349 cherry (śleṣmātakī): 211 Indian aconite $(vis\bar{a})$ see Indian aconite Indian cherry (śleṣmātakī) Cordia (ativiṣā), GVDB: 12, 373: 340, 355 dichotoma G. Forst., AVS: 2, 180-183. Indian barberry (añjana) see Indian See POWO: C. dichotoma; Cordia myxa barberry (dāruharidrā) Cf. elixir salve L., according to T. B. Singh and (rasāñjana): 60, 147, 345 Chunekar (GVDB: 413–414), although Indian barberry (dāruharidrā) Berberis they also suggest C. dichotoma holstii Engl., Dymock: 1, 65, NK: 1, (synonym of C. wallichii G. Don.) and #335, #685, GJM1: 562, IGP: 141, C. rothii (synonym of Cordia sinensis GVDB: 203: 160, 161, 231, 349, 360 Lam.): 196, 349 Indian barberry $(d\bar{a}rv\bar{\iota})$ see Indian Indian dill (śatapuṣpā) Anethum barberry (dāruharidrā): 237 graveolens L. May also be Foeniculum Indian barberry (kālīyaka) see Indian vulgare Mill. See GVDB: 388 for barberry (dāruharidrā): 145 discussion: 120, 214 Indian bat tree $(\acute{s}u\acute{n}g\bar{a}) \rightarrow parkat\bar{\imath}vrkṣa$ Indian elm (cirabilva) Holoptelea

integrifolia (Roxb.) Planch. GVDB: 158, who also say that pūtika is a synonym; but that must be different than pūtikā: Indian elm (ciribilva) see Indian elm

(cirabilva): 211

Indian frankincense (agamrttikā) see Indian frankincense (śallakī), according to Dalhana's comment on *Suśrutasamhitā* 5.7.29. A variant form of Indian frankincense (*agavrttikā*): 206

Indian frankincense (agavrttikā) see Indian frankincense (nagavṛttikā), GVDB: 3, 392:350

Indian frankincense (*gajavrttikā*) Boswellia serrata Roxb.; equated with Indian frankincense (\acute{s} allak $\bar{\imath}$) by some, GVDB: 392. See also Indian frankincense (*nagavrttikā*): 196

Indian frankincense (nagavṛttikā) see Indian frankincense (agavṛttikā): 350

Indian frankincense (śallakī) Boswellia serrata Roxb., GVDB: 392: 206, 350

Indian fumitory (parpaṭa) the ancient plant is probably impossible to identify, and many alternatives are used today, including especially Fumaria species (GVDB: 239–240). I have cholsen Fumaria indica (Hausskn.) Pugsley, which can be poisonous: 350

Indian fumitory (renu) see Indian fumitory (parpaṭa), GVDB: 339. To be distinguished from pollen (?) (renukā):

Indian ipecac (payasyā) Uncertain. Possibly Tylophora indica (Burm.f.) Merr. Perhaps a synonym of panacea twiner, giant potato, purple roscoea, and plants like asthma plant and Gulf sandmat (GVDB: 237–238). Also "curds" when not a plant: 59, 118, 355

Indian jujube (sauvīraka) Zizphus jujuba Mill., GVDB: 458, MBG: sub jujuba: 117, 190

Indian kudzu (*vidārī*) → *payasyā*. Pueraria

tuberosa (Willd.) DC. See ADPS: 510, AVS: 1, 792 f, AVS: 4, 391; not Dymock: 1, 424 f. See GJM2: 444, 451, AVS: 1, 187, but AVS: 3, 1719 = Ipmoea mauritiana, Jacq: 59, 85

Indian laurel (*plakṣa*) Ficus microcarpa, L. f. See ADPS: 377: 212

Indian madder (mañjisthā) Rubia cordifolia, L. See IGP, Chopra: 215, GVDB: 289: 55, 161, 195, 196, 205, 212

Indian mottled eel (varmimatsya) Almost certainly the mottled eel. MW: 962c noted that the *varmi* fish "is commonly called vāmi." The "vam fish," or "বান মাছ (bān māch)" in Bengal, is a marine and freshwater eel, Anguilla bengalensis. It is the most common eel in Indian inland waters and a prized food fish (Froese and Pauly 2022). However, some NIA languages identify the "vam" fish with the Indian Pike Conger, Congresox talabonides (Bleeker) (Talwar and Kacker 1984: 235, 236): 39

Indian mustard (sarṣapa) Brassica juncea, Czern. & Coss. See AVS: 1, 301, NK: 1, #378, GVDB: 426–427: 42, 154, 212, 353

Indian pennywort (mandūkaparnī) Centella asiatica (L.) Urban. See GVDB: 290, ADPS: 289-291: 197

Indian sarsaparilla (*sugandhikā*) see Indian sarsaparilla (śvetasārivā) GVDB: 430, 436: 196, 214

Indian sarsaparilla $(s\bar{a}riv\bar{a}) \rightarrow anant\bar{a}$. The śveta variety is Hemidesmus indicus, (L.) R. Br. ADPS: 434, AVS: 3, 141–145, NK: 1, #1210, GVDB: 430; and the black form, black creeper, pālindī. Ichnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes AVS: 3, 141, 145, 203, NK: 1, #1283, 1210, ADPS: 429-430: 161, 342, 346, 350

Indian sarsaparilla (*śvetasārivā*) Hemidesmus indicus, (L.) R. Br. See Indian sarsaparilla (sārivā). ADPS: 434,

AVS: 3, 141–145, NK: 1, #1210, GVDB: 430: 350 Indian snakeroot (sarpagandhā) Rauvolfia serpentina, (L.) Benth. ex Kurz. See NK: 1, #2099, ADPS: 439, GVDB: 425; cf. SS 5.5.76–78: 197, 351 Indian snakeroot (sarvagandhā) common spelling in Nepalese MSS for Indian snakeroot (sarpagandhā), q.v.: 206 Indian symphorema (ananta) Not in GVDB but MW: 25 says "sinduvāra" on no authority (see Indian symphorema: 212 Indian symphorema (*sinduvāra*) T. B. Singh and Chunekar (GVDB: 435) settles on Symphorema polyandrum Wight as the identity of this plant. Other authors choose Vitex negundo Linn. See further NK: 1, #2603 (cf. use of leaves), IGP: 1210a, MW: 1088b. Discussion by GVDB: 433-435: 195, 197, 205, 214, 351 Indian trumpet tree (śyonāka) Oroxylum indicum (L.) Benth. ex Kurz. GVDB: 172–173. A component of greater five roots: 351 Indian trumpet tree (tintuka) \rightarrow Indian trumpet tree (śyonāka). Oroxylum indicum (L.) Benth. ex Kurz. GVDB: 172–173. A component of greater five roots: 346 Indian trumpet tree (tuntuka) see Indian trumpet tree (śyonāka), GVDB: 172-173: 212 indigo (nīlinī) Indigofera tinctoria, L. See NK: 1, #1309. GVDB: 229-230 propose that this may differ from indigo $(n\bar{\imath}l\bar{\imath})$, and be rather the Ipomoea hederacea Jacq., "ivy-leaved morning glory." But that plant is native to the Americas, as are most Ipomoea species. I. tinctoria was known to ancient Greek authors (Ball 1888: 343) : 206, 351

indigo $(n\bar{\imath}l\bar{a})$ see indigo $(n\bar{\imath}lin\bar{\imath})$. Although

T. B. Singh and Chunekar (GVDB: 229)

refer to an unidentified creeper mentioned in Carakasamhitā Ci.1-4.7, the use in the Nepalese Suśrutasaṃhitā 5.6.24 is likely to refer to indigo $(n\bar{\imath}l\bar{\imath})$: indigo $(n\bar{\imath}l\bar{\imath})$ see indigo $(n\bar{\imath}lin\bar{\imath})$: 214, 351 Indrajao (indrayava) see vrksaka (Indrajao) Holarrhena pubescens Wall. ex G.Don 1837 GVDB: 376, 45 and 84: 108 Indrajao (vrksaka) \rightarrow indrayava, indrabīja, kalinga, and kutaja. Holarrhena pubescens Wall. ex G.Don 1837 GVDB: 376, 45 and 84: 87, 294, 351 ironwood tree (nāgakeśara) Mesua ferrea L. GVDB: 220: 359 itchytree (nicula) Barringtonia acutangula (L.) Gaertn., GVDB: 224: 212 jambul (*jambū*) Syzygium cumini, (L.) Skeels. See ADPS: 188, NK: 1, #967, Potter_{rev}: 168, Wujastyk 2003*a*: 144, 237 jequirity (guñjā) Abrus precatorius, L. See AVS: 1, 10, NK: 1, #6, Potter_{rev}: 168. See further jequirity (kālakūṭa): 152, 153 jequirity ($k\bar{a}lak\bar{u}ta$) see jequirity ($k\bar{a}lak\bar{u}t\bar{a}$): 155, 351 jequirity (kālakūṭā) possibly Abrus precatorius, L. Cf. RRS 21.14. See AVS: 1, 10, NK: 1, #6, Potter_{rev}: 168. The Nepalese witnesses agree on the feminine form, *kālakūtā*, while the more normal gender is masculine. The etymology of the name kāla-kūta, "black-top," fits with the striking appearance of jequirity seeds. GVDB: 93 does not attempt to identify the plant. The Rasaratnasamuccaya of pseudo-Vāgbhaṭa (21.14) says that the *kālakūta* poison is similar to "crow's beak" (kākacañcu), which is a more certain name for jequirity. Another hypothesis for the name, which could be translated "time/death-peak" might connect it with Sandakphu mountain, whose name is Lepcha for "the height of the poisonous plant" because of the

```
abundance of Aconitum ferox on the
                                                  NK: 1, #2420. T. B. Singh and Chunekar
   mountain: 154, 351
                                                   (GVDB: 351–352) notes that there are
                                                   two varieties, S. racemosa, qualified as
kutki (kaṭukā) Picrorhiza kurroa Royle ex
                                                   śāvara, and S. crataegoides Buch.-Ham.
   Benth. (GVDB: 64–65): 108, 125,
                                                   for paṭṭikā lodhra: 50, 161, 195, 237
                                               long pepper (kṛṣṇā) see long pepper
kutki (katurohaṇ\bar{\imath}) \rightarrow kutki (katuk\bar{a}),
                                                   (pippalī): 236
   GVDB: 66, 64–65: 195
kutki (kaṭurohiṇī) see kutki (kaṭukā),
                                               long pepper (māgadha) see long pepper
   GVDB: 66, 64–65: 214
                                                   (pippalī): 147
leadwort (agniśikhā) Plumbago zeylanica
                                               long pepper (pippali) see long pepper
                                                   (pippal\bar{\imath}): 195
   (or rosea?), L. See NK: 1, #1966, 1967:
   352
                                               long pepper (pippalī) Piper longum, L. See
                                                   ADPS: 374, NK: 1, #1928,
leadwort (citraka) Plumbago zeylanica (or
                                                   GVDB: 249–250, but cf. AVS: 3, 245: 85,
   indica?), L. See RA. 6.124, ADPS: 119,
   NK: 1, #1966, 1967: 50, 86, 108, 113,
                                                   113, 119, 120, 124, 125, 148, 161, 212, 215,
   124, 195
                                                   236, 294, 352, 360
leadwort (p\bar{a}laka) \rightarrow citraka. Plumbago
                                               long pepper root (pippalīmūla) see long
   zeylanica (indica? rosea?), L. See Rā.
                                                   pepper (pippal\bar{i}): 212
   6.124, ADPS: 1, 119, NK: 1, #1966, 1967:
                                               long-stamen Wendlandia (?)
   154, 155
                                                   (prapaundarīka) See the substantial
leadwort (vidyutśikhā) see leadwort
                                                   discussion by T. B. Singh and Chunekar
                                                   (GVDB: 261). They note that it is used
   (agniśikhā): 152
lemon grass (u\acute{s}\bar{\imath}rabheda) \rightarrow l\bar{a}majja.
                                                   mainly in eye troubles and frequently
   Cymbopogon jwarancusa (Jones ex
                                                   with liquorice, than which it is has been
   Roxb.) Schult.. See NK: 1, #176: 361
                                                  said to be thicker, and sweet in taste. A
lesser five roots (laghupañcamūla)
                                                   candidate they suggest is Wendlandia
                                                  heynei (Schult.) Santapau & Merchant
   Described at Suśrutasamhitā 1.38.66-67
                                                   (formerly W. exserta), native to India; I
   (Su 1938: 169). Consists of bull's head,
                                                  have accepted that provisionally: 154,
   hairy-fruited eggplant, yellow-berried
   nightshade, hare foot uraria, and
                                                   195, 214, 352
   beggarweed: 342, 345, 347, 359, 364
                                               long-stamen Wendlandia (?) (tilaka) see
                                                   long-stamen Wendlandia (?)
liquorice (?) (klītaka) Glycyrrhiza glabra,
                                                   (prapaundarīka), GVDB: 183-184.
   L.? GVDB: 123–124 discuss the many
                                                  Sometimes thought to be a synonym of
   difficulties in identifying this plant: 152
                                                   viburnum (tilvaka), q.v., but this is
liquorice (madhuka) also yaṣṭi(ka/k\bar{a}),
                                                   probably erroneous: 214, 361
   yaṣṭīmadhuka, Glycyrrhiza glabra, L.
                                               lotus (nalina) see sacred lotus (kamala),
   AVS: 3, 84, NK: 1, #1136, GVDB: 329 f.:
                                                   GVDB: 218: 236, 237
   59, 85, 116-121, 123, 148, 159, 161, 195,
                                               lotus stalk (mrnāla) "Leaf stalk of sacred
   211, 214, 237, 352
                                                   lotus" GVDB: 318: 118
liquorice (yaṣṭī) see liquorice (madhuka):
                                               luffa (jālinī) see luffa (koṣātakī),
                                                   GVDB: 168: 154, 204
liquorice (yaṣṭīmadhuka) see liquorice
   (madhuka): 60
                                               luffa (kośavatī) see luffa (kosātakī): 160
                                               luffa (kosātakī) Luffa cylindrica, (L.) M. J.
lodh tree (lodhra) Symplocos racemosa,
   Roxb. See GJM1: 597, ADPS: 279 f,
                                                   Roem. or L. acutangula, (L.) Roxb.
```

```
ADPS: 252-253, NK: 1, #1514 etc.
                                                 vahlii in this context because of its
   "Kośātakī appears to be used in a
                                                 abundance in S. Asia and its Himalayan
   general way for all the fruit drugs of
                                                 and Nepalese distribution: 197, 211
   the family Cucurbitaceae which have a
                                             mango (āmra) Mangifera indica Linn.
   net-like structure of fibres in the pulp.
                                                 GVDB: 37: 144, 197, 212, 236
   It thus includes nearly all Luffa
                                             mangosteen (amla) Garcinia pedunculata
   species..." GVDB: 121: 352
                                                 Roxb. ex Buch.-Ham. See GVDB: 20-21:
mahua (madhūka) Madhuca longifolia, (J.
                                                 194, 229
   Koenig) J. F. Macbride. See AVS: 3,
                                             marking nut tree (?) (sārṣapa) this would
   362 f. Known to ancient Greek authors
                                                 normally mean "connected with
                                                 mustard," (Indian mustard (sarṣapa))
   (Ball 1888: 339–340) : 85, 240–242
maidenhair fern (haṃsāhvayā) Adiantum
                                                 and excessive consumption of mustard
   lunaluatum Burm f. GVDB: 463: 294
                                                 oil can be harmful. However, the
                                                 Sauśrutanighantu (156) gives raksoghnā
malabathrum (patra) Cinnamomum
                                                 as a synonym for sarṣapā. This can be
   tamala, (Buch.-Ham.) Nees. See
                                                 Semecarpus anacardium, L.f., which has
   AVS: 2, 84, NK: 1, #589. Other common
                                                 some poisonous parts ("the black fruit
   names include Indian bay leaf etc., but
                                                 is toxic and produces a severe allergic
   the plant has an ancient history in the
                                                 reaction if it is consumed or its resin
   classical world as "malabathrum." See
                                                 comes in contact with the skin"
   Ball 1888: 341, who also suggests that
                                                 Semalty et al. 2010): 155
   the chief source of the plant in India is
                                             marking-nut tree (aruskara) see
   Assam. See also Wikipedia. Kokoszko
                                                 marking-nut tree (bhallātaka): 153, 346
   and Rzeźnicka (2018: 581) discuss the
   abbreviations "leaf" (φύλλα, folium) in
                                             marking-nut tree (bhallātaka) Semecarpus
   the Mediterranean world that parallels
                                                 anacarium, L. See NK: 1, #2269,
   the Sanskrit usage. Kokoszko and
                                                 AVS: 5, 98, ADPS: 85-86, GVDB: 23,
                                                 283: 113, 147, 353
   Rzeźnicka 2018: 584 note that
   Dioscorides (fl. 1st cent. CE) stated that
                                             marsh barbel (iksuraka) Hygrophila
   malabathrum came from India,
                                                 auriculata (Schumach.) Heine (syn.
   although Dioscorides' description of
                                                 Asteracantha longifolia (L.) Nees.),
   malabathrum is of a plant like a
                                                 GVDB: 42-43: 212
   Nymphoides indica (L.) Kuntze, not a
                                             medhshingi (vijayā-2) Dolichandrone
   tree (Osbaldeston and Wood 2000: 17):
                                                 falcata (Wall. ex DC.) Seem. The
   110, 111, 118, 145, 161, 203, 204, 214, 359
                                                 Sauśrutanighantu gives a number of
Malay beechwood (śr\bar{\imath}parn\bar{\imath}) \rightarrow k\bar{a}śmar\bar{\imath}.
                                                 synonyms for vijayā (Suvedī and Tīvārī
   Gmelina arborea Linn., GVDB: 412,
                                                 2000: 5.77, 10.143). But one of them,
   96-97:85
                                                 viṣāṇī (also meṣaśṛṅgī), is sometimes
                                                 equated with Dolichandrone falcata
maloo creeper (aśmantaka) T. B. Singh and
                                                 (DC.) Seemann (GVDB: 373 f;
   Chunekar (GVDB: 27) note that thisis
                                                 ADPS: 518, a plant used as an
   the name of two different drugs,
                                                 abortifacient and fish poison
   Piliostigma malabaricum
   (Roxb.)Benth. or Phanera vahlii.
                                                 (NK: #862): 153
   (Wight & Arn., 1834) Benth.
                                             migraine tree (agnimantha) Premna
   (non-lactiferous), and Ficus cordifolia
                                                 corymbosa, Rottl. See AVS 1927,
   Roxb. (lactiferous). I have selected P.
                                                 ADPS: 21, NK: 1, #2025, AVS: 4, 348;
```

L: 160, 346 milk-white (kṣīraśuklā) An unidentified plant. GVDB: 126: see purple roscoea and giant potato: 59, 357 monkey (?) (markata) T. B. Singh and Chunekar (GVDB: 299) said of markata, "an unidentified vegetable poison." Cf. Suvedī and Tīvārī 2000: v.36 for synonyms that lead to the non-toxic jujube tree: 156 muddy (?) (kardama) unknown.: 154, 156 mulberry (*kramuka*) probably the mulberry $(t\bar{u}da)$; see discussion by T. B. Singh and Chunekar (GVDB: 122): 196 mulberry (tūda) Morus indica L., GVDB: 189: 354 mung beans (*mudga*) Phaseolus radiatus L. GVDB: 310-311: 117, 120, 243 mung beans (*māsaka*) Phaseolus mungo Linn. GVDB: 308: 145 munj grass (nārācaka) Saccharum bengalense, Retz.?. See NK: 1, #2184: musk mallow (latākastūrikā) Abelmoschus moschatus Medik., GVDB: 348: 354 musk mallow (ullaka) kutki (kaṭukā) or musk mallow (latākastūrikā), according to GVDB: 54; I have chosen the latter identity since A. moschatus can cause phototoxic dermatitis (Diedrich et al. 2024: 621): 354 musk mallow (ullika) see musk mallow (ullaka): 153 myrobalan (abhayā) Terminalia chebula, Retz. See ADPS: 172, NK: 1, #2451, Potter_{rev}: 214: 108, 160, 167 myrobalans (pathyā) Terminalia chebula Retz. See NK: 1, #2451: 236 natron (suvarcikā) Sodium carbonate. NK: 2, #45. Dalhaṇa identifies suvarcikā with svarjikṣāra 4.8.50 (Su 1938: 441): 124, 161, 195 neem (picumarda) see neem tree (nimba), GVDB: 247-248: 211

GJM1: 523: = P. integrifolia/serratifolia,

neem tree (nimba) Azadirachta indica A. Juss., GVDB: 226: 56, 294, 354 nutgrass (kuruvinda) Unknown. Dalhana on 5.3.15 (Su 1938: 568) glossed the term as nutgrass, but noted other opinions that it was a whetstone or a very special metallic gem. T. B. Singh and Chunekar (GVDB: 108) added that it could be a variety of rice, sastika *dhānya* : 167 nutgrass (mustaka) Cyperus rotundus, L. See ADPS: 316, AVS: 2, 296, NK: 1, #782:154,156 nutgrass (*mustā*) Cyperus rotundus, L. See ADPS: 316, AVS: 2, 296, NK: 1, #782: odal oil plant (*ingudi*) see odal oil plant: 203 odal oil plant (ingudī) Kirtikar et al. (K & B: 5, 79) also firmly identify *ingudī* as Sarcostigma kleinii Wight & Arn., a liana well known in the Western Ghats and widely used in āyurveda, including for skin diseases. Balanites agyptiaca (L.) Delile, GVDB: 43 is an African plant and unlikely to be the original āyurvedic ingudi.: 354 oleander spurge (mahāvrkṣa) see oleander spurge (*snuhī*), GVDB: 302-303: 211 oleander spurge (nandā) see oleander spurge (*snuhī*), GVDB: 215: 359 oleander spurge (snuhā) see oleander spurge (*snuhī*): 113, 154, 205 oleander spurge (snuhī) Euphorbia neriifolia, L., or E. antiquorum, L. See ADPS: 448, AVS: 2, 388, AVS: 3, 1, NK: 1, #988, IGP: 457b. T. B. Singh and Chunekar (GVDB: 459) discuss the two varieties distinguished by Caraka on the basis of their spines. Euphorbia all share the feature of having a poisonous, latex-like sap: 354, 359 orchid tree (kovidāra) Bauhinia purpurea

Linn. or B. variegata Linn. (probably

the former), GVDB: 120,

```
AVS: 1, 256–260. The fruit of kovidāra is
   contrasted with the mango in
   Patañjali's Mahābhāṣya (on P1.2.45,
   varttika 8): 190
paddy rice (śāli) Oriza sativa, Linn.
   GVDB: 395–396 mentioning 33 Sanskrit
   sub-variety names; AVS: 4, 193: 43, 357
painted uraria (prsnaparnī) Uraria picta
   (Jacq.) Desv. ex DC. and U. lagopoides
   DC are both to be used for this plant
   according to GVDB: 257–258. See also
   IHR: 188-190: 206
pale Java tea (arjaka) Orthosiphon pallidus
   Royle ex Benth., GVDB: 24, based on
   Dalhana's descriptions, and by
   P. V. Sharma 1982: 127, #60. But
   Ocimum basilicum L., according to
   AVS: 4, 160: 214
panacea twiner (arkapuṣp\bar{\imath}) \rightarrow arkaparṇ\bar{\imath},
   Tylophora indica (Burm. f.) Merr.
   GVDB: 23-24. Maybe identical to
   Indian ipecac, giant potato and similar
   sweet, milky plants. See GVDB: 24, 127,
   238, 441, 443 for discussion. For
   discussion in the context of
   Holostemma creeper, see ADPS: 195
   and AVS: 3, 171. The etymology of the
   name suggests Helianthus annus Linn.,
   but this plant is native to the Americas:
   160, 350
peas (harenu) Pisum sativum, L.
   T. B. Singh and Chunekar
   (GVDB: 419–420, 467–468) note that
   two plants are usually meant under this
   name, but there is no agreement on the
   identity of the second. Synonym of peas
   (satīna). GVDB: 468 make an argument
   for Symphorema polyandrum Wight:
   118, 160, 161, 167, 196, 236, 355
peas (harenukā) see peas (harenu): 214
peas (satīna) see peas (hareņu),
   GVDB: 419-420: 355
peepul tree (aśvattha) Ficus religiosa, L.
   See ADPS: 63. Known to ancient Greek
```

authors (Ball 1888: 338–339): 169

```
periploca of the woods (meṣaśṛṅga)
   Gymnema sylvestre (Retz.) R. Br. See
   AVS: 3, 107, NK: 1, #1173: 147
phalsa (parūsaka) Grewia asiatica Linn.,
   GVDB: 238:86
plants like asthma plant and Gulf sandmat
   (dugdhikā) synonym of plants like
   asthma plant and Gulf sandmat
   (kṣīriṇī), GVDB: 204-205, 127: 355
plants like asthma plant and Gulf sandmat
   (kṣīriṇī) various milky plants, perhaps
   including Euphorbia hirta Linn.
   (asthma plant) and E. microphylla
   Heyne (Gulf sandmat) (GVDB: 127):
   350, 355
plants like asthma plant and Gulf sandmat
   (yavaphalā) synonym of plants like
   asthma plant and Gulf sandmat
   (dugdhikā), and plants like asthma
   plant and Gulf sandmat (kṣīriṇī), q.v.,
   GVDB: 327, 127: 214
plumed cockscomb (indīvara) Uncertain;
   possibly Celosia argentea Linn. But see
   the useful discussion in GVDB: 44-45.
   Possibly another name for thorn apple
   (karambha), q.v.: 360
pointed gourd (patola) Trichosanthes
   dioica, Roxb., GVDB: 232-233: 118,
   160, 341
poison-altar (?) (visavedikā) Unknown.
   Possibly, at a guess, strychnine tree
   (viṣamuṣṭika)? GVDB: 373 Or Indian
   aconite (vis\bar{a}): 153
pollen (?) (renukā) An unidentifiable
   plant. Perhaps a misreading for peas
   (harenu), although this is a long shot.
   T. B. Singh and Chunekar (GVDB: 339)
   suggest, on no authority, the synonyms
   vṛkṣaruhā, māṃsarohiṇī, or durvā, none
   of which help: 153, 350
pomegranate (dādima) Punica granatum
   Linn. GVDB: 201–202: 85, 86, 123, 124,
```

pondweed (paripelavā) Normally a neuter

noun. T. B. Singh and Chunekar

197, 206

(GVDB: 238, 264–265, 409) argued that plava and śaivāla are the same thing, and may be either Zannichellia palustris, L., or Potamogeton pectinatus, L: 161 pondweed (śevāla) Zannichellia palustris L. See horned pondweed: 41, 42 pongame oiltree (karañja) see pongame oiltree (*karañjikā*) : 125, 206 q.v.: 207 pongame oiltree (karañjikā) T. B. Singh and Chunekar (GVDB: 74–76) discuss complications, but probably Pongamia pinnata (L.) Pierre in Suśrutasaṃhitā 5.6.3: 212, 356 powdered ruffle lichen (*śaileya*) Parmotrema perlatum (Huds.) M.Choisy (1952), although there are some inconsistencies in groups and synonyms. See GVDB: 408–409, AVS: 4, 222–225. The plant has a notably complex taxonomic history: 214, 356 powdered ruffle lichen (śaileyaka) see powdered ruffle lichen (*śaileya*): 195 prickly chaff-flower (apāmārga) Achyranthes aspera, L. See GVDB: 14, GJM1: 524 f, AVS: 1, 39, ADPS: 44 f, AVS: 3, 2066 f, Dymock: 3, 135: 55, 59, 117, 213, 356 prickly chaff-flower (vasira) also vaśīra. Perhaps Achyranthes aspera, L. GVDB: 362 describes several possible identities, including sūryāvarta, prickly chaff-flower and markatatrna. See also 208, 211 vasukavasira (GVDB: 363): 85 prickly-leaved elephant's foot (gojihvā) syn. *gojī*. Elephantopus scaber, L. See AVS: 2, 357. T. B. Singh and Chunekar (GVDB: 145–146) argue that *gojihvā* śāka is Launaea asplenifolia (Willd) Hook. f. (creeping Launaea), a plant with Himalayan to SE Asian

distribution: 356

prickly-leaved elephant's foot (gojī)

(GVDB: 145–146) observe that this

T. B. Singh and Chunekar

plant name is unique to the *Suśrutasamhitā*. Since the usage is similar to that of prickly-leaved elephant's foot $(gojihv\bar{a})$, q.v, it is almost certain to be the same plant.: 212 products of the wood-apple (*kāpitta*) a reading in the Nepalese MSS for products of the wood-apple (kāpittha), products of the wood-apple (*kāpittha*) relating to or derived from the wood-apple (kapittha): 356 purging nut (*dravantī*) Jatropha curcas, L. See AVS: 3, 261, NK: 1, #1374. A.k.a. mūṣikaparṇī: 356 purging nut $(m\bar{u}$ sik \bar{a}) Jatropha curcas, L. See AVS: 3, 261, NK: 1, #1374: 147 purging nut (putraśrenī) Commonly identified as croton tree ($n\bar{a}gadant\bar{\iota}$), GVDB: 253 "a variety of red physic nut (dantī)." But it appears in a list with nāgadantī at Suśrutasaṃhitā 5.6.3, and Dalhana identified it there as purging nut $(dravant\bar{\imath})$: 212 purging nut tree (mūṣikakarnī) Jatropha curcas, L. AVS: 3, 261, NK: 1, #1374, GVDB: 317. GVDB: 317; ADPS: 23-25 discuss this issue well: 145, 146 purple calotropis (arka) Calotropis gigantea, (L.) R. Br. See ADPS: 52, AVS: 1, 341, NK: 1, #427, Potter_{rev}: 57, Chopra IDG: 305–308: 50, 59, 113, 190, purple fleabane (somarājī) see scurfy pea $(b\bar{a}kuc\bar{\imath})$, but GVDB: 455–456 note that two areas of therapy (antitoxin, antileucoderma) may point to two plants being used under this name or a different plant with two active ingredients. A particular candidate is Baccharoides anthelmintica (L.)

Moench.: 214

purple roscoea (kṣīrakākolī) GVDB: 89

notes that many physicians use Roscoea

procera Wall. in this context. But the

```
identification is uncertain. Possibly
                                             red ochre (gairika) Hellwig 2009: 140–141.
                                                 NK: 2, #40; the same source, at #6,
   connected to milk-white or giant
                                                 gives kaoolinum or china clay: 161, 195,
   potato: 117, 350, 354
pussy willow (vetasa) Salix caprea L.,
                                                 197, 214, 236, 237
   GVDB: 380–381, q.v. for the argument
                                             red physic nut (dantī) Baliospermum
   that this is not the same as rattan
                                                 solanifolium (Burm.) Suresh,
                                                 GVDB: 200: 111, 154, 206, 212, 356
   (vetra): 357
                                             resin of white dammer tree (sarjarasa)
pussywillow (vañjula) see pussy willow
   (vetasa); T. B. Singh and Chunekar
                                                 GVDB: 424–425. See white dammer
                                                 tree (sarja): 120, 214
   (GVDB: 356) note that this is a tree in
                                             rice grains (tandula) Oriza sativa, Linn.
   the nyagrodha group and has sometimes
                                                 Same as paddy rice (śāli) GVDB: 174; or
   been equated with Asoka tree (aśoka)
                                                 just "grains": 43
   and sometimes with sandan (tiniśa):
                                             rice-grain chaff (śālitandulakāndana) See
                                                 chaff: 43
radish (mūlaka) Raphanus sativus, L. See
                                             rock salt (saindhava) See NK: 2, M#48,
   NK: 1, #2098: 122, 154, 156
rajmahal hemp (morața) \rightarrow m\bar{u}rv\bar{\iota},
                                                 Watt<sub>Comm</sub>: 963–971: 42, 85, 124, 195,
                                                 229, 236, 343
   Marsdenia tenacissima (Roxb.) Wight
                                             rosha grass (dhyāmaka) Cymbopogon
   et Arn. Good discussion at
                                                 martinii (Roxb.) Wats. See AVS: 2, 285,
   GVDB: 314–316, 324: 160
rajmahal hemp (mūrvā) Gongronemopsis
                                                 NK: 1, #177: 161, 195, 214
                                             royal jasmine (mālatī) Jasminium
   tenacissima (Roxb.) S.Reuss, Liede &
                                                 grandiflorum, L. See NK: 1, #1364,
   Meve (= Marsdenia tenacissima
                                                 ADPS: 285–288: 145, 357
   (Roxb.) Moon), GVDB: 314–316. One of
   the twenty-two drugs in the group
                                             royal jasmine (sumanā) see royal jasmine
   madanādi. T. B. Singh and Chunekar
                                                 (mālatī), GVDB: 437: 214
                                             sacred lotus (kamala) Nelumbo nucifera,
   and ADPS: 310-313 discuss the long
   controversy about the identity of this
                                                 Gaertn., GVDB: 73-74, Dutt: 110, NK: 1,
   plant. Sansevieria roxburghiana Schult.
                                                 #1698: 352, 357
   & Schult.f. ("Indian bowstring hemp")
                                             sacred lotus (padma) see sacred lotus
                                                 (kamala), GVDB: 235–236: 41, 118, 145,
   was preferred by Meulenbeld
   (GJM1: 590) and the sources he cited,
                                                 214, 362
   including NK: 1, #2216, K & B: 4, 2457;
                                             safflower (kusumbha) Carthamus tinctorius
   ADPS: 310 mention this identity as
                                                 L. GVDB: 113: 231
   being local to Bengal, but note that the
                                             saffron (bāhlīka) syn. of saffron (kunkuma),
   plant is not a creeper: 120, 347
                                                 q.v., GVDB: 273-274: 212
rattan (vetra) Calamus rotang, L. See
                                             saffron (kuńkuma) Crocus sativus Linn.,
   AVS: 1, 330, NK: 1, #413. T. B. Singh
                                                 GVDB: 100. On the history of
   and Chunekar (GVDB: 381) prefer C.
                                                 confusions between saffron and
   tenuis, Roxb., which is also native to S.
                                                 turmeric, see Cox 2011: 206, 357
   and S.E. Asia: 357
                                             sage-leaved alangium (ankolla) Alangium
realgar (manaḥśilā) Arsenii disulphidium
                                                 salvifolium (Linn. f.) Wang.,
   NK: 2, #11: 236
                                                 GVDB: 5-6. See also AVS: 1, 77; cf.
red gourd (bimbī) Coccinia indica, W. & A.
                                                 NK: 1, #88: 144, 197, 204, 206, 358
   See PVS 1994.4.715; NK: 1, #534: 144
                                             sage-leaved alangium (ankotha) see
```

```
sage-leaved alangium (ankolla): 211
sal group of trees (śālasārādi) śālasārādi is a
   group (gaṇa) of twenty-three trees
   listed at 1.38.8–9 (Su 1938: 165),
   Mahākośa: 1, 898 : 86
sal tree (śālā) Shorea robusta, Gaertn.f. See
   AVS: 5, 124: 236
sandalwood (candana) Santalum album, L.
   See ADPS: 111, NK: 1, #2217. See
   GVDB: 152–153 for discussion of types,
   including white and red (Pterocarpus
   santalinus (L.f.)): 87, 118, 120, 161, 190,
   196, 214, 362
sandan (tiniśa) Ougeinia oojeinensis
   (Roxb.) Hochr. GVDB: 181, q.v. for
   discussion about whether tiniśa and
   syandana are to be separated. If other
   trees are in the frame for either name,
   T. B. Singh and Chunekar (GVDB)
   suggest Lagerstroemeia parviflora
   Roxb. (sidhraka/siddhaka) and L.
   flos-reginae Retz. (jārula by some). See
   GVDB: 432: 211, 214, 357
sappanwood (pattānga) Also pattanga.
   Caesalpinia sappan, L. AVS: 1, 323, K &
   B: 2,847 f, GVDB: 234: 50,60
scarlet mallow (bandhujīva) Pentapetes
   phoenicea, L. NK: #1836, GVDB: 268:
scented pavonia (bālaka) Pavonia odorata,
   Willd. See ADPS: 498, NK: 1, #1822: 161
scented pavonia (toya) → bālaka? Pavonia
   odorata, Willd. ADPS: 498, NK: 1,
   #1822:214
scramberry (tālīsapatra) see scramberry
   (tālīśa): 214
scramberry (tālīśa) T. B. Singh and
   Chunekar (GVDB: 179, 458–459)
   discusses the several identifications
   and regional differences in identifying
   this plant. Taxus baccata Linn. is a
   common candidate, as is Flacourtia
   jangomas (Lour.) Raeusch.
   (scramberry): 118, 237, 358
screwpine (ketaka) Pandanus tectorius
```

```
Parkinson ex Du Roi, GVDB: 116: 340
scurfy pea (bākucī) Identified as Cullen
   corylifolia (L.) Medik. ADPS: 69-70,
   GVDB: 272: 356
scutch grass (dūrvā) Cynodon dactylon
   (Linn.) Pers., GVDB: 205: 348, 358
scutch grass (granthilā) see scutch grass
   (d\bar{u}rv\bar{a}), Mahākośa: 1, 303, citing the
   Rājanighantu. It should be an aromatic
   in this context. Monier-Williams
   et al.: 371 said "two kinds of Dūrvā
   grass and of a kind of Cyperus" on
   lexical authority, perhaps also the
   Rājanighaṇṭu where it is listed amongst
   sweet-smelling plants. Other sources
   identify it as Cissus quadrangularis, L.,
   i.e., Veltd grape (S. Gupta 1887: 272), or
   Bengal quince (bilva): 214
sedge (kutannata) \rightarrow plava, tagara, or
   śyonāka, according to commentators
   (GVDB: 102–103). T. B. Singh and
   Chunekar leans towards the plava, but
   that plant too is difficult to identify.
   Various sources identify kutannata as
   Cyperus rotundus L., C, scariosus R.
   Br., Oroxylum indicum (L,) Benth. ex
   Kurz ( = Bignonia Indica L.) or even
   Cinnnamomum verum J.Presl. The
   Cyperus genus comprises about 700
   species of sedges, and I have chosen
   "sedge" as a generic indication of the
   likely identity of this plant: 195, 358
sedge (kutannata) see sedge (kutannata):
   214
sesame (tila) Sesamum indicum L.
   GVDB: 183. Known to ancient Greek
   authors (Ball 1888: 344): 214, 215
sesame oil (taila) Sesamum indicum L.
   GVDB: 183: 59, 190
shami tree (śamī) Prosopis cineraria (L.)
   Druce GVDB: 390: 211, 343
sickle senna (cakramarda) Senna tora (L.)
   Roxb. GVDB: 150: 229
```

silk-cotton tree (*śālmalī*) Bombax

malabarica. See Issar: 152: 214

```
siris (śirīsa) Albizia lebbeck, Benth. See
                                                  (where it is m.). Perhaps a synonym of
   AVS: 1, 81, NK: 1, #91, GVDB: 399-400.
                                                  oleander spurge (snuh\bar{\imath}), like oleander
   Cf. white siris: 160, 190, 203–207, 213,
                                                  spurge (nand\bar{a}): 153
                                               spurge (saptalā) T. B. Singh and Chunekar
   214, 229, 236, 362
siris seeds (śirīsamāsaka) Albizia lebbeck,
                                                  (GVDB: 421–422) discuss the four
   Benth. See AVS: 1, 81, NK: 1, #91:
                                                  candidates for this plant, three of
                                                  which are Euphorbias: 122, 197
                                               strychnine tree (viṣamuṣṭika) Strychnos
small-flowered crape myrtle (sidhraka)
   Lagerstroemia parviflora Roxb.,
                                                  nux vomica Linn., GVDB: 373: 355
   GVDB: 432: 166
                                               sugar (sitā) Dalhaṇa makes this equation
smooth angelica (coraka) Angelica glauca
                                                  at 1.37.25 (Su 1938: 162): 161, 196
                                               sugar (śarkara) Saccharum officinarum,
   Edgw. GVDB: 161. Distribution:
   Afghanistan, Himalaya, western Tibet
                                                  Linn. NK: #2182: 148
   (POWO). Edgeworth even recorded the
                                               sugar cane (iksu) Saccharum officinarum,
   indigenous name "chura" (Edgeworth
                                                  Linn. NK: #2182: 148
   1851: 53): 197, 212, 359
                                               sunflower (s\bar{u}ryavall\bar{\iota}) \rightarrow \bar{a}dityavall\bar{\iota},
smooth angelica (taskara) see smooth
                                                  sūryamukhī, Helianthus annūs Linn.
   angelica (coraka), GVDB: 176: 214
                                                  GVDB: 35, 443: 160
snakeroot (sugandh\bar{a}) \rightarrow sarpagandh\bar{a}
                                               sweet flag (vacā) Acorus calamus Linn. See
   Rauvolfia serpentina Benth. ex. Kurz.
                                                  GVDB: 352-355: 117, 124, 212
   See sarpagandhā. But may be
                                               sweet plants (madhuravarga) The sweet
   Aristolochia indica Linn. Has been
                                                  plants are enumerated at
   identified with nākulī, or gandhanākulī.
                                                  Suśrutasamhitā 1.42.11. See also
   See (GVDB: 219, 436) : 152
                                                  GVDB: 127: 59
spikenard (jaṭā) see spikenard
                                               sweet-scented oleander (aśvamāraka)
   (jat\bar{a}m\bar{a}ms\bar{i}): 205, 214
                                                  Nerium oleander, L. See ADPS: 223,
spikenard (jaṭāmāṃsī) Nardostachys
                                                  NK: 1, #1709, GVDB: 77, which
   jatamansi (D.Don) DC, GVDB: 163. See
                                                  discusses the white and red forms: 152
   also NK: 1, #1691. Known to ancient
                                               teak (śāka) Tectona grandis, L.f. See
   Greek authors (Ball 1888: 343-344):
                                                  AVS: 5, 245, (MW: 1061): 211
                                               Tellicherry bark (kutaja) Holarrhena
spikenard (māṃsī) see spikenard
                                                  pubescens Wall. ex G.Don, with
   (jat\bar{a}m\bar{a}ms\bar{i}): 161, 196, 214
                                                  Wrightia tinctoria and W. arborea
                                                  considered GVDB: 101-102,
spikenard (nalada) see spikenard
   (jat\bar{a}m\bar{a}ms\bar{i}): 142, 196, 214
                                                  ADPS: 267–270: 113, 211, 346
                                               ten roots (daśamūla) Described at
spiny bitter gourd (karkāruka) Momordica
   cochinchinensis (Lour.) Spreng.,
                                                  Suśrutasamhitā 1.38.70–71 (Su 1938: 169)
   (Thunb.) Cogn. SeeAVS: 2, 1135, IGP
                                                  as a combination of the lesser five roots
                                                  and the greater five roots: 345
   754 (or Beninkasa
   hispida?AVS: 2, 1127; cf. AVS: 1, 261).
                                               the four jāta drugs (caturjāta) a group of
   M cochinchinensis has poisonous seeds
                                                  four drugs, cinnamon (tvac),
   (NEH: 279): 346
                                                  malabathrum (patra), cardamom (el\bar{a}),
                                                  and ironwood tree (nāgakeśara)
spurge (?) (nandanā) an unknown
   poisonous plant, a.k.a. (equally
                                                  GVDB: 152: 359
   obscurely) udīmānaka, GVDB: 215
                                               the four jāta drugs (caturjātaka) see the
```

the three myrobalans (triphalā) chebulic myrobalan beleric myrobalan and emblic myrobalan (harītakī bibhītaka and *āmalaka*) One of the most-often mentioned drugs in the Bṛhattrayī GVDB: 194-196: 111, 195, 196, 205, 206, 341 the three pungent drugs (katutrika) see the three pungent drugs (trikațu): 207, 214 the three pungent drugs (trikațu) dried ginger, long pepper, and black pepper (śunthī, pippalī, and marica) GVDB: 193: 195, 360 the three pungent drugs (vyosa) see the three pungent drugs (trikațu), GVDB: 382-383: 206, 229 the two types of clitoria (*śvete*) see white clitoria (*śvetā*): 214 the two types of turmeric (haridre) see turmeric (haridrā) and Indian barberry (dāruharidrā), GVDB: 465–466: 214 thorn apple (*karambha*) Datura metel, L. See GVDB: 76 for useful discussion. Also, AVS: 2, 305 (cf. Abhidhānamañjarī), NK: 1, #796 ff. Potter_{rev}: 292 f, ADPS: 132. Possibly the same plant as plumed cockscomb (indīvara) (GVDB: 76, 44-45): 153, 154, 341, 355 three heating spices (tryūṣaṇa) śunṭhī (Dried ginger) Zingiber officinale, Roscoe. ADPS: 50, NK: 1, #2658, AVS: 5, 435, IGP 1232, pippalī (long pepper) Piper longum, L.ADPS: 374, NK: 1, #1928, and marica (black pepper) Piper nigrum, L.ADPS: 294, NK: 1, #1929: 87, 160 three-leaved caper (varuna) Crataeva magna (Lour.) DC. See AVS: 2, 202; cf. NK: 1, #696: 147, 197, 212, 360 three-leaved caper (varuṇaka) see three-leaved caper (varuna): 214 toothed-leaf limonia (surasī) Naringi crenulata (Roxb.) Nicolson (formerly

four jāta drugs (caturjāta): 231

```
Limonia crenulata Roxb.), GVDB: 439:
top layer of fermented liquor (surāmaṇḍa)
   K & B: 2, 502, NK: 2, appendix VI, #49,
   McHugh 2021: 39: 57, 58
tree cotton (kārpāsa) Gossypium arboreum
   L. ADPS: 231, pace the identifications of
   T. B. Singh and Chunekar (GVDB: 92,
   247), since G. barbadense L. is native to
   South America and G. herbaceum L. is
   native to Africa: 56, 360
tree cotton (picu) See tree cotton (kārpāsa):
   58,60
tree of heaven (arala) probably Alianthus
   excelsa Roxb., GVDB: 21–22: 211
turmeric (gaurī) Curcuma longa, L. See
   ADPS: 169, AVS: 2, 259, NK: 1, #750:
   118
turmeric (haridrā) Curcuma longa Linn.
   GVDB: 465. On the history of
   confusions between saffron and
   turmeric, see Cox 2011: 119, 160, 167,
   195, 360
turmeric (ni\dot{s}\bar{a}) see turmeric (haridr\bar{a}).
   Note that when mentioned in dual or
   with another synonym of turmeric
   (haridr\bar{a}), then turmeric (nis\bar{a}) will be
   interpreted as Indian barberry
   (dāruharidrā), GVDB: 227 : 360
turmeric (rajanī) Curcuma longa, L.
   ADPS: 169, AVS: 2, 259, NK: 1, #750:
   42, 161, 196, 206, 229, 231
turpeth (trivrt) \rightarrow trvrt\bar{a}. Operculina
   turpethum (Linn.) Silva Manso =
   Ipmoea turpethum R. Br. GVDB: 197.:
   111, 148, 195, 296, 342
turpeth (trvrt) The common spelling in
   Nepalese MSS of trivrt: 206
two kinds of salt (vasukavasira) See the
   discussion by T. B. Singh and Chunekar
   (GVDB: 362–363), who note that when
   vasuka is mentioned together with
   vasira, two varieties of salt are often
   meant (see vasukavasirā): 85
```

unknown fruit poison (venuka) see

Flora 361

unknown fruit poison (venukā): 153 lemon grass (uśīrabheda): 214 unknown fruit poison (venukā) Bambusa viburnum (tilva) see viburnum (tilvaka): bambos, Druce?. See NK: 1, #307, GVDB: 380. The Nepalese transmission viburnum (*tilvaka*) Viburnum nervosum has the m. *veņuka*, not the f. *veņukā* D.Don. In their thoughtful article, T. B. Singh and Chunekar (GVDB: 380) T. B. Singh and Chunekar note that this is an unknown (GVDB: 185–186) separate *tilvaka* from fruit-poison: 361 lodhra, a conflation they attribute to velvet bean (svayamguptā) Mucuna Drdhabala. They identify V. nervosum pruriens (L.) DC., GVDB: 461, who say because of its use under a similar local that the plant is known in the name in Garhawal and Gangotri and Carakasamhitā but not the the match with its purging properties Suśrutasaṃhitā. Watt (Watt_{Dict}: 5, 286) mentioned in ayurvedic literature. noted that the English names Cowhage AVS: 5, 219 makes the same separation, or Cowitch are derived from the Hindi noting that in Kerala the plant Jatropha name of M. pruriens, *Kiwach*, Skt. curcas L. is used. But that is a native of kapikacchu, supported by Yule and the new world. Cf. many Viburnum Burnell (1903: 268): 236, 361 varieties listed by Griffiths velvet bean (ārṣabhī) see velvet bean (IGP: 1200 ff.). POWO confirms that V. $(rsabh\bar{\imath})$ and velvet bean $(svayamgupt\bar{a})$. nervosum has an appropriate *Mahākośa*: 1, 94, citing the *Rājanighanṭu* Himalayan distribution. *Tilvaka* is also 3.50, 201: 204 sometimes wrongly considered to be a velvet bean $(rsabh\bar{\imath})$ see velvet bean synonym of long-stamen Wendlandia (svayamguptā), MW: 226, GVDB: 56: (?) (tilaka), GVDB: 185–186: 111, 212, 361 352, 361 velvet-leaf (pāthā) Cissampelos pariera, L. viburnum extract (tailvaka) see viburnum See ADPS: 366, NK: 1, #592, GJM1: 573, (tilvaka), GVDB: 185, also a ghee AVS: 1, 95; cf. AVS: 2, 277: 50, 87, 108, compound of viburnum (tilvaka): 236 124, 160, 195, 196, 348 'Virāta's plant' (vairātaka) unknown. See ?: velvet-mite (*indragopa*) Kerria lacca 154, 156 (Kerr.). Lienhard 1978: 143 water snowflake (?) (kumudavati) see verbena (bhārgī) see verbena (bhārṅgī): water snowflake (?) ($kumudavat\bar{i}$): 154 196, 214 water snowflake (?) (kumudavatī) This is verbena (*bhārngī*) \rightarrow phañjī. an unidentifiable plant whose name Clerodendrum serratum (L.) Moon or means, etymologically, "with lilies." C. serratum; see AVS: 2, 121, ADPS: 87: MW: 292 gives Nymphoides indica (L.) 361 Kuntze (formerly Villarsia indica) on verbena (phañjī) Clerodendrum serratum, no authority; I have used the common L. See AVS: 2, 121, ADPS: 87: 146 name of N. indica as a possiblity, but vetiver (uśīra) Chrysopogon zizanioides this is not known to be poisonous; on (L.) Roberty, also called "khus." NK: 1, the contrary, it is used medicinally #180, GVDB: 54 identify it as vetiver: (Khan et al. 2018). N. indica is 86, 145, 190, 361 illustrated on p. 6 of the Voynich vetiver and lemon grass (?) (uśīre) "the manuscript. Khan et al. (2018) assert two uśīras," perhaps vetiver (uśīra) and that this is the same plant as tagara,

362 Flora

```
although this is not a widely-held view
                                                  #1038: 146, 166
   (see crape jasmine (tagara)): 153,
                                               white dammer tree (sarja) Vateria indica,
   344, 361
                                                  L. See NK: 1, #2571, AVS: 5, 349 f,
watered buttermilk (udaśvit) MW: 183: 144
                                                  AVS: 1, 292 f, Chopra: 253a. T. B. Singh
                                                  and Chunekar (GVDB: 424) discussed
weaver's beam tree (moksaka) see weaver's
   beam tree (muṣkaka): 362
                                                  whether this term might be broadened
                                                  to any resinous tree and decided
weaver's beam tree (muskaka) Schrebera
                                                  against: 50, 85, 357, 362
   swietenioides, Roxb. See AVS: 5, 88,
                                               white dammer tree (sarjja) see white
   Lord, NK: 1, #2246, GVDB: 242-243:
                                                  dammer tree (sarja): 211
   113, 166, 362
                                               white lotus (pundarīka) see sacred lotus
weaver's beam tree (p\bar{a}tal\bar{t}) usually a
   synonym for crimson trumpet-flower
                                                   (padma), GVDB: 252: 156
                                               white sandalwood (bhadraśriya)
   tree (pātalā), but T. B. Singh and
                                                  Santanlum album Linn. See white
   Chunekar (GVDB: 242–243) argue that
                                                  sandalwood (bhadraśrī): 118, 214
   it is weaver's beam tree (moksaka)
   because some authors distinguish two
                                               white sandalwood (bhadraśrī) Santanlum
   colours (unlike pāṭalā) : 113, 211, 214
                                                  album Linn. see sandalwood (candana)
                                                  GVDB: 152, 282 and Carakasamhitā
weaver's beam tree (viśalyā) Schrebera
                                                  ci.4.102 (Ca 1941: 434) where it is
   swieteniodes Roxb. \leftarrow kuber\bar{a}k\bar{s}\bar{\imath}.
                                                  contrasted with lohitacandana: 87, 362
   T. B. Singh and Chunekar (GVDB: 371)
   notes that this name is a synonym for
                                               white siris (?) (kapītana) T. B. Singh and
   many other plants, including lāṅgālī,
                                                  Chunekar (GVDB: 72–73) note that this
   indravāruni, gudūcī etc. Dalhana
                                                  stands for at least two plants, milky and
   identified it with pāṭalā, kāsṭhapāṭalā,
                                                  non-milky. For the latter type, they
   and agniśikhā tree, all of which may be
                                                  propose Albizia procera (Roxb.)
   called śvetamokṣaka or kuberākṣī: 195
                                                  Benth., Thespesia (hibiscus-like, but
                                                  not endemic to S. Asia) or Spondias
weevil wort (tālamūlikā) GVDB: 178–179:
                                                  (cashew). Six different identifications
   362
                                                  are made by Monier-Williams et al.
weevil wort (t\bar{a}lapatr\bar{i}) \rightarrow t\bar{a}lam\bar{u}lik\bar{a}, weevil
                                                  (MW: 251), without authority: 211
   wort, q.v. GVDB: 178: 197
                                               white siris (katabhī) Albizia procera
white calotropis (alarka) Calotropis
                                                  (Roxb.) Benth. or A. lebbeck (Linn.)
   procera, (Ait.) R. Br. See NK: 1, #428,
                                                  Benth. GVDB: 63-64, AVS: 1, 81-84. Cf.
   Chopra: 46b, Chopra IDG: 305–308: 59
                                                  Cf. siris: 190, 359
white clitoria (śvetā) Clitoria ternatea, L.
                                               white siris (kiṇihī) Albizia procera (Roxb.)
   See AVS: 2, 129, NK: 1, #621.
                                                  Benth., GVDB: 98, which also discusses
   GVDB: 416–417 notes that there are two
                                                  past confusions; NK: 1, #93: 160, 196
   types, kṣudrā (white, according to
                                               white teak (kārśmarī) see white teak
   Dalhana) and mahā (blue, according to
                                                   (kāśmarī): 237
   Dalhana). Sometimes given as a
                                               white teak (kāśmarya) see white teak
   synonym for winged-stem canscora,
   but sometimes as a contrasting plant:
                                                  (k\bar{a}\acute{s}mar\bar{\imath}): 214
   145, 196, 205, 208, 213, 360
                                               white teak (kāśmaryā) see white teak
white cutch tree (somavalka) Acacia
                                                  (kāśmarī): 85
   polyacantha, Willd. See AVS: 1, 30, IGP
                                               white teak (kāśmarī) also kāśmarya,
   7, GJM1: 602, AVS: 2, 935; pace NK: 1,
                                                  kārśmarī, madhuparņī. Gmelina arborea,
```

Flora 363

```
Roxb. See GJM1: 543, Trees: 51,
   ADPS: 240, GVDB: 96-97: 118, 120, 346,
   362, 363
white teak (madhuparnī) see white teak
   (kāśmarī): 85
white water-lily (kumuda) Nymphaea alba,
   Linn., GVDB: 105: 41, 214, 346
white-bark acacia (arimeda) Vachellia
   leucophloea (Roxb.) Maslin, Seigler &
   Ebinger. See AVS: 1, 23, T. B. Singh and
   Chunekar (GVDB: 22, 33): 50, 212
wild asparagus (bahuputrā) Asparagus
   racemosus, Willd. See further wild
   asparagus (śatāvarī) Possibly a syn. for
   nandana. The bark of wild asparagus is
   toxic: 146
wild asparagus (śatāvarī) Asparagus
   racemosus, Willd. See ADPS: 441,
   AVS: 1, 218, NK: 1, #264, IGP: 103,
   AVS: 4, 249 ff, Dymock: 3, 482 ff:
   116-118, 120, 242, 363
wild celery (agnika) \rightarrow may be bhall\bar{a}taka,
   lāngalī, ajamodā, morata, or agnimantha,
   GVDB: 4. Uncertain A plant often cited
   in Suśrutasamhitā, but rarely in
   Carakasamhitā (GVDB: 4). Dalhana
   glossed it at 5.2.45 (Su 1938: 566) as
   ajamodā but noted that others consider
   it to be morata. There is considerable
   complexity surrounding the
   identification of morata/mūrvā itself and
   related synonyms (GVDB: 314-316):
   160, 363
wild celery (ajamodā) Apium graveolens,
   L. Sometimes identified with agnika
   (wild celery), q.v.: 160, 195
wild Himalayan cherry (padmaka) Prunus
   cerasoides D.Don, GVDB: 236,
   AVS: 4, 353–355. MW: 585 is wide of
   the mark: 118–120, 195, 196, 214
wild spider flower (ajagandhā) possibly
```

Cleome gynandra L. (syn.

Gynandropis gynandra L.); possibly also Basil (Ocimum basilicum Linn. or

Crested Late Summer Mint (Elsholtzia

ciliata Willd.) (GVDB: 6). But E. ciliata is not native to South Asia: 124 wild spider flower (tailaparnika) see wild spider flower: 214 wild spider flower (tilaparnī) Cleome gynandra L., GVDB: 184–185, but see the discussion of the other drug plants sometimes intended by this name: 363 wild sugar cane (kāndekṣu) Saccharum spontaneum L., GVDB: 90: 85 winged-stem canscora ($girihv\bar{a}$) see winged-stem canscora (girikarnikā): winged-stem canscora (*girikarnikā*) sometimes \rightarrow *śvetā*, in which case possibly Clitoria ternatea, L., see AVS: 2, 129, NK: 1, #621. Since śvetā and *girihvā* are cited as separate constitutents of one formula (e.g., Suśrutasaṃhitā 5.5.75 (Su 1938: 579) they cannot be the same plant. GVDB: 138-139 argued for Symphorema polyandrum Wight, which they also assigned to sinduvāra. When discussing śańkhapuṣpī, another possible synonym, Sivarajan and Balachandran (ADPS: 425–427) also suggest Canscora alata (Roth) Wall. (syn of Canscora decussata Schultes & Schultes f.) and Convulvulus pluricaulis Chois. The former has a more appropriate distribution and is chosen here: 363 winged-stem canscora (giryāhvā) see winged-stem canscora (girikarnikā): Withania (aśvagandhā) Withania somnifera (L.) Dunal. See AVS: 5, 409 f, Dymock: 2, 566 f, 150, GVDB: 29, Chevillard: 152: 59, 112, 119, 196 wood-apple (kapittha) Limonia acidissima, L. See AVS: 3, 327, NK: 1, #1021: 119, 145, 147, 197, 206, 207, 211, 236, 356

woody turmeric (kāleyaka) Coscinium

fenestratum (Goetgh.) Colebr.,

GVDB: 95. See V. K. Gupta et al. 2015: 173–175: 214
woody-fruited jujube (gopaghoṇṭā)
Ziziphus xylopyra (Retz.) Willd.
GVDB: 147 → ghoṇṭā: 212
yellow-berried nightshade (kaṇṭakārī)
Solanum virginianum L. (syn. Solanum surattense Burm. f. and Solanthum

xanthocarpum, Schrad. & Wendl.) GVDB: 68–69. See also IHR: 430. A component of lesser five roots: 352, 364 yellow-berried nightshade (kṣudrā) see yellow-berried nightshade (kaṇṭakārī), ADPS: 100, NK: 1, #2329, AVS: 5, 164: 160, 161

Fauna

all-support (vaiśvambhara) A variant of all-support (viśvambhara), q.v.: 221 all-support (viśvambhara) unknown. "All-support" is merely the etymology of the term, whose lexical referent is "Earth." Possibly similar to a scorpion, although it is listed alongside scorpion (*vṛścika*) in some lists, as if it were something different: 165, 225, 364 ant (pipīlika) MW: 627: 226 arala rat (arala-animal) a hapax legomenon in Sanskrit, probably a Dravidian loan word or cognate from forms like Pengo, Manda, Kuwi etc., orli, urli, etc., DED₂: #994 : 202, 204, 205 arrow-coloured (śaravarna) unknown frog, name from etymology: 224 atakī (atakī) unknown: 221 bad-marked rat (kulinga) etymologically, "having bad-marks" MW: 286, but unidentifiable: 202, 205 beaked (*tundikerī*) neologism insect-name based on the etymology of tunda. Probably tundikera and tundicela are variants of the same lexeme. tunda is "Nicht überzeugend erklärt" according to Mayrhofer (EWA: 1, 653), who refers to a possible non-Indo-European origin (ibid. v. 3, 249 on tundikā, tundikerī refers to plants only). But Burrow 1971: 544 derived the term plausibly from \sqrt{tud} "peck": 220 bee (bhramara) bee or bumble-bee,

MW: 769, etc.: 221 bee (makṣikā) MW: 771. May sometimes refer to a fly: 226 bhaṭābha (bhatābha) unknown: 221 black (kṛṣṇa-maśaka) unknown; name based on etymology: 226 black drongo (dhūmyāta) Dicrurus adsimilis, Bechstein, Dave 1985: 63, 65, 199:142 black monitor lizard (krsnagodhā) unknown, name from etymology: 221 black rat (krsna) perhaps the widespread Black Rat or Common House Rat, Rattus Rattus L., BIA: 210: 202, 204 black scorpion (krsna-vrścika) unknown; name from etymology. Possibly a Heterometrus, since they are large, black and have low toxicity: 228 black-beak (kṛṣṇatuṇḍa) unknown insect, name based on etymology; MW: 307. But possibly "black-belly" based on the lexeme tunda, CDIAL: 1, #5858: 221 black-coloured (krsnavarna) unknown frog, name from etymology: 224 brahman woman ant (brāhmanī) unknown; meaning from etymology: 226 brown (*kapilā*) unknown; meaning from etymology: 226 brown rat (kapila-animal) name from etymology; unidentified; see tawny rat (aruna): 202, 205, 369 brown scorpion (śyāva-vṛścika) unknown;

name from etymology: 228

```
bull (vṛṣabha) MW: 1012, etc. Bos taurus,
   Linn.: 142
cavity (kuhara) unknown frog, name from
   etymology: 224
celestial (svarga-insect) unknown insect,
   name based on etymology: 221
centipede (śatapāda) see centipede
   (śatapādaka): 224
centipede (śatapādaka) the name's meaning
   is, "hundred-foot" MW: 1049,
   CDIAL: 1, #12281: 221, 365
chital deer (pṛṣata) Axis axis, Erxleben.
   BIA: 295–296. In Suśrutasamhitā 5.5.71
   (Su 1938: 579) it seems to be specifically
   the musk that is meant. so the reference
   may be to the Musk Deer (Moschus
   moschiferus L.). But all species
   produce musk, so prsata may also be
   simply Chital or Spotted Deer. See also
   IW: 93: 142, 148, 196
chukar partridge (cakora) Alectoris chukar,
   J. E. Gray, Woodcock 1980: 45,
   distributed from NW India to Nepal
   and Assam: 142
civet (mārjāra) BIA: ch. 4 et passim,
   McHugh 2012: 196
colourless (vivarṇā) unknown; meaning
   from etymology: 226
common crane (kroñca) Grus grus, Linn.,
   Woodcock 1980: 47, Dave 1985: ch. 62:
cone snail (śambūka) a bivalve or snail
   (MW: 1055), but presumably a
   poisonous one such as the cone-snail:
   164
cook-fish insect (pākamatsya) unknown
   insect, name based on etymology. A
   kind of fiery insect according to
   Dalhaṇa on 5.3.5 (Su 1938: 567) :
   164, 221
cricket (uccitinga) The suggestion "cricket"
   is from Assamese usangā and Bengali
   cuingā, ucungā, CDIAL: 1, #1645,
   although they are not venemous.
   Unlikely: a crab, MW: 173. The cricket
```

```
may appear to have a sting, although it
   does not Maxwell-Lefroy 1909: 102:
   165, 220
dark blue scorpion (mecaka) unknown;
   name from etymology: 228
devout (brahmanīkā) unknown insect,
   name based on etymology: 221
district (mandala) unknown; name based
   on etymology: 226
droplet (bindula) unknown insect, name
   based on etymology. Dalhana on 5.8.9
   (Su 1938: 586) noted that some people
   read viluța instead of bindula: 221
drummer (dundubhaka) unknown insect,
   name based on etymology. But may be
   connected with a variant of tunda/tund
   "belly" CDIAL: 1, #5858. *tunda-bhaka
   might then mean
   "belly-croaker/puffer": 221
elephant (hastin) unknown; name based
   on etymology: 226
enemy-liquor (arimedaka) unknown insect,
   name based on etymology. Perhaps a
   variant of ali- "bee", CDIAL: 1, #716 or
   āla "poison" CDIAL: 1, #1352: 221
fidgety rat (capala) from the etymology of
   the word. Unidentifiable mouse or rat.
   It is probably too much of a stretch to
   connect it with Dravidian forms like
   Kui superi "shrew-mouse",
   DED<sub>2</sub>: #2675: 202, 205
fierce-purple scorpion (ugradhūmra)
   unknown; name from etymology: 228
fiery insect (agnikīta) see ?? (agni-insect):
   221, 365
finger-ant (angulikā) unknown; meaning
   from etymology: 226
fire centipede (agni-centipede) unknown
   insect, name based on etymology. Cf.
   Marāṭhī āghī "a kind of stinging fly"
   CDIAL: 1, #57: 365
fire-centipede (agniprabhā) uncertain; same
   as the fire centipede (agni-centipede)
   and cf. fiery insect (agnikīṭa): 227
```

five-black (pañcakṛṣṇa) unknown,

etymologically "five-black": 221 five-venom (pañcālaka) unknown insect, name based on etymology: 221 five-white (pañcaśukla) unknown, etymologically "five-white": 221 fondling rat (lālana) based on etymology. An unknown rat or mouse: 202, 203 frog (dardura) frog. CDIAL: 6198 also gives "lizard, chameleon" for Khotanese dodór, though this may be < dardru: 224 frown (bhṛkuṭī) unknown frog, name from etymology: 224, 227 gajpipul rat (vasira-animal) unknown type of rat or mouse. "Vasira," equated with gajapippalī is usually the name of the liana Scindapsus officinalis (Roxb.) Schott (GVDB: 132, 362) (see gajpipul (gajapippalī)). Lianas are known for providing a habitat for many arboreal animals, including rodents. The vulgate Suśrutasaṃhitā reads haṃsira as the	1876: 691a, sub māṇikyā): 164, 366 house shrew (chuchundara) Suncus murinus (Linnaeus, 1766), Wikipedia, BIA: 168–169 and plate 38. Probably a Dravidian loan word related to Tamil cuṇṭaṇ, "grey musk shrew," see DED2: #2661 and CDIAL: 1, #5053: 202, 204 hundred-creeper (śatakurda) unknown insect, name based on etymology. Cf. śarāvakurda "creeping among dishes" (MW: 1057), apparently also the name of a snake: 220 hundred-kulimbhaka (śatakulimbhaka) unknown insect class. Perhaps centipedes: 220 iguana (godheraka) The गैथिरक is described in the Carakasaṃhitā as a four-legged snake born of a Indian monitor lizard that is similar to a black snake and has several species (6.23.134 (Ca 1941: 577)). CDIAL: 1, #4286
name of this rat: 202, 204 greenish (harita-frog) unknown frog, name	identifies this as an iguana : 223, 226, 367 Indian monitor lizard (<i>godhā</i>) Varanus
from etymology : 224 grey peacock-pheasant (jīvajīvaka) Polyplectron bicalcaratum, Linn., Dave	bengalensis (Daudin, 1802), Reptiles: 58–60, ill.: 59, 103, 148, 366
1985: 270, 273, 274, 281: 142 hairy scorpion (<i>romaśa</i>) unknown; name	Indian peafowl (<i>mayūra</i>) Pavo cristatus, Linn., Woodcock 1980: 39: 142
from etymology: 228 hairy-head scorpion (<i>romaśīrṣa</i>) unknown; name from etymology: 228	invincible rat (<i>ajita</i>) etymological meaning; unidentifiable: 202, 205 kiṭibha (<i>kiṭibha</i>) unknown: 221
hill myna (<i>sārikā</i>) Acridotheres tristis tristis, L., etc. See Ali and Ripley 1983: #1006, Dave (1985: 28 ff.),	koel (<i>kokila</i>) Eudynamys scolopaceus, Linn., Wikipedia, Woodcock 1980: 66:
Woodcock (1980: 119): 142 horned ($\dot{s}\dot{r}\dot{n}g\bar{\iota}$) unknown, based on	kokila-insect (<i>kokila-insect</i>) unknown: 221 konṭāgīrī (<i>koṇṭāgīrī</i>) unknown: 221
etymology: 220	krimikara (krimikara) unknown: 221
house gecko (<i>gṛhagolikā</i>) see house gecko (<i>gṛhagoḍikā</i>): 224	kuṣṭa-insect (<i>kuṣṭa-insect</i>) unknown: 221 lac (<i>lākṣā</i>) Kerria lacca (Kerr.). See
house gecko (<i>gṛhagoḍikā</i>) MW: 362, CDIAL: 1, #4324. Hemacandra's <i>Abhidhānacintāmaṇi</i> (4.364) mentions	GJM1: 445, NK: 2, #32, Varshney 2000. Watt (Watt $_{Comm}$: 1053–1066) is characteristically informative, and is
that <i>gṛhagodhikā</i> and <i>gṛhagolikā</i> are synonyms (Rādhākāntā Deva	definite about the antiquity of lac in India: 167, 196, 214

large Brown rat (mahākapila) from the cikka "small',' DED₂: #2495. See also etymology of the name, "large brown," CDIAL: 1, #4779 on cikka "mouse or muskrat," from lexical sources, and perhaps a bandicoot: 205 #4781 cikkā "small" from Drav., Burrow large gecko (galagodikā) A poisonous 1948: #141: 202, 204 insect, amphibian or reptile described little-voice (alpavāca) unidentified insect; in *Suśrutasaṃhitā* 5.8.29 (Su 1938: 588) possibly a wrong reading: 220 as a biting creature that may be white, lotus-insect (padmakīṭa) unknown insect, black, with red stripes or rings or spotted. It is described just after the name based on etymology: 221 iguanas (godheraka) and before maggot (*kīra-insect*) unknown insect. See centipedes. The name is unstable, e.g., Lahndā, Panjābī, Bengali, Oriya kīṛā, गलगोलिका, गलदोडी, गलगोली. Cf. the etc., CDIAL: 1, #3193 and similar forms remarks on geckos in note 544, p. 164. in Bīhārī, Maithilī Bhojpurī, etc. The similarity of names suggests that a Obviously a variant of *kīṭa* : 221 गलगोडिका may be a non-domestic mandalapuspaka (mandalapuspaka) creature that looks similar to a unknown: 221 domestic gecko. Cf. other IA parallels massage-ant (samvāhikā) unknown; at CDIAL: 1, #4324, 4431, which point translation based on etymology: 226 to a Dravidian origin for the lexeme matt (aprabha) unknown frog, name from (DED₂: #1125) and suggests "iguana." etymology: 224 The tokay gecko (Gekko gecko mole-rat (kokila-animal) Bandicota (Linnaeus, 1758)) is a large gecko bengalensis (Gray & Hardwicke). endemic to South Asia having a Etymologically, "brown as a Kokila". blue-gray skin with red or orange spots CDIAL: 1, #4324 relates kokila to golaka and speckles that may change but it may more likely be a Dravidian according to its environment like a loanword from koko, kogi, koki, meaning chameleon. Tokay geckos, especially "small, little, young" DED₂: 2030. This males, are aggressive and territorial is possibly supported by Kannada kok and can inflict a strong bite. However, and Telugu golatta, koku for the many agamids and skinks are also mole-rat, reported by Prater endemic to South Asia, and have (BIA: 205): 202, 205 markings that could match the mongoose (nakula) Urva edwardsii or the description of the *Suśrutasamhitā*. See often sympatric U. auropunctatus further IW: 40, 135–136; Deuti 2020: 90 (small Indian mongoose, usually an legume-insect (vaidala) unknown insect, eater of smaller creatures than snakes) name based on etymology: 220 (BIA: ch. 5), On mongooses and snakes, lentil insect (masūrika-insect) usually the see IW: 112; BIA: 98-99: 148, 196 name of a lentil or the "lentil disease," mosquito (maśaka) a mosquito, gnat, namely smallpox. But here, an insect: gadfly or any stinging fly, MW: 793, CDIAL: 1, #9917: 221, 226 little point (koṭika) unknown frog, name mountainous (pārvata) unknown; name from etymology: 224, 227 based on etymology: 226 myna-face (śārikāmukha) unknown insect, little rat (cikkira) likely related to the Tulu "cikkeli, a small variety of mouse," and name based on etymology: 220 other Dravidian works related to Tamil nāhana (nāhana) unknown: 221

needle-mouth (sucīmukha) unknown,	red-toothed shrew (kaṣāyadaśana): 205
etymologically "needle-mouth': 221	red-toothed shrew (kaṣāyadaśana) from the
noseless (vināsikā) unknown insect, name	etymology of the word. Shrews in the
based on etymology: 221	genus Sorex (as well as others in the
oceanic (sāmudra) unknown; name based	subfamily Soricinae) have
on etymology : 226	red-pigmented teeth. Species in South
outsider (<i>bāhyaka</i>) unknown insect, name	Asia include Hodgsons's
based on etymology: 221	brown-toothed shrew (Episoriculus
parakeet (śuka) Psittacula krameri, Scopoli	caudatus), the Himalayan water shrew
(or P. eupatria or cyanocephala), See	(Chimarrogale himalayica), the Assam
Woodcock 1980: 64 : 142, 206	mole shrew (Anourosoricini
piccițā (piccițā) unknown insect;	assamensis) and the Giant mole shrew
etymologically perhaps similar to	(A. schmidi): 202, 368
piccaṭa "squashed flat" (MW: 624): 221	revolver (āvarttaka) unidentified insect:
pigeon rat (kapota-animal) a rat "like a	220
pigeon;" presumably of grey colour:	river dolphin (śiśumāra) Platanista
202, 205	gangetica (Lebeck), BIA: 313–314, plate
pitcher-like (kauṇḍinya-insect) unknown	on p. 289, MW: 1076 : 215
insect, name based on etymology: 221	round-bristle (<i>vṛttaśūka</i>) unknown; name
pot-nose wasp (?) (kumbhīnāsa) unknown	based on etymology: 225
insect, name based on etymology. Cf.	śairyaka-insect (śairyaka-insect) unknown:
the forms related to kumbhakārī	221
"potters' wife" at CDIAL: 1, #3312,	śambuka (<i>śambuka</i>) unknown: 221
including Assamese kumārni	sarṣapaka (<i>sarṣapaka</i>) unknown: 221
"mason-wasp," Hindī "wasp-like insect	scorpion (<i>vṛścika</i>) MW: 1011, etc.: 165,
which makes a clay nest": 369	227, 364
pot-turd (kumbhīvarcas) unknown insect,	scorpion the colour of cow's urine
name based on etymology (on -varcas,	(gomūtrābha) unknown; name from
see Mahākośa: 1, 725: 221	etymology: 228
pravalāka (<i>pravalāka</i>) unknown: 221	she-ass insect (gardabhī-insect) unknown
racket-tailed drongo (bhṛṅgarāja) Dicrurus	insect, name based on etymology: 221
paradiseus, Linn., Woodcock 1980: 123:	sheep-insect (urabhra-insect) unidentified
142	insect: 220
rat (unduru) Also undura or indūra in some	shining-like-grain (kaṇabha) unknown
sources, including the vulgate. A	insect, name based on etymology: 221
common name for a rat or mouse in	slimy (<i>śleṣmaka-insect</i>) unknown insect,
many S. Asian languages from Prakrit	name based on etymology: 221
to contemporary, CDIAL: 1, #2095, Menon 2014, where it is called "house	snake-sore (ahikuttha) unknown; name
•	based on etymology: 225
mouse": 202, 205	sonny rat (<i>putraka</i>) unidentified mouse or
red scorpion (<i>rakta-vṛścika</i>) unknown;	rat. Perhaps related to Dravidian forms
name from etymology: 228	like Pengo puṭki, DED ₂ : #4257 (itself
red-dweller (<i>kaṣāyavāsika</i>) unknown, name	perhaps just a form related to Tamil <i>poṭi</i> "little"): 202, 203
from etymology: 221	
red-toothed shrew (kaṣāyadanta) see	sore-maker (kutthuka) unknown; name

```
based on etymology: 225
                                                meaning from etymology: 226
                                            tick-navel (undunābha) unknown insect;
speckle-head (citraśīrsaka) unknown
   insect, name based on etymology: 220
                                                name based on etymology.
spotaka (spotaka) unknown: 221
                                                Etymologically, an insect with an undu
                                                for a navel. Conjecturally, perhaps undu
spotted (parusa) unknown insect, name
                                                is a loan from Tamil antu "small
   based on etymology, which could be
                                                grey-winged insect found in stored
   anything from dirty-coloured, stiff, or
                                                paddy" (DED<sub>2</sub>:#150). Possibly
   rough to shaggy: 220
                                                remotely related to Dravidian lexemes
spotted scorpion (paruṣa-vṛścika)
                                                for "tick," uļungu, udum, urūm, unni,
   unknown; name from etymology: 228
                                                etc. DED<sub>2</sub>: #591, #604. The vulgate of
stench (sthālakā) unknown; translation
                                                the Suśrutasaṃhitā reads pot-nose wasp
   based on sthālika, MW: 1262: 226
                                                (?) (kumbhīnāsa) "pot-nose" in place of
stripy (abhirājī) unknown insect, name
                                                this lexeme, q.v.: 220
   based on etymology: 220
                                            tolaka (tolaka) unknown: 221
swan (hamsa) Cygnus olor, Gmelin, Dave
                                             tortoise (kūrma) Perhaps Geochelone
   1985: ch. 84. As Dave says, "a generic
                                                elegans (Schoepff), Reptiles: 30 and
   term for a large part of the Anatidae
                                                plate, MW: 1076: 215
   family" including Swans, Geese, Ducks
                                            tundavakra (tundavakra) unknown: 221
   and Teals. The term needs to be
                                            tungīnāsa (tungīnāsa) unknown: 221
   translated variously according to the
                                            valabhika (valabhika) unknown insect: 221
   geographical context of the usage. In
                                            variegated scorpion (karbura) unknown;
   the Himalayan region, "swan" is
                                                name from etymology. Possibly
   appropriate, but in more southerly
                                                Isometrus maculatus (De Geer, 1778),
   peninsular India, "goose" is more
   likely. The dogmatism of J. Vogel 1962
                                                which is brown and spotty: 228
                                            vicitinga (viciținga) unidenitified insect
   is based on mainly southern
                                                (not in MW): 220
   observations and temple carvings. The
                                            warding off (vāranī) unknown insect,
   discussion by Dave 1985 is nuanced
   and accurate: 142
                                                name based on etymology. Cf. Oriyā
sweet hoof (nakha) Unguis odoratus or
                                                bāranī "charm against wild animals or
                                                noxious insects" CDIAL: 1, #11553: 221
   Onycha, McHugh 2013, from which I
   adopt the name "sweet hoof." See
                                            wasp (varaki) varaṭī is a wasp; वरिक in the
   especially McHugh's very interesting
                                                Nepalese MSS may possibly be an
                                                alternant of this word. Dalhana on 5.3.5
   discussion about translating this term,
   pp. 56 ff. See also MW: 524 (on no
                                                (Su 1938: 568) remarked that some
                                                interpreted वरिकमत्स्य as two items,
   authority): 214
                                                "wasp and fish," others as a single one,
tawny rat (aruṇa) from the etymology of
   the word, perhaps Rattus norvegicus
                                                "wasp-fish.": 165
                                            white frog (śveta-dardura) uncertain; name
   (Berkenhout, 1769), which is large,
   brown and common (it originated in
                                                based on etymology: 224
   central Asia and (likely) China, not
                                            white gecko (śvetā-gṛhagolikā) unknown;
   Norway), and perhaps distinguishing it
                                                name based on etymology: 227
   from the "large" brown rat: 202, 205,
                                            white rat (śveta-animal) from the
                                                etymology, perhaps the Mus musculus,
   206, 364
thick-head (sthūlaśīrṣā) unknown;
                                                L.., although strictly, they are agouti
```

370 Minerals

not white. The whitetailed wood rat (*Madromys blanfordi*, Thomas) is brown but has a distinctive white end to its tail: 202, 205

white scorpion (*śveta-vṛścika*) unknown; name from etymology: 228

wing-scorpion (*patravṛścika*) unknown insect, name based on etymology: 165, 221

worm-dish (*krimisarāvī*) unknown insect, name based on etymology. *śarāva* "dish, plate, etc." (MW: 1057): 221

Minerals

ashes (*bhasma*) ashes, corrosive when wet:

cuttle-fish bone (?) (phenāśma) Hapax legomenon. Etymologically "foam-stone". Perhaps cuttlefish bone, or pumice (see Byrski 1981)? Dutt (Dutt: 38–42) conjectured that 'foam-stone' may be impure white

arsenic obtained by roasting orpiment.: 154

orpiment (haritāla) Arsenii trisulphidum. See NK v. 2, p. 20 ff: 154 vermilion (rakta) speculative, based on Mahākośa: 1, 667, under raktadhātu, citing the Dhanvantarīyanighaṇṭu: 154

'angry beetles' - toṭaka: 164	ādhmāta - swollen: 182
'bellied' - kukṣita: 165	adhodṛṣṭitva - downward vision: 246
'darts' <i>- śārikā</i> : 165	adhva - roads: 75
'flat insects' <i>- picciṭā</i> : 164	adhyāya - sections: 28
ʻlids' - śārava: 165	afflicted - upasṛṣṭa: 84
ʻliquors' - medaka: 165	affliction - upasarga: 147
'orange-dwellers' - kaṣāyavāsika: 164	afterbirth - aparā: 127
'pepper snakes' - sarṣapaka: 164	agada - anti-toxin: 231 - antidote: 159,
'poisonous snakes' - pracalāka: 164	190f, 195, 208 - antitoxic: 190
'pot insects' - kauṇḍinya: 164	- antitoxin: 231
'speckle-heads' - citraśīrṣa: 165	āgantu - external factors: 27
'wood-enemies' - dārukāri: 165	āgāradhūma - soot from the chimney: 50,
$\sqrt{p\bar{\iota}d}$ - pain: 184	109
\sqrt{rak} , protect: 88	aggregation - samuccaya: 293, 297
√śodh - purge: 191	āgneya - of the nature of agni: 98
$\sqrt{u}h$ - propelled: 184	agni - digestive fire: 71 - heat: 70
	agnika - the flame: 179
a man with no semen - ṣaṇḍa: 101	agnikarma - cauterization: 108
- ṣaṇḍha: 93	agnisanga - diminished digestive fire: 72
abdomen - pakvāśa: 108	agnivarṇā - fire coloured: 224
abdominal gripes - śūla: 213	agra - supernatant layer: 241
abdominal lump - gulma: 254	agramukta - free from the point: 244
abdominal swelling - gulma: 72	āhāra - diet: 25
<i>abhayā -</i> chebulic myrobalan: 238	āhārya - take away: 56
abhiprāya - intentionality: 101	ahipatāka - thei snake flag: 180
abhivyakta - manifest: 101	
abhramukta - free from clouds: 244	ahorātra - day and night: 26
abhyanga - massage oil: 141, 147 - oil	aids - aṅga: 239
massage: 145 - oil rub: 108, 280	air - samīraņa: 184
abhyañjana - oil rubs: 195	<i>ajagara</i> - constrictor: 182 - the goat
abīja - seedless: 84	swallower: 180
ācamana - lavages: 87	<i>ajākṣīrārdita -</i> stirred with goat's milk:
ācāra - regimen: 25	246
<i>ācārika -</i> medical advice: 58	<i>ajeya</i> - invincible: 148 - invincible: 161
accents - svara: 190	akhiladehavyāptirūpam - takes the form of
accumulation - samudāya: 55 - sañcaya: 26	pervading the whole body: 157
acidic - amla: 86	akriya - inactive: 79
ādarśamaṇḍala - the mirror ring: 179	ākṣepaka - convulsion: 77, 80 - the
adhikaraṇa - topic: 293f	convulsor: 77
adhimantha - irritation: 246	ākṣip - convulse: 77
adhiṣṭhāna - base, foundation: 163	ākṣipaṇa - convulsing: 77
- carriers: 163 - located: 25	ākula - overflowing: 222
ādhmāna - distension: 155 - tympanites:	al layers - <i>kalā</i> : 184
8o	alagardā - sting-gush: 39

alagarda - the hungry sting: 179	anuvāsana - oily enema: 85
alankṛtvā - made accessible: 23	anya - other: 283
ālepa - liniment: 236	apadeśa - statement of reason: 293, 295
ālepana - liniments: 39, 147 - ointments:	apakṣāghāta - paralysis: 78
108	apāna - apāna: 71
all-white - sarvaśvetā: 224	apāna - apāna: 71
alleviated - yāpya: 239	apāṅga - outer corner of the eye: 243
alleviation - pratīkāra: 26	aparā - afterbirth: 127
along these lines - evam: 27	aparājita - undefeated: 223
āmāśaya - stomach: 158f	apatānaka - seizure: 77
amla - acidic: 86	āpatantraka - spasmodic contradiction:
amṛta - immortal: 148	78
anāgatāpekṣaṇa - future reference: 293,	apavarga - exception: 293, 296
297	apertures of the head - kha: 146
ānāha - constipation: 155, 158, 161	aphorism - sūtra: 294
anāyuṣya - not conducive to long life: 99	apparent - pravyakta: 101
aṇḍaja - born from eggs: 26	application of collyrium - añjana: 236,
aṇḍīnī - with testicles: 255	241
anekānta - variable statement: 293, 296	application of oil to the head - śirobasti:
anga - aids: 239 - component: 24 - parts:	110
27	apuṣpa - the grass flower: 178
aṅgamarda - bruising of the limbs: 158	araga timira - non-bloodshot blindness:
anger - krodha: 25	243
anguish - santāpa: 76	ardhakapāṭasandhika - half door-hinge: 56
aṅgulirāji - the finger stripe: 179	ardita - paralysis of the jaw-bones: 78, 80
animals - paśu: 26	- spasm of the jaw-bones: 79
añjana - application of collyrium: 236,	arid-land animals - jāṅgala: 241
241 - collyrium: 191f, 195f, 235–238,	ariṣṭā - bandage: 188f, 193f
240ff, 247 - eye make-up: 141, 147	ariṣṭa - omens: 63
- eye ointment: 147 - eye salve: 159	arṇavamala - cuttle fish: 238
- stibnite: 241	arocaka - loss of appetite: 158
annamada - intoxication from food: 158	arśas - prolapses: 254
antarāyāma - emprosthotonos: 77	<i>ārtava</i> - menses: 100 - menstrual blood:
anti-toxin - agada: 231	98, 254 - seasonal blood: 84
antidote - agada: 159, 190f, 195, 208	<i>ārtava</i> - menstrual blood: 86f
antitoxic - agada: 190	artha - purpose: 282
antitoxin - agada: 231	arthāpatti - implication: 293, 296
<i>antra</i> - entrails: 238 - gut: 159	<i>aruci</i> - disinterest in food: 193
ants - pipīlika: 26	asādhya - incurable: 84, 235 - untreatable
anu - minute: 98	243
anubandha - indicatory sounds: 288	āsaṅgima - fastening: 56
anulepana - massage ointment: 141, 145	asātmya - uncongenial: 75
- ointment: 145	āsekya - having diminished seed: 91
ānulomya - rightness: 70	aśmarī - urinary stones: 213
anumata - consent: 293, 296	āśoka - grief: 25

āśraya - substrata: 151	basti - instillation: 85
āśrayin - substrate: 25	be exhausted - sāda: 159
aśrupāta - weeping tears: 88	bearers - vodhāra: 141
āsthāpana - enema: 85	beauty berry - priyangu: 241
asthi - bones: 27	belly - kukṣi: 91
aṣṭhīlā - pebble: 143	
asthma - śvāsa: 213	bellyache - jaṭhara: 161
asūyā - jealousy: 25	bent brow and eye - vakrabhrūnetra: 245
atibalā - strong mallow: 239	benumbed <i>- jāḍya</i> : 184
atideśa - prediction: 293, 295	beryl - vaiḍūrya: 247
	between the shoulder-blades - trika: 110
atikrāntāpekṣaṇa - past reference: 293, 297	bewilderment - moha: 74
ātmaka - nature: 24	bhāgadheya - tribute: 103
āṭopa - flatulence: 144	bhadradāru - deodar: 247
attribute - guṇa: 280	bhakṣya - masticable: 298
atyānandā - extremely excited: 255	bhaktadveṣa - aversion to food: 213
avabāhuka - avabāhuka: 80	bhaṅga - leaves: 244
avabāhuka - avabāhuka: 80	bhavet - it may be: 243
avadārana - fissuring: 147	bhāvita - cooked: 241 - infused: 237
avakāśa - place: 42	bherī - drum: 196
avalekhana - combs: 141	bheṣaja - treatment: 255
avapīḍa - sternutatory: 192	bhojya - edible: 298
āvarta - spiral: 243	bhrama - dizziness: 74
avaśardhita - fart: 164	bhramaraka - drongo: 142
aversion to food - bhaktadveṣa: 213	bhūmī - black earth: 197
axelwood - dhava: 247	bhūta - element: 98
ayana - half-year: 26	bhūtātman - elemental self: 98
āyatta - depends on: 25	bighead - mahāśiras: 223
āyu life: 38	<i>bīja -</i> seed: 91 <i>-</i> semen: 254
āyur - life, longevity: 21	bile-fever <i>- pittajvara</i> : 194
āyurveda - the science of life: 22	bile - pitta: 239
babhru - the brown: 179	bilious / choleric - <i>pittalā</i> : 255
babhrūkuṭīmukha - the brown hut mouth:	bindurāji - the drop stripe: 179
178	black earth - bhūmī: 197
baddham - bound, connected: 60	black part - kṛṣṇa: 243
bahuvarna - multicolour: 223	black soot - maṣī: 236
balā - country mallow: 239	black-pattern - kṛṣṇacitra: 224
bala - strength: 25	black-striped - kṛṣṇarājī: 224
balāsa - phlegm: 109	black - kṛṣṇā: 39, 224
bali - morsel: 142 - ritual offering: 103	blanket sweating - prastara: 108
•	blindness - timira: 243
- sacrificial offerings: 189	blink of the eye - nimeṣa: 26
bandage - ariṣṭā: 188f, 193f - bandha: 188	blisters - <i>piṭaka</i> : 203, 206
bandha - bandage: 188	blockage of the vision - dṛṣṭyavarodha:
base, foundation - adhiṣṭhāna: 163	9
bāṣpa - vapour: 142f, 146 basti - enema: 110	183 blood-bile - <i>raktapitta</i> : 235
vusu - enema. 110	11000-1111е - Тикшрий. 23 5

blood-bile - śonita-pitta, rakta-pitta: 239	carmānta - leather: 188
blood-letting - sirāvedha: 236	carnivore - <i>kravyabhuj</i> : 240
blood - rakta: 84 - rudhira: 26 - śonita: 239	carriers - adhiṣṭhāna: 163
- śonita: 83f	cassia cinnamon - patra: 246
bloodshot blindness - rāgin timira: 240	castor oil <i>- pañcāṅgulataila</i> : 239
- rāgiņi timire: 243	cataract - liṅganāśa: 243
blossom - prasūna: 196	caturvarga - fourfold grouping: 27
blue dot cataract - mlāyin: 242	catuṣtaya - four factors: 27
blue vitriol - <i>tuttha</i> : 241	caused by wind - pavanodbhava: 239
bodily constiuents - dhātu: 157	causes - hetu: 255
bodily element - dhātu: 73	causing a fall - sraṃsanī: 255
bodily tissues - dhātu: 70 - dhātu: 184	causing the destruction of actions such
body language - ingita: 141	as moving - gamanādikriyāvināśakarī:
body tissue - <i>dhātu</i> : 158, 231	245
bones - asthi: 27	caustic - <i>kṣāra</i> : 85, 87, 211
born from eggs - aṇḍaja: 26	cauterization - agnikarma: 108
born in in a caul - jarāyuja: 26	cauterized - paridāhita: 208
born of sweat - svedaja: 26	cetanādhātu - element of consciousness:
bound, connected - baddham: 60	101
bow paralysis - dhanuhstambha: 77	character - prakṛti: 220
box myrtle - katphala: 238	chaste woman - brahmacāriņī: 88
brahma - holiness: 189	chebulic myrobalan - abhayā: 238
brahmacāriṇī - chaste woman: 88	chedya - excision: 27
brahmarşi - holy sages: 189	cheek-ear - gaṇḍakarṇa: 56
breath - prāṇa: 71	chest - <i>hṛd</i> : 159
brilliance - tejas: 90	
bristles - śūka: 164	childra - opening: 243
bṛṇḥaṇa - nourishment: 25	child bearing - kaumārabhṛtya: 250
brown - kapilā: 224	child-murderess - putraghnī: 255
bruising of the limbs - aṅgamarda: 158	chinna - segmented: 39
bubbling - budbuda: 246	choler - pitta: 255
budbuda - bubbling: 246	chyle - rasa: 103f, 158
bulbs - kanda: 26	chyle - rasa: 46
bulges - piṭaka: 101	chyle - rasa: 72
burning sensation in feet - pādadāha: 79	cihna - signs: 255
burning sensation - dāha: 75	circuit of the pupil - dṛṣṭimaṇḍala: 244
bursts out - sphuṭita: 76	citraka - the mark: 179
	citraśīrṣa - 'speckle-heads': 165
cakradhārā - rim of a wheel: 57	citron - mātulunga: 246
cakraka - the ringed: 180	clean - pra√ sādh: 147
cala - liquid: 244	cloth - plota: 188
can be mitigated - yāpya: 76, 243	clumps - granthi: 83, 87
caraṇī - caraṇī: 255	clusters - samplava: 26
caraṇī - caraṇī: 255	cock - tāmracūḍa: 240
cardamom - elā: 238	cohesion - yoga: 293
carman - pelt: 26	cohesion - yoga: 294

collection - varga: 27	crow's foot - kākapada: 160
colligation - sannipāta: 98	crow's lip - kākauṣṭha: 56
collyrium - <i>añjana</i> : 191f, 195f, 235–238,	cumucumāyana - itching: 73
240ff, 247	cuñcumālaka - little ring of spots: 176
combined - upahita: 239	curable - sādhya: 84, 235f
combs - avalekhana: 141	curds - dadhi: 144, 148
comfort - sukha : 27	cure - siddhi: 160
compendium of diseases - rogasanıgraha:	cured - sādhya: 161
252	cuscus grass - <i>uśīra</i> : 241
complexion - <i>varṇa</i> : 25, 63, 90	cut - <i>pra√chā</i> : 207
component - aṅga: 24	cutting with a blade - śastrakṣata: 236
compounds - yoga: 236	cuttle fish - arṇavamala: 238
compressed - saṃkṣipta: 56	cuttlefish bone <i>- phena</i> : 247
compressed - saṃkṣipta: 57	- samudraphena: 238
compulsion - <i>niyoga</i> : 293, 297	1 3
conch - salilotthita: 242	dadhi - curds: 144, 148
congenital blindness - jātyandha: 90	dadhimukha - the curd mouth: 178
congested humours - sannipāta: 27	dadru - ringworm: 222, 229
consent - anumata: 293, 296	$d\bar{a}ha$ - burning sensation: 75 - feeling of
constipation - ānāha: 155, 158, 161	heat: 205 - overheating: 235
constitution - prakṛti: 193	dainya - misery: 25
constrictor - ajagara: 182	dais <i>- pīṭha</i> : 56
contamination dropsy - duṣyodara: 158	daivakṛte - naturally-occurring: 243
contraposition - <i>viparyaya</i> : 293, 296	daṇḍāpatānaka - stick seizure: 77
convulse - ākṣip: 77	dantamāṃsa - gum: 144
convulsing - ākṣipaṇa: 77	dantaveṣṭa - tooth socket: 144
convulsion - ākṣepaka: 77, 80	darbhapuṣpa - the grass flower: 180
cooked barley - yavaudana: 243	dardru - ringworm: 222
cooked - bhāvita: 241 - siddham: 276	darita - torn: 176
copper - tāmra: 245	dark brown <i>- śyāma</i> : 90
coral - vidruma: 247	dark colour <i>- dhyāma</i> : 156
coṣa - driness: 246	dark, rough patches of skin - kiṭibha:
cottony jujube - kākolī: 247	203, 222
counter-sun - pratisūrya: 223	dark - kṛṣṇa: 90
counteraction - pratisedha: 235	dart-mouth - śańkumukhī : 40
country mallow - balā: 239	dārukāri - 'wood-enemies': 165
cow snout - gonasa: 180	daṣṭa - stung: 223f
cow-dung - gośakṛt: 237	datta - given: 142
cow-praising - govandanā: 39	dauhṛda - pregnant craving: 103
cow's flesh - gomāṇṣa: 236	- pregnant longing: 102 - sharing her
cow's urine - gomūtra: 238	heart with the fetus: 102
creeper-ear - vallīkarņa: 56	dauhṛdā - sharing her heart with the
creepy-crawlies - sarīsṛpa: 23, 26	fetus: 102
crimson and crimson-ringed - raktā: 224	day and night - ahorātra: 26
crimson - <i>raktā</i> : 224	deadly substance - kālakalpa: 184

decoction - kaṣāya: 85 - kvātha: 87, 159,	diseases - roga: 254
204ff - niḥkvātha: 87	disinterest in food - aruci: 193
decoctions - kaṣāya: 141, 244	disjunction - viśleṣa: 158
decomposition - kuṇapa: 83f	disorders of the female reproductive
deducible - ūhya: 293, 298	system <i>- yonivyāpat</i> : 254
deer - eṇa: 240	disorientation - moha: 72
defect - doṣa: 86	distension - ādhmāna: 155
defects - doṣa: 254	dizziness - bhrama: 74
deity - devatā: 189	door-hinge <i>- kapāṭasandhika</i> : 56
delirium - moha: 155	doṣa - defects: 254 - humour: 157, 243,
demons - graha: 250	294 - humours: 254 - humours: 26, 70
demons - graha: 250	doṣa - defect: 86 - pathology: 85
deodar - bhadradāru: 247	doṣapariplava - unsteadiness of the
depends on - āyatta: 25	humours: 245
depression - viṣāda: 25	double <i>- yamalā</i> : 144
desert date - iṅgudī: 241	doubt - <i>saṃśaya</i> : 293, 297
desire - icchā: 25	downward vision - adhodṛṣṭitva: 246
determination - nirṇaya: 293	drākṣā - grapes: 246
devadinna - the gift of god: 179	dravāñjana - liquid collyrium: 241
devatā - deity: 189	dravya - liquid: 195 - substance: 63, 280
dhamanī - duct: 104 - ducts: 77 - pipes:	dried flesh - vallūraka: 56
100	dried ginger - nāgara: 237
dhanuhstambha - bow paralysis: 77	driness - coṣa: 246
dharma - virtue: 91	drinkable - peya: 298
dhātrī - emblic: 238	drongo - bhramaraka: 142
dhātu - bodily constiuents: 157 - bodily	drowsiness - <i>supti</i> : 109
element: 73 - bodily tissues: 70	<i>dṛṣṭi</i> - eye: 90 - pupil: 235, 244f
- body tissue: 158, 231 - element: 152,	dṛṣṭimaṇḍala - circuit of the pupil: 244
155 - mineral: 154 - tissues: 215	dṛṣṭivibhrama - faulty vision: 147
dhātu - bodily tissues: 184	<i>dṛṣṭyavarodha</i> - blockage of the vision:
dhava - axelwood: 247	183
dhūma - inhaled smoke: 141	drum - <i>bherī</i> : 196
dhūmadarśin - seeing smoke: 236	dry rub <i>- utsādana</i> : 145
dhūpa - fumigation: 231	dry rubs - utsādana: 141
dhyāma - dark colour: 156 - grimy: 141	dry - rūkṣa: 157
diet - āhāra: 25	duct - dhamanī: 104 - sirā: 190
differentiated - pravyakta: 103	
digdha - poisoned: 194f	ducts - dhamanī: 77 - sirā: 27, 108 - srotas: 93, 181
digestive fire - agni: 71	duhkha - suffering: 25
dilator - pravardhanaka: 55	. 0
diminished digestive fire - agnisanga: 72	dumb - mūka: 79
dīpyaka - the stimulator: 180	dundubhi - kettle drum: 211
discharge - <i>praseka</i> : 156 - <i>srāva</i> : 145, 147	dung beetles - varcaḥkīṭa: 164
discolouration - vaivarṇya: 72	dūrvā - panic grass: 246
disease - vyadhi: 27	dūṣī-viṣa - slow-acting poison: 158

dūṣīviṣa - slow poisoning: 191	entrails - antra: 238
-slow-acting poison: 161, 207	envy - <i>īrṣyā</i> : 25
dūṣīviṣāri - enemy of slow-acting poison:	errhine - nasya: 239
161 - slow-acting poison antidote:	errhines - nasya: 147
144	essence - rasa: 103 - sāra: 26
dust - rajas: 70	evacuation - samśodhana: 209
dușța - injured: 231	evam - along these lines: 27
duṣyodara - contamination dropsy: 158	even more apparent - pravyaktatara: 101
dveṣa - hatred: 25	exception - apavarga: 293, 296
dvyāhika - the two-day: 180	excision - chedya: 27
dvyangulirāji - the two finger stripe: 179	expansive <i>- vikāsin</i> : 157
dwindling away - kṣaya: 158	expert - vicakṣaṇa: 89
dysfunctional eyes - vikṛtākṣa: 90, 102	explication - vyākhyāna: 293, 297
	exposition - nirdeśa: 293, 295
ear-ache - karṇaśūla: 80	expressed juice - svarasa: 236
earth products - pārthiva: 26	extensive meaning of the collection of
earth - pāṃśu: 188	statements - vāksamūhārthavistāra: 181
earthen products - pārthiva: 27	external factors - āgantu: 27
edible - bhojya: 298	extract of rohu carp - rauhita: 237
ekāṅgaroga - monoplegia: 78	extract - niryāsa: 147
ekānta - invariable statement: 293	extracted juice - surasa: 87
- invariable statement: 296	extracted juice - svarasa: 146
ekarasa - one essence: 197	extracts - rasa: 241
elā - cardamom: 238	extremely excited - atyānandā: 255
element of consciousness - cetanādhātu:	eye make-up - <i>añjana</i> : 141, 147
101	eye ointment - añjana: 147
element - bhūta: 98 - dhātu: 152, 155	eye salve <i>- añjana</i> : 159
elemental self - bhūtātman: 98	eye - dṛṣṭi: 90
elephant/snake - nāga: 166	eyewash - tarpaṇa: 147, 236, 240f
elixir salve - <i>rasāñjana</i> : 237, 240, 242	(-1-11
elixir-salve - rasāñjana: 237	fainting - mūrcchā: 194 - mūrchā: 74
elixir-salve - śīta: 237	fart - avaśardhita: 164
ellipis - vākyaśeṣa: 293	fastening - āsaṅgima: 56
ellipsis - vākyaśeṣa: 296	fat - vasā: 240
embelia - vidaṅga: 241	faulty medical treatment - mithyopacāra:
emblic - dhātrī: 238	254
emprosthotonos - antarāyāma: 77	faulty vision - dṛṣṭivibhrama: 147
eṇa - deer: 240	feeling of heat all over <i>- paridāha</i> : 183
enclosed roasting - puṭākhya: 240	feeling of heat - dāha: 205
- puṭapāka: 241	female reproductive organ - yoni: 254f
ends - vaktra: 245	female reproductive system - yoni: 254
enema - āsthāpana: 85 - basti: 110	fetal conduit - garbhanāḍī: 103
enemy of slow-acting poison - dūṣīviṣāri:	fever - jvara: 69
161	field-specific term - svasamjñā: 293, 297
energy - ojas: 63	filaments - kiñjalka: 237
eṇīpada - the deer foot: 179	fire coloured - agnivarṇā: 224

tirst point of view - pūrvapakṣa: 296	general rule - paribhāṣā: 241
fissuring - avadāraņa: 147	gently - mṛdu: 246
flag - patāka: 196	ghee - sarpiș: 148 - sarpis: 236
flame of the forest - palāśa: 241	girisarpa - the mountain snake: 179
flatulence - āṭopa: 144	given - datta: 142
flavour - rasa: 294	giving of fumes <i>- paridhūpāyana</i> : 182
flavours - rasa: 25, 63	giving off fumes - paridhūpana: 182
flesh - māṃsa: 27	glassy opacity - kāca: 241
flooded - pariplutā: 255	<i>godhā -</i> monitor lizard: 238
flowering trees - vṛkṣa: 25	gold - śātakumbhī: 245
flowers - puṣpa: 26	gomāṇṣa - cow's flesh: 236
follicles - kha: 145	gomūtra - cow's urine: 238
force - vega: 110	gonasa - cow snout: 180
formal procedure - kalpa: 163, 188	gośakṛt - cow-dung: 237 - juice of
formulation - yoga: 107	cow-dung: 237
fortnight - pakṣa: 26	gout <i>- vātarakta</i> : 80
foul-smelling pus - pūtipūya: 84	govandanā - cow-praising: 39
four factors - catuṣtaya: 27	graha - demons: 250 - demons: 250
fourfold grouping - caturvarga: 27	grahaṇī - seat of fire in the gut: 183
free from clouds - abhramukta: 244	grahaṇī - seat of fire in the gut: 183
free from the point - agramukta: 244	grahaṇīdoṣa - humours of the abdomen
frogs - maṇḍūka: 26	213
fruit trees - vanaspati: 25	<i>granthi -</i> clumps: 83, 87 - knots: 156
fruits - phala: 26	- lumps: 145, 155, 203, 205
fumigation - dhūpa: 231	granthi - knot: 101
future reference - anāgatāpekṣaṇa: 293,	grapes - drākṣā: 246
297	<i>gṛdhrasī -</i> sciatica: 79f
	great antidote - mahāgada: 39
gada - toxin: 231	great fragrance - mahāsugandha: 147
gadgad - stammers: 80	greed - lobha: 25
gāḍha - pinched: 58	green vitriol - kāsīsa: 242
gairikaḥ - red chalk: 246	gṛhadhūma - soot: 169, 212
gamana - intercourse: 86	grief -āśoka: 25
gamanādikriyāvināśakarī - causing the	grimy - dhyāma: 141
destruction of actions such as	gripes - śūla: 72
moving: 245	grooming - vilekhana: 88
gaṇḍakarṇa - cheek-ear: 56	gruel <i>- yavāgū</i> : 160, 191
gara - toxic potion: 213	guḍikā - pill: 237
garbha - offspring: 93f	gulma - abdominal lump: 254
garbhanādī - fetal conduit: 103	- abdominal swelling: 72
garbhāśaya - uterus: 98	gum - dantamāṃsa: 144
garlands - sraj: 141	guṇa - attribute: 280 - qualities: 156
garuḍa - tārkṣya: 196	gut - antra: 159
gasping - vijṛmbhikā: 204	0
gauze - plota: 58	haemorrhaging - śonitāgamana: 182
gavedhuka - the gavedhuka: 178	half door-hinge - ardhakanātasandhika: 5

half litre - prastha: 206 humours - dosa: 26, 70 half-year - ayana: 26 hydrophobia - jalatrāsa: 208 hare foot uraria - pṛthakparṇī: 246 harenu - harenu: 237f icchā - desire: 25 harenu - harenu: 237f if, then not - na ced: 243 hari - sun: 244 ilikinī - the ilikinī: 180 haridrā - turmeric: 241 illness - ruj: 238 illustration - nidarśana: 293, 297 harşa - horripilation: 158 - overexcitement: 25 immortal - amrta: 148 harsh - parusā: 224 implication - arthāpatti: 293, 296 hastābharaṇaka - the hand decoration: 179 impotent - śaṇḍhī: 255 hastikakṣya - lion: 223 in those cases - tatra: 239 hatred - dvesa: 25 in yama's direction - yāmya: 170 having diminished seed - āsekya: 91 inactive - akriya: 79 having made small cuts - pracchita: 206 incised - pracchāna: 194 - pracchita: 194 heart-seizure - hṛdgraha: 72, 205 incising - pracchāna: 190 heat - agni: 70 - tejas: 90, 98 incurable - asādhya: 84, 235 herbs - oṣadhi: 25 indian madder - mañjisthā: 246 hetu - causes: 255 - reason: 282 indian sarsaparilla - kālānusāriva: 237 hetvartha - purpose of a reason: 293, 295 - sāriva: 238 - śārivā: 246 himalayan cherry - padmaka: 246f indication - pradeśa: 293, 295 hīnakarna - reduced-ear: 56 indicatory sounds - anubandha: 288 hives - kotha: 205, 225 indigo - nīlī: 144 hoarseness - pārusya: 155 individuality - viśeṣa: 281 indragopa - red velvet mites: 26 holiness - brahma: 189 holostemma - payasyā: 246 indrāyudhā - rainbow: 39 holy sages - brahmarşi: 189 infertile - vandhyā: 255 honey collyrium - ksaudrāñjana: 238 inflamed - samrambha: 59 - vidagdha: 236 honey - *madhu*: 236 - *madhus*: 142 infused - bhāvita: 237 hopper - kunī: 223 infusion - upasneha: 104 hornets - kaṇabha: 222 ingita - body language: 141 horripilation - harșa: 158 ingudī - desert date: 241 horseradish tree - śigru: 242 inhaled smoke - dhūma: 141 hot all over - samantatastāpah: 182 inherence - samavāya: 281 hot over the whole body inherent factors - svabhāva: 27 - sarvāngasantāpaḥ: 182 inherent - svābhāvika: 25 injured - dusta: 231 - utpīḍita: 243 *hrd* - chest: 159 hrdgraha - heart-seizure: 72, 205 insect - kīṭa: 220, 231 huge - mahatī: 255 insects - kīta: 224, 227 human being - purusa: 24f, 27 inspissation - rasakriyā: 242 humoral colligation - sannipāta: 84 instillation - basti: 85 humour - dosa: 157, 243, 294 intended - vyākhyāta: 27 humours of the abdomen - grahanīdosa: intentionality - abhiprāya: 101 intercourse - gamana: 86 213 humours - doșa: 254 interpretation - nirvacana: 293, 297

intestines - pakvādhāna: 159 - pakvāśaya:	kākauṣṭha - crow's lip: 56
144, 158	<i>kākolī -</i> cottony jujube: 247
intoxication from food - annamada: 158	kalā - layer: 173 - minutes: 26
invariable statement - ekānta: 293	kalā - al layers: 184 - layers of skin: 184
invariable statement - ekānta: 296	kālakalpa - deadly substance: 184
investigation - parīkṣā: 286	kālakṛta - items created by time: 26
invincible - ajeya: 148	kālakṛta - items created by time: 27
invincible - ajeya: 161	kālānusāriva - indian sarsaparilla: 237
irregularities - vaiṣamya: 25	kalāyakhañja - lathyrism: 79f
irrigated - pratipūraņa: 146	kalka - mash: 161 - paste: 85, 87
irrigation - seka: 236 - tarpaṇa: 254	kalpa - formal procedure: 163, 188
irritation - adhimantha: 246 - prakopa: 26	- procedure: 140, 174, 202, 211, 220
īrṣyā - envy: 25	kalyāṇaka - the salutary: 213
it may be - bhavet: 243	kāma - lust: 25
itching - cumucumāyana: 73	kaṇabha - hornets: 222 - wasps: 165
itemization - vidhāna: 293, 296	kanda - bulbs: 26
items created by time - kālakṛta: 26	kaṇṭaka - spots: 146
- kālakṛta: 27	kapālacūrņa - powdered earthenware
industrial and a second	crockery: 57
jādya - benumbed: 184	kapāṭasandhika - door-hinge: 56
jādyatā - rigidity: 193	kapha - mucus: 146 - phlegm: 155, 157,
jala - water: 38	159, 183, 255
jalatrāsa - hydrophobia: 208	kapilā - brown: 224 - tawny: 40
jalaukas - water-dwellers: 38	kapittha - wood apple: 236
jāṅgala - arid-land animals: 241	karburā - mottled: 39
jangama - mobile: 152 - moving: 25	kardama - the mud: 179
jangama - moving: 27	karma - regimen: 245
<i>japa</i> - mantra repetition: 189	karman - movement: 281 - therapies: 27
jarāyuja - born in in a caul: 26	karṇaśūla - ear-ache: 80
jaṭhara - bellyache: 161	karnavyadha - piercing the ear: 53
jātī - royal jasmine: 247	karṇika - small ear-like growths: 203,
jatru - neck: 71	206f
jātyandha - congenital blindness: 90	karṇikā - small ear-like growths: 222
jealousy - asūyā: 25	karņinī - protuberant: 255
jihvā - tongue: 228	karṣū - trench sweating: 108
jīva - life: 91	kaṣāya - decoction: 85 - decoctions: 141
joints - sandhi: 27	244 - the ochre: 179
juice extract - svarasa: 26	kaṣāyavāsika - 'orange-dwellers': 164
juice of cow-dung - gośakṛt: 237	kāśipati - lord of kāśī: 140
juice - rasa: 109	kāsīsa - green vitriol: 242
juices - rasa: 240	kāsthā - trice: 26
jvara - fever: 69	••
<i>jyotīratha</i> - the chariot of light: 180	katphala - box myrtle: 238 kaumārabhṛtya - child bearing: 250
kāca - glassy opacity: 241	kaumārī - young girl: 93
kākavada - crow's foot: 160	kaundinya - 'pot insects': 164
DEFENDED BY STATE AND STAT	MARITHALIAN DOLLIDATO

kavala - mouthwash: 145 kṣaya - dwindling away: 158 kettle drum - dundubhi: 211 kṣīṇa - low volume: 83 - wasted: 58 kevala - simply: 192 *kṣīra* - milky sap: 152, 154f - sap: 26 *kṣīrikāpuṣpa* - the milk flower: 180 kha - apertures of the head: 146 - follicles: 145 kukṣi - belly: 91 kukṣita - 'bellied': 165 khaluşa - the khaluşa: 179 kūkuṭa - the kūkuṭa: 178 khandaphana - the break hood: 178 kunakha - ugly nails: 88 khañja - limpness: 79 kuṇapa - decomposition: 83f - smell of khara - rough: 245 decomposition: 84 kikkisāda - the worm eater: 180 kunī - hopper: 223 *kinihī -* white siris: 241 kūni - shrivelled hand: 94 kiñjalka - filaments: 237 *kunta* - small insects: 26 kīṭa - insect: 220, 231 - insects: 224, 227 kupyaka - metal: 236 kitchen - mahānasa: 141 kuśa grass - kuśa: 240 kitibha - dark, rough patches of skin: kuśa - kuśa grass: 240 203, 222 kustha - pallid skin disease: 88, 158 kiţipa - lice: 164 kutī - sauna: 108 knot - granthi: 101 kvātha - decoction: 87, 159, 204ff knots - granthi: 156 knowledge - veda: 21, 280 lac *- lākṣā*: 246 kohl - srotas: 240 - srotoja: 237, 247 lākṣā - lac: 246 kostha - trunk of the body: 183 lame - pangu: 79 kotha - hives: 205, 225 - skin disease: 158 lathyrism - kalāyakhañja: 79f kravyabhuj - carnivore: 240 lavages - ācamana: 87 kṛcchra - with difficulty: 243 layer - *kalā*: 173 - *paṭala*: 243 *kriyā* - procedures: 24, 27 - treatment: layers of skin - kalā: 184 241f leather - carmānta: 188 kriyā - treatment: 27, 85 leaves - bhanga: 244 - patra: 26 *kriyākāla* - the time for therapies: 27 lehya - suckable: 298 *kriyāsanga -* loss of function: 245 *lekhana* - scarification: 25 kṛmi - worms: 26 lice - kiţipa: 164 krodha - anger: 25 life, longevity - āyur: 21 *kroṣṭukaśīrṣa* - synovitis of knee join: 79f life - āyu-: 38 - jīva: 91 kṛṣṇa - black part: 243 limpid - viśada: 157 kṛṣṇā - black: 39, 224 limpness - khañja: 79 kṛṣṇa - dark: 90 linga - symptom: 146 - symptoms: 158 kṛṣṇacitra - black-pattern: 224 linganāśa - cataract: 243 krsnarājī - black-striped: 224 liniment - ālepa: 236 *krsnasarpa* - the black snake: 178 liniments - ālepana: 39, 147 *kṛṣṇodara* - the black belly: 178 lion - hastikakṣya: 223 kṣaṇadāndhya - night blindness: 237 liquid collyrium - dravāñjana: 241 *kṣāra* - caustic: 85, 87, 211 liquid - cala: 244 - dravya: 195 kṣārāgada - the caustic antidote: 212 liquorice - madhukair: 246 ksāraka - lye: 240 little ring of spots - cuñcumālaka: 176 kṣaudrāñjana - honey collyrium: 238 liver extract - yakṛdrasa: 237

liver - yakṛt: 238	mahāsugandha - great fragrance: 147
lobha - greed: 25	mahatī - huge: 255
located on the limb - śākhāśrayā: 190	mākuli - mākuli: 180
located - adhiṣṭhāna: 25	mākuli - mākuli: 180
lodh tree - lodhra: 241	malice - mātsarya: 25
lodhra - lodh tree: 241	māṃsa - flesh: 27
logical methods of the system	māṃsanirgama - prolapse: 246
- tantrayukti: 293	māṃsarasa - meat broth: 109
lohitākṣa - the red eye: 178, 180	manaḥśilā - realgar: 237, 240f, 247 - red
long pepper - māgadha: 241 - māgadhi:	arsenic: 238
238 - māgadhī: 238, 240	mānasa - mental: 25
loose stool - viḍbheda: 155, 166	maṇḍala - round blotches: 158
lord of kāśī - kāśipati: 140	 таṇḍūka - frogs: 26
loss of appetite - arocaka: 158	manifest <i>- abhivyakta</i> : 101
loss of function - kriyāsaṅga: 245	mañjiṣṭhā - indian madder: 246
lotus-mouth <i>- puṇḍarīkamukhī</i> : 40	mantra repetition - japa: 189
lotus-splittable <i>- utpalabhedyaka</i> : 56	manual agitation <i>- pāṇimantha</i> : 108
lotus-spots <i>- padminīkaṇṭaka</i> : 146	manyāstambha - stiffness of the neck: 184
low volume - kṣīṇa: 83	manyāsthambha - rigidity of neck: 78
lumps - <i>granthi</i> : 145, 155, 203, 205	mardana - rubbing: 108
lust - kāma: 25	marks with a knife - <i>śastrapada</i> : 42
lūtā - spiders: 23	māruta - wind: 84
lye - kṣāraka: 240	māsa - month: 26
madanala the interior to me	mash - <i>kalka</i> : 161
madanaka - the intoxicator: 179	maṣī - black soot: 236
made accessible - alaṅkṛtvā: 23	massage oil <i>- abhyanga</i> : 141, 147
madhu - honey: 236 - mead: 189	massage ointment - anulepana: 141, 145
madhukair - liquorice: 246	masticable - bhakṣya: 298
madhus - honey: 142	mātrā - measures: 110
madirā - spirits: 238	mātsarya - malice: 25
madira - spirits: 241 madness - unmāda: 213	mātuluṅga - citron: 246
	matured - vipakva: 237
māgadha - long pepper: 241 māgadhi - long pepper: 238	mead - madhu: 189
	meaning of one or more words
māgadhī - long pepper: 238, 240 mahāgada - great antidote: 39 - the great	- padārtha: 294
antidote: 205	measures - mātrā: 110
mahāgada - The Great Antidote: 195	meat broth - māṃsarasa: 109
mahākapota - the big pigeon: 178	medaka - 'liquors': 165
mahākṛṣṇa - the big black: 178	medical advice <i>- ācārika</i> : 58
mahānasa - kitchen: 141	medicines cooked in a crucible
mahāpadma - the great lotus: 178	- puṭapāka: 236
<i>mahāpanasaka</i> - the big jackfruit: 179	men - <i>nara</i> : 164
mahāsarpa - the great snake: 178	menses - ārtava: 100
mahāśiras - bighead: 223	menstrual blood - <i>ārtava</i> : 98, 254 - <i>ārtava</i> :
mahāšīrṣa - the big head: 179	86f
mmmon on the dig nead. 1/9	001

mental - mānasa: 25	multi-joins <i>- vyāyojima</i> : 56
mention - samuddeśa: 293, 295	multicolour - bahuvarṇa: 223
meṣaśṛṅga - perploca of the woods: 247	mumbles - mimmira: 79
meṣaviṣāṇa - periploca of the woods: 239	mūrcchā - fainting: 194 - stupor: 143
metal - kupyaka: 236	mūrchā - fainting: 74
metamorphopsia - viparītadarśana: 182	mūṣikā - mouse: 40
milk - payas: 148	mūṣikā - rats: 202
milky sap - kṣīra: 152, 154f	mūṣika - rodents: 23
mimmira - mumbles: 79	<i>mustā -</i> nutgrass: 246
mineral - dhātu: 154	mustard - sarṣapikā: 224
minor body parts - pratyanga: 101	1 16 1
minute - anu: 98	na ced - if, then not: 243
minutes - kalā: 26	nāḍī - tube: 108
misery - dainya: 25	nadīja - salt: 237
<i>miśrakacikitsa</i> - various treatments: 60	nāga - elephant/snake: 166
misshapen eyeball - vilocana: 245	nāgara - dried ginger: 237
mithuna - pair: 297 - triad: 297	nalada - spikenard: 241
mithyopacāra - faulty medical treatment:	napuṃsaka - neither male nor female: 99
254	nara - men: 164
mitigatible - yāpya: 235	nasal medicine - nasya: 159
mlāyin - blue dot cataract: 242	nasal medicines - nasya: 236
mobile - jangama: 152	nasya - errhine: 239 - errhines: 147 - nasal
moha - bewilderment: 74 - delirium: 155	medicine: 159 - nasal medicines: 236
- disorientation: 72	- snuff: 141, 146
monitor lizard - godhā: 238	naturally-occurring - daivakṛte: 243
monkey - vānara: 164	nature - ātmaka: 24
monoplegia - ekāṅgaroga: 78	nausea - praseka: 100
month - māsa: 26	neck - jatru: 71
morsel - <i>bali</i> : 142	needle - sūcī: 244
mottled - karburā: 39	neither male nor female - napuṃsaka: 99
mouse - mūṣikā : 40	nemīsandhānaka - rim-join: 56 - rim-join:
mouth ulcer - sarvasara: 213	57
mouthwash - kavala: 145	newborn - prasava: 90
movement - karman: 281	nidarśana - illustration: 293, 297
	night blindness - kṣaṇadāndhya: 237
moving - jaṅgama: 25 - jaṅgama: 27	niḥkvātha - decoction: 87 - stewed juice:
mṛdu - gently: 246	160
mucous - śleśman: 183	<i>nīlī</i> - indigo: 144
mucus - kapha: 146	nimeṣa - blink of the eye: 26
muhūrta - three-quarters of an hour: 26	nimitta - purposes: 101
mūka - dumb: 79	nipping with the mouth
mukhasaṃdaṃśā - nipping with the	- mukhasaṃdaṃśā: 164
mouth: 164	nirdeśa - exposition: 293, 295
muktā - pearl: 243	nirṇaya - determination: 293
muktvā - separate: 243	nirupama - peerless: 223
<i>mūla</i> - root: 25 - roots: 26	nirvacana - interpretation: 293, 297

nirveanima - ready-split: 56	otner - anya: 283			
nirvișa - without venom: 176	outer corner of the eye - apāṅga: 243			
<i>niryāsa -</i> extract: 147 - resin: 26, 152, 154f	overexcitement - harṣa: 25			
niśācara - nocturnal creature: 242	overflowing - ākula: 222			
niṣevita - prepared: 240 - used: 238	overheating - dāha: 235			
nivāta - no wind: 26				
niyoga - compulsion: 293, 297	pacification - saṃśamana: 25 - upaśama:			
no wind - nivāta: 26	26			
nocturnal creature - niśācara: 242	pada - word: 279, 281			
non-bloodshot blindness - araga timira:	pādadāha - burning sensation in feet: 79			
243	<i>padārtha -</i> meaning of one or more			
non-flowering tree - vanaspati: 241	words: 294 - relevant meaning: 290,			
not conducive to long life - anāyuṣya: 99	293f - word-meaning: 281			
nourishment - bṛṇṇhaṇa: 25	padma - the lotus: 178			
numb - stabdha: 109	<i>padmaka -</i> himalayan cherry: 246f			
numbness - <i>supti</i> : 73 - <i>svāpa</i> : 73, 147	padminīkaṇṭaka - lotus-spots: 146			
nutgrass - mustā: 246	pain and injury - vedanābhighāta: 22			
,	pain - √ <i>pīḍ</i> : 184 - śūla: 159			
objection - pūrvapakṣa: 293	pair - mithuna: 297			
oblations - upahāra: 189	pāka - sepsis: 147			
obligation - ṛṇa: 89	pakṣa - fortnight: 26			
oceanic - sāmudrikā: 39	pakṣāghāta - paralysis of one side: 80			
of the nature of agni - āgneya: 98	- paralysis: 78			
of the nature of soma - saumya: 98	pakvādhāna - intestines: 159			
off his hand - sapāṇa: 239	pakvāśa - abdomen: 108			
offspring - garbha: 93f	pakvāśaya - intestines: 144, 158			
oil massage - abhyanga: 145	palāśa - flame of the forest: 241			
oil rub - abhyaṅga: 108, 280	pālindaka - the morning glory: 179			
oil rubs - abhyañjana: 195	pallava - shoots: 244			
oil stripe - <i>snigdharāji</i> : 180	pallid skin disease - kuṣṭha: 88, 158			
oil - sneha: 26	pāṃśu - earth: 188			
oily enema - anuvāsana: 85	panasaka - the jackfruit: 179			
oily stripe - <i>snigdharāji</i> : 180	pañcāṅgulataila - castor oil: 239			
ointment - anulepana: 145 - pralepa: 143,	paṅgu - lame: 79			
146	panic grass - dūrvā: 246			
ointments - ālepana: 108	pāṇimantha - manual agitation: 108			
ojas - energy: 63 - vital energy: 25, 103	paralysis of arms and back - viśvañci: 791			
oleation - sneha: 108	paralysis of one side <i>- pakṣāghāta</i> : 80			
omens - ariṣṭa: 63	paralysis of the jaw-bones - ardita: 78, 80			
one essence - ekarasa: 197	paralysis - apakṣāghāta: 78 - pakṣāghāta: 78			
opening - chidra: 243	pārāvata - the pigeon: 179			
ophidian - sarpita: 176	<i>paribhāṣā -</i> general rule: 241			
option - vikalpa: 293, 297	paridāha - feeling of heat all over: 183			
or not distorted - vāvikṛtā: 144	paridāhita - cauterized: 208			
oṣadhī remedies: 25	paridhūpana - giving off fumes: 182			
osadhi - herbs: 25 - remedies: 27	naridhūnāyana - giving of fumes: 182			

parīkṣā - investigation: 286	pigs' eye - sūkarākṣitā: 246
pariplutā - flooded: 255	pilindaka - the pilindaka: 179
parisarpa - the snake around: 178	pill - guḍikā: 237
parīṣeka - shower: 145	pinched - gāḍha: 58
parśvabheda - ribs crack: 159	pingabhāsa - yellow-shine: 223
pārthiva - earth products: 26	piṅgalā -ruddy: 40
pārthiva - earthen products: 27	pipes - dhamanī: 100
partial blindness - timira: 239	pipīlika - ants: 26
particulars - vikalpa: 27	piṭaka - blisters: 203, 206 - bulges: 101
parts - anga: 27	pith - sāra: 152, 154f
paruṣā - harsh: 224	pīṭha - dais: 56
pāruṣya - hoarseness: 155	pītikā - yellow: 224
paryuṣita - stale: 86	pitta - bile: 239 - choler: 255
past reference - atikrāntāpekṣaṇa: 293, 297	pittajvara - bile-fever: 194
paste - kalka: 85, 87	pittalā - bilious / choleric: 255
paśu - animals: 26	pittavișa - poison in the bile: 189
paṭaha - tabors: 196	place - avakāśa: 42
patāka - flag: 196	plīhan - spleen: 238
paṭala - layer: 243	plota - cloth: 188 - gauze: 58
pāthā - velvet leaf: 241	plutā - sprung: 255
pathology - doṣa: 85	poison in the bile - pittavișa: 189
patra - cassia cinnamon: 246 - leaves: 26	poison-stink <i>- viṣapūti</i> : 194
paṭṭa - strip of cloth: 109	poisoned - <i>digdha</i> : 194f
pavanodbhava - caused by wind: 239	poṭa throat - poṭagala: 180
payas - milk: 148	poṭagala - poṭa throat: 180
payasyā - holostemma: 246	potency - vīrya: 195, 205
pearl - muktā: 243	poultice - upanāha: 108
pebble - aṣṭhīlā: 143	powdered earthenware crockery
peerless - nirupama: 223	- kapālacūrṇa: 57
pelt - carman: 26	<i>pra√ sādh -</i> clean: 147
periploca of the woods - meṣaviṣāṇa: 239	pra√chā - cut: 207
perploca of the woods - meṣaśṛṅga: 247	pra√kuth - rot: 144
person - puruṣa: 297	<i>prabha -</i> shine: 243
pervasive - vyavāyin: 157	<i>pracalāka - '</i> poisonous snakes': 164
peya - drinkable: 298	pracchāna - incised: 194 - incising: 190
<i>phala</i> - fruits: 26	pracchita - having made small cuts: 206
phena - cuttlefish bone: 247	- incised: 194
phlegm - balāsa: 109 - kapha: 155, 157, 159,	practical purposes - prayojanavat: 26
183, 255	pradeśa - indication: 293, 295
phlegmatic - śleṣmalā: 255	pragāḍha - steeped: 239
physical - śārīravad: 27	<i>prakopa -</i> irritation: 26
picciṭā - 'flat insects': 164	<i>prakṛti</i> - character: 220 - constitution: 193
pīḍpress: 243	- temperament: 25
piercing the ear - kaṛnavyadha: 53	<i>pralāpa -</i> ranting: 155
piercing - vyadha: 244	pralepa - ointment: 143, 146

prameha - urinary diseases: 72	protuberant - karṇinī: 255
prāṇa - breath: 71 - prāṇa: 71 - vital wind:	pṛṣata - the speckled: 179
71	pṛthakparṇī - hare foot uraria: 246
prāṇa <i>- prāṇa</i> : 71	pulse interval - vegāntara: 184
prasanga - recontextualization: 293	pulse - <i>vega</i> : 173, 229
- recontextualization: 296	pulses - vega: 151
prasava - newborn: 90	puṇḍarīka - the lotus: 179
praseka - discharge: 156 - nausea: 100	puṇḍarīkamukha - the lotus mouth: 178
prastara - blanket sweating: 108	puṇḍarīkamukhī - lotus-mouth: 40
prastha - half litre: 206	pupil - <i>dṛṣṭi</i> : 235, 244f
prasūna - blossom: 196	purge - √śodh: 191
pratīkāra - alleviation: 26 - remedy: 236	purification - saṃśodhana: 25
pratipūraņa - irrigated: 146	purpose of a reason - hetvartha: 293, 295
<i>pratisāraṇa -</i> rub: 144 - rubbing: 144	purpose - artha: 282
<i>pratisedha -</i> counteraction: 235	purposes - nimitta: 101
<i>pratisūrya</i> - counter-sun: 223	puruṣa - human being: 24f, 27 - person:
pratitūnī - pratitūnī: 80	297
pratitūnī - pratitūnī: 80	pūrvapakṣa - first point of view: 296
pratyādhmāna - pratyādhmāna: 80	- objection: 293
pratyādhmāna - pratyādhmāna: 80	puṣpa - flowers: 26
pratyanga - minor body parts: 101	<i>puṣpābhikīrṇnābha -</i> the flower sprinkle
pratyaṣṭhīla - pratyaṣṭhīla: 80	beauty: 179
pratyaṣṭhīla - pratyaṣṭhīla: 80	puṣpapāṇḍu - the pale as a flower: 179
pravardhanaka - dilator: 55	puṣpasakalī - the flower all: 180
pravyakta - apparent: 101	puṭāhvaya - taken hot: 240
pravyakta - differentiated: 103	puṭākhya - enclosed roasting: 240
pravyaktatara - even more apparent: 101	puṭapāka - enclosed roasting: 241
prayojanavat - practical purposes: 26	- medicines cooked in a crucible: 236
prediction - atideśa: 293, 295	- roasting: 254
pregnant craving - dauhṛda: 103	pūtipūya - foul-smelling pus: 84
pregnant longing - dauhṛda: 102	- stinking pus: 83
premise <i>- sādhana</i> : 282, 295	putraghnī - child-murderess: 255
prepared with turpeth - traivṛta: 236	putrid - śīrṇa: 194
prepared - niṣevita: 240	qualities - guṇa: 156
prescription - upadeśa: 293, 295	quanties - guiju. 150
press - pīḍ-: 243	rāga - red colour: 226
priest - upādhyāya: 89	rāgin timira - bloodshot blindness: 240
<i>priyangu</i> - beauty berry: 241	rāgiņi timire - bloodshot blindness: 243
probe - śalākā: 243f	rainbow <i>- indrāyudhā</i> : 39
procedure - <i>kalpa</i> : 140, 174, 202, 211, 220	rainy seasons <i>- varṣā</i> : 26
procedures - <i>kriyā</i> : 24, 27	rajana - turmerics: 237
prolapse - māṃsanirgama: 246	rajas - dust: 70
prolapses - arśas: 254	<i>rājicitra -</i> the stripe speckle: 179
propelled - $\sqrt{u}h$: 184	rājimat - striped snake: 160
protect - √ <i>rakş</i> : 88	rakta - blood: 84
• •	•

raktā - crimson and crimson-ringed: 224 rigidity - jāḍyatā: 193	
- crimson: 224 rim of a wheel - cakradhārā: 57	
raktakṣayā - with bloodloss: 255 rim-join - nemīsandhānaka: 56	
raktamaṇḍala - the red ring: 179 rim-join - nemīsandhānaka: 57	
raktapitta - blood-bile: 235 ringworm - dadru: 222, 229 - dardru: 2	22
ranting - pralāpa: 155 ritual offering - bali: 103	
rarefied - sūkṣma: 157 rjusarpa - the straight snake: 179	
rasa - chyle: 103f, 158 - chyle: 46 - chyle: rna - obligation: 89	
72 - essence: 103 - extracts: 241 roads - adhva: 75	
- flavour: 294 - flavours: 25, 63 - juice: roasting - puṭapāka: 254	
109 - juices: 240 - taste: 103 - the rodents - mūṣika: 23	
blood of birds and animals: 237 roga - diseases: 254	
rasakriyā - inspissation: 242 rogasanıgraha - compendium of diseas	ses:
rasana - sense of taste: 229 252	
rasāñjana - elixir salve: 237, 240, 242 rohīta tree - rohīta: 241	
- elixir-salve: 237 rohīta - rohīta tree: 241	
rats - mūṣikā: 202 root - mūla: 25	
rauhita - extract of rohu carp: 237 roots - mūla: 26	
ready-split - nirvedhima: 56 rot - pra√kuth: 144	
realgar - manahśilā: 237, 240f, 247 rough - khara: 245	
reason - hetu: 282 round blotches - maṇḍala: 158	
recontextualization - <i>prasanga</i> : 293 royal jasmine - <i>jātī</i> : 247	
recontextualization - prasanga: 296 rtu - season: 26, 88, 99	
red arsenic - manahśilā: 238 rub - pratisāraņa: 144	
red chalk - gairikah: 246 rubbing - mardana: 108 - pratisāraņa: 1	44
red colour - rāga: 226 - unmardana: 108	
red velvet mites - indragona: 26 ruddy - pingala: 40	
reduced-ear - hīngkarna: 56 rudhīra - blood: 26	
regimen - ācāra: 25 - karma: 245 ruj - illness: 238	
regular - sama: 215 rukṣa - dry: 157	
relevant meaning - padārtha: 290, 293f	
religious power - tapas: 189 sacrificial offerings - bali: 189	
remedies - oṣadhī-: 25 - oṣadhi: 27 sacrum - trika: 72	
remedy - pratīkāra: 236 sāda - be exhausted: 159	
required knowledge - vijñānīya: 152, 174 sadana - tiredness: 100	
resin - <i>niryāsa</i> : 26, 152, 154f <i>ṣaḍaṅga</i> - the six part: 179	
restrictions - yantraṇā: 244 ṣaḍdharaṇa - six-units: 107	
resuscitator - sañjīvana: 196 sādhana - premise: 282, 295	
retas - semen: 83 sādhya - curable: 84, 235f - cured: 161	
retas - semen: 91 saindhava - salt: 159	
rheum - <i>upadeha</i> : 147 śākhāśrayā - located on the limb: 190	
ribs crack - parśvabheda: 159 śalākā - probe: 243f	
rightness - ānulomya: 70 salilotthita - conch: 242 - water-born: 2	242
rigid - sthirā: 245 saliva - śleṣman: 143	'-
rigidity of neck - manyāsthambha: 78 salt - nadīja: 237 - saindhava: 159	

(1 11 0.6 11.6	- : : 1: :11 0
śalya - spike: 284f, 295 - splinter: 295	sāriva - indian sarsaparilla: 238
sama - regular: 215	śārivā - indian sarsaparilla: 246
samāna - samāna: 71	śarkarā - small urinary stones: 213
samāna - samāna: 71	sarpāṅkuśa - snakes' controlling hook:
samāñjana - same collyrium: 241	213
samantatastāpaḥ - hot all over: 182	sarpiș - ghee: 148
sāmānya - universality: 281	sarpis - ghee: 236
samavāya - inherence: 281	sarpita - ophidian: 176 - serpented: 176
same collyrium - samāñjana: 241	sarṣapaka - 'pepper snakes': 164
samīraṇa - air: 184	sarṣapikā - mustard: 224
śaṃkhapāla - the conch keeper: 178	sarvakṛṣṇa - the all black: 178
saṃkṣipta - compressed: 56 - compressed:	sarvāngasantāpaḥ - hot over the whole
57	body: 182
samplava - clusters: 26	sarvasara - mouth ulcer: 213
samrambha - inflamed: 59	sarvaśvetā - all-white: 224
saṃśamana - pacification: 25	sarvātmikā - sarvātmikā: 255
saṃśaya - doubt: 293, 297	sarvātmikā - sarvātmikā: 255
saṃśodhana - evacuation: 209	śastrakṣata - cutting with a blade: 236
- purification: 25	śastrapada - marks with a knife: 42
samuccaya - aggregation: 293, 297	śātakumbhī - gold: 245
samudāya - accumulation: 55	sātmya - suitability: 193
samuddeśa - mention: 293, 295	saumya - of the nature of soma: 98
samudraphena - cuttlefish bone: 238	- watery: 221
sāmudrikā - oceanic: 39	sauna - kuṭī: 108
saṃvatsara - year: 26	sauvīraka - stibnite: 237
sanakha - thorny: 214	sāvarikā - sāvarikā: 40
sañcaya - accumulation: 26	sāvarikā - sāvarikā : 40
ṣạṇḍa - a man with no semen: 101	scarification - lekhana: 25
sandal - sugandhi: 239	sciatica - <i>gṛdhrasī</i> : 79f
ṣaṇḍha - a man with no semen: 93	scramberry - tālīśapatra: 237
śaṇḍhī - impotent: 255	season - ṛtu: 26, 88, 99
sandhi - joints: 27	seasonal blood - ārtava: 84
sañjīvana - resuscitator: 196	seat of fire in the gut - grahaṇī: 183
śańkumukhī - dart-mouth: 40	- grahaṇī: 183
sannipāta - colligation: 98 - congested	secondary ailments - upadrava: 193
humours: 27 - humoral colligation:	sections - adhyāya: 28
84	seed - bīja: 91
santāpa - anguish: 76	seedless - abīja: 84
sap - kṣīra: 26	seeing smoke - dhūmadarśin: 236
sapāṇa - off his hand: 239	segmented - chinna: 39
<i>sāra</i> - essence: 26 - pith: 152, 154f	seizure - apatānaka: 77
śārava - 'lids': 165	seka - irrigation: 236
śārikā - 'darts': 165	semen <i>- bīja</i> : 254
śārīravad - physical: 27	semen - retas: 83
sarīsṛpa - creepy-crawlies: 23, 26	semen - retas: 91 - śukra: 91
• 1 1 1	,

separate - muktvā: 243 sepsis - pāka: 147 sesame oil - taila: 194 - tailam: 276 sesame oil - taila: 194 - tailam: 276 sharing her heart with the fetus - dauhṛda: 102 - dauhṛdā: 102 sharing her heart with the fetus - dauhṛda: 102 - dauhṛdā: 102 sharp - tīkṣṇa: 191 shine - prabha: 243 shooting pain - sūla: 245 shoots - pallava: 244 - udbhid: 26 shoots - pallava: 244 - udbhid: 26 shower - parīṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddhām - cooked: 276 siddhār-ture: 160 side-effects - upadrava: 147, 161 signs - cilma: 255 sigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 siris - śirīṣa: 247 śīrŋa - putrid: 194 śīrna - putrid: 195 sītā - white sugar: 246 six-units - ṣaḍdharaṇa: 107 skin disease - kotha: 158 skin - tva: 173 - tvak: 26f sleep - svāpa: 155 śleṣmalā - phlegmatic: 255 sleṣmalā - phlegmatic: 255 sleṣmalā - phlegmatic: 255 sleṣmalā - phlegmatic: 255 simali and ar-like growths - karnikā: 220 small insects - kunta: 26 small urinary stones - śarkarā: 213 small er-like growths - kuntarā: 213 smāyu - sinews: 27 snēha - oil: 26 - oleation: 108 sniffing - urchrīgana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 - oily stripe: 180	sense of taste - rasana: 229	slow-acting poison - dūṣī-viṣa: 158
sere - rūkṣa: 86 serpented - sarpita: 176 sesame oil - taila: 194 - tailam: 276 sharing her heart with the fetus - daulnta: 102 - daulntā: 102 sharp - tūkṣṇa: 191 shine - prabha: 243 shoots - pallawa: 244 - udbhid: 26 shower - parīṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddhār - coue: 160 side-effects - upadrava: 147, 161 signs - cilma: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 sirīvs - śirīṣa: 247 śīrīṇa - putrid: 194 śīrobasti - application of oil to the head: 110 siśsika - the kid: 179 śīta - elixir-salve: 237 sitā - white sugar: 246 six-units - ṣaḍdharaṇa: 107 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155	separate - muktvā: 243	
sere - rūkṣa: 86 serpented - sarpita: 176 sesame oil - taila: 194 - tailam: 276 sharing her heart with the fetus	sepsis - pāka: 147	small ear-like growths - karṇika: 203,
sesame oil - taila: 194 - tailam: 276 sharing her heart with the fetus		206f - karṇikā: 222
sharing her heart with the fetus	serpented - sarpita: 176	small insects - kunta: 26
- dauhrda: 102 - dauhrdā: 102 sharp - tīkṣṇa: 191 shine - prabha: 243 shooting pain - śūla: 245 shoots - pallava: 244 - udbhid: 26 shower - parīṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddham - cooked: 276 siddhārthaka - white mustard: 246 siddhi - cure: 160 side-effects - upadrava: 147, 161 signs - cihna: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 sirīs - śirīṣa: 247 śīrīṣa - sirīs: 247 śīrīṣa - sirīs: 247 śīrīṣa - putrid: 194 śīrobasti - application of oil to the head: 110 siśsuka - the kid: 179 sītā - elixir-salve: 237 sitā - white sugar: 246 six-units - ṣaḍdharaṇa: 107 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155 sirāl - āvarta: 243 snakes' controlling hook - sarpānkuśa: 213 snāyu - sinews: 27 snahu - oil: 26 - oleation: 108 sniffing - ucchinigana: 244 sniffing - ucchinigana: 244 snifdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snifdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snifdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 sniffing - ucchinigana: 244 snigdharāji - oil stripe: 180 snitfin	sesame oil - taila: 194 - tailam: 276	small urinary stones - śarkarā: 213
sharp - tīkṣṇa: 191 shine - prabha: 243 shooting pain - śūla: 245 shoots - pallava: 244 - udbhid: 26 shower - parīṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddham - cooked: 276 siddhārthaka - white mustard: 246 siddhi - cure: 160 side-effects - upadrava: 147, 161 signs - cihna: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirīṣa - siris: 247 sīrīṣa - siris: 247 sīrīṣa - siris: 247 sīrīṣa - putrid: 194 śirobasti - application of oil to the head: 110 siśsuka - the kid: 179 sītā - white sugar: 246 six- units - ṣaddharaṇa: 107 ski diease - kotha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155	sharing her heart with the fetus	smell of decomposition - kuṇapa: 84
shine - prabha: 243 shooting pain - śūla: 245 shoots - pallava: 244 - udbhid: 26 shower - parīṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddhār thaka - white mustard: 246 siddhi - cure: 160 side-effects - upadrava: 147, 161 signs - cilna: 255 śigru - horseradish tree: 242 simply - kevala: 192 siris - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 sirīṣa - sirīṣa: 247 śirīṣa - sirīṣa: 247 śirīṣa - putrid: 194 śirobasti - application of oil to the head: 10 siśsuka - the kid: 179 śīšu - elixir-salve: 237 sitā - white sugar: 246 six-units - ṣaddharaṇa: 107 skin disease - koṭha: 158 shoots - pallava: 244 - udbhid: 26 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 snuff - nasya: 141, 146 sole-heart - talahṛdaya: 297 solid - styāna: 244 soma creeper - somalatā: 143 somalatā - soma creeper: 143 śonita - blood: 239 śonita - blood: 239 śonita - blood: 239 śonita - blood: 239 śonita - blood: 245 sonitrana - haemorrhaging: 182 śonitrana - with blood: 245 sonitrana - haemorrhaging: 182 śonitrana - haemorrhagin	- dauhṛda: 102 - dauhṛdā: 102	snakes' controlling hook - sarpāṅkuśa:
shooting pain - <i>śūla</i> : 245 shoots - <i>pallava</i> : 244 - <i>udbhid</i> : 26 shower - <i>parīṣeka</i> : 145 shrivelled hand - <i>kūn</i> i: 94 shrubs - <i>vīrudh</i> : 25 <i>siddhām</i> - cooked: 276 <i>siddhārthaka</i> - white mustard: 246 <i>siddhār - cure</i> : 160 side-effects - <i>upadrava</i> : 147, 161 signs - <i>cilnna</i> : 255 <i>śigru</i> - horseradish tree: 242 simply - <i>kevala</i> : 192 sinews - <i>snāyu</i> : 27 <i>sirā</i> - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 sirīs - <i>śirīṣa</i> : 247 <i>śīrṇa</i> - putrid: 194 <i>śīrobasti</i> - application of oil to the head: 110 <i>šiśuka</i> - the kid: 179 <i>šīīa</i> - elixir-salve: 237 <i>šīīā</i> - white sugar: 246 <i>six</i> - white sugar: 246 sixia - shota: 158 skin - <i>tvac</i> : 173 - <i>tvak</i> : 26f sleep - <i>svāpa</i> : 155	sharp - tīkṣṇa: 191	213
shoots - pallava: 244 - udbhid: 26 shoots - pallava: 244 - udbhid: 26 shower - pariṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddham - cooked: 276 siddham - cooked: 276 siddhārthaka - white mustard: 246 siddhi - cure: 160 side-effeets - upadrava: 147, 161 signs - cilna: 255 śigru - horseradish tree: 242 simply - kevala: 192 simply - kevala: 192 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 siris - śirīṣa: 247 śīrṇa - putrid: 194 śirobasti - application of oil to the head: 110 siğsūka - the kid: 179 sitā - elixir-salve: 237 sitā - white sugar: 246 six-units - ṣaḍdharaṇa: 107 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155 sniffing - ucchingana: 244 snigdharāji - oil stripe: 180 - oily stripe: 180 snuff - nasya: 141, 146 sole-heart - talahṛdaya: 297 solid - styāna: 244 soma creeper - somalatā: 143 somalatā - soma creeper: 143 śonita-pitta, rakta-pitta - blood-bile: 239 śonita - blood: 239 śonita - blood: 83f śonitāgamana - haemorrhaging: 182 śonitena - with blood: 245 soot - gṛhadhūma: 169, 212 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sphoṭa - spots: 146f sphuṭṭita - bursts out: 76 spikenard - nalada: 241 spikal- 244 soma creeper - somalatā: 143 somalatā - soma creeper: 143 śonita-pitta, rakta-pitta - blood-bile: 239 śonita - blood: 239 śonita - blood: 245 soot from the chimney - āgāradhūma: 50, 109 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sphoṭa - spots: 146f sphuṭṭita - bursts out: 76 spikena - vitta - blood-bile: 239 sonita - blood: 245 soot from the chimney - āgāradhūma: 50, 109 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 special property - viśeṣa: 98 special property - viśeṣa: 98 spika - śukra: 83 sphoṭa - spots: 146 spika - spika - spika - spika - spika -	shine - prabha: 243	
shower - parīṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddham - cooked: 276 siddhārthaka - white mustard: 246 siddhī - cure: 160 side-effects - upadrava: 147, 161 signs - cihna: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 siris - śirīṣa: 247 śīrṇa - putrid: 194 śīrobasti - application of oil to the head: 110 signs - cihra: 237 sitā - elixir-salve: 237 sitā - white sugar: 246 six-units - saḍdharaṇa: 107 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155 snigdharāji - oil stripe: 180 - oily stripe: 180 snuff - nasya: 141, 146 sole-heart - talahṛdaya: 297 sole-heart - talahṛdaya: 297 solid - styāna: 244 soma creeper - somalatā: 143 somalatā - soma creeper: 143 somita-pitta, rakta-pitta - blood-bile: 239 śoṇita - blood: 239 śoṇita - blood: 239 śoṇita - blood: 239 śoṇita - blood: 83f śonita - with blood: 245 soot from the chimney - āgāradhūma: 50, 109 soot - gṛhadhūma: 169, 212 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sphoṭa - spots: 146f sphoṭa -	shooting pain - śūla: 245	
shower - parīṣeka: 145 shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddham - cooked: 276 siddhārthaka - white mustard: 246 siddhār toure: 160 side-effects - upadrava: 147, 161 signs - cihna: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 siris - śirīṣa: 247 śiriṣa - siris: 247 śirṇa - putrid: 194 śirobasti - application of oil to the head: 110 signs - cihna: 255 sonita - blood: 239 śonita - blood: 245 soot from the chimney - āgāradhūma: 50, 109 soot - grhadhūma: 169, 212 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sperm - śukra: 83 sperm - śukra: 83 sperm - śukra: 83 sphoṭa - spots: 146f six-units - ṣaḍdharaṇa: 107 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155 soile-heart - talaḥṛdaya: 297 solid - styāna: 244 soma creeper - somalatā: 143 somalatā - soma creeper: 143 śonita-pitta, rakta-pitta - blood-bile: 239 śonita - blood: 239 śonita - blood: 239 śonita - blood: 245 soot from the chimney - āgāradhūma: 50, 109 soot - grhadhūma: 169, 212 sour - śukra: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sphoṭa - spots: 146f sphoṭa -	shoots - pallava: 244 - udbhid: 26	
shrivelled hand - kūni: 94 shrubs - vīrudh: 25 siddham - cooked: 276 siddhārthaka - white mustard: 246 siddhī - cure: 160 side-effects - upadrava: 147, 161 signs - cihna: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 siris - śirīṣa: 247 sīrṇa - putrid: 194 sīrobasti - application of oil to the head: 110 siśiska - the kid: 179 śīta - elixir-salve: 237 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155 sole-heart - talahṛdaya: 297 solid - styāna: 244 soma creeper - somalatā: 143 soma creeper: 143 soma creeper: 143 somitar-pitta, rakta-pitta - blood-bile: 239 śonita - blood: 245 soot from the chimney - āgāradhūma: 50, 109 soot - gṛhadhūma: 169, 212 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sphoṭa - spots: 146f sphuṭiṭia - bursts out: 76 spiders - lūtā: 23 spike - śalya: 284f, 295 spikenard - nalada: 241 sleep - svāpa: 155		
shrubs - vīrudh: 25 siddham - cooked: 276 siddhārthaka - white mustard: 246 siddhīrthaka - white mustard: 246 siddhī - cure: 160 side-effects - upadrava: 147, 161 signs - cihna: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sirāvedha - blood-letting: 236 siris - śirīṣa: 247 śīrṇa - putrid: 194 śirobasti - application of oil to the head: 110 śiśuka - the kid: 179 śīta - elixir-salve: 237 sitā - white sugar: 246 six-units - ṣaḍdharaṇa: 107 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155 solid - styāna: 244 soma creeper - somalatā: 143 somalatā - soma creeper: 143 śonita-pitta, rakta-pitta - blood-bile: 239 śonita - blood: 83f śonitāgamana - haemorrhaging: 182 śonitan - with blood: 245 soot from the chimney - āgāradhūma: 50, 109 soot - gṛhadhūma: 169, 212 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 sphoṭa - spots: 146f sphuṭita - bursts out: 76 spiders - lūtā: 23 spike - śalya: 284f, 295 spikenard - nalada: 241 sleep - svāpa: 155		
siddhārthaka - white mustard: 246 solid - styāna: 244 siddhī - cure: 160 soma creeper - somalatā: 143 side-effects - upadrava: 147, 161 somalatā - soma creeper: 143 signs - cihna: 255 sonita-pitta, rakta-pitta - blood-bile: 239 sigru - horseradish tree: 242 sonita - blood: 239 simply - kevala: 192 sonita - blood: 83f simews - snāyu: 27 sonitāgamana - haemorrhaging: 182 sinews - snāyu: 27 sonita- blood: 245 sirā - duct: 190 - ducts: 27, 108 - veins: soot from the chimney - āgāradhūma: 50, 206 109 sirāvedha - blood-letting: 236 soot - grhadhūma: 169, 212 sirīs- sirīs: 247 spasm of the jaw-bones - ardita: 79 sīrna - putrid: 194 spasm of the jaw-bones - ardita: 79 sīrāna - putrid: 194 spasmodic contradiction - āpatantraka: 10 special property - višeṣa: 98 sīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spikenard - nalada: 241 sleep - svāpa: 155 spike - śalya: 243		
siddhārthaka - white mustard: 246 solid - styana: 244 siddhi - cure: 160 soma creeper - somalatā: 143 side-effects - upadrava: 147, 161 somalatā - soma creeper: 143 signs - cihna: 255 śonita - blood: 239 śigru - horseradish tree: 242 śonita - blood: 83f simply - kevala: 192 śonitāgamana - haemorrhaging: 182 sinews - snāyu: 27 śonitena - with blood: 245 sirā - duct: 190 - ducts: 27, 108 - veins: 206 soot from the chimney - āgāradhūma: 50, 109 sirāvedha - blood-letting: 236 soot - gṛhadhūma: 169, 212 sirīṣa - sirīṣa: 247 sour - śukta: 86 śirṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirobasti - application of oil to the head: 110 78 śiwa - the kid: 179 special property - viśeṣa: 98 śītā - elixir-salve: 237 sphota - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spikenard - nalada: 241 sleep - svāpa: 155 spikenard - nalada: 241	siddham - cooked: 276	
siddhi - cure: 160 side-effects - upadrava: 147, 161 signs - cilma: 255 śigru - horseradish tree: 242 simply - kevala: 192 sinews - snāyu: 27 sirā - duct: 190 - ducts: 27, 108 - veins: 206 siris - śirīṣa: 247 śirīṣa - siris: 247 śirṇa - putrid: 194 śirobasti - application of oil to the head: 110 sika - the kid: 179 śītā - elixir-salve: 237 skin disease - koṭha: 158 soma creeper: 143 somalatā - soma creeper: 143 śonita-pitta, rakta-pitta - blood-bile: 239 śonita - blood: 239 śonita - blood: 83f śonitāgamana - haemorrhaging: 182 śonitena - with blood: 245 soot from the chimney - āgāradhūma: 50, 109 soot - grhadhūma: 169, 212 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sphoṭa - spots: 146f sphuṭita - bursts out: 76 sphuṭita - bursts out: 76 sphuṭita - bursts out: 76 spikenard - nalada: 241 sleep - svāpa: 155 spikenard - nalada: 241 spiral - āvarta: 243		• • • • • • • • • • • • • • • • • • • •
signs - cihna: 255 śonita-pitta, rakta-pitta - blood-bile: 239 śigru - horseradish tree: 242 śonita - blood: 239 śimply - kevala: 192 śonita - blood: 83f sinews - snāyu: 27 śonitena - with blood: 245 sirā - duct: 190 - ducts: 27, 108 - veins: 206 soot from the chimney - āgāradhūma: 50, 109 sirisvedha - blood-letting: 236 soot - gṛhadhūma: 169, 212 sirīṣa - siris: 247 sour - śukta: 86 śirṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirobasti - application of oil to the head: 110 78 śisuka - the kid: 179 special property - viśeṣa: 98 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		
signs - cilna: 255 sonita-pitta, naku-pitta - 5100d-5116: 239 śigru - horseradish tree: 242 śonita - blood: 239 simply - kevala: 192 śoṇita - blood: 83f sinews - snāyu: 27 śonitagamana - haemorrhaging: 182 sirā - duct: 190 - ducts: 27, 108 - veins: 206 soot from the chimney - āgāradhūma: 50, 109 sirāvedha - blood-letting: 236 soot - gṛhadhūma: 169, 212 sirīṣa - siris: 247 sour - śukta: 86 śirṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirna - putrid: 194 spasmodic contradiction - āpatantraka: 78 śirubasti - application of oil to the head: 110 78 śituka - the kid: 179 special property - viśeṣa: 98 śitu - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243	side-effects - upadrava: 147, 161	
śigru - horseradish tree: 242 sonita - blood: 239 simply - kevala: 192 śonita - blood: 83f sinews - snāyu: 27 śonitāgamana - haemorrhaging: 182 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sonitena - with blood: 245 sirāvedha - blood-letting: 236 soot - grhadhūma: 169, 212 sirīṣa: 247 sour - śukta: 86 śirṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirobasti - application of oil to the head: 110 78 śiśuka - the kid: 179 special property - viśeṣa: 98 śītā - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spika - āvarta: 243		
simply - kevala: 192 sonitāgamana - haemorrhaging: 182 sinews - snāyu: 27 sonitāgamana - haemorrhaging: 182 sirā - duct: 190 - ducts: 27, 108 - veins: 206 sonitena - with blood: 245 sirāvedha - blood-letting: 236 soot from the chimney - āgāradhūma: 50, 109 siris - śirīṣa: 247 sour - śukta: 86 śirṇṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirobasti - application of oil to the head: 110 78 śiśuka - the kid: 179 special property - viśeṣa: 98 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243	•	~ ·
sinews - snāyu: 27 sonitagamana - Haemonnaghig. 182 sirā - duct: 190 - ducts: 27, 108 - veins: 206 soot from the chimney - āgāradhūma: 50, 109 sirāvedha - blood-letting: 236 soot - gṛhadhūma: 169, 212 sirīṣa - siris: 247 sour - śukta: 86 śirṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirobasti - application of oil to the head: 110 78 siśuka - the kid: 179 special property - viśeṣa: 98 śiśuka - the kid: 179 sperm - śukra: 83 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		· ·
sirā - duct: 190 - ducts: 27, 108 - veins: soot from the chimney -āgāradhūma: 50, 206 109 sirāvedha - blood-letting: 236 soot -gṛhadhūma: 169, 212 siris - śirīṣa: 247 sour - śukta: 86 śirīṣa - siris: 247 spasm of the jaw-bones - ardita: 79 śīrṇa - putrid: 194 spasmodic contradiction - āpatantraka: śirobasti - application of oil to the head: 78 110 special property - viśeṣa: 98 śiśuka - the kid: 179 sperm - śukra: 83 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		
206 sirāvedha - blood-letting: 236 siris - śirīṣa: 247 sour - śukta: 86 śirṇṣa - siris: 247 śīrṇa - putrid: 194 śirobasti - application of oil to the head: 110 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 śiśuka - the kid: 179 śīta - elixir-salve: 237 sitā - white sugar: 246 six-units - ṣaḍdharaṇa: 107 skin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155	,	
sirāvedha - blood-letting: 236 soot - gṛhadhūma: 169, 212 sirīṣa - sirīṣa: 247 sour - śukta: 86 śīrṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirobasti - application of oil to the head: 78 110 special property - viśeṣa: 98 śiśuka - the kid: 179 sperm - śukra: 83 ṣīta - elixir-salve: 237 sphoṭa - spots: 146f six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		• •
siris - śirīṣa: 247 śirīṣa - siris: 247 śirōṇa - putrid: 194 śirobasti - application of oil to the head: 110 śiśuka - the kid: 179 śita - elixir-salve: 237 shin disease - koṭha: 158 skin - tvac: 173 - tvak: 26f sleep - svāpa: 155 sour - śukta: 86 spasm of the jaw-bones - ardita: 79 spasmodic contradiction - āpatantraka: 78 special property - viśeṣa: 98 sperm - śukra: 83 sphoṭa - spots: 146f sphuṭita - bursts out: 76 spiders - lūtā: 23 spike - śalya: 284f, 295 spikenard - nalada: 241 spiral - āvarta: 243	sirāvedha - blood-letting: 236	
śirīṣa - siris: 247 spasm of the jaw-bones - ardita: 79 śīrṇa - putrid: 194 spasm of the jaw-bones - ardita: 79 śirobasti - application of oil to the head: 78 110 special property - viśeṣa: 98 śiśuka - the kid: 179 sperm - śukra: 83 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243	<u> </u>	
śīrṇa - putrid: 194 spasmodic contradiction - āpatantraka: śirobasti - application of oil to the head: 78 110 special property - viśeṣa: 98 śiśuka - the kid: 179 sperm - śukra: 83 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243	· · · · · · · · · · · · · · · · · · ·	
sirobasti - application of oil to the head: 78 110 special property - viśeṣa: 98 siśuka - the kid: 179 sperm -śukra: 83 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		
110 special property - viśeṣa: 98 śiśuka - the kid: 179 sperm - śukra: 83 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		
śiśuka - the kid: 179 sperm - śukra: 83 śīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		•
sīta - elixir-salve: 237 sphoṭa - spots: 146f sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243	śiśuka - the kid: 179	
sitā - white sugar: 246 sphuṭita - bursts out: 76 six-units - ṣaḍḍharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		-
six-units - ṣaḍdharaṇa: 107 spiders - lūtā: 23 skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243		
skin disease - koṭha: 158 spike - śalya: 284f, 295 skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243	<u> </u>	•
skin - tvac: 173 - tvak: 26f spikenard - nalada: 241 sleep - svāpa: 155 spiral - āvarta: 243	· · · · · · · · · · · · · · · · · · ·	
sleep - svāpa: 155 spiral - āvarta: 243	· · · · · · · · · · · · · · · · · · ·	1
		-
śleṣman - mucous: 183 - saliva: 143 spleen - plīhan: 238	. 1 0 00	
slice of flesh - vadhra: 60f splinter - śalya: 295		
slow poisoning - dūṣīviṣa: 191 spots - kaṇṭaka: 146 - sphoṭa: 146f		- ·
slow-acting poison antidote - dūṣīviṣāri: spreading rashes - visarpa: 203, 222		•
144 sprung - plutā: 255	•	

<i>sraj -</i> garlands: 141	suffering - duḥkha: 25
sraṃsanī - causing a fall: 255	sugandhi - sandal: 239
srāva - discharge: 145, 147	suitability <i>- sātmya</i> : 193
śreyas - welfare: 22	śūka - bristles: 164
<i>srotas -</i> ducts: 93, 181 - kohl: 240 - tubes:	śukapatra - the white leaf: 180
183	sūkarākṣitā - pigs' eye: 246
<i>srotoja</i> - kohl: 237, 247	sukha - comfort: 27
stabdha - numb: 109	<i>śukla -</i> white: 91
stale - paryuṣita: 86	śukra - sperm: 83
stalk - vṛnta: 236	śukra - semen: 91
stammers - gadgad: 80	sūkṣma - rarefied: 157
stated - ukta: 283	śukta - sour: 86
statement of reason - apadeśa: 293, 295	śūla - abdominal gripes: 213 - gripes: 72
stationary - sthāvara: 25, 152 - sthāvara: 27	- pain: 159 - shooting pain: 245
steeped - pragāḍha: 239	- stings: 165
sternutatory - avapīḍa: 192	sun <i>- hari</i> : 244
stewed juice - niḥkvātha: 160	supernatant layer - agra: 241
sthāvara - stationary: 25, 152	suppressing - vegāghāta: 86
sthāvara - stationary: 27	supti - drowsiness: 109 - numbness: 73
sthirā - rigid: 245	surā - wine: 215
stibnite - añjana: 241 - sauvīraka: 237	surasa - extracted juice: 87
stick seizure - daṇḍāpatānaka: 77	sūtra - aphorism: 294
stick-ear - yaṣṭīkarṇa: 56	svabhāva - inherent factors: 27
stiffening - uddaṇḍaka: 75	svābhāvika - inherent: 25
stiffness of the neck - manyāstambha: 184	<i>svāpa -</i> numbness: 73, 147 - sleep: 155
sting-gush - alagardā: 39	svara - accents: 190
stings - śūla: 165	svarasa - expressed juice: 236 - extracted
stinking pus - pūtipūya: 83	juice: 146 - juice extract: 26
stirred with goat's milk - ajākṣīrārdita:	śvāsa - asthma: 213 - wheezing: 71, 155
246	svasamjñā - field-specific term: 293, 297
stomach - āmāśaya: 158f	svedaja - born of sweat: 26
strength - <i>bala</i> : 25 - <i>vīrya</i> : 103	śvetā - white: 224
strip of cloth - paṭṭa: 109	śvetadara - the white rip: 179
striped snake - rājimat: 160	svetahanu - the white jaw: 179
strong mallow - atibalā: 239	śvetakapota - the white pigeon: 178
stung - daṣṭa: 223f	śvetamaṇḍala - the white ring: 179
stupor - mūrcchā: 143	śvetavarṇā - white: 224
styāna - solid: 244	swollen belly - udara: 213
substance - dravya: 63, 280	swollen - ādhmāta: 182
substrata - āśraya: 151	<i>śyāma</i> - dark brown: 90
substrate - āśrayin: 25	syanda - watery eye: 242
$s\bar{u}c\bar{i}$ - needle: 244	symptom - linga: 146
sūcīvaktrā - with a needle-like opening:	symptoms - linga: 158
255	synovitis of knee join - <i>kroṣṭukaśīrṣa</i> : 79f
suckable - lehya: 298	tabors - paṭaha: 196

the drop stripe - bindurāji: 179
the finger stripe - aṅgulirāji: 179
the flame - agnika: 179
the flower all - puṣpasakalī: 180
the flower sprinkle beauty
- puṣpābhikīrṇnābha: 179
the fragrant one in oil - tailasugandhi: 239
the gavedhuka - gavedhuka: 178
the gift of god - devadinna: 179
the goat swallower - ajagara: 180
the grass drier - tṛṇaśoṣaka: 179
the grass flower - apuṣpa: 178
- darbhapuṣpa: 180
The Great Antidote - mahāgada: 195
the great antidote - mahāgada: 205
the great lotus - mahāpadma: 178
the great snake - mahāsarpa: 178
the hand decoration - hastābharaṇaka: 179
the hungry sting - alagarda: 179
the ilikinī - ilikinī: 180
the intoxicator - madanaka: 179
the jackfruit - panasaka: 179
the khaluşa - khaluşa: 179
the kid - śiśuka: 179
the kūkuṭa - kūkuṭa: 178
the little tree - vṛkṣaka: 180
the lotus mouth - puṇḍarīkamukha: 178
the lotus - padma: 178 - puṇḍarīka: 179
the mark - citraka: 179
the milk flower - kṣīrikāpuṣpa: 180
the mirror ring - ādarśamaṇḍala: 179
the morning glory - pālindaka: 179
the mountain snake - girisarpa: 179
the mud - kardama: 179
the ochre - kaṣāya: 179
the pale as a flower - puṣpapāṇḍu: 179
the pigeon - pārāvata: 179
the pilindaka - pilindaka: 179
the rain cloud - valāhako: 178, 180
the red eye - lohitākṣa: 178, 180
the red ring - raktamandala: 179
the ringed - cakraka: 180
the salutary - kalyāṇaka: 213
the science of life - āyurveda: 22
the six part - ṣaḍaṅga: 179

the snake around - parisarpa: 178 treatment - bheṣaja: 255 - kriyā: 241f the snake prince takṣaka - takṣaka: 196 - kriyā: 27, 85 trench sweating - karṣū: 108 the speckled - pṛṣata: 179 the stimulator - dīpyaka: 180 triad - mithuna: 297 tribute - bhāgadheya: 103 the straight snake - rjusarpa: 179 trice - kāsthā: 26 the stretch - tantuka: 179 trika - between the shoulder-blades: 110 the stripe speckle - rājicitra: 179 - sacrum: 72 the tatra - tatra: 179 trikantaka - triple-sting: 223 the three fruits - *triphalā*: 241 *triphalā* - the three fruits: 241 - three the three spices - vyoṣa: 238 fruits: 236, 238 the time for therapies - kriyākāla: 27 triple-sting - trikantaka: 223 the two finger stripe - dvyangulirāji: 179 trivṛt - turpeth: 239 the two-day - dvyāhika: 180 trnaśosaka - the grass drier: 179 the variegated - vicitra: 179 trunk of the body - koṣṭha: 183 the white jaw - svetahanu: 179 tube - *nādī*: 108 the white leaf - śukapatra: 180 tubes - srotas: 183 the white pigeon - śvetakapota: 178 tūnī - tūnī: 80 the white ring - śvetamandala: 179 tūnī - tūnī: 80 the white rip - śvetadara: 179 turmeric - haridrā: 241 the worm eater - kikkisāda: 180 turmerics - rajana: 237 the year-snake - varṣāhīka: 180 turpeth - trivrt: 239 thei snake flag - ahipatāka: 180 tuttha - blue vitriol: 241 therapies - karman: 27 *tvac -* skin: 173 thorny - sanakha: 214 tvak - skin: 26f three fruits - triphalā: 236, 238 twins - yama: 91 three-quarters of an hour - muhūrta: 26 tympanites - ādhmāna: 80 tīksna - sharp: 191 timira - blindness: 243 - partial ucchingana - sniffing: 244 blindness: 239 udāna - udāna: 71 tiredness - sadana: 100 udāna - udāna: 71 tissues - dhātu: 215 udara - swollen belly: 213 tongue - jihvā: 228 udāvartā - udāvartā: 255 tooth socket - dantavesta: 144 udāvartā - udāvartā: 255 topic - adhikarana: 293f udbhid - shoots: 26 torn - darita: 176 uddandaka - stiffening: 75 toṭaka - 'angry beetles': 164 udvestana - writhing: 155 toxic potion - gara: 213 ugly nails - kunakha: 88 toxic pulse - vega: 202 *ūhya* - deducible: 293, 298 toxic reaction - vega: 174, 191, 195 - vega: ukta - stated: 283 184f - visavega: 182 uncongenial - asātmya: 75 toxic shock - vega: 150, 222 undefeated - aparājita: 223 toxin - gada: 231 universality - sāmānya: 281 traivṛta - prepared with turpeth: 236 unmāda - madness: 213 treatable - yāpya: 161 unmardana - rubbing: 108

unsteadiness of the humours	vandhyā - intertile: 255
- doṣapariplava: 245	vapour <i>- bāṣpa</i> : 142f, 146
untreatable - asādhya: 243	varcaḥkīṭa - dung beetles: 164
upadeha - rheum: 147	varga - collection: 27
<i>upadeśa -</i> prescription: 293, 295	variable statement - anekānta: 293, 296
upādhyāya - priest: 89	various treatments - miśrakacikitsa: 60
upadrava - secondary ailments: 193	varṇa - complexion: 25, 63, 90
- side-effects: 147, 161	varṣā - rainy seasons: 26
<i>upahāra -</i> oblations: 189	varṣāhīka - the year-snake: 180
upahita - combined: 239	vartti - wick: 55 - wicks: 247
upanāha - poultice: 108	vasā - fat: 240
upaśama - pacification: 26	<i>vāta</i> - wind: 69, 254f
upasarga - affliction: 147	vātagulma - wind-swelling: 213
upasneha - infusion: 104	vātakaṇṭaka - vātakaṇṭaka: 80
upasṛṣṭa - afflicted: 84	vātakaṇṭaka <i>- vātakaṇṭaka</i> : 80
urethral instillation - uttarabasti: 85, 87	vātalā - windy: 255
- uttarabasti: 85 - uttaravasti: 86	vātarakta - gout: 80 - wind-blood: 75f
urinary diseases - prameha: 72	- wind-blood: 76
urinary stones - aśmarī: 213	vātāṣṭhīlā - vātāṣṭhīlā: 80
ūrṇa - wool: 109	vātāṣṭhīlā - vātāṣṭhīlā: 80
used - nișevita: 238	vāvikṛtā - or not distorted: 144
uśīra - cuscus grass: 241	veda - knowledge: 21, 280
uterus - garbhāśaya: 98	vedanābhighāta - pain and injury: 22
<i>utpalabhedyaka -</i> lotus-splittable: 56	<i>vega</i> - force: 110 - pulse: 173, 229 - pulses:
utpīḍita - injured: 243	
utsādana - dry rub: 145 - dry rubs: 141	151 - toxic pulse: 202 - toxic reaction:
uttarabasti - urethral instillation: 85, 87	174, 191, 195 - toxic shock: 150, 222
uttarabasti - urethral instillation: 85	vega - toxic reaction: 184f
uttaravasti - urethral instillation: 86	vegāghāta - suppressing: 86
	vegāntara - pulse interval: 184
vadhra - slice of flesh: 60f	veins - sirā: 206
vaidūrya - beryl: 247	velvet leaf - pāthā: 241
vaiṣamya - irregularities: 25	venupatraka - the bamboo leaf: 179
vaivarnya - discolouration: 72	vicakṣaṇa - expert: 89
vakrabhrūnetra - bent brow and eye: 245	vicitra - the variegated: 179
vāksamūhārthavistāra - extensive meaning	vidagdha - inflamed: 236
of the collection of statements: 181	vidanga - embelia: 241
vaktra - ends: 245	vidbheda - loose stool: 155, 166
vākyaśeṣa - ellipis: 293 - ellipsis: 296	vidhāna - itemization: 293, 296
valāhako - the rain cloud: 178, 180	vidruma - coral: 247
vallīkarṇa - creeper-ear: 56	vijñānīya - required knowledge: 152, 174
vallūraka - dried flesh: 56	vijrmbhikā - gasping: 204
vāminī - vomiting: 255	vikalpa - option: 293, 297 - particulars: 27
vānara - monkey: 164	vikāsin - expansive: 157
vanaspati - fruit trees: 25 - non-flowering	vikṛtākṣa - dysfunctional eyes: 90, 102
tree: 241	vilekhana - grooming: 88

vilocana - misshapen eyeball: 245	white mustard - siddhārthaka: 246		
vipakva - matured: 237	white siris - kinihī: 241		
viparītadarśana - metamorphopsia: 182	white sugar - sitā: 246		
viparyaya - contraposition: 293, 296	white - śukla: 91		
virtue - dharma: 91	white - śvetā: 224 - śvetavarṇā: 224		
vīrudh - shrubs: 25	wick - vartti: 55		
<i>vīrya</i> - potency: 195, 205 - strength: 103	wicks - vartti: 247		
viṣāda - depression: 25	wild animals - <i>vyāla</i> : 26		
viśada - limpid: 157	wind-blood <i>- vātarakta</i> : 75f		
viṣapūti - poison-stink: 194	wind-blood <i>- vātarakta</i> : 76		
visarpa - spreading rashes: 203, 222	wind-swelling <i>- vātagulma</i> : 213		
viṣavega - toxic reaction: 182	wind - <i>māruta</i> : 84 - <i>vāta</i> : 69, 254f		
viśeṣa - individuality: 281 - special	windy - vātalā: 255		
property: 98	wine - surā: 215		
viśleṣa - disjunction: 158	with a needle-like opening - sūcīvaktrā:		
viśvañci - paralysis of arms and back: 79f	255		
vital energy - ojas: 25, 103	with blood - śonitena: 245		
vital wind - prāṇa: 71	with bloodloss - raktakṣayā: 255		
voḍhāra - bearers: 141	with difficulty - kṛcchra: 243		
vomiting - vāminī: 255	with testicles - $and\bar{n}\bar{n}$: 255		
vrddhagonasa - the big cow snout: 179	without venom - nirviṣa: 176		
vṛṣa - flowering trees: 25	womb - <i>yoni</i> : 250		
vykṣaka - the little tree: 180	· -		
vṛnta - stalk: 236	wood apple - kapittha: 236 wool - ūrṇa: 109		
vyadha - piercing: 244	word-meaning - padārtha: 281		
vyadhi - disease: 27	word - pada: 279, 281		
vyākhyāna - explication: 293, 297	worms - kṛmi: 26		
	writhing - udveṣṭana: 155		
vyākhyāta - intended: 27	Willing - uuveșiunu. 155		
vyāla - wild animals: 26	yakṛdrasa - liver extract: 237		
vyāna breath - vyāna: 183	yakṛt - liver: 238		
vyāna - vyāna breath: 183 - vyāna: 71	yama - twins: 91		
vyāna - vyāna: 71	yamalā - double: 144		
vyavāyin - pervasive: 157	yāmya - in yama's direction: 170		
vyāyojima - multi-joins: 56	yantraṇā - restrictions: 244		
vyoṣa - the three spices: 238	$y\bar{a}pya$ - alleviated: 239 - can be mitigated:		
wasps - kaṇabha: 165	76, 243 - mitigatible: 235 - treatable:		
wasted - <i>kṣ̄ṇṇa</i> : 58	161		
water-born - salilotthita: 242	yaṣṭīkarṇa - stick-ear: 56		
water-dwellers - jalaukas: 38	yavāgū - gruel: 160, 191		
water - jala: 38	yavaudana - cooked barley: 243		
watery eye - syanda: 242	year - saṃvatsara: 26		
watery - saumya: 221	yellow-shine - piṅgabhāsa: 223		
weeping tears - aśrupāta: 88	yellow - pītikā: 224		
welfare - śreyas: 22	<i>yoga</i> - cohesion: 293 - cohesion: 294		
	- compounds: 236 - formulation: 107		
wheezing - śvāsa: 71, 155	- compounds. 230 - formulation: 107		

yoni - female reproductive organ: 254f

- female reproductive system: 254

-womb: 250

yonivyāpat - disorders of the female

reproductive system: 254 young girl - *kaumārī*: 93

yuga - yuga: 26

yuga - yuga: 26

Todo list

Cita Paul Countriett Canacha book						
Cite Paul Courtright, Ganesha book						
Can't be "sedation"						
complete this thought						
add footnote here						
add refs to Divodāsa as king						
find out about uttarabasti						
to what?						
29, 30 missing?						
Problematic passage in the edition						
unsolved problem						
Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक). 110						
Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक). 110						
Euphorbia Antiquorum (Antique spurge)						
The webpage https://hindi.shabd.in/vairagya-shatakam-bhag-						
acharya-arjun-tiwari/post/117629 says that this verse belongs						
to the <i>Nītiratna</i> . I could not find this text						
The provisional edition should be modified accordingly 119						
There, Dalhana commented that deliberation on avapīda had been						
done earlier when it was mentioned. Find that description to						
know more details						
Search for the section where the treatment of $\bar{a}k$ sepaka is described. 122						
Make the first letter of sentence capital						
?						
?						
?						
(?)						
Is Dh. the teacher of Su. elsewhere?						
Cf. Arthaśāstra 1.21.8						

I'm still unhappy about this verse	144
Mention this in the introduction as an example of the scribe know-	
ing the vulgate	144
fn about sadyas+	
Bear's bile instead of deer's bile	145
punarṇṇavā in the N & K MSS	146
śrita for śṛta	146
explain more	
Medical difference from Sharma	147
example where the vulgate clarifies that these should be used sep-	
arately; appears to be a gloss inserted into the vulgate text	147
The two uses of prāpta are hard to translate. prāptā $h o k$ ṣipram is	
an example of the vulgate banalizing the Sanskrit text to make	
sense of a difficult passage	147
$\sqrt{\text{vyadh not }\sqrt{\text{vedh (also elsewhere and for the ears)}}$, causative	
optative	147
Look up the ca. reference	156
Come back to the issue of "kalpa". Look up passages in the Kośa.	163
got to here - 2023-01 continue with table for #5 $\dots \dots \dots$	165
write footnote: don't repeat ativiṣā; vulgate similar to H	167
Include info on Hidas 2019	173
Or "There are 20 phaṇins and 6 maṇḍalins. The same number are	
known. There are 13 Rājīmats." Or even, "there are 20 Phaṇins	
and six of them are Maṇḍalins." Are phaṇins really the same as	
darvīkaras?	175
grammar	176
ri- ṛ-?	179
varņa means "colour" elsewhere?	180
write note on pariṣekān pradehāṃś	_
where is cutting with a knife related to removing bile or phlegm	236
maṣī burned charcoal. Find refs	236
find ref	242
Check out these refs	242
meaning of kalpa	242
or a dual?	247
See chapter 40 of Sūtrasthāna	296
vasā / medas / majjan	
Does bhūtādi a compound or it means ahaṅkāra or ego?	297

Glossary	399
triad? –DW	297