A Translation of the Nepalese Text of the Suśrutasaṃhitā

Dominik Wujastyk Jason Birch Andrey Klebanov Lisa A. Brooks Paras Mehta Madhusudan Rimal Deepro Chakraborty Harshal Bhatt Jane Allred et alii

> Draft of 15th August 2024 © The Authors

Introduction	9
Part 1. Sūtrasthāna	11
Sūtrasthāna 1: The Origin of Medical Knowledge	13
Literature	13
Translation	13
Sūtrasthāna 2: The Initiation of a Student	21
Literature	21
Translation	21
Sūtrasthāna 3: The Table of Contents	23
Literature	23
Translation	23
Sūtrasthāna 11: Preparing and using caustics	2 5
Sūtrasthāna 13: On Leeches	27
Literature	27
Translation	27
Sūtrasthāna 14: On Blood	35
Previous scholarship	35
Translation	35
Sūtrasthāna 16: Repairing Pierced Ears	43
Previous literature	43

4	Contents

Translation	43
Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores	51
Literature	51
Translation	51
Sūtrasthāna 46: The Rules about Food and Drink	53
Introduction	53
Part 2. Nidānasthāna	55
Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind	57
Literature	57
Subject matter	57
Translation	57
Part 3. Śārīrasthāna	67
Śārīrasthāna 2: On Semen and Menstrual Fluid	69
Literature	69
Translation	69
Diagnosis by humours	70 70
During menstruation	73 74
	• •
Sārīrasthāna 3: On Conception and the Development of the Embryo	77
Literature	
Translation	77
Part 4. Cikitsāsthāna	85
Cikitsāsthāna 4: On the Treatment of Wind Diseases	87
Literature	87
Translation	87

Cikitsāsthāna 5: On the Treatment of Serious Wind Diseases) 5
Literature	
Cikitsāsthāna 15: On Difficult Delivery)7
Literature	07
Translation	07
Part 5. Kalpasthāna 11	1
Kalpasthāna 1: Protecting the King from Poison	13
Introduction	
The meaning of "kalpa"	13
Chapter 1 of the Kalpasthāna	13
Literature	14
Manuscript notes	15
Translation	
[Threats to the king]	16
Kalpasthāna 2: Poisonous Plants	29
Introduction	29
Literature	30
Translation	30
The effects of poisons	34
Slow-acting poison	37
The invincible ghee	41
Curing the 'slow-acting' poison	41
Kalpasthāna 3: Poisonous Insects and Animals	13
Literature	43
Translation	
The origin of poison	
Patients beyond help	
Kalpasthāna 4: Snakes and Envenomation	51
Introduction	51
Literature	_
The Seven Stages of Toxic Shock	

Translation	154
[The Taxonomy of Snakes]	154
[Behaviours]	155
[Enumeration of Snakes]	158
[Breeding and Gender]	160
[Symptoms of snakebite]	161
[Summary Verses]	163
Kalpasthāna 5: Therapy for those Bitten by Snakes	165
Introduction	165
Literature	•
Translation	166
The application of mantras	167
Blood letting	168
Internal medications	168
Therapies at each pulse of toxic reaction	168
Subsequent therapies	170
Kalpasthāna 6: Beating Drums	177
Introduction	
Literature	
Translation	
Kalpasthāna 8: Poisonous insects	181
Introduction	
Literature	
Translation	
Part 6. Uttaratantra	183
Uttaratantra 17: Preventing Diseases of the Pupil	185
Literature	185
Translation	_
[Complications]	195
[Characteristics of the probe]	
[Complications]	

Uttaratantra 38: Diseases of the Female Reproductive System	199
Introduction	
Literature	
Placement of the Chapter	
Parallels	
Philological notes	
Metrical alterations	202
The original opening verses	202
Translation	204
Uttaratantra 39: On Fevers and their Management [draft]	207
Literature	207
Remarks on the Nepalese version	•
Translation	
Uttaratantra 65: Rules of Interpretation	221
Literature	
Early Sources	
The Arthaśāstra	
The Yuktidīpikā	
Tamil literature	
The Viṣṇudharmottarapurāṇa	
The Saddanīti	
Äyurvedic literature	
Tantrayukti-inventories	-
Earlier Listing	
Later Listing	_
Terminology	_
1. adhikaraṇa	
2. yoga	
3. padārtha	
3. hetvartha	245
5–6. <i>uddeśa</i> and <i>nirdeśa</i>	$\frac{-73}{247}$
Notes on Significant Variants	
द्वितीये पादे	250 250
द्वितीर्ये पादे यत्र तु स्नेहस्वेदाभ्यञ्जनेषुपूर्वापरयोगसिद्धो भवति ।	250
सामवेदादयश्च वेदाः	250
विद विन्द इत्येतयोश्च धात्वोः	251

धात्वोरेकार्थः। पश्चात् पदं भवति
यदुक्तं साधनं भवति स हेत्वर्थः
तथा माषदुग्धप्रभृतिभिर्त्रणः क्लिद्यते
समासवचनं समुद्देशः
Characteristics of the Manuscript Transmission
Translation
Index of Manuscripts 263
Materia Medica 265
Flora
Fauna
Glossary 283

Introduction

What follows is a translation of selected chapters of the *Compendium of Su-śruta (Suśrutasaṃhitā*). This differs from former translations, being based on the Nepalese version of the text.¹ The Nepalese version of the work has been reconstructed on the basis of three manuscripts from Kathmandu,

- 1. MS Kathmandu KL 699 (siglum K),
- 2. MS Kathmandu NAK 1-1079 (N), and
- 3. MS Kathmandu NAK 5-333 (H).

The first of these MSS is the oldest, dated to CE 878.² It covers most of the *Suśrutasaṃhitā*, but lacks the *Nidānasthāna* and the *Śārīrasthāna* (see Fig. 1). The second is undated but is datable on palaeographical grounds to the twelfth or thirteenth centuries.³ It contains the *Sūtrasthāna* and *Nidānasthāna* but breaks off shortly afterwards. The third manuscript is the most complete, covering the whole of the *Suśrutasaṃhitā*. It is dated CE 1513.⁴

The text of this manuscript follows K very closely but is probably not a direct apograph. I conjecture that it was either copied from an intermediary that followed K very closely or from a ancestor of K.⁵

See Wujastyk et al. 2023 for an introduction to the Nepalese text and Wujastyk et al. 2021– for background on the Suśruta Project, 2021–2024.

² Klebanov 2021a: 15.

³ Klebanov 2021*a*: 17–18.

I follow the arguments of Klebanov (2021*a*: 21–26) on the interpretation of the colophon although, as he pointed out, some interpret the date as CE 1573.

^{5 &}quot;...as neither my own research ... nor the study undertaken in Harimoto ... could determine any linear connection between any of the Nepalese manuscripts of the SS, one may assume that [there exists] an older common ancestor of both of the manuscripts K and H." (Klebanov 2021b: 21).


10 Introduction

media/MSS 1 visual paradigm.art.png

Figure 1: Coverage of the text by MSS K, N and H.

The translation follows the methods of rigorous philological care and modern principles of translation theory.⁶ Major differences in sense from the vulgate text are marked with in this manner.

⁶ See Wujastyk 2003b: intro. and Wujastyk 2021: 81–83 for an overview.



Sūtrasthāna 1: The Origin of Medical Knowledge

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁷

Translation

- 1 "Now I shall narrate the chapter on the origin of this knowledge.8
- 2 "Now, as is well-known, Aupadhenava, Vaitaraṇa, Aurabhra, Puṣkalāvata, Karavīra, Gopurarakṣita, Bhoja, Suśruta and others addressed Lord Divodāsa, king of Kāśi, the best of the immortals, who was in his ashram surrounded by an entourage of sages.⁹

- Palhaṇa understood the word "knowledge (veda)" as specifically "medical knowledge." He said that the word "longevity" (āyur) had been elided. After this opening statement, later manuscripts and commentaries include the attribution, "as the venerable Dhanvantari stated." The absence of this statement in the early Nepalese manuscripts is highly significant because it removes the outer narrative frame of the Suśrutasaṃhitā (Wujastyk 2013b: 148; Klebanov 2021a: § 3.1.2; Rai 2019; Birch et al. 2021). On the figure of Dhanvatari in medical literature, see HIML: IA 358-361.
- 9 On these persons, see HIML: IA 361-363, 369 ff. The authority Bhoja does not appear in the list as published in the vulgate edition (Su 1931: 1), and was not included in HIML amongst "authorities mentioned in the *Suśrutasaṃhitā*." Meulenbeld gathered textual evidence about Bhoja at HIML: IA 690-691. Klebanov (2021b) has discussed these authors in the context of an anonymous commentary on the *Suśrutasaṃhitā* that cites them.

⁷ HIML: IA, 203-204.

- 3 "O Lord, distress arose in our minds after witnessing people thrashing about with cries, assailed by different kinds of pain and injury (*vedanābhighāta*), feeling helpless in spite of having friends, because of diseases arising from the body, the mind and external sources.
- 4 "To quell the illnesses of those who seek happiness and for our own purpose of prolonging life, we desire the science of life (*āyurveda*) that is being taught. Welfare, both in this world and in the next, depends upon it. Therefore, we have come to the Lord in pupillage."
- The Lord said to them:
 "Welcome to you! My children, all of you are beyond reproach and worthy to be taught.
- 6 "As is well known, Ayurveda is the name of what is said to be the subsidiary part of the Atharvaveda.¹⁰ Before creating people, Svayambhū composed it in hundreds of thousands of verses and a thousand chapters and, after observing the short lifespan and low intelligence of people, he presented it again in eight parts.¹¹
- 7 "Surgery, treatment of body parts above the clavicle, general medicine, knowledge of spirits, care of children, and the disciplines of antidotes, rejuvenation and aphrodisiacs.
- 8.1 "Now, a collection of the characteristics of each component of Ayurveda.
- 8.1a "Among them, the one called surgery has the goal of extracting various grasses, wood, stone, dust, iron, 12 soil, bone, hair, nails, discharge of pus, malignant wounds and foreign bodies inside the womb, and of determining the application of surgical instruments, knives, caustics and fire by means of sixty definitions.
- 8.2 "The one named "the doctrine of treating body parts above the clavicles" has the aim of curing diseases situated above clavicles that is, diseases located in ears, eyes, mouth, nose and so on.
- 8.3 "The one called "general medicine" has the goal of curing illnesses established in the whole body and [diseases] such as fever, tumour, swelling, hemorrhagic disorders, insanity, epilepsy, urinary diseases, diarrhoea and the like.
- 8.4 "The one called "knowledge of spirits" is for appeasing demons by pacifica-

¹⁰ On the careful wording of this statement, that makes the Atharvaveda connection "something that people say," see Wujastyk 2022: 400–401.

¹¹ Svayambhū is another name for Brahmā, the creator.

¹² The identity of the metal in such early literature is somewhat moot. For discussion, see Wujastyk 2019.

tion rites and making food offerings for those whose minds have been possessed by gods, their enemies, ¹³ Gandharvas, Yakṣas, demons, deceased ancestors, Piśācas, Vināyakas, ¹⁴ Nāgas and evil spirits that possess children.

Cite Paul Courtright, Ganesha book.

- 8.5 "The one called "care of children" is for bearing children and purifying defects in a wet-nurse's milk, and curing diseases that have arisen from bad breast milk and demons.
- 8.6 "The one called "the discipline of toxicology" is for [knowing] the signs of poison from snake and insect bites and for neutralising various combinations of poisons.¹⁵
- 8.7 "The one called "the discipline of rejuvenation" is maintaining youth, bringing about a long life and mental vigour and for curing diseases.
- 8.8 "The one called the "discipline of aphrodisiacs" brings about the increase, purity, accumulation and production of semen for those whose semen is minimal, bad, depleted, and dry [respectively] and for inducing an erection.
 - 9 "In this way, this Ayurveda is taught with eight components." "Among these [components], tell us which is for whom."
- They said, "After you have made the whole knowledge of surgery accessible, teach it to us, Lord". 16
- 11 "So be it," he said.
- They then said, "After probing our opinion, we are unanimous: Suśruta will question you. We too will take in what is being taught to him."
- 13 "So be it," he said.
- 14–16 "Now, as is well-known, the aim of Āyurveda is eliminating the disease of one who has been assailed by disease and protecting the healthy; Āyurveda is, "where they find a long life," or "that by which long life is known." You

¹³ Dānavas. The insertion marks ($k\bar{a}kapada$ s) below the text at this point appears to be by the original scribe.

¹⁴ The vulgate doesn't have *vināyaka*s but does add *asura*s, probably under the influence of Dalhana.

The scribal insertion marks (crosses) above the line at this point in MS K appear to be in a later hand and their referent is lost in the damaged part of the folio. Although MSS MS Kathmandu NAK 1-1079 and MS Kathmandu NAK 5-333 include spiders (*lūtā*) and creepy-crawlies (*sarīṣrpa*) in the list, it does seem that MS K had a shorter list, and the vulgate edition adds rodents (*mūṣika*).

¹⁶ For discussion of the text-critical significance of this passage, see Harimoto 2013. I have read the passage as including the word अलङ्कृत्वा in the sense "make accessible" (cf. MW: 94, sub अलं विज्ञातुम्.

- should take in its best component (*aṅga*), which is being taught without conflicting with tradition, perception, inference or analogy.
- "For this component is first, the most important, because it is referred to first; it cures wounds and joins together the most important thing, Yajña's head. For, just as it has been said of old, 'the head that had been cut off by Rudra was joined again by the two Aśvins.'
- "And also, of the eight disciplines of Āyurveda, [surgery] alone is the best because of the quick action of its procedures (*kriyā*), its application of blunt instruments, knives, caustics and fire, and it is common to all disciplines.
- "Therefore, [surgery] is eternal, meritorious, leads to heaven, brings renown, bestows a long life, and affords a livelihood.
- 20 "This is what Brahmā said: 'Prajāpati learned it. From him, the Aśvins. From the Aśvins, Indra. From Indra, I. In this world, I will transmit it to students, for the benefit of people.'
- 21 "There a verse on this:

For I am Dhanvantari, the first god, the remover of old age, pain and death of mortals. Having understood surgery, the best of the great knowledge systems, I arrived on earth again to teach it here.¹⁷

"In this context, as far as this discipline is concerned, a human being (puruṣa) is called an amalgam of the five elements and the embodied soul. This is where procedures (kriyā) apply. This is the locus."

"Why?"

"Because of the duality of the world, the world is twofold: the stationary and the moving. Its nature ($\bar{a}tmaka$) is twofold, depending on the preponderance of Agni and Soma.¹⁸ Alternatively, it can be considered as being fivefold. The multitude of beings in it are fourfold: they are termed "sweatborn, stone-born, caul-born and egg-born".¹⁹ Where they are concerned, the human being is the main thing; others are his support. Therefore, the human being (*purusa*) is the locus.

¹⁷ Note that this verse about the origin of surgery is the first place that the name "Dhanvantari" is introduced in the Nepalese version of the work. Dhanvantari is here identified with Brahmā, the creator of the world. For discussion, see Birch et al. 2021.

¹⁸ See Wujastyk 2004.

This fourfold classification of beings is paralleled with closely-related vocabulary in *Bhela-samhitā* 4.4.4 (Bhela 2000: 206; Bhela 1921: 81).

23–26 "Diseases are said to be the conjunction of the person and suffering (duḥkha). There are four of them: invasive, bodily, mental and inherent. The invasive ones are caused by an injury. The bodily ones are based on food, caused by irregularities (vaiṣamya) in wind, bile, phlegm and blood.²⁰

"The mental $(m\bar{a}nasa)$ ones, caused by desire $(icch\bar{a})$ and hatred (dveṣa), include: anger (krodha), grief $(\bar{a}śoka)$, misery (dainya), overexcitement (harṣa), lust $(k\bar{a}ma)$, depression $(viṣ\bar{a}da)$, envy $(\bar{i}rṣy\bar{a})$, jealousy $(as\bar{u}y\bar{a})$, malice $(m\bar{a}tsarya)$, and greed (lobha).

"The inherent (*svābhāvika*) ones are hunger, thirst, old age, death, sleep and those of the temperament (*prakṛti*).

"These too are located (adhisthana) in the mind and body.

- 27 "Scarification (*lekhana*), nourishment (*bṛṃhaṇa*), purification (*saṃśodhana*), pacification (*saṃśamana*), diet (*āhāra*) and regimen (*ācāra*), properly employed, bring about their cure.
- "Furthermore, food is the root $(m\bar{u}la)$ of living beings as well as of strength (bala), complexion (varna) and vital energy (ojas). It depends on $(\bar{a}yatta)$ the six flavours (rasa). Flavours, furthermore, have substances as their substrate $(\bar{a}srayin)$. And substances are remedies $(osadh\bar{i})$. There are two types: stationary $(sth\bar{a}vara)$ and moving (jangama).
- "Of these, there are four types of stationary ones: fruit trees (*vanaspati*), flowering trees (*vṛkṣa*), herbs (*oṣadhi*) and shrubs (*vīrudh*).²² Amongst these, the "fruit trees" have fruit but no flowers.²³ The "flowering trees" have flowers and fruit. The "herbs" die when the fruit is ripe. "Shrubs" put out shoots.
- 30 "As is well known, moving remedies are also of four types: those born in

²⁰ Note that four humoral substances are assumed here.

²¹ Pāṇini 6.3.132 provides that the final vowel of the noun oṣadhi may be lengthened $(\to oṣadhi)$ under certain conditions. These conditions require that the word be used in a Vedic mantra and not in the nominative. Neither condition is met in this passage, yet the author uses the form oṣadhi. This form is in fact not uncommon in medical literature as well as in epics, purāṇas, smṛtis, and other parts of Sanskrit literature.

²² Ca.sū.1.71-72 also describes these four types of medicinal plant in similar terms but with slightly differing names: *oṣadhi* is a plant that ends after fruiting, *vīrudh* is a plant that branches out, *vanaspati* is a tree with fruit, and *vānaspatya* is a tree with fruit and flowers.

²³ The MSS agree in reading *phalavantyaḥ* "having flowers" which is grammatically non-standard. This form is also found in the *Viṣṇudharmottarapurāṇa* (1.92.27, 1.92.27 Viṣṇudh.: 56r).

in a caul ($jar\bar{a}yuja$), those born from eggs (andaja), those born of sweat (svedaja), and shoots (udbhid). Amongst these, those born in a caul include animals ($pa\acute{s}u$), humans, and wild animals ($vy\bar{a}la$). Birds, creepycrawlies ($sar\bar{i}srpa$) and snakes are "born of eggs." Worms (krmi), small insects (kunta) and ants ($pip\bar{i}lika$) and others are born of sweat.²⁴ Shoots include red velvet mites (indragopa) and frogs ($mand\bar{u}ka$).²⁵

- "In this context, among the stationary remedies, skin (tvak), leaves (patra), flowers (puṣpa), fruits (phala), roots (mūla), bulbs (kanda), sap (kṣīra), resin (niryāsa), essence (sāra), oil (sneha), and juice extract (svarasa)²⁶ are useful; among the moving remedies pelt (carman), hair, nails, and blood (rudhira) and so forth.
- 32 "And earth products (pārthiva) include gold and silver.²⁷
- 33 "The items created by time (*kālakṛta*) are clusters (*samplava*) as far as wind and no wind (*nivāta*), heat and shade, darkness and light and the cold, hot and rainy seasons (*varṣā*) are concerned. The divisions of time are the blink of the eye (*nimeṣa*), a trice (*kāṣṭhā*), minutes (*kalā*), three-quarters of an hour (*muhūrta*), a day and night (*ahorātra*), a fortnight (*pakṣa*), a month (*māsa*), a season (*ṛtu*), a half-year (*ayana*), a year (*saṃvatsara*), and yuga (*yuga*).²⁸
- 34 "These naturally cause accumulation ($sa\tilde{n}caya$), irritation (prakopa), pacification ($upa\acute{s}ama$) and alleviation ($prat\bar{t}k\bar{a}ra$) of the humours ($do\acute{s}a$). And they have practical purposes (prayojanavat).
- 35 "There are verses about this:

This fourfold category is taught by physicians as a cause for the agitation and quelling of bodily diseases.²⁹

The word *kunta*, though marked as "lexical" in most dictionaries, is in fact found in literature, commonly as a compound with *pipīlika*; the compound sometimes seems to be understood a type of ant (*tatpuruṣa* compound) rather than as a pair of insects (*dvandva* compound).

²⁵ On indragopa, see Lienhard 1978.

²⁶ On juice extract (*svarasa*) see CS 1.1.73, 1.4.7; Dalhana on 4.10.12 (Su 1938: 450).

²⁷ The flow of concepts in the treatise seems to be interrupted here.

²⁸ These units are presented at 1.6.5 (Su 1938: 24) and discussed by Hayashi (2017: § 59).

On the topic of the "group of four," the commentator Dalhana considered them to be "food, behaviour, earthen products and items created by time." He referred to the author of the lost commentary entitled *Panjikā*, and to Jejjaṭa (HIML:IA, 372-3, 192). In his view, these early commentators do not agree that the fourfold grouping (*caturvarga*) refers to the quartet of stationary (*sthāvara*), moving (*jangama*), earthen products (*pārthiva*) and items created by time (*kālakṛta*) (Su 1938:9a).

There are two kinds of invasive diseases. Some certainly³⁰ affect $(ni\sqrt{pat})$ the mind, others the body. Their treatment $(kriy\bar{a})$ is of two kinds too.

- For those that affect the body there is physical (śārīravad) therapy, whereas for those that affect the mind there is the collection (varga) of desirable sensory experiences like sound that bring comfort (sukha).
- 38 "Along these lines (evam), this brief explanation of the four factors (catustaya) is given:
 - human being (puruṣa),
 - disease (*vyadhi*),
 - remedies (osadhi),
 - the time for therapies (*kriyākāla*).

"In this context.

- from the mention of the word "human," the collection of substances that arise from it, such as the elements, and the particulars (*vikalpa*) of its major and minor parts (*aṅga*) such as skin (*tvak*), flesh (*māṃsa*), ducts (*sirā*), sinews (*snāyu*), bones (*asthi*) and joints (*sandhi*) are meant.
- From the mention of "diseases," all diseases caused by wind, bile, phlegm, congested humours (*sannipāta*), external factors (*āgantu*) and inherent factors (*svabhāva*) are intended (*vyākhyāta*).
- From the mention of "remedies," there is the teaching of substances, tastes, potencies, post-digestive tastes.
- From the mention of "procedures (*kriyā*)," therapies (*karman*) such as oiling and excision (*chedya*) are taught.
- From the mention of the word "time," every single teaching about the times for procedures is meant.

39 "There is a verse about this:

This seed of medicine has been declared in brief. Its explanation will be given in one hundred and twenty chapters.³¹

³⁰ The text uses an archaic interjection here, ha.

³¹ This is the number of chapters in the first five sections of the work, namely the *Sūtra-, Nidāna-, Śārīra-, Cikitsā-* and *Kalpa-sthāna*s. These have 46, 16, 10, 40 and 8 chapters respectively. The *Uttaratantra* has 66 chapters.

- 40 "There are one hundred and twenty chapters in five sections (*adhyāya*).³² In that regard, having divided them, according to their subject matter, into the Ślokasthāna, the Nidāna, the Śārīra, the Cikitsita and the Kalpa, we shall mention this in the Uttaratantra.³³
- 41 "There is a verse about this:

Someone who reads this eternal proclamation of the King of Kāśī, that was declared by Svayambhu, will have good karma on earth, will be respected by kings and upon death will achieve the world of Śakra.

³² On viṃśa in the sense of "greater by 20" see P.5.2.46 śadantaviṃśateś ca.

³³ The end of this sentence reads oddly. The vulgate edition adds an object: "[we shall mention] the remaining topics [in the Uttara]" which smooths out the difficulty, but this is supported in none of the Nepalese MSS. At the start of the Uttaratantra (Su 1938: 1.3–4ab) there is indeed a statement that picks up the point about there being 120 chapters.

Sūtrasthāna 2: The Initiation of a Student

Literature

HIML: IA, 204; Preisendanz 2007; Wujastyk 2012: 82-83, et passim.

Translation

1

Sūtrasthāna 3: The Table of Contents

Literature

Translation

54 ³⁴

Sūtrasthāna 11: Preparing and using caustics

11 ³⁵ content

Sūtrasthāna 13: On Leeches

a

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of studies on Indian leeches and their application.³⁶

A Persian version of this chapter of the *Suśrutasaṃhitā* was included in *Sikandar Shāh's Mine of Medicine (Ma'din al-<u>sh</u>ifā' i Sikandar-<u>Sh</u>āhī) composed in 1512 by Miyān Bhūwah b. Khawāṣṣ Khān.³⁷*

More recently, Brooks has explored the sense of touch in relation to leeching and patient-physician interactions.³⁸

Translation

- 1 And now we shall explain the chapter about leeches.
- 2 [3] The leech is for the benefit of kings, rich people, delicate people, children, the elderly, fearful people and women. It is said to be the most gentle means for letting blood.
 - 4 In relation to that, one should let blood that is corrupted by wind, bile or phlegm with a horn, a leech, or a gourd, respectively. Or, each kind can be made to flow by any of them in their particular way.³⁹

³⁶ HIML: IA, 209; IB, 324, n. 131.

³⁷ Siddiqi 1959: 96–109; Azeez Pasha 1971; Storey 1971: 231–232; HIML: IB, 324, n. 128; Speziale 2019: 8–9.

³⁸ Brooks 2020*a*,*b*; 2021*a*,*b*.

³⁹ This sentence is hard to construe grammatically, although its meaning seems clear. In place of विशेषस्तु, Cakrapāṇidatta and Dalhaṇa both read विशेषतस्, which helps interpret-

5 And there are the following about this:

A cow's horn is praised for being unctuous, smooth, and very sweet. Therefore, when wind is troubled, that is good for bloodletting.⁴⁰

- A horn shaped like a half-moon, with a large body the length of seven fingers, should first be placed on the incision. A strong person should suck with the mouth.⁴¹
- A leech lives in the cold, is sweet and is born in the water. So when someone is afflicted by bile, they are suitable for bloodletting. 42
- 7 A gourd is well known for being pungent, dry and sharp. So when someone is afflicted by phlegm it is suitable for bloodletting.
- 8 In that context, at the scarified location one should let blood using a horn wrapped in a covering of a thin bladder, or with a gourd with a flame inside it because of the suction.⁴³
- 9 Leeches are called "jala-āyu-ka" because their life (āyu-) is in water (jala).⁴⁴ "Home" (okas) means "dwelling;" their home is water, so they are called "water-dwellers (jalaukas)."

ation (Su 1939: 95, Su 1938: 55). It is notworthy that the critical syllable स्तु is smudged or corrected in both MS Kathmandu NAK 1-1079 and in 1-1146, a much later Devanāgarī manuscript.

There is an insertion in the text, printed in parentheses in the vulgate at 1.13.4 (Su 1938: 55) as विशेषतस्तु विस्नाव्यं शृङ्गजलौकालाबुभिर्गृह्णीयात्. This insertion is not included in the earlier edition of the vulgate, but is replaced by स्मिग्धशीतरूक्षत्वात् (Su 1931: 54). Dalhaṇa noted that, "this reading is discussed to some extent by some compilers (निबन्धकार), but it is definitely rejected by most of them, including Jejjhaṭa."

- 40 The vulgate replaced "smooth" with "hot."
- 41 This passage is not found in the vulgate, but it is similar to the passage cited by Dalhana at 1.13.8 (Su 1938: 56) and attributed to Bhāluki. Bhāluki was the author of a *Bhālukitantra* that may have predated Jejjaṭa and might even have been one of the sources for the *Suśrutasaṃhitā* (HIML: IA, 689–690 *et passim*). The editor Ācārya was aware of this reading in the Nepalese manuscripts; see his note 4 on 1.13.5 (Su 1938: 55, note 4).
- 42 Note that the particular qualities (*guṇas*) of the leech in this and the following verses counteract the quality of the affliction. See Brooks 2018: 113, table 1.
- 43 There are questions about the wrapping or covering of the horn. Other versions of the text, and the commentator, propose that there may be two coverings, or that cloth may be a constituent. Our understanding of this verse is that the bladder material is used to cover the mouthpiece and then to block it, in order to preserve suction in the horn for a few minutes while the blood is let.
- The lexeme $-\bar{a}yu$ is known almost exclusively from the Rgveda.

10 There are twelve of them: six are venomous and just the same number are non-venomous.

- 11 Here is an explanation of the venomous ones, together with the therapy:
 - Black (*kṛṣṇā*)
 - Mottled (*karburā*)
 - Sting-gush (alagardā)⁴⁵
 - Rainbow (*indrāyudhā*)
 - Oceanic (*sāmudrikā*)
 - Cow-praising $(govandan\bar{a})^{46}$

Among these,

- The one called a Black is the colour of kohl and has a broad head;
- The one called Mottled is like the Indian mottled eel, long with a segmented (*chinna*), humped belly.
- The one called Sting-gush is hairy, has large sides and a black mouth.
- The one called Rainbow is coloured like a rainbow, with vertical stripes.
- The one called Oceanic is slightly blackish-yellow, and is covered with variegated flower patterns.
- The one called Govandana is like a cow's testicles, having a bifurcated appearance on the lower side, and a tiny mouth.

When someone is bitten by them, the symptoms are: a swelling at the site of the bite, excessive itching and fainting, fever, a temperature, and vomiting. In that context the Great Antidote (*mahāgada*) should be applied in drinks and liniments (*ālepana*), etc.⁴⁷ A bite by the Rainbow leech is not treatable. These venomous ones have been explained together with their remedies.

- Now the ones without venom.⁴⁸
 - Tawny (*kapilā*)

⁴⁵ Treating गर्दा as गल्दा and translating as in RV 8.1.20, with Jamison and Brereton (2014:1023, verse 20 and cf. commentary). But if गर्द is to be taken from √गर्द् then we might have "crying from the sting."

⁴⁶ The manuscripts all read गोवन्दना against the vulgate's गोचन्दना.

Palhaṇa and the vulgate included errhines in the list of therapies, and Palhaṇa added that "etc." indicated sprinkling and immersion too. The "Great Antidote" is described in the Kalpasthāna, at 5.5.61-63ab (Su 1938: 578).

⁴⁸ The translations of the names of these leeches are slightly whimsical, but give a sense of the original; सावरिका remains etymologically puzzling.

- Ruddy (pingalā)
- Dart-mouth (śaṅkumukhī)
- Mouse (*mūsikā*)
- Lotus-mouth (*pundarīkamukhī*)
- Sāvarikā (*sāvarikā*)

Among these,

- The one called Tawny has sides that look as if they are dyed with realgar and is the colour of glossy mung beans on the back.⁴⁹
- The one called Ruddy is a bit red, has a round body, is yellowish, and moves fast.
- The one called Dart-mouth is the colour of liver, drinks fast and has a long mouth.
- The one called Mouse is the colour and shape of a mouse and has an undesirable smell.
- The one called Lotus is the colour of mung beans and has a mouth that looks like a lotus.
- The one called Sāvarikā has the colour of a lotus leaf and is eighteen centimetres long. But that one is used when the purpose is an animal.

The non-venomous ones have been explained.

13 Their lands are Yavana, Pāṇḍya, Sahya, Potana and so on.50 Those in

Some scholars have identified the name with modern Bodhan in Telangana (Sircar 1971: 189; Schwartzberg, Bajpai, et al. 1978: E6, p. 14, 140 *et passim*; Sen 1988: 102), but

⁴⁹ The compound सिम्धमुद्भवण्णी is supported by all the manuscript witnesses and is translated here. Nevertheless, the reading of the vulgate, that separates सिम्धा, f., "slimy" as an adjective for the leech, seems more plausible: "it is slimy and the colour of a mung bean."

This passage is discussed by Karttunen (2015: 109–110, 388–389). At the time of the composition of the *Suśrutasaṃhitā*, Yavana would most likely have referred the Hellenistic Greek diaspora communities in Bactria and India (Law 1984: 136–137; Mairs 2013; 2014). Unproblematically, the Pāṇḍya country is the extreme south-eastern tip of the Indian subcontinent (Schwartzberg, Bajpai, et al. 1978: E8, p. 20 et passim), and Sahya refers to the Western Ghats (Schwartzberg, Bajpai, et al. 1978: D5–7, p. 20 et passim). The vulgate reading "Pautana" is not a known toponymn. Potana was the ancient capital of the Aśmaka Mahājanapada mentioned in Pali sources and in inscriptions at Ajāntā and elsewhere, and identified by Law (1984: 142, 179) and P. Gupta (1989: 18) with Pratiṣṭhāna, modern Paithan on the Godavarī river. The recurring ancient epithet describing the Aśmaka kingdom is that it was on the Godāvarī, and Paithan is flanked to the south west and south east by this river.

particular have large bodies and are strong, they drink rapidly, consume a lot, and are without venom.

- In reference to that, venomous leeches are those originating in decomposing venomous insects, frogs, urine, feces and in polluted water.⁵¹ Nonvenomous ones originate in decomposing sacred lotus, blue water-lily, white water-lily, fragrant lotus, pondweed and in pure waters.
- 15 There is a verse on this:

These ones move about in sweet-smelling habitats that abound in water. Tradition teaches that they do not behave in a confused manner or lie in the mud.⁵²

- 16 They can be caught with a fresh hide or one may catch them by other means.⁵³
- Then these should be put into a large new pot furnished with mud and the water from lakes or wells. One should provide what they need to eat. One should grind up pondweed, dried meat, and aquatic tubers, and one should give them grass and aquatic leaves to lie on, and every three days

this implausible identification is traceable to a speculative suggestion by Raychaudhuri (1953: 89, n. 5, 143) based on a variant form "Podana" found in some early manuscripts of the *Mahābhārata*: "This name reminds one of Bodhan in the Nizam's dominions," "possibly to be identified with Bodhan."

Palhaṇa on 1.13.13 (Su 1938: 57) anachronistically identified "Yavana" as the land of the Turks (ব্ৰুহুজ্ক) and "Pautana" as the Mathurā region. He also noted, as did Cakrapāṇidatta (Su 1939: 97), that this passage was not included by some authorities on the grounds that the habitats of poisonous and non-poisonous creatures are defined by other criteria.

- 51 The vulgate on 4.13.14 (Su 1938: 57) includes fish in this list.
- 52 Dalhaṇa on 1.13.14 (Su 1938: 57) discussed why non-venomous leeches would not "behave in a confused manner" (सङ्कीर्णचारिन्), saying that they do not "eat a diet that is contra-indicated because of poison etc." (विषादिविरुद्धाहारभुजः). On the use of the term विरुद्ध in the sense of "incompatible," see 4.23.4 (Su 1938: 485). Dalhaṇa there noted that such foods are explained in the chapter on wholesome and unwholesome foods (हि-ताहिताध्याय, 1.20 (Su 1938: 94–99)).
- 53 "Fresh hide" (आर्द्रचर्मन्) may suggest that the animal skin still includes meat or blood that is attractive to a leech.

Dalhaṇa on 1.13.15 (Su 1938: 57) quoted "another treatise" (तन्त्रान्तरवचनात्) that said that autumn is the time to collect leeches. He also explained that "other methods" of collecting leeches included smearing a leg or other limb with cream, butter or milk, etc., or using a piece of flesh from a freshly killed animal.

The Nepalese witnesses all read गृहीत्वा "having (been) caught" for the vulgate's गृह्णीयात् "one may grasp (by other means)." The Nepalese reading is hard to construe and we have emended to the vulgate's reading.

water and food. After seven nights one should transfer them to a different pot.

18 And on this:

One should not nurture those that are thick in the middle, that are injured,⁵⁴ or small, those that are not born in the proper habitat, those that will not attach, that drink little or those that are venomous.

- First of all, if the patient has an ailment that is treatable by bloodletting with leeches, get them to sit or lie down. Then, dry any diseased opening with powders of earth and cow-dung.⁵⁵
 - Then the leeches, free from impurities, with their bodies smeared with Indian mustard and turmeric, moving about in the middle of a cup of water, should be made to attach to the site of the ailment. Now, for one that is not attaching, one should provide a drop of milk or a drop of blood. Alternatively, one should make some marks with a knife (*śastrapada*). And if it still will not attach, make a different one attach.
- One can know that it is attached when it fixes on, making its mouth like a horse's hoof and hunching its neck. Then, one should cover it with a wet cloth and keep it there.
- Now, if one knows, from the arising of pricking and itching at the bite, that clean blood is being taken, one should take it off. Then, if it does not release because of the scent of blood one should sprinkle its mouth with powdered rock salt.
- Then one should coat it with rice-grain chaff, rub its mouth with sesame oil and salt and cause it to vomit by holding its tail in the left hand and very slowly rubbing it with the thumb and finger of the right hand in the proper direction, as far as the mouth, until it is properly purged.⁵⁷ A properly

⁵⁴ Pace Dalhana on 1.13.18 (Su 1938: 57) who glossed परिक्रिष्ट "injured" as अमनोज्ञदर्शन "disagreeable looking."

⁵⁵ Dalhaṇa on 1.13.19 (Su 1938: 57) read अरुजम् (n.), against the vulgate's अरुजः; Cakra-pāṇidatta on this verse (Su 1939: 98) read अरुजः. Both commentators specified that the *Suśrutasaṃhitā* said this procedure should only be applied when there is no wound or opening, for fear of exacerbating the condition. The Nepalese text is saying, differently, that the dessicating powders should be applied to a diseased wound.

⁵⁶ On पद as a "mark," "imprint," or "place of application," cf. 4.1.29 (Su 1938: 399), 5.4.15 (Su 1938: 571), etc. See footnote 477.

⁵⁷ The expression शालितण्डुलकाण्डन, "rice-grain chaff" could be read as "paddy rice, rice grains and chaff" but this seems unlikely in the context.

purged leech placed in a goblet of water moves about, wanting to eat. If it sinks down, not moving, it is badly purged; one should make it vomit once again.

A badly purged leech develops an incurable disease called Indrapada.⁵⁸

One that protects its deflated head with its body, suddenly curls up and makes the water warm is traditionally said to have Indrapada.⁵⁹

Thus, one should keep such a one as before.⁶⁰

- 23 After observing the proper or improper flow of the blood, one should rub the opening made by the leech with honey.⁶¹ Alternatively, one may bind it up and smear it with ointments that are astringent, sweet, oily and cold.
- 24 And about this there is the following:

When the leeches have just drunk, one should pour ghee on it. And one should pour on to the blood things that are capable of stopping the blood.

Someone who knows habitats, the capture, feeding and bloodletting of leeches is worthy to treat a king.

⁵⁸ At this point, the Nepalese witnesses read इन्द्रपद/इन्द्रापद, but the vulgate reads इन्द्रमद, a term that is found in other texts such as the *Mānasollāsa* 6.641 (vol. 1, 87), where it is a fever affecting fish, and the *Garuḍapurāṇa* 1.147.3 (tr. A Board of Scholars 1957: 2, 425) where it is fever affecting clouds; see further Brooks forthcoming.

⁵⁹ At this point, witness H, the latest MS, reads इन्द्रपद as before, but the older witnesses K and N have muddled readings, इदमदः and इद्रमदः. The scribes may have been responding to a -पद ।-मद confusion about the name of this condition.

⁶⁰ The vulgate includes "well purged" as the object in this sentence, which makes better sense.

⁶¹ In the Nepalese witnesses, the object of this passage is जलोकामुखम् "the mouth of the leech," that we have interpreted, perhaps freely, as "opening made by the leech." Logically and as transmitted in the vulgate, this passage should be about managing the wound on the patient that has been made by the leech.

Sūtrasthāna 14: On Blood

Previous scholarship

Meulenbeld offered both an annotated summary of this chapter as well as a study specifically on the place of blood in Ayurvedic theory.⁶²

Translation

- 1 Now we shall declare the chapter about blood.
- 2
- 3 Food is of four types.⁶³ It is endowed with six tastes and is made of the five elements.⁶⁴ It has either two or eight potencies, and is endowed with many qualities. ⁶⁵ Chyle (*rasa*) is the most intangible essence of this food that is properly transformed. It is of the nature of fire.
 - Chyle is situated in the heart. From the heart, it enters into the twentyfour arteries—ten upward arteries, ten downward, and four sideways—and
- 62 HIML: IA, 209–201 and Meulenbeld 1991. Meulenbeld's footnotes on this chapter in HIML: IB, 325 ff. refer often to "Hoernle's note." This appears to be a reference to Hoernle's copious notes to his translation of this chapter (Hoernle 1897: 87–98). Meulenbeld (1990) also discussed Sanskrit veterinary texts in the light of their standard theory of four humours, including blood.
- 63 Dalhaṇa on 1.14.3 (Su 1938: 59) said that the four types of food are those that can be drunk, licked, eaten and chewed(पेयलेह्मभोज्यभक्ष्य). The main text of the *Carakasaṃhitā* is explicit about these categories at 4.3.4(1) (Ca 1941: 308): पानाशनभक्ष्यलेह्म। "things drunk, eaten, chewed or licked." Yagi (1994) discussed the distinction between भक्ष्य and भोज्य; for further Indological background on foods, see the studies by Olivelle (1995; 2001) and the classic reference works by Achaya (1994; 1998). The long, final adhyāya of the *Suśrutasamhitā*'s sūtrasthāna (ch. 46) is a treatise on food in āyurveda.
- 64 Idem, Earth, water, fire, air, space
- 65 Dalhana related these qualities to the twenty standard गुण of āyurveda; see, e.g., their listing by Vāgbhata, translated by Wujastyk (2003b: 207).

doing so day after day owing to the reaction of past activities that are caused by the invisible, ⁶⁶ it satisfies the entire body, enlivens it, prolongs it, ⁶⁷ and makes it grow. The motion of the entity that flows throughout the body should be understood by inference. That motion causes deterioration and growth.

With regards to the chyle that flows through all the limbs, humours, body tissues, and impurities of the body, the question arises, "Is it moist or is it fiery?" It is understood to be moist because of its fluidity while flowing⁶⁸ and due to attributes such as mobility, lubrication, enlivening, satisfaction, and supporting.⁶⁹

- 4 That watery chyle is then reddened after reaching the liver and spleen.
- 5 There are verses about this.

Experts know that blood is the untransformed fluid that is reddened by the pure fire element within the bodies of living beings.

- 6 It is only due to chyle that women's blood called menses exists. It increases from the twelfth year and decreases after the fiftieth year.
- 7 The menstrual blood, however, is called fiery.⁷⁰ That is due to the embryo being fiery and moist.⁷¹
- 8 Others state that the embryo as constituted of the five elements and the preceptors call it the living blood.
- o There are verses about this.

That is because blood exhibits the qualities of earth, etc. such as a fleshy smell, fluidity, redness, pulsation and thinness.

⁶⁶ সহস্ত (unseen): Doing any righteous or unrighteous action produces good merit and demerit respectively. This good merit and demerit are called সহস্ত (invisible) because it cannot be directly known but can only be assumed through logical deduction.

⁶⁷ In the sense of prolonging its lifespan

⁶⁸ The vulgate emends अनुसरणे to अनुसरण- against the Nepalese MSS. This is logical because mobility would seem to be one of the attributes. Although it is awkward, we read अनुसरणे as a locative absolute "while flowing."

⁶⁹ The duality being discussed here is that of the essential qualities of Fire and of Soma (agni and soma). See further discussion by Wujastyk (2004) and Angermeier (2021).

⁷⁰ Dalhana commented that this is to distinguish the menstrual blood from regular blood that is gentle.

⁷¹ Dalhaṇa commented here that the embryo is called such because the menstrual blood is fiery and the semen is gentle (सौम्य). On the fiery/moist distinction (आग्नेय।सौम्य), see Wujastyk 2004; Angermeier 2021.

- Blood is formed from chyle, flesh from blood, lymph from flesh, bone from lymph, marrow from bone, semen from marrow, and progeny from semen.
- 11 There, the essence (chyle) of food and drink is the nourisher of these body tissues.
- 12 There is a verse about this.

A living being should be known as born from chyle. One should diligently preserve⁷² chyle by administering food and drink, being nicely disciplined with food⁷³.

- 13 The verbal root *rasa* means movement.⁷⁴ Because it keeps moving day after day, it is called *rasa* (chyle).⁷⁵
- 14 Chyle stays in every body tissue for 2548 ((25*100)+48) *kalās* and nine *kāṣṭhas*. As such, it becomes semen after a month. For women, it becomes menses.
- 15 Here are verses about this.

According to similar and dissimilar treatises, the quantity of kalās in this group⁷⁶ is 18,090.

This is the particular transformation period regarding chyle that lasts for a person with mild fire⁷⁷. For a person with developed fire, one should know it to last for the exact same time⁷⁸

⁷² All three manuscripts have रक्षेत which is an incorrect form. रक्षेत् is the correct form.

⁷³ आहरिण - The third case is used. The semantic property of the third case used here is unclear. Unclear regarding if there is any rule in the Aṣṭādhyāyī justifying this usage.

⁷⁴ Bhishagratna 1907-16: 109

⁷⁵ In the list of verbal roots of Pāṇini, the verbal root रस(*rasa*) means taste and moistening. It does not mean movement.

⁷⁶ duration of chyle in all the body tissues as a whole

⁷⁷ Perhaps this refers to the digestive fire.

⁷⁸ Although the vulgate does not have this verse, there is an argument presented in Palhaṇa's commentary on 1.14.16 (Su 1938: 63) that for a person with intense fire, chyle becomes semen after eight days, and for a person with mild fire, chyle becomes semen after a month. Palhaṇa said that this opinion is refuted by Gayadāsa Ācārya in many different ways. Palhaṇa continued that the proper understanding is that for a person with a strong fire, chyle becomes blood in a little less than a month, and for a person with a mild fire, chyle becomes blood in a little more than a month.

- Resembling the expanse of sound, flame, and water, that entity moves along in a minute manner throughout the entire body⁷⁹.
- 17 The aphrodisiac medicines, however, being used like a purgative due to their excessively strong characteristics, evacuate the semen.
- Just as it cannot be said that the fragrance in a flower bud is present in it or not, but accepting that there is the manifestation of existing entities⁸⁰, it,⁸¹ however, is not experienced only due to its intangibility. That same entity is experienced at another time in the blossomed flower. In the same way regarding children also, the manifestation of semen happens because of the advancement of age⁸². For women, the manifestation is different as rows of hair, menses, etc.
- That very essence of food does not nourish very old people due to their decaying bodies.
- These entities are called body tissues ($dh\bar{a}tu$ -s) because they bear the body⁸³.
- Their decay and growth are due to blood. Therefore, I will speak about blood. In that regard: The blood that is foamy, tawny, black, rough, thin, quick-moving, and non-coagulating is vitiated by air. The blood that is dark green, yellow, green, brown, sour-smelling, and unpleasant to ants and flies is vitiated by bile. The blood that is orange, unctuous, cool, dense, slimy, flowing, and resembling the colour of flesh-muscles is vitiated by phlegm. The blood having all these characteristics is vitiated by the combination of all three of them. The blood that is extremely black is vitiated by blood⁸⁴ just as bile. The blood that has the combined characteristics of vitiations of two humours is vitiated by two humours.

⁷⁹ Dalhana comments (Su 1938: 63) that the expanse of sound indicates the sideways movement of chyle, the expanse of flame indicates the upward movement of chyle, and the expanse of water indicates the downward movement of chyle.

⁸⁰ This is the doctrine of pre-existence of the effect (सत्कार्यवाद, satkāryavāda) first propounded by Sāṅkhya philosophers.

⁸¹ fragrance

⁸² Since chyle becomes semen in a month's time, a question arises "Why then is semen absent in young children?". The reply is given in this passage.

⁸³ The etymological meaning of the Sanskrit word धातु (dhātu) is "that which bears [the body]". Thus, the body tissues are called dhātus because they bear the body. This means that the body tissues are the elements that make up the body and sustain it.

⁸⁴ Y. T. Ācārya and N. R. Ācārya (Su 1938: 64) quote Cakrapāṇidatta in a footnote: "This is the symptom when the blood vitiated in one part of the body vitiates the blood in another part."

- The blood that is of the colour of insect cochineal, not thick, and not discoloured should be understood to be in its natural state.
- 23 I will speak of the types of blood that should be let out in another section.
- Now, I speak of those that should not be let out. The swelling appearing in all the limbs of the body of a weak person that happens due to consuming sour food. The swellings of people with jaundice, piles, large abdomen, emaciation, and those of pregnant women.
- In that regard, one should quickly insert the surgical instrument that is simple, not very close, fine, uniform, not deep, and not shallow.
- One should not insert the instrument into the heart, lower belly, anus, navel, waist, groins, eyes, forehead, palms, and soles.
- 26b In the case of swellings filled with pus, one should treat them in the same way as stated earlier.
- 27-27a There, when the swelling is not pierced properly, when phlegm and air have not been sweated out, after having a meal, and due to thickness, the blood does not ooze out or oozes out less. Here is a verse regarding it.
- 28ab-cd Blood does not ooze out of humans when in contact with air, passing stool or urine, and when intoxicated, unconscious, fatigued, sleeping, or in cold surroundings.
 - 29 That vitiated blood when not taken out increases the disease.
 - 30 The blood that is let by an ignorant physician in cases of very hot surroundings, profuse perspiration, and excessive piercing, flows excessively. That profuse bleeding causes the appearance of acute headache, blindness, and partial blindness, or it quickly causes subsequent wasting, convulsions, tremors, hemiplegia, paralysis in a limb, hiccups, coughing, panting, jaundice, or death.
- 31ab-cd The physician should let out the blood when the weather is not very hot or cold, when the patient is not perspiring or heated up, and after the patient has had a sufficient intake of gruel.
- 32ab-cd After coming out properly, when the blood stops automatically, one should know that blood to be pure and drained properly.
- 33ab-cd The symptoms of the proper drainage of blood are the experience of lightness, alleviation of pain, a complete end of the intensity of the disease, and satisfaction of the mind.
- 34ab-cd Defects of the skin, tumours, swellings, and all diseases caused by blood never arise for those who regularly drain their blood.
 - 35 When the blood does not flow out, the physician should rub cardamom and

camphor on the opening of the boil with three or four or all among crêpe ginger (Cheilocostus speciosus), butterfly gardenia (Ervatamia coronaria Stapf), velvet-leaf, deodar, embelia, leadwort, the three spices (black pepper, long pepper, and dry ginger), soot from the chimney (āgāradhūma), turmeric, sprouts of purple calotropis, and fruit of the Indian beech, according to availability, with excessive salt. By doing so, the blood flows out properly.

When there is an excessive flow of blood, the physician should sprinkle the opening of the boil with dry powders of lodh tree, liquorice, foxtail millet, sappanwood, red chalk, elixir salve, seashell, barley, green gram, wheat, and resin of the Sāla tree, and then press it with the tip of a finger. One should tightly bind it with powdered barks of Sāla, white dammer tree, arjun, white babool, granthi, axlewood, and dhanvana (Camelthorn), or a linen cloth⁸⁵, or vadhyāsita, or bone of cuttlefish, or powdered lac, along with the binding materials mentioned. After the piercing, the physician should pierce it again. The physician should serve cool clothing, food, a dwelling place, a bath, cooling ointments, and plastering. Or, one can cauterize it with heat. Or, as mentioned, one should give a decoction of kākolī, etc. sweetened by sugar and honey to drink. Or, one should consume the blood of black buck, deer, ram, buffalo, rabbit, or pig, accompanied by milk, green gram soup and meat soup⁸⁶. The physician should treat the pains as mentioned.

36a Here are verses about this.

37ab-cd When blood flows out due to the decay of body tissue, fire becomes weak⁸⁷ and the wind becomes highly agitated because of that endeavour.

38ab-cd The physician should serve the patient food that is not very cold, light in digestion, unctuous, increases blood, slightly sour or not sour at all.

39ab-cd This is the four-fold method of hindering blood: joining, coagulation, haemostasis. and cauterization.

⁸⁵ Su 1938: 66 has क्षौमेण वा ध्मापितेन - "with linen reduced to ashes". Presumably, it is this ash that is also referred to in item 40.

⁸⁶ Based on Dalhana's comment as found in Su 1938: 66

⁸⁷ This refers to the digestive fire.

	agulates the blood, the ash stops the blood, and cauterization contracts the blood vessel.
41ab-cd	If the blood does not coagulate, the physician should employ joining. If the blood does not stop by joining the opening then he should employ haemostasis.
42ab-cd	The physician should endeavour by employing these three methods according to the procedure. If these methods are unsuccessful then cauterization is highly desirable.
43ab-cd	If the blood remains impure, the disease does not aggravate. The physician should then make the blood pure ⁸⁸ and not drain blood in excess.
44ab-cd	Blood is the basis of the body. It is sustained by blood only.
44ef	Blood is called life. One should therefore save blood.
45ab-cd	If the air in the person who underwent blood-letting is aggravated

sprinkled with lukewarm clarified butter.

The astringent substance joins the opening, the cold substance co-

due to a cold shower, etc., the swelling with pricking pain should be

40ab-cd

⁸⁸ Palhaṇa comments (Su 1938: 66) that one should purify the blood again by sedation, etc.

Sūtrasthāna 16: Repairing Pierced Ears

Previous literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁸⁹ A book on this topic, arising out of the present project, with edition, translation and discussion of the Nepalese transmission is published by Wujastyk et al. 2023.

Translation

1 Now we shall expound the method for piercing the ear. 90

The Nepalese version also omits the opening remark on Dhanvantari that appears in subsequent versions of the text. For a discussion of the frame story in the Nepalese version, see Birch et al. 2021.

When commenting on this statement, Dalhana (Su 1938: 76) and Cakrapanidatta (Su 1939: 125) observed that only the ears of healthy people should be pierced, and they quoted the lost authority Bhoja to affirm this: "When piercing the ears of children who

⁸⁹ HIML: IA, 211-212317.

⁹⁰ The topic of piercing the ear (kaṛṇavyadha) is not discussed in the Carakasaṃhitā (HIML: IB, 326, n. 175), but it is mentioned in some texts that followed the Suśrutasaṃhitā, such as the Kaśāpyasaṃhitā (HIML: IIA, 30). Also, the instrument for piercing the ear is described in the Aṣṭāṇgahṛdayasaṃhitā 1.26.26 (Ah 1939: 321). In the versions of the text known to Þalhaṇa (Su 1938: 76) and Cakrapāṇidatta (Su 1939: 125), the heading of this chapter is "the method of piercing and joining the ear" (कर्णव्यधबन्धविध), instead of the Nepalese version's "the method of piercing the ear" (कर्णव्यधविधि). The topic of joining the ear (कर्णबन्ध) is discussed in passages 17–20 of the Nepalese version. However, it appears that only subsequent redactors reflected its importance by including it in chapter headings.

- One may pierce a child's ears for the purpose of preserving and decorating. During the bright fortnight, when the child is in the sixth or seventh month, on renowned days, half days, hours and constellations, the physician, with a calming presence, sits the boy, who has received a benediction and the recitation of a blessing, 91 on the lap of a wet-nurse. 92 Then, he should pull the ear with his left hand and pierce straight through with his right hand at a naturally-occurring cleft. 93 For a boy, do the right ear first; for a girl, do the left one. Use a needle on a thin ear; an awl on a thick one. 94
- 3 One may know that it was pierced in the wrong place if there is excess blood or too much pain. The absence of side-effects is a sign that it has been pierced in the right place.⁹⁵

are free of disease at these times, their ear flaps and apertures, as well as limbs, increase" (1.16.1 (Su 1938: 76)).

Some texts use the adjective कर्ण-वेधनी rather than ॰व्यधनी.

- 91 The causative form व्यथ्येत is known in Classical Sanskrit (Whitney 1885: 166).
 The compound कृतमङ्गलस्वस्तिवाचनं "who has received a benediction and the recitation of a blessing" is an emendation based on the similar text at 3.2.25 (Su 1938: 346). Cf. also 3.10.8, 24 (Su 1938: 388, 390) that have slightly different formulations.
- 92 The versions of 1.16.3 known to Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938: 76) have the additional compound কুদার্থ্যাষ্ট্র ("on the lap of one who holds the child") after धात्र्योङ्के. The gender of কুদার্থ্য is made clear by Dalhaṇa's gloss "a man who holds the child." Also, both versions add बालक्रीडनकेः प्रलोभ्य ("having enticed with children's toys") to indicate that the child should be tempted with toys to stay on the assistant's lap. According to Dalhaṇa on 1.16.3 (Su 1938: 76), the toys include replica elephants, horses, bulls and parrots. Dalhaṇa further mentions that others read भक्ष्य-विशेषेर्वा ("or by special treats") before बालक्रीडनकेः, but we see no trace of these small kindnesses in our witnesses.
- 93 The versions of 1.16.3 of Cakrapāṇidatta (Su 1939: 126) and Dalhaṇa (Su 1938: 76) add that this naturally-occurring cleft is illuminated by a ray of sunshine (आदित्यकरावभासिते). The syntax of this slightly long sentence is unusual because of the dual object तौ "the two (ears)" at the start of the sentence, which is remote from the main verb. The other singular accusatives referring to the ear being pierced are governed by absolutives.
- 94 Dalhana on 1.16.3 (Su 1938: 76) clarifies that the awl is a shoe-maker's knife for piercing leather. He also cites the authority of "the notes of Lakṣmana" (Lakṣmanaṭippaṇaka) on the issue of the thickness of the needle. The Notes of Lakṣmaṇa is not known from any earlier or contemporary sources and was presumably a collection of glosses on the Suśrutasaṃhitā that was available to Dalhana in twelfth-century Bengal. See Meulenbeld (HIML: IA, 386).
- 95 At this point, MS Kathmandu KL 699 is missing a folio, so the rest of this chapter is constructed on the basis of witnesses MS Kathmandu NAK 5-333 and MS Kathmandu NAK 1-1079.

4 In this context, if an ignorant person randomly pierces a duct there will be fever, burning, swelling, pain, lumps, paralysis of the nape of the neck, convulsions, headache or sharp pain in the ear.⁹⁶

- 5 Having removed the wick (*vartti*) because of the accumulation of humours or an unsatisfactory piercing at that location, ⁹⁷ he should smear it with barley, liquorice, Indian madder, and the root of the castor oil tree, thickened with honey and ghee. And when it has healed well, he should pierce it again. ⁹⁸
- 6 He should treat the properly-pierced ear by sprinkling it with raw sesame oil. After every three days one should make a thicker wick and do the very same sprinkling.⁹⁹
- 7 Once the ear is free from humours or side-effects, one should put in a light dilator (*pravardhanaka*) in order to enlarge it enough.¹⁰⁰
- 96 This passage is significantly augmented in Cakrapāṇidatta's and Dalhaṇa's versions, to outline the specific problems caused by piercing three ducts called कालिका, मर्मिका and लोहितिका (1.16.4 (Su 1939: 126) and 1.16.5 (Su 1938: 77) respectively). In fact, the order of the problems mentioned in the Nepalese version has been retained in the other versions and divided between each duct. Cakrapāṇidatta's commentary on 1.16.4 (Su 1939: 126) cites several verses attributed to Bhoja on the problems caused by piercing these three ducts in the ear flap: 'लोहितिका, मर्मिका and the black ones are the ducts situated in the earflaps. Listen in due order to the problems that arise when they are pierced. Paralysis of the nape of the neck and convulsions, or sharp pain arise from piercing लोहितिका. Pain and lumps are thought to arise from piercing मर्मिका. Piercing कालिका gives rise to swelling, fever and burning.'
- 97 In addition to these reasons, Dalhaṇa at 1.16.6 (Su 1938: 77) added "because of piercing with a painful, crooked and unsatisfactory needle" (क्रिष्टजिह्माप्रशस्तस्चीव्यधात्) and "because of a wick that is too thick" (गाढतरवर्तित्वात्). Dalhaṇa was aware of the reading in the Nepalese version because in his commentary on 1.16.6 (Su 1938: 77) he noted that some read "because of the accummulation of humours" rather than "because of piercing with a painful, crooked and unsatisfactory needle or because of a wick that is too thick." On the concept of humoral accumulation (samudāya), see the important analysis by Meulenbeld (1992).
- 98 The description of the drug is ambigious: the word "root" could be taken with each plant, or just with the last. The vulgate reads just "castor oil root" so we assume that is the traditional interpretation.
- 99 Describing ear and nose operations similar to those here, Celsus described the use of a quill (Latin *pinna*) where the Sanskrit authors use a cotton wick (*De Medicina* VII ¶10–11, Spencer 1935–38: 3, 366–367).
- 100 Cakrapāṇidatta on 1.16.6 (Su 1939: 127) and Dalhaṇa on 1.16.8 (Su 1938: 77) pointed out that the dilator can be made of wood, such as that of the prickly chaff-flower, the neem tree and tree cotton. Dalhaṇa added that it can also be made of lead and should have the shape of the datura flower. The manuscripts have variant readings for लघुप्रवर्धनक-

- 8 A person's ear enlarged in this way can split in two, either as a result of the humours¹⁰¹ or a blow.
 - Listen to me about the ways of joining it can have.
- 9 Here, there are, in brief, fifteen ways of mending the ear flap. 102 They are as follows: Rim-join (nemīsandhānaka), Lotus-splittable (utpalabhedyaka), Dried Flesh (vallūraka), Fastening (āsaṅgima), Cheek-ear (gaṇḍakarṇa), Take away (āhārya), Ready-Split (nirvedhima), Multi-joins (vyāyojima), Door-hinge (kapāṭasandhika), Half door-hinge (ardhakapāṭasandhika), Compressed (saṃkṣipta), Reduced-ear (hīnakarṇa), Creeper-ear (vallūkarṇa), Stick-ear (yaṣṭūkarṇa), and Crow's lip (kākauṣṭha). 103 In this context, among these,

Rim-join: both flaps are wide, long, and equal.

Lotus-splittable: both flaps are round, long, and equal.

Dried flesh: both flaps are short, round, and equal.

Fastening: one flap is longer on the inside. Cheek-ear: one flap is longer on the outside. 104

Take-away: the flaps are missing, in fact, on both sides.

Ready-split: the flaps are like a dais (*pīṭha*).

Multi-joins: one flap is small, the other thick, one flap is equal,

the other unequal.

Door-hinge: the flap on the inside is long, the other is small. Half door-hinge: the flap on the outside is long, the other is small.

These ten options for joins of the ear should be bound. They can mostly

मामुञ्चेत् at this point that include a scribal emendation, none of which construe plausibly. It is possible that the unusual verb form आ+√मुच् puzzled the scribes and caused the implausible scribal readings and emendations.

¹⁰¹ Dalhana on 1.16.9 (Su 1938:77) notes that the word दोष here can refer to either a humour, such as wind, as we have understood it, or a disease generated from a humour.

¹⁰² The Nepalese version uses the word सन्धान to refer to joining a split in an ear flap, which is consistent with the terminology in the verse cited above (8). However, 1.16.10 of Dalhaṇa's version (Su 1938: 77) uses the term बन्ध here and at the very beginning of the chapter (i.e., 1.16.1) to introduce the topic of repairing the ear.

¹⁰³ For an artist's impression of these different kinds of joins in the ear flap, see Majno 1975: 290 (reproduced as Figure 3.2 in Wujastyk 2003*b*: 154).

¹⁰⁴ For an artist's impression of this join, see Majno 1975: 291 (reproduced as Figure 3.3 in Wujastyk 2003*b*: 155).

be explained as resembling their names.¹⁰⁵ The five from compressed (*saṃkṣipta*) on are incurable.¹⁰⁶ Among these, "Compressed" has a dry ear canal and the other flap is small. "Reduced ear" has flaps that have no base and have wasted flesh on their edges. "Creeper-ear" has flaps that are thin and uneven. "Stick-ear" has lumpy flesh and the flaps are stretched thin and have stiff ducts. "Crow-lip" has a flap without flesh with compressed tips and little blood. Even when they are bound up, they do not heal because they are hot, inflamed, suppurating, or swollen.¹⁰⁷

A person wishing to perform a join of any of these should therefore have supplies specially prepared according to the recommendations of the "Preparatory Supplies" chapter. And in this regard, he should particularly gather top layer of fermented liquor, milk, water, fermented rice-water, and powdered earthenware crockery (kapālacūrņa).

Next, having made the woman or man tie up the ends of their hair, eat

¹⁰⁵ Cakrapāṇidatta on 1.16.9-13 (Su 1939: 128-129) and Dalhaṇa on 1.16.10 (Su 1938: 77-78) provide examples of how the names of these joins describe their shapes. For example, the rim-join (*nemīsandhānaka*) is similar to the join of the rim of a wheel (*cakradhārā*).

¹⁰⁶ Dalhaṇa on 1.16.10 (Su 1938: 77-78) mentions that some do not read the statement that only five are incurable, and they understand the causes of unsuccessful joins given below (i.e., heat, inflammation, suppuration and swelling) as also pertaining to the first ten when they do heal.

¹⁰⁷ The version of 1.16.11–13 known to Dalhaṇa (Su 1938: 78) has four verses (ফ্লাক) at this point that are not in the Nepalese manuscripts. The additional verses iterate the types of joins required for ear flaps that are missing, elongated, thick, wide, etc. All four verses were probably absent in the version of the *Suśrutasamhitā* known to Cakrapāṇidatta. He cites the verses separately in his commentary, the *Bhānumatī* (Su 1939: 128–129), introducing each one as 'some people read' (के चित्पठन्ति). However, in Trikamajī Ācārya's edition of the *Sūtrasthāna* of the *Bhānumatī*, the root text is largely identical to the one commented on by Dalhaṇa (Su 1938), even in instances like this where Cakrapāṇidatta's commentary indicates that he was reading a different version of the *Suśrutasamhitā*. See further the discussion on p. ?? above.

¹⁰⁸ *Suśrutasaṃhitā* 1.5 (Su 1938: 18–23), probably verse 6 especially, that lists the equipment and medications that a surgeon should have ready.

¹⁰⁹ The reading in the Nepalese manuscripts of विशेषतश्चाग्रोपहरणीयात् has been emended to विशेषतश्चात्रोपहरेत् to make sense of the list of ingredients, which is in the accusative case. Also, the repetition of अग्रोपहरणीयात् in the Nepalese version suggests that its second occurrence, which does not make good sense here, is a dittographic error.

¹¹⁰ The term कपालचूर्ण is unusual. Palhaṇa (Su 1938: 79) defines it as the powder of fragments of fresh earthen pots and Cakrapāṇidatta (Su 1939: 129) as the powder of earthenware vessels.

lightly and be firmly held by qualified attendants, the physician considers the joins and then applies them by means of cutting, splitting, scarification, or piercing.¹¹¹ Next, he should examine the blood of the ear to know whether it is tainted or not. If it is tainted by wind, the ear should be bathed with fermented rice-water and water; if tainted by choler, then cold water and milk should be used; if tainted by phlegm, then top layer of fermented liquor and water should be used, and then he should scarify it again.

After arranging the join in the ear so that it is neither proud, depressed, nor uneven, and observing that the blood has stopped, one should anoint it with honey and ghee, bandage each ear with tree cotton and gauze (*plota*), and bind it up with a thread, neither too tightly nor too loosely. Then, the physician should sprinkle earthenware powder on it and provide medical advice (*ācārika*). And he should supplement with food as taught in the "Two Wound" chapter.¹¹²

- One should avoid rubbing, sleeping during the day, exercise, overeating, sex, getting hot by a fire, or the effort of speaking.
- One should not make a join when the blood is too pure, too copious, or too thin. For when the ear is tainted by wind, then it is obstructed by blood, unhealed and will peel. When tainted with choler, is becomes pinched $(g\bar{a}dha)$, septic and red. When tainted by phlegm, it will be stiff and itchy. It has excessively copious suppuration and is swollen. It has a small amount of wasted $(ks\bar{i}na)$ flesh and it will not grow.
- When the ear is properly healed and there are no complications, one may very gradually start to expand it. Otherwise, it may be inflamed (*samrambha*), burning, septic or painful. It may even split open again.
- Now, massage for the healthy ear, in order to enlarge it.

¹¹¹ There are syntactic difficulties in this sentence. We have adopted the reading in Dalhaṇa's version (Su 1938: 78), which has च कृत्वा following सुपरिगृहीतं. It is likely that a verb, such as कृत्वा, dropped out of the Nepalese transmission.

¹¹² Suśrutasamhitā 4.1 (Su 1938: 396-408).

^{113 1.16.17} of Dalhana's version (Su 1938: 79) reads "impure" for the Nepalese "too pure," which would appear to make better medical sense. Emending the text to নায়ুद্ध- for নানিয়ুद্ध- in the Nepalese version would yield the same meaning as Dalhana's version.

¹¹⁴ In his edition of *Suśrutasaṃhitā*, Ācārya (Su 1938: 79 n. 1) includes in parentheses the following treatment for these conditions, which according to a footnote is not found in the palm-leaf manuscript he used: 'One should sprinkle it with raw sesame oil for three days and one should renew the cotton bandage after three days' (आमतैलेन त्रिरात्रं परिषेच-येन्तिरात्राच्च पिचुं परिवर्तयेत्).

One should gather as much as one can the following: a ??, scavenging and seed-eating birds, and creatures that live in marshes or water, ¹¹⁵ fat, marrow, milk, and sesame oil, and white mustard oil. ¹¹⁶ Then cook the oil with an admixture of the following: purple calotropis, white calotropis, heartleaf sida, country mallow, country sarsaparilla, Indian kudzu, liquorice, and hornwort. ¹¹⁷ This should then be deposited in a well-protected spot.

- 15 The wise man who has been sweated should rub the massaged ear with it. Then it will be free of complications, and will enlarge properly and be strong. 118
- 16 Ears which do not enlarge even when sweated and oiled, should be scarified at the edge of the hole, but not outside it. 119
- 17 In this tradition, experts know countless repairs to ears. So a physician who is very intent on working in this way may repair them. 120

¹¹⁵ For such classifications, see the analyses by Zimmermann (1999) and B. K. Smith (1994). 116 Dalhaṇa's version of 1.16.19 (Su 1938: 79) includes ghee. However, Dalhaṇa's remarks

¹¹⁶ Dalhaṇa's version of 1.16.19 (Su 1938: 79) includes ghee. However, Dalhaṇa's remarks on this passage and Cakrapāṇidatta's on 1.16.18 (Su 1939: 130) indicate that they knew a version of this recipe, perhaps similar to the Nepalese one, that did not include ghee. Dalhaṇa also noted that others simply read four oils, beginning with fat and without milk, whereas Cakrapāṇidatta said that some say it is made with four oils and milk.

¹¹⁷ The version of of this verse known to Dalhana (vulgate (Su 1938:79)) adds several ingredients to this admixture, including prickly chaff-flower, Withania, milk-white, sweet plants and Indian ipecac. Also, it has beggarweed instead of Indian kudzu. When commenting on 1.16.19, Dalhana (Su 1938:79) noted that some do not read sweet plants and Indian ipecac. Therefore, at his time there were other versions of this recipe circulating, with fewer ingredients, as seen in the Nepalese version.

¹¹⁸ For these aims (i.e., healing and enlarging the ear), the text known to Dalhana (Su 1938:79) had an additional verse and a half describing an ointment for rubbing the ear and sesame oil cooked with various medicines for massage. Cakrapāṇidatta (Su 1939:131) did not comment on these verses, nor verse 15 of the Nepalese version, and so the version of the *Suśrutasaṃhitā* known to him may not have included them.

¹¹⁹ Dalhaṇa's version of 1.16.23 (Su 1938: 79–80) added another hemistich that stated more explicitly that the scarification should not be done on the outside of hole as it will cause derangement.

¹²⁰ After verse 17, the 1938 edition of Ācārya (Su 1938: 80) has in parentheses nineteen verses on diseases of the ear lobes, treatments and complications. It is possible that these verses were in some of the witnesses used by Ācārya to construct the text as they occur in other manuscripts, such as MS Hyderabad Osmania 137-3(b). However, Cakrapāṇidatta (Su 1939: 132) and Palhaṇa (Su 1938: 80) stated that some read about the diseases of the ear lobes in this chapter whereas others read about them in the chapter on various treatments (miśrakacikitsa) (SS 5.25), which does indeed begin with a discussion of the disease परिपोट. Palhaṇa went on to say that some believe that these verses were not composed by sages and, therefore, do not read them.

- 18 If an ear has grown hair, has a nice hole, a firm join, and is strong and even, well-healed, and free from pain, then one can enlarge it slowly. 121
- 19 Now I shall describe the proper method of making a repair when a nose is severed. First, take from the trees a leaf the same size as the man's nose and hang it on him.
- Next, having cut a slice of flesh (vadhra), 122 with the same measurements, off the cheek, the end of the nose is then scarified. 123 Then the undistracted physician, should quickly put it back together so that it is well joined.
- Having carefully observed that it has been sewn up properly, he should then fasten it along with two tubes. ¹²⁴ Having caused it to be raised, ¹²⁵ the powder of sappanwood, ¹²⁶ liquorice and Indian barberry should be sprinkled on it. ¹²⁷
- The wound should be covered properly with tree cotton and should be moistened repeatedly with sesame oil. Ghee should be given to the man to drink. His digestion being complete, he should be oiled and purged in accordance with the instructions specific to him. 128
- And once healed and really come together, what is left of that slice of flesh (vadhra) should then be trimmed. 129 If it is reduced, however, one should

¹²¹ The order of verses 17 and 18 is reversed in Dalhana's version (Su 1938: 80).

¹²² The version of 1.16.28b known to Dalhaṇa (Su 1938: 81) reads "bound, connected (bad-dham)" instead of "slice of flesh (vadhra)." This is a critical variant from the surgical point of view. If the slice remains connected, it will have a continuing blood supply. This is one of the effective techniques that so astonished surgeons witnessing a similar operation in Pune in the eighteenth century (see Wujastyk 2003b: 67-70).

¹²³ Or 1.16.20 could be mean, '... off the cheek, it is fixed to the end of the nose, which has been scarified.' Unfortunately, the Sanskrit of the Nepalese version is not unambiguous on the important point of whether or not the flap of grafted skin remains connected to its original site on the cheek. However, Dalhana (Su 1938:81) clarified the meaning of the vulgate here by stating that one should supply the word "flesh" when reading "connected," thus indicating that he understood the flesh to be connected to the face.

¹²⁴ Dalhana noted that the two tubes should be made of reed or the stalk of the leaf of the castor-oil plant (on 1.16.21 (Su 1938:81)). They should not be made of lead or betel nut because the weight will cause them to slip down.

¹²⁵ The Sanskrit term उन्नामयित्वा in 1.16.21 is non-Pāṇinian.

¹²⁶ For पत्ताङ्ग (sappanwood), there are manuscript variants पत्नाङ्ग (MS Kathmandu NAK 5-333) and पत्तङ्ग (MS Kathmandu NAK 1-1079). Also, MS Kathmandu KL 699 (f. 14r:1) has पत्नाङ्ग in a verse in 1.14 (cf. 1.14.36 (Su 1938:66)). The text known to Dalhana has पतङ्ग (1.16.29 (Su 1938:81)) and this term is propagated in modern dictionaries.

¹²⁷ Dalhaṇa glossed अञ्चन as रसाञ्चन, elixir salve (Su 1938: 81).

¹²⁸ The expression स्वयथोपदेश is ungrammatical but supported in all available witnesses.

¹²⁹ The vulgate transmission has lost the word वध्र and replaced it with अर्ध "half," which makes little sense in this surgical context.

make an effort to stretch it, and one should make its overgrown flesh smooth. 130

¹³⁰ Palhaṇa accepted a verse following this, 1.16.32 (Su 1938:81), which pointed out that the procedure for joining the nose is similar to that of joining the lips without fusing the ducts. He noted that earlier teachers did not think this statement on the nose and lips was made by sages, but he included it because it was accepted by Jejjaṭa, Gayadāsa and others, although they did not comment on it because it was easy to understand. Cakrapāṇidatta also did not comment on this additional verse (Su 1939: 133).

Sūtrasthāna 28: Unfavourable Prognosis in Patients with Sores

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.¹³¹

Goswami studied the commentaries of Dalhana and Cakrapānidatta on this and the following adhyāyas up to 32, focussing on the topic of omens (*ariṣṭa*). He concluded that both authors were influenced by the Indriyasthāna of the *Carakasaṃhitā* in their commentaries on this topic. ¹³²

Translation

Thus, living creatures and their strength, complexion (*varṇa*) and energy (*ojas*) are rooted in food. That (food) depends on the six flavours (*rasa*). Thus, the flavours depend on substance (*dravya*), and substances depend on medicinal herbs. There are two kinds of them (herbs): stationary and mobile. 133

¹³¹ HIML: IA, 219.

¹³² Goswami 2011.

^{133 1.1.28 (}Su 1938: 7), tr. P. V. Sharma 1999-2001: 1, 21.

Sūtrasthāna 46: The Rules about Food and Drink

Introduction

83 134

¹³⁴ This is the first place at which the term दूषीविष occurs in the *Suśrutasaṃhitā*. The term दोष was given important discussion by **meul**; Meulenbeld 1991; 1992; 2011. See also Das 2003: 548-550.

Part 2. Nidānasthāna

Nidānasthāna 1: The Diagnosis of Diseases Caused by Wind

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. 135

Subject matter

The present chapter describes the diseases caused by vitiated wind and wind's mixing with other humours. Contemporary ayurvedic physicians consider these diseases to include rheumatism.

Translation

- 1 And now we shall explain the chapter about the aetiology of wind diseases.
- 3 After holding the feet of Dhanvantari, the foremost of the upholders of righteousness who emerged out of nectar, Suśruta makes this enquiry. 136
- 4 O King! O best of orators! Explain the location and types of diseases of the wind, whether in its natural state or disordered. 137.

135 HIML: IA, 234. (Ruben 1954) studied the wind doctrines in the *Carakasaṃhitā*. 136 Explain the nectar myth.



add refs to Divodāsa as king.

¹³⁷ MSS H and N both read भूपते instead of कोपनै: in the vulgate: instead of addressing the king, the vulgate is saying "by irritations of the wind...." The vulgate also has Suśruta asking about कर्म, whereas in the Nepalese version he asks only about the types of diseases. Note that Dhanvantari is here addressed as king, a title associated elsewhere with Divosdāsa.

5-9 On hearing his words, the venerable sage spoke. This lordly wind is declared to be self-born because it is independent, constant and omnipresent. It is worshipped by the whole world. Amongst all beings, it is the self of all. During creation, continued existence and destruction, it is the cause of beings.

It is unmanifest though its actions are manifest; it is cold, dry, light, and mobile. It moves horizontally, has two attributes and is full of dust (*ra-jas*). ¹³⁸ It has inconceivable power. It is the leader of the humours ¹³⁹ and the ruler of the multitude of diseases.

It moves fast, it moves constantly, it is located in the stomach and in the rectum. 140

- 9cd Now, learn from me the characteristics of wind as it moves inside the body.¹⁴¹
- Wind connects the senses and the sense objects. Unvitiated, it maintains a state of equality between the humours (doṣa), the bodily tissues $(dh\bar{a}tu)$ and heat (agni) and the rightness $(\bar{a}nulomya)$ of actions. 142
- Just as the fire is divided into five types by name, place and their actions, similarly, one type of air is divided into five types based on name, place, action and diseases.
- 12 Five types of wind:
 - 1. Vital wind (prāna)
 - 2. udāna

The expression "qualities" is used advisedly. It is almost universal practice to refer to "balance" or "equilibrium" in such contexts, but this misrepresents the metaphor that the Sanskrit sources are using. As the commentators on *Aṣṭāngahṛdayasaṃhitā* 1.1.20 (Ah 1939: 14) make abundantly clear, the expression *doṣasāmya* means "equality of humours," as in *quantitative* equality, not balance.

¹³⁸ According to Dalhaṇa on 2.1.8 (Su 1938: 257), the two qualities are sound and tangibility. The word সেম্ could also refer to the quality of activity in the three-quality (*guṇa*) theory, which is how Dalhaṇa interpreted it. On the semantic field of সেম্, see Das 2003: 14 note 26 and ff.

¹³⁹ Dalhana on 2.1.8 (Su 1938: 257) interpreted नेता "leader" as प्रेरक "impeller."

¹⁴⁰ MS H read आशुचारी, which we have translated ("moves fast"), but MS N and the commentators of the vulgate read आशुकारी, "quick-acting."

¹⁴¹ Palhaṇa and Cakrapāṇidatta both interpreted मे as an ablative (2.1.8 (Su 1938: 258)).

¹⁴² According to Dalhaṇa on 1.6.3 (Su 1938: 23), सम्पत्तिः=सम्पन्नता. According to Dalhaṇa, Gayadāsa read इन्द्रियार्थोपसंप्राप्तिं but Dalhaṇa did not accept this on the grounds that it was too verbose: गयदासाचार्यस्तु इमं श्लोकं `इन्द्रियार्थोपसंप्राप्तिऽ इत्यादि कृत्वा पठति, स च विस्तरभयान्न लिखितः । But witnesses H and N suggest the reading इन्द्रियार्थोपसम्पत्तिः.

- 3. samāna
- 4. vyāna
- 5. apāna

above five types of wind remain in their state of equality and hold the body¹⁴³.

- 13–14ab The wind that flows through the mouth is called the vital wind (prāṇa). It propels down food inside and hold the breath of life. Vitiated Vital wind mostly causes hiccups, asthma etc. diseases.
- 14cd-15 The wind which flows upwards inside the body, which is the best among all five winds is called udāna. Singing, speech etc. individual things done by the same wind. Vitiated udāna wind mostly causes diseases above the collar bone e.g., nose, eyes, head and ears¹⁴⁵.
- The samāna wind flows in stomach and duodenum. It helps in the digestion of food and separates the substances produced from it e.g., chyle, impurities, urine and feces. Vitiated samāna wind causes diseases like a chronic enlargement of spleen (gulma) with अग्निसङ्ग, and diarrhea etc.
- 17cd-18 The vyāna wind moves inside the whole body and circulates chyle and expels sweat and blood outside the body. It helps in the movements of limbs in every way. Contaminated vyāna wind causes all terrible diseases related to abdomen and anus.
- 19–20ab Staying in the abdomen, the apāna wind propels wind of body, feces, urine, semen, womb and menstruation to come out of the body at their proper time. Contaminated apāna wind causes terrible diseases that occur in the bladder and anus.
- 20cd-21ab Contaminated vyāna and apāna wind causes defect of semen and gonorrhea, while simultaneous contamination of all the five winds surely leads to death.
- 21cd-22ab I shall therefore describe all the diseases caused by the contamination of winds staying in the various places of the body.

¹⁴³ According to Dalhaṇa स्थान=साम्य, यापयन्ति=धारयन्ति at 2.1.12 (Su1938:259). (All the manuscripts read प्राणोदानः समानश्च व्यानोपानस्तथैव च . against the vulgate's प्राणोदानौ समानश्च व्यानश्चापान एव च . हेरे, थे wओर्द्स् प्राणः अन्द् उदानः हवे उन्देर्गोने दोउब्ले सन्धि.सेए (ओबेर्लि-एस्२००३:पर१.८.४))

¹⁴⁴ According to Dalhaṇa, সাण stays in head, chest, throat and nose. (Su1938:259) Gayadāsa reads अग्नि for সাण.

¹⁴⁵ Palhaṇa suggests it also causes diseases like cough etc. (चकारादन्यादिप प्राणोदानौ, व्याना-पानौ कासादीन करोति .)

- 22cd-24ab Contaminated wind in the stomach causes disease like vomiting, loss of consciousness, fainting, thirst, heart-seizure, pain in lateral sides of stomach. It also causes rumbling of the bowels, acute pain, inflated belly, pain while discharging urine and feces, suppression of urine and pain in the loins.
 - 24cd Contaminated wind residing in the ear causes loss of function of the Newa senses.
 - Residing in the skin,¹⁴⁶ contaminated wind causes discoloration of skin, throbbing of parts of the body, dryness, numbness, itching, pricking pain, swelling. It being inherent in the flesh of body causes swelling with pain and being inherent with the fat of the body causes swelling with slight pain but do not become wound.¹⁴⁷

Residing in the artery it causes acute pain, contraction and filling up of the artery. It stuns, vibrates and destroys the muscle tissues by residing in the muscle. Residing in the joints it causes pain and swelling. Residing in the bone it causes fracture and dryness of bones which also cause to acute pain and, in the marrow, it dries up marrow which may never be cured. Residing in the semen it causes non-production and distorted production of semen. 150

- 30-31ab Contaminated wind moves from the hand, foot, head, then it may be omnipresent or pervade the entire body of men and causes stiffness, convulsion, numbness and acute pain.
- 31cd-32ab Wind (5 types) mixed with other doṣas (bile etc.) in the places mentioned above produces mixed types of pains.
- 34cd-35ab Prāṇa wind surrounded by bile causes vomiting and burning sensation, by phlegm it causes weakness, exhaustion, laziness and bad taste.
- 35cd-36ab Udāna wind surrounded by bile causes loss of consciousness, stupor, dizziness and fatigue, by phlegm it causes absence of perspiration, slowness

¹⁴⁶ Dalhana and Gayadāsa both suggest त्वक्=रस. Gayadāsa explained that chyle stays in the skin and therefore, in the verse त्वक्स्थ should be read as रसस्थ as we read secondary meaning in the sentences like गङ्गायां घोष:.

¹⁴⁷ The MS H does not read व्रणांश्च रक्तगो ग्रन्थीन् सशूलान् मांससंश्रितः . against the vulgate. (Su 1938: 261).

¹⁴⁸ According to Dalhana सिराकुञ्चनं is also known as कुटिला सिरा (Su 1938: 262)

¹⁴⁹ Dalhana and Gayadāsa both suggest the meaning of हन्ति for being not capable of both stretching and contraction. सन्धिगतः संधीन् हन्ति प्रसारणाकुञ्चनयोरसामर्थ्यं करोति (Su 1938: 262) ...

¹⁵⁰ Dalhana and Gayadāsa both suggest that a distorted production विकृतां प्रवृत्तिम् is too fast, too slow, knotty and discolored.

- of digestion, sensation of coldness.
- 36cd-37ab Samāna wind surrounded by bile causes perspiration, a burning sensation, heat and stupor, association with phlegm it causes erection in urine, feces and limbs.
- 37cd-38ab Apāna wind associated with bile causes a burning sensation, heat and the voiding of blood with urine, with phlegm it causes a feeling of heaviness in the lower part of the body and coldness.
- 38cd-39ab Vyāna wind surrounded by bile causes a burning sensation, tossing of the limbs and fatigue, by phlegm it causes stiffening limbs, uddaṇḍaka? and pain in the swelling.
 - 40-41 Persons who are of delicate nature, follow faulty diet and lifestyle,? also afflicted with intoxicating drinks, sexual enjoyment, exercise causes vitiation of wind and blood.??
 - Riding elephant, horse and camel, lifting great weights, consuming vegetables which are pungent, hot, sour, alkali and being frequently distressed situation causes contamination of wind.
 - 43–44 Blood flowing in the body blocks the passage of contaminated wind which moves quickly in the body. Excessively irritated wind-being contaminated by wind and dominance of wind, it is called वातरक्त Gout¹⁵¹.
 - Vātarakta causes pricking pain, dryness, loos of sensation in the feet. Contaminated Bile mixed with blood causes sharp burning sensation, excessive heat and soft swelling with red color in the feet. Contaminated Phlegm mixed with the blood causes itching in the feet. It makes feet white, cold, dry, thick and hard. All defects ¹⁵² in the blood contaminated by humours (wind, bile, phlegm) manifest their symptoms in the feet.
 - 48 This disease spreads all over the body like rat poison by staying in feet or sometimes hands.
 - Gout spreads in the knee and the skin bursts and starts bleeding makes it incurable. It is mitigatable if it is of a year's old.
 - When vitiated wind enters in the all arteries it causes quickly convulsions again and again and because of frequent contractions ($\bar{a}k\bar{s}epa$) it is called convulsions ($\bar{a}k\bar{s}epaka$).
 - 52–56 Because in this situation a person often sees darkness and fall, it calls spasmodic contraction $(apat\bar{a}naka)^{153}$. If wind mixed with phlegm stays

¹⁵¹ In the medical term वातरक्त is known as Gout. Cakrapāṇi called it आढ्यरोगः Carakasaṃhitā sū.14.18 and ci.28.66

¹⁵² Gayadāsa suggests सर्वे दुष्टाः शोणितं चापि nominative plural instead of locative singular.

¹⁵³ Gayadāsa accepted the Nepalese reading ताम्यते which vulgate does not read. Gayadāsa

excessively in the arteries, it stiffs body like a staff and it is called दण्डा-पतानकः epilepsy with convulsions. Vitiated wind entered in the arteries and bends the body like a bow, it is called धनुःस्तम्भ Tetanus. When vitiated wind accumulated in the regions of finger, ancle, abdomen, heart, chest, and throat swiftly attack on the group of vain and ligaments, it gets a person's eyes stuck, chin stuns, side breaks and vomiting phlegm he moves inwards like a bow and this situation is known as emprosthotonos (antarāyāma). When vitiated wind attacks on outside ligaments, body of a person will stretch forward like a bow. In this situation, if the chest, hip or thigh break, wise men call it incurable.

- 58 Aggravated phlegm and bile mixed with wind or only vitiated wind causes fourth convulsive disease due to trauma.
- 59 Convulsions due to miscarriage, excessive bleeding, and injury are incurable ¹⁵⁴.
- 60-62 When excessively agitated and strong wind flows in the arteries which spread downward, upward, and sideways, it loses the joints and kills the other side of body. The best of physicians calls it paralysis (*pakṣāghāta*).

 155 Then half of his entire body becomes inefficient and unconscious. Afflicted by wind he suddenly falls or dies.
 - 62.1 Bile integrates with wind causes burning sensation, affliction, and infatuation. When it integrates with phlegm causes coldness, morbid swelling, and heaviness. ¹⁵⁶.
 - 63 A paralysis (*pakṣāghāta*) caused by wind ¹⁵⁷ is curable with most difficulty. It becomes curable when caused by bile and phlegm mix with the wind. It becomes incurable when caused by the loss of bodily constituents.
- Verses from 64–66 are not found in the Nepalese manuscripts. These verses discuss the term spasmodic contradiction (āpatantraka) which is the same as अपतानक. Palhaṇa commented on ni.1.64-66 (Su 1938:267) that because of having the similar condition in both situations, some

gives definition of अपतानक as येनापताम्यते means a situation in that a person sees the dark.

¹⁵⁴ According to Dalhana convulsion (ākṣepaka) is also known as अपतानक (Su 1938:266). He further mentions that even if fortunately, it is cured, it cripples the limb.

¹⁵⁵ In the ca.6.28.55 पश्चाघात is described as monoplegia (*ekāṅgaroga*). In that case it damages one of the limbs. In the medical terms paralysis (*apakṣāghāta*) is known as hemiplegia.

¹⁵⁶ This verse is not available in vulgate. It deals with the symptoms when bile and phlegm mix with the wind. It is already discussed in su.2.1.38.

¹⁵⁷ Here the term যুদ্ধবান suggests the meaning of the wind that is devoid of bile and phlegm.

scholars do not read the अपतन्त्रक. In the verse ni.1.59 Dalhana commented that the आक्षेपक and अपतानक is same (Su 1938:266) and again he suggested that the अपतानक and अपतन्त्रक both are similar condition. Therefore, आक्षेपक, अपतानक and अपतन्त्रक should be the same. Gayadāsa further commented that the Caraka has not read आक्षेपक as अपतानक and therefore described the अपतन्त्रक separately (Su 1938:267).

- 67 This verse also not found in the Nepalese Manuscripts. The verse describes rigidity of neck (*manyāsthambha*). According to Dalhaṇa, rigidity of neck is a prior symptom of spasmodic contradiction.
- By speaking very loudly, eating hard foods, excessively laughing and yawning, lifting heavy loads and sleeping in an awkward position, vitiated wind lodges into face painfully and produces paralysis of the jaw-bones (*ardita*) disease. In that case, half of the face and neck become curved, head trembles, speech hindrances, deformity occurs in the eys, eyebrows and cheeks. Experts in diseases call this disease spasm of the jaw-bones (*ardita*).
 - 73 Spasm of the jawbones cannot be cured when it stays in a person for three years, who is very weak, stays without blinking, trembles, and constantly speaks gibberish.
 - 74 Arteries of Heel and toes stricken by vitiated wind prevents stretching of thighs. This disease is known as sciatica (*gṛdhrasī*).
 - Arteries which run to the tips of fingers from behind the roots of the upper arm affected by vitiated wind terminates all activities of arms and back. This disease is called paralysis of arms and back (viśvañci). 159
 - 76 Vitiated wind and blood in the joint of knee causes synovitis of knee join (*kroṣṭukaśīrṣa*). In this extremely painful situation, the shape of swelling in knee joints seems like a head of Jackal.
 - 77 Vitiated wind resides in the waist attacks on the arteries of thigh causes limpness $(kha\tilde{n}ja)$ and when it attacks on both the thighs a person becomes lame (pangu).
 - 78 A person who trembles at the beginning of walking or walks limping and whose foot joint has become loose is called lathyrism (*kalāyakhañja*).
 - 79 Vitiated wind residing in the ankle-joint causes pain when one steps on uneven ground. This disease occurs is called বারকত্বক.

¹⁵⁸ Dalhaṇa suggests नेत्रादीनाम् इत्यादि शब्दात् भूगण्डादि उपसङ्ग्रहः

¹⁵⁹ Both the MSS N and H read विश्वञ्चि instead of the vulgate reading विश्वाची. There is no such word found in other Ayurveda texts.

- 80 Vitiated wind mixed with bile and blood cause burning sensation in feet. It should be declared as burning sensation in feet (*pādadāha*).
- 81 A person whose feet tingle and become insensible due to vitiation of phlegm and wind is called पादहर्ष.
- 82 Vitiated wind lying in the shoulder dries the shoulder joints and it is called अंसशोष. It also bends the arteries of shoulder, and this disease is called अवबाहुक. 160
- 83 Vitiated wind singly or mixed with phlegm cover the channel of ears causes deafness.
- Vitiated wind saturated with phlegm covering the arteries which conduct the sound of speech makes a person inactive (akriya), dumb ($m\bar{u}ka$). He mumbles (mimmira) through the nose and stammers (gadgad). ¹⁶¹
- Vitiated wind penetrating into the cheekbones, temporal bones, head and neck causes piercing pain in the ears. It is called ear-ache (*karṇaśūla*). 162
- 86-87 The pain that arises from the bladder or feces goes down as if it were breaking the rectum and......? is called तूनी, whereas the pain, rising upward from the rectum extending up to the region of the intestines, is called प्रतितूनी.
- Retention of vitiated wind inside abdomen causes distension of the stomach and flatulence and intense pain and rumbling inside, is called tympanites (ādhmāna). Vitiated wind mixed with phlegm causes সন্মাখ্যান. It rises in the stomach and causes pain in the heart and sides. 163
- 90-91 A knotty stone-like tumour caused by wind appearing in the stomach having an elevated shape and stretched upward direction which obstructing the passage of faeces and urine should be known as वाताष्ठीला. A tumour of similar shape rose obliquely in the abdomen obstructing the passage of wind, faeces and urine should be known as प्रत्यष्ठीला.

Names of diseases discussed in the chapter 2.1

Gout (*vātarakta*) convulsion (*ākṣepaka*) paralysis of one side (*pakṣāghāta*) paralysis of the jaw-bones (*ardita*) sciatica (*gṛdhrasī*) paralysis of arms and back (*viśvañci*) synovitis of knee join (*kroṣṭukaśīrṣa*) lathyrism

¹⁶⁰ Palhaṇa and Gayadāsa both have defined two diseases i.e., अंसशोष and अवबाहुक respectively.

¹⁶¹ Nepalese Manuscripts read मिर्म्मिर instead of the Vulgate's reading मिन्मिण. Dictionary of MW suggests the meaning of मिर्म्मिर = having fixed unwinking eyes which is not relevant to the disease of tongue.

¹⁶² In the medical terms, this disease is known as Otitis.

¹⁶³ There's an addition in MS N. नाभेरधस्तात् संजातः संचारी यदि वाऽचलः

 $(kal\bar{a}yakha\tilde{n}ja)$ $(v\bar{a}taka\underline{n}taka)$ $(avab\bar{a}huka)$ $(t\bar{u}n\bar{\imath})$ $(pratit\bar{u}n\bar{\imath})$ tympanites $(\bar{a}dhm\bar{a}na)$ $(praty\bar{a}dhm\bar{a}na)$ $(v\bar{a}t\bar{a}sth\bar{\imath}l\bar{a})$ $(pratyasth\bar{\imath}la)$

Part 3. Śārīrasthāna

Śārīrasthāna 2: On Semen and Menstrual Fluid

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. 164 Das (2003: chs 6–8) also studied topics of this chapter and in chapter 13 provided an overview of the conceptual background of ayurveda on the topics discussed in this chapter.

Translation

- 1 We shall now explain the anatomy that is the purification of sperm (*śukra*) and blood (*śonita*).
- 3 Semen (*retas*)¹⁶⁵ is incompetent to produce offspring if it is [characterized by] wind, bile, phlegm, blood (*śoṇita*), ¹⁶⁶ decomposition (*kuṇapa*), clumps (*granthi*), ¹⁶⁷ stinking pus (*pūtipūya*), low volume (*kṣīṇa*), urine, or feces.

¹⁶⁴ HIML: IA, 244-246.

¹⁶⁵ The Nepalese version has -रेतांसि "semen" (in the plural) as the subject of the sentence: "seeds are unable to produce offspring...." In the vulgate, -रेतसः is a masculine bahuvrīhi, making "men whose semen has..." the subject of the sentence.

¹⁶⁶ Note that the list begins with the four entities, wind, bile, phlegm and blood, hinting at a four-humour system (see Wujastyk 2000: 485–486).

¹⁶⁷ Modern Establishment Medicine (MEM) understands that normal ejaculate contains coagula which, however, dissolve after about half an hour. But coagula that do not dissolve may sometimes be a sign of an underlying disorder (see, e.g., Lamming and Marshall 1990: 2, 614–615; Cohen 1990).

Diagnosis by humours

- When the dysfunction is caused by wind, there is a colour and a type of pain that typically goes with wind problems.
 - If caused by bile the colour and the pain are typical of bile afflictions. If caused by phlegm the discolouration and suffering are characteristic for phlegm disease.
 - And if caused by blood (*śoṇita*) there will be a colouration due to blood and a sensation of a bile affliction. Moreover, when caused by blood (*rakta*) there is the smell of decomposition (*kunapa*). ¹⁶⁸
 - Phlegm with wind causes the appearance of clumps.
 - Bile with blood (\acute{sonita}) causes the appearance of foul-smelling pus ($\rlap/p\bar{u}tip\bar{u}ya$).
 - Bile with wind (*māruta*) cause a weakening of semen.
 - Humoral colligation (*sannipāta*) causes the smell of urine and feces. ¹⁶⁹

Cases of foul-smelling sperm, sperm with clumps, and when it reeks of pus are hard to treat. But when sperm contains urine or faeces there is no treatment.¹⁷⁰

Moreover, seasonal blood ($\bar{a}rtava$) too can become afflicted (upasrsta), seedless ($ab\bar{i}ja$) because of the three humours, and blood as the fourth, taken individually, in pairs or triples or all together. ¹⁷¹

This can also be known by means of the humour, colour and pain.

In these cases, that which displays decomposition (kunapa), clumps and the putrid smell of pus is incurable ($as\bar{a}dhya$). And otherwise it is curable ($s\bar{a}dhya$).

Among these, the kind which shows decomposition, or coagula, or putrid

¹⁶⁸ Note that the text mentions both হাণিবে and रक्त. This raises the question of whether the author considered these to be different, or whether it is an artefact of textual transmission

¹⁶⁹ The expression "humoral colligation," translating

[•] सन्निपात, refers to the simultaneous

[•] disorder of three humors at the same time, a condition that is difficult to treat (see Wujastyk 2016: 38 et passim).

¹⁷⁰ Note that the above characterizations presuppose the direct inspection of an ejaculate. The process of collection is not described in the sources in this chapter.

¹⁷¹ This translates the text of the oldest surviving witness, N, and the vulgate. But MS H, that normally follows K very closely, has a negative particle, ¬¬, reversing the sense of the sentence.

pus is incurable. The other types, however, can be treated.

6 And there is a verse on this.

An expert should overcome the first three of these sperm pathologies with special treatments such as unction and sweating, as well as by means of a urethral instillation (uttarabasti). 172

find out about uttarabasti

Therapies by humour

- 6.1 In that context, when the sperm is of the nature of wind, there is an enema (āsthāpana) consisting of Bengal quince, Indian kudzu and milk.¹⁷³ In the urethral instillations one should use sesame oil well cooked with mahua, grey orchid, deodar, and chir pine. One can also make the patient drink clarified butter with ripe pomegranate, citron fruit, rock salt, a caustic (kṣāra), and two kinds of salt.¹⁷⁴
- 6.2 When the sperm is of the nature of bile, there is an enema of milk cooked with curds, Malay beechwood and liquoricek. One should also apply a paste (*kalka*) of white dammer tree and axlewood in the vagina. There is an oily enema (*anuvāsana*) of sesame oil cooked with liquorice; in the same way, it should only be applied as a urethral instillation. One should make him swallow ghee cooked with wild sugar cane, common smilax, heart-leaved moonseed, white teak, false daisy, and the five roots.
- 6.3 When the sperm is of the nature of phlegm, there is an enema (āsthāpana) consisting of a decoction (kaṣāya) of golden shower tree. And one should also apply an oily enema (anuvāsana) of sesame oil cooked with long pepper, embelia and honey; and it should only be applied as a urethral instillation.
 - One should make him drink a ghee cooked with hairy bergenia, white teak, emblic myrobalan, long pepper, bearded premna, and prickly chaff-flower.
- 3.2.7 And there are verses about this.

¹⁷² Dalhana on 3.2.6 (Su 1938: 345) noted that "unction and sweating" indicates the "five treatements": वमन, विरेचन, अनिरूह, अनुवासन and उत्तरबस्ति. He noted that the explicit mention of urethral enema in the verse was for the purpose of highlighting its priority. However, a natural reading of the verse does not suggest that these distinctions were in the author's mind.

¹⁷³ These three recipes are not present in the vulgate text of the Suśrutasamhitā.

^{174 -}विपक्क "well cooked with..." might be interpreted as "with ripe...".

¹⁷⁵ By specifying "upper (i.e., urethral) instillation" the author is clarifying that this is not a rectal enema.

When there is blood in the sperm, the physician should give the person ghee cooked with flowers of the fire-flame bush, catechu, pomegranate, and arjun.

- 3.2.8 When it smells like a corpse, he should drink ghee cooked with the sal group of trees. †When clumps appear, it is cooked with stones, or also in ash from a flame-of-the-forest.¹⁷⁶
 - 9 And also, when it resembles pus, it is treated with items such as phalsa and banyan. When the sperm is deficient it should be treated as was stated before and also as will be described. 177
 - 10 When it looks like feces, he should be made to drink ghee together with leadwort, cuscus grass and devil's dung.
 - 10.1 In these six cases, a wise person should carry out the sequence that starts with oleation. 178
- It deteriorates as a result of not having sex with women for a long time as well as from the use of actions, and from overusing the drugs that are astringent, spicy and sharp, that are acidic (amla), salty, sere (rūkṣa), sour (śukta) or stale (paryuṣita), and because of suppressing (vegāghāta) the impulses in vaginas and from intercourse (gamana). 179
 - When there is a defect (doṣa) in the menstrual blood (ārtava) one should advise the therapy starting with oleation.

 And one should use a urethral instillation (uttaravasti) exactly as was described before.

10.5

176 The Nepalese text and translation of this sentence are uncertain. The vulgate text reads, 3.2.8 (Su 1938: 345): ग्रन्थिभूते शटीसिद्धं पालाशे वा ऽपि भस्मिन "If clumps appear, it is cooked with śaṭī or in ash from a palāśa." The vulgate edition notes in a footnote that some vulgate manuscripts add an extra line, स्नेहादिश्च क्रमः षद्वेतासु विजानता. The Nepalese manuscripts read this line two verses further down.

178 It is difficult to know which six cases the author intended. Palhana on 3.2.10 (Su 1938) 179 This passage is hard to interpret and there are no parallels, commentary or meaningful alternate readings.

to what?

¹⁷⁷ Dalhaṇa on 3.2.9 (Su 1938: 345) noted that "what was stated before" refers to the स्व-योनिवर्धन section, i.e., *Suśrutasaṃhitā* 1.15.10 (Su 1938: 69), and that "what will be described" refers to *Suśrutasaṃhitā* 4.26 (Su 1938: 496), the chapter on weakness and strength (क्षीणबलीय).

10.6

10.7

10.8

10.9 10.10

10.11

10.12 And there is a verse about this@

To purify the menstrual blood (ārtava), one should apply the procedure that finishes with a urethral installation.

From

Therapies for menstrual blood

For purifying the menstrual blood one should follow the procedure, the last of which is a urethral instillation (*uttarabasti*). 180

- One should use a paste (kalka) as well as cloths and a salutary lavages ($\bar{a}camana$). ¹⁸¹
- 14 In case of a bad smell and the appearance of pus, or the appearance of marrow in the blood.
- 15 He should drink a decoction (*kvātha*) of white sandalwood or a decoction of red sandalwood. 182
- 14ab When clumps (*granthi*) appear, he should drink velvet-leaf, three heating spices, and Indrajao. 183
- He should drink a a decoction (niḥkvātha) that is the extracted juice (surasa) of a caustic (kṣāra), dried ginger, and devil's dung.

180 The "procedure ending with a urethral instillation" probably refers to verse 6 above (see page 71).

¹⁸¹ The word आचमन, normally "sipping water from the palm" is here translated "lavage" following the context and Dalhana on 3.2.13 (Su 1938: 345), who described it as "water for washing the vagina" (योनिप्रक्षालनोदक). This treatment may be intended for the condition mentioned in 12cd, but in the vulgate text there is a preceding half verse stating that the treatment is for the "four disorders of menstrual blood."

¹⁸² The name चन्दन may refer to several types of sandalwood; presumably one is meant here that is different from white sandalwood, i.e., perhaps Pterocarpus santalinus Linn. f. The vulgate has an extra half-śloka here.

¹⁸³ On ग्रन्थि, see note 167.

Thus a man has unblemished semen and a woman has pure menstrual blood.

During menstruation

During the season (*rtu*), starting from the first day onwards, the chaste woman (*brahmacāriṇī*) foregoes bathing, anointments, ornaments and grooming (*vilekhana*). She should abstain from sleeping during the day, collyriums, weeping tears (*aśrupāta*), massages, cutting her nails, taking showers, laughing, telling stories, hearing too much noise and from exertion. She

For what reason? By sleeping during the day, the fetus becomes deaf. ¹⁸⁶ From collyrium he becomes blind. From weeping, his vision is impaired. From bathing and anointing, he becomes badly behaved. From massage with oil he gets a pallid skin disease (*kuṣṭha*). ¹⁸⁷ From cutting the nails he gets ugly nails (*kunakha*). From smearing an unguent he becomes bald. From habitually exercising in the open air he goes mad. For this reason one should avoid these.

For three days of ritual food, the husband should protect (\sqrt{rak}) the woman. She lies on a layer of halfa grass, and eats a different kind of food from the palm of her hand, or from a plate or from a leaf. ¹⁸⁸

On the forth day, one should show to the husband the woman who has had a purifying bath, is wearing unstitched clothes, is ornamented and who has chanted a benediction and recited a blessing.¹⁸⁹

What is the reason for that?

26 And there is a verse on this.

¹⁸⁴ The word ऋतु "season" in āyurvedic texts can, according to context, refer either to the period of menstruation or else to the period of fecundity following menstruation (Das 2003: 15 ff., note 27, *et passim*). Þalhaṇa on 3.2.25 (Su 1938: 347) noted that the woman's abstention should last three days from the first appearence of her menses.

¹⁸⁵ On the similar prohibitions relating to a menstruating woman as described in Dharmaśāstra literature, as well as the similar defects accruing from disobedience (see Leslie 1989: 284–287).

¹⁸⁶ Here, the vulgate reads स्वप्नशीलः "he tends to sleep."

¹⁸⁷ On translating ক্ষম in Ayurvedic texts, see Emmerick 1984: 96 ff.

¹⁸⁸ This sentence is hard to construe because हविष्यं "ritual food" cannot agree with -भोजिनीं. 189 See Wujastyk et al. 2023: 58 and fn. 167.

A woman has a bath after her period. The type of man she sees after that determines the type of son to whom she will give birth. She may then show her son to her husband.

- Next, the priest (upādhyāya) should perform the appropriate ritual for producing a son. At the end of the ritual, the expert (vicakṣaṇa) should anticipate the following procedure.
- Next, after the man has eaten a rice porridge with ghee and milk in the afternoon, having been celibate for a month, at night he should sexually approach the woman who has had a diet rich in oil and mung beans. He then soothes her in a friendly way and he may go to her optionally on the fourth, sixth, eighth, tenth or twelfth day.¹⁹⁰
- 31 Henceforth, he should approach after a month [At this point there is a misplaced folio in MS N]
- 32 And when conception has occurred in this way

During one of these nights, the pregnant woman should press three or four drops of juice from one or other of the following: convolvulus, ban-yan, Indian bat tree, country mallow, carray cheddie. Then she should administer them in the right nostril if she desires a son and in the left if she wants a girl, and she should not sneeze them out.¹⁹¹

For certain, in the presence of these four, a fetus that follows the rules will come into being, just like a sprout is from a combination of field, seed, water and grass. 192

190 In the Nepalese version, this text presents a general rule for lovemaking on even days. In the vulgate, the word पুत्रकाम is added, making this a specific rule for conceiving a male child. After this text, sections 29, 30 and 31 of the vulgate are not present in the Nepalese version. These verses state that the above-mentioned special days are beneficial, that odd days lead to the conception of a girl child, and finally the vulgate gives a list of the consequences of conceiving a child with a menstruating woman.

191 There is a textual problem at the start of this passage.





¹⁹² The Nepalese version reads क्षेत्रबीजोदकतृणाम् "of field, seed, water and grass" in contrast to the vulgate's ऋतुक्षेत्रामुबीजानाम् "of season, field, water and seed." This gives the two versions quite different meanings. In the Nepalese version, the author is referring to the four plants mentioned in the previous verse, convolvulus, banyan, Indian bat tree, country mallow, and carray cheddie. Then the author presents a simple agricultural simile. In the vulgate version, the words of the compound each have a double meaning: they can refer to the agricultural simile, but they can also be construed to mean "menstrual season, womb, nourishing bodily fluids, and male and female semen," a parallelism not present in the Nepalese transmission. This is how Dalhana interpreted the verse.

- 34 Children born in this manner are beautiful, of noble character and enjoy long lives. 193 They provide release from obligation (*ṛṇa*) and they themselves have children, benefitting their parents. 194
- In that context, the element of heat (*tejas*) is the most important factor as far as complexion (*varṇa*) is concerned. That being granted, at the moment the fetus is formed, when the food has water as its chief element, then the fetus is fair. When earth is the predominant element, it is dark (*kṛṣṇa*). When earth and ether are the chief elements, it is dark brown (*śyāma*). Some people say that the newborn (*prasava*) has the same colour as the colour of the food that the pregnant woman commonly eats. Similarly, creatures like snakes, scorpions and large geckos that inhabit black, yellow or white habitats are black, yellow or white. 197

In that context, congenital blindness (*jātyandha*) is caused by the element of brilliance (*tejas*) not reaching the location of eye (*dṛṣṭi*). Similarly, red eyes are a consequence of blood, white eyes are a consequence of phlegm, yellow eyes are a consequence of bile, and misaligned eyes (*vikṛtākṣa*) are a consequence of wind.

¹⁹³ We translate महासत्त्वाः as "noble character;" Dalhaṇa, commenting on the vulgate reading सत्त्ववन्तः, refers to the गुणस्, interpreting the expression as "not strongly influenced by रजस् and तमस्."

¹⁹⁴ Children born in this manner fulfil their parent's obligation to have children and they themselves have children, thus continuing the family. The three debts are normally understood as being to the gods, the ancestors and to sages. But Dalhaṇa's phrasing is odd in that he says पितृणामृणत्रयमोक्षणशीलाः "behaving so as to provide release from the three debts to the ancestors."

¹⁹⁵ The food of the mother, that is.

¹⁹⁶ The terms কৃষ্ण and ই্যাম often mean more or less the same, a dark blue or black colour. The latter can shade into brown or dark green.

¹⁹⁷ Cf. also n., p. 181. Cf. HIML: IA, 70 and notes on these poisonous animals as described in the *Carakasaṃhitā*, and Meulenbeld 1974b: 455-456 on the names *kṛkalāsa/kṛkalāśaka*, śaya and saraṭa and the confusion surrounding this topic and the indigenous names of some species such as *tiktikī*, *jyesthi*, *jyaisthī*, *girgit*.

Śārīrasthāna 3: On Conception and the Development of the Embryo

First draft, by Jan Gerris, 2023-12-19.

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. 198 Das (2003: ch 8) also studied topics of this chapter.

Translation

- 1 We are now about to begin to explain how the embryo is conceived, nestles and develops* once it arrives in the body.
- 3 Sperm from the male absorbs heat whereas eggs from the female release heat. With respect to this aspect, the way the different basic elements of matter behave depends on how the elements specifically react with one another and how they form bonds with one another.
- 4 The wind aggravates the heat caused by the bodily frictions during sexual intercourse between husband and wife. Hence heat and wind colligate and displace the sperm towards the

198 HIML: IA, 247-247.

vagina. There it gets combined with the female element, thanks to the matrimonial fusion of agni and saumya, and is confined towards the uterus, its new realm where it is respectfully known by many names and synonymous descriptions such as he who touches, smells, looks and sees, hears, tastes, as the animating principle of all living beings, as he who wanders, observes and witnesses, the creator, he who remains incomprehensible even though eternal. So it claimed. Because of the connection with the divine, the conceptus subsequently makes its entry into the reproductive organs, where it remains exempt from decay, imperishable and to be meditated upon, the soul of all beings that exist, marked by the concomitance of the three states-of-mind, the sattvic, the rajasic and the tamasic, and of the different Devas and Asuras, enraptured as it is by Vāyu.

- 5 When there is an excess of male sperm, boys originate. When there is an excess of the female element, girls. And when there is a balance between both, the sex of the child remains unclear.*
- 6 A boy is conceived when on the first day of the period of twelve days of the cycle* the desire for sexual intercourse is not endlessly postponed. It should not be disregarded that a woman who is definitely pregnant may suffer a miscarriage; a second pregnancy can miscary as well and even in a third gestation, the body can be incomplete either in form or in number of limbs, and both the strength and the life expectancy can be limited. This is the reason why one should avoid three-nightly intervals. There are also patients who do not exhibit produce menstrual periods or have no sperm production and who do not return to normality.* For that reason, if sperm production has to be observed, a man should avoid the habit of three-nightly advances. In such cases, even after having observed there periods of twelve nights, yet there is no ovulation proper.** Some state that these are amenorrhoeic.***
- 7 Here are some more verses.
- 8 Lacking
- 9 As surely as by rule of nature the night-lotus folds its

- leaves, so truly a woman's yoni by law of nature is also closing*.
- 9A The face of a woman becomes swollen, lively and because of transudation moist like that of an elephant, she longs for intimate contact with a man, talks sweetly, her belly drooping and her head let down/uncared for,...
- 9B ... her arms, breasts, hips, loins, thighs, her abdomen around the navel, her bottom and buttocks, all are trembling. And she experiences intense happiness and satisfaction, you can tell her a woman after her courses.
- 10 The Vāyu then guides the mentrual discharge that comes after being heaped up for a month through the two channels towards the opening of the yoni.
- 11 Menstruation becomes a regular feat from twelve years onwards and owing to the natural decay of functions it ends from about fifty years onwards.
- 12 So, if a man desires children, he should have intercourse with his wife during the fertile period of the cycle* and for that particular purpose he should visit her on even days in order to beget a boy and on uneven days for a girl.**
- 13 In this context, fatigue, lassitude, thirst, a feeling of exhaustion in the thighs, flatulence, an arrest of the menses and of sperm from the yoni* with a sensation of shaking heat all suggest that a pregnancy has been obtained very recently.
- 14 Here are some more verses. It is claimed that a typical early sign of pregnancy is the nipples turning darker*, the appearance, on the midline of the abdomen, of a coloured stripe, (resembling hair)** and sudden vomiting.
- 15 Lacking
- 16 From the very beginning of pregnancy the woman should avoid sexual intercourse, exertion, excessive exercise, sleeping by day and waking at night, being terrified, sitting for too long in one position, being all alone, Sneha-krama and other treatments as well as blood-letting at an inappropriate time.
- 17 Lacking
- 18 So then, in the first month a kalala arises. In the second

month a ghana develops that has arisen thanks to blood, ritual oblations and by wind and has become mature with the five essential elements. If there is a lump-like structure, it will be a male. If the structure is oblong or peśī, a girl; if there is a bud-shaped structure or arbbuda, an individual with undifferentiated external sexual features.* In the third month five protrusions (of hands, feet and head) result from the process of development. All limbs and all minor body parts become distinguishable (though still) very minute. In the fourth month all limbs and minor body parts become manifest. In the fifth month all limbs and minor body parts become even more individualized. Owing to the formation of an individualized fetal heart, consciousness becomes a distinct separate constituent which is why during the fourth month, that foetus, from the appearance of that organ onwards, forms desires from (all five) objects of sense. Henceforth the lady becomes the double-hearted (or pregnant) one and she makes her desires known. The two-hearted/pregnant one, (if) disrespected, causes a child to be born who is (kukukūnimsanrm), dwarfish, with eye defects, blind, desires (something) is also that by means of which she can be gratified. Having obtained (to be) pregnant, she causes a son to be born who is really strong and has a long life expectancy.

- 19 And here are some more verses. Indeed that pregnant woman desires (bhoktum) the objects of the senses during the course (of her pregnancy); for fear of injury to the foetus a physician, after having fetched these things, should give any desired object.
- 20 She should give birth to a son endowed with virtues; if the pregnant woman does not obtain (what she desires), he (the foetus?) (or she, the woman?) also becomes equally insecure him-/her-self.
- 21 With respect to all those desires of the senses in which the pregnant mother was slighted, she will give birth to a son who is defective in each of all those same corresponding

senses.

22 A king in an interview with whom a woman during her pregnancy wins and she gives birth to a son who is wealthy and is highly fortunate.*

- 23 A pregnant woman, dressed in fine cloth, wearing silk and other things, gives birth to a charming son decorated (alankā) reṣiṇaṃ
- 24 If (she goes) to a hermitage, she brings forth someone who is self-restrained and a stone-pillar of religion, resembling a godhead and begotten in the utmost happiness. Upon seeing someone in a high position designed by birth, she gives birth to a stone-pillar of violence.
- 25 If she feels like eating the flesh of an Iguana (she produces) a son who is drowsy and who has the nature of a killer; by means of beef meat a son who is wild and who is powerful because he is savage in everything.
- 26 When from the pregnant woman (there is a wish for meat of) buffalo a son is produced who has fearful red-eyes and who looks shaggy.
- 27 Lacking
- 28 Hence, she who during her pregnancy considers what people eat, wishes for her offspring the same via the food habits of the body.
- 29 And that which has yet to happen again when the child is growing up, should be such that through divine intervention the pregnant woman should produce it during her pregnancy.
- 30 In the fifth (month of pregnancy) the mindbecomes more and more awakened; in the sixth intelligence (becomes awakened); in the seventh all the limbs and smaller body parts (are in place); if in the eighth (month) the ojas is not stable in that case the child does not live* he is provided with a share (of it) by the demons- so then strong excellent meat should be provided to him; if he is not yet caused to be born in the ninth, tenth, eleventh or twelfth (month), then there is something wrong.
- 31 Furthermore, the umbilical cord is securely fastened to both juice-carrying vessels of the mother and carries the power (energy?) of the essential juice coming from the food of

- the mother and what causes (the baby) to live is the distribution of the life juice,* over all the body parts of the not yet (existing) newborn, from the beginning of conception (?) (niḥṣekān), and over (all) the transportation channels, running in all directions because of that intimate connection of the vessels.
- 32 Mainly, the developments of the foetus are: śaunakasays says that the head develops first because it is at the basis of this (development). Krtavīryasaysit states is the heart (which is at the base) of both intellect and mind. Pārāsa' s son maintains instead that (it is) (deraha?-) of the body. Mārkkandeya presumes that hands and feet are first because they are at the basis of movement in the body of the foetus. Subhūti Gautama claims all the limbs and their smaller subparts develop because of their development because the development of all the moving limbs is irretrievably connected, all turned into one and the same direction (of the thorax) together. At the time of early pregnancy, due to their extreme minuteness, they cannot be perceived, like sprouts of bamboo or seeds of mango. Thus, in the manner mango fruits becomes ripe, or as the shine of the hair of the head, or the way marrow appears in bones, step by step these things are seen more accurately, e.g. as an increase of black colour, and they become gradually apparent as the body (takes shape). Due to their feature of being so subtle, the minuteness of the hair of the head (and other examples) makes the black become apparent in this way; just so the growth of bamboo is also explained. Similarly in the beginning of a pregnancy, precisely because of the minuteness in all limbs and smaller body parts which are present, these are not well perceived (but) because of their increasing degree of blackness they become apparent.
- 33 It is claimed (that this) is not the consequence of any previous or any (bad or) excellent fate but solely because of the minuteness they* are not being observed. In that context we shall explain features in the body that are paternal, maternal, connected with rasa, related to the soul, linked to the quietude of mind and relative to the

essence of being.** Keeping this in mind, the hair of the head, tears, teeth, nails, the hair of beard and moustache, things made of hard substance (cartilage?)*** are brought about as paternal (elements). Muscle, blood, fat, marrow, the heart, the umbilicus (= the placenta?)****, the liver, the spleen, the intestines, the anus are brought about as the soft maternal (elements). The increase in size of the body, the growth of the child and (its) outward appearance, the gain and loss of its erect attitude are caused by the rasa. The senses, consciousness, duration of life and the intensity of pleasure and pain are related to the spiritual element. We shall discuss later the satva-related things. Valour, healthfulness, strength, complexion and prudence depend on the existential disposition.**

- 35 And here is (more). Women who sit down to the gods and Brahmins, have the advantage of a ceremonially pure offspring. They produce children with great qualities. In the opposite case however, they have no qualities.
- 36 The development of the limbs and the smaller anatomical parts progresses precisely all according to its own nature. The development of these limbs and the smaller anatomical parts is dependent upon the qualities and conditions which could not be known of the foetus by religion and could not

be caused by religion.*
This is the third chapter of the <code>śarīra</code>.

Part 4. Cikitsāsthāna

Cikitsāsthāna 4: On the Treatment of Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002. 199

Translation

- 1 Now we shall describe the treatment of wind diseases. weight
- 3 When the wind enters the stomach, one should sequentially give to the patient, who has vomited, the formulation (*yoga*) with six-units (*ṣaḍdharaṇa*), together with tepid water, for seven nights.²⁰⁰

200 The vulgate has the reading छर्दयित्वा which means "after making [him] vomit". Thus, vomiting is a part of the treatment. Whereas छर्दित in the H manuscript is ambiguous: vomiting may be part of the treatment or a symptom of the ailment.

The expression "six units" refers to the six ingredients listed in the next passage. Palhaṇa on 4.4.3 (Su 1938: 420) noted that घरण in this context means a particular weight characterized as equivalent to 21 medium-sized hyacinth beans. P. V. Sharma (1999–2001: 303) proposed that that the formulation contains six ingredients each the weight of a *dharaṇa*. See 4.31.7 (Su 1938: 508) where the term घरण is defined in terms of other weights. (In epigraphical Sanskrit, a घरण may be a silver or gold coin (Sircar 1966: 91).) Aṣṭāṅngahṛdayasaṃhitā 4.21.14 (Ah 1939: 723) is the same verse, mutatis mutandis, but the editor noted (f.n. 6) a variant reading घट्टरण in the commentary of Śrīkaṇṭha. There seems to be some confusion about this expression.

Dalhana also noted that सुखाम्ब ("pleasant water") means "slightly warm water."

¹⁹⁹ HIML: IA, 265-266.

- 4 "Six-unit" is traditionally the formulation that is leadwort, Indrajao, velvetleaf, kutki, Himalayan monkshood, and myrobalan. It cures serious diseases.
- 5 When the wind has entered the abdomen (*pakvāśa*) one should treat it with an oil purge. One should also treat it with cleansing enemas and very salty foods.
- When the wind has entered the bladder, a cleansing enema method should be carried out. And once an inflamed wind is in the ears and the like, a procedure that destroys wind should be done.
- When the wind has reached the skin, flesh, and blood, one should do an oil rub (*abhyaṅga*), apply a poultice (*upanāha*), rubbing (*mardana*) and ointments (*ālepana*). One should also perform blood-letting.²⁰¹
- 8 When the wind has got into the ligaments, joints, and bones, an expert should apply oleation (*sneha*), a poultice (*upanāha*), cauterization (*agnikarma*), binding, and rubbing (*unmardana*).
- When the wind is deep within the bone, then a strong physician should insert a tube $(n\bar{a}d\bar{i})$ into the bone, which has been split open by manual agitation $(p\bar{a}nimantha)$, and suck out the wind.²⁰²
- 10ab When the wind has reached the semen, one should perform the treatment for the defects of the semen.²⁰³
- When the wind has reached the whole body, an intelligent person should conquer it by means of immersion, sauna ($kut\bar{i}$), trench sweating ($kars\bar{u}$), blanket sweating (prastara), oil massage, enema, and blood-letting.²⁰⁴ Or, if is located in a single limb and is stuck there, a thoughtful physician may

²⁰¹ On the translation of methods of medical touch, such as अभ्यङ्ग and संवाहन, see Brooks 2021b: 122–131. मर्दन, उन्मर्दन mean "pressing or vigorous rubbing." The vulgate includes ducts (sirā) as an added place that wind can enter.

²⁰² The expression "which is split" could be construed with "wind." The word order is not obvious. Dalhaṇa on 4.4.9 (Su 1938: 420) interpreted पाणिमन्थ as the name of a particular awl and described the bone being pierced by this awl so that a double-headed tube can be inserted into the resulting opening.

This verse is in *na* vipulā metre.

²⁰³ Dalhana comments (Su 1938: 421) that this treatment for the defects of the semen is mentioned [earlier] as the शुक्रशोणितशुद्धि, the purification of the semen and the blood. This is the Sarīrasthāna Ch. 2, शुक्रशोणितविशुद्धि.

²⁰⁴ These forms of sweating treatment are described in the *Carakasaṃhitā* (1.14.39-63 (Ca 1941: 90-92)).

Regarding blood-letting, Palhana on 4.4.11 (Su 1938: 421) commented that because the verse has the plural form सिरामोक्षेः, five blood vessels have to be drained of blood if the wind is not pacified by oil massage, etc.

- conquer it with cow-horns.²⁰⁵
- Or, if it is mingled with phlegm (*balāsa*), bile, and blood, the physician should treat it with non-hostile remedies.²⁰⁶ However, when the wind is inactive, he should perform blood-letting many times.²⁰⁷
- 13 And one should lick the milk cooked in ?? together with salt and soot from the chimney (āgāradhūma), mixed with oil and also a juice (rasa) that has the sourness of a fruit.²⁰⁸
- 14-15 Alternatively, cereal soup with a good amount of ghee is a wholesome food that repels wind. However, "Sālvala" is well-known to be a lukewarm and very salty substance that is the cottony jujube group combined with an item that repels wind and together with all the sour drugs and the meat of creatures from marshes and water that have all the oils.²⁰⁹
 - 16ab One should always apply a bandage with that to people who are ill with wind.
- One should tightly bind someone who is bent, afflicted by pain, or whose limbs are stabdha (*numb*), with a paṭṭa (*strip of cloth*) made of bark, cotton or wool (*ūrṇa*).

Alternatively, one should put it into a skin sack

Or, after massaging the affected body part and applying the $\delta \bar{a}lvala^{210}$ poultice on it, one should insert it into a sack made of the hide of a cat,

²⁰⁵ শ্বন্ধ "cow-horns" refers to bloodletting by horn; see the description at *Suśrutasaṃhitā* 1.13.5 (Su 1938: 55).

²⁰⁶ The word ৰাজ্যা is used here in the slightly unusual meaning "phlegm;" see Dalhana on 1.45.70, 6.61.33 (Su 1938: 202, 802) and *Mahākośa*: 553.

²⁰⁷ We read सुप्तवाते with witness H, but Dalhana glosses सुप्ति-, the reading of the vulgate, "it is wind characterized by drowsiness (*supti*) caused by a covering of blood."

²⁰⁸ The vulgate reading दिह्यात् for the Nepalese लिह्यात् changes the meaning to "one should smear."

Palhaṇa on 4.4.13 (Su 1938: 421) glossed पञ्चमूली as optionally the first or the second five roots. On this therapy, cf. Cakrapāṇi's commentary on 1.5.3 (Ca 1941: 36) for a similar therapy.

The "juice" (रस) was glossed by Dalhana as specifically being a meat broth ($m\bar{a}msarasa$). He said that the sourness may come from fruits such as pomegranate.

रसाम्ल may mean a vinegar made from fruit (MW: 70), so the expression फलाम्लो रसः in the text here may mean a vinegar made from sour fruit. Cf. धान्याम्ल.

²⁰⁹ Cf. सात्वण "sweat from a poultice" in *Mahākośa*: 898. *Aṣṭāṅgasaṅgraha* 1.26.3a (As 1980: 188) describes a poultice called "sālvala" made with numerous ingredients (the commentator Indu elaborates, p. 189).

²¹⁰ This seems to be the correct spelling as against the unclarity in the earlier verses.

mongoose, udra211, or deer.

- Vomiting and an errhine done skilfully alleviate the wind that has entered the chest, between the shoulder-blades (*trika*), the shoulders, or the nape of the neck.²¹² The wind located in the head is defeated by blood-letting and by the application of oil to the head (*śirobasti*).
- In that context, one should let the oil remain carefully for a one thousand measures $(m\bar{a}tr\bar{a})$. Only an enema (basti) can curtail the wind, whether it is throughout the whole body or in just one limb. Its force (vega) is like the wind. 214
- Oils, perspiration, oil massage, enema, unctuous purging of the bowels, *sirobasti*, oiling the head, unctuous smoke, gargling with lukewarm water, *nasya*, unctuous paste, milks, meats²¹⁵, soups, oils²¹⁶, any unctuous substance, unctuous and salty meals that are made sour by fruits, bathing with lukewarm water, massages, saffron, agarwood, cassia cinnamon, costus, cardamom, crape jasmine, garments made of silk, wool, and fur, soft cotton garments, inner rooms with sunlight, no wind flow, and a soft bed, taking the warmth of fire, and celibacy, etc. are to be collectively employed for patients with wind diseases.

Draft tr. from here

21cd-26

Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक).

kalka here

could also

Terminalia

(विभीतक)

Oils, perspiration, oil massage, enema, unctuous purging of the bowels, $\pm irobasti$, oiling the head, unctuous smoke, gargling with lukewarm water, nasya, unctuous paste, milks, meats²¹⁷, soups, oils²¹⁸, any unctuous substance, unctuous and salty meals that are made sour by fruits, bathing

²¹¹ some aquatic animal

²¹² On त्रिक, see *Mahākośa*: 1, 387, citing Þalhaṇa on 3.6.26 (Su 1938: 374) "the junction between the shoulder-blades and the neck."

²¹³ Dalhaṇa on 4.2.20 (Su 1938: 422) interpreted मात्रा as a measure of time, citing an unattributed verse defining it as the time of a blink, a snap of the fingers or the utterance of a single vowel. The expression might possibly be taken to refer to a measure of the oil's volume.

²¹⁴ This phrase is awkward. The idea here seems to be that an enema decisively stops the wind. The vulgate revised this to make it more obvious: "only an enema can block the force of the wind, like a mountain."

²¹⁵ The plural indicates milk and meat from various animals.

²¹⁶ This is the second occurrence of the word स्नेहाः in this sentence. This seems to be an anomaly.

²¹⁷ The plural indicates milk and meat from various animals.

²¹⁸ This is the second occurrence of the word स्नेहाः in this sentence. This seems to be an anomaly.

with lukewarm water, massages, saffron, agarwood, cassia cinnamon, costus, cardamom, crape jasmine, garments made of silk, wool, and fur, soft cotton garments, inner rooms with sunlight, no wind flow, and a soft bed, taking the warmth of fire, and celibacy, etc. are to be collectively employed for patients with wind diseases.

27 One should take akṣa quantities of unguent pastes²¹⁹ of turpeth,²²⁰ red physic nut, ??, ??, the three myrobalans, and embelia, a Bengal quince fruit equivalent measure of viburnum-root and ??, two pātra quantities of both triphalā-decoction²²¹ and yogurt, and one pātra measure of ghee.²²² One should mix these ingredients all at once and cook the mixture properly. This (resultant) is viburnum-ghee. ■ Unctuous purging of bowels is prescribed for treating wind disorders.²²³

This procedure of making viburnum-ghee should also be referred for making Asoka tree-ghee and ??-ghee. 224

One should collect the wooden logs of the instruments that have been used for a long time for extracting oil from sesame seeds. One should then have them chopped into very tiny pieces and then pound those pieces. Next, one should put them in a big vessel, submerge them in water, and boil them. Thereafter, one should collect the oil from the surface of the water with a goblet or by hand. Thereafter, one should properly cook wind-alleviating herbs with this oil that was effectively cooked.²²⁵ This is the anutaila

²¹⁹ केल्क also means an unguent paste. Refer to Apte's dictionary.

²²⁰ In H, perhaps it should have been त्रिवृद् instead of त्वृत्.

²²¹ त्रिफलारस is here taken to mean a decoction of triphalā.

²²² The exact measurements of akṣa and pātra are given in Dalhaṇa's commentary in Su 1938: 422.

²²³ It should be understood here that the unctuous substance to be used for purging the bowels is the viburnum-ghee.

²²⁴ अशोक and रम्यक are the Ashoka and Chinaberry respectively.

²²⁵ In H, the word दन्तप्रतीवायं in the compound word वातन्नौषधदन्तप्रतीवायं does not appear to make sense. Perhaps the syllable य should be प, thus making the word प्रतीवापं that refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams's Sanskrit dictionary.

(अनुतैल)²²⁶ that is mentioned in wind disorders. It is called anutaila because it is produced from tiny oily objects. 227 29 Alternatively, one should burn a great amount of ??-wood on the ground for one night. When the fire gets extinguished the ash should be removed. Then, the ground that is relieved of the fire should be soaked with a hundred pots of oil cooked with ??, ??, and other herbs, and left in that condition for one night. Thereafter, one should take all the earth that is $oily^{228}$ in a big vessel and totally cover it with water. 229 The oil that rises up in that vessel should be taken out with both hands and kept nicely covered. Thereafter, one should properly cook that oil for as long as $possible^{230}$ with one thousand parts of each of the following --- a decoction of wind-alleviating herbs, meat soup, milk, and $k\bar{a}\tilde{n}jika^{231}$ ---and thus prepare the $sahasra-p\bar{a}ka$ (that which is cooked with thousands). The admixture added to the oil contains the hemavata herbs²³², herbs of the southern region, Withania, and other wind-alleviating ■

While the oil is being cooked, conchshells should be blown loudly, umbrellas should be held, huge drums should be resounded, and whisk fans should be waved. Thereafter, the perfectly cooked oil should be poured into a golden or silver pot and stored. This $sahasra-p\bar{a}ka$ is the oil possessing undiminishing potency and is fit for kings.

²²⁶ The न् should be read ण्.

²²⁷ The word अनु in the compound word अनुतैलद्रव्येभ्यः should be read अणु.

²²⁸ In H, the word यावन् should have been यावान्.

²²⁹ The reading in H, कटाहेभ्यः सिंचेत्, does not make sense here. Thus, we have accepted the vulgate reading कटाहे ऽभ्यासिंचेत् for the translation.

²³⁰ The phrase "यावता कालेन शक्नुयात् पक्तम्" appears as a part of a new sentence in H. But, we should take it to be a part of the earlier sentence for it to make proper sense.

²³¹ Dalhaṇa comments (Su 1938: 423) that the word अम्ल here means কাञ्जिक which is the water drained after boiling rice and is a little fermented. Refer Monier Willams's Sanskrit Dictionary.

²³² The word should be हैमवताः as in the vulgate. It means "the herbs of the snowy mountains". Dalhaṇa comments (Su 1938: 423) that हैमवताः refers to the herbs that grow in the northern region.

²³³ These activities are a symbolic way of showing reverence.

Thus, that which is cooked with a thousand parts is called $sahasra-p\bar{a}ka$.

- 30 One should collect fresh leaves of castor oil tree, ??, ??, weaver's beam tree, Indian beech, ??, and leadwort. 234 These leaves should be completely pounded along with salt in a mortar. This mixture should be put in a pot filled with oil 235. It (pot) should be smeared 36 with cow-dung. Thereafter, the pot should be heated. This (resultant) is the patra-lavana (leaf-salt) that is mentioned in wind disorders.
- 31 In the same way, one should pound the stalks of ?? and eggplants smeared with salt and fill a pot with it. 238
 In that pot, one should add ghee, oil, fat, and marrow.
 Then, one should smear it 239 and heat it as earlier. This (resultant) is the sneha-lavana (fat-salt) that is mentioned in wind disorders.
- One should collect the fresh fruits, roots, leaves, and branches of all the twenty [herbs]: ??, flame-of-the-forest, Tellicherry bark, Bengal quince, purple calotropis, ??, ??, weaver's beam tree, corky coral tree, ??, ??, ??, ??, ??, ??, Indian beech, ??, poison berry, ??, marking-nut tree, Asoka tree, ??. One should then mix them with salt and heat them as earlier. 240 The oil on top should be poured out completely with the salty mixture intact [at the bottom]. This mixture should be cooked thoroughly. The admixture added to it consists of long pepper, etc. This (resultant) is the salt called kalyāṇaka that is mentioned in wind disorders and in meals and drinks for the patients troubled by plīhāgnisaṃga, indigestion, loss of appetite, and piles.

Euphorbia Antiquorum (Antique spurge)

²³⁴ In H, the ending नाम् should be णाम् due to sandhi.

²³⁵ स्नेहघट can also mean a pot filled with ghee

²³⁶ The H or vulgate do not specify with words that it is the pot to be smeared. But, it is to be understood.

²³⁷ The word दाहरेवत usually refers to burning, but sometimes it can refer to heating.

²³⁸ In H, there should be a visarga after लवणा.

²³⁹ As earlier, the pot should be smeared with cow-dung.

²⁴⁰ It is to be understood that all these fresh branches, leaves, fruits, and roots of the herbs should be completely pounded together with salt. The mixture should then be put into a pot filled with oil or ghee. The pot should be smeared with cow-dung and then heated.

Thus ends the fourth chapter on the treatment of wind diseases.

Cikitsāsthāna 5: On the Treatment of Serious Wind Diseases

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.²⁴¹

Translation

1 Now we shall describe the treatment of serious wind diseases.

2

- 3 One group says that the blood afflicted by wind (wind-blood) (vāta-rakta) is of two types: spreading out over a surface (उत्तान) and deep (अवगाढ).²⁴² However, this is not correct.²⁴³ Why? Just as leprosy, after spreading over a surface it (afflicted blood) becomes deeply situated. Therefore, its being of two different types is refuted.
- When the wind is aggravated by fighting a strong person, etc.²⁴⁴, one's corrupted blood caused by eating heavy or hot food before the last meal is digested blocks the path of the aggravated wind. It then combines with the

²⁴¹ HIML: IA, 266.

²⁴² Dalhaṇa comments (Su 1938: 424) that उत्तान refers to being situated in the skin and flesh, and अवगाढ refers to being situated internally.

²⁴³ In H, the word तन should be तत्.

²⁴⁴ These factors that aggravate the wind are mentioned in Nidānasthāna, Ch. 12, text 6.

wind and simultaneously creates pain due to the wind-blood. This [condition] is called wind-blood (*vāta-śonita*). At first, it is situated in the hands and feet.²⁴⁵ Later, it spreads throughout the body. Its early forms are pricking pain, burning, itching, ulcer, trembling²⁴⁶, roughness of the skin, pulsation in the blood vessels, tendons, and tubular vessels²⁴⁷, weakness of the thighs, as well as the sudden appearance of dark brown, tawny, or red spots on the soles of the feet, fingers, ankles, and wrists. The disease becomes fully manifest in the person who does not undertake the means to revert the disease or applies a wrong treatment. Its symptoms have been mentioned. Among them, weakness occurs for the one who does not counter the disease.

- 5 Generally, wind-blood occurs in those who are very delicate, those who eat the wrong foods and enjoy improperly, those who are fat, and even in those who indulge in pleasure.
- In that regard, one should treat the patient who is not degenerating due to wasting of life air, thirst, fever, unconsciousness, dyspnea, trembling, and loss of appetite, is not oppressed by the contraction [of limbs], is strong, composed, and has the means.
- In the treatment, at the beginning itself one should do blood-letting of the wind-affected body part little by little and more than once. That (slow blood-letting) is because of the danger of further aggravation of wind. One should avoid doing blood-letting of the part hardened or weakened by excessive wind. Thereafter, one should make the patient do the remedies of vomiting, etc. If the wind that is mixed [with blood] or separated is very aggravated then one should make him consume aged ghee or goatmilk. Or, [one can give him] half a measure of oil added with an *akṣa* of liquorice and cooked with hare foot uraria of the oil that is sweetened by sugar and honey and cooked with dried ginger and bulrush. Or, one should boil milk with an eight times volume of the decoction of the following herbs: beautyberry, grey orchid, ??, hare foot uraria of the the lowing herbs: beautyberry, grey orchid, ??, hare foot uraria of the the

²⁴⁵ In H, the word तन should be तत्.

²⁴⁶ In H, there should not have been the स् after स्तम्भ.

²⁴⁷ In addition to blood vessels, it would also include the nerves.

²⁴⁸ In H, the reading সাম্পান does not make sense given the context. Therefore, we have accepted the vulgate reading ম্পান for the translation.

²⁴⁹ Dalhaṇa glosses (Su 1938: 425) śrgālavinnā as pṛśniparṇī.

²⁵⁰ According to Dalhaṇa, śṛgālavinnā is pṛśniparṇī.

admixture of pastes of ??, ??, ??, deodar, sweet flag, and ??. This (resultant) should be utilised in drinks, etc. Or, one should use the oil that is cooked with a decoction of wild asparagus, prickly chaff-flower²⁵¹, ??, liquorice, giant potato, heart-leaf sida, country mallow, and ??²⁵², with the admixture of cottony jujube, etc. Or, one should use the heart-leaf sidaoil that is cooked as śatapāka.²⁵³ Or, [the affected body part] should be moistened with milk that is boiled with the roots of wind-alleviating herbs, or it should be moistened with sour things.²⁵⁴ In that regard, five remedies prepared with milk are described. For preparing a poultice, milk should be cooked in ghee, oil, fat, marrow, and dugdha²⁵⁵ separately with each of these powdered grains or pulses—barley, wheat, sesame, mung beans, or green gram—that is mixed with unctuous pastes of cottony jujube, purple roscoea, ??, ??, heart-leaf sida, country mallow, hare foot uraria²⁵⁶, ??, ??, sugar, bulrush²⁵⁷, ??, and sweet flag. Or, the essence of unctuous fruits²⁵⁸ can be used as a poultice. Or, a veśavāra²⁵⁹ prepared from the flesh of a fat *cilicima* fish²⁶⁰ can be used instead. Or, [one can use] the poultice

251 Dalhaṇa glosses (Su 1938: 425) mayūraka as apāmārga.

The
webpage
https://hindi.shabd.in/vairagyashatakambhagacharyaarjuntiwari/post/117629
says that
this verse
belongs
to the
Nitiratha.
I could not
find this

²⁵² Dalhana comments (Su 1938: 425) that halfa grass, ??, ??, halfa grass, ??, and ?? are called *trna* (grass).

²⁵³ Śatapāka seems to be an oil that is prepared with a hundred parts of some things similar to sahasrapāka that is prepared with one thousand parts of some herbs. Refer Cikitsā-sthāna Ch. 4 text 29 for the preparation of sahasrapāka.

²⁵⁴ Palhaṇa comments (Su 1938: 425) that the sour things (amla) are ??, Indian jujube, ??-water, etc. Surā is some kind of liquor, sauvīraka is perhaps the fruit of the jujube tree, and tuṣa is perhaps Terminalia Bellerica (विभीतक).

²⁵⁵ In the *Suśrutasaṃhitā*, the word for milk is *kṣīra* or *payas* but not *dugdha*. Therefore, the word *dugdha* here can mean the sap of plants or something that is extracted.

²⁵⁶ śṛgālavinnā

²⁵⁷ For kaśerukā

²⁵⁸ Dalhana comments (Su 1938: 425) that the unctuous fruits mentioned here are sesame, castor, flax, ??, etc.

²⁵⁹ In H, the reading वैशवारो does not make sense. It should have been वेशवारो, as shown in the vulgate, which is the reading we have accepted here.

Veśavāra is boneless meat minced, steamed, and added with spices, ghee, etc. Refer to 'Ayurveda Medical Dictionary' by Ranganayakulu Potturu.

Perhaps the word वैशवार is an earlier form of the word वेशवार.

²⁶⁰ H has the compound word नलपीनमत्स्य. नलमीन is a particular fish known as *cilicima* (चि-लिचिम:). See *Amarakośa*. Also, if the name is नलमत्स्य then the word पीन (fat) within the name is not according to proper Sanskrit. But, it can be allowed because the word मत्स्य (fish), instead of being a part of the name, can be considered to mean fish in general and thus the word पीन becomes its modifier. Thus, नलपीनमत्स्य can mean "a fat fish that is a

containing Bengal quince-rind²⁶¹, crape jasmine, deodar, ??, grey orchid, peas, costus, ??, liquor, yogurt, and whey. Or, [one can use] the ointment prepared by mixing citron, $amla^{262}$, salt, and ghee with honey and horseradish tree-root. Or else, [one can use] the unctuous sesame paste.

When the [condition of wind-blood] has a predominance of bile, the patient should be made to drink a decoction of grapes, ??-fruit, Indian ipecac, liquorice, sandalwood, and white teak. This decoction is sweetened with honey and sugar before consumption. Or, the decoction of wild asparagus, pointed gourd, cassia cinnamon, *triphalā*, ??, and heart-leaved moonseed should be given. [The patient should be administered] ghee that is prepared with sweet, bitter, and astringent [remedies].²⁶³

[The patient] should be sprinkled with a decoction of ??, lotus stalk, white sandalwood, and wild Himalayan cherry mixed with goat-milk²⁶⁴, or with rice water that is mixed with milk, sugarcane juice, honey, and sugar, or with whey and sour rice gruel mixed with a decoction of grapes and sugarcane. Or else, [the patient] should be sprinkled with ghee that is prepared with *jīvanīya*²⁶⁵ or sprinkled with ghee that is purified for one hundred times.

The poultice [to be applied] should be made of rice flour or of the paste of sour rice gruel mixed with ??, pussywillow, scramberry²⁶⁶, ??, ??, turmeric, horned pondweed, sacred lotus, etc. The poultice should be mixed with ghee.

The [condition of wind-blood] with a predominance of blood should be treated in the same way. Also, blood-letting should be done repeatedly.

Palhaṇa says in his comment (Su 1938: 425) that नलमीन is a type of रोहित (rohita). Monier Williams says that rohita is a kind of fish: Cyprinus Rohitaka. Regarding the rohita fish, there is a subhāṣita: अगाधजलसञ्चारी न गर्वं याति रोहितः | अङ्गुष्ठोदकमात्रेण शफरी फर्फरायते || This indicates that rohita is a deep water fish.

ਜਲ (cilicima)".

²⁶¹ The word पेसिका in H should be read पेशिका.

²⁶² Perhaps it could mean vinegar or sour curds. Refer to Monier Williams Sanskrit Dictionary.

²⁶³ Dalhana comments (Su 1938: 425) that the sweet remedies are cottony jujube, etc., bitter remedies are pointed gourd, etc., and astringent remedies are *triphalā*, etc.

²⁶⁴ The compound word ending with कषायेण is taken to be a bahuvrīhi for अजाक्षीरेण (goatmilk).

²⁶⁵ Jīvanīya seems to be a group of medicinal herbs. There is an Ayurvedic preparation called jīvanīya-ghṛṭa. Refer to the Āyurvedīya Śabdakośa vol. 1.

²⁶⁶ तालीस should be read तालीश

However, when the [condition of wind-blood] has a predominance of phlegm, the patient should be made to consume a decoction of emblic myrobalan and turmeric that is sweetened with honey, or a decoction of *triphalā*, or a paste of liquorice, ??, chebulic myrobalan, and ??. He should be made to drink chebulic myrobalan with water mixed with a little urine. He should be sprinkled with oil, urine, salty water, and liquor that are acidic²⁶⁷. Or, he should be sprinkled with a decoction of golden shower tree, etc.

The patient should be massaged with ghee cooked with sour cream, urine, liquor, ??²⁶⁸, liquorice, ??²⁶⁹, and wild Himalayan cherry.

The poultice should be made of either the paste of white mustard, or the paste of sesame and Withania, or the paste of ??²⁷⁰, selu plum, and wood apple, or the paste of honey, horseradish tree, and hogweed,²⁷¹ or the paste of dry ginger, long pepper, black pepper,²⁷² hare foot uraria, and poison berry.²⁷³ These five poultices are prepared with salty water. Thus, they have been described.

The provisional edition should be modified accordingly.

- In case of combined aggravation of two humours or simultaneous aggravation of all three humours, the stated methods of treating those aggravations should be combined.²⁷⁴
- In all [aggravations], one should consume chebulic myrobalan with jaggery. Or, one should have a diet of rice cooked in milk for ten days and should drink a mixture of long peppers crushed in milk, with increasing by five long peppers each night. Then one should reduce them again by the order of five more [each night]. In this way, one should [reduce] all the long peppers. This is called *Pippalīvarddhamānakam* (Increasing

²⁶⁷ Reading the word सक्त in H as शक्त

²⁶⁸ Monier Williams states Rumex Vesicarius for śuktā

²⁶⁹ DCS has this entry: Cryptolepsis buchananii Roem. et Schult. (Surapāla (1988), 453) Decalepis hamiltonii Wight et Arn. (Surapāla (1988), 453)

²⁷⁰ According to V. S. Apte, दारु can mean देवदारु.

²⁷¹ H has a short अ at the end instead of the long आ.

²⁷² व्योषतिक्ता refers to the group of these three pungent spices. Also see Sūtrasthāna 14.35.

²⁷³ In H, the Sanskrit syntax does not match up with what the author is trying to say. The name of the fifth paste should also have been in the nominative case, as the other four pastes.

²⁷⁴ It means that the respective methods of treating the aggravation of individual humours should be combined.

²⁷⁵ In H, the letter ञ্ in भूयञ्च should have been য্.

Long Peppers). It indeed cures wind-blood, intense fever,²⁷⁶ loss of appetite, jaundice, abdominal affection, piles, heavy breathing, cough, wasting disease, weak digestion, and heart disease.

The poultice is a paste of ??, sandalwood, rajmahal hemp, ??, wild asparagus, bulrush, 277 country mallow, wild Himalayan cherry, liquorice, ??, ??, ??, heart-leaf sida, country mallow, and Holostemma creeper mixed with milk. Or it is a paste of white teak, liquorice, and ?? mixed with ghee and cream. Or it is olibanum cooked with milk that is mixed with ??, ??, resin of white dammer tree, liquorice and the group of sweet herbs.

Old ghee that is cooked with emblic myrobalan and chir pine and sweetened with sugar and honey is for drinking. Old ghee that is cooked with *jīvanīya* or that is cooked with a decoction of ?? is for sprinkling. Cooked heart-leaf sida oil is for sprinkling, bathing, enema, and eating²⁷⁸. One should eat food preparations made of rice, ??, barley and wheat accompanied with milk, meat soup, or mung beans soup that is not sour. Blood-letting also [should be done]. The treatments of vomiting, purging of bowels, enema, and oily enema should be conducted when the humours are highly aggravated.

13

14 There are verses in this regard.²⁷⁹

There is immediate relief by the application of remedies such as these by which the physicians cure the chronic condition of wind-blood.

- Poultice, sprinkling [oil], plaster, oil massage, 280 spacious and comfortable rooms281 with no wind, soft pillows, comfortable beds, and soft massages are recommended in the condition of wind-blood.
 - Exercise, mating, anger, eating hot, sour, or salty foods, sleeping during the day, and food that is slimy or heavy should be avoided.

²⁷⁶ Perhaps विषमज्वर could mean irregular fever.

²⁷⁷ H has कशेरुका.

²⁷⁸ Perhaps it means that one should eat foods cooked in that oil.

²⁷⁹ The word भवति in H should have been भवन्ति.

²⁸⁰ In H, the part व्यजनानिलाः does not make proper sense in the verse. Emending it to व्यजनानि च could be a consideration, but fanning (व्यजन) a patient with wind-blood is not good, as understood from the recommendation that such a patient should stay in a non-windy room. Therefore, we have accepted the vulgate reading for the first half of this verse

²⁸¹ In H, read the स सरणानि as श.

One should treat the person who is affected with spasmodic contraction, ²⁸² who does not have droopy eyes and crooked eyebrows, whose fingers have not become rigid, who is not perspiring or trembling, who is not in a state of delirium, who is not bed-ridden, ²⁸³ and who is not restrained externally. There at the beginning itself, ²⁸⁴ after rubbing the patient with oil and making him perspire, one should treat him with a strong *avapīḍa* ²⁸⁵ in order to clear his head. Then, the patient should be made to drink filtered ghee that is properly cooked with a decoction of beggarweed and other herbs, sugarcane juice, milk, and yogurt. In that way, the wind does not spread exceedingly.

Thereafter, one should gather wind-alleviating herbs such as deodar, etc. and other constituent parts, along with barley, ??, and horse gram, and the flesh of a freshwater aquatic creature all at one place and prepare a decoction of them. One should take this decoction and mix it properly with sour substances and milk, and then cook the *pratīvāpa*²⁸⁶ of liquorice in this mixture along with ghee, oil, body fat, and bone marrow. This is *trivṛt* that should be recommended in treatments of sprinkling, oil massage, applying a poultice, oral consumption, oily enema, and errhine for patients having spasmodic contractions.

The patient should then be made to sweat by the methods described earlier. If the wind is stronger then the patient should be immersed in [a vessel] filled with lukewarm fluid used for sprinkling (*trivṛt*). Or he should be kept in the hot fireplace of a blacksmith.²⁸⁷ Or else he should be made to sweat by [a mixture of] ??, *veśavāra*, ²⁸⁸ and milk.

Oil cooked with the juice of radish, ??, ??, spurge, and ?? should be used in

Dalhana comments that deliberation on avapida had been done earlier when it was mentioned. Find that description to know more details.

²⁸² In H, the reading अपताकिनम् should have been अपतानकिनम्.

²⁸³ V. S. Apte has खद्मयति. The *Āyurvedīya Śabdakośa* has the entry खद्मापातिन् which means "one who is inclined to fall from bed." Perhaps the reading in H has an error of the letter या which should have been पा.

²⁸⁴ In H, प्रागैव should have been प्रागेव.

²⁸⁵ The Āyurvedīya Śabdakośa has the entry अवपीड that means administering an oily paste through the nose. Refer SS Cikitsāsthāna Ch. 40 text 44 for a better understanding of avapīda.

²⁸⁶ It refers to an admixture of substances to medicines either during or after decoction. Refer to Monier-Williams's Sanskrit dictionary.

²⁸⁷ H has the reading रथाकारचुल्लगम् that means "fireplace shaped like a chariot", but the vulgate reading रथकारचुल्लगम् makes more sense here. Thus, we have accepted it.

²⁸⁸ Refer the above text no.7 for *veśavāra*. In H, the syllable ਕੈ should have been ਕੇ.

sprinking, etc. for patients with spasmodic contractions.²⁸⁹ Sour yogurt mixed with black pepper and drunk on an empty stomach alleviates spasmodic contractions. Or else, ghee, oil, body fat, or bone marrow [can be consumed on an empty stomach].

This procedure of treatment thus described is for spasmodic contractions caused only by wind. When mixed humours cause it then the treatment should also be mixed. And when the spasms subside the patient should be given *avapīḍa*-s. One should also consider the fats of cock, crab, black fish, and porpoise.²⁹⁰ Milk prepared with wind-alleviating medicines. Gruel prepared with barley, ??, horse gram, radish, yogurt, ghee, and oil.

One should treat this recurring spasm for ten nights with oil massage, purging of bowels, enemas, and oily enemas. One should also look up the treatment of diseases caused by wind. One should also undertake preventive measures.

One should treat the paralytic (hemiplegic) patient whose limbs are not languid, who is in pain, and who is self-composed. There, at the beginning itself the patient should be massaged with oil and made to sweat. After cleansing the patient with a mild purifier, he should be administered with an oily enema and then a non-oily enema. Then at the appropriate time, he should be treated with special enemas of the brain and the head according to the method prescribed in the treatment of ākṣepaka. Anutaila should be used for massage. Sālvala should be used for poultice. heart-leaf sida oil should be used for oily enema. In this way, the unremitting patient should take the treatment for three to four months.

treatment of ākṣepaka is described.

Search for

where the

first letter of sentence

capital.

 $\frac{20}{21}$

One should treat the patient with *ardita*²⁹⁵ who is strong and possesses the means with the method prescribed in treating wind diseases. The unique thing is the treatment with enemas of the brain and the head, er-

²⁸⁹ The word ਜੈਲਸ੍ is not present in H but is present in the vulgate. We have accepted it.

²⁹⁰ H has the reading रसान् which means "juices". It seems unrealistic that juice would be extracted by crushing these whole animals. Vulgate has the reading वसाः instead of रसान् which appears to be the more probable reading. Thus, we have accepted it.

²⁹¹ According to P. V. Sharma, this refers to mild evacuatives (purgatives).

²⁹² Refer Nidānasthāna 1.50-51 for ākṣepaka.

²⁹³ For the procedure of preparing anutaila, refer Cikitsāsthāna 4.28.

²⁹⁴ For the procedure of preparing sālvala, refer Cikitsāsthāna 4.14-15.

²⁹⁵ Refer Nidānasthāna 1.71-72 for ardita.

rhine, smoke, poultice, and steam bath through tubes. Then, one should take the great five roots ($pa\tilde{n}cam\bar{u}l\bar{\imath}$) with grass and prepare its decoction in milk mixed with twice the water. Then, the decoction with the milk remaining²⁹⁶ should be brought down [the stove] and filtered. It should then be mixed with a $prastha^{297}$ of oil and again placed over fire and cooked thoroughly. Then, the oil mixed with milk should be brought down [the stove] and then churned after it cools down. This is called $k\bar{\imath}$ rataila that should be used in drinks, etc. for patients with ardita.

- In the diseases of *gṛdhrasī*, *viścañcī*, *kroṣṭukaśīrṣa*, *paṅgukalāya*, lameness, *vātakaṇṭaka*, burning sensation in the foot, numbness of the foot, *avabāhuka*, deafness, and *dhamanīvāta*, one should pierce the blood vessel as described earlier and, barring the case of *avabāhuka*, one should look up the treatment for wind diseases.
- However, in the case of *karṇamūla*,²⁹⁸ lukewarm juice of ??²⁹⁹ mixed with liquorice, oil, and salt should be put into the ears.³⁰⁰ Or else one can use goat urine, liquorice, and oil. Or else one can use oil that is cooked with citron, pomegranate, ?? juice, and urine.³⁰¹ Or else one can use oil that is cooked with sour liquor, buttermilk, and urine.
 - One should also make the patient sweat with a steam bath through tubes. One should also look up the treatment for wind diseases. More will be said later.
- In the case of *tūnī* and *pratitūnī*, one should make the patient drink ghee and salt with hot water. Or else one should administer the powder of long pepper and other herbs with hot water. Or else one should make the patient drink ghee that is made thick with asafoetida and ??.³⁰² One should also treat the patient with enemas.

²⁹⁶ It means that the water has evaporated.

²⁹⁷ Dalhana comments (Su 1938: 425) that a *prastha* is a measure of weight that is equal to 32 *pala-s*.

²⁹⁸ The vulgate has the reading कर्णशूले which appears to be a more credible reading according to the context.

²⁹⁹ शङ्गवेर appears to be a name of ginger. Refer to the Sanskrit dictionary of Monier Williams.

³⁰⁰ In H, the reading रसै: does not seem to make sense here. Hence we have accepted the vulgate reading रसम्.

³⁰¹ In H, the word ਜੈਲ should have been ਜੈਲਸ੍ to make proper sense. The vulgate has this reading. Thus we have accepted it.

³⁰² यवक्षार is an alkali prepared from the ashes of burnt green barleycorns. Refer to the Sanskrit dictionary of Monier Williams.

- In the case of *ādhmāna*,³⁰³ however, one should do *avatarpaṇa*,³⁰⁴ heating the hands, *phalavartikriyā*,³⁰⁵ stimulation of digestion, and [administer] digestives. One should also employ the purging of bowels and enemas. In the case of *pratyādhmāna*,³⁰⁶ one should employ vomiting, fasting, and stimulation of digestion.
- In the case of *aṣṭhīlā* and *pratyaṣṭhīlā*,³⁰⁷ the procedure is that of *gulma* and internal abscess.
- The beneficial asafoetida, the three pungent spices (long pepper, black pepper, and dry ginger), sweet flag, ?? grains, wild spider flower, pomegranate, ??, velvet-leaf, leadwort, ??, rock salt, ??, ??, ratron, long pepper root, ??, ??, ??, (juniper berry), and ?? (cumin seeds) should be powdered. This powder should be mixed with a lot of citron juice. Then it should be made into pills each weighing one akṣa. Thereafter the patient of wind disease should consume one pill every morning. This medicine indeed cures gulma, rapid breathing, cough, loss of appetite, heart disease, ādhmāna, pārśvodara, bastiśūla, anāhamūtra, painful piles, plīhodara, and pāṇḍuroga. Also, this medicine is excessively used in cases of tūnī and pratitūnī.
- 29 There are verses in this regard.

The wind that has entered into the body tissues should be correctly understood as either pure or vitiated by humours³⁰⁸ and should be cured accordingly.

³⁰³ Refer to *Nidānasthāna* 1.88. V. S. Apte explains it as "swelling of the belly". P.V. Sharma has translated it as flatulence.

³⁰⁴ We are unclear about its meaning. The vulgate has the reading अपतर्पण that means fasting.

³⁰⁵ The entry फलवर्ति has the meaning "suppository" in the Sanskrit dictionary of Monier Williams. The Cambridge dictionary explains suppository as "a small, solid pill containing a drug that is put inside the anus, where it dissolves easily." Refer to the link https://dictionary.cambridge.org/dictionary/english/suppository. Last accessed 30-Oct-2023.

³⁰⁶ Refer to *Nidānasthāna* 1.89. According to the Sanskrit dictionary of Monier Williams, it is a kind of tympanites or wind-dropsy.

³⁰⁷ Refer to Nidānasthāna 1.90 and 1.91.

³⁰⁸ In H, the reading लक्षणोन्याम् अ does not make sense. Hence I cannot translate it. Perhaps the correct reading could be लक्षणाभ्याञ्च. This would connect with the two conditions of the wind as stated in the verse.

The wind that is accompanied by fat causes a swelling that is painful, hard, and cold. The physician should properly treat it like a treating a swelling.

- When the wind accompanied by phlegm and fat enters the thighs, it causes pain in and immobility of the thighs due to numbness, pain, and fever.
- Also, the thighs become pained, stiff, cold, and do not quiver due to sleep. They become heavy and as if belonging to someone else.³⁰⁹
- 33 That is called ūrūstambha. Others call it āḍhyavāta. In that case, one should drink the ṣaṇḍharaṇa powder with cool water.
- 34 Similarly, consuming the powder of long pepper and other herbs with hot water is beneficial. Or else, one should consume the powder of triphalā with honey and kutki.
- Or else, one should drink the best Indian bdellium-tree or ?? with urine. Such a person cures the wind that is afflicted by phlegm and accompanied by fat, as well as heart disease, loss of appetite, gulma, and internal abscess.

One should employ salty urine [therapy], sudation, and hard rubbing. One should also apply [the paste of] mustard and?? fruits mixed with urine.³¹⁰

One should eat old ??s, ??, etc. along with uncooked³¹¹ flesh of wild animals and unsalted vegetables that are beneficial.

When the phlegm and fat become amply reduced one should again employ the treatment of oil massage, etc. for the patient.

³⁰⁹ In H, the verb वर्तते should have been in the dual. Also, the word आस्थिरौ does not make sense. The vulgate has the sensible reading अस्थिरौ which we have accepted here.

³¹⁰ The word दिहेत् in H is not a proper Sanskrit word. We have taken its proper form दिह्यात् as given in the vulgate.

³¹¹ The vulgate has the reading अपृतैः that means without ghee.

Cikitsāsthāna 15: On Difficult Delivery

Literature

Meulenbeld offered an annotated overview of this chapter on fetal malpresentation and a bibliography of earlier scholarship to $2002.^{312}$ Das made observations about the afterbirth (*aparā*) that is mentioned in 4.15.17 (Su 1938: 432).³¹³ Selby has explored gyencological narratives in ayurveda.³¹⁴

Translation

- 1 And now we shall explain the difficult delivery medically treated.
- Nothing else is more difficult than the extraction of a foetus since it has to be performed in the region of vagina, liver, spleen, intestines and the uterus. Actions like pushing up, pulling down, cutting off, incising, removing, pressing and straightening must be done using one hand, without hurting the foetus or the pregnant woman, Therefore, having considered that and obtaining permission, one should proceed with care.
- 4 Eight types of the positions of difficult foetus have earlier been mentioned briefly. Even if, in the natural birth process also the large / wrong way of the head, shoulders or hips of a foetus / child cling firmly in the passage.
- In the case of a live foetus, the delivering ladies should attempt to deliver it. And, during this process, they should be made to hear the sacred verses repeatedly meant for expulsion of a foetus.

³¹² HIML: IA, 271-272.

³¹³ Das 2003: 517.

³¹⁴ Selby 2005*a*,*b*.

- 6 O beautiful woman, may the divine nectar and the moon and the sun and Uccaiśravas reside icumbhalakan your house.
- 7 O lady, may this nectar extracted from the water release this tiny foetus of yours. May the fire, wind, sun and Indra together with the ocean bestow upon you the peace.
- 9 And, as mentioned before (3.10.16-20) the medicine should be administered. In the case of a dead fetus, (the physician) having inserted (his) hand lubricated with the *dhanvaka*, *mṛttikā* soil, the *śālmalī* the *seemul* and ghee into the vagina of a woman lying on her back, whose thighs are bent with the elevated waist with the support of the cloth of *cumbhalaka* should take away the fetus. In the case, the fetus coming out with both the thighs, should be stretched out in a normal way. If the fetus has reached with only one thigh, spreading out its other thigh it should be taken out. If the fetus is coming out with its buttocks portion, squeezing the buttocks upward, spreading the thighs it should be taken out. A fetus having come in a transverse position like an oblique (तिर्यक्वीनस्य?) iron club, lifting upward its half of the lower part from behind, straightening its half of the upper part, bringing it to the passage of vagina, it should be taken out. The last two positions of the dead fetus cannot be accomplished. Thus, in this state, instrument should be employed / surgery should be undertaken.
- But, the live fetus should not be torn apart in any case. As, the live fetus may kill the mother and self soon.
- Next, assuring safety to the lady, cutting the head of the fetus with the instrument that has disc on the top (मण्डलाग्र) or finger shaped instrument(अङ्गुलिशस्त्र); removing the skull, the fetus should be taken out holding the forceps at its chest and armpit. If the head of the fetus is not separated, the fetus should be drawn out from its orbital regions or cheek (with the forceps); if the shoulders are stuck up in the passage, the fetus should be taken out by cutting its arm / arms at the shoulder region; tearing the abdomen when bloated with wind just like a stretched leather bag used for holding water, casting off the intestine, the loosened fetus should be taken out. Or else, if its thighs are adhered to the passage, the bones of the thighs should be cut and fetus is removed.
- 13 The fetus is adhered to the passage from whichever its body part, the physician by separating that part should remove the fetus carefully and by all means the woman should be protected.



(.)

14 For, irritated wind causes different movements of the fetus. In this situation, the wise physician should act intelligently.

And, the learned physician should not delay even for moment in removing the dead fetus as it kills mother in no time like a breathless animal. If impacted with hip, the hip bones should be cut and then delivered.

Part 5. Kalpasthāna

Kalpasthāna 1: Protecting the King from Poison

Introduction

The meaning of "kalpa"

What does "kalpa" mean in the context of this section of the Suśrutasaṃhitā? In medical contexts, this polysemic term can mean an appropriate drug recipe, a suitable medication, or any proper therapy. The present section of the Suśrutasaṃhitā deals with poisonous herbs, animals and insects, so one might expect the term to refer to antidotes or at least drugs. However, the usage here points more to the sense "formal procedure," a sense that, in a secular context, echoes the kalpa of the Kalpasūtras, the "formal procedures" of Vedic ritual. The twelfth-century author Aruṇadatta, glossed कल्प simply as प्रयोगः "procedure" and as योजनम्. 317

Chapter 1 of the Kalpasthāna

The first chapter of the Kalpasthāna of the *Suśrutasaṃhitā* addresses the topic of protecting a king from those who would assassinate him using poison. The king's kitchen is presented as the site of greatest vulnerability. The staff

³¹⁵ Winternitz (1981-85: 252) translated कल्प in the Vedic context simply as "ritual." He went on to describe the *Kalpasūtras* as, "born out of the necessity to compile the rules for the sacrificial ritual...for the practical purposes of the priests." Gonda (1977: 467) also used "ritual practice," giving useful further notes from classical authors in footnote 8.

^{316 &}quot;A learned man with a great command of a number of sciences," (HIML: 1A, 661).

³¹⁷ Sarvāngasundarī on Aṣṭāngahṛdayasaṃhitā 1.16.17ab (Ah 1939: 246) and 5.1 gadyasūtre 2 (Ah 1939: 735) respectively.

in the kitchen must be vetted carefully and watched for signs of dissimulation. The description of the body-language that tells a poisoner (verses 18–25) are engaging and vivid. These verses are closely parallel in sense to a passage in the *Arthaśāstra* that says,

The signs of a poisoner, on the other hand, are as follow: dry and dark look on the face, stuttering speech, excessive perspiration and yawning, trembling, stumbling, looking around while speaking, agitation while working, and not remaining in his place.³¹⁸

Next, the text discusses the signs of poison in toothbrushes, in food, drink, massage oil and other items that are likely to come into physical contact with the king. In passages that are again paralleled in the *Arthaśāstra* the work describes how poisoned food kills insects and crackles in a fire, flashing blue and the reactions of various birds to poison are described.³¹⁹

The work then moves on to the various symptoms experienced by the king after being poisoned, and remedies appropriate to each case. Poison exhibits characteristic signs when added to milk and other drinks.³²⁰ Further forms of poisoning, their symptoms and treatments are described and finally the king is advised to live amongst trusted friends and to protect his heart by drinking various ghee compounds. He should eat the meat and soup made from various animals, including peacock, mongoose, alligator, deer. The chapter ends with the description of an emetic.

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.³²¹ Translations of this chapter since Meulenbeld's listing have appeared by Wujastyk (2003*b*: 131–139), P. V. Sharma (1999–2001: 3, 1–15), and Srikantha Murthy (2000–02).³²²

```
318 Arthaśāstra 1.21.8 (Kangle 1965: 1, 30), translation by Olivelle (2013: 97).
```

³¹⁹ Cf. Arthaśāstra 1.21.6, ibid., Olivelle (2013: 96).

³²⁰ Cf. Arthaśāstra 1.21.6 again.

³²¹ HIML: IA, 289-290.

³²² For a bibliography of translations to 2002, including Latin (1847), English (1877), Gujarati (1963) and Japanese (1971), see HIML: IB, 314–315. Singhal and Dwivedi (1976) translated this sthāna.

Manuscript notes 117

Manuscript notes

• MS Kathmandu NAK 5-333 has foliation letter numerals, for example on f. 323a, that are similar to MS Cambridge CUL Add.1693,³²³ dated to 1165 CE.³²⁴

323 Scan at cudl.lib.cam.ac.uk/view/MS-ADD-01693/1.

³²⁴ See Bendall's chart of Nepalese letter-numerals (Bendall 1883: Lithograph V, after p. 225).

- 1-2 And now I shall explain the formal procedure (*kalpa*) for safeguarding food and drink, as were declared by the Venerable Dhanvantari.³²⁵
 - 3 Divodāsa, the king of the earth, was the foremost supporter of religious discipline and virtue. With unblemished instruction he taught his students, of whom Suśruta was the leader.³²⁶

[Threats to the king]

- 4-5 Evil-hearted enemies who have plucked up their courage, may seek to harm the king, who knows nothing of it. He may be assailed with poisons by or by his own people who have been subverted, wishing to pour the poison of their anger into any vulnerability they can find.³²⁷
 - 6 Therefore, a king should always be protected from poison by a physician.
 - 7 The racehorse-like fickleness of men's minds is well known. And for this reason, a king should never trust anyone.³²⁸
 - 325 MS H adds in the margin अथ खलु वत्स सुश्रुतः "Now begins Vatsa Suśruta." This phrase has been copied here by the scribe from the beginning of the *Suśrutasaṃhitā* chapter in the *sūtrasthāna* on the rules about food and drink (1.46.3 (Su 1938: 214)). The scribe presumably felt, not unreasonably, that this section had common subject matter with the present chapter. Further, SS 1.46.3 is one of the few places in the Nepalese transmission of the *Suśrutasaṃhitā* that names Dhanvantari and integrates him into the narrative of the *Suśrutasaṃhitā* as the teacher of Suśruta.
 - The mention of Dhanvantari here is one of the few times in the Nepalese transmission that this authority is cited as the source of Ayurvedic teaching, and the unique occurrence of this actual phrase, "as was declared by the Venerable Dhanvantari." See the discussion by Klebanov (2021a: 28–32), who concluded that the earliest recoverable recension of the *Suśrutasaṃhitā* may have had the phrase only at this point and not elsewhere in the work. See the further discussion by Birch et al. (2021). "Dhanvantari" is mentioned in the Nepalese version at 1.1.21, 1.19.37, 1.46.3, 1.29.71, 1.34.1.1, 2.1.3, 2.7.3, 3.19.13.3, 4.2.3, (5.1.2, note), 5.4.3, 6.60.2, 6.64.84.
 - 326 This is a quite different statement from the vulgate which has Dhanvantari as the teacher, and calls him the Lord of Kāśī (kāśipati) (Su 1938: 559). Dalhaṇa followed the vulgate but explicitly noted the reading before us with small differences: दिवोदासः क्षितिपतिस्तपोध्मश्रुताकरः "Divodāsa, the king of the earth, was a mine of traditions about discipline and virtue."
 - 327 Verses about the use of Venemous Virgins as a weapon do not appear in the Nepalese manuscripts. Cf. Wujastyk 2003*b*: 81 f., 132. This material is present in the commentary of Gayadāsa.
 - 328 The verb $\sqrt{\text{syas}}$ is conjugated as a first class root in the Nepalese manuscripts.



8–11 He should employ a doctor in his kitchen (*mahānasa*) who is respected by experts, who belongs to a good family, is orthodox, sympathetic, not emaciated, and always busy.

- 12–13 The kitchen should be constructed at a recommended location and orientation. It should have a lot of light,³²⁹ have clean utensils and be staffed by men and women who have been vetted.³³⁰
- The chefs, bearers ($vodh\bar{a}ra$), and makers of boiled rice soups and cakes and whoever else might be there, must all be under the strict control of the doctor.³³¹
- 18cd–19ab An expert knows people's body language (*ingita*) through abnormalities in voice, movement and facial expression. He should be able to identify a poisoner by the following signs.
 - Wanting to speak, he gets confused, when asked a question, he never arrives at an answer, and he talks a lot of confused nonsense, like a fool. He laughs for no reason, cracks his knuckles and scratches at the ground. He gets the shakes and glances nervously from one person to another. His face is drained of colour, he is grimy (*dhyāma*) and he cuts at things with his nails.³³² A poisoner goes the wrong way and is absent-minded.
 - I shall explain the signs to look for in toothbrush twigs, in food and drink as well as in massage oil (*abhyanga*) and combs (*avalekhana*); in dry rubs (*utsādana*) and showers, in decoctions (*kaṣāya*) and massage ointment (*anulepana*); in garlands (*sraj*), clothes, beds, armour and ornaments; in slippers and footstools, and on the backs of elephants and horses; in snuff (*nasya*), inhaled smoke (*dhūma*), eye make-up (*añjana*), etc., and any other things which are commonly poisoned. Then, I shall also explain the remedy.
 - Flies or crows or other creatures that eat a poisonous morsel (*bali*) served from the king's portion, die on the spot.
 - 29 Such food makes a fire crackle violently, and gives it an overpowering

Cf. Arthaśāstra 1.21.8.

³²⁹ We read महच्छुचिः with the Nepalese manuscripts and against the vulgate's महच्छुचि. We understand शुचिस् as a neuter noun meaning "light" following Apte (Apte: 1050a).

³³⁰ Verses detailing the ideal staff are omitted in the Nepalese manuscripts. Cf. Su 1938: 560; Wujastyk 2003*b*: 132.

³³¹ The word सौपोदनैकपूपिक "chefs for the boiled rice soups and cakes" is grammatically interesting. The term सूपोदन (as opposed to सूपौदन) is attested in the *Bodhāyanīya-gṛhyasūtra* 2.10.54 (Shastri 1920:68). More pertinently, perhaps, सूपोदन is attested in the Bower Manuscript, part II, leaf 11r, line 3 (Hoernle 1893–1912: vol. 1, p. 43).

³³² The word ध्याम is glossed by Dalhana (in a variant reading) as someone who is the colour of dirty clothes 5.1 (Su 1938: 560).

- colour like a peacock's throat.
- 30–33 After a chukar partridge looks at food which has poison mingled with it, its eyes are promptly drained of colour; a peacock pheasant drops dead. A koel changes its song and the common crane rises up excitedly.³³³ It will excite a peacock and the terrified parakeet and the hill myna screech. The swan trembles very much, and the racket-tailed drongo churrs.³³⁴ The chital deer sheds tears and the monkey releases excrement.³³⁵
 - 34cd Vapour rising from tainted food gives rise to a pain in the heart, it makes the eyes roll, and it gives one a headache.³³⁶
- 35, 36cd In such a case, an errhine and a collyrium that are costus, ??, spikenard and honey (*madhus*);³³⁷ a paste of sandalwood on the heart may also provide relief.³³⁸
 - 37 Held in the hand, it makes the hand burn, and the nails fall out. In such a case, the ointment (*pralepa*) is beautyberry, velvet-mite, soma and blue

³³³ The verb अच्छित "rises up" is a rare form best known from epic Sanskrit (see Oberlies 2003: 212, §7.6.1). The transmitted form क्रोञ्च is obviously a colloquial version of Sanskrit क्रोञ्च. Commenting on 1.7.10 (Su 1938: 31), Dalhana interestingly gives the colloquial versions of several Sanskrit bird names, even singling out pronunciation in the specific location of Kānyakubja. For क्रोञ्च he says that people pronounce it कुरञ्ज and कोंचि. The form कोञ्च is found in Pāli (see Cone 2001: 731, who notes that Ardhamāgadhī has the same form). Elsewhere, Dalhana calls the bird क्रोञ्चिर, क्रोञ्चि, and कैचर (1.46.105 (Su 1938: 223), 6.31.154 (Su 1938: 684) and (6.58.44 (Su 1938: 790) respectively).

³³⁴ Dalhana seemed confused about the racket-tailed drongo (भृङ्गराज). He called it a generic drongo (भ्रमरक), a word that can also mean "bee," (Dave 1985: 62), and then said that it is like the black drongo (धूम्याट) (for a nice explanation of this name, see Dave 1985: 62–63) and that people call it "the king of birds."

³³⁵ MS Kathmandu KL 699 reads "bull (বৃषभ)" for "Chital deer (पृषत)." The latter may perhaps be mistaken for the former in the Newa script, although the reading of MS Kathmandu KL 699 is hard to read at this point.

^{336 &}quot;Tainted" translates उपक्षिप्त. The word's semantic field includes "to hurl, throw against," and especially "to insult verbally, insinuate, accuse." The commentator Dalhaṇa glossed the term as, "spoiled food given to be eaten" (विदूषितस्यान्नस्य भोक्तुं दत्तस्य), but he noted that some people read "उखाक्षिप्त" or "thrown into a pan." Other translators have commonly translated it as "served," perhaps influenced by Dalhaṇa's "given (दत्त)."

³³⁷ The vulgate supplies another phrase and verb at this point that is not present in the Nepalese transmission, but that makes the text flow more easily.

³³⁸ Singhal et al. (1972–82: 350) discussed the difficulties in identifying लामजा, a plant cited more often in the *Suśrutasamhitā* than in the *Carakasamhitā*; Dalhaṇa adopted the common view that it is a type of *uśīra* or vetiver grass. The grammatical neuter form मधुस् "sweetness" of the Nepalese manuscripts is less common than neuter मधु "honey, sweetness, liquorice."

water-lily.339

38–39 If he eats that food, through inattention or by mistake, then his tongue will feel like a pebble (asthila) and it will lose its sense of taste. It stings and burns, and his saliva (slesman) dribbles out.³⁴⁰ In such a case, he should apply the treatment recommended above for vapour ($b\bar{a}spa$), and what will be stated below under "toothbrush twigs".³⁴¹

- 40 On reaching his stomach, it causes stupor $(m\bar{u}rcch\bar{a})$, vomiting, the hair stands on end, there is distension, a burning feeling and an impairment of the senses.³⁴²
- In this case, vomiting must quickly be induced using the fruits of emetic nut, gourd, red gourd, and luffa, taken with milk and watered buttermilk, or alternatively with rice-water.
- Reaching the intestines (*pakvāśaya*), it causes a burning feeling, stupor, diarrhoea, thirst, impairment of the senses, flatulence (*āṭopa*) and it makes him pallid and thin.

^{339 &}quot;Beautyberry" (Callicarpa macrophylla Vahl.) is one identification of रयामा, but vaidyas and commentators have different ideas about the plant's identity (see glossary).

On translating इन्द्रगोप as "velvet-mite," see Lienhard 1978. Dalhaṇa's remarks show that he had a reading इन्द्रागोपा before him, and he tries to explain इन्द्रा and गोपा as separate plants. But he also says that some people read इन्द्रगोप.

Palhaṇa curiously parsed the name सोमा (f.) out of the compound; this feminine noun is almost unknown to Ayurvedic literature. Some dictionaries and commentators consider it a synonym for गुडूची, others for ब्राह्मी or चन्द्रतरु. Palhaṇa also mentioned that some people think the word refers to the soma creeper (सोमलता), which might explain his choice to take the word as feminine. But the compounded word is far more likely to be सोम (m.), the well-known mystery plant (see Wujastyk 2003b: 76–78, 125). If this can be taken as rue (Ruta graveolens, L.), as some assert, one can point to a pleasing passage in Dioscorides where rue plays an antitoxic role: "...it is a counterpoison of serpents, the stinging of Scorpions, Bees, Hornets and Wasps; and it is reported that if a man be anointed with the juice of the Rue, these will not hurt him; and that the serpent is driven away at the smell thereof when it is burned; insomuch that when the weasel is to fight with the serpent she armeth herself by eating Rue, against the might of the serpent" (cited from Potter: 262; not found in Osbaldeston and Wood 2000).

³⁴⁰ The word अष्ठीला is normally feminine. The Nepalese manuscripts read it with a short अ- ending. Gayadāsa noticed that some manuscripts read अष्ठील with a short -अ ending (MS Bikaner RORI 5157, f. 5v:7-8) and Dalhana reproduced his observation. The vulgate reading चास्यात् "and from his mouth" is more obvious (*lectio facilior*), but is not attested in the Nepalese manuscripts.

³⁴¹ Poisoned toothbrushes are discussed in verses 48 ff. below.

³⁴² I translate मूर्च्छा in the light of the metaphors discussed by Meulenbeld (2011), that include thickening and losing consciousness.

- In such a case, purgation with the fruit of indigo $(n\bar{\imath}l\bar{\imath})$, together with ghee, is best. And 'slow-acting poison antidote $(d\bar{\imath}\bar{\imath}vi\bar{\imath}ari)$ ' should be drunk with honey and curds (dadhi).³⁴³
- When poison is in any liquid substances such as milk, wine or water, there are various streaks, and foam and bubbles form.
- And no reflections are visible or, however, if they can be seen once more, they are distorted, fractured, or tenuous and distorted too.³⁴⁴
- Vegetables, soups, food and meat are soggy and tasteless. They seem to go stale suddenly, and they have no aroma.
- 47 All edibles lack aroma, colour or taste. Ripe fruits rapidly rot ($pra\sqrt{kuth}$) and unripe ones ripen.³⁴⁵
- When a toothbrush twig has poison on it, the bristles are corroded and the flesh of the tongue, gums and lips swells up.³⁴⁶
- Then, once his swelling is lanced, one should rub (*pratisāraṇa*) it with fire-flame bush flowers jambul, mango stones and chebulic myrobalan fruit mixed with honey.³⁴⁷
- Alternatively, the rubbing (*pratisāraṇa*) can be done with either the roots of sage-leaved alangium, the bark of blackboard tree or siris seeds.³⁴⁸
- One should give advice about a poisoned tongue-scraper or mouthwash (*kavala*) in the same way as for a toothbrush twig.
- 51cd Massage oil that has been laced with poison is slimy, thick and discol-

343 The 'slow-acting poison' is discussed at 5.2.25 ff. (Su 1938: 565).

- 344 Both Nepalese witnesses read বিকৃব (distorted) twice, which is tautologous. In the first occurrence both read বিকৃবা without proper termination. One might read the sandhi in the second occurrence as or not distorted (vāvikṛtā), but this gives no better sense. The scribe of MS Kathmandu NAK 5-333, apparently the original hand, added in the margin the alternate reading "double (yamalā)" as in the vulgate. Perhaps the scribe too was troubled by the tautology. It is also evidence that he was aware of a witness with variant readings similar to the vulgate. We emend for grammar but retain the lectio difficilior.
- 345 The root $\sqrt{3}$ य् "stink, putrify, rot" is apparently known only from its few uses in the $Su\acute{s}rutasamhit\bar{a}$.
- 346 Gayadāsa and Dalhaṇa pointed out that "tooth socket (दन्तवेष्ट)" and "gum (दन्तमांस)" have the same meaning (2.16.14–26 (Su 1938: 331–332)).
- 347 This recipe is different from the vulgate.
- 348 The spelling of the name সঙ্ক্লীল্ল varies সঙ্ক্লীত, সঙ্ক্লীত, সঙ্ক্লীত (GVDB: 5); Dalhaṇa noted that the form সঙ্ক্লীল্ল is a colloquialism (1.37.12 (Su 1938: 161)). The sentence is awkward and we have emended থিবীঘদাঘক to be a plural, as in the vulgate, rather than the ablative singular of the Nepalese witnesses. We follow Dalhaṇa in interpreting the compound to refer to the distinctive bean-like siris seeds, rather than to mung beans (5.1.50 (Su 1938: 562)).

I'm still unhappy about this verse.

Mention this in the introduction as an example of the scribe knowing the vulgate.

fn about sadyas+

oured.

52 When the massage oil has been contaminated with poison, boils arise, pain, a discharge (*srāva*), inflammation of the skin, and sweating.³⁴⁹ And the flesh splits open.

- 53–54 In such a case, sandalwood, crape jasmine, costus, and cuscus grass, bamboo leaves, heart-leaved moonseed and heart-leaved moonseed, white clitoria, sacred lotus, and Indian barberry should be made into an ointment (*anulepana*) for the patient, who has been sprinkled with cold water. That is also recommended as a drink with the juice and leaves of wood apple.³⁵⁰
 - In the case of a dry rub (*utsādana*), a shower (*parīṣeka*), an infusion, a massage ointment (*anulepana*), or in beds, clothes, or armour, the physician should understand that it is the same as for oil massage (*abhyaṅga*).³⁵¹
- When a comb has poison in it, the hair falls out, the head aches and blood oozes from the follicles (*kha*) and lumps (*granthi*) appear on the head. In such a case, one should repeatedly apply an ointment of black earth soaked with bear's bile, ³⁵² ghee, beautyberry, ³⁵³ black creeper, and amaranth. Good alternatives are either the fluid extract of cow-dung, or the juice of jasmine, the juice of purging nut tree, or household soot. ³⁵⁴

Bear's bile instead of deer's bile.

- 59 If either massage oil for the head, or a helmet for the head, in a wash, turban, or garlands that are contaminated with poison, then one should treat it in the same way as a comb.
- 60-61 When face make-up is poisoned, the face becomes dark and has the symptoms found with poisoned massage oil. It is covered with spots (*kaṇṭaka*) that are like lotus-spots (*padminīkaṇṭaka*).³⁵⁵ In this case, the drink is

³⁴⁹ The feminine स्फोटा for "boils" is unattested.

³⁵⁰ This compound could be interpreted as "wood apple juice and cassia cinnamon." Note that this recipe is differs from that of the vulgate, which requires urine.

³⁵¹ See verse 52 above.

³⁵² Dalhana comments here that 'bile is that fluid which goes along inside the tube attached to the liver' (कालखण्डलग्रनलिकामध्यगतजलं पित्तम्) 5.1.57 (Su 1938: 562).

³⁵³ See note 339.

³⁵⁴ The plant identifications in this passage follow Dalhaṇa's glosses, although he noted a difference of opinion on the identity of purging nut tree (lit. "mouse-ear").

The expression धूमो वागारसंज्ञितः '...or the smoke termed "house" is commonly interpreted by translators and in Ayurvedic dictionaries as 'household soot,' and this does seem to be the meaning, in context. The term was comprehensively discussed by Meulenbeld (2008b: 443). Cf. note 450, p. 149.

³⁵⁵ See the description of this condition at 2.13.40 (Su 1938: 323), where the skin on the face is characterized as having pale circular patches that are itchy and have spots.

62-63ab

punarṇṇavā in the N & K MSS honey and ghee, and the ointment (*pralepa*) is sandalwood with ghee, curds, honey, verbena, scarlet mallow and hogweed.³⁵⁶

Elephants and the like become ill and they dribble saliva. And the rider gets spots (*sphoṭa*) and a discharge on his scrotum, penis, and rectum. In this case, one prescribes the same therapy as for poisoned massage oil for both the rider and the mount.

63cd-65ab When there is poison in snuff (*nasya*) or smoke, the symptom (*linga*) is blood coming out of the apertures of the head (*kha*), a headache, a flow of mucus (*kapha*) and impairment of the senses.

In such a case, ghee of cows etc., boiled up with their milk and Himalayan monkshood, is prescribed, with henna, as a cold drink or errhine.

Flowers lose their fragrance and colour, and wilt. On smelling them, he gets a headache and his eyes fill with water. In this case, the treatment is what was proposed above for vapour $(b\bar{a}spa)$ and that which is traditional for face make-up.

When it is in ear-oil, there is degeneration in the ear, and painful swelling. There is also a discharge from the ear and in such a case it needs to be irrigated (*pratipūraṇa*) promptly with ghee and honey. Extracted juice (*svarasa*) of wild asparagus and very cold juice of white cutch tree are also recommended as something good.³⁵⁷

69 When poison is mixed in with eye make-up (añjana), he gets tears and rheum (upadeha), with a burning feeling, pain, faulty vision (drstivibhrama), and possibly even blindness.³⁵⁸

70-71 In this case, one must immediately drink ghee and have it also in an eyewash (*tarpaṇa*) with long pepper. One should have an eye ointment (*añjana*) of the juice of periploca of the woods and have the extract (*niryāsa*) of three-leaved caper, wood apple and periploca of the woods and the flower of marking-nut tree.

72-73 Because of poisoned slippers there will definitely be a swelling, numbness

śrita for śṛta

explain

Medical difference from Sharma.

example where the vulgate clarifies that these should be used separately; appears to be a gloss inserted into the vulgate text.

³⁵⁶ The common plant-name पुनर्नवा is read as पुनर्णवा in both Nepalese witnesses. This unusual form is technically-speaking legal according to Pāṇini 8.4.3, but is not attested in published texts. पुनर्णवा is found rarely in some other Nepalese manuscripts such as the *Brahmayāmala* (a.k.a. *Picumata*, 44.81, transcription thanks to Shaman Hatley), and elsewhere (e.g., in Gaṇapatiśāstrī 1920–25: 20, where it is the name of a constellation.

³⁵⁷ The syntax of the Nepalese version is slightly unclear, but the vulgate has smoothed out the difficulties.

³⁵⁸ The term translated as "faulty vision" could also mean "rolling eyes." "Eye make-up" is normally made of Indian barberry.

 $(sv\bar{a}pa)$, a discharge $(sr\bar{a}va)$ and an outbreak of spots (spho!a) on the feet. One should clean $(pra\sqrt{s\bar{a}dh})$ footstools together with slippers.

- Ornaments lose their lustre, and they do not shine as they used to. They damage their respective locations with burning, sepsis $(p\bar{a}ka)$, and fissuring $(avad\bar{a}rana)$.³⁵⁹
- 75ab One should apply the stated procedure for massage oil (*abhyanga*) to poisoned slippers and ornaments.
- 75cd-76 In the case of the affliction (*upasarga*) by poison which has been described above, starting from 'vapour' and ending with 'ornaments,' the physician should observe the side-effects (*upadrava*) and then prescribe the therapy called the Great Fragrance (*mahāsugandha*) antidote, which I shall describe.³⁶⁰
- 77–78ab He should prescribe it in drinks, liniments (*ālepana*), errhines (*nasya*), and in eye ointment (*añjana*). Also, he should use sharp purgatives and emetics. If bleeding is present, he should have the indicated veins pierced.
- 78cd-79ab If either purging nut or a fern is tied on to the King's wrist, then all food that is mixed with poison will be rendered free of poison.³⁶¹
 - 79cd-80 He should always guard his heart when amongst people who are not his friends.³⁶² Before eating, he should drink the kinds of ghee called "Invincible" and "Immortal".³⁶³ He should drink ghee (*sarpis*), honey, curds

359 The reading अवदारुण in MS Kathmandu KL 699 is not attested elsewhere in Sanskrit literature. On "sepsis" for पाक, see Wujastyk 2003b: xlv-xlvi.

- 360 This antidote is indeed described later, in dramatic terms, at 5.6.14–27 (Su 1938: 581). A recipe with eighty-five ingredients including cow's bile, it is praised as chief of all antidotes, one that can drag the patient back from the very jaws of death, from even the poisonous fangs of Vāsuki. A useful survery of the meanings of उप्सर्ग ("affliction") was given by HIML: IB, 332
- 361 In early Ayurvedic literature, the plant স্তাক্রা is mentioned only here and its identity is unknown. It may be a fern of the Nephrodium family, according to T. B. Singh and Chunekar (GVDB: 7). Dalhaṇa, on 5.1.78 (Su 1938: 563), cited a description of the two plants from the little-known authority Uśanas (HIML: IA, 660 et passim) who described সকলা as a white root with spots on it that looks like collyrium when it is split; when drunk with sandalwood it causes poison to be digested.
- 362 The Carakasamhitā described "protecting the heart" (हृदयावरण) as drinking several sweet, oily drinks to surround the heart and keep it safe (6.23.46 (Ca 1941: 574)). Dalhaṇa on 5.1.79–81 (Su 1938: 563) explained it as taking a number of anti-toxic medicines, including those listed in the present passage, in order to cover or hide (प्रच्छादन) the heart. Note that the Nepalese version reads the opposite of the vulgate: one should guard one's heart when amongst enemies, not friends. This is far more logical; it is also the reading known to the 1.8.89a (As 1980: 79).
- 363 These ghee compounds are described in later chapters: see 5.2.47-49 (Su 1938: 566)

The two uses of prāpta are hard to translate. prāptāḥ → kṣipram is an example of the vulgate banalizing the Sanskrit text to make sense of a difficult passage.

√ vyadh
not √ vedh
(also elsewhere and
for the
ears), causative optative.

- (dadhi), milk (payas), or cold water.
- He should consume monitor lizard, peacock, mongoose, chital deer, and blackbuck too, that destroy poison, and their juices.
- As discerning person should add well-crushed black creeper,³⁶⁴ liquorice, and sugar to the meats of ??, mongoose and blackbuck too.
- 83 Add sugar and Himalayan monkshood to peacock flesh, together with ginger. And for meat from a chital deer, he should add long pepper, with ginger.
- 84ab A cold neem broth with honey and ghee is wholesome too.
- 84cd A discerning person should partake of hard and soft foods that counteract poison.³⁶⁵
 - 85 If poison might have been drunk, a person who has protected his heart should make himself vomit using long pepper, liquorice, honey, sugar, sugar cane juice, and water.

The first chapter in the Kalpas.

and 5.6.13 (Su 1938: 581).

³⁶⁴ Palhana on 5.1.82 (Su 1938: 563) equated this with turpeth. 365 On this expression, see Yagi 1994.

Kalpasthāna 3: Poisonous Insects and Animals

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁴¹⁷

Translation

- 1 And now we shall explain the formal procedure (*kalpa*) that is the required knowledge about mobile poisons.⁴¹⁸
- 3 The full explanation about the sixteen carriers (*adhiṣṭhāna*) of the mobile poisons, that have been mentioned by me in brief, will be stated.⁴¹⁹
- 4 In that context, they are:420
 - gaze and breath,
 - teeth, nails, and bites
 - urine and faeces,
 - menstrual blood,

- semen,
- tail,
- nipping with the mouth (mukhasamdamśā),

passages in the Kośa.

⁴¹⁷ HIML: IA, 291-292.

⁴¹⁸ In contrast to stationary, plant poisons. No reference is made to Dhanvantari (see Birch et al. 2021).

^{419 &}quot;Carrier" for base, foundation (*adhiṣṭhāna*) aims to capture the idea that the author will describe the creatures in which poisons inhere.

⁴²⁰ The content of this section is presented as a table, for clarity for the contemporary reader and mindful of the theoretical issues surrounding notational variation, including the "symbolic rewriting" and the modification of "expressive capacities" discussed by Sarukkai (2016: 321 ff). For further discussion, see Wujastyk 2021: 81–83.

⁴²¹ This interpretation comes from Dalhana on 5.3.4 (Su 1938: 567), but he reads विशर्धित.

- fart (avaśardhita),421
- anus, 422
- bones,

- bile,
- bristles (śūka), and
- corpses.

5 In that context,

location of the poison	creatures ⁴²³
in their breath and gaze	divine snakes
in their fangs	the ones on earth ⁴²⁴
in their nails, mouths and fangs a	cats, dogs, monkeys, men (<i>nara</i>), ⁴²⁵ crocodiles, frogs, 'cook-fish' (<i>pākamatsya</i>), ⁴²⁶ monitor lizards, cone snails (<i>śambūka</i>), 'poisonous snakes' (<i>pracalāka</i>), ⁴²⁷ geckos (<i>grhagodikā</i>), ⁴²⁸ four-footed insects and others
in their urine and faeces	lice (kiṭipa), 'flat insects' (picciṭā), 'orange-dwellers' (kaṣāyavāsika), 'pepper snakes' (sarṣapaka), 'angry beetles' (toṭaka), dung beetles (varcaḥkīṭa), and 'pot insects' (kauṇḍinya)
in their semen	mice

⁴²² Dalhana on 5.3.4 (Su 1938: 567) noted this reading.

⁴²³ Many of these names are mere dubious placeholders.

⁴²⁴ Palhana on 5.3.5 (Su 1938: 567) cited the otherwise unknown authority Sāvitra on the topic of poisonous snakes (HIML: IA, 377, IB 497, n. 105).

⁴²⁵ Probably dittography from the previous word, monkey ($v\bar{a}nara$). But it is supported in both Nepalese witnesses, so it must go back to an earlier exemplar.

⁴²⁶ MS KL 699 separates the words पाक and मत्स्य with a daṇḍa, indicating that the scribe thought they were separate terms. Dalhaṇa thought this was a kind of fiery insect (5.3.5 (Su 1938: 567)).

⁴²⁷ *Arthaśāstra* 14.1.14, 23 (Olivelle 2013: 448), where it might also be a chameleon; but the latter are not venomous.

⁴²⁸ The scribe of MS Kathmandu NAK 5-333 noted in the margin that some of his sources read गलगोडिका, which is the name of a snake known also in the *Carakasamhitā* and elsewhere in literature (cf. note 197, p. ??). Hemacandra's *Abhidhānacintāmaṇi* (4.364) mentions that गृहगोधिका and गृहगोलिका are synonyms (Rādhākāntā Deva 1876: 691a, sub māṇikyā).

location of the poison	creatures
in their stings (śūla)	scorpions, 'earth scorpions' (viśvambhara), wasps (varaki), ⁴²⁹ fish, crabs (ucciṭinga), and 'wing-scorpions' (patravṛścika)
in their saliva, nails, urine, feces, blood, semen and fangs	spiders
in the bites of their mouths	flies, wasps (kaṇabha) and leeches
in the bites of their mouths, in their fangs, faces, †, farts, anuses and feces	'speckle-heads' (citraśīrṣa), 'lids' (śārava), 'bellied' (kukṣita), 'wood-enemies' (dārukāri), 'liquors' (medaka), and 'darts' (śārikā).
continue	continue
continue	continue

Table 2: Passage 5, expressed in tabular format.

430

- 6 The enemies of the king pollute the waters, roads and foodstuffs in enemy territory. The experienced physician, who has learned how to purify things, should clean up those polluted things.
- got to here
 2023-01
 continue
 with table
 for #5
- 7 Polluted water is slimy and smells of tears.⁴³¹ It is covered with froth and covered with streaks. The frogs and fish die, the birds are crazed and, along with the wetland creatures, they wander about aimlessly.
- 8 Men, horses and elephants who swim in it experience vomiting, delusion, fever, swelling and sharp pains.⁴³² He should try to purify that polluted water, after curing their ailments.
- 9 And so, he should burn axlewood and garjan oil tree, as well as corky coral

⁴²⁹ वरटी is a wasp; वरिक in the Nepalese MSS may be an alternant of this word. Dalhana on 5.3.5 (Su 1938: 568) remarked that some interpreted वरिकमत्स्य as two items, "wasp and fish," others as a single one, "wasp-fish."

⁴³⁰ Kaur and L. Singh 2018 is unhelpful, in spite of a section on the *Suśrutasaṃhitā* (pp. 61–63).

⁴³¹ अस normally means "tears," but rarely means "blood."

⁴³² On the polysemy of elephant/snake (nāga), see Semeka-Pankratov 1979.

- tree, and small-flowered crape myrtle and weaver's beam tree, and with golden shower tree and white cutch tree.⁴³³ Then he should sprinkle that ash, cold, on the waters.
- 10–11 And in the same way, putting a handful of the ash in a pot, one may also purify water that one wants. If any one of the limbs of cows, horses, elephants, men or women, touch a place on the ground that enemies have spoiled with poison, or a ford or rock or a flat surface, then it swells up and burns and its hair and nails fall out on that place.⁴³⁴
 - In that situation, he should grind up country sarsaparilla together with all the aromatic items, with alcoholic drinks. And then he should sprinkle the paths that need to be used with waters mixed with mud.⁴³⁵ And if there exists another path, he should go by that.⁴³⁶
 - When grasses and foods are polluted, people collapse, fall unconscious. And others vomit. They get loose stool (*vidbheda*) or they die.⁴³⁷ One should apply to them the therapy as described.
- 14–15 Alternatively, one should wipe various musical instruments with antidotes that remove poison and then play them. What is called the most excellent paste for a musical instrument is certain minerals⁴³⁸ together with gold

⁴³³ Cf. with the recipe at *Suśrutasaṃhitā* 5.6.3 (Su 1938: 580) for a paste to put on drums etc., p. 177 below.

^{434 &}quot;Swells up" translates an unclear reading that was probably शूयित, which may be an irregular form of $\sqrt{2}$, श्वा, श्वि (see Whitney 1885: 175–176).

⁴³⁵ Our "alcoholic drinks" translates सुरा. For a discussion of this term at our period see McHugh 2021: 37-39 et passim.

⁴³⁶ Palhana on 5.3.12 (Su 1938: 568) cited a similar reading for the fourth pada, but with a negative particle, "and if there is no other way, one should go by that."

⁴³⁷ In "they get loose stool," the verb आर्च्छन्ति ($\sqrt{\pi}$), transmitted in both Nepalese manuscripts, has an irregular initial strong vowel. Alternatively, and perhaps more likely, it is a combination of आ+ $\sqrt{\pi}$, conjugated unusually as a class 6 verb, but with an appropriate sense of "to fall into (misfortune)."

^{438 &}quot;Certain minerals" translates तारावितार, the unanimous reading of the Nepalese witnesses. But the meaning of this expression is not clear and may even refer to plants, like the other ingredients. The vulgate reads तारः सुतारः, which is also not very clear. However, Dalhaṇa on 5.3.14 (Su 1938: 568) identified these as "silver" and "mercury." This is highly unlikely to be a correct understanding of the passage. Historically, mercury is not naturally present in the South Asian peninsula (Watt_{Dict}: 5, 233) and the word पारद that Dalhaṇa used is probably a loan-word from Persian (sub paranda, parranda Steingass 1930: 244b). Mercurial compounds are not reliably attested in South Asia until two or three centuries after the composition of the Suśrutasaṃhitā at the earliest. The currently available "śāstric" recension of the Arthaśāstra that is datable to 175–300 cE (Olivelle 2013: 29–31) does not mention mercury (ibid, 534). See further the study

and sarsaparilla, and a portion of of nutgrass equal to that, together with the bile called "brown cow". 439 By the sound of the musical instrument, even terrible poisons that may be present at that place are destroyed.

- 16 If there is smoke or wind that is affected by poison then birds are dazed and fall to the ground. People get coughs, colds, and head illnesses, and acute eye diseases.⁴⁴⁰
- 17 The smoke and air can be purified by putting into the air: lac, turmeric, Himalayan monkshood, and myrobalan, with Himalayan mayapple, costus, cardamom,⁴⁴¹ and peas, and foxtail millet.

note: don't repeat ativiṣā; vulgate similar

The origin of poison

- 18 As it is told, the arrogant demon called Kaiṭabha created an obstacle for lotus-born Brahmā, at the very time that he was creating these creatures. 442
- Pitiless Fury took a body and burst out of the mouth of furious Brahmā's store of fiery energy.⁴⁴³
- 20 He burned that great, thundering, apocalyptic demon. Then, after bringing about the annihilation of that demon, his amazing fiery energy increased.
- And so, there was a sinking down $(vi \circ \bar{a} da)$ of the Daityas. Observing that, it was named "poison $(vi \circ a)$ " because of it's ability to produce a "sinking down."
- 22 After that, the Lord created beings and subsequently made that fury enter into creatures still and moving.
- 23-24 Water that falls from the sky to the earth has no obvious flavour. The savour of the different places it lands on enters into it. In the same way,

by Wujastyk (2013*a*: 17, *et passim*).

⁴³⁹ सुरेन्द्रगोप and कुरुविन्द are both uncertain, see index. Dalhana's opinion has been followed here, but it seems fair to say that all commentators were guessing.

⁴⁴⁰ The syntax of this verse is somewhat loose; the vulgate has regularized it, smoothing out the difficulties.

⁴⁴¹

⁴⁴² At this point, the text seems to make a new beginning to the topic of toxicology, as if starting a new chapter. It is notable that no reference is made here to the famous origin story of poison in the churning of the primal milk ocean; for discussion of the sources of this account, see Bedekar 1967. For reflections on this passage, connecting it with Rudra and the Śatapathabrāhmaṇa, see Mānasa-taraṅgiṇī 2019.

^{443 &}quot;Fury" is here anthropomorphised.

- whatever substance a poison reaches, it establishes itself there and by its nature it takes on that substance's savour.⁴⁴⁴
- Generally speaking, in a poison, all the qualities are really sharp. For this reason, every poison is known to irritate all of the humours.
- 26 Irritated and afflicted by the poison, they leave their natural functions. Poison does not get digested, so it blocks the breaths.⁴⁴⁵
- 27 Breathing is obstructed because its pathway is blocked by phlegm. Even if life continues, a man remains without consciousness.
- 28 Similar to semen, the poison of all angry snakes pervades the whole body, and goes to the limbs like semen because of being stirred up.
- The fang of snakes is like a hook. When it gets there, it sticks inside them. That is why the unagitated poison of a snake is not released.
- 30 Sprinkling with very cold water is traditional for all cases of poisoning, because poison is declared to be extremely hot and sharp.⁴⁴⁶
- Poison in insects is slow and not very hot, having a lot of wind and phlegm. So in cases of insect poisoning, sweating is not forbidden.
- 32cd In cases of a strike or a bite, the poison may, of its own accord, stay there.
- 33–35ab †Having come upon a body,⁴⁴⁷ in the case of corpses that have been pierced by a poisoned arrow and bitten by a snake, someone who eats the poisoned flesh of a recent corpse out of carelessness will suffer with illness according to the poison, or even die. And therefore, the flesh of those should not be eaten when they have just died.
 - It is admissable after three quarters of an hour, but without the poisoned arrow and the snakebite.
 - 35.1 [At this point an Upajāti verse is added in the margin of K but is not fully legible; the version of the text in H is also incomplete and not fully comprehensible.]⁴⁴⁸

⁴⁴⁴ The scribal emendation in MS Kathmandu NAK 5-333 of नियच्छित to निगच्छित suggests that the scribe had more than one manuscript before him, one of them representing the reading of the vulgate recension.

⁴⁴⁵ Probably a reference to the five breaths. Dalhana referred to winds (বার), but this does not seem correct since it is a reference to humours rather than breaths.

⁴⁴⁶ The verb ਧਰ੍ "is declared, read aloud" here could possibly suggest that the author is working within a written, not oral, tradition.

^{447 &}quot;Having come upon" translates प्रस्याप्य, which is hard to interpret unless it is a rare form connected with the sense "to see."

⁴⁴⁸ $M\bar{a}dhavanid\bar{a}na$, 69.20-21 (MN₁: 480) has verses that are directly parallel to this section:

darvīkarāṇām viṣam āśughāti sarvāṇi coṣṇe dviguṇībhavanti ajīrṇapittātapapīḍiteṣu bāleṣu

35.3 †When, in a wound, the poison that is connected with these qualities runs, ...Therefore, not everything that is damaged by poison and eaten causes death.⁴⁴⁹

- 35.1 [ślokas in the MSS that aren't in the vulgate. The first line doesn't scan. Witness K addsa part of the start of this in the bottom margin. This material is repeated at 3.39.2in MS H.]
- 35cd & 36cd One designates a person who has diarrhoea of feces looking like soot (*gṛhadhūma*) with wind,⁴⁵⁰ and who vomits foam, as "someone who has drunk poison."
 - 37 Therefore, fire burns a heart that is pervaded by poison. For, having pervaded of its own accord the location of consciousness, it abides.⁴⁵¹

Patients beyond help

- Patients who should not be accepted include: those who have been bitten under a peepul tree, in a temple, in a cemetery, at an ant-hill, at dawn or dusk, at a crossroads, under Yama's asterism, 452 under the Great Bear and people who have been bitten in lethal spots.
- 39 The poison of cobras kills rapidly. They all gain twice the intensity in those who have indigestion, those who are afflicted by bile or wind, old people, children and the hungry.
- 39.1 In those whose who are mad or intoxicated, or who suffer from anxiety, or who are unable to tolerate its various strengths, it becomes sharp. †...

 39.2^{-453}

vrddheşu bubhukşiteşu 20

kṣīnakṣate mohini kuṣṭhayukte rūkṣe 'bale garbhavatīṣu cāpi

śastrakṣate yasya na raktam eti rājyo latābhiś ca na saṃbhavanti 21. This passage is the only occurrence in the ayurvedic text corpus that relates to the Nepalese version of the Suśrutasaṃhitā at this point. This suggests that Mādhavakara (fl. ca. 700, Bengal) knew and used the Nepalese version.

⁴⁴⁹ At this point, witness H inserts a marginal Indravajrā verse about diseases that afflict immoral women.

⁴⁵⁰ দূর্ঘ্মাs not a plant in this context pace MW: 362. See the discussion in note 354, p. 121.

⁴⁵¹ Dalhana said that someone who has died from drinking poison has a heart that cannot be burned because it is pervaded by poison (5.3.37 (Su 1938: 570)). But the sense of the Nepalese MSS is the opposite.

⁴⁵² याम्ये means "southerly" but Dalhaṇa on 5.3.38 (Su 1938: 570) interpreted it as "in Yama's direction" as "under the seventh asterism."

⁴⁵³ Material corresponds to SS.1.45.205ab, where it describes how alcohol produces intox-

- 3.4ocd-3.41 One should reject someone overcome by poison who does not bleed when cut with a knife, where weals do not appear as a result of lashes, 454 or where there is no horripilation because of cold water, whose mouth is crooked, whose hair is falling out of his head. A man who is fatigued and those who stammer, 455
 - 3.42 one who has a black and red swelling at the site of the bite, with lockjaw, should be avoided. The same goes for someone who has a solid plug emerge from their mouth and someone who has blood running from above and below and
 - 3.43ab The physician should also avoid a person who has fangs that have not fallen out quickly.⁴⁵⁶

ication because it is fine, hot and sharp and travels through the vessels disturbing the senses and the mind and intoxicating the potency.

⁴⁵⁴ Dalhaṇa, on 5.3.40 (Su 1938: 570), glossed लताभिस् "by means of whips," as "when the body is struck by whips."

⁴⁵⁵ nāsāvasāda & plural sakaņthabhangāh

⁴⁵⁶ The grammatical verb-form परिवर्जयोत "he should avoid," opt., 3rd, sg., is unusual. Renou (1940: 10 ff) documented such forms from the Aitareyabrāhmaṇa onwards. Oberlies (2003: ¶6.3.3 "Peculiar optative endings", pp. 176–177) showed that the form is well-documented in manuscripts of the Mahābhārata, but has been edited out of the printed critical edition in almost all cases. Cf. also Kulikov 2006. The concern about a patient who "has fangs that have not fallen out" is hard to understand. The word देष्ट्रा does not mean human teeth (दन्त). We therefore prefer to interpret this as a patient where the fangs of a venomous creature remain in the bite-wound. This requires construing the expression as a bahuvrīhi compound: देष्ट्रा or देष्ट्र + अनिपात:

Kalpasthāna 4: Snakes and Envenomation

Introduction

The fourth chapter of the Kalpasthāna of the *Suśrutasaṃhitā* addresses the topic of snake bites and snake venom. Exceptionally for the Nepalese version of the *Suśrutasaṃhitā*, the discussion is framed as a question from Suśruta to the wise Dhanvantari. Suśruta's questions are about the number of snakes, how they are classified, the symptoms of their bites and the pulses or stages of toxic shock experienced by a victim of snakebite and related topics. The taxonomy of snakes is presented in tabular form in Figures 2 and 3.⁴⁵⁷ The *Carakasaṃhitā* also addressed this topic of snake taxonomy, but only included the first three of the *Suśrutasaṃhitā*'s types, namely Darvīkara, Maṇḍalī and Rājimān.⁴⁵⁸ These three categories of snakes are framed within a humoral scheme, aggravating wind, bile and phlegm respectively, a scheme that is carried forward into symptoms and therapy.⁴⁵⁹ The *Suśrutasaṃhitā* does not use this snake–humour parallelism. By contrast, the system of seven pulses or toxic shocks (*vega*) that is central to the *Suśrutasaṃhitā*'s understanding of envenomation is absent from the *Carakasamhitā*.⁴⁶⁰

⁴⁵⁷ On the idea of notational variants in scientific translation, see Elshakry 2008; Sarukkai 2016; Wujastyk 2021: 81–83.

^{458 6.23.124} ff. (Ca 1941: 577).

⁴⁵⁹ *Carakasaṃhitā* 6.23.165–176 (Ca 1941: 579). Note that the *Carakasaṃhitā* then described symptoms and therapies without reference to the three-humour scheme: 6.23.177–254 (Ca 1941: 579–582).

⁴⁶⁰ One mention of the term in the *Carakasaṃhitā* refers to the peak of a tertian fever (6.3.70 (Ca 1941: 404). In other contexts, it had the ordinary-language meaning of a natural "impulse" or "pressure" that should not be suppressed (1.25.40 et passim (Ca 1941: 131–132)).

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁴⁶¹ There also exists a substantial herpetological literature from colonial India as well as more recent studies of snakes in the context of cultural and religious life.

The ophiological literature of the colonial period began in the late nine-teenth century with the work of Fayrer, whose publication included striking colour paintings of snakes. Fayrer provided a biological taxonomy of snakes as well as chapters on mortality statistics during the nineteenth century, treatment and effects of poison, and experimental data. Ewart (1878) included descriptions of appearance and behaviour of poisonous snakes and sometimes their local names and reproducing Fayrer's illustrations. Wall (1913: 75–124) provided a useful analysis of the medical effects of snake envenomation in India arranged by the varied symptomatology of different snakes. He also discussed the difference between the symptoms of toxicity and fright (69–75) and also the difficulties arising out of uncertainty about the effects of snake-bite (124–126). The *Suśrutasaṃhitā* too recognized the emotional and somatic effects of fright (see note 479 below). Wall (1921) provided a wealth of detail of the snakes of Sri Lanka, including line drawings.

Doniger (2015) provided a good survey of snakes as protagonists in religious literature from the *Atharvaveda* through the epics, *Purāṇas* and Buddhist literature. Semeka-Pankratov (1979) traced semiotics of the term *nāga* through Vedic, Pali and Sanskrit literature. Slouber (2016a: 31–33 *et passim*) discussed the *Suśrutasaṃhitā*'s *Kalpasthāna* as a precursor and influence on later Tantric traditions of snake-bite interpretation and therapy. In particular, the Tantric *Kriyākālaguṇottara* text that Slouber presented divided snakes into two basic categories, divine and mundane, as the *Suśrutasaṃhitā* does. 464 But unlike the *Suśrutasaṃhitā*, in the *Kriyākālaguṇottara* the chief taxonomic principle for both groups is the four *varnas*.

⁴⁶¹ HIML: IA, 292-294. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314-315), a translation of this chapter was included in P. V. Sharma 1999-2001: 3, 35-45. The classic work of Jolly (1951: ¶93) offered a short but accurate overview of Indian toxicology.

⁴⁶² Fayrer 1874, first published in 1872.

⁴⁶³ Calling his work a supplement to Fayrer (1874), but also being cited by Fayrer, Ewart 1878 evidently also collected local indigenous knowledge from his "snake-man" (p. 22). 464 Slouber 2016*a*: 144–145.

Literature 153

A discussion of this chapter specifically in the light of the Nepalese manuscripts was published by Harimoto.⁴⁶⁵ After a close comparative reading of lists of poisonous snakes, Harimoto concluded that, "the Nepalese version is internally consistent while the [vulgate] editions are not." Harimoto showed how the vulgate editions had been adjusted textually to smooth over inconsistencies, and gave insights into these editorial processes.⁴⁶⁶

The Seven Stages of Toxic Shock

A prominent feature the *Suśrutasaṃhitā*'s interpretation of envenomation symptoms is the concept of seven successive stages or pulses (*vega*) of toxic shock after a bite. This is interestingly coordinated with the *Suśrutasaṃhitā*'s concept of the *kalā*s, which are either seven layers of skin that come into existence during embryonic development or seven interstitial tissues that separate the various parts of the body.⁴⁶⁷

Contemporary clinical studies of snake envenomation and treatment do not show any awareness of such a seven-stage symptomology of traditional Indian medicine.⁴⁶⁸ Exceptionally, the studies by Barceloux and Özbulat et al., do identify and tabulate three stages of envenomation.⁴⁶⁹ The symptoms of these three stages are mainly characterized by increasing degrees of edema. This differs from the *Suśrutasaṃhitā*'s detailed characterization of changes in skin colour etc.⁴⁷⁰

⁴⁶⁵ Harimoto 2011: 101-104.

⁴⁶⁶ The two editions that Harimoto noted, Su 1938 and Su 1889, present identical texts.

⁴⁶⁷ The system of the কলা is described at 4.4.4-20 (Su 1938: 355-357). Cf. Mahākośa: 1, 183-184, Śabdasindhu: 227-228, Kutumbiah 1962: 6, HIML: 1, 247-248 and notes. This system of dermal and interstitial কলা was not known to the Carakasamhitā as such; rather, the Carakasamhitā mentioned six kinds of skin (লঘ্) (4.7.4 (Ca 1941: 337)), with different names and characteristics, a contradiction discussed by the commentator Cakrapāṇidatta (idem). It appears in later works such as the fourteenth-century Śārngadharasamhitā (1.1.60 (P. Śāstrī 1931: 15)).

⁴⁶⁸ E.g., Ellenhorn 1997; Weinstein et al. 2009; Pillay 2013: 1747–1749; WHO 2019: 19; Mehta and Sashindran 2002; Hamza et al. 2021; A. M. Deshpande et al. 2022.

⁴⁶⁹ Barceloux 2008: 1017, Table 176.3, and Özbulat et al. 2021: 7, and Table 1, broadly following Barceloux.

⁴⁷⁰ I am grateful to Prof. Jan Gerris (U. Ghent) and Prof. Jan Tytgat (KU Leuven) for assistance in finding relevant toxicological literature.

- Now we shall explain the formal procedure (kalpa) that is required knowledge ($vij\tilde{n}\bar{a}n\bar{i}ya$) concerning the venom in those who have been bitten by snakes.⁴⁷¹
- 3 Suśruta, grasping his feet, questions the wise Dhanvantari, the expert in all the sciences.
- 4 "My Lord, please speak about the number of snakes, and their divisions, the symptoms of someone who has been bitten, and the knowledge about the toxic reactions of poisoning". 472

[The Taxonomy of Snakes]

- 5 On hearing his query, that distinguished physician spoke. "The venerable snakes such as Vāsukī and Taksaka are uncountable.
- 6-9ab "They are snake-lords who support the earth, as bright as the ritual fire, ceaselessly roaring, raining and scorching. They hold up the earth, with its oceans, mountains and continents. If they are angered, they can destroy the whole world with a breath and a look. Honour to them. They have no role here in medicine.
 - "The ones that I shall enumerate in due order are those mundane ones with poison in their fangs who bite humans.⁴⁷³
- 9cd–10 "There are eighty kinds of snakes and they are divided in five ways: Darvīkaras, Maṇḍalins, Rājīmats, and Nirviṣas. And Vaikarañjas that are traditionally of three kinds.⁴⁷⁴
 - "Of those, there are twenty and six hooded snakes, and the same number of Mandalins are known. There are thirteen Rājīmats.⁴⁷⁵
 - 471 The Sarvāngasundarī, commenting on Aṣṭāngahṛdayasaṃhitā 1.16.17 (Ah 1939: 246), glossed कल्प as प्रयोग.
 - 472 The expression "toxic reactions" translates वेग, which is other contexts may mean "(natural) urge." Here, it is rather the discrete stages or phases of physiological reaction to envenomation. Cf. the symptoms of cobra poisoning described by Wall (1913: 80).
 - 473 The next few verses are discussed in detail by Harimoto (2011:101–104), who shows that in the taxonomy of snakes, the Nepalese version of the *Suśrutasaṃhitā* has greater internal coherence than the vulgate recension.
 - 474 Harimoto (2011) translated these names as "hooded," "spotted," "striped," "harmless," and "hybrid." Figure 2 shows the taxonomy described in the vulgate text; Figure 3 shows the different and more logical division of the Nepalese version of the *Suśrutasamhitā*.

Or "There are 20 phanins and 6 mandalins. The same number are known. There are 13 Rājīmats." Or even, "there are 20 Phanins and six of them are Mandalins." Are phanins really the same as darvikaras?




Figure 2: The taxonomy of snakes in the vulgate, 5.4.9-13ab (Su 1938: 571).




Figure 3: The taxonomy of snakes in the Nepalese version.

"There are said to be twelve Niriviṣas and, according to tradition, three Vaikarañjas.

[Behaviours]

- "If they are trodden on, ill-natured or provoked or even just looking for food, those very angry snakes will bite. And that is said to happen in three ways: serpented (*sarpita*), torn (*darita*) and thirdly without venom (*nirvisa*). Some experts on this want to add "hurt by the snake's body".⁴⁷⁶
 - 15–16 "The physician can recognize the following as "ophidian (*sarpita*)": Where a rearing snake makes one, two or more puncture-marks of its teeth, when they are deep and without much blood,⁴⁷⁷ accompanied by a little ring of

⁴⁷⁵ The phrasing of this śloka is awkward.

⁴⁷⁶ This might refer to constriction. The phrase reads like a commentarial addition rather than the main text of the *Suśrutasaṃhitā*.

⁴⁷⁷ The word उद्गत "aroused" was glossed by Palhana at 5.4.15 (Su 1938: 571) as उन्मोट्य, a word not found as such in standard dictionaries (MW; KEWA; Mahākośa; Apte). Semantic considerations suggest that the word is not related to √muṭ "break" or mūta/mūṭa "woven basket." Perhaps it is related to the Tamil ઉωσιφ (mōṭi,) whose meanings include

- spots (*cuñcumālaka*),⁴⁷⁸ lead to degeneration, and are close together and swollen.
- Where there are streaks with blood, whether it be blue or white, the physican should recognize that to be "torn (*darita*)," having a small amount of venom.
- 18 The physician can recognize the locations of the bites of a person in a normal state as being free from poison, when the location is not swollen, and there is little corrupted blood.
- The wind of a timid person who has been touched by a snake can get irritated by fear. It causes swelling.⁴⁷⁹ That is "hurt by a snake's body."
- 20 Locations bitten by sick or frightened snakes are known to have little poison. Similarly, a site bitten by very young or old snakes has little poison.
- 21 Poison does not progress in a place frequented by eagles, 480 gods, holy

grammar

[&]quot;arrogance, grandeur, display" (DED₂: #5133) or to faintly-documented forms like *motyate* "is twisted" (CDIAL: #10186). Dalhaṇa's उन्मोट्य may thus mean "twisting up" or "making an arrogant display."

Note that $\ensuremath{\mbox{\sc Tq}}$ "puncture-mark" (more literally, "footprint") is being used in the same sense as in 1.13.19 (Su 1938: 57) when describing the marks on the body where a knife scarifies the skin before leeching. See footnote 56.

⁴⁷⁸ The usual dictionary lexeme is चञ्च, not चुञ्च as in the Nepalese witnesses. We translate "spots" following Dalhana and Gayadāsa on 5.4.15 (Su 1938: 571), where they described a group of spots or swellings at the site of the bite. On the history of the word মালক, see Kieffer-Pülz 1996.

⁴⁷⁹ Wall (1913:69) remarked on the difficulty of separating toxicity symptoms from the psychosomatic effects of terror:

The gravity of symptoms due to fright does not appear to me to be sufficiently recognised, though there is no doubt in my mind that fatal cases from this cause are abundant, especially among the timid natives of this country.

Wall went on to give several case studies in which patients experienced syncope or even died as a result of bites from toxicologically harmless creatures.

⁴⁸⁰ Palhana on 5.4.21 (Su 1938: 571) identified the सुपर्ण as a गरुड. On the bird called सुपर्ण, Dave (1985: 72 ff, 514) too noted that it may be a synonym for Garuḍa, and in some contexts may refer to the Golden Eagle, Golden Oriole, Lammergeyer, etc. Dave (1985: 199 ff, 492) noted again that the Garuḍa is a mythical bird but may refer to the Himalayan Golden Eagle and other species of eagle. He pointed out that historically,

The original physical basis for गरुड as the नागाशी (snake-eater) was most probably the Sea-Eagle who picks up sea-snakes from the sea or sand-beach and devours them on a nearby tree... (Dave 1985: 201).

Dave continued with interesting reference to Śrīharṣa's Nāgānanda.

sages, spirits, and saints, or in places full of herbs that destroy poison.⁴⁸¹

[Characteristic Features of Snakes]

Darvīkara snakes are know to have hoods, to move rapidly, and to have rings, ploughs, umbrellas, crosses, and hooks on them.

- Maṇḍalin snakes are known for being large and slow-moving. They are decorated with many kinds of circles. They are like a flaming fire because of their poisons.
- Rājimat snakes are smooth and traditionally said to be, as it were, mottled with multicoloured streaks across and above.

[Classes of Snake]

- Snakes that are shine like pearls and silver, and that are amber and that shine like gold, and smell sweet are traditionally thought of as being of the Brāhmana caste.
- Warrior snakes, however, are those that look glossy and get very angry. The have the mark of the sun, the moon, the earth, an umbrella and bitumen.
- 27 Merchant snakes may traditionally be black, shine like diamond or have a red colour or be grey like pigeons.
- Any snakes that are coloured like a buffalo and a tiger, with rough skin and different colours are known as servants.⁴⁸²
- 31 All snakes that are variegated (Rājīmats) move about during the first watch of the night. The rest, on the other hand, the Maṇḍalins and the Darvīkaras, are diurnal. 483
- Wind is irritated by all hooded snakes; bile by Maṇḍalins and phlegm by those with many stripes.
- 30 Because of the two classes having greater, lesser or equal class, there is the characteristic of irritating two humours.

⁴⁸¹ For "spirits" the Nepalese version has भूत while the vulgate reads যথ়্.

⁴⁸² Presumably "different" from the earlier-mentioned castes.

The sequence of the following three verses is slightly different from the vulgate (5.4.29–31 (Su 1938: 572)).

⁴⁸³ The readings of the vulgate, that Rājīmats are active in the early night, the Maṇḍalins in the later night, and Darvīkaras in the day, seem clearer.

And he will explain the opposing view that is to be known as a result of the non-union of a male and female.⁴⁸⁴

[Enumeration of Snakes]

34.1 In that context, here are the Darvikaras.

- 1. The Black snake (kṛṣṇasarpa); (mahāpadma);
- 2. The Big Black (mahākṛṣṇa); 16. The Grass Flower (apuṣpa);
- 3. The Black Belly (*kṛṣṇodara*); 17. The Curd Mouth 4. The All Black (*sarvakṛṣṇa*); 485 (*dadhimukha*);
 - The White Pigeon 18. The Lotus Mouth (śvetakapota);⁴⁸⁶ (pundarīkamukha);
- 6. The Rain Cloud (*valāhako*); 19. The Brown Hut Mouth
- 7. The Great Snake (babhrūkuṭīmukha); (mahāsarpa); 20. The Variegated (vicitra);
- 8. The Conch Keeper 21. The Flower Sprinkle Beauty (śaṃkhapāla); (puṣpābhikīrṇnābha);
- 9. The Red Eye (*lohitākṣa*); 22. The Mountain Snake 10. The Gavedhuka (*gavedhuka*); (*girisarpa*);
 - The Snake Around 23. The Straight Snake (parisarpa); (rjusarpa);
 - The Break Hood 24. The White Rip (*śvetadara*);
 - (khaṇḍaphaṇa);25.The Big Head (mahāśīrṣa);The Kūkuṭa (kūkuṭa);and
 - The Lotus (padma); 26. The Hungry Sting (alagarda);

34.2 Here are the Mandalins

12.

13.

14.

15.

1. The Mirror Ring (ādarśamaṇḍala);

The Great Lotus

- 2. The White Ring (*śvetamandala*);
- 3. The Red Ring (raktamandala);

- 4. The Speckled (*pṛṣata*);
- 5. The Gift of God (devadinna);
- 6. The Pilindaka (*pilindaka*);
- 7. The Big Cow Snout (vrddhagonasa);
- 8. The Jackfruit (panasaka);

⁴⁸⁴ The sense of the last phrase here is quite different from the vulgate, which says only that "details" will be explained below.

⁴⁸⁵ Not in vulgate.

⁴⁸⁶ The vulgate adds The Big Pigeon (mahākapota).

	9.	The Big Jackfruit	16.	The Six Part (ṣaḍaṅga);
		(mahāpanasaka);	17.	The Flame (agnika);
	10.	The Bamboo Leaf	18.	The Brown (babhru);
		(venupatraka);	19.	The Ochre (kaṣāya);
	11.	The Kid (śiśuka);	20.	The Khaluṣa (khaluṣa);
	12.	The Intoxicator (madanaka);	21.	The Pigeon (pārāvata);
	13.	The Morning Glory	22.	The Hand Decoration
		(pālindaka);		(hastābharaṇaka);
	14.	The Stretch (tantuka);	23.	The Tatra $(tatra)$; 487
	15.	The Pale as a Flower	24.	The Mark (citraka);
		(puṣpapāṇḍu);	25.	The Deer Foot (enīpada).488
34.3	Her	e are the Rājīmats. ⁴⁸⁹		
0.0	1.	The Lotus (pundarīka);	7.	The Grass Drier (tṛṇaśoṣaka);
	2.	The Stripe Speckle (<i>rājicitra</i>);	8.	The White Jaw (svetahanu);
	3.	The Finger Stripe	9.	The Grass Flower
	Ü	(angulirāji);	v	(darbhapuṣpa); ⁴⁹⁰
	4.	The Two Finger Stripe	10.	The Red Eye (lohitākṣa); ⁴⁹¹
	-	(dvyangulirāji);	11.	The Ringed (cakraka);
	5.	The Drop Stripe (bindurāji);	12.	The Worm Eater (kikkisāda);
	6.	The Mud (kardama);		` ''
34.4	Her	e are the Nirviṣas.		
	1.	The Rain Cloud (valāhako); ⁴⁹²	8.	The Two-day $(dvy\bar{a}hika)$;
	2.	Thei Snake Flag (ahipatāka);	9.	The Milk Flower
	3.	The White Leaf (śukapatra);	Ü	(kṣīrikāpuṣpa);
	4.	The Goat Swallower	10.	The Flower All (puspasakalī);
	•	(ajagara);	11.	The Chariot of Light
	5.	The Stimulator (<i>dīpyaka</i>);		(jyotīratha);
	6.	The Ilikinī (<i>ilikinī</i>);	12.	The Little Tree (vrkṣaka);
	7.	The Year-Snake (varṣāhīka);		· · //

⁴⁸⁷ This seems implausible, but otherwise the list of Mandalins would be short.

⁴⁸⁸ The list is short by one item. Perhaps the one of the snakes named in the vulgate, *cit-ramandala*, *gonasa* or *pingala*, should be considered here.

⁴⁸⁹ The following list is one item short. The vulgate text, however, has several names that do not appear in the Nepalese Rājīmat list, for example Sarṣapaka and Godhūmaka.

⁴⁹⁰ Also in the Darvīkara list.

⁴⁹¹ Also in the Darvīkara list.

⁴⁹² Also in the Darvīkara list.

[Breeding and Gender]

- The Vaikarañjas originate out of contrary unions amongst the three colours. 493 Thus:
 - 1. The Mākuli (*mākuli*);
 - 2. The Pota Throat (potagala);
 - 3. The Oil Stripe (*snigdharāji*);

Amongst those, the Mākuli (*mākuli*); is born when a male Black Snake mates with a female Cow Snout (*gonasa*), or the reverse. The Poṭa Throat (*poṭagala*) is born when a male Rājila mates with a female Cow Snout (*gonasa*) or the reverse. The Oily Stripe (*snigdharāji*) is born when a male Black Snake mates with a female Rājimat, or the reverse. Their poison is like that of their father, because it is the superior one out of the two; but others say it is like the mother. Thus eighty of these snakes have been described.

- Amongst them, males have large eyes, tongues and heads. 494 Females have small eyes, tongues and heads. Neuters have both characteristics, and are slow to exert themselves or be angry. 495
- In that context we shall give instruction in a general way about the sign of having been bitten by any of the snakes.

For what reason?

Because poison acts quickly, like a fire with an oblation, a honed sword, or a thunderbolt.⁴⁹⁶ And ignored for even a period of time, it can drag the patient away. There is not even an opportunity to follow the literature.⁴⁹⁷ And when the symptom of being bitten is stated, there will be three ways of treating it because there are three kinds of snake. Therefore we shall



⁴⁹³ The word *varṇa* in this chapter normally means "colour" not "class." ("Class is expressed by "jāti.") While *kṛṣṇasarpa* is clearly a colour-type, it is less obvious that *gonasī* is a special colour, and *rājimat* is a group of snakes.

⁴⁹⁴ The vulgate includes the snake's mouth in this and the next list.

⁴⁹⁵ The reading मन्दचेष्टाक्रोधा is an awkward compound; possibly the original reading was मन्दचेष्टाः + अक्रोधा and sandhi was applied twice.

⁴⁹⁶ Perhaps the image suggested by "a fire with an oblation" is that of the Pravargya, in which a large flame rises suddenly from the ritual fire.

⁴⁹⁷ The idea seems to be that there is no time to consult the verbose āyurvedic teachings. The "extensive meaning of the collection of statements (वाक्समूहार्थविस्तार)" is singled out as one of Āyurveda's virtues in 5.8.142 (Su 1938: 594). Alternatively, perhaps the patient is unable to understand what the doctor is saying to him.

explain it in three ways. "For this is good for people who are ill, and it removes confusion and in this very case it prevents all symptoms".⁴⁹⁸

[Symptoms of snakebite]

In this context, the poison of a Darvīkara causes the skin, nails, eyes, mouth, urine, feces, and the bitemark to be black; there is driness, the joints hurt and the head feels heavy; the waist, back and neck feel weak; there is yawning, the voice becomes faint, there is gurgling, paralysis, dry throat, cough, wheezing, and hiccups; the wind goes upwards, the patient convulses with sharp pain, black saliva dribbles out, foam appears, the ducts (*srotas*) are blocked and every kind of pain that is due to wind.⁴⁹⁹ The poison of a Maṇḍalin causes the skin, nails, eyes, teeth, mouth, urine, feces, bitemark to be yellow; there is a desire for cold, a temperature, giving off fumes,⁵⁰⁰ a burning feeling, thirst, intoxication, fainting, fever, haemorrhaging (*śonitāgamana*), and the degeneration of the flesh and fat above and below. There is swelling, suppuration of the bite, metamorphopsia (*viparītadarśana*), anger caused by the suffering, and every kind of pain that is due to bile.⁵⁰¹

The poison of a Rājīmat causes the skin, nails, eyes, teeth, mouth, urine, feces, and bitemark to be pale; there is a cold fever, the hair stands on end, there is stiffness and swelling of the limbs including the site of the bite. There is a discharge of viscous phlegm, vomiting, itchy eyes, and a rattling sound. The breath is obstructed and there is every kind of pain due to phlegm.

⁴⁹⁸ In the next passage, the symptoms of snake poisoning are indeed explained under three headings.

⁴⁹⁹ Cf. the similar symptoms of snake venom poisoning by the so-called Brahmin warriors of Harmatelia described by the classical author Diodorus Siculus (fl. ca. 30-60 BCE) (Eggermont 1975: 108).

⁵⁰⁰ The term "giving of fumes (परिधूपायन)" is not in MW: 596 as such, although परिधूपन, परिधूमन and परिधूपायन are cited and referred to the Suśrutasaṃhitā. "Giving off fumes (परिधूपन)" is listed at Suśrutasaṃhitā 2.6.13 (Su 1938: 291) amongst the symptoms of urinary disease caused by phlegm. The editors note a variant reading परिधूमायन but do not tell us in which manuscript (Su 1938: 291, n. 3). Dalhaṇa on 2.6.13 (Su 1938: 292) glossed परिधूपन as "hot all over (समन्ततस्तापः)" and in our current passage as "hot over the whole body (सर्वाङ्गसन्तापः)" (Su 1938: 573). See also Mahākośa: 1, 429: धूमायन "अङ्गानां धूमोद्भमनमिव" citing the Suśrutasaṃhitā.

⁵⁰¹ Ghosh et al. (2023) describes visual disturbances due to snake envenomation.

In that context, "someone bitten by a male gazes upwards, by a female horizontally, and by a neuter, downwards." One bitten by a pregnant snake has a pale face and becomes swollen (ādhmāta). One bitten by a recently-delivered snake is afflicted with abdominal pain and urinates with blood. One bitten by a hungry snake craves food. Those bitten by an old snake have delayed and slow reactions. And one bitten by a young snake is fast and keen. One bitten by a non-venomous snake has the characteristic mark of non-poisoning. Some that are bitten by a blind snake become blind. A constrictor (ajagara) is deadly because it swallows, not because of poison.

[toxic reactions]

In that context, all snake toxins have seven toxic reactions.⁵⁰³

[**Darvīkaras**] Thus, at the first pulse of the Darvīkaras the poison corrupts the blood. That corrupted blood turns black. Because of that, blackness and a feeling of ants crawling about on the body develop.⁵⁰⁴

In the second pulse, it corrupts the flesh. That causes extreme blackness and lumps.

In the third, it corrupts the fat. That causes a discharge at the bite, heaviness of the head and an eclipse of the vision.⁵⁰⁵

In the fourth, it penetrates the trunk of the body (*koṣṭha*). From there, it irritates the humors, particularly phlegm. That causes exhaustion and oozing phlegm, and dislocation of the joints.

In the fifth pulse, it penetrates the bones. That causes breaking of the joints, hiccups and burning.

In the sixth pulse, it penetrates the marrow. That causes humours in the seat of fire in the gut $(grahan\bar{i})$, heaviness of the limbs, diarrhoea, pain in the heart and fainting.⁵⁰⁶

⁵⁰² The grammar of अविषलिङ्गम् is not quite right; it should be a masculine or plural bahuvrīhi. 503 Cf. the same concept in the context of plants, at 138

⁵⁰⁴ Strictly, we would expect a dual verb here, instead of the plural of the witnesses.

⁵⁰⁵ Dalhaṇa on 5.4.39 (Su 1938: 574) glossed the last expression as "blockage of the vision (दृष्ट्यवरोध)."

⁵⁰⁶ The "seat of fire in the gut (प्रहणी)" is an ayurvedic organ in the digestive tract that does not correspond to any specific organ known to contemporary anatomy. For discussion, see *Mahākośa*: v. 1, 304; Meulenbeld 1974b: 619; Das 2003: 544-545.

In the seventh, it penetrates the semen and greatly irritates the vyāna breath (*vyāna*), and causes the phlegm (*kapha*) to run imperceptibly out of the tubes (*srotas*). That causes the appearence of mucous (*śleṣman*), breaking of the hips, back and shoulders, impediment to all movements and shortness of breath.

[Mandalins] Thus, at the first pulse of the Mandalins, the poison corrupts the blood. Corrupted by that, it turns yellow. That causes a yellow appearance and a feeling of heat all over $(parid\bar{a}ha)$.

In the second pulse, it corrupts the flesh. And that causes the limbs to be very yellow and an extreme feeling of heat all over (*paridāha*), and swelling at the bite.

In the third, it corrupts the fat. That causes a discharge at the black bite and sweating.

In the fourth, it penetrates as before and brings on fever.

In the fifth, it causes heat in all the limbs.

In the sixth and seventh, it is the same as before.

[Rājīmats] Thus, in the first pulse of the Rājīmats, the poison corrupts the blood. Corrupted by that, it turns yellow. It causes a person to have hair standing on end and a pale appearance.

In the second pulse, it corrupts the flesh. That causes him to become pale and to become extremely benumbed $(j\bar{a}dya)$.

In the third, it corrupts the fat. That causes moistness of the bite and runny eyes and nose.

In the fourth, it is the same as before. After penetrating, it brings on stiffness of the neck (*manyāstambha*) and heaviness of the head.

In the fifth, speech is slurred and there is a cold fever.

In the sixth and seventh, it is the same as before.

[Summary Verses]

40 There are verses on this.

It is well known that there are seven interstitial layers (kalā) in

between the bodily tissues (dhātu). Poison passing through these one by one produces the toxic reaction (vega).⁵⁰⁷

- The interval taken by the deadly substance (kālakalpa), propelled $(\sqrt{\bar{u}h})$ by air (samīraṇa), to cut the layers of skin is known as the "pulse interval (vegāntara)". 508
- In the first pulse, an animal has a swollen body, is distressed and broods. 509
 - In the second, it dribbles somewhat,⁵¹⁰ the hair stands up on its body, and it has pain $(\sqrt{p}\bar{t}d)$ in the heart.
- The third stage brings headache and it breaks the ears and necks. 511

 In the fourth, the bewildered creature trembles and gnashing its teeth, it gives up life.
- Some experts say that elephants have three toxic reactions. 512
 So, at the first toxic reaction, an bird becomes bewildered and is confused from that point on. At the second, the bird is distressed and, crying out, it dies.

Some people claim that where birds are concerned, there is really just a single toxic reaction (vega) and that amongst animals like cats and mongooses, poison does not take much effect.⁵¹³

⁵⁰⁷ See note 467 above.

⁵⁰⁸ Dalhaṇa on 5.4.41 (Su 1938: 574) glossed कालकल्प as मृत्युसदृशं विषं "the poison resembles death."

⁵⁰⁹ The verb ्र प्रध्ये "meditate, be thoughtful, brood" is unexpected here and in the second class, an epic form. Dalhana on 5.4.42 (Su 1938: 574) noted that some manuscripts did not include the text about animals from this point on. The fact that these verses are present in the Nepales witnesses testifies to their antiquity.

⁵¹⁰ The Nepalese witnesses use लालि-, not लाला-, for "saliva."

⁵¹¹ The scribe of MS H emended the text to read কত্ত্মীৰ with the vulgate. Intransitive use of pass. মস্ত্ৰ.

⁵¹² On अन्तःस्वेद as "elephant," cf. Arthaśāstra 9.1.46 (Kangle 1965: v. 1, 219; Olivelle 2013: 351): हस्तिनो ह्यन्तःस्वेदाः कुष्ठिनो भवन्ति ॥ ४६ ॥.

⁵¹³ See on this subject: Brunton and Fayrer 1909: 39-40; S. A. Minton and M. R. Minton 1969: 88-89 (references taken from HIML: 1B, 399, n. 124).

Kalpasthāna 5: Therapy for those Bitten by Snakes

Introduction

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁵¹⁴

⁵¹⁴ HIML: IA, 294-295. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314-315), a translation of this chapter was included in P. V. Sharma 1999-2001: 3, 35-45.

Passage numbers refer to the canonical numbering of the vulgate edition (Su 1938).

- 1 Now we shall explain the formal procedure (*kalpa*) that is the therapy for someone bitten by a snake.⁵¹⁵
- 3 For a person bitten on a limb by any snake, one should first of all make a strong binding, at four fingers measure above the bite.⁵¹⁶
- 4 Poison does not move around into the body if it is prevented by bandages (*ariṣṭā*) or by any other soft items of cloth (*plota*), leather (*carmānta*) or bark.⁵¹⁷
- Where a bandage (*bandha*) is not suitable, one should raise the bite up and then cauterize it.⁵¹⁸ Suction, cutting and cauterizing are recommended in all cases.
- 6 Suction will be good after filling the mouth with earth (pāṃśu).⁵¹⁹ Alternatively, the snake should be bitten by the person who knows that they have just been bitten.⁵²⁰

⁵¹⁵ On कल्प, see note 471.

⁵¹⁶ Application of a tourniquet is deprecated by modern establishment medicine, which relies on antivenom medications (e.g., Pillay 2013: 150–151 et passim in the literature). The vulgate introduces the word अरिष्टा at this point. This may be a borrowing from Ci.23.251cd (Ca 1941: 582).

⁵¹⁷ It is hard to translate the word अरिष्ठा otherwise than "bandage," as referred to by बधीयात् in the previous verse, and apparently similar to items of cloth etc., and called a बन्ध in the next verse. But in general Sanskrit literature, including medical literature, the word (in masc. gender) means either "an alcoholic tonic" or "an omen of death," (1.30.3 (Su 1938: 137)), or is a plant name. This raises a question mark over its unique meaning in the present context. The Aṣṭāṅgaḥṛdayasaṃḥitā (Utt.36.42cd (Ah 1939: 910)) seems to be a gloss on अरिष्ठा, saying "An expert in mantras may bind using a braid made of silk etc., empowered with mantras" (see also 5.5.8 (Su 1938: 575)). On problems that can arise from tying a bandage too tightly, see 5.5.56 (Su 1938: 577) below.

⁵¹⁸ The vulgate reads उत्कृत्य "having excised" rather than translate उद्भृत्य "having raised up." 519 The vulgate recommends cloth, not earth (5.5.6 (Su 1938: 574)).

⁵²⁰ The syntax is odd here, and the vulgate has removed the difficulties. Dalhana on 5.5.6 (Su 1938: 574) noted that one should hold the snake firmly and give a good bite to its head and tail (हस्ताभ्यामुपसंगृह्य पुच्छे वक्रे च सर्पः सम्यग् दष्टव्यः). Our colleague Dr Madhu K. Paramesvaran reports that this procedure is known in Malayalam viṣavaidya treatises and is practiced in Kerala, though rarely: "this practice has been described as one of the first-response cares for snakebite in most of the Malayalam texts of Vishavaidya. I have never seen this happening in real life and my teachers used to consider it to be a method

7 Now, one should in no way cauterize someone bitten by a Maṇḍalin. Because of the over-abundance of poison in the bile (*pittaviṣa*), that bite will be lethal as a result of cauterization.⁵²¹

The application of mantras

- 8 An expert in mantras should tie on a bandage (*ariṣṭā*) too, with mantras. But they say that a bandage that is tied on with cords and so on causes the poison to be purified.⁵²²
- 9 Mantrās prescribed by gods and holy sages (*brahmarṣi*), that are imbued with truth and religious power (*tapas*) are inexorable and they rapidly destroy intractable poison.
- Drugs cannot eliminate poison as quickly as the application of mantras imbued with religious power (*tapas*) and imbued with truth, holiness (*brahma*) and religious power.⁵²³
- The mantras should be received by a person who is abstaining from women, meat and mead (*madhu*), who has a restricted diet, and who is pure and lying on a bed of halfa grass.
- For the mantras to be successful, one should diligently worship the deity $(devat\bar{a})$ with perfume, garlands, and oblations $(upah\bar{a}ra)$, as well as sacrificial offerings (bali), and with mantra repetition (japa) and rituals.⁵²⁴
- But mantras pronounced illicitly or that are deficient in accents (*svara*) and letters do not give success. So antitoxic (*agada*) procedures need to be employed.
 - (albeit a bit outrageously dangerous) for self-reassurance by the patient." (Paramesvaran 2023). Cf. the Visavaidya text edited by Mahādeva Śāstrī (1958).
- 521 Verses 5.4.29, and 37 above note that the venom of Maṇḍalins particularly irritates the bile.
- 522 Dalhana on 5.5.8 (Su 1938: 575) clarified that on the one hand the bandage must be accompanied with mantras, but on the other hand, it may also be used without mantras. The verse seems to put two points of view.
- 523 Dalhaṇa on 5.5.10 (Su 1938: 575) noted that mantras like "kurukullā" and "bheruṇḍā" are explained in other treatises and therefore not explained further in his commentary. These two mantras are the names of tantric Śaiva and Buddhist goddesses. For a study on this specific subject see Slouber (2016b). HIML: IIB, 151, n. 344 provides a bibliography to 2002 of studies on Kurukullā, who is mentioned in Māhuka's *Haramekhalā*, and Meulenbeld 2008a: 30–34 includes discussion of Bheruṇḍa as a bird, with related terms.
- 524 Dalhaṇa on 5.5.12 (Su 1938: 575) noted that उपहार includes incense, while बिल refers to sacrifice with an animal (सपशुनैवेद्य).

Blood letting

- A skilled physician should puncture a duct (*sirā*) which is located on the limb (*śākhāśrayā*), and comes from the bite and the general area. If the poison has spread, one on the forehead should be pierced.
- The blood being drawn out draws away all the poison.⁵²⁵ Therefore one should cause blood to flow, for that is his very best procedure.
- 16 After incising (*pracchāna*) the area around the bite, one should smear it with antidotes and sprinkle it with water infused with sandalwood and cuscus grass.⁵²⁶

Internal medications

- One should make him drink various antidotes together with milk, honey and ghee. If they are unavailable, the earth of black ants can be good.⁵²⁷
- 18 Alternatively, he should consume orchid tree, siris and purple calotropis or white siris too. He should not drink sesame oil or horse gram, nor wine or Indian jujube.
- But after drinking any other liquid at all, he should throw up after drinking it. For on the whole, poison is easily removed by means of vomiting.

Therapies at each pulse of toxic reaction

In the case of hooded snakes, when there is a toxic reaction (*vega*) first one should let blood. At the second, one should make him drink an antidote (*agada*) together with honey and ghee.⁵²⁸

⁵²⁵ The Nepalese version uses a present passive participle construction here, that is less common than the vulgate's locative absolute. The Nepalese version states that it is the blood coming out of the patient that carries away the venom; the vulgate text says merely that the venom emerges while the blood comes out.

⁵²⁶ সম্ভান is the second of the two methods of blood letting described in the vulgate text of the *Suśrutasaṃhitā* at 1.14.25 (Su 1938: 64); this verse does not appear in the Nepalese version of the *Suśrutasamhitā*.

⁵²⁷ This refers to earth taken from an anthill. In South Asia, there is a long tradition of considering such earth to be beneficial and even holy (e.g., Irwin 1982).

⁵²⁸ This section reproduces some of the therapies from *Suśrutasaṃhitā* 5.2.40-43 (Su 1938: 566) on the stages of slow poisoning (*dūṣīviṣa*) by plant poisons; see translation on p. 139 above.

At the third one should use errhines and collyrium $(a\tilde{n}jana)$ that destroy poison.⁵²⁹ At the fourth, when he has vomited, the physician should make him drink a gruel $(yav\bar{a}g\bar{u})$ that destroys poison.

- At the fifth and sixth toxic reactions one should make the person drink something that aids cooling, that is cleansing and sharp (tīkṣṇa), and a well-regarded gruel too.
- But at the seventh, one should purge (\sqrt{sodh}) his head with a sharp sternutatory.⁵³⁰

In the case of Mandalins

- Amongst Maṇḍalins, the earliest toxic reaction (*vega*) should be treated in the same way as with Darvīkaras.⁵³¹
- At the second, one should make him drink ghee and honey and then make him vomit.⁵³²
- At the third, one should give the purged patient healthy gruel. At the fourth and the fifth too, one should do the same as for the Darvīkara.
- At the sixth, wholesome things from the group of plants starting with cottony jujube should be drunk and a sweet antidote.⁵³³ And at the seventh, a wholesome antidote that destroys poison in a sternutatory (*avapīda*).⁵³⁴

⁵²⁹ The rare word नस्त: "from or into the nose" in नस्तः कर्म "errhine" is supported by both Nepalese manuscripts. The term is more common in the *Carakasamhitā*, occurring eleven times, e.g., at 1.20.13 (Ca 1941: 114), 2.1.36 (Ca 1941: 203), et passim. The *Carakasamhitā* describes how collyriums, especially रसाञ्जन, cause phlegm to flow, thus clearing the eyes (1.5.14–19 (Ca 1941: 38–39)). This could be appropriate in expelling poisons.

⁵³⁰ The vulgate adds a half-verse here recommending the application of a collyrium $(a\tilde{n}jana)$ to a cut made on the patient's head.

⁵³¹ The vulgate again adds a half-verse here, recommending the "crow's foot" incision on the patient's head. On this procedure, described in *Carakasamhitā* 6.23.66-67 (Ca 1941: 574), see Wujastyk 2003b: 145. This text is not supported here, as it was not in the Nepalese text at *Suśrutasamhitā* 5.2.43 (Su 1938: 566) either. See footnote 407, p. 139 above. As stated there, it appears that this procedure was known in the tradition of the *Carakasamhitā*, but not in the earliest text of the *Suśrutasamhitā*.

⁵³² Again, the vulgate text differs substantively, adding another half-verse. But the general idea of the treatment is the similar.

⁵³³ The "group of seventeen plants beginning with cottony jujube" (काकोल्यादि गण) is described at *Suśrutasaṃhitā* 1.38.35–36 (Su 1938: 167). These plants pacify the bile, blood and wind and increase phlegm, body-weight, semen and breastmilk.

⁵³⁴ The अवपीड is described at Suśrutasaṃhitā 4.40.44-45 (Su 1938: 556), where it is also

In the case of Rajimats

- 28 Now, Amongst Rājimats, one should let blood at the first toxic shock.⁵³⁵
- At the second, a patient who has vomited should be made to drink an antidote that destroys poison. At the third, fourth and fifth, the rule that applies to the Darvīkara is suitable.
- 30 At the sixth, use a very sharp collyrium $(a\tilde{n}jana)$, and at the seventh a sternutatory $(avap\bar{\iota}da)$. There is a prohibition on using blood-letting for pregnant women, children and the elderly.
- 31ab In those who are in pain because of poison, it is advised that the prescribed procedures be applied gently.

31ab In animals

In goats and sheep, bleeding and collyriums are the same as for people.

32cd In cows and horses, that is twice as much; three times as much for buffalos and camels, four times for elephants and simply (*kevala*) for all birds. 536537

write note on pariṣekān pradehāṃś

Subsequent therapies

One should consider carefully with one's intellect the location, constitution (*prakrti*), suitability (*sātmya*), the season, the poison, and the strength

recommended for victims of snakebite. It is a type of head-evacuant. Commenting on that passage, Dalhaṇa cited "other treatises" as saying that अवपीड treatment was suitable for restoring the consciousness of those who have been poisoned. He also quoted a text by an authority called Videha, that says the same. Videha was an author known to Dṛḍhabala (according to Cakrapāṇidatta) and often cited in the *Madhukośa* on the topic of eye diseases (HIML: IA, 132 et passim). See also *Mahākośa*: 1, 62–63.

- 535 The vulgate text says that the blood-letting should be done with a gourd. It also has an extra half-verse here, prescribing an antitoxin to be drunk together with honey and ghee.
- 536 Dalhana on 5.5.32 (Su 1938: 576) explained "simply for all birds" as meaning that birds should receive just drugs, and not blood-letting or collyriums. See p. 164 for the toxic reactions in birds and other animals.
- 537 The vulgate includes several verses after this sentence that give a recipe and also a list of specific items like place and constitution that should be given careful consideration. Palhana on 5.5.33 (Su 1938: 576) cited the opinions of Gayadāsa and Jejjaṭa on this recipe but stated that he preferred to follow the contrasting opinions of Vṛddhavāgbhaṭa (1.25.24cd-25aba (As 1980: 184)) and Suśruta (4.31.29cd-30ab (Su 1938: 511)) on this topic, as well as several citations "another work" (तन्त्रान्तर) that is unidentified.

or weakness of the toxic reaction and then proceed with therapy.⁵³⁸

- 47–48ab One should eliminate this poison completely. It is extremely hard to overcome. For even a small amount remaining can strongly bring about a toxic reaction.⁵³⁹
- Or it may lead to dejection, pallor, fever, cough and headaches, dessication, swelling, catarrh, poor vision, disinterest in food (*aruci*) or rigidity (*jāḍyatā*).⁵⁴⁰ And in such cases one should apply the cure as appropriate.⁵⁴¹
- 50-51ab One should also treat the secondary ailments (*upadrava*) of a poisoned patient each as appropriate.

Now, after the bandage (arista) has been removed and after the place marked by it has been quickly incised (pracchana) one may see poison that has leaked out there, and a toxic reaction may strongly result.

Treatment of secondary ailments

- 52.1 Once the poison has disappeared one can conquer irritated wind using items that restrain the wind.⁵⁴²
 - 53 One can conquer bile using substances that remove bile-fever (pittajvara),

⁵³⁸ The vulgate here has twelve verses not found in the Nepalese version. These verses explicitly switch subject away from assessments according to toxic reactions and to the treatment of both mobile and immobile poisons, starting from physical symptoms such as swelling and discolouration as well as humoral theory. At the point where the vulgate summarizes the extra verses, saying that cases should be treated "according to their humors" (यथायोप, the Nepalese witnesses have "as is appropriate" (यथायोप, 5.5.49cd (Su 1938: 577)). This suggests that the text has been edited to fit the insertion of the verses referring to humoral therapy. These verses also include therapies such as the crow's foot treatment (see footnotes 407 and 531, pp. 139, 169 above) and the beating of drums that have been smeared with antidotes, as discussed in *Suśrutasaṃhitā* 5.6 (Su 1938: 580-582) (see p. 177 below).

⁵³⁹ The word अवतिष्ठं "remaining" is hard to parse. It cannot be a णमुल् formation (Pāṇini 3.4.22 ff), because of the root's reduplication, and should not be a present participle because it is not neuter. However, lack of gender concord is not unknown in Epic Sanskrit; several of the examples cited by Oberlies (2003: § 10.2.1) even involve present participles without gender concord. Cf. Edgerton 1953: 1, § 6.12 for examples in BHS.

⁵⁴⁰ Palhaṇa on 5.5.49ab (Su 1938: 577) reported a reading from Jejjaṭa of स्तैमित्य "immobility" instead of प्रतिश्याय "catarrh."

⁵⁴¹ The vulgate introduces दोष theory here, which is absent in the Nepalese version.

⁵⁴² This half-verse is is not present in the vulgate, but has broadly the same sense as 5.5.52cd (Su 1938: 577), that is not present in the Nepalese version.

with decoctions, oleation and purges, combined with substances that remove poison, with the exception of sesame oil (*taila*), wine, horse gram, and mangosteen.⁵⁴³

- One can conquer phlegm with the group that starts with golden shower tree, together with honey.⁵⁴⁴
- If the the bandage (ariṣṭā) is bound tightly, or if it is incised (pracchita) with sharp ointment or with the remnants of the poison, then, when the limb swells up, the flesh weeps, smells a great deal and is is putrid (sīrna), it is designated "poison-stink (visapūti)." 545
- One may be certain that a person has been struck by something poisoned (digdha) if their wound immediately starts to suppurate has black blood that flows and is inflamed, as well as having black, weeping and exceptionally foul-smelling flesh coming out of the wound and also someone who has thirst, fainting (mūrcchā), fever and a temperature. 546
- One who is known to have these exact symptoms may have poison in their wound that is † given by mistake.† And they may have a wound that has been hit by something poisoned (digdha) and is full of poison. And others are sick because of a wound that stinks because of poison. The wise person debrides the excess flesh of such people and then, after removing the blood by means of leeches and after removing the humours from above and below, he should irrigate with cold bark decoctions from milky trees. And he should apply items that destroy poison such as cloths containing ointments together with cold liquids mixed with ghee.
 - When the bone is injured by poisons, the very same rule should be followed as for bile poison.

⁵⁴³ The vulgate reads "fish" in place of "wine."

⁵⁴⁴ The आरग्वधगण is listed at *Suśrutasamhitā* 1.38.6 (Su 1938: 164). These herbs are there explicitly said to pacify phlegm and to remove poison, etc. (1.38.7 (Su 1938: 164)).

⁵⁴⁵ *Suśrutasaṃhitā* 5.5.16 (Su 1938: 575) (p. 168 above) suggests smearing an incised area with antidotes.

⁵⁴⁶ The Nepalese witnesses describe someone who has been struck or hurt (ধ্বন, आहत), while the vulgate describes someone who is pierced (विद्ध). Dalhana on 5.5.58ab (Su 1938: 576) interpreted the latter wording as being struck by a poison-smeared arrow.

Antitoxin drugs

61cd-63ab

The following items are powdered, mixed with honey and put in a horn: turpeth, weaver's beam tree, liquorice, the two kinds of turmeric, Indian madder and Himalayan mayapple,⁵⁴⁷ and all kinds of salt.⁵⁴⁸ This antidote, taken with drinks, collyrium (añjana), oil rubs (abhyañjana), errhines and drugs, destroys poison.

With its relentless potency (vīrya) and as a destroyer of the toxic reaction (vega) to poison, it is called "The Great Antidote" and has great power.

63cd-65ab

Very fine embelia, velvet-leaf, the three myrobalans, wild celery, and devil's dung, as well as Himalayan mayapple and the three pungent drugs, the whole group of salts, together with leadwort and honey should be placed in a cow's horn and covered with something made of cow's horn. It should be set aside for two weeks. This antidote is called "Unbeaten" because it conquers both stationary and mobile poisons.

65cd-68ab

One should make a fine powder of the following items and place them in a horn, together with honey: long-stamen Wenlandia (?), deodar, grey orchid, black creeper, kutki, Himalayan yew, rosha grass, wild Himalayan cherry, Alexandrian laurel, scramberry, natron, sedge, cardamom, blue Indian symphorema, powdered ruffle lichen, costus, crape jasmine, foxtail millet, lodh tree, Indian bdellium-tree, red ochre, rock salt, long pepper, and dried ginger. This antidote (agada) is identified as "Garuḍa (tārkṣya)." It can even destroy the poison of the snake prince Takṣaka (takṣaka).

69cd-72ab

One should make powder of the following items and place it in a horn: spikenard, peas, the three myrobalans, horseradish tree, Indian madder, liquorice, wild Himalayan cherry, embelia, scramberry, Indian sarsaparilla, cardamom, cinnamon, costus, Himalayan mayapple, sandalwood, verbena, bitter gourd, white siris, velvet-leaf, colocynth, hare foot uraria, black creeper, Asoka tree, mulberry, toothed-leaf limonia, and the flower that is the

⁵⁴⁷ There is no मञ्जिष्ठा group, but there is a plant वक्र.

⁵⁴⁸ There is a लवणवर्ग, (1.46.313-321 (Su 1938: 236-237)).

blossom (prasūna) born from the fruit of the marking-nut. The bile derived from boars, monitor lizards, peacocks, and porcupines is to be added, with honey, and the products of civet, chital deer and mongoose. 550

This properly-prepared antidote is called "Bull." Someone who has it in the house is called "Bull Amongst Men." There will be no snakes there, nor even insects: they lose their potency and their toxins too.

72cd-73ab

Drums and tabors smeared with this rapidly destroy poison when they are sounded. Smeared flags flags being looked upon easily and quickly overcome poison.

73ab-75ab

One should make a powder of the following items and place the collection in a cow's horn, mixed with turmeric, and mingled with honey and ghee. As before, there is a cover: lac, the two peass, spikenard, foxtail millet, Indian madder, liquorice and gummy gardenia. It should then be used with collyrium (añjana), drinks and errhines. This antidote is called "Resuscitator (sañjīvana)" because it brings to life the dead whose breath is almost gone.

75cd-76ab

The best antidote for the poisons of Darvīkaras and Rājilas is Indian cherry, 551 bayberry, citron, white clitoria, winged-stem canscora, white siris, and sugar, taken with amaranth. 552

76cd-78ab

The best antidote for the poison of Mandalins is grapes, Withania, Indian frankincense, ground white clitoria, combined in equal amounts and given with two parts of the leaves of holy basil, and those from wood apple, Bengal quince and pomegranate, as well as one measure from those of white Indian symphorema sage-leaved alangium seed as well as red ochre. 553

⁵⁴⁹ Palhaṇa on 5.5.70 (Su 1938: 579) glossed प्रसून more specifically as तुलसीपुष्प "the Tulasi flower."

⁵⁵⁰ All three animals produce musk. Dalhana on 5.5.71 (Su 1938: 579) remarked that some people thought शिखी was a cock, not a peacock. He also here glossed पृषत as चित्तल.

⁵⁵¹ Dalhaṇa on 5.5.75 (Su 1938: 579) noted the common name बहुवार for श्लेष्मातकी.

⁵⁵² राजिल appears to be a synonym for राजिमत्, a "striped" snake. Dalhana on 5.5.76ab (Su 1938: 579) once again gives interesting local synonyms for these plant names.

⁵⁵³ After this passage, the vulgate has five and a half verses that do not appear in the Nepalese version.

84ab-86

The following group is known as the One Essence (ekarasa):⁵⁵⁴ beautyberry, hibiscus (?), weevil wort, and mango, as well as maloo creeper, Indian pennywort, three-leaved caper, spurge, hogweed, smooth angelica, croton tree, and Indian snakeroot as well; black earth (bhūmī),⁵⁵⁵ and bluebell barleria. Whether used separately or in pairs, it removes poison.

554 The vulgate reads एकसर, "one run." Dalhana on 5.5.86 (Su 1938: 580) also read एकसर and glossed it as the proper name of a गण.

⁵⁵⁵ A hapax in this meaning *Mahākośa*: 1, 582. So glossed by Palhaṇa on 5.5.86 (Su 1938: 580): भूमि: कृष्णमृत्तिका ॥;

Kalpasthāna 6: Beating Drums

Introduction

Literature

A brief survey of this chapter's contents and a detailed assessment of the existing research on it to 2002 was provided by Meulenbeld.⁵⁵⁶

Translation

- 1 Now I shall explain the formal procedure (*kalpa*) for drumming.
- One should take the ash of the following items, mix it with cows' urine and an alkaline compound, take an extract and cook it thoroughly: axlewood, garjan oil tree, sandan, neem, weaver's beam tree, corky coral tree, 557 cluster fig, emetic nut, arjun, white dammer tree, white siris (?), Indian cherry, sage-leaved alangium, Tellicherry bark, shami tree, wood apple, maloo creeper, purple calotropis, Indian elm, oleander spurge, tree of heaven, liquorice, horseradish tree, teak, prickly-leaved elephant's foot, Himalayan birch, viburnum, marsh barbel, woody-fruited jujube, and white babool.

One should add to this the powder of the following items, together with an equal quantity of powdered metals: long pepper, long pepper root, amaranth, cinnamon, smooth angelica, Indian madder, pongame oiltree, gajpipul, embelia, soot, Indian symphorema, soma,⁵⁵⁸ chir pine, saffron,

Roots page number.

⁵⁵⁶ HIML: IA, 295. In addition to the translations mentioned by Meulenbeld (HIML: IB, 314-315), a translation of this chapter was included in P. V. Sharma 1999-2001: 3, 61-66.

⁵⁵⁷ The ingredients to this point are similar to the water-detoxifier described in Suśrutasam-

halfa grass, mango, Indian mustard, three-leaved caper, Indian laurel, itchytree, castor-oil tree, pussywillow, purging nut, blackboard tree, Indian trumpet tree, cherry, croton tree, ⁵⁵⁹ Himalayan monkshood, deodar, black pepper, costus, and sweet flag. ⁵⁶⁰ Once it has been brought to the boil with the alkali, one should take it down and place it in a iron pot. ⁵⁶¹

- 4 One should smear this onto a drum as well as onto flags and blankets.⁵⁶² One is released from all poisons as a result of seeing and hearing these.
- 5-7 This is called "The Caustic Antidote." It should be given in cases of small urinary calculi (śarkarā), urinary calculus (aśmarī), 563 hemorrhoids, windswelling (vātagulma), cough, abdominal gripes (śūla) and swollen belly (udara). It should be given for indigestion, humours of the abdomen (grahanīdoṣa), 564 and severe aversion to food (bhaktadveṣa), 565 in swelling, mouth ulcer (sarvasara), 566 and persistent asthma (śvāsa). This is to be employed in all cases where someone is suffering as a result of any poison. Thus, it is the antidote that is the Snakes' Controlling Hook (sarpānkuśa)

hitā 5.3.9 (Su 1938: 568), p. 146 above.

⁵⁵⁸ The literature on the identification of Soma is large (Wujastyk 2003*b*: passim). To the cited literature, the useful historical discussion by T. B. Singh and Chunekar (GVDB: 449–455) gives special attention to the āyurvedic literature.

⁵⁵⁹ Palhana on 5.6.3 (Su 1938: 580) glossed नागदन्ती as a type of इन्द्रवारुणी (colocynth), but he noted that Jejjata had thought it was दन्ती (red physic nut).

⁵⁶⁰ Palhana on 5.6.3 (Su 1938: 580) noted that Gayadāsa omitted several of the above ingredients, keeping thirty.

⁵⁶¹ Dalhaṇa on 5.6.3 (Su 1938: 580) explained that the above substances, from pepper onwards, should be placed in liquid alkali and then cooked until they are neither too runny nor too viscous (a phrase he copied from 1.11.11 (Su 1938: 47)). The preparation of पाक is particularly common in the Suśrutasamhitā and the Aṣṭāngahṛdayasamhitā. Cf. the very similar ingredients and procedure in the chapter on alkali preparations, Suśrutasamhitā 1.11.11 (Su 1938: 46-47), p. 25 above.

⁵⁶² The vulgate has तोरण "gateways" instead of आस्तरण "blankets."

⁵⁶³ अश्मरी and शर्करा are described in *Suśrutasaṃhitā* 2.3 (Su 1938: 276-280), the latter being smaller and more easily expelled (2.3.13cd-14 (Su 1938: 279); cf. *Mahākośa*: 1, 67-68, 808-809). The commentators Cakrapāṇidatta and Dalhaṇa discussed the lack of a firm distinction between these categories.

⁵⁶⁴ On the organ called ग्रहणी, see the useful summary by Ramachandra Rao and Sudarshan (1985–2005: 2, 20–21, 96 et passim).

⁵⁶⁵ A sign of impending death according to Suśrutasaṃhitā 1.32.4 (Su 1938: 142).

⁵⁶⁶ See *Mahākośa*: 1, 888 and *Suśrutasaṃhitā* 2.16.65–66 (Su 1938: 336) and 4.23.3 (Su 1938).

even for the snakes led by Takşaka.^{567,568}

Grind prickly chaff-flower seeds and the beans of siris, the two white clitorias and black nightshade with cows' urine. A ghee mixed with these is the most effective means of soothing poison. It is famous under the name "Immortal (Amṛta)." It can revive even the dead.

14–23 Collect together the following requisites:

⁵⁶⁷ বস্থক is an ancient name for a Nāga, mentioned in the *Kauśikasūtra* (28.1 et passim, Bloomfield 1890: 78). Takṣaka is mentioned briefly in the *Rāmāyaṇa* (Pollock 1991: 292, n. 13) and more in later works. See further, Slouber 2016a: 22, 26, 37, et passim. The *Kriyākālottaratantra*, edited by Slouber, contains a similar sentence (7.26cd, p. 232): "Even someone bitten by Takṣaka will be rapidly cured of poison."

⁵⁶⁸ There follow four verses in the vulgate, 8–11, that are not present in the Nepalese version. These list ingredients that form a ghee called The Salutary (kalyāṇaka). This ghee recipe with the same name is also present in the Uttaratantra at 6.39.229–232 (Su 1938: 689), where it is a treatment for mostly similar ailments: chronic fever, asthma, cough, swelling, madness and a toxic potion (gara) (defined at 5.8.24cd–25ab (Su 1938: 587) as something manufactured, कृत्रिम). However, in the Nepalese version at 6.39.232, the vulgate statement of this name "एतत्कल्याणकं नाम सर्पिमाङ्गल्यमृत्तमम्" is not present. Thus, in the Nepalese version, The Salutary (kalyāṇaka) is not named. The same named ghee also appears in the Carakasamhitā at 6.9.35–42ab (Ca 1941: 471), where it is presented as a treatment for madness (unmāda) as well as many other ailments including those mentioned above in the Suśrutasamhitā (excluding swelling); it is possible that this is a case where a text from the Carakasamhitā was added to the Suśrutasamhitā after the Nepalese version.

??, ??, and sandan. Make a fine powder out of these

Kalpasthāna 8: Poisonous insects

Introduction

Literature

Translation

28 iguana 29 ⁵⁶⁹

Part 6. Uttaratantra

Uttaratantra 17: Preventing Diseases of the Pupil

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁵⁷⁰

The history of couching in India has been discussed since the nineteenth century,⁵⁷¹

The therapies in this chapter make frequent use of collyrium $(a\tilde{n}jana)$. This substance and its uses and variants are described in $Carakasamhit\bar{a}$ 1.5.14–19 (Ca 1941: 38–39). In the $Su\acute{s}rutasamhit\bar{a}$, they are included in the "group starting with $a\tilde{n}jana$ " $(a\tilde{n}jan\bar{a}digana)$, that is listed at 1.38.41–42 (Su 1938: 167). They are described as valuable for counteracting blood-bile (raktapitta), poison and overheating $(d\bar{a}ha)$.

Translation

- 1 Now I shall explain the counteraction (*pratisedha*) of diseases located in the pupil (*dṛṣṭi*).
- There are three curable $(s\bar{a}dhya)$, three incurable $(as\bar{a}dhya)$, and six mitigatible $(y\bar{a}pya)$ diseases located in peoples eyes. Among these, three are curable $(s\bar{a}dhya)$. Amongst these three, the remedy $(prat\bar{i}k\bar{a}ra)$ has been stated for the one called "seeing smoke $(dh\bar{u}madarsin)$ ".⁵⁷²

⁵⁷⁰ HIML: IA, 305-306.

⁵⁷¹ Scott 1817; Breton 1826; Jack 1884; Hendley 1895; Elliot 1918; V. P. Śāstrī 1940; V. Deshpande 1999; 2000; Wujastyk 2003*b*; Fan 2005; Leffler et al. 2020.

⁵⁷² This disease and its cure are described earlier (SS.6.7.39 and SS.6.10.16 (Su 1938: 609

where is cutting with a knife related to removing bile or phlegm.

maṣī burned charcoal. Find refs. 3–5ab When the eye is inflamed (*vidagdha*) by bile and when it is inflamed by phlegm, one should apply the method for removing bile and phlegm, using nasal medicines (*nasya*), irrigation (*seka*), application of collyrium (*añjana*), liniment (*ālepa*), and medicines cooked in a crucible (*puṭapāka*), together with an eyewash (*tarpaṇa*),⁵⁷³ but not cutting with a blade (*śastraksata*).⁵⁷⁴

One should drink ghee (sarpis) prepared with the three fruits ($triphal\bar{a}$) and in the first [case where the problem is bile], and prepared with turpeth (traivrta) in the latter [case, of phlegm].

And ghee with viburnum extract is wholesome in both cases, or else aged ghee on its own.

- 5cd-7ab In a collyrium (añjana), these four compounds (yoga) are beneficial in both cases:
 - red ochre, rock salt, long pepper and the black soot $(ma \sin i)$ from cow's teeth;
 - cow's flesh (*gomāmsa*), black pepper, siris and realgar;
 - stalk (vrnta) from a wood apple with honey (madhu);⁵⁷⁵
 - or the the fruits of the velvet bean.
 - The physician should make a collyrium (*añjana*) with ground up metal (*kupyaka*),⁵⁷⁶ Asoka tree, sal tree, mango, foxtail millet, lotus, blue waterlily, together with peas, emblic myrobalan, myrobalans, long pepper. It should be combined with ghee and honey.
 - 9-10 Also, when bile and phlegm have developed, the physician should apply peas with the expressed juice (*svarasa*) of the flowers from mango and jambul trees.

Then this collyrium $(a\tilde{n}jana)$, matured (vipakva) with ghee and honey, should then be applied.

and 614) respectively). The latter part of this verse is hard to construe and the text here may have been altered at an early period.

⁵⁷³ These therapies are described in SS.6.18 (Su 1938: 633–640).

⁵⁷⁴ Dalhaṇa interpreted this as blood-letting (*sirāvedha*), which is discussed in SS.1.14 (Su 1938).

⁵⁷⁵ Wood apple (कपित्य) in this verse is ablative singular or accusative plural, neither of which construe obviously.

⁵⁷⁶ A metal other than gold or silver, according to V. Jośī and N. H. Jośī (*Mahākośa*: 1, 217) (on কুप्प). The Nepalese witnesses have the rare কুप्पक rather than the vulgate's কু-ভ্যক, which makes no real sense. Perhaps lead, which is used in making contemporary collyrium.

Filaments ($ki\tilde{n}jalka$) of lotus and blue water-lily, with red ochre, and the juice of cow-dung ($go\acute{s}akrt$) are a collyrium ($a\~{n}jana$) in the form of a pill ($gu\rlap/d}ik\=a$). This is good for both day and night blindness.

- 11cd-12ab Elixir-salve (*rasāñjana*), honey, ghee, scramberry, together with gold and ochre, with the juice of cow-dung (*gośakṛt*) are for an eye afflicted with bile.
 - Alternatively, wise physician should first grind together elixir-salve (*sīta*) and stibnite (*sauvīraka*), infused (*bhāvita*) with the blood of birds and animals (*rasa*).⁵⁷⁷ Then he mixes it with the bile of a tortoise or with extract of rohu carp (*rauhita*). It should always be used with powdered collyrium (*añjana*) to quell the bile.
 - 14 Thus, a collyrium (*añjana*) of white teak flowers, liquorice, Indian barberry, lodh tree and elixir salve (*rasāñjana*) is always good as a collyrium in this case.
 - Alternatively, for those who cannot see during the day, this pill $(gudik\bar{a})$, with sandalwood, is recommended: salt $(nad\bar{i}ja)$, conch shell and the three spices, collyrium $(a\tilde{n}jana)$, realgar $(mana\dot{h}sil\bar{a})$, the two turmerics $(rajana)^{578}$ and liver extract $(yakrdrasa)^{.579}$
 - 16 One should grind up kohl (*srotoja*),⁵⁸⁰ and ?? and long pepper and also harenu (*harenu*). Such wicks with goats urine are good in a collyrium (*añjana*) for night blindness (*kṣaṇadāndhya*).
 - 17–18ab Alternatively, in such a case, grind together Indian sarsaparilla $(k\bar{a}l\bar{a}nus\bar{a}riva)^{581}$ long pepper, dried ginger $(n\bar{a}gara)$ and honey, the leaf of the scramberry $(t\bar{a}l\bar{i}sapatra)$, the two turmerics (rajana), a conch shell and liver extract (yakrdrasa). Then shade-dried wicks take away illness (ruj).
- 18cd-19ab Wicks made of red arsenic ($manah sil\bar{a}$), chebulic myrobalan ($abhay\bar{a}$), the three spices (vyosa). Indian sarsaparilla ($s\bar{a}riva$), cuttlefish bone

⁵⁷⁷ This was Dalhaṇa's preferred interpretation of *rasa* "juice" in this context. He also noted that some take elixir-salve (*sīta*) to be camphor.

⁵⁷⁸ Turmeric (Curcuma longa *Linn*.) and tree turmeric (Berberis aristata DC). The term *rajana* is unusual; the normal term is *rajanī*. *Rajana* occurs in *Suśrutanighaṇṭu* 158 in the sense of Ferula asafoetida, Linn.

⁵⁷⁹ This verse appears as no. 27 in the vulgate.

⁵⁸⁰ Glossed by Dalhaṇa as a kind of collyrium (*añjana*). Cf. Nadkarni 1954: 2.M13 and P. V. Sharma 1982: 197–198

⁵⁸¹ There are two forms of *sārivā* mentioned widely in Āyurvedic literature, the white and the black. Ideas on the identity of the black form are particularly fluid. See Sivarajan and Balachandran (ADPS: 434–438) for a clear discussion.

(samudraphena), combined with goat's milk are good.

- One should cook a honey collyrium (*kṣaudrānjana*) either in the juices of cow's urine (*gomūtra*), and bile, spirits (*madirā*), liver (*yakṛt*), and emblic (*dhātrī*) or else in the juice of the liver (*yakṛt*) of something different, or else with the extract of the three fruits (*triphalā*). One of these should be mixed with cow urine, ghee and cuttle fish (*arṇavamala*)⁵⁸² with long pepper, honey and box myrtle (*kaṭphala*). It is placed in sea salt and stored in a bamboo tube.
 - One should cook the liver of a sheep, the ghee of a goat, with long pepper and Sindh salt, honey and the juice of emblics. Then one should store it properly in a catechu box. Prepared thus, the honey collyrium (añjana) is good.
 - Alternatively, a collyrium $(a\tilde{n}jana)$ that is harenu (harenu) mixed with long pepper $(m\bar{a}gadh\bar{i})$, the bone and the marrow of a goat, cardamom $(el\bar{a})$ and liver, together with liver extract, is good for eyes afflicted by phlegm.⁵⁸³
 - Over a fire, one should cook the liver (yakṛt) of a monitor lizard (godhā) prepared with entrails (antra) and stuffed with long pepper (māgadhi). As is well known, liver (yakṛt) which is used (niṣevita) with collyrium (añjana) certainly destroys night blindness.
 - 25 After preparing both a spleen ($pl\bar{i}han$) and a liver on a spit, one should eat them both with ghee and oil.⁵⁸⁴
- 25cd-26ab As is well known, there are six diseases that can be alleviated (*yāpya*); in those cases (*tatra*) one should release the blood by bloodletting. And for the sake of wellbeing one should also purge using aged ghee combined (*upahita*) with purgative aids (*aṅga*).

⁵⁸² At SS 6.12.31, Dalhaṇa glossed *arṇavamala* as cuttlefish bone (*samudraphena*). It may be worth considering whether the unusual term *arṇavamala* "ocean-filth" might refer to ambergris.

⁵⁸³ On the identities of <code>elā</code> and <code>harenu</code>, Watt (Watt_Comm: 511 ff) described the former as "true" or "lesser" or "Malabar" cardamom, <code>Elettaria cardamomum</code>, Maton & White. In contrast, the "greater" cardamom is <code>Amomum subulatum</code> (that Watt discussed on p. 65) that is commonly used as an inferior substitute for <code>E. cardamomum</code>. T. B. Singh and Chunekar (GVDB: 467 f) provided an interesting discussion of <code>harenu</code>, noting that the term refers to two substances, first the <code>satīna</code> pulse (<code>Pisum sativum</code>, Linn.), and second an unknown fruit such as perhaps a <code>Vitex</code>. They noted, "None of the text commentators have attempted to disclose the nature of its source plant," although Dalhaṇa described it as aromatic and identical to <code>renukā</code> (SS.ci.2.75).

⁵⁸⁴ We read the locative as if an instrumental; if the locative were intended then it would be the spit that would be coated with oil and ghee.

When an eye-disease is caused by wind (*pavanodbhava*) they say that castor oil (*pañcāṅgulataila*) mixed with milk is good.⁵⁸⁵ In the case of diseases of blood (*śonita*) and bile (*pitta*), one should drink ghee with the three fruits; it is particularly cleansing.⁵⁸⁶ In the case of phlegm, a purgative by means of turpeth (*trivṛt*) is recommended. In the case of all three humours, sandal (*sugandhi*) in oil is prepared with it (turpeth).⁵⁸⁷

- 28 In cases of partial blindness (*timira*), aged ghee is recommended. It is good if it is kept in an iron vessel.
- One should know that ghee with the three mylobalans is always good, and it is made with what is called periploca of the woods (*meṣaviṣāṇa*).

 A man who is suffering from partial blindess should lick the finely-ground three fruits mixed with ghee off his hand (*sapāna*).⁵⁸⁸
 - 29cd Alternatively, someone afflicted by phlegm should apply them (the three fruits) mixed with oil and steeped (*pragāḍha*) in honey.
 - The very best oil, well-cooked with a decoction of cow-dung, is good in cases of partial blindness, taken as an errhine.

 In cases caused by bile, ghee by itself is good, as is oil when it arises from wind and blood.
 - And in the case of wind one should apply turpeth (*trivṛt*) based on strong mallow (*atibalā*), and country mallow (*balā*) in an errhine (*nasya*).⁵⁸⁹ Ghee which has been extracted from milk cooked with the meat of aquatic creatures and those from marshlands should be prescribed.
 - ³² †An enclosed roasting (puṭākhya) with Sindh salt and the product of the meat of a carnivore (kravyabhuj) and a deer (eṇa), is combined with honey and ghee.⁵⁹⁰

⁵⁸⁵ Dalhana said that the unexpressed topic of this recipe is partial blindness (timira).

⁵⁸⁶ Blood-bile (*sonita-pitta*, *rakta-pitta*) is a widely-recognized disease in ayurveda, but the compound here is definitely dual, which rules out that interpretation. One would expect blood-bile because the previous verse

⁵⁸⁷ The expression "the fragrant one in oil (*tailasugandhi*)" is puzzling. The word *sugandhi* has different referents in the *Nighanṭu* literature but is not common as a noun in the extant literature. "Sandal" is just one of its possible meanings.

^{588 &}quot;Off his hand" translates the adverbial *sapāṇam*, an unusual word. Dalhaṇa reproduced a reading close to the Nepalese recension but says that Jejjaṭa rejects it and so he also does (Su 1938: 627).

^{589 &}quot;Based on" translates *-āśrita* "depending on" which does not construe easily here. The vulgate has *śṛta* "cooked" which makes easier sense but is not supported by the Nepalese MSS.

⁵⁹⁰ Palhana noted (Su 1938: 628a) that puṭāhvaya (see verse 35 below) is a synonym for

- Fat $(vas\bar{a})$ from a horse, a vulture, a snake, and a cock $(t\bar{a}mrac\bar{u}da)$, combined with mahua is always good in a collyrium $(a\tilde{n}jana)$.†⁵⁹¹
- 33 Having prepared (*niṣevita*) a collyrium (*añjana*) made of kohl (*srotas*) and gradually combine it with juices (*rasa*), milk and ghee.⁵⁹²
 For thirty days, this collyrium (*añjana*) is put in the mouth of a black snake that is covered with kuśa grass (*kuśa*).
- Next, a collyrium (*añjana*) that is milk containing long pepper (*māgadhī*), lye (*kṣāraka*) and ?? that has been repeatedly prepared with the mouth of a black snake, is good in the case of bloodshot blindness (*rāgin timira*).⁵⁹³
- They say that ghee may be produced from that and combined with sweet herbs is good as an errhine for eye-diseases caused by bile.

 And here, an eyewash (*tarpaṇa*) is good that is a combination that is the flesh of wild animals taken hot (*putāhvaya*).⁵⁹⁴
- 36 And realgar (*manaḥśilā*) mixed with elixir salve (*rasāñjana*) and honey is a liquid collyrium (*dravāñjana*) which is, in this case, combined with mahua.⁵⁹⁵
 - Alternatively, experts on this say that finely ground blue vitriol (tuttha) extracted from a gold mine is the "same collyrium ($sam \tilde{a} \tilde{n} jana$)". ⁵⁹⁶

puṭapāka, and that the process is described in the *Kriyākalpa* chapter, i.e., SS.6.18.33–38 (Su 1938: 635). On the *puṭa* process in the *Suśrutasaṃhitā*, which is earlier and different than that of *rasaśāstra* literature, see the discussion by Wujastyk (2019: 83):

The term 'enclosed roasting' (puṭapāka) does occur in the Suśrutasaṃhitā in the context of eye treatments, but designates a method of obtaining juice from substances by wrapping them in leaves pasted with earth and cooking the bolus on charcoal to finally extract a juice.

- 591 This verse contain irresolvable difficulties. There are no significant variants in the Nepalese MS transmission, but the text is ungrammatical. The vulgate reads substantially differently but we have nevertheless made some emendations in line with it and read the verse as two sentences.
- 592 Dalhana specified that the juices are meat soups of various animals (Su 1938: 628).
- 593 Dalhana described this blindness as a type of $k\bar{a}ca$ disease caused by wind (Su 1938: 628). The expression "bloodshot blindness" is an attempt to capture the idea of a blind eye that is dyed or coloured (not colour-blindness). This verse is quite different from the vulgate and also syntactically challenging.
- 594 The expression taken hot (puṭāhvaya) is a guess.
- 595 The expression liquid collyrium (*dravānjana*) is only known from Dalhaṇa's comments on 6.17.11ab (Su 1938: 626). The recipe in the present collyrium is different from that discussed by Dalhaṇa.
- 596 On *tuttha*, which may also be identified with zinc oxide or as crushed sea-urchin shells, see Falk (1991: 112 ff.); zinc oxide is a component of skin-balms but is not recommended

37 Conch mixed with equal parts of sheep's horn and stibnite $(a\tilde{n}jana)$ removes the impurity of the glassy opacity $(k\bar{a}ca)$ because of the application of collyrium $(a\tilde{n}jana)$.⁵⁹⁷

- The extracts (rasa) produced from aflame of the forest $(pal\bar{a}sa)$, Rohīta tree $(roh\bar{\imath}ta)$, 598 mahua, ground with the supernatant layer (agra) of the spirits (madira) is applied.
- 38 Alternatively, one should cook an errhine with cuscus grass (*uśīra*), lodh tree (*lodhra*), the three fruits (*triphalā*), beauty berry (*priyaṅgu*) to pacify eye diseases caused by phlegm.⁵⁹⁹
 - One should apply smoke of the bark of embelia ($vida\dot{n}ga$), velvet leaf ($p\bar{a}th\bar{a}$), white siris ($kinih\bar{i}$), and desert date ($i\dot{n}gud\bar{i}$); and cuscus grass ($u\bar{s}ira$) alone.
- 39 A ghee that is cooked ($bh\bar{a}vita$) from a decoction of a non-flowering tree (vanaspati)⁶⁰⁰ as well as turmeric ($haridr\bar{a}$) and spikenard (nalada) is good in a eyewash (tarpana).
 - Alternatively, one may have an enclosed roasting ($puṭap\bar{a}ka$) done with arid-land animals ($j\bar{a}ngala$)⁶⁰¹ and a plentiful amount of long pepper ($m\bar{a}gadha$), Sindh salt and honey.
- 40 A treatment ($kriy\bar{a}$) with realgar ($mana h sil\bar{a}$), the three spices, conch, honey, along with Sindh salt, green vitriol ($k\bar{a}s\bar{\imath}sa$) and elixir salve ($ras\bar{a}\tilde{n}-jana$). 602
 - They say that an elixir salve ($ras\bar{a}\tilde{n}jana$) combined with myrobalans, treacle and dried ginger is good.⁶⁰³
- Alternatively, a collyrium $(a\tilde{n}jana)$ that has been prepared many times in

for application in the eyes themselves. The expression "same collyrium ($sama\~njana$)" is a hapax legomenon glossed inexplicably by Palhaṇa as "a collyrium with an equal amount of fermented barley" ($tulyasauv\bar{t}r\~a\~njana$) (Su 1938: 628).

⁵⁹⁷ The ablative "from collyrium" is hard to construe, but <code>Dalhana</code> used this term and phrase in his commentary on 6.17.41ab (Su 1938: 629).

⁵⁹⁸ Probably Soymida febrifuga A. Juss.

⁵⁹⁹ Palhaṇa invoked a general rule ($paribh\bar{a}$, \bar{a}) to indicate that this mixture should be cooked with sesame oil.

⁶⁰⁰ These are fig trees. The *Sauśrutanighanṭu* (252) specifies the Udumbara. Cf. the classification in CS.1.1.71–72, 1.8, *et passim*.

⁶⁰¹ On this term, see SS.1.35.42 (Su 1938: 157) and the discussion by Zimmermann (1999: 25-31).

⁶⁰² Palhaṇa glossed treatment (*kriyā*) specifically as inspissation (*rasakriyā*) (Su 1938: 629). 603 We emend हिते to हितम, against the MSS.

find ref.

Check out these refs.

meaning of kalpa

- the eight types of urine⁶⁰⁴ is put into water with the three fruits. Having stored it in the mouth of a nocturnal creature $(niś\bar{a}cara)^{605}$ one should place it in a conch (salilotthita) for two months.⁶⁰⁶
- One should apply that collyrium (*añjana*) together with the flowers of mahua and horseradish tree (*sigru*) when [the disease] is caused by all [the humours].
 - But alternatively, all treatments apply when blood is the cause. The procedure that removes bile is good when there is blue dot cataract $(ml\bar{a}yin)$.
- For one who has a humour, the physician should consider the rule in all humoral cases and then smear the ointment on the face. 608
 - The treatment that is good for removing watery eye (*syanda*) should be properly applied in all these humoral cases, according to the individual. ⁶⁰⁹
- The physician should not employ substances in errhines etc., when the humours intensify, and also when disease spreads. And further, in the *Kalpa*, there is a good deal more said about collyriums, and that should be considered and then applied.⁶¹⁰
- 45 Someone who uses matured ghee, the three fruits, wild asparagus, as well as mung beans, emblic and barley has nothing to fear from cases of severe blindness (*timira*).
- Blindness is dispelled by milk prepared with wild asparagus or in emblics, or again cooked barley (*yavaudana*) followed by the water of three fruits with plenty of ghee.
- When there is bloodshot blindness (*rāgiṇi timire*), the wise physician should not cut a vein. A humour injured (*utpīḍita*) by the instrument rapidly destroys vision.

⁶⁰⁴ See *Suśrutasamhitā* mūtravarga

⁶⁰⁵ Þalhaṇa glossed nocturnal creature (*niśācara*) as "vulture," although elsewhere in the *Suśrutasaṃhitā* it is more commonly interpreted as a spirit or demon. In the present context, following verses 33 and 34, it is probably a snake.

⁶⁰⁶ We interpret "water-born (salilotthita)" as "conch" in line with jalodbhava, but the term is uncertain.

⁶⁰⁷ The vulgate follows Dalhana in glossing $ml\bar{a}yin$ as $pariml\bar{a}ya$. The description of this condition at SS.6.7.27–28 appears to refer to "blue dot" or "cerulean" cataract. \sqrt{mlai} derivatives can mean "dark" or "black."), which is normally a different ailment.

⁶⁰⁸ The vulgate edition omits part of this verse (ab) combining earlier and later passages.

⁶⁰⁹ The term watery eye (*syanda*) refers to the specific disease *abhisyanda*. See SS.6.6.5, 1.46.51, etc.

⁶¹⁰ Dalhana noted that *Kalpa* means the Uttaratantra adhyāya 18 (Su 1938: 633 ff).

48 Non-bloodshot blindness (*araga timira*) in the first layer (*paṭala*) is treatable. And bloodshot blindness (*rāgiṇi timire*) in the second layer, with difficulty. And in the third layer it can be mitigated (*yāpya*).⁶¹¹

- I shall explain the therapy for success when there is a cataract (*linganāśa*) caused by phlegm. It may be white, like a full moon, an umbrella, a pearl (*muktā*) or a spiral (*āvarta*).
- 50 Or it may be uneven, thin in the middle, streaked or have excessive shine (*prabha*). A humour (*doṣa*) in the pupil may be characterized as being painful or having blood. ⁶¹²
- 51-52 At a time that is neither too hot or too cold, the patient who has been oiled and sweated is restrained and seated, looking symmetrically at his own nose.

The wise physician should separate ($muktv\bar{a}$) two white sections from the black part (krsna) and from the outer corner of the eye ($ap\bar{a}nga$). Then he should press ($p\bar{\imath}d$ -) properly into the eye, 613 at the naturally-occurring (daivakrte) opening (chidra) with a probe ($sal\bar{a}k\bar{a}$) made of copper or iron, with a tip like a barley-corn, held by a steady hand with the middle finger, forefinger and thumb, the left one with the right hand and the other one contrariwise.

When the piercing is done properly, there is the issue of a drop of liquid and a sound.⁶¹⁴

- The expert should moisten the exact place of piercing with a woman's breast-milk. Then he should scratch the circuit of the pupil (*dṛṣṭimaṇḍala*) with the tip of the probe (śalākā).⁶¹⁵
- 56 Without injuring, gently pushing the phlegm in the circuit of the pupil

⁶¹¹ Although the text says with difficulty (*kṛcchra*), the implication is that it is untreatable (*asādhya*) (cf. 6.17.2 (Su 1938: 625) above). The three categories, treatable, untreatable and possibly mitigated are standard categories of triage.

⁶¹² In the vulgate, and in parallel passages in the AS, the reading "it may be (*bhavet*)" is replaced with the negative "if, then not (*na ced*)" (cf. utt.17.1–3a (As 1980: 712)). These characteristics are then read as conditions that preclude surgery; for the Nepalese recension, they are simply descriptions of the appearance of a cataract.

⁶¹³ We understand the locative *nayane* as the place of pressing; other interpreters take it as an accusative dual. The idea is that the eye is held steady by the surgeon.

⁶¹⁴ Dalhana remarked on 6.17.61ab (Su 1938: 630) that when the piercing is not correctly done, blood issues and there is no sound.

⁶¹⁵ The anatomy of the eye is described in 6.1.14–16 (Su 1938: 596). The disks or *maṇḍala*s are the circuits or disks of the eye.

- against the nose, he should remove it by means of sniffing (ucchingana). 616
- Whether the humour is solid ($sty\bar{a}na$) or liquid (cala), one should apply sweating to the eye externally, with leaves (bhanga) that remove wind, after fixing the needle ($s\bar{u}c\bar{i}$) properly.⁶¹⁷
- But if the humour cannot be destroyed or if it comes back, one should apply the piercing (*vyadha*) once again, with appropriate oils and so on.
- Now the pupil (drsti) shines like the sun (hari) in a cloudless sky; then, when objects become visible, one may slowly remove the probe $(sal\bar{a}k\bar{a})$.
- Having smeared ghee on the eye, one should cover it with a bandage. Then, he must lie down supine in a house free from disturbances. ⁶¹⁹
- 61 At that time, he should not belch, cough, sneeze, spit or shiver. Afterwards there should be restrictions (yantrana) as in the case of someone who has drunk oil.⁶²⁰
- 62 Every three days one should wash it with decoctions (*kaṣāya*) that remove wind. After three days, one should sweat the eye externally because of the danger of wind.
- Having restrained himself in this way for ten days he should thereafter take a beneficial regimen (*karma*) that clears the pupil (*dṛṣṭi*) and also he should take light food in measure.

⁶¹⁶ Dalhana described sniffing (*ucchingana*) at 6.19.8 (Su 1938: 641), clearly intending inward sniffing.

⁶¹⁷ We interpret *bhanga* as leaves, following the usage elsewhere in this sthāna 4.32.9, 6.11.5 (Su 1938: 513, 614) where *bhanga* means shoots (*pallava*). A similar procedure is described at 6.17.25a (As 1980: 716a), where sweating of the eye is done by means of the leaves of a castor-oil plant.

⁶¹⁸ There are many problems with the MS readings and interpretation of this half-verse. We have inferred "sky" and emended from "free from the point (*agramukta*)" to "free from clouds (*abhramukta*)". The latter meaning is supported (in different words) by the vulgate and occurs elsewhere in Sanskrit literature.

⁶¹⁹ Dalhana explained disturbances specifically as dust, smoke, drafts and sunlight 6.17.67 (Su 1938: 631a).

⁶²⁰ Palhaṇa glossed "restrictions (yantraṇā)" as having a controlled diet and the other restrictions appropriate to someone who is taking oil as a preparation before further therapy (6.17.68 (Su 1938: 631)). These restrictions are also described at 6.18.28 (Su 1938: 635) and 1.16.25cd (Ah 1939: 249).

[Complications]

- When there is a misshapen eyeball (*vilocana*), the eye may fill because of the release of blood from a vein. 621
 - A hard probe leads to shooting pain (\hat{sula}) , a thin to unsteadiness of the humours (dosapariplava), 622
- a thick-tipped probe leads to a large wound, and a sharp one may cause harm in many ways; a very irregular one may cause a discharge of water, a rigid (*sthirā*) one brings about a loss of function (*kriyāsanga*). 623
- 66 Therefore, one should make a good probe that is free from these defects.

[Characteristics of the probe]

The probe should be eight finger-breadths long and in the middle it is wrapped with thread and is as thick as a thumb joint. It is shaped like a bud at both ends (*vaktra*).

67 A commendable probe should be made of silver, iron or gold ($\hat{satak}umbh\bar{i}$).

[Complications]

Redness, swelling, lumps, driness (coṣa), bubbling (budbuda), 625 pigs' eye ($s\bar{u}kar\bar{a}kṣit\bar{a}$), 626 , irritation (adhimantha), etc. and other diseases arise from faults in the piercing,

69-70 or even from bad behaviour. One should treat them each accordingly. Listen to me once again about compounds for painful red eyes.

⁶²¹ The condition of "misshapen eye" is referred to briefly in 6.61.9 (Su 1938: 800), where Palhana glossed it as "bent brow and eye (*vakrabhrūnetra*)." The vulgate's reading of "with blood (*śonitena*)" is easier to construe.

⁶²² There is a medically significant difference here from the vulgate, which reads "a rough (*khara*) probe" not a "thin" probe.

⁶²³ This translation of loss of function (*kriyāsanga*) is given on the basis of Dalhaṇa's gloss of *kriyāsangakarin* at 3.8.19 (Su 1938: 382) as "causing the destruction of actions such as moving (*gamanādikriyāvināśakarī*)."

⁶²⁴ The vulgate reads "copper (tāmra)" in place of "silver."

⁶²⁵ Palhaṇa glossed "bubbling (budbuda)" as "prolapse ($m\bar{a}msanirgama$) that looks like bubbles."

⁶²⁶ The expression "pigs' eye" appears to be a *hapax*. It was glossed as "downward vision (*adhodrstitva*)" by Dalhana.

- Red chalk (gairikah), Indian sarsaparilla (śariva), panic grass (durva), and ghee ground with barley.
- 71 This face ointment is to be used for quelling pain and redness. Or else it may be taken combined with the juice of citron (*mātuluṅga*) with sesame gently fried, mixed with white mustard (*siddhārthaka*). This is immediately beneficial when someone is looking for relief.
- 72 A paste with Holostemma (*payasyā*), ⁶²⁸ Indian sarsaparilla (*śārivā*), cassia cinnamon (*patra*), Indian madder (*mañjiṣṭhā*), and liquorice (*madhukair*) stirred with goat's milk, pleasantly warmed, is said to be healthy. ⁶²⁹
- Alternatively, it can be made in this way with Himalayan cedar, Himalayan cherry (*padmaka*) and dried ginger. Or, in the same way, with grapes, liquorice and the Lodh tree mixed with Sindh salt.
- Alternatively, goats' milk with the Lodh tree, Sindh salt, red grapes and liquorice, cooked, should be used in irrigation because it removes pain and redness.
- Having cooked it with liquorice, water-lily, and costus, mixed with grapes $(dr\bar{a}ks\bar{a})$, lac $(l\bar{a}ks\bar{a})$, white sugar $(sit\bar{a})$, with wild asparagus, Hare Foot Uraria $(prthakparn\bar{i})$, 630 nutgrass $(must\bar{a})$, liquorice, Himalayan cherry (pad-maka), and Sindh salts, one should apply it [irrigation] gently warm.
- 76cd-77ab Ghee that has been cooked in four times the amount of milk that has itself been cooked with drugs that destroy wind. This has an admixture of cottony jujube $(k\bar{a}kol\bar{i})$ etc., should be prescribed in all treatments.
- 77cd-78ab If pain does not end in this way, one should administer blood-letting to the vein of someone who has previously been oiled and sweated. Then the wise physician should apply cauterization in the advised manner. ⁶³³

⁶²⁷ On the adverbial use of gently (mrdu), see Gombrich 1979.

⁶²⁸ The identity of *payasyā* is debated (GVDB: 538), and was already in doubt at the time of Palhaṇa but likely candidates may be those suggested by Palhaṇa, who suggests either *arkapuṣpī* or *kṣīrakākolī*, that may be *Holostemma adakodien* Schult. and *Leptadenia reticulata* (Retz.) Wight & Arn. (ADPS: 195-196). The *Sauśrutanighanṭu* glosses it as *kṣīrikā* or *arkapuṣpikā* (Suvedī and Tīvārī 2000: v. 307).

⁶²⁹ The expression "stirred with goat's milk ($aj\bar{a}k\bar{s}ir\bar{a}rdita$)" is difficult. It may be connected with the rare root ard documented by Whitney (1885: 15). Cf. $\sqrt{ard\ gatau}$ ($Dh\bar{a}tup\bar{a}tha$ 1.56).

⁶³⁰ Suvedī and Tīvārī 2000: 18.

⁶³¹ Dalhana mentioned that these drugs include Deodar (*bhadradāru*) and other wind-destroying drugs. The *vātasaṃśamana* group is listed in *Suśrutasaṃhitā sūtrasthāna* 1.39.7.

⁶³² Dalhana noted that this would include errhines, ointments, etc.

⁶³³ The vulgate reads *vāpi* for *cāpi*, so Dalhaṇa saw blood-letting and cautery as alternatives,

Translation 197

78cd-80ab Now listen to two excellent collyriums for making the pupils clear. After grinding the flowers of perploca of the woods (*meṣaśṛṅga*), siris (śirīṣa), axelwood (*dhava*) royal jasmine (*jātī*), pearl and beryl (*vaiḍūrya*) with goat's milk, one should put it in a copper pot for seven days.

- Having made it into wicks (*vartti*), the physician should apply it as a collyrium (*añjana*). Alternatively, one should make kohl (*srotoja*), coral (*vidruma*), cuttlefish bone (*phena*), and realgar (*manaḥśilā*) and peppers into wicks as before. One should apply these wicks, which are good in a collyrium, to steady the pupil.
 - 82 I shall again discuss the foremost collyriums at length in the *Kriyākalpa* section. Those various methods may be applied here too.

not a sequence of treatments. Dalhana listed the places that cauterization may be applied, such as the brow, forehead, etc.

Uttaratantra 38: Diseases of the Female Reproductive System

Introduction

The chapter talks about various diseases of the female reproductive system and, in doing so, combines both aspects that go into a representation of diseases in āyurvedic literature: signs, symptoms and pathogenesis (nidāna), on the one hand, and medical treatment (cikitsā), on the other. In chapters of the *Uttaratantra*, these two aspects are sometime dealt with in two different chapters X-vijñānīya and X-pratiṣedha. There are, however, many examples where this distinction is not made.

Literature

The chapter is summarized, with notes on vocabulary and references to further research literature, in HIML: IA, 313. (Tivārī 1990) dedicated a monograph to this topic, and Selby (2005a,b) has explored gyencological narratives in ayurveda.

Placement of the Chapter

In the vulgate text (Su 1938) the current chapter, 6.38, is found after the Uttaratantra's subsection on paediatrics, the *Kumāratantra*, see Table $3.^{634}$ But in the Nepalese version, this is chapter 6.58 of the Uttaratantra. And it is also counted as chapter 23 of the subsection *Kāyācikitsā*.

⁶³⁴ Or Kumārabhṛtya as this section is named in MS Kathmandu KL 699.

Chapters	Internal count
1-26	1-26
27-38	1-12
39-59	1-21
60-62	1-3
63-66	1-4
	1-26 27-38 39-59 60-62

Table 3: Subdivisions of the Uttaratantra, in the vulgate.

Several things are noteworthy in this regard:

• In the placement of the vulgate, this chapter follows upon 6.37 *Grahot-patti* (6.35 in the Nepalese version), a chapter that talks about the origination of nine demons (*graha*) that are responsible for all children's diseases described in previous chapters of the *Kumāratantra*. In this way, the current chapter retains the general focus on the child bearing (*kaumārabhṛtya*), but, at the same time, marks a change to a distinct, less mystical approach to the topic at hand (that could originate in a cultural milieu different from that of the preceding eleven chapters). Dalhaṇa explained how the chapter fits its context in the following way:

It is appropriate that, for the sake of treating the disorders of the female reproductive system, the chapter called "Countermeasures Against Disorders of the Female Reproductive System" is taught immediately after the chapter called "The Origination of Demons (*graha*)." It is because (1) there is an explicit mention of the word "*yoni*" in the statement "born in the womb (*yoni*) of animal and human" [in 6.37.13bc (Su 1938: 667)] and because (2) the disorders of the female reproductive system are the causes for the inborn disorders of children. 635

- In the placement of the Nepalese version,
 - 6. Yonivyāpatpratisedha is preceded by

⁶³⁵ Þalhaṇa on 6.38.1 (Su 1938: 668): ग्रहोत्पत्त्यध्यायानन्तरं 'तिर्यग्योनिं मानुषं च' इति वचनेन योने-र्नामसंकीर्तनात् कुमारजन्मविकारकारणत्वाञ्च योनेर्व्यापञ्चिकित्सितार्थं योनिव्यापत्प्रतिषेधाध्यायारम्भो यु-ज्यत [...]।

Parallels 201

- 6.56 Mūtrāghātapratiṣedha (6.58 in Su 1938) and
- 6.57 *Mūtrakṛcchrapratiṣedha* (6.59 in Su 1938), two chapters dealing with the diseases of the urinary tract.

The current chapter carries on with the topic of diseases that affect genitalia. In its Nepalese version, the chapter opens with two verses that explain the reasons for treating the particular set of diseases. These lack any reference to the inborn disorders of children, mentioned by Dalhaṇa, and instead highlight the importance of curing female diseases for the satisfaction of male partner.

- SS.1.3 in both Su 1938 and the Nepalese version lists the chapter at the place where it is found in the vulgate.⁶³⁶
- Parallel chapters in the Aṣṭāṅgasaṃgraha and the Aṣṭāṅgahṛdayasaṃhitā form a part of the Śalyatantra section of each text.

Parallels

The current chapter is parallel in its content to Aṣṭāṅgasaṃgraha 6.38 and 6.39 as well as Aṣṭāṅgahṛdayasaṃhitā 6.33 and 6.34 (Guhyarogavijnāna and Guhyarogapratiṣedha respectively).

A close literary parallel to the first part of the chapter is found in $M\bar{a}dhava$ - $nid\bar{a}na$ (MN₃) 62, or at least its version printed in Y. T. $\bar{A}c\bar{a}rya$ (MN₃: 361). The readings of the MN₃ as it stands now usually side with the vulgate version rather than with the Nepalese. In addition to the basic text, there are several valuable pointers made in the Madhukośa, an early commentary on the MN₃. This part of the text is authored by Śrīkaṇṭhadatta, who was most like a direct student of Vijarakṣita. The latter wrote the first part of the Madhukośa, up to chapter 32, and, what is more, can be dated to the late eleventh or early twelfth centuries. 637

Another most interesting parallel is found in *Carakasaṃhitā* 6(Ci).30.

⁶³⁶ See 1.3.37ab (Su 1938: 15): नैगमेषचिकित्सा च ग्रहोत्पत्तिः सयोनिजा ॥. 637 Meulenbeld 1974b: 22–26.

Philological notes

Metrical alterations

The first two verses in the Nepalese version, 6.38.2.1 and 6.38.4.1, are written in a classical variety of the *upajāti* metre: $\cup _ \cup _ \cup \cup _ \cup \cup _$ In content, they are only approximately parallel to three hemistichs in anustubh metre found in the vulgate. 638 The latter verses lack the apologetic explanation concerning the reasons for this chapter being taught.

The original opening verses

From verse Suśrutasamhitā 6.38.5.1 onwards, the Nepalese version of the text continues with three hemistichs in the same classical upajāti metre (the syllabic pattern above). ⁶³⁹ By contrast, the vulgate contains two complete verses (four hemistichs) in the anustubh metre, again with only loosely-related content.⁶⁴⁰ The three final hemistichs of this group are borrowed verbatim from the *Carakasamhitā*. 641 We can be sure of the direction of borrowing because one of these shared verses says that the twenty kinds of diseases of the female reproductive system "have already been indicated in the Compendium of Diseases (rogasamgraha)". 642 This statement does not make any sense in the context of the Suśrutasamhitā, where no such Compendium exists. 643 By contrast, in the *Carakasamhitā* this reference points back to chapter 1.19 (Ca 1941: 109-112), which calls itself "The Compendium of Diseases". 644 This Compendium lists all the diseases dealt with in later sections of the text, and specifically mentions the twenty diseases of female reproductive system. 645 Even the vocabulary and wording of this passage is identical to the later verses. It is beyond doubt that this passage originated in the

```
639 The metre of these verses is not perfect.
640 Suśrutasamhitā 6.38.4cd-6ab (Su 1938: 668).
641 Carakasamhitā 6.30.7cd-8 (Ca 1941: 634).
642 Suśrutasamhitā 6.38.5ab (Su 1938: 668): विंशतिर्व्यापदो योनेर्निर्दिष्टा रोगसंग्रहे ॥ \leftarrow Caraka-
    samhitā 6.30.7cd (Ca 1941: 634).
643 The remark was not commented on by Dalhana.
644 Carakasamhitā 1.19.9cd (Ca 1941: 112): रोगाध्याये प्रकाशिताः.
```

638 Suśrutasamhitā 6.38.3-4ab (Su 1938: 668).

⁶⁴⁵ Carakasamhitā 1.19.3 (Ca 1941: 110): विंशतिर्योनिव्यापदः।

 $\it Carakasamhit\bar{a}$ and was borrowed by the editors of the vulgate text of the $\it Su\'srutasamhit\bar{a}$. 646

⁶⁴⁶ The above three hemistichs in anuṣṭubh are also repeated in the MN_3 62.1–2ab. Given that the subsequent verses in the MN_3 stem from the $Su\acute{s}rutasamhit\bar{a}$, it is likely that MN_3 62.1–2ab too was borrowed from from the $Su\acute{s}rutasamhit\bar{a}$ and not from its original location in the $Carakasamhit\bar{a}$).

Translation

- 1 And now I shall explain the countermeasures against disorders of the female reproductive system (*yonivyāpat*).⁶⁴⁷
- *3 Since for good men, a woman is the most pleasurable thing, therefore a physician should diligently attend to the diseases located in the female reproductive system (*yoni*), because he is entirely devoted to it (that is, to curing these diseases) for the sake of (people's) happiness.⁶⁴⁸
- *4 A corrupted female reproductive system (yoni) cannot consume semen $(b\bar{\imath}ja)$, and therefore, the woman cannot take a fetus (that is, become pregnant). She gets severe prolapses $(ar\acute{s}as)$, abdominal lump (gulma) and similarly many other diseases (roga).
- *5 Humours (doṣa), wind (vāta), etc., corrupted due to faulty medical treatment (mithyopacāra), 649 sexual activity, fate, and also defects (doṣa) of menstrual blood (ārtava) and semen (bīja), produce various diseases in the female reproductive organ (yoni). These 20 diseases are taught here distinctly and one by one along with their treatment (bheṣaja), causes

⁶⁴⁷ On this broad understanding of the term *yoni* as "female reproductive system" see Das 2003: pp. 572-5.

⁶⁴⁸ As our translation indicates, the sentence construction does not allow an unambiguous identification of who or what is the referent of the pronoun *tad* in the compound form *tadadhīna* 'devoted to it.' Our current understanding is that *tad* refers to the 'most pleasurable thing' mentioned in pāda a. It could, however, also refer to 'them,' that is, the 'good men.'

⁶⁴⁹ In our translation of the compound मिथ्योपचार, we decided for the technical meaning of the term उपचार, that is, "medical application" or "treatment." The combination मि-थ्या+उप-√चर् is attested several times in medical literature. At least once, at Carakasamhitā 3.3.38 (Ca 1941: 245), it is given an explicit gloss by Cakrapānidatta: मिथ्यो-पचरितानिति असम्यक् चिकित्सितान् "... given improper therapy". In the Suśrutasaṃhitā (Su 1938), it is used once in a passage (6.18.30 (Su 1938:635)) where it refers specifically to the wrong application of irrigation (tarpana) and roasting (putapāka), both of which are mentioned in the previous verse. Another use of the compound in a similar meaning is found in a citation from Bhoja's work quoted by Gayadāsa at Suśrutasamhitā 2.5.17 (Su 1938: 287): श्वित्रं तु द्विविधं प्रोक्तं दोषजं त्रणजं तथा। तत्र मिथ्योपचाराद्धि व्रणस्य व्रणजं स्मृतम् ॥ "... arises from wrong treatment of the wound." In contrast to this, the parallel verse in Suśrutasamhitā 6.38.5ab (Su 1938: 668) = Carakasamhitā 6.30.8 (Ca 1941: 634) = MN_3 62.1 reads मिथ्याचार "wrong conduct." All commentators (Cakrapāṇidatta on the Carakasamhitā, Śrīkanthadatta on the MN₃, and Dalhana on the Suśrutasamhitā) explain that the wrong conduct stands here specifically for unwholesome diet. The parallel in Astāngahrdayasamhitā 6.33.27 (Ah 1939: 895) = Astāngasangraha 6.38.34a (As 1980: 829) plainly reads दुष्तभोजन "corrupted food" instead.

Translation 205

(hetu) and signs (cihna).

- *6.1 Because of wind $(v\bar{a}ta)$, female reproductive organ (yoni) becomes:
 - 1. udāvartā (*udāvartā*),
 - 2. called Infertile (vandhyā), and
 - 3. Sprung (*plutā*),
 - 4. Flooded (pariplutā), and
 - 5. Windy (*vātalā*).
- *6.2 And because of choler (pitta), occur:
 - 1. With bloodloss (raktakṣayā),
 - 2. Vomiting $(v\bar{a}min\bar{i})$, and
 - 3. Causing a Fall (*sramsanī*),
 - 4. Child-murderess (putraghni), and also
 - 5. Bilious / Choleric (*pittalā*).
- *7.1 And because of phlegm (*kapha*) occur:
 - 1. Extremely Excited (atyānandā),
 - 2. Protuberant (karninī), and
 - 3. & 4. two Caranī (caranī), and
 - 5. other Phlegmatic (*ślesmalā*).
- *7.2 And similarly there are other (kinds of morbid female reproductive system) involving all *doṣa*s:
 - 1. Impotent (śaṇḍhī),
 - 2. With testicles (andini),
 - 3. two Huge $(mahat\bar{\imath})$,
 - 4. With a needle-like opening (sūcīvaktrā),
 - 5. Sarvātmikā (sarvātmikā).

Uttaratantra 65: Rules of Interpretation

Literature

Meulenbeld offered an annotated overview of this chapter and a bibliography of earlier scholarship to 2002.⁶⁵² Other explorations of this topic include TY; Dasgupta 1952; Oberhammer 1968; TYV; Lele 1981; Scharfe 1993; Mejor 2000; A. Singh 2003.

Frauwallner 1958 discussed the influence of the *tantrayukti*s in the Sāṅkhya tradition. Preisendanz (2013: 105–106, fn. 109) provided further references to the discussion of *yukti* in Buddhist literatures. Manevskaia (2008) gave examples of the use of tantrayuktis in Buddhist commentarial literature. Chevillard (2009) discusses the translation of the *tantrayuktis* in Tamil literary tradition, with a specific focus on *Tolkāppiyam* and its commentaries.

Early Sources

An ancient tradition of enumerating the *tantrayukti*s served as a foundational source not only for medical texts but also for works in various other disciplines, including Arthaśāstra, philosophy, and even grammar. The *Suśruta-samhitā* stands as the earliest Āyurvedic text that presents a compilation of a list of *tantrayuktis* followed by their definitions and usage. Mentions to Tantrayuktis are also found in the *Carakasaṃhitā* 8.12 (Ca 1941) which introduce four additional *tantrayuktis*. However, the *tantrayuktis* remain undefined in the *Carakasaṃhitā*.

652 HIML: IA, 331.

The Arthaśāstra

The enumeration and definitions of the *tantrayukti*s in the *Suśrutasaṃhitā* closely parallel their treatment in the *Arthaśāstra*. *Tantrayukti*s are discussed in the fifteenth and final chapter of the *Arthaśāstra*, called the *Tantrayukti*. For a side-by-side comparison of the *tantrayukti*s in the *Suśrutasaṃhitā* and the *Arthaśāstra*, please refer to Table 4.

The Yuktidīpikā

Yuktidīpikā (circa late sixth to early eighth century), an anonymous commentary on Īśvarakṛṣṇa's Sānkhyakārikā, initiates its discourse with a detailed discussion of the characteristics of a scientific treatise, some of which align with the tantrayuktis. In the Yuktidīpikā, these terms are referred to as tantraguṇa or tantrasampat. They are: (1) sūtropapatti (2) pramāṇopapatti (3) avayavopapatti (4) anyūnatā (5) saṃśayokti (6) nirṇayokti (7) uddeśa (8) nirdeśa (9) anukrama (10) saṃjñā and (11) upadeśa. Apart from these, the Yuktidīpikā also exemplifies (12) utsarga (general rule), (13) apavāda (exception), and (14) atideśa (extended application). However, utsarga and apavāda are not considered tantrayuktis in other comprehensive lists. The Yuktidīpikā further states that while other tantrayuktis can be demonstrated in a similar manner, since they are peripheral topics, the text does not delve into their discussion.

Tamil literature

Discussions on the *tantrayukti*s are also found in Tamil technical literature, the earliest of which is the *Tolkāppiyam*. ⁶⁵⁷ A list of 32 *tantrayukti*s, called *utti*

⁶⁵³ *Arthaśāstra*: 280–283

⁶⁵⁴ See Oberhammer 1968: 605–614 for a detailed discussion of the use of the *tantrayuktis* in the *Yuktidīpikā*.

⁶⁵⁵ सूत्रप्रमाणावयवोपपत्तिरन्यूनता संशयनिर्णयोक्तिः। उद्देशनिर्देशमनुक्रमश्च संज्ञोपदेशाविह तन्त्रसम्पत्॥ Yuktidīpikā: 3

⁶⁵⁶ एवमारा अन्येऽपि द्रस्तव्याह् । तद्यथोत्सर्गोऽपवादोऽतिदेश इत्यादि ।...इत्येवमन्या अपि तन्त्रयुक्तयः शक्या इह प्रदर्शयितुम् । अतिप्रसङ्गस्तु प्रकृतं तिरोदधातीति निवर्त्यते । सिद्धं तन्त्रयुक्तीनां सम्बन्धोपपत्तेस्तन्त्रम् इदम् इति ।.Yuktidīpikā: 8

⁶⁵⁷ For a detailed discussion of the treatment of the *tantrayuktis* in the *Tolkāppiyam* see Chevillard 2009.

or tantiravutti in Tamil, are given in the 27th (the final) chapter titled Marapiyal "Chapter on conventions" of the last book called Porul "Matters" of the Tolkāppiyam. There is no consensus regarding the dating of the Tolkāppiyam. However, if we endorse Zvelebil's view, which posits that the final redaction of the Tolkāppiyam occurred around the fifth century AD, it follows that this section of the Tolkappiyam cannot postdate the fifth century. If we follow the dating of Zvelebil, we can safely argue that by that time, Sanskrit tantrayuktis had already been translated into Tamil. Nevertheless, determining the correspondence between specific tantrayuktis and Tamil uttis poses a challenge. A major factor contributing to this challenge is the disagreement between two commentators of the Tolkāppiyam, namely Iļampūraṇar (11th or 12th century) and Pērāciriyar (possibly 13th century), regarding the interpretation of the list of uttis. It is still not clear which list of 32 tantrayuktis was before the author of the Tolkāppiyam.

After the *Tolkāppiyam*, several other Tamil texts refer to the *tantrayuktis*. Among them the *Yāpparunkalam* (possibly 10th century), the *Vīracoliyam* (11th century), *Naṇṇūl* (late 12th or early 13th century), and their commentaries hold significant importance in this context.

The Viṣṇudharmottarapurāṇa

The third book of the *Viṣṇudharmattarapurāṇa*, believed to have been composed between the fifth and seventh centuries, includes a chapter dedicated to the *tantrayukti*s. ⁶⁵⁸ Unlike the *Arthaśāstra* and the *Suśrutasaṃhitā*, this chapter lacks illustrative examples of the *tantrayukti*s. The chapter lists 32 *tantrayukti*s followed by definitions. Notably, the list and definitions given here – we are using the critical edition by Priyabala Shah – in most cases bear a striking resemblance to those found in the *Suśrutasaṃhitā*. Given the striking alignment between the list and definitions of *tantrayukti*s, one could suggest that the *Viṣṇudharmottarapurāṇa*'s chapter on *tantrayukti*s likely draws directly or indirectly from the *Suśrutasaṃhitā* or from a common source. The designations and the order of the *tantrayukti*s in the *Viṣṇudharmottarapurāṇa* are almost identical. The only differences in the order are as follows:

1. *Viparyaya* is placed after *vidhāna* whereas in the *Suśrutasaṃhitā* it follows *arthāpatti*.

⁶⁵⁸ Adhyāya 6, Viṣṇudh 3: 13-14.

- 2. Anumata is placed after vyākhyāna whereas in the Suśrutasaṃhitā it follows nirnaya.
- 3. Anāgatāvekṣaṇa (anāgatāpekṣaṇa in the Nepalese version) occurs after atikrāntāvekṣaṇa (atikrāntāpekṣaṇa in the Nepalese version) whereas the order is reverse in the Suśrutasamhitā.

For a side-by-side comparison of the *tantrayukti*s in the *Suśrutasaṃhitā* and the *Viṣṇudharmottarapurāṇa*, please refer to Table 4.

The Saddanīti

A list of the 32 tantrayuktis accompanied by definitions also appear in the final chapter (Pariccheda 28) of the final book (book 3: Suttamālā) of the renowned Pali grammar Saddanīti composed by Aggavaṃsa in Arimaddanapura (modern Bagan, Burma) in the twelfth-century. Just as the Viṣṇudharmottarapurāṇa, this list also does not provide examples of the tantrayuktis. Although written in Pali, the order and the definition of the tantrayuktis (tantiyutti in Pali) closely resemble those of the Suśrutasaṃhitā. There are, however, a few differences:

- 1. The *tantrayukti pradeśa* is referred to as *paṭidesa* (Sanskrit *pratideśa*) and is positioned after *atidesa* (Sanskrit *atideśa*) whereas in the *Suśruta-saṃhitā* it follows *apadeśa*.
- 2. Atikrāntāpeksana is designated as atītāpekkhana (Sanskrit atītāpeksana).
- 3. $Svasamj\tilde{n}a$ is designated as $ana\tilde{n}\tilde{n}a$ sakasamj $\tilde{n}a$ (Sanskrit ananya svasamj $\tilde{n}a$) and is defined with subtle variations.
- 4. *Uhya* is designated as *upānīya*.

For a side-by-side comparison of the *tantrayukti*s in the *Suśruta Saṃhitā* and the *Saddanīti*, please refer to Table 4.⁶⁶⁰

⁶⁵⁹ Saddanīti 3: 920-921.

⁶⁶o For the reading of *Saddanīti*, we used the edition by H. Smith who also provided an apparatus with variants. However, the edition by Thera sometimes consists of variants which do not appear in the apparatus of Helmer Smith's edition. In those cases, we noted the variants in footnotes.

Table 4: Tantrayuktis in *Suśrutasaṃhitā* (S), *Viṣṇu-dharmottarapurāṇa* (V), *Arthaśāstra* (A), and *Saddanīti* (N)

Sequer	nce	Terms	Definitions
(S) 1 (V) 1	L. L.	adhikaraṇa adhikaraṇa	तत्र यमर्थमधिकृत्योच्यते तदधिकरणम् । तत्र यमर्थमधिकृत्योच्यते तदधिकरणम् ।
(A) 1		adhikaraṇa	यमर्थमधिकृत्योच्यते तद्धिकरण ।
(N) 1 (S) 2		adhikaraṇa	तत्थ यं अधिकिञ्च वुञ्चति, तं अधिकरणं। येन वाक्यं युज्यते स योगः। यथा व्यत्यासेनो-
(5) 2	۷.	yoga	क्तानां सन्निकृष्टविप्रकृष्टानां पदार्थानाम् एकी- करणम्।
(V) 2	2.	yoga	येन वाक्यार्थो युज्यते स योगः।
(A) 3	}.	yoga	वाक्ययोजना योगः।
(N) 2	2.	yoga	पुब्बापरवसेन वुत्तानं सन्निहितासन्निहितानं प- दानं एकीकरणं योगो;।
(S) 3	3.	padārtha	योऽर्थोऽभिहितः सूत्रे पदे वा स पदार्थः। पदस्य पदयोः पदानां वा योऽर्थः स पदार्थः। अपरिमि- ताश्च पदार्थाः।
(V) 3	3.	padārtha	योऽर्थो विधिकृतः सूत्रपदे स पदार्थः।
(A) 4		padārtha	पदावधिकः पदार्थः।
(N) 3	3.	padattha	सुत्तपदेसु पुब्बापरयोगतो यो अत्थो विहितो, सो पदत्थो।
(S) 4	1.	hetvartha	यदुक्तं साधनं भवति स हेत्वर्थः।
(V) 4	1.	hetvartha	यदन्यद्युक्तिमदर्थस्य साधनं स हेत्वर्थः।
(A) 5	5.	hetvartha	हेतुरर्थसाधको हेत्वर्थः।
(N) 4	1.	hetuattha	यं वुत्तत्थसाधकं, सो हेतुअत्थो। ⁶⁶¹
(S) 5	5.	uddeśa/samuddeśa	समासवचनं समुद्देशः।
(V) 5	5.	uddeśa	समासवचनमुद्देशः।
(A) 6	5.	uddeśa	समासवाक्यमुद्देशः।
(N) 5	5.	uddesa	समासवचनं उद्देसो।
(S) 6	5.	nirdeśa	विस्तरवचनं निर्देशः।
(V) 6	5.	nirdeśa	विस्तरवचनं निर्देशः।

⁶⁶¹ yam vuttaatthasādhanam? so hetuttho. Thera 1909: 807.

Sequence	Terms	Definitions
(A) 7.	nirdeśa	व्यासवाक्यं निर्देशः।
(N) 6.	niddesa	वित्थारवचनं निद्देसो।
(S) 7.	upadeśa	एवमित्युपदेशः।
(V) 7.	upadeśa	एवमेवेत्युपदेशः।
(A) 8.	upadeśa	एवं वर्तितव्यमित्युपदेशः।
(N) 7.	upadesa	एवन् ति उपदेसो।
(S) 8.	apadeśa	अनेन कारणेनेत्यपदेशः।
(V) 8.	apadeśa	अनेन कारणेनेत्यपदेशः।
(A) 9.	apadeśa	एवमसावाहेत्यपदेशः।
(N) 8.	apadesa	अनेन कारणेना ति अपदेसो।
(S) 9.	pradeśa	प्रकृतस्यातिक्रान्तेन साधनं प्रदेशः।
(V) 9.	pradeśa	प्रकृतस्यानागतेन साधनं प्रदेशः।
(A) 11.	predeśa	वक्तव्येन साधनं प्रदेशः।
(N) 10.	paṭidesa	पकतस्स अनागतेन अत्थसाधनं पटिदेसो।
(S) 10.	atideśa	प्रकृतस्यानागतेन साधनम् अतिदेशः।
(V) 10.	atideśa	अतिक्रमणेन अतिदेशः।
(A) 10.	atideśa	उक्तेन साधनमतिदेशः।
(N) 9.	atidesa	पकतस्स अतिक्कन्तेन साधनं अतिदेसो।
(S) 11.	apavarga	अभिप्रमृज्यापकर्षणमपवर्गः।
(V) 11.	apavarga	अभिप्रायानुकर्षणमपवर्गः।
(A) 22.	apavarga	अभिप्लुत्व्यपकर्षणमपवर्गः।
(N) 11.	aþavagga	अतिव्यापेत्वा अपनयनं अपवग्गो।
(S) 12.	vākyaśeṣa	येन पदेनानुक्तेन वाक्यं समाप्यते स वाक्य- शेषः।
(V) 12.	vākyaśeṣa	येनार्थः परिसमाप्यते पदेनाहार्येण स वाक्य- शेषः।
(A) 17.	vākyaśeṣa	येन वाक्यं समाप्यते स वाक्यशेषः।
(N) 12.		येन पदेन अवुत्तेन वाक्यपरिसमापनं भवति,
` '	-	सो वाक्यदोसोँ।
(S)		
(V)		
(A) 12.	upamāna	दृष्टेनादृष्टस्य साधनमुपमानम्।
(N)		

Sequence	Terms	Definitions
(S) 13.	arthāpatti	यदकीर्तितमर्थादापद्यते सार्थापत्तिः।
(V) 13.	arthāpatti	यदकीर्तितमर्थादापद्यते सार्थापत्तिः।
(A) 13.	arthāpatti	यदनुक्तमर्थादापद्यते सार्थापत्तिः।
(N) 13.	atthāpatti	यद् अकित्तितं अत्थतो आपज्जति, सा अत्था- पत्ति ।
(S) 14.	viparyaya	यद्यस्य प्रातिलोम्यं तद्विपर्ययः।
(V) 20.	viparyaya	तस्य प्रातिलोम्यं विपर्ययः।
(A) 16.	viparyaya	प्रतिलोमेन साधनं विपर्ययः।
(N) 14.	vipariyaya	यं यत्थ विहितं, तत्र यं तस्स पटिलोमं, सो वि- परिययो।
(S) 15.	prasaṅga	प्रकरणान्तरेण समानः प्रसङ्गः।
(V) 14.	prasaṅga	प्रकरणाभिहितोऽर्थः केनचिदुपोद्घातेन पुनरु-
		च्यमानः प्रसङ्गः।
(A) 15.	prasaṅga	प्रकरणान्तरेण समानोऽर्थः प्रसङ्गः।
(N) 15.	<i>þasanga</i>	पकरणन्तरेन समानो अत्थो पसङ्गो।
(S) 16.	ekānta	यदवधारणेनोच्यते स एकान्तः।
(V) 15.	ekānta	यथा तथा स एकान्तः।
(A) 26.	ekānta	सर्वत्रायत्तमेकान्तः।
(N) 16.	ekānta	सब्बथा यं तथा, सो एकान्तो।
(S) 17.	anekānta	क्वचित्तथा क्वचिदन्यथा सोऽनेकान्तः।
(V) 16.	anekānta	क्वचित्तथा क्वचिदन्यथाऽसावनेकान्तः।
(A)		
(N) 17.	anekānta	यो पन कत्थचि अञ्जथा सो अनेकान्तो।
(S) 18.	pūrvapakṣa	यस्तु निःसंशयमभिधीयते स पूर्वपक्षः। ⁶⁶²
(V) 17.	pūrvapak <u>ṣ</u> a	प्रतिषेधवचनं पूर्वपक्षः।
(A) 24.	pūrvapak <u>ṣ</u> a	प्रतिषेद्धव्यं वाक्यं पूर्वपक्षः।
(N) 18.	pubbapakkha	[यो] तु निस्सन्देहम् अभिधीयते, सो पुब्बप- क्खो।
(S) 19.	nirṇaya	तस्योत्तरं निर्णयः।
(V) 18.	nirṇaya	उत्तरवचनं निर्णयः।
(A) 25.	uttarapakṣa	निर्णयवाक्यमुत्तरपक्षः।

⁶⁶² This definition of *pūrvapakṣa* in the Nepalese version is problematic.

Sequence	Terms	Definitions
(N) 19.	піппауа	तस्स यं उत्तरं, सो निण्णयो।
(S) 20.	anumata	परमतमप्रतिषिद्धमनुमतम् ।
(V) 25.	anumata	परमतमप्रतिषिद्धमनुमतम् ।
(A) 18.	anumata	परवाक्यमप्रतिषिद्धमनुमतम् ।
(N) 20.	anumata	परमतम् अप्पटिसिद्धं अनुमतं ।
(S) 21.	vidhāna	प्रकरणानुपूर्व्यादभिहितं विधानम्।
(V) 19.	vidhāna	प्रकरणानुपूर्वं विधानम्।
(A) 2.	vidhāna	शास्त्रस्य प्रकरणानुपूर्वी विधानम् ।
(N) 21.	vidhāna	पकरणानुपुब्बं विधानं ।
(S) 22.	anāgatāpekṣaṇa	एवं वक्ष्यतीत्यनागतापेक्षणम्।
(V) 22.	anāgatāpekṣaṇa	परत्र वक्षामीत्यनागतावेक्षणम् ।
(A) 27.	anāgatāvekṣaṇa	पश्चादेवं विहितमित्यनागतावेक्षणम् ।
(N) 22.	anāgatāpekkhana	एवं वक्खामि ति अनागतापेक्खनं।
(S) 23.	atikrāntāpekṣaṇa	इत्युक्तमित्यतिक्रान्तापेक्षणम् ।
(V) 21.	atikrāntāpekṣaṇa	इत्युक्तमतिक्रान्तावेक्षणम् ।
(A) 28.	atikrāntāvekṣaṇa	पुरस्तादेवं विहितमित्यतिक्रान्तावेक्षणम्।
(N) 23.	atītāpekkhana	इति वुत्तन् ति अतीतापेक्खनं।
(S) 24.	saṃśaya	उभयहेतुनिदर्शनं संशयः।
(V) 23.	saṃśaya	उभयतो हेतुदर्शनं संशयः।
(A) 14.	saṃśaya	उभयतो हेतुमानर्थः संशयः।
(N) 24.	saṃsaya	उभयहेतुदस्सनं संसयो।
(S) 25.	vyākhyāna	तत्रातिशयोपवर्णनं व्याख्यानम्।
(V) 24.	vyākhyāna	तत्रातिशयवर्णनातिव्याख्यानम् ।
(A) 19.	vyākhyāna	अतिशयवर्णना व्याख्यानम् ।
(N) 25.	vyākhyāna	संवण्णना व्याख्यानम् ।
(S) 26.	svasaṃjñā	अन्यशास्त्रासामान्या स्वसंज्ञा।
(V) 26.	svasaṃjñā	परैरसम्मतः शब्दः स्वसंज्ञा।
(A) 23.	svasaṃjñā	परैरसमितः शब्दः स्वसंज्ञा।
(N) 26.	anaññā sakasaññā	भूतानं पवत्ता आरम्भचिन्ता अनञ्जा, सस्स सा- धारणा सकसञ्जा।
(S) 27.	nirvacana	लोकप्रथितमुदाहरणं निर्वचनम्।
(-) - 1 ·	nirvacana	लोके प्रतीतमुदाहरणं निर्वचनम्।

Sequence	Terms	Definitions
Sequence	1611118	
(A) 20.	nirvacana	गुणतः शब्दनिष्पत्तिर्निर्वचनम्।
(N) 27.	nibbacana	लोकप्पतीतम् उदाहरणं निब्बचनं ।
(S) 28.	nidarśana	दृष्टान्तव्यक्तिर्निदर्शनम् ।
(V) 28.	nidarśana	तद्युक्तिनिदर्शनं दृष्टान्तः।
(A) 21.	nidarśana	दृष्टान्तो दृष्टान्तयुक्तो निदर्शनम्।
(N) 28.	nidassana	दिट्ठन्तसंयोगो निंदस्सनं ।
(S) 29.	niyoga	इदमेवेति नियोगः।
(V) 29.	niyoga	एवेति नियोगः।
(A) 29.	niyoga	एवं नान्यथेति नियोगः।
(N) 29.	niyoga	इदम् एवा ति नियोगो।
(S) 30.	vikalp a	l
(V) 30.	vikalpa	इदं वेदं वेति विकल्पः।
(A) 30.	vikalpa	अनेन वानेन वेति विकल्पः।
(N) 3o.	vikappa	इदं वा ति विकप्पो।
(S) 31.	samuccaya	l
(V) 31.	samuccaya	इदं चेदं चेति समुच्चयः।
(A) 31.	samuccaya	अनेन चानेन चेति समुच्चयः।
(N) 31.	samuccaya	संखेपवचनं समुच्चयो।
(S) 32.	ūhya	यदनिर्दिष्टं बुद्धिगम्यं तदूह्यम् ।
(V) 32.	$\bar{u}hya$	अत्र यदनिर्देष्टं युक्तिगम्यं तदूह्यम् ।
(A)	ūhya	अनुक्तकरणमूह्यम् ।
(N) 32.	upānīya	यद् अनिद्दिट्ठं बुद्धिया अवगमनीयं, तद् उपानी-
		यन् ति ।

Āyurvedic literature

Primary texts

While references to *tantrayukti*s can be found across various disciplines, Āyurveda places a particular emphasis on their discussion, especially evident in key texts of Āyurveda, such as the *Caraka*- and the *Suśruta- saṃhitā*s, as well as the *Aṣṭāṅgasaṅgraha*. The *Carakasaṃhitā* and *Aṣṭāṅgasaṅgraha* present an identical list of *tantrayukti*s contained in a stanza of four *anuṣṭubh*

verses. 663 However, unlike the *Suśrutasaṃhitā* they lack explicit definitions and examples. This list of the *tantrayukti*s appear in the final chapter of the last book in both *Carakasaṃhitā* (41b–45a, chapter 12, *Siddhisthāna*) and *Aṣṭāṅgasaṅgraha* (150–153, chapter 50, *Uttarasthāna*). The same has been quoted by Aruṇadatta in his commentary *Sarvāṅgasundarī* on the *Aṣṭāṅgahṛdaya* while elucidating the concept of *tantraguṇa* (qualities of the system) and by Śrīdāsa Paṇḍita in the prefatory section of his commentary *Hṛdayabodhikā* on the *Aṣṭāṅgahṛdayasaṃhitā*. Notably, this list consists of 36 *tantrayukti*s instead of 32 found in the *Suśrutasaṃhitā* and other texts. The additional four are: *prayojana* (objective), *pratyutsāra* (rebuttal), *uddhāra*, and *sambhava* (origin).

The presence of identical verses enumerating the *tantrayukti*s in the *Aṣṭāṅgahṛdayasaṃhitā*, *Carakasaṃhitā*, *Sarvāṅgasundarī* and *Hṛdayabodhikā* strongly suggests a shared origin. However, a critical issue arises due to the absence of a comprehensive critical edition of the chapter 12 of the *Siddhisthāna* of the *Carakasaṃhitā*, leaving uncertainty about the total number of *tantrayukti*s recognized by Dṛḍhabala in this section. The problem arises from different readings of the half-verse that occurs right before the list of 36 *tantrayukti*s. In MS Kathmandu NAK 1/1648 (dated 1183 AD, the oldest dated manuscript of the *Carakasaṃhitā* known to us), the reading of this

```
663 तत्राधिकरणं योगो हेत्वर्थोऽर्थः पदस्य च।
    प्रदेशोद्देशनिर्देशवाक्यशेषाः प्रयोजनम्॥
    उपदेशापदेशातिदेशार्थापत्तिनिर्णयाः।
    प्रसङ्गेकान्तनैकान्ताः सापवर्गो विपर्ययः॥
    पर्वपक्षविधानानमतव्याख्यानसंशयाः।
    अतीतानागतापेक्षास्वसंज्ञोह्यसमुच्चयाः॥
    निदर्शनं निर्वचनं नियोगोऽथ विकल्पनम।
    प्रत्यत्सारस्तथोद्धारः सम्भवस्तन्त्रयक्तयः॥
    Astāngasangraha 6.50.150-153a (As 1980: 959).
                                                              Carakasamhitā 8.12.41b-45a
    (Ca 1941: 736) reads almost the same. The only two variants are (1) अतीतानागतावेक्षा...
    and (2) निर्वचनं संनियोगो विकल्पनम्.
664 Arunadatta on the Astāngahrdayasamhitā 6.40.78 (Ah 1939: 946).
665 AHS 1940: 1-2.
666 We know from internal textual evidence that the Siddhisthāna of the Carakasamhitā in
    which the list of the tantrayuktis appear was originally authored by Drdhabala, who lived
    in a town called Pancanada sometime between 300 and 500 AD.
    Cf. अखण्डार्थं दृढबलो जातः पञ्चनदे पुरे।
    कृत्वा बहुभ्यस्तन्त्रेभ्यो विशेषोञ्छशिलोच्चयम्॥
    सप्तदशौषधाध्यायसिद्धिकल्पैरपरयत।
    8.12.39-40a (Ca 1941: 735)
```

verse is: षद्विंशद्भिर्विचित्राभिर्भृषि]तं तन्त्रयुक्तिभिः॥ This number of 36 tantrayuktis perfectly agrees with the following list of the 36 tantrayuktis. A similar reading is found in Trikamji's 1933 Carakasamhitā edition which contains only the mūla-text. 667 However, although most of the other editions consist of the same reading, a number of editions show quite a lot of discrepancies with the number. For example, Trikamji's 1941 edition of the Carakasamhitā reads the same half-verse as षड्विंशता विचित्राभिर्भृषितं तन्त्रयुक्तिभिः। 8.12.41a (Ca 1941: 735). In the same edition, the reading of Cakrapāṇi's Ayurvedadīpikā supports the reading: षड्डिंशत्तन्त्रयक्तिभिर्भिषतमप्रयदृढबल इति योजना. However, after this verse, the same edition consists of the versified list of the 36 tantrayuktis and commenting on these verses, the Ayurvedadīpikā confirms the total number of the tantrayuktis as 36: इत्येताः षद्विंशत्तन्त्रयुक्तयो व्याहृताः।. 668 Moreover, the edition of Rāmaprasāda Vaidyopādhyāya reads the half-verse as— पञ्चत्रिंशद्विचित्राभिभ्षितं तन्त्रयुक्तिभिः. 669 Rāmaprasāda Vaidyopādhyāya excludes ūhya. 670 The same reading is found in Satīśacandra Śarmā's third edition of the *Carakasamhitā*. ⁶⁷¹ However, adding more troubles to it, Satīśacandra Šarmā, in his Bengali translation, says that there are 34 tantrayuktis (even though the main Sanskrit text of his edition counts 35). Then he in fact illustrates 36 tantrayuktis making a remark that states—

"in Gangadhara's reading, there are 36 tantrayuktis because he counts saṃśaya twice in his commentary. But 35 was reckoned in his mūla-text. Another manuscript reckons 34 tantrayuktis excluding apadeśa. This edition reads thirty-five instead of thirty-four or thirty-six." 672

In the edition of Narendranātha Senagupta and Balāicandra Senagupta that includes Cakrapāni's *Āyurvedadīpikā* and Gaṅgādhara's

⁶⁶⁷ षद्विंशता विचित्राभिर्भूषितं तन्त्रयुक्तिभिः॥ 8.12.70a (Ca 1933: 972).

⁶⁶⁸ Ca 1941: 737.

⁶⁶⁹ Ca 1911: 1913.

⁶⁷⁰ Understanding the *tantrayukti samuccaya* as *asamuccaya*, he reads the verse where *ūhya* appears as— अतीतानागतापेक्षा स्वसंज्ञा ह्यसमुच्चयाः. Surely, this reading is erroneous as the plural ending after *samuccaya* does not make sense.

⁶⁷¹ Ca 1923: 1020. His first edition, however, reads the half-verse the same as the reading in Ca 1933.(Ca 1904: 884)

^{672 &}quot;গঙ্গাধর পাঠ— তন্ত্রযুক্তি ছত্রিশ প্রকার। তিনি টীকাতে সংশয়কে দুই বার উল্লেখ করিয়া ছত্রিশ প্রকার গণনা করিয়াছেন, কিন্তু তাঁহার মূলে পঁয়ত্রিশ প্রকার আছে; গ্রন্থান্তরে ৩৪ প্রকার আছে; তাহাতে 'অপদেশ' ধর্ত্তব্য হয় নাই। এই অনুবাদের মূলে চতুস্ত্রিংশৎ বা ষট্ত্রিংশৎ স্থলে পঞ্চত্রিংশৎ লিখিত হইল।" Ca 1923: 1022.

Jalpakalpataru, the Sanskrit mūla and the Jalpakalpataru enumerate 36 tantrayuktis. However, in the same edition, the Āyurvedadīpikā reads, पञ्चित्रंशत्तन्त्रयुक्तिभिर्भूषितमपूरयदृढबल इति योजना. Again, after the illustrations of the 36 tantrayuktis it reads, इत्येताः षट्टिंशत्तन्त्रयुक्तयो व्याहृताः. In his edition of the Tantrayuktivicāra, Muthuswami also mentions that 35 tantrayuktis are reckoned in the Carakasamhitā. Ivānanda Vidyāsagara's edition gives no number at all— तथा च ता विचित्राभिर्भूषितं तन्त्रयुक्तिभिः.

Commentaries on the Carakasamhitā prior to Cakrapāṇi's Ayurvedadīpikā, such as the Carakanyāsa of Bhattāra Hariścandra (c. mid-sixth century) or Nirantarapadavyākhyā of Jejjata (c. 7th or 8th century AD) do not help much because the extant portions of these commentaries do not include the concerned section of the 12th chapter of the Siddhisthāna. However, Hariścandra was possibly not aware of the total number and the list of the tantrayuktis in the final chapter of the Siddhisthāna because he discussed the tantrayuktis right at the beginning of his commentary and showed no indication to the awareness about the discussion on the tantrayuktis at the end of the text. Moreover, he discusses 40 tantrayuktis instead of 36. It is not yet settled whether or not Hariścandra was aware of Drdhabala's redaction of the Carakasamhitā. However, Hariścandra's treatment of the tantrayuktis supports the latter.⁶⁷⁷. It is clear from Cakrapāni's commentary on the Carakasamhitā that in the version of the text he commented upon contained the four verses that list the 36 tantrayuktis. It is, however, not improbable that the four verses that list the 36 tantrayuktis were later added to the Carakasamhitā sometime between the sixth (the date of Hariścandra) and the eleventh century (the date of Cakrapāni) and the discrepancy appeared when the previous verse that gives the total number of the tantrayuktis was not properly emended by the scribes complying with the following list of 36 tantrayuktis. There is a need of a critical edition of the twelfth chapter of the Siddhisthāna of the Carakasamhitā to address these issues definitely.

⁶⁷³ Ca 1928-33: III, 3814.

⁶⁷⁴ Ca 1928-33: III, 3822.

^{675 &#}x27;पञ्चत्रिंशद्विचित्राभिर्भूषितं तन्त्रयुक्तिभिः।' इति चरके। द्वात्रिंशदिति सुश्रुतः।(TYV: 2, fn. 2).

⁶⁷⁶ Ca 1877: 961. 677 HIML: IA, 189.

Commentaries

The commentators who extensively delved into the discussion of the tantrayuktis are Hariścandra, the author of Carakanyāsa, and Aruṇadatta (12th century),⁶⁷⁸ who authored his commentary Sarvāngasundarī on the Aṣṭāngahṛdaya of Vāgbhaṭa. Hariścandra meticulously defined and analyzed 40 tantrayuktis at the beginning of his work. The four additional tantrayuktis are: paripraśna (question), vyākaraṇa (grammatical clarification), vyutkrāntābhidhāna (overpassing statement) and hetu (means of knowledge).⁶⁷⁹

Arunadatta, while discussing the concept of tantraguna at the end of the Astāngahrdaya, provided an elaborate description of tantrayuktis, considering them as part of a system of ninety-five tantragunas. Śrīdāsa Pandita (14th century), a commentator on the Astāngahrdaya, echoed Arunadatta's exploration of tantrayuktis in the beginning of his commentary, Hrdayabodhikā. 680 Thus, both Hariścandra and Śrīdāsa Pandita engage with this topic right at the beginning, underscoring the significance they attribute to the subject. Other noteworthy commentators who discussed the topic of tantrayukti are Cakrapāni (11th century) and Indu (sometime between 8th and 12th century). Cakrapāni and Indu defined and illustrated the *tantravukti*'s mentioned in the Carakasamhitā and the Astāngasangraha, respectively. They affirm the inclusion of the four additional tantrayuktis in Hariścandra's list. Cakrapāni, aligning them with existing concepts, incorporates paripraśna, vyākarana, and vyutkrāntābhidhāna under the tantrayuktis uddeśa, vyākhyāna, and nirdeśa, respectively. According to him, hetu serves as an overarching term encompassing all *pramāna*s (means of knowledge) such as *pratyaksa* (perception)

680 HIML: IA, 680.

⁶⁷⁸ HIML: IA, 663-664.

⁶⁷⁹ This text has only been published once (only until the third chapter of Sūtrasthāna) by Masta Ram Shastri from Lahore in 1932/33. (HIML: IB, 290) Unfortunately, it is currently inaccessible to us. Although some fragmented manuscripts of the Carakanyāsa exist, for this section (Chapter 1, Sūtrasthāna), we were able to consult only MS MS Jamnagar GAU 114. This is a recent apograph with several lacunae and corruptions. The list of the tantrayuktis provided in the Carakanyāsa is as follows (with some emendations made in the reading): तन्त्रस्य युक्तयोऽधिकरणाद्याश्चत्वारिंशत्।... युक्तयस्तावदधिकरणं योगो हेत्वर्ध उद्देशो [निर्देश] उपदेशोऽपदेशोऽतिदेशः प्रदेशो निर्णयोऽर्थापत्तिर्वाक्यशेषः प्रयोजनं प्रसङ्ग एकान्तोऽनेकान्तो विपर्ययोऽपवर्गः पूर्वपक्षो विधानमनुमतं व्याख्यानं परिप्रश्नो व्याकरणमतीतापेक्षणमनागतापेक्षणं संश्यः स्वसंज्ञोह्यः समुच्चयो निदर्शनं निर्वचनं नियोगो विकल्पः प्रत्युत्सार उद्धारः सम्भवो व्युत्क्रान्ताभिधानं हेतुरिति।

and others. Indu, however, outlines three possible reasons for not incorporating these *tantrayukti*s into the list: (1) they lack direct mention in the main text, (2) they could be considered as falling within the scopes of already enumerated *tantrayuktis*, or (3) they are not recognized as *tantrayuktis*.

Detailed discussions on the *tantrayukti*s also appear in the *Jalpakalpataru*, a nineteenth-century commentary on the *Carakasaṃhitā* by Gaṅgādhara Kavirāja from Bengal. Gaṅgādhara included the commentary with his *editio princeps* of the *Carakasaṃhitā*. He defines the *tantrayukti*s most often as defined in the *Suśrutasaṃhitā* making explicit quotations from the *Suśrutasaṃhitā* itself. Hence, this commentary serves as a testimonium for most part of the *tantrayukti* section of the *Suśrutasaṃhitā*.

Monographs

two texts authored by Āyurvedic scholars exclusively delve into the topic of *tantrayukti*. The first is the *Tantrayuktivicāra* by a physician named Nīlamegha (also known as Vaidyanātha), while the second is called the *Tantrayukti*, which is a sort of recast of the former by an anonymous author. The anonymous author describes himself as being from the same lineage as Nīlamegha and asserts that Nīlamegha belongs to the same lineage of Bhiṣagārya (also known as Nārāyaṇa Bhiṣaj). Both Nīlamegha and the author of Tantrayukti are likely from Kerala or coastal Karnataka. According to Koļatteri Śaṅkaramenon and Meulenbeld, Nīlamegha flourished in the first half of ninth century. The *Tantrayukti* was very likely composed after the sixteenth century.

⁶⁸¹ Kolatteri Sankaramenon, the first editor of the *Tantrayuktivicāra*, believes that Nīlamegha hails from Kerala. This conclusion is drawn from Nīlamegha's reference to his guru as Sundara, whom Sankaramenon identifies as the same individual credited with composing the *Lakṣaṇāmṛta*, a treatise on toxicology. This assertion is plausible because the only known manuscript of *Tantrayuktivicāra* belongs to a member of one of the Aṣṭavaidya families of Kerala, aligning with the Vāgbhaṭa school, to which Nīlamegha also belongs.((HIML: IIA, 143)) On the other hand, the anonymous author of the *Tantrayukti* associates Nīlamegha with the lineage of Bhiṣagārya, who hails from Uṇṭuru, a village located 3 kilometers from Gokarṇa which is in coastal Karnataka.(TY: 30).

⁶⁸² Nīlamegha mentions Vāhaṭa (Vāgbhaṭa), Indu, and Jejjaṭa in his work. This places him definitively after the seventh century. The Buddhist influence in the Tantrayukti indicates a date not much later than 800 AD. (TYV: अवतारिका ५–६, HIML: IIA, 143.)

⁶⁸³ From the explicit mention of Nīlamegha and Bhiṣagārya in the work *Tantrayukti*, we can say that the author flourished after them. Determining the date of Bhiṣagārya is problematic. However, since the Kairalī commentary on the *Aṣṭāngahṛdayasaṃhitā* frequently

Nīlamegha's *Tantrayuktivicāra* is a versified text accompanied by an autocommentary. The text comprises eighteen verses plus a hemistich, resulting in a total of 37 hemistichs. Each hemistich serves as a definition for a *tantrayukti*. Nīlamegha enumerates a total of 36 *tantrayukti*s, as mentioned in the *Aṣṭāṅgasaṅgraha* and *Carakasaṃhitā*. The additional hemistich defines *aviparyaya*, which, according to Nīlamegha, is sometimes considered instead of *viparyaya*. This substitution occurs when one understands that the negative prefix *a*- is deleted due to a *pūrvarūpa sandhi*— *sāpavargaḥ* + *aviparyayaḥ* sāpavargo viparyayaḥ (See footnote 663.).

The text of the *Tantrayukti* includes some verses at the beginning and end, where the author discusses the lineage of Nīlamegha. The author explicitly states that his text is a revised version of Nīlamegha's *Tantrayuktivicāra* because the available manuscripts were mostly corrupt. It is evident that there are substantial reproductions of parts of the *Tantrayuktivicāra* and its autocommentary. The total number of *tantrayuktis* and their enumeration remains identical to that of the *Tantrayuktivicāra*. What distinguishes it from the *Tantrayuktivicāra* is the incorporation of a list of other *tantraguṇas* and 14 *tantradoṣas*. This list of *tantraguṇas* includes 15 types of *vyākhyā*, 7 types of *kalpanā*, 20 types of *āśraya*, and 17 types of metaphoric and metonymic devices, such as *tācchīlya* and so on.

Tantrayukti-inventories

It is evident from the discussion on the early sources that all these listings of the *tantrayukti*s in the early sources can be grouped into two categories. For the ease of our following discussion, we name these two inventories as (1) earlier listing and (2) later listing.

quotes from Bhiṣagārya's *Abhidhānamañjarī*, it indicates that Bhiṣagārya predates the composition of this commentary. Meulenbeld suggests the end of the seventeenth century as the terminus post quem for the Kairalī (HIML: IA, 675). Moreover, he views *Abhidhānamañjarī* as a work composed after the sixteenth century, citing details within it that affirm its posteriority to the *Rājanighanṭu* and *Bhāvaprakāśa* (HIML: IIA, 442).

⁶⁸⁴ वैद्यनाथोपसृष्टानां लक्ष्यलक्षणवाग्जुषाम् ॥ तासां प्रायः प्रकाशानां दुर्लेखापङ्कदूषणात् । क्रियते साम्प्रतं कृच्छादुद्भृत्य परिमार्ज्जनम् ॥ TY: 1

Earlier Listing

The four inventories of *tantrayukti*s from the *Arthaśāstra*, *Suśrutasaṃhitā*, *Viṣṇudharmottarapurāṇa*, and *Saddanīti* belong to what we call the "earlier Listing." The reason to call this listing as "earlier listing" is: two early Sanskrit texts, viz., the *Arthaśāstra* and the *Suśrutasaṃhitā* consists of this listing. The Tamil list of the *tantrayukti*s as found in the *Tolkāppiyam* also belongs to this group, even though not all of the *utti*s in this list might correspond accurately to the Sanskrit and Pali lists. A defining characteristic of this listing is that each inventory explicitly states the total number of *tantrayukti*s as thirty-two. Even though there are sometimes different *tantrayukti*s enumerated in different lists, the total count always remains consistent at 32. As demonstrated in Table 4, the Sanskrit and Pali lists are similarly ordered and are always accompanied by similar or identical definitions. This list appears across diverse disciplines.

Later Listing

The "later listing" is the one we find in the Aṣṭāngasangraha, Carakasamhitā, the commentaries on the Carakasamhitā, Aṣṭāngasangraha and Aṣṭāngahṛdayasamhitā and the two monographs, the Tantrayuktivicāra and Tantrayukti. This list has sprung from a single source— a versified list of thirty-six tantrayuktis comprising four verses that appear in the Aṣṭāngasangraha, Carakasamhitā and Aruṇadatta's commentary on the Aṣṭāngahṛdayasamhitā. It remains unclear whether these verses initially appeared in the Dṛḍhabala's redaction of the Carakasamhitā or Vāgbhaṭa's Aṣṭāngasangraha. Unlike the "earlier Listing," this list lacks definitions of the tantrayuktis. Definitions and illustrations are given by the authors of the commentaries and monographs as discussed in the previous section. Although Hariścandra's list includes 40 tantrayuktis instead of 36, his enumeration aligns more closely with "later listing" than the earlier one. Despite the earlier listing's corss-disciplinary appearance, the later listing notably influences the field of Āyurveda, likely

⁶⁸⁵ तद् द्वात्रिंशद् युक्तियुक्तम्। (5.1.3 Kangle 1965: 1, 280) "that (Arthaśāstra) is furnished with thirty-two logical methods of the system", तत्र द्वात्रिंशत् तन्त्रयुक्तयो भवन्ति। (Suśrutasaṃ-hitā6.64.2) "there are thirty-two logical methods of the system", battiṃsa tantiyuttiyo bhavanti/ (Suttamālā, 28 Saddanīti 3:920) "there are thirty-two logical methods of the system", எண்ணான்கு உத்தியின்... "It employs thirtytwo rules of criticism regarding writing." (Nannūl: 9–10)

Terminology 237

due to the popularity of Vāgbhaṭa's works. The *Suśrutasaṃhitā*, incorporating the "earlier listing" distinguishes itself among Āyurvedic texts that list the *tantrayukti*s.

Terminology

The terms have been translated into English in numerous books and articles. English renditions of the terms can be found in English translations of the *Su-śrutasamhitā* such as in Singhal and Mitra 1980: 171–172, and P. V. Sharma 1999–2001: 3, 631–639; in translations of the *Carakasamhitā* such as in R. K. Sharma and Dash 2006: 436–444 and in Shree Gulabkunverba Ayurvedic Society 1949: 1050, in the translation of the *Arthaśāstra* such as in Shamasastry 1951: 459, Kangle 1965: 593, Unni 2006: 1103 and Olivelle 2013, and by K. Srikanta Moorthy in TYV: Appendix xi–xxxiv. They are also found in various books and articles dedicated to discussing the *tantrayuktis* such as in Oberhammer 1968: 601–602, Solomon 1976–78: 1, 72, Lele 1981: 34–155, 2006: 36–150 and so on. German translations of the terms can be found in Meyer 1926: 663–664 (German translation of the *Arthaśāstra*) and in Prets and Prandstetter 1991–2006.

The definitions of *tantrayukti*s exhibit numerous variations across different texts. Here we will discuss each of the *tantrayukti*s that occur in the *Suśruta Saṃhitā* in comparison with their definitions in other texts. As indicated in Table 4, the definitions of *tantrayukti*s in the *Suśrutasaṃhitā* are frequently either identical or nearly identical to those found in the *Arthaśāstra*, *Viṣṇudharmottarapurāṇa* and *Saddanīti*. Therefore, unless the definitions in these two texts notably deviate from those in the *Suśrutasaṃhitā*, we will not make explicit references to them in the subsequent elucidation of the terms.

1. adhikarana

Adhikaraṇa appears as the first tantrayukti in all traditional enumerations. It is among those tantrayuktis for which there is little disagreement concerning its definition. This tantrayukti functions as a structural and interpretative device. With a tautological expression, the Suśrutasaṃhitā defines adhikaraṇa as something, with reference to which statements are made. While defining adhikaraṇa, the text employs the same verb, adhi-kṛ- (to refer), whence the noun adhikaraṇa has been derived. The text supplies examples of rasa

(taste) and *doṣa* (humour), for which two chapters of the *Uttaratantra*, namely chapter 62 (*Kāyacikitsā* 27) and chapter 65 (*Kāyacikitsā* 30) are dedicated. 686 Clearly, *adhikaraṇa* is the topic or theme.

Cakrapāṇi and Gaṅgādhara define adhikaraṇa in almost the same way as does the Suśrutasaṃhitā. Aruṇadatta's definition is similar but he specifies that adhikaraṇa can be of an entire discipline (śāstra), or a book (sthāna) of it, or a chapter (adhyāya), or a section (prakaraṇa), or even of a sentence (vākya). Srīdāsa Paṇḍita follows Aruṇadatta. However, in the commentaries of Hariścandra and Indu, we explore two more aspects of the concept of adhikaraṇa. According to Hariścandra, adhikaraṇa is the reason or ground referring to which the authors direct their discourse. For example, diseases create misery and the authors of Āyurveda began their discussion addressing them. Thus disease is the adhikaraṇa or theme of their discussion. Indu identifies adhikaraṇa as a binding force that links ideas. According to him, adhikaraṇa as an introductory reference and it exposes a general statement to a specific context.

Nīlamegha defines *adhikaraṇa* using the Paninian terminology. According to him, *adhikāraṇa* is the locus in which the *tātparya*, "reference" lies. ⁶⁹² *Adhikaraṇa* is one of the six *kāraka*-s (a sort of semantic roles recognized by Sanskrit grammarians). Pāṇini calls it a locus (*ādhāra*). ⁶⁹³ Through metaphorical extensions, the idea of a locus can apply to abstract domains and not merely to physical locus. In traditional Sanskrit grammar, a metonymic or metaphorical domain is called *vaiṣayika adhikaraṇa*. Patañjali considers *vaiṣayika* as one of the three types of *adhikaraṇa*. He quotes *Aṣṭāngahṛdayasaṃhitā Sūtrasthāna* 1.5b-6a and explains how the eight limbs of Āyurveda serve as the *adhikaraṇa*s

⁶⁸⁶ They are chapters 63 and 66 in A (Su 1938: B).

⁶⁸⁷ यमर्थमधिकृत्य प्रवर्तते कर्ता। यथा "विघ्नभूता यदा रोगा" इत्यादि। अत्र रोगादिकमधिकृत्यायुर्वेदो महर्षिभिः कृत इति 'रोगाः' इत्यधिकरणम्। Äyurvedadīpikā (Ca 1941: 736). तद् यमर्थमधिकृत्योच्यते; Jalpakalpataru (Ca 1928-33: III, 3815).

⁶⁸⁸ तत्र अधिकरणं नाम, यद्धिकृत्य प्रवर्तते शास्त्रं स्थानमध्यायं प्रकरणं वाक्यं वा।... (Ah 1939: 947). 689 AHS 1940: 2.

⁶⁹⁰ तत्राधिकरणं नाम यन्निमित्तमधिकृत्य प्रवर्तते कर्ता।... उत वा विघ्नभूता यदा रोगाः प्रादुर्भूताः तदिदं नि-मित्तमधिकृत्य जगदनुकम्पया महर्षिभिरयमायुर्वेद आगमः। एवमधिकरणव्याख्या वर्णयितव्या। MS MS Jamnagar GAU 114, p.4–5.

⁶⁹¹ अधिकरणं प्रस्तावः सामान्येनोक्तमप्यर्थजातं यद्बलाद्विशेषेऽवस्थाप्यते तदधिकरणम् । (As 1980: 959).

⁶⁹² तत्राधरोऽधिकरणं तात्पर्यं तत्र तिष्ठति । 1 TYV: 2.

⁶⁹³ आधारोऽधिकरणम् । *Aṣṭādhyāyī* 1.4.45.

⁶⁹⁴ On Aṣṭādhyāyī 6.1.72 Mahābhāṣya: 3, 51.

Terminology 239

of *cikitsā* "treatment". In Nīlamegha's understanding, *adhikaraṇa* "theme" is the domain of a reference. The *Tantrayukti* repeats Nīlamegha's idea but it also adds different types of *adhikaraṇa* as suggested by Aruṇadatta.

In the *Tolkāppiyam*, however, the equivalent expression for this *tantra-yukti* remains unclear, as commentators, namely Iļampūraṇar and Pērāciriyar, list the item differently. In Sastri's translation of the *Tolkāppiyam*, *adhikaraṇa* was identified with *atikāra muṇai*, the second element in Iḷampūraṇar's list. Sastri translates this expression as "deciding the extent where one serves as *adhikāra sūtra* or a word or words in a sūtra taken along with the *sūtra*-s that follow." However, Dikshitar, in his brief article on the *tantrayuktis*, equates *adhikaraṇa* with *nutaliyatu arital*, the first element in Pērāciriyar's list, and translates it as "that division of a book which centers around a chief topic and deals wholly with that topic." Clearly, Dikshitar's interpretation stands close to our definition of *adhikaraṇa*. Sastri's interpretation, on the other hand, corresponds to the concept of *adhikāra* "heading" and *anuvṛtti* "recurrence" in the *sūtra* literature, especially in Pāṇini's *Aṣṭādhyāyī*. 697

The translators usually translated this *tantrayukti* as "topic" or "subject matter".

2. *yoga*

This tantrayukti typically occupies the second position in most lists, except in the Arthaśāstra where it appears third following vidhāna. Functioning as a syntactic and semantic tool, yoga, as defined in the Suśrutasaṃhitā, represents the faculty responsible for the cohesion of a sentence. If we consider the main purpose of the tantrayuktis as narrated in the Suśrutasaṃhitā, namely, cohesion of a sentence (vākyayojana) and cohesion of meaning (arthayojana), it becomes evident that this tantrayukti is one of the fundamental tantrayuktis functioning as the device for vākyayojana. The Suśrutasaṃhitā further describes yoga as a syntactic connection between words, facilitating the linking of words even when they are in reverse order or placed apart. However, this paraphrased statement is absent in the vulgate; instead, it appears in the commentary of Palhana with a minor variation. The definitions of yoga in

⁶⁹⁵ Sastri 2002: 233.

⁶⁹⁶ Dikshitar 1930: 85

⁶⁹⁷ See Chevillard 2009: 111.

⁶⁹⁸ See 6.65.9 (Su 1938: 815).

the *Viṣṇudharmottarapurāṇa* and *Arthaśāstra* closely mirror that of the *Suśrutasaṃhitā*. However, the *Viṣṇudharmottarapurāṇa*'s definition introduces a slight variation by including the term *artha* "meaning". According to this definition, *yoga* is that by which the meaning of a sentence coheres. The *Arthaśāstra* employs a nominalized verb in a compound noun instead of a relative clause— *vākyayojanā* "connecting a sentence". The definition we find in the *Saddanīti* is close to the paraphrased part of the definition of the *Suśrutasamhitā*. 699

For illustration, a verse from chapter 18 of the *Cikitsāsthāna* is quoted in the *Suśrutasamhitā*—

तैलं पिबेच्चामृतवल्लिनिम्बहंसाह्वयावृक्षकपिप्पलीभिः। सिद्धं बलाभ्याञ्च सदेवदारु हिताय नित्यं गलगण्डरोगे॥⁷⁰⁰

In this verse, the noun sesame oil (tailam) appears at the beginning of the first hemistich, while its adjective cooked (siddham) is placed at the beginning of the final hemistich. Despite not being colocated, the tantrayukti yoga effectively connects them, facilitating our comprehension of the intended meaning. Evidently, this exemplifies a device for linking words within a sentence.

In the commentaries of Hariścandra, Indu, Cakrapāṇi and Aruṇa, however, the *tantrayukti yoga* is used in a broader sense. In these interpretations, *yoga* serves not only as a device for cohesion within a sentence but also fosters coherence among sentences in a discourse. Hariścandra identifies three alternative interpretations of $yoga.^{701}$ Aruṇadatta also interprets yoga in a similar fashion but instead of three alternatives he talks about the first two alternatives of Hariścandra. In the first alternative, yoga is coherence between the main statement ($s\bar{u}tra$) and its gloss ($bh\bar{a}sya$). Aruṇadatta expands its scope to coherence between mention (uddeśa) and description (nirdeśa) as well.⁷⁰² In the second alternative, yoga is reasoning (yukti) having

⁶⁹⁹ See Table 4.

^{700 4.18.47 (}Su 1938: 474).

⁷⁰¹ योगो नाम योजना ग्रन्थानां यथार्थसूत्रभाष्यसूत्रयोः... पञ्चलक्षणो वा योगः। प्रतिज्ञाहेतूदाहरणनिगमनानि... यदिह युज्यते स योग इत्येके। (MS Jamnagar GAU 114, p.5.)

⁷⁰² योगो नाम योजना, उद्देशनिर्देशयोः सूत्रभाष्ययोर्वा । Sarvāngasundarī on 6.40.80 (Ah 1939: 947).

Terminology 241

five types: (1) pratijñā "proposition", (2) hetu "reason", (3) udāharana "exemplification" (4) upanaya "application", and (5) nigamana "conclusion", resembling the five-membered syllogism of inference (anumāna) in the Nyāya-Vaiśesika school.⁷⁰³ Śrīdāsa Paṇḍita's comment is similar to that of Aruṇadatta.⁷⁰⁴ Hariścandra also notes a different understanding of this tantrayukti by some others. In this sense, yoga is connectedness. This alternative definition is close to that of the Suśrutasamhitā. In Indu's interpretation, yoga is lexical cohesion, as he understands yoga as a relation between a word and its meaning or a sentence and its meaning.⁷⁰⁵ Cakrapāni, while defining *yoga* in a fashion similar to the Suśrutasamhitā, exemplifies it as a connection between five logical elements, namely pratijñā, hetu, udāharana, upanaya and nigamana, conflating the definition of yoga with Hariscandra's second alternative i.e. yoga is reasoning (yukti).⁷⁰⁶ Nīlamegha defines yoga as connecting words one by one coherently. 707 As he further explains in the autocommentary with examples from the Astāngahrdayasamhitā, it is evident that he understands yoga as coherence between a part of a sentence and the discourse.⁷⁰⁸ Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified the tantrayukti yoga with any utti mentioned in the Tolkāppiyam.⁷⁰⁹

The word yoga derives from the Sanskrit root \sqrt{yuj} "to connect" with the primary suffix $GHa\tilde{N}$, which is often used for creating action nouns. In Sanskrit technical literature, the term yoga is used in a broad sense to mean any kind of linguistic connection or connectedness. In the Astadhyayi of Pāṇini, it often refers to the connection with a word or a word-element. Hence, it refers to a morphosemantic or syntaco-semantic connection. Patañjali uses this term several times in his Mahabhasya. In the Susrutasamhita the word yoga is primarily used to mean the connection between words in a sentence. According to this definition and illustration, it is primarily intra-sentential cohesion. Unlike the later commentators on the works of Caraka and Vāgbhaṭa, it does not extend the scope of this term to inter-sentential cohesion and co-

⁷⁰³ युक्तिर्वा योगः, प्रतिज्ञा हेतुर्दृष्टान्त उपनयो निगमनमिति पञ्चिवधः। 6.40.80 (Ah 1939: 947). 704 AHS 1940: 2. 705 योगो नाम योगः सम्बन्धः स च पदार्थयोर्वाक्यार्थयोर्वा । Śaśilekhā on 6.50.150aa (As 1980: 959). 706 योगो नाम योजना व्यस्तानां पदानामेकीकरणम् । उदाहरणं तावद्यथा प्रतिज्ञाहेतूदाहरणोपनयनिगमनानि । 8.12.41 (Ca 1941: 736). 707 योगः पदानामेकैकमर्थोचित्येन योजना । 2 TYV: 3. 708 TYV: 3. 709 Chevillard 2009: 84. 710 Joshi and Roodbergen 1991: 64.

herence. Keeping in mind such definition given in the *Suśrutasaṃhitā*, we translate the term as cohesion even though no other translators of the *tantrayukti*s used this translation. In some other contexts, however, *yoga* can be extended to coherence. Both coherence and cohesion are derived from the Latin verb *cohaere*- (< *con*- "with" *haereō* "cling") "to cling together." In other translations of the *tantrayuktis* (see p. 237), *yoga* is variously translated as employment, arrangement, conjoiner, connecting, concomitance, uniting, union, rational linking, joining and so on. We preferred the term cohesion because the other options are either too narrow or too vague. 'Employment' is rather *prayoga*, not *yoga*. 'Rational linking' disregards the grammatical aspect of *yoga*. 'Conjoiner', 'connecting', 'union', 'uniting' or 'arrangement' are vague and they do not reflect the technical import of the term *yoga*.

3. padārtha

In the earlier listing, *padārtha* follows *yoga*, while in the later listing, this *tantrayukti* is enumerated after *hetvartha*, possibly due to metrical requirements. The *Suśrutasamhitā* dedicates more words to describing this *tantrayukti* than any other early texts.

The description in the *Suśrutasaṃhitā* commences with the definition of *padārtha*, which is articulated as the meaning conveyed in an aphorism or a word. It then delves into the literal interpretation of the term *padārtha*. The straightforward meaning of the compound *padārtha*, obtained by dissecting its components—*pada* "word," and *artha* "meaning"—is "the meaning of one or more words." After presenting the literal interpretation of *padārtha*, the *Suśrutasaṃhitā* provides the rationale why mere word meanings cannot suffice as the *tantrayukti padārtha*—since a word or words may have multiple meanings. Therefore, as a *tantrayukti*, the term *padārtha* denotes the meaning of a word or words within a specific context.⁷¹¹ Dalhaṇa also supports this perspective, indicating that the term *padārtha* refers to a specific meaning of a word or words.⁷¹²

In (Su 1938), a variant reading of the definition of padārtha is noted: सूत्रपदे in the place of सूत्रे पदे वा. It remains unclear which reading was available to Dalhana. He proposed an etymological meaning of the word pada,

⁷¹¹ See fn. 765.

⁷¹² अधुना बहुषु पदार्थेषु निर्धार्य विशिष्टपदार्थग्रहणाय पदार्थबहुत्वं प्रतिपादयति— अपरिमिता इत्यादि। Dalhaṇa on 6.65.10 (Su 1938: 816).

Terminology 243

defining it as that by which a meaning is understood, and includes sūtra under the semantic scope of pada. Essentially, he viewed sūtra as a type of pada because, by conveying a meaning, a sūtra falls under the category of pada, which by definition signifies a meaning-conveying unit. This interpretation does not separate sūtra and pada as mutually exclusive entities. Thus, if Palhaṇa's reading of the text is सूत्रे पदे वा, he perceived pada as a synonym or an alternative term for sūtra. On the other hand, if the reading was सूत्रपदे, he understood the meaning of the word सूत्रपदे as pada (a meaning-conveying unit) in the form of a sūtra. The editor of (Su 1938) offered a more straightforward explanation of the variant reading सूत्रपदे—a word (pada) in a sūtra is a sūtrapada.⁷¹³ The Viṣṇudharmottarapurāṇa adopts a definition of padārtha close to this variant reading.⁷¹⁴

The tantrayukti padārtha is illustrated with two examples in the Suśruta-saṃhitā. In the first example, three polysemous words—sneha, sveda and abhyañjana— are provided. Dalhaṇa gave various meanings of these words—sneha can mean lubricity or grease or affection; sveda can mean sauna either with fire (sāgni) or without fire (niragni); abhyañjana may mean the black eye make-up or oil rub (abhyaṅga). In the case of such polysemy, padārtha or relevant meaning will be the meaning which coheres with the prior and subsequent elements (pūrvāparayogasiddha). The definition of this tantrayukti in Saddanīti corresponds to this explanation. Thus, padārtha is that meaning which fits the context.

The second example is taken from the very beginning of the first chapter of the $S\bar{u}trasth\bar{a}na$ that says वेदोत्पत्तिमध्यायं व्याख्यास्यामः, "I shall narrate the chapter on the origin of knowledge (veda)." The problem is, what does this word "veda" refer to? Is it the Veda, as in $S\bar{a}maveda$? Or something derived from the roots $\sqrt{vi(n)}d$ or \sqrt{vid} ? Context ("prior and subsequent elements") can help us to know that "veda" means only $\bar{a}yurveda$ and that the $Su\acute{s}rutasamhit\bar{a}$ is talking about the origin of $\bar{a}yurveda$, specifically. The same issue is also addressed by Palhaṇa at 1.1.1 (Su 1938: 1).

Among the texts of the early listing, the *Arthaśāstra* presents a notably distinct definition of *padārtha*. Here, it is defined as that which has its limit

⁷¹³ अन्ये तु सूत्रपदे इति पठित्वा व्याख्यानयन्ति--- सूत्रस्य पदं सूत्रपदं तस्मिन् योऽर्थः स पदार्थः। fn.2 (Su 1938: 813).

⁷¹⁴ See table 4.

⁷¹⁵ तत्र स्नेहशब्दे निर्दिष्टे हि गुणप्रेमसर्पिषां त्रयाणामर्थानामुपपत्तिर्दृश्यते, स्वेदशब्देनापि साग्निनिरग्निकयोरूष्म-णोः प्राप्तिः, अञ्जनशब्देनापि नयनाञ्जनाभ्यङ्गयोः प्राप्तिः। Dalhana on 6.65.10 (Su 1938: 816). 716 See table 4.

within the word.⁷¹⁷ Though somewhat ambiguous, this definition implies that *padārtha* is the referent indicated by a word or in other words, *padārtha* is the scope of meaning that corresponds to a word. Hence, this definition of *padārtha* does not necessarily refer to a contextual meaning. It indirectly suggests that *padārtha* is basically the meaning of a word.

Similar to Arthaśāstra's understanding, the commentators Hariścandra, Indu, Cakrapāṇi, Aruṇadatta and Śrīdāsapaṇḍita interpret padārtha as the referents indicated by a word. However, by this time, the term *padārtha* became an important point of discussion among certain philosophical schools, particularly Vaiśesika and Nyāya.⁷¹⁸ In the Vaiśesika ontology, padārtha is the term used for denoting the fundamental ontological categories. Such a wider use of the term among philosophical schools also influenced the Brhattrayī commentators, most prominently Hariścandra, whose interpretation of padārtha aligns with the framework of Vaiśesika philosophy. Following the Vaiśesika doctrine, he lists six types of padārthas, namely, substance (dravya), attribute (guna), movement (karman), universality (sāmānya), individuality (viśesa), and inherence (samavāya).⁷¹⁹ In his understanding, a word (pada) is a universal category that may have several referents called *padārtha*. While other commentators such as Indu, Arunadatta, Śrīdāsa Pandita follow Hariścandra while defining this tantrayukti and cite Vaiśesika padārthas such as dravya or guna as instances of padartha, it is not clear whether they endorse the Vaiśeṣika interpretation.⁷²⁰ Cakrapāṇi adopts the literal definition of *padārtha* as mentioned in the Suśrutasamhitā. With examples, he emphasizes that word-meaning (padartha) can stem from one word, two words or more.⁷²¹ Gangādhara, however, defined *padārtha* in the line of the *Suśrutasamhitā* con-

⁷¹⁷ पदावधिकः पदार्थः। (15.1.10 Kangle 1965: 1, 280).

⁷¹⁸ The concept *padārtha* is also discussed by grammarians such as Patañjali and others. For the treatment of the term *padārtha* in different Indian philosophical schools, see Prets and Prandstetter 1991–2006: 2, 153–154.

⁷¹⁹ पदार्थो नाम य एकेन पदेनानेकार्थो गम्यते। यथा द्रव्यं गुणः कर्म सामान्यं विशेषः समवायः।. MS Jamnagar GAU 114, p.6.

⁷²⁰ पदार्थो नाम येनार्थो गम्यते। यथा गुर्वादयो गुणशब्दादवगम्यते। *Śaśilekhā* on 6.50.150aa (As 1980: 959). पदार्थो नाम, पदेनार्थो गम्यते। यथा द्रव्यमिति पदं, तस्यार्थो भूजलिदः। गुण इति पदं तस्यार्थो गुर्वादिः। *Sarvāngasundarī* on 6.40.80 (Ah 1939: 947). The same reading appears in *Hṛdayabodhikā* (AHS 1940: 2).

⁷²¹ पदस्य पदयोः पदानां वाऽर्थः पदार्थः। तत्र द्रव्यमिति पदेन खादयश्चेतनाषष्ठा उच्यन्ते; पदयोरर्थो नाम यथा— 'आयुषो वेद' इति पदयोरायुर्बोधकं तन्त्रमित्यर्थः, एवं पदानामप्यर्थ उदाहार्यः। *Āyurvedadīpikā* on 8.12.41 (Ca 1941: 736).

Terminology 245

sidering *padārtha* as relevant word sense.⁷²²

Nīlamegha presents a distinct perspective, defining padārtha as polysemy within a given context. In his autocommentary, he also acknowledges another viewpoint that perceives *padārtha* as synonymy within a context. The author of the *Tantrayukti* merely quoted Nīlamegha's statements on this matter while incorporating the additional definition of *padārtha* found in commentaries such as those of Aruṇadatta, Indu, or Śrīdāsa Paṇḍita. Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified the *tantrayukti padārtha* with any *utti* mentioned in the *Tolkāppiyam*.

From the discussion above, it is clear that <code>Suśrutasaṃhitā</code>'s understanding of the <code>tantrayukti</code> <code>padārtha</code> is distinct from its definition offered by the later commentators of the works of Dṛḍhabala and Vāgbhaṭa. The <code>Arthaśāstra</code>, which most often defines the <code>tantrayuktis</code> similarly to the <code>Suśrutasaṃhitā</code>, provides a definition of <code>padārtha</code> that is closer to the understanding of the commentators such as Hariścandra and so on. In the <code>Suśrutasaṃhitā</code>, <code>padārtha</code> is not merely the meaning of a word or words but the meaning arising within a particular context or co-text. It is the result of word sense disambiguation. Singhal and Mitra translates <code>padārtha</code> as "context." However, padārtha denotes not the context but rather the meaning intended in a context or co-text. Most other translators render this term as "import of words," which fits better in this case. The translation chosen here is "relevant meaning" because in the <code>Suśrutasaṃhitā</code>, <code>padārtha</code> refers to the meaning that is relevant within a context or co-text.

3. hetvartha

Hetvartha appears after padārtha in the earlier listing and before padārtha in the later listing. The word hetvartha is a compound of two words—reason (hetu) and purpose (artha). Although the term hetvartha is present in all lists

```
722 अर्थः पदस्य चेति पदार्थो नाम तन्त्रयुक्तिः सा योऽर्थोऽभिहितः सूत्रे पदे वा। पदार्थस्त्वनेकस्तत्र योऽर्थः पूर्वापरयोगिसद्धो भवित सोऽर्थो ग्राह्यः। Jalpakalpataru on (Ca 1928-33: 3, 3816).
723 पदार्थस्तु पदैक्येऽपि भिन्नमर्थं प्रकाशयेत्। 4 TYV: 4.
724 केचित्तु "पदार्थः पदभेदेऽपि न भेदः पुनरर्थतः।/ TYV: 5.
725 पदार्थस्तु य ऐक्येऽपि भिन्नमर्थं प्रकाशयेत्
...पदार्थोऽपि च भेदेऽपि न भेदः पुनरर्थतः।
पदेन योऽर्थो ज्ञायते यथा गुर्वादयो गुणे॥
TY: 8-10.
726 Chevillard 2009: 84.
```

of the *tantrayuktis*, it has not been lexicalized as a compound word. Thus, we need to understand the term through its components—*hetu* and *artha*. Depending on the meaning of the word *artha*, the word *hetvartha* can have different meanings. For example, Bhaṭṭoji Dīkṣita uses the term *hetvartha* to mean simply the sense of a cause.⁷²⁷ As a *tantrayukti*, *hetvartha* is a logical device that serves as the purpose (*artha*) of a reason (*hetu*).

The Suśrutasamhitā provides an analytical definition of hetvartha, where it is described as a statement functioning as a premise (sādhana). The text supplies an example about moistening of wounds by milk etc. on the basis of the known fact that water moistens a lump of earth. Notably, the word ukta in the definition likely does not imply an explicit statement in the text. As appears in the example, it can be a known fact from the outside world that aids in predicting a similar case related to our body. 728 The Suśrutasamhitā does not mention that water moistens a lump of earth; this is understood from general empirical knowledge. The Suśrutasamhitā prescribes moistening of a wound in certain cases but does not explicitly state how to do so. The knowledge that milk and similar substances can be used to moisten a wound derives from the empirical knowledge of moistening a lump of earth with water. The causal relationship between water and moistening a lump of earth serves a purpose elsewhere as a premise for understanding the causal relationship between milk or other similar substances and moistening of a wound.⁷²⁹ The definition is clearer in 6.65.11 (Su 1938: 813) because it includes the word other (anya), emphasizing that an idea stated in one one context serves a purpose in another.⁷³⁰ The author of the *Visnudharmottarapurāna* as well as commentators such as Hariścandra, Cakrapāni, Indu, Arunadatta, and Śrīdāsa Pandita define this *tantrayukti* similarly.⁷³¹ However, in their interpretation, the term

⁷²⁷ हेत्वर्थे तृतीया स्यात् | SiddhKau: 137.

⁷²⁸ Cf. अत्र बाह्येन मृत्पिण्डदृष्टान्तेन माषदुग्धयोगादिभिराभ्यन्तरो व्रणप्रक्लेदः साध्यते। Dalhana on 6.65.11 (Su 1938: 813).

⁷²⁹ The definition is similar in *Saddanīti*. In the *Arthaśāstra*, *hetvartha* is defined as a cause that serves a purpose. Although phrased differently, this definition refers to the same concept. See table 4.

⁷³⁰ यदन्यदुक्तमन्यार्थसाधकं भवति स हेत्वर्थः। 6.65.11 (Su 1938:813). The testimonium in Gangādhara's *Jalpakalpataru* supports the reading of (Su 1938). In his own definition, Gangādhara merely reproduces the definition of the *Suśrutasaṃhitā*. Ca 1928-33: 3, 3815.

⁷³¹ The definition of *hetvartha* is quite consistent across all the commentaries. Cakrapāṇi's definition: हेत्वर्थो नाम यदन्यत्राभिहितमन्यत्रोपपद्यते। *Āyurvedadīpikā* on 8.12.41 (Ca 1941: 736). Indu's definition: हेत्वर्थो नाम यदेकत्रोच्यमानमन्यत्रापि तथैवोपयुज्यते।

Terminology 247

stated (ukta) means an explicit statement in the text.

A different definition appears in Nīlamegha's *Tantrayuktivicāra*, where he defines *hetvartha* as a situation where an entity is represented by its cause. For example, in the statement, रोगस् तु दोषवैषम्यम्, "disease, however, is the disproportion of the humours," the cause "disproportion of the humours" represents its effect, "disease." It can also be the reverse, where disease is the cause of disproportion of the humours. When a cause and its effect are considered equivalent and one represents the other, it is called *hetvartha*. This definition by Nīlamegha is not found elsewhere. This may explain why the author of the *Tantrayukti* does not refer to this definition at all, even though he frequently quotes Nīlamegha. Instead, the author of *Tantrayukti* uses Aruaṇadatta's definition without attribution. He concludes with another definition, describing *hetvartha* as a statement where a reason is expressed. Neither V. R. Ramachandra Dikshitar nor P. S. Subrahmanya Sastri identified *hetvartha* with any *utti* mentioned in the *Tolkāppiyam*. Sastri identified *hetvartha* with any *utti* mentioned in the *Tolkāppiyam*.

The term *hetvartha* has been translated in various ways, including "extension of argument," "implication," "goal of a reason," and merely "reason." We chose to translate *hetvartha* as "purpose of a reason" based on the components of the compound, which closely aligns with Olivelle's translation, "goal of a reason."⁷³⁵ While other translations may capture the application of *hetvartha*, they do not convey the lexical meaning of the term.

5-6. uddeśa and nirdeśa

It is necessary to consider the *tantrayuktis uddeśa* and *nirdeśa* in relation to each other as they form a pair of relational antonyms. They consistently appear together in all listings—following *hetvartha* in the earlier listing and

Saśilekhā on 6.50.150aa (As 1980: 959). Hariścandra's definition is also quite similar: हेत्वर्थो नाम यदन्यप्रस्तावाभिहितमर्थजातमन्यत्रापि तथैवापाद्यते। MS Jamnagar GAU 114 p. 5. Aruṇadatta's definition: हेत्वर्थो नाम यदन्यप्रस्तावोक्तमन्यत्रापि तथैवापाद्यते। Sarvāṅgasundarī on 6.40.80 (Ah 1939: 947). Śrīdāsa Paṇḍita's definition: हेत्वर्थो नामान्यप्रस्तावोक्तमन्यत्रापि तथैवापाद्यते। Hṛdayabodhikā (AHS 1940: 2).

⁷³² हेत्वर्थो हेतुनैव स्यात् तत्तदर्थप्रकाशनम् ॥३॥ यथा—'रोगस्तु दोषवैषम्यम्ऽ (अ.ह्.सू. १.२९) इत्यादौ रोगो नाम दोषवैषम्यहेतुः। न तु दोषवैषम्यम्। तत्तु वृद्धिः क्षयो वा। अतो हेतोर् एव रोगः। अत्र तुशब्देन रोगोऽपि दोषवैषम्यस्य हेतुरिति द्योतयति।. TYV: 4.

⁷³³ हेतुना सह यत्रोक्तिः स हेत्वर्थः प्रकीर्तितः॥ TY: 8.

⁷³⁴ Chevillard 2009: 84.

⁷³⁵ Olivelle 2013: 436.

pradeśa in the later listing. The Suśrutasaṃhitā defines samuddeśa as a brief statement and nirdeśa as a detailed statement. An example of uddeśa is given as the simple mention of the word "spike (śalya)." In contrast, the example of nirdeśa is the phrase "in the body or exogenous," where spike is described in more detail as being of two kinds. These two tantrayuktis are stylistic structural devices used in scientific compositions for precision and clarity.

The texts of the earlier listing provide identical or near-identical definitions of *uddeśa* and *nirdeśa*.⁷³⁶ They are also similarly defined and exemplified in the *Yuktidīpikā*.⁷³⁷ Commentators on the works of Dṛḍhabala and Vāgbhaṭa also defined *uddeśa* and *nirdeśa* similarly.⁷³⁸ However, Indu's definitions of these two *tantrayukti*s are more informative. According to him, *uddeśa* refers to objects mentioned merely by single words, while *nirdeśa* involves restating those objects to show their specific features.⁷³⁹

There is a difference between the examples of uddeśa and nirdeśa in the Suśrutasaṃhitā and other texts. In the Suśrutasaṃhitā, the example of uddeśa is a single word, not a complete sentence, while in other texts, including the Arthaśāstra, it is a complete sentence, usually a simple equative sentence. For instance, Aruṇadatta and Śrīdāsa Paṇḍita quote 1.1.6b (Ah 1939: 6) as an example of uddeśa: वायुः पित्तं कफश्चेति त्रयो दोषाः समासतः ।, "the three humours are wind, bile, and phlegm." As an example of nirdeśa, they quote 1.1.11 (Ah 1939: 9), which describes the characteristics of wind: तत्र रूक्षो लघुः शीतः खरः सूक्ष्मश्रलोऽनिलः ।, "wind is rough, light, cold, harsh, subtle, and mobile." Even in these cases, where uddeśa is given with a complete sentence, uddeśa is exemplified by the individual items in those sentences. Thus, there are three uddeśas in that sentence, and the description of each functions as nirdeśa. What constitutes uddeśa and nirdeśa is contextually determined. In the example of the Suśrutasaṃhitā, spike (śalya) is the uddeśa, and its nirdeśa is the expression that provides its two varieties: (1) in the body and (2) ex-

⁷³⁶ See table 4.

⁷³⁷ Yuktidīpikā: 7.

⁷³⁸ उद्देशो नाम सङ्क्षेपाभिधानम्...निर्देशो नाम विस्ता... MS Jamnagar GAU 114 p. 6. उद्देशो नाम सङ्क्षेपाभिधानम्...निर्देशो नाम संख्येयोक्तस्य (सङ्क्षेपोक्तस्य ?) विवरणम् । Äyurvedadīpikā on 8.12.42 (Ca 1941: 736). उद्देशो नाम सङ्क्षेपाभिधानम्...निर्देशो नाम तस्यैव विस्तारोक्तिः । Sarvāṅgasundarī on 6.40.80 (Ah 1939: 947) and Hṛdayabodhikā (AHS 1940: 2). उद्देशो नाम तन्त्रयुक्तिः सा, यत् समासकथनम् ।...निर्देशो नाम तन्त्रयुक्तिः सा, यद् विस्तरेणोच्यते । Jalpakalpataru, Ca 1928-33: 3, 3816.

⁷³⁹ उद्देशो नाम यत्रार्थानां शब्दमात्रेणैव कीर्तनमुद्देशः।...निर्देशो नाम यच्छब्दमात्रेण निर्दिष्टानां स्वरूपविशेषप्र-दर्शनाय पुनः कीर्तनं निर्देशः। *Śaśilekhā* on 6.50.150ba (As 1980: 960).

Terminology 249

traneous. When each variety is further described, each variety of the spike functions as *uddeśa*. The author of the *Tantrayukti* indicates this mutual relatedness of *uddeśa* and *nirdeśa* in a verse. He also provides a versified definition of these two *tantrayukti*s, in addition to repeating Nīlamegha's statements. Nīlamegha also defined these tantrayuktis in a similar fashion. Similar *utti*s also appear in the *Tolkappiyam*. However, Sastri and Dikshitar differently identified these *tantrayukti*s with the *utti*s of *Tolkāppiyam*.

Uddeśa is a common technical term in Sanskrit literature. Sometimes it appears paired with lakṣaṇa, where uddeśa means mentioning an item by name, and lakṣaṇa is its definition. In this sense, lakṣaṇa and nirdeśa are similar. However, nirdeśa means any elaboration of the mentioned item, whereas lakṣaṇa refers to precise features. In Pakṣilasvāmin's Nyāyabhāṣya, the term uddeśa appears with lakṣaṇa and investigation (parīkṣā), and the triad of these three is called the course of the discipline.

We mentioned before that Hariścandra added four more *tantrayukti*s to the later listing. Indu and Cakrapāṇi suggested that the scope of these *tantrayukti*s could be included in those already enumerated. According to Cakrapāṇi *paripraśna* could be included in *uddeśa* and *vyutkrāntābhidhāna* is a variety of *nirdeśa*. The only manuscript of Hariścandra's *Carakanyāsa* available to us (MS MS Jamnagar GAU 114) is full of lacunae, making it challenging to determine its reading. It seems that asking a question about a topic is *pari*-

```
740 उद्देशनिर्देशकयोरन्योन्यापेक्षिता भवेत्।
यत्तदोरिव नित्यैव शास्त्रे सर्वत्र सर्वदा॥
TY: 12.
```

⁷⁴¹ प्राक् सङ्क्षेपेण कथनमुद्देश इति कीर्तितम्। निर्देशो नाम तस्यैव विस्तरोक्तिरुदाहृतः॥ TY: 12.

⁷⁴² उद्देशः समवायोक्तिरिति प्राहुर्मनीषिणः। निर्देशः स्याद् विवरणं पूर्वोक्तानामनुक्रमात्॥ TYV:6.

⁷⁴³ Chevillard 2009: 85.

⁷⁴⁴ For more references to the term *uddeśa* check Prets and Prandstetter 1991–2006: 2, 28–30.

⁷⁴⁵ त्रिविधा चास्य शास्त्रस्य प्रवृत्तिः, उद्देशो लक्षणं परीक्षा चेति । तत्र नामधेयेन पदार्थमात्रस्याभिधानमुद्देशः। तत्रोद्दिष्टस्यातत्त्वव्यवच्छेदको धर्मो लक्षणम् । लक्षितस्य यथालक्षणमुपपद्यते न वेति प्रमाणैरवधारणं परी-क्षा । Jośī 1922: 14.

⁷⁴⁶ तत्र परिप्रश्न उद्देशेऽन्तर्भवति,...व्युत्क्रान्ताभिधानं निर्देशप्रभेदः $\bar{A}yurvedadipik\bar{a}$ on 8.12.41b-45a (Ca 1941: 737).

praśna, and stating something without mentioning the order of its items or objects is vyutkrāntābhidhāna. Including paripraśna and vyutkrāntābhidhāna under uddeśa and nirdeśa respectively may be an oversimplification.

The tantrayukti *uddeśa* has been variously translated as enunciation, concise statement, allusion, mention, etc. We chose the translation "mention." The expressions enunciation, allusion, and concise statement are vaguer than "mention." The *tantrayukti nirdeśa* is translated as elaboration, detailed statement, explanation, amplification, exposition, etc. All these translations are accurate. We translated *nirdeśa* as "exposition."

Notes on Significant Variants

...द्वितीये पादे...

The Nepalese version reads द्वितीये पादे which would properly mean the second quarter of the first line; the vulgate reads तृतीये पादे "third quarter" which seems more correct.

यत्र तु स्नेहस्वेदाभ्यञ्जनेषु...पूर्वापरयोगसिद्धो भवति।

There is a dangling relative clause, योऽर्थः, in the Nepalese version that is avoided in the vulgate recension by the addition of स ग्रहीतव्यः. There are two possible explanations for this discrepancy: firstly, the missing main clause may have been present in the archetype but inadvertently omitted in the Nepalese version due to a scribal error. Alternatively, the main clause could have been elliptical in the archetype. The scribes of the Nepalese manuscripts accurately transmitted the text. However, at some stage during the transmission process, the main clause was supplied as an attempt to rectify the ungrammatical sentence. The interpolation may also stem from Dalhaṇa's commentary in which the exact clause was used.⁷⁴⁷ Considering the principle lectio difficilior potior, we may posit that the second scenario is more plausible. This is because the subject of the main clause can be inferred from the subject of the previous sentence, and within the context, the meaning of the sentence remains totally intelligible even without the explicit main clause.

⁷⁴⁷ तत्र योऽर्थ इत्यादि। पूर्वोक्तपरोक्तवाक्यसम्बन्धेनोपपन्नो योऽर्थो भवति स ग्रहीतव्य इत्यर्थः Dalhaṇa on 6.65.10 (Su 1938: 816).

सामवेदादयश्च वेदाः

Both , Su 1938 and the excerpts from the Suśrutasaṃhitā cited in the Jalpakalpataru read ऋग्वेदादयस्तु वेदाः, ê "Rgveda and so on are the Vedas." Traditionally, the Rgveda, being the earliest composed Veda, is often considered the prototype. However, the selection of Sāmaveda as the prototype in the Nepalese Version of the Suśrutasaṃhitā is intriguing. This choice brings to mind a verse from the Bhagavadgīta where Kṛṣṇa declares, वेदानां सामवेदोऽस्मि⁷⁴⁸, "I am the Sāmaveda among the Vedas." With its incorporation of musical elements, the Sāmaveda holds a unique charm compared to the Rgveda. Thus, the decision to prioritize the Sāmaveda as the prototype may stem from its intrinsic appeal or enchantment rather than chronological precedence. However, this reading not just appear in the Nepalese version. Another early Suśrutasaṃhitā manuscript from 1595 also keeps the same reading. However, the same reading.

...विद विन्द इत्येतयोश्च धात्वोः...

Three issues need to be addressed here: (1) nomenclature of the verb roots in Sanskrit, (2) the homonymy of *vid*, and (3) variant readings in , Su 1938 and *Jalpakalpataru*.

(1) The text suggests the etymology of the word veda by mentioning two verb roots, namely vinda and vida. It is worth noting that there are multiple ways of representing Sanskrit verb roots, even within traditional Sanskrit grammar like that of Pāṇini. Verb roots are presented in various forms, including mere lexical root forms, 751 forms ending in ^{-}a , 752 ending in ^{-}i , 753 or with the ending ^{-}ti in the present stem, 754 or sometimes with indicatory sounds

^{748 10.22} BhaGī: 456.

⁷⁴⁹ Cf. Madhusūdana Sarasvatī's comment on the same verse: चतुर्णां वेदानां मध्ये गानमाधुर्येणा-तिरमणीयः सामवेदोऽहमस्मि (10.22 BhaGī: 456), "amongst the four Vedas I am the *Sāmaveda*, which is extremely delightful due to its musical charm."

⁷⁵⁰ MS Jodhpur RORI 20060 f.265r5.

⁷⁵¹ E.g. as \sqrt{gup} , \sqrt{tij} , and \sqrt{kit} are mentioned in गुप्तिज्किद्भ्यः सन् (Aṣṭādhyāyī: 3.1.5).

⁷⁵² E.g. as \sqrt{gam} , \sqrt{han} , \sqrt{vid} , and $\sqrt{vi\acute{s}}$ are mentioned in विभाषा गमहनविद्विशाम् (Aṣṭād-hyāyī: 7.2.68).

⁷⁵³ E.g. as \sqrt{mri} is mentioned in मुजेर्विभाषा (Astādhyāyī: 3.1.113).

⁷⁵⁴ E.g. as \sqrt{as} , \sqrt{vac} , and \sqrt{khya} are mentioned in अस्यतिवक्तिख्यातिभ्योऽङ् (Aṣṭād-hyāyī: 3.1.52).

(anubandha) as found in the $Dh\bar{a}tup\bar{a}tha^{755}$ In the reading of the Nepalese version of the $Su\acute{s}rutasamhit\bar{a}$, the second option, representing the verbs with a final -a, is adopted.

- (2) The second issue pertains to the homonymy of vid in Sanskrit *Dhātupāthas*, where at least four homonymous verbs are mentioned. They all belong to different classes and signify different meanings: \sqrt{vid} "to know" belongs to the second class ($ad\bar{a}di$ or the root class), \sqrt{vid} "to find, to attain" to the sixth class ($tud\bar{a}di$ or the suffixally accented thematic class), \sqrt{vid} "to consider" to the 7th class (rudhādi or the athematic nasal infix class) and \sqrt{vid} "to exist" to the fourth class ($div\bar{a}di$ or the thematic ya-suffix class). 756 A 10th-class verb \sqrt{vid} is also mentioned in the *Dhātupātha* but this appears to be derived from the other *vid* verbs with a pleonastic causative suffix. The 4th-class vid is also originally a derivative of the other vid verbs formed with the passive suffix. The sixth-class verb vid belongs to a subclass called mucādi, characterized by a nasal infix. Thus, it is clear that vinda, the first of the two verbs mentioned in the Suśrutasamhitā, is the vid of the 6th class. The form *vinda* is, therefore, the present stem of the sixth-class verb vid. 757 The other one may be the 2nd- or the 7th-class vid. The nominalized form of all of these verbs, using the suffix GHaN, is veda. This is where the ambiguity appears.
- (3) In , Su 1938, the verbs are represented as they appear in the Paninian Dhātupāṭha, with indicatory letters (anubandha) and meanings attached to the roots: विद विचारणे, विदू लाभे. 758 However, the citation from the Jalpakalpataru presents another variant— विद् विचारणे विद् विन्दित 759. In both of these variants, the meanings of the verb roots appear. The verbs mentioned here are the 7th- and the 6th-class √vid respectively. The absence of meanings attached to the verb roots in the Nepalese version suggests the preservation of an older form of the text. 760

⁷⁵⁵ E.g. as \sqrt{i} ş is mentioned in इषुगमियमां छः (Aṣṭādhyāyī: 6, 7.3.77). Cf. इषुम्ँ इच्छायाम् ($Dh\bar{a}tup\bar{a}tha$ 6.78).

⁷⁵⁶ Cf. सत्तायां विद्यते ज्ञाने वेत्ति विन्ते विचारणे। विन्दते विन्दति प्राप्तौ श्यन्लुक्श्नम्शेष्विदं क्रमात्॥ (SiddhKau: 402).

⁷⁵⁷ Mentioning verbs in their present stem forms is not uncommon. The same 6th class verb \sqrt{vid} is mentioned as vinda in this rule: अनुपसर्गाहिम्पविन्दधारिपारिवेद्युदेजिचेतिसातिसाहिभ्यश्च (Aṣṭādhyāyī: 3.1.138).

^{758 6.65.10 (}Su 1938: 813).

⁷⁵⁹ Ca 1928-33: 3, 3816.

⁷⁶⁰ Scholars believe that meanings were not initially attached to verb roots in the original

...धात्वोरेकार्थः। पश्चात् पदं भवति...

The Nepalese version of this passage significantly diverges from other witnesses. For a comparison the readings of four witnesses are provided:

- 1. पूर्वापरम् उपलक्ष्य विन्द विद इत्येतयोश्च धात्वोरेकार्थः | पश्चात् पदम् भवति आयुर्वे-दोत्पत्तिमयं विवक्षुरिति (Nepalese version)
- 2. तत्र पूर्वापरयोगमुपलभ्य विंदतीत्येतयोश्च धात्वोरेकार्थयोः पश्चात् पदं भवति आयुर्वेदो-त्पत्तिमयं विवक्षुरिति (Śuśrutaþāṭhaśuddhi MS London BL IOLR 1842)
- 3. तत्र पूर्वापरयोगमुपलभ्य विद् विचारणे विद् विन्दतीत्येतयोश्च धात्वोरनेकार्थयोः प्रयोगः पश्चात् प्रतिपत्तिर्भवति आयुर्वेदोत्पत्तिमयं विवक्षुरिति (Jalpakalpataru)
- 4. विद विचारणे, विद्व लाभे, इत्येतयोश्च धात्वोरनेकार्थयोः प्रयोगात्, तत्र पूर्वापरयोगमु-पलभ्य प्रतिपत्तिर्भवति आयुर्वेदोत्पत्तिमयं विवक्षरिति (Su 1938)

Evidently, the readings gradually change across these manuscripts, with the Nepalese version representing the earliest and the last drawing from more recent manuscripts. Two key issues emerge: firstly, the contradictory readings of एकार्थः or एकार्थयोः versus अनेकार्थयोः, and secondly, the syntactic structure of the sentence.

(1) The Nepalese version and MS London BL IOLR 1842 uphold the former of the contradictory readings, while the Jalpakalpataru and (Su 1938) adhere to the latter. Dalhaṇa's commentary provides no definitive insight about his preferred reading. Nevertheless, the earlier reading appears more coherent. Although the two homonymous verbs bear distinct meanings, the context fails to privilege one over the other. In essence, we are not able to grasp the relevant meaning (padārtha) of the word veda by choosing one or the other meanings of the homonymous verb vid—be it Sāmaveda or Āyurveda, the meaning of the root vid does not change. The comprehension of veda as Āyurveda only occurs upon encountering the word "āyurveda" itself appearing after two sentences. Hence, the reading अनेकार्थयोः appears less tenable. But if we take the meaning of the word artha as "meaning," the phrase विन्द विद इत्येतयोश्च धात्वोरेकार्थः does not make sense either because these two homonymous verbs indeed have two different meanings. However, interpreting the word artha as "purpose" offers a more

Paninian *Dhātupāṭha* and were later additions, possibly by Bhīmasena. See Cardona 1976: 161–163.

⁷⁶¹ Cf. 'आयुर्वेदमिच्छाम इहोपदिश्यमानम्' इत्यस्मिन्नायुर्वेदशब्दः श्रूयते, अतोऽत्र वेद आयुर्वेद इत्यभिप्रायः॥ (Dalhaṇa on 6.65.10 (Su 1938: 816)).

plausible explanation—both verbs, regardless of their individual meanings, serve the same purpose when nominalized with the suffix $GHa\tilde{N}$, yielding the same form veda.

(2) The other issue pertains to the sentence's syntax. In the Nepalese version, there are two separate sentences: "पूर्वापरमुपलक्ष्य विन्द विद इत्येतयोश्च धात्वोरेकार्थः" and "पश्चात् पदम् भवित…", whereas all other witnesses present a unified sentence. The fact of having two different sentences in the Nepalese version is determined by the use of the nominative case in the word एकार्थः, while the nominative of the second sentence is पदम्. In other readings, the genitive case is employed (एकार्थयोः) and thus the entire chunk in question constitutes a single sentence. Under this interpretation, the sentence conveys the meaning as: "when the prior and the subsequent elements are considered, after the fact that the roots *vin*d and *vid* have the same meaning, the clue appears that he wants to talk about the origin of Ayurveda." Here, the word पदम् likely denotes a sign or a clue, rather than its conventional meaning "word", which would be incongruous in this context.

यदुक्तं साधनं भवति स हेत्वर्थः

The reading in 6.65.11 (Su 1938: 813) is यदन्यदुक्तमन्यार्थसाधकं भवित स हेत्वर्थः. The same reading appears in MS London BL IOLR 1842 and the testimonium in the Jalpakalpataru. MS Jodhpur RORI 20060 reads यदुक्तमुभयार्थसाधनं भवित स हेत्वर्थः. Clearly, the reading in the Nepalese version represents an older stage of the textual transmission, while the vulgate version indicates an attempt to clarify the definition. A comparison with the readings found in the texts of earlier listing may also suggest that the reading in the Nepalese version is older.

...तथा माषदुग्धप्रभृतिभिर्त्रणः क्लिद्यते

The reading দাঘরুষ...presents some challenges. The Nepalese manuscripts, (Su 1938), Dalhaṇa's reading in (Su 1938), and MS London BL IOLR 1842—all have māṣadugdha-. However, this reading does not make much sense. Should we interpret it as a dvandva (beans and milk) or a tatpuruṣa (milk mixed with beans or bean milk)? The first option (dvandva) is untenable because a wound cannot be moistened with a solid substance like beans. The second option is also unlikely for two reasons:

- 1. In the Suśrutasaṃhitā, the word -prabhṛti- typically follows more than one item in a dvandva compound. Therefore, the reading माषदुग्धप्रभृति-भिः, where māṣadugdha signifies one item, is statistically improbable.
- 2. Does *māṣadugdha* mean bean milk? This expression is not found elsewhere. Does it mean milk mixed with beans? If so, it should be used for a specific remedial recipe and mentioned in the *Suśrutasaṃhitā*. However, there is no such reference to *māṣadugdha* in the text. If māṣadugdha is not mentioned elsewhere, it is unlikely the author intended such a complex example.

We conjecture that the original term was not $m\bar{a}$ sadugdha- but $c\bar{a}$ jyadugdha- or \bar{a} jyadugdha-. MS Jodhpur RORI 20060 supports this reading. In this manuscript, The character before jya is unclear, but it is clear that there is a medial vowel \bar{a} before jya. The expression \bar{a} jyadugdha- appears in other Sanskrit texts. If we read \bar{a} jya- or $c\bar{a}$ jya- instead of $m\bar{a}$ sa, it would mean "a wound gets moistened with ghee, milk, etc.," which makes much more sense. If \bar{a} jya- or $c\bar{a}$ jya- was the original reading, the scribal error likely occurred quite early when the ligature jya looked similar to sa.

समासवचनं समुद्देशः |

The reading समुद्देशः appears in the Nepalese manuscripts and MS Jodhpur RORI 20060. Everywhere else, the reading is उद्देश, which matches the list of *tantrayukti*s provided at the beginning of the chapter. The version of the *Jalpakalpataru* includes another variant, समासकथनम्, which is not supported by any other witnesses.

Characteristics of the Manuscript Transmission

- 1 Now we shall explain the chapter called, "the enunciation of the logical methods of the system (*tantrayukti*)."
- 3 There are thirty-two logical methods of the system. They are as follows:

1.	topic (adhikarana)	18.	objection (pūrvapakṣa)
2.	cohesion (yoga)	19.	determination (<i>nirnaya</i>)
	relevant meaning (padārtha)	20.	consent (anumata)
3.			,
4.	purpose of a reason	21.	itemization (vidhāna)
	(hetvartha)	22.	future reference
5.	mention (samuddeśa)		(anāgatāpekṣaṇa)
6.	exposition (<i>nirdeśa</i>)	23.	past reference
7.	prescription (<i>upadeśa</i>)		(atikrāntāpekṣaṇa)
8.	statement of reason (apadeśa)	24.	doubt (saṃśaya)
9.	indication (pradeśa)	25.	explication (vyākhyāna)
10.	prediction (atideśa)	26.	field-specific term
11.	exception (apavarga)		$(svasamj \tilde{n} \bar{a})$
12.	ellipis (<i>vākyaśeṣa</i>)	27.	interpretation (nirvacana)
13.	implication (arthāpatti)	28.	illustration (nidarśana)
14.	contraposition (viparyaya)	29.	compulsion (niyoga)
15.	recontextualization	30.	option (vikalpa)
	(prasaṅga)	31.	aggregation (samuccaya)
16.	invariable statement (ekānta)	32.	deducible $(\bar{u}hya)$
17.	variable statement (anekānta)		

- 4 It is said about this, "what is the purpose of these methods?" The answer is, "cohesion of a sentence and cohesion of meaning". 762
- 5-6 There are two verses about this:

The logical methods of the system prohibit statements employed by people who do not speak the truth. They also bring about the validity of one's own statements. And they also clarify meanings that are stated back to front, that are implicit, unclear and any that are partially stated.

⁷⁶² Dalhana on 6.65.4 (Su 1938: 815) explained "cohesion of a sentence" as "connecting up a sentence that is not connected," and "cohesion of meaning" as "clarifying or making appropriate a meaning that is implied or inappropriate."

8 Among them, "topic (*adhikaraṇa*)" refers to the object, with reference to which statements are made, such as flavour (*rasa*) or humour (*doṣa*).⁷⁶³

"Cohesion (*yoga*)" is that by which a sentence coheres, as when words that are in a reversed order, whether placed close or apart, have their meanings unified.

Sesame oil he should drink, with heart-leaved moonseed creeper, neem tree, maidenhair fern, Indrajao, and long pepper

that is cooked with heart-leaf sida and country mallow, and deodar, always for a benefit in the case of the disease goitre.

In this verse, one ought to say, first, "one should drink cooked...." However, the word "cooked" is used in the second line.⁷⁶⁴ Unifying the meanings of words in this way, even though they are far apart, is cohesion.

The meaning that is conveyed in an aphorism ($s\bar{u}tra$) or a word is called relevant meaning ($pad\bar{a}rtha$). The meaning that is attached to one or more words is the meaning of one or more words ($pad\bar{a}rtha$). There are innumerable meanings of a word or words.⁷⁶⁵

Where two or three meanings of words such as *sneha*, *sveda* or *añjana* appear to be possible, the relevant meaning is the one that coheres with prior and subsequent elements. For example, when it is said that, "We are going to explain the chapter on the *veda*-origin" the mind may be confused

⁷⁶³ The idea here is that "rasa" may be the topic of a chapter, and statements in that chapter are all understood to be about that topic

⁷⁶⁴ See note on 250.

⁷⁶⁵ Contrary to the translations by previous translators Singhal and Mitra and P. V. Sharma, we believe that there is a distinction in how the term <code>padārtha</code> is employed in the first sentence, which serves as the definition of this <code>tantrayukti</code>, and in the two subsequent sentences, which pertain to the non-technical understanding of the word <code>padārtha</code>. We have translated the initial use of the word <code>padārtha</code> as "relevant meaning" and the subsequent use as mere "meaning of one or more words." Without presupposing the distinct usage of the word <code>padārtha</code> in this passage, the statement, अपरिभिताश पदार्थाः, might seem out of context, as it would not make sense to assert that there are innumerable <code>padārthas</code> once the text has already specified that <code>padārtha</code> refers to the particular meaning conveyed in a <code>sūtra</code> or a word. Furthermore, the subsequent illustration featuring three polysemic words—<code>sneha</code>, <code>sveda</code>, and <code>añjana</code>—also supports our argument. Through these examples, the text advocates for the perspective that in cases where a word has multiple meanings, only the interpretation that aligns with the preceding and subsequent elements should be regarded as <code>padārtha</code>.

- about which "veda" will be spoken about. $S\bar{a}maveda$ and so on are the Vedas. Taking note of the prior and subsequent elements, the two roots vind "find" and vid "know" have a single meaning. Subsequently, the understanding takes place that there is a wish to talk about the origin of $\bar{a}yurveda$. So that is the meaning of the word.
- The purpose of a reason (*hetvartha*) is a statement that becomes a premise (*sādhana*). e For example, just as a lump of earth is moistened by water, so a wound is moistened by substances like milk with green gram.
- 12 A mention (samuddeśa) is a brief statement such as "spike (śalya)". 767
- 13 A exposition (*nirdeśa*) is a detailed statement. For example, "in the body or exogenous".⁷⁶⁸
- "Prescription" (*upadeśa*) refers to statements like "it should be this way." For example, one should not stay awake at night; one should not sleep during the day.
- "Statement of reason" (*apadeśa*) refers to statements like "this happens because of this." For example, in the sentence "Sweet substances increase phlegm," the reason is stated.⁷⁶⁹
- Substantiation of the subject matter through past evidence is "indication (*pradeśa*)." For example, he pulled out Devadatta's splinter (*śalya*), therefore he will pull out Yajñadatta's.
- Substantiation of the subject matter through a future event is "prediction (atideśa)." For example, if his wind moves upwards, that will cause him to have colic."⁷⁷⁰
- 18 A deviation after generalization is exception (*apavarga*). For example, those afflicted by poison should not go through sudorific treatment other

⁷⁶⁶ The Nepalese text here is hard to follow, and the vulgate has a significantly different reading. But the problem situation seems to be as follows. The *Suśrutasaṃhitā* opens with a statement saying that it will describe the "origin of the *veda*" (*vedotpatti*). The problem is, what does this word "*veda*" refer to? Is it the Veda, as in Sāmaveda? Or something derived from the roots $\sqrt{\text{vind}}$ or $\sqrt{\text{vid}}$? Context ("prior and subsequent elements") can help us to know that "*veda*" means only "āyurveda" and that the *Suśrutasaṃhitā* is talking about the origin of ayurveda, specifically. This same issue is also addressed by Dalhaṇa at 1.1.1 (Su 1938:1).

⁷⁶⁷ Generally, शल्य refers to any painful foreign body embedded in the flesh that requires surgical removal.

⁷⁶⁸ This is a reference to 1.26.4 (Su 1938: 121) where शल्य is described in more detail as being of two kinds.

⁷⁶⁹ A techical term also in Nyāyaśāstra (Jhalakīkar 1978: 54).

⁷⁷⁰ A techical term also in Nyāyaśāstra (Jhalakīkar 1978: 6-7).

- than the cases of poisoning by urinary worms.
- Ellipsis (*vākyaśeṣa*) refers to an unstated word that completes a sentence. For example, despite not mentioning the word 'person', when mentioning someone as 'the one having a head, hands, feet, flanks, and abdomen,' it's apparent that the reference is to a person.
- Implication refers to an unstated idea that becomes evident through context. For example, when one said, "We will eat rice" it becomes evident from the context that he did not wish to drink gruel.
- When there is the reversal of it, it is contraposition (*viparyaya*). For example, when it is said, "Weak, dyspneic, and fearful people are difficult to treat," the converse holds true: "Those who are strong and so on are easily treatable."
- Recontextualization (*prasaṅga*) refers to a concept common to another section. For example, a concept belonging to another section is brought up by mentioning it repeatedly throughout.
- 23 Invariable statement (*ekānta*) is one that is stated with certainty. For example, turpeth causes purgation; emetic nut induces vomiting.
- Variable statement (*anekānta*) is one that is true in one way in some cases and in another way elsewhere. For example, some teachers identify the main element as substance, others as fluid, some as semen, and some as digestion.
- A first point of view (*pūrvapakṣa*) is something stated with certainty. For example, how are the four types of diabetes caused by wind incurable?⁷⁷¹
- Its answer is determination. For example, afflicting the body and trickling downwards, it creates urine mixed with fat, fatty tissues, and marrow. Thus, those caused by wind are incurable.
- 28 Consent (*anumata*) refers to others' opinion that is not rejected. For example, when the assertor says that there are six flavours and that somehow gets accepted with affirmation, it is termed consent.
- 29 Itemization (*vidhāna*) refers to sequentially ordered statements within a chapter. For example, the eleven lethal points of thigh are mentioned sequentially in a chapter.
- 30 A statement like "Thus will be stated" is future reference (anāg-atāpekṣaṇa) such as when he says in the Sūtrasthāna, "I will mention it in

See chapter 40 of Sūtrasthāna.

vasā / medas / majjan

⁷⁷¹ The adverb निःसंशयम् is problematic: the example expresses a query or doubt, the opposite of certainty, which is answered in the next passage. It would seem to make more sense to read something like यस् तु ससंशयम् अभिधीयते स पूर्वपक्षः, but our manuscripts are unanimous in their reading.

the Cikitsāsthāna."

- 31 A statement like "Thus has been stated" is past reference (atikrāntāpekṣaṇa) such as when one says in the Cikitsāsthāna, "As mentioned in the Sūtrasthāna..."
- An indication pointing to causes on both sides is doubt (*saṃśaya*). For example, a blow to the sole-heart (*talaḥṛdaya*)⁷⁷² is fatal, whereas cutting hands and feet is not fatal.
- An elaborate description is explication (*vyākhyāna*). For example, the twenty-fifth entity, person (*puruṣa*), is being explicated here. Thus, no other Āyurvedic texts discuss entities beginning with matters.
- A field-specific term (*svasaṃjñā*) is uncommon in other fields of studies. The term used in one's own systems is called field-specific term, such as in this system, pair (*mithuna*) denotes honey and ghee, and triad (*mithuna*) denotes ghee, sesame oil and fat.
- 35 A customary potrayal is interpretation (*nirvacana*). For example, one goes along the shade fearing heat.
- 36 Providing examples is illustration (*nidarśana*). For example, just as fire spreads rapidly in a dry forest when accompanied by wind, a wound intensifies affected by wind, bile, and phlegm.
- A statement like "This is the only way..." ... compulsion (*niyoga*). For example, one should consume only a healthy diet.
- 39 A statement like "This and this..." is option (*vikalpa*). For example, in the section on meat, the major ones are blackbuck, deer, quail and partridge.⁷⁷³
- A summarized statement is aggregation (*samuccaya*).⁷⁷⁴ For example, let there be rice with meat broth, rice with milk, or burley with ghee.

A meaningful reading of these two rules would be

39 idam vedam veti vikalpah / yathā rasodanah kṣīrodanah saghṛtā vā yavāgūr bhavatv iti //

Does bhūtādi a compound or it means ahaṅkāra or ego?

triad? -DW

⁷⁷² तलहृदय is one of the muscle-group of lethal points mentioned in 3.6.7 (Su 1938: 370).

⁷⁷³ The example here matches समुच्चय (next text), not विकल्प. There seems to have been a metathesis of terms. Y. T. Ācārya and N. R. Ācārya (Su 1945: 1005, footnote 6) notes that this text and the next have been swapped in the Calcutta edition that includes Hārāṇacandra's commentary Bhaṭṭācārya 1910–17: 2, in the same way as in the Nepalese version.

⁷⁷⁴ As stated in the previous footnote, the example here is of विकल्प, not समुच्चय.

- 38 saṃkṣepavacanaṃ samuccayaḥ / yathā māṃsavarge eṇahariṇalāvatittirāḥ pradhānā iti
- What is not explicitly stated but can be understood through discernment is deducible ($\bar{u}hya$). For example, in the section on rules of foods and drinks, four types of foods and drinks are mentioned—masticable (bhaksya), edible (bhojya), suckable (lehya), and drinkable (peya). Thus, while four types are needed to be stated, two types are actually mentioned. Here it is deducible that in the section on foods and drinks, by specifically mentioning two types, the four types are also mentioned. Furthermore, a masticable item is not excluded from the category of food because it shares the same characteristic of solidity. A suckable item is not excluded from being classified as a drink because it shares the same characteristic of liquidity. Four types of aliments are rare. They are usually just twofold. Therefore, lord Dhanvantari says "Twofold is popular".

Editions and Abbreviations

Ah 1939	Kuṃṭe, Aṇṇā Moreśvara, Navare, Kṛṣṇaśāstrī, and Parādkar, Hariśāstrī (1939) (eds.), श्रीमद्वाग्भटविरचितम् अष्टाङ्गहृदयम्, श्रीमदरुणदत्तविरचितया सर्वाङ्गसुन्दराख्यया व्याख्यया, हेमाद्रिप्रणीतया आयुर्वेदरसायनाह्वया टीकया च समुल्लसितम् = The Astāngahṛidaya (6th edn., Muṃbayyām: Nirṇayasāgara Press), ark:/13960/t3tt6967d.
AHS 1940	Mūss, C. N. Nārāyaṇan (1940) (ed.), श्रीमद्वाहटाचार्यप्रणीतम् अष्टाङ्गहृदयम् श्रीदासपण्डितविरचितया हृदयबोधिकाख्यया व्याख्यया समलङ्कृतम् (Śrīcitrāyurvedagranthamālā, 4; Trivandrum: Rājakīyamudrāśālā), ark:/13960/s23qzpqc61j.
Apte	Apte, Vaman Shivaram (1992), <i>The Practical Sanskrit-English Dictionary</i> (Kyoto: Rinsen Book Company), ISBN: 4-653-00038-7; Reprinted from gode-apte .
Arthaśāstra	Kangle, R. P. (1960), <i>The Kauṭilīya Arthaśāstra</i> (University of Bombay Studies Sanskrit, Prakrit and Pali, 1; Bombay: University of Bombay), accessed 23/09/2021.
As 1980	Āṭhavale, Anaṃta Dāmodara (1980) (ed.), अष्टाङ्गसङ्ग्रहः श्रीमद्वृद्धवाग्भटविरचितः इन्दुव्याख्यासहितः [= Vāgbhaṭa's Aṣṭāṅgasaṅgraha with Indu's Commentary] (Puṇe: M. A. Āṭhavale, Śrīmad Ātreya Prakāśanam), ark:/13960/s25bwqsd0n7.
Aṣṭādhyāyī	Sharma, Rama Nath (2002-03), <i>The Aṣṭādhyāyī of Pāṇini</i> , 6 vols. (Second revised and enlarged edition, New Delhi: Munshiram Manoharlal Publishers Pvt. Ltd.).

BhaGī	Paṇśīkar, Wāsudev Laxmaṇ Shāstrī (1936) (ed.), श्री- मद्भगवद्गीता श्रीमच्छाङ्करभाष्येण-आनन्दिगरिकृतव्याख्यायुजा संविता तथा नीलकण्ठी-भाष्योत्कर्षदीपिका-श्रीधरीयसुबोधिनी- अभिनवगुप्ताचार्यव्याख्या-श्रीमधुसूदनसरस्वतीस्वामिकृतगूढार्थदीपिकाख्यव्याख्यासिहता तद्भ्याख्यानेन श्रीधर्मदत्तशर्म(प्रसिद्धबच्चाशर्म)विरचित-गूढार्थतत्त्वालोकेन युता च (2nd edn., Bombay: Nirṇaya-Sāgar Press), ark:/
Bhela 1921	Mookerjee, Ashutosh, and Ananta Krishna Shastri, Vedantabisharad (1921) (eds.), <i>The Bhela Samhita. Sanskrit Text</i> (Calcutta: University of Calcutta), ark:/13960/t3sv3157j; Based on two copies made of the Thanjavur codex unicus (MS Thanjavur TMSSML 10773, burn-clas, sast-desc16).
Bhela 2000	Krishnamurthy, K. H. (2000), <i>Bhela-saṃhitā</i> . <i>Text with English Translation, Commentary and Critical Notes</i> (Haridas Ayurveda Series, 8; Varanasi: Chaukhambha Visvabharati).
Ca 1877	Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1877) (ed.), च- रकसंहिता सूत्र-निदान-विमान-शारीरेन्द्रिय-चिकित्सित-कल्प- सिद्धिस्थानात्मका। भगवता आत्रेयेण पुनर्वसुना उपदिष्टा अग्निवे- शनामधेयेन तत् शिषेण विरचिता चरकाभिधेयेन ऋषिणा प्रतिसंस्कृता (Calcutta: Sarasvatī Yantra), ark:/13960/t0sq9gf44.
Ca 1904	Śarmā, Satīśacandra (1904) (ed.), চরকসংহিতা (1st edn., Kalikātā: Bhaiṣajya Steam Machine Press), ark:/13960/ t51g4nm8m.
Ca 1911	Vaidyopādhyāya, Rāmaprasāda (1911) (ed.), चरकसंहिता। श्री- मन्महर्षिप्रवरचरकप्रणीता। पण्डितरामप्रसादवैद्योपाध्यायविरचितप्रसादनी- भाषाटीकासहिता। (mumbayī: Kṣemarāja-Śrīkṛṣṇadāsaśreṣṭhin), ark:/13960/t2r59q189.
Ca 1923	Śarmā, Satīśacandra (1923) (ed.), চরকসংহিতা (3rd edn., Kalikātā: Bhaiṣajya Steam Machine Press), ark:/13960/ t17m5hp8c.
Ca 1928-33	Senagupta, Narendranātha, and Senagupta, Balāic- andra (1928–33) (eds.), चरक-संहिता। महामुनिना भ- गवताग्निवेशेन प्रणीता महर्षिचरकेण दृढबलेन च प्रतिसंस्कृता चरकचतुरानन-श्रीमञ्चक्रपाणिदत्तप्रणीतया आयुर्व्वेददीपिकाख्यटीकया

महामहोपाध्याय-श्रीगङ्गाधरकविरत्नकविराजविरचितया जल्पकल्प-तरुसमाख्यया टीकया च समलङ्कृता, 3 vols. (kalikātānagarī: Dhanvantari Electric Machine Yantra).

Ca 1933

Ācārya, Yādavaśarma Trivikrama (1933) (ed.), महर्षिणा अग्निवेशेन प्रणीता चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark :/13960/t42s3kk45.

Ca 1941

Ācārya, Yādavaśarma Trivikrama (1941) (ed.), महर्षिणा पुनर्व-सुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संविलता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark:/13960/t48q2f20n.

CDIAL

Turner, R. L. (1966–85), A Comparative Dictionary of the Indo-Aryan Languages (London, New York, Toronto: Oxford University Press), ISBN: 0197135501, URL; With Indexes compiled by Dorothy Rivers Turner (OUP, London, 1969), Phonetic Analysis by R. L. and D. R. Turner (OUP, London, 1971), and Addenda and Corrigenda edited by J. C. Wright (School of Oriental and African Studies, London, 1985). Vol. 1: ark:/13960/s22vppb4h8s; v. 2:

 DED_2

Burrow, Thomas, and Emeneau, Murray B. (1984), *A Dravidian Etymological Dictionary* (2nd edn., Oxford: Clarendon Press), ark:/13960/t4wj06g26, URL.

Garudapurāņa

Pāṇḍeya, Rāmateja (1963) (ed.), श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुडपुराणम् (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), ark:/13960/t6pz7tg7j.

HIML

Meulenbeld, Gerrit Jan (1999–2002), A History of Indian Medical Literature, 5 vols. (Groningen: E. Forsten), ISBN: 9069801248.

KEWA

Mayrhofer, Manfred (1953–72), Kurzgefaßtes etymologisches Wörterbuch des Altindoarischen; a Concise Etymological Sanskrit Dictionary (Heidelberg: Carl Winter, Universitätsverlag).

Mahābhāsya

Kielhorn, F. (1880–85) (ed.), *The Vyâkaraṇa-Mahâbhâshya of Patanjali*, 3 vols. (Bombay: Government Central Book Depot), ark:/13960/s258g7r6bxf.

Mahākośa

Jośī, Veṇīmādhavaśāstrī, and Jośī, Nārāyaṇa Harī (1968), आयुर्वेदीय महाकोशः अर्थात् आयुर्वेदीय शब्दकोशः संस्कृत– संस्कृत (Muṃbaī: Mahārāṣṭra Rājya Sāhityta āṇi Saṃskṛti Mamdala), ark:/13960/t22c41g8t.

Mānasollāsa

Shrigondekar, Gajanan K. (1925–61) (ed.), मानसोल्लासः = Mānasollāsa [or Abhilaṣitārthacintāmaṇi] of King Someśvara (Gaekwad's Oriental Series; Baroda: Oriental Institute), ark:/13960/t87h8tn95; v. 2: ark:/13960/t3gz41v8m.

 MN_1

Ācārya, Yādavaśarma Trivikrama (1920) (ed.), महामित-श्रीमाधवकरप्रणीतं माधवनिदानम् श्रीविजयरक्षित-श्रीकण्थदत्ताभ्यां विरचितया मधुकोशाख्यव्याख्यया, श्रीवाचस्पतिवैद्यविरचितया आत-ङ्कदर्पणव्याख्याया विशिष्टांशेन च समुल्लसितम् = Mādhavanidāna by Mādhavakara with the Two Commentaries, Madhukosha by Vijayarakshita & Shrīkanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya (1st edn., Bombay: Nirnaya Sagara Press), ark:/13960/t9z08jn5j.

 MN_3

Ācārya, Yādavaśarma Trivikrama (1932) (ed.), महामित-श्रीमाधवकरप्रणीतं माधविनदानम् श्रीविजयरक्षित-श्रीकण्थदत्ताभ्यां विरचितया मधुकोशाख्यव्याख्यया, श्रीवाचस्पितवैद्यविरचितया आत-ङ्कदर्पणव्याख्याया विशिष्टांशेन च समुल्लसितम् = Mādhavanidāna by Mādhavakara with the Two Commentaries, Madhukosha by Vijayarakshita & Shrīkanthadatta and Ātankadarpaṇa by Vāchaspati Vaidya (3rd edn., Bombay: Nirnaya Sagara Press), ark :/ 13960 / t66452x0h; Reprinted Varanasi: Chowkhambha, 1986.

MW

Monier-Williams, Monier, Leumann, E., Cappeller, C., et al. (1899), A Sanskrit-English Dictionary Etymologically and Philologically Arranged, New Edition (Oxford: Clarendon Press); 1970 reprint.

Na<u>nn</u>ūl

Sripathi, Muthu Krishna (1995) (ed.), Nannūl: A pereptive and comprehensive translation in English (Madurai: MK Sripathi).

PWK

Böhtlingk, Otto (1879), Sanskrit-wörterbuch in kürzerer fassung (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), URL, accessed 18/05/2023.

Śabdasindhu

Gupta, Umeśachandra, and Sena, Nagendra Nātha (1983), वैद्यक-शब्दसिन्धुः = Vaidyaka-Śabdasindhuḥ (3rd edn., Varanasi & Delhi: Chaukhambha Orientalia); 3rd ed. first published in 1914.

Saddanīti 3

Smith, Helmer (1930) (ed.), Saddanīti la grammaire Palie d'Aggavaṃsa: III Sūttamālā (Pariccheda XX-XXVIII) (Skrifter utgivna av Kungl. Humanistiska Vetenskapssamfundet i Lund, XII:3; Lund: C. W. K. Gleerup), ark:/13960/t1jh9w87b.

SiddhKau

Gāḍagiḷa, Dinakaraśāstrī K., and Paṇaśīkara, Vāsudevaśarman (1904) (eds.), तत्त्वबोधिनीसमाख्यव्याख्यासंविलता सिद्धान्तकौमुदी नाम भट्टोजिदीक्षितप्रणीता पाणिनीयव्याकरणसूत्रवृत्तिः (3rd edn., Mumbayī: Niṛnaya Sāgara), ark :/ 13960 / t0zq08k33.

Su 1889

Bhaṭṭācāryya, Jīvānanda Vidyāsāgara (1889) (ed.), सुश्रुतः. सूत्र-निदान-शारीर-चिकित्सा-कल्पोत्तर-तन्त्र-कल्पित आयुर्वेद. भगवता धन्वन्तरिणोपदिष्टः सुश्रुतनामधेयेन तच्छिष्येण विरचितः (3rd edn., Calcutta: Sarasvatī Press), ark :/ 13960 / t1nh6j09c; HIML:IB, 311, edition b.

Su 1931

Ācārya, Yādavaśarma Trivikrama (1931) (ed.), सुश्रुतसं-हिता, वैद्यवरश्रीडल्हणाचार्यविरचितया निबन्धसंग्रहाख्यव्याख्यया समुष्ठसिता, महर्षिणा सुश्रुतेन विरचिता, सूत्र-निदान-शारीर-चिकित्सा-कल्पस्थानोत्तरतन्त्रात्मकः. आचार्योपाह्वेन त्रिविक्रमात्मजेन यादवश-मंणा संशोधिता = The Sushrutasaṃhitā of Sushruta with the Nibandhasangraha Commentary of Shree Dalhaṇāchārya (2nd edn., Mumbayyāṃ: Pāṇḍuraṅga Jāvajī at the Nirṇayasāgaramudrāyantrālaye), ark:/13960/t9j41sg94, accessed 09/06/2020; HIML: IB, 312 edition *v.

Su 1938

Ācārya, Yādavaśarma Trivikrama, and Ācārya, Nārāyaṇa Rāma (1938) (eds.), श्रीडल्हणाचार्यविरचितया निबन्धसंग्रहा-ख्यव्याख्यया निदानस्थानस्य श्रीगयदासाचार्यविरचितया न्यायचन्द्रि-काख्यपञ्जिकाव्याख्यया च समुल्लसिता महर्षिणा सुश्रुतेन विरचिता सृश्रुतसंहिता (3rd edn., Bombay: Nirnayasāgara Press), ark:/13960/t09x0sk1h; HIML:IB, 313, edition cc ('the vulgate').

Su 1939

Ācārya, Yādavaśarma Trivikrama, and Śarman, Nandakiśora (1939) (eds.), सुश्रुतसंहितायाः सूत्रस्थानम्. श्रीचक्रपाणिदत्तविरचित्या भानुमतीव्याख्याया समेतम् = Sushrut-sañhitā (sūtra Sthān) with Bhānumatī Commentary by Chakrapāṇi Datta with Introduction by Gaṇanāth Sen (Śrīsvāmi Lakṣmīrāma Nidhi Granthamālā = Shrī Swāmī Lakshmī Rām Trust Series, 1; [Jaipur]: Śyāmasundara Śarman), ark:/13960/t54g0d12m; Printed at the Nirṇayasāgara Press, Bombay.

Su 1945

Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संवलिता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), ark:/13960/t8kd4jh7n.

TY

Nārāyaṇa, Śaṃkaraśarman (1949), *Tantrayuktiḥ*, ed. Vayaskara N. S. Mooss (Vaidyasārathigranthāvaliḥ, 6; Koṭṭayanagaryāṃ: Vaidyasarathi Press), ark:/13960/t2d85pc4v.

TYV

Muthuswami, Nurani Easwara (1976) (ed.), *Tantrayuktivicāraḥ [by Nīlameghabhiṣaj]* (Kerala Praśāsanāyurveda Granthāvaliḥ, 1; 2nd edn., Trivandrum: Publications Division, Govt. Ayurveda College), ark:/13960/s2j1p7k0526.

Visnudh 3

Shah, Priyabala (1958) (ed.), *Viṣṇudharmottara-Purāṇa*. *Third Khaṇḍa* (Gaekwad's Oriental Series, 130; Baroda: Oriental Institute), ark:/13960/t52g33q88.

Visnudh.

Śarman, Madhusūdana, and Śarman, Mādhavaprasāda (1912) (eds.), विष्णुधर्मोत्तरपुराणम् = [Viṣṇudharmottarapurāṇa] (Mumbai: Khemarāja Śrīkṛṣṇadāsa at the Śrīveṅkaṭeśvara Steam Press), ark:/13960/t6qz6fr23; Lithograph format. Edited on the basis of a manuscript belonging to the astrologer Śudhākaraśarman of the Varanasi Sanskrit Pāṭhaśālā.

Yuktidīpikā

Wezler, Albrecht, and Motegi, Shujun (1998) (eds.), Yuktidīpikā: the most significant commentary on the Sāṃkhyakārikā (Alt- und Neu-Indische Studien herausgegeben vom Institut für Kultur und Geschichte Indiens und Tibets an der Universität Hamburg, 44; Stuttgart: Franz Steiner Verlag).

Index of Manuscripts

Numbers after the final colon refer to pages in this book.

```
Bikaner RORI 5157: 121

Cambridge CUL Add.1693: 117

Hyderabad Osmania 137-3(b): 49

Jamnagar GAU 114: 244, 247f

Jodhpur RORI 20060: 251, 254f

Kathmandu KL 699: 9, 44, 50, 120, 199

Kathmandu NAK 1-1079: 9, 15, 28, 44, 50

Kathmandu NAK 1-1146: 28

Kathmandu NAK 1/1648: 230

Kathmandu NAK 5-333: 9, 15, 44, 50, 117, 122, 144, 148

London BL IOLR 1842: 253f

MS Jamnagar GAU 114: 233, 238, 249

Thanjavur TMSSML 10773: 264
```

- Ācārya, Yādavaśarma Trivikrama (1933) (ed.), महर्षिणा अग्निवेशेन प्रणीता चरक-दृढबलाभ्यां प्रतिसंस्कृता चरकसंहिता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark:/13960/t42s3kk45.
- ——(1941) (ed.), महर्षिणा पुनर्वसुनोपदिष्टा, तच्छिष्येणाग्निवेशेन प्रणीता, चरकदृढब-लाभ्यां प्रतिसंस्कृता चरकसंहिता, श्रीचक्रपाणिदत्तविरचितया आयुर्वेददीपिकाव्याख्यया संविलता (3rd edn., Mumbayyāṃ: Nirnaya Sagara Press), ark:/13960/ t48q2f20n.
- Ācārya, Yādavaśarma Trivikramācārya, and Ācārya, Nārāyaṇa Rāma (1945) (eds.), महर्षिणा सुश्रुतेन विरचिता सुश्रुतसंहिता (मूलमात्रा). पाठान्तर-परिशिष्टादिभिः संविलता = the Suśrutasaṃhitā of Suśruta with Various Readings, Notes and Appendix etc. (Mumbāi: Nirṇayasāgarākhyamudraṇālaye), ark:/13960/t8kd4jh7n.
- Achaya, K. T. (1994), *Indian Food: A Historical Companion* (Delhi: Oxford University Press), ISBN: 0195628454.
- ——(1998), A Historical Dictionary of Indian Food (Delhi: Oxford University Press), ISBN: 0195642546.
- Angermeier, Vitus (2021), "Agni and Soma Revisited: A Primordial Äyurvedic Concept?," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos* (Leiden: Brill), chap. 3, 15–32. DOI: 10.1163/9789004438224 004.
- Azeez Pasha, M. (1971), "English Translation of Madan-ul-Shifa, Tibbe Sikandar Shahi (Sikandar Shah's Mine of Medicine)," Bulletin of the Department of History of Medicine (Osmania University, Hyderabad), 2/4: 227-2324; continued in BDHM 3(1) 29-38; BIHM 1(3/4) 127-134; & BIHM 2(1), 17-22.

Barceloux, Donald G. (2008), *Medical Toxicology of Natural Substances. Foods, Fungi, Medicinal Herbs, Plants, and Venomous Animals* (Hoboken, NJ, etc.: John Wiley & Sons), ISBN: 047172761X.

- Bedekar, V. M. (1967), "The Legend of the Churning of the Ocean in the Epics and the Purāṇas: A Comparative Study," *Purāṇa*, 9/1: 7-61, ark:/13960/t57d2r97r.
- Bendall, Cecil (1883), Catalogue of the Buddhist Sanskrit, Manuscripts in The, University Library, Cambridge: With Introductory Notices and Illustrations of the Palaeography and Chronology of Nepal and Bengal (Cambridge: University Press), ark:/13960/t03x8vz7b.
- Bhaṭṭācārya, Candrakānta (1910–17) (ed.), सुश्रुतसंहिता प्रथमखण्डम् सूत्रस्थानात्म-कम् हाराणचन्द्रचक्रवर्तिकविराजविरचितसुश्रुतार्थसन्दीपनभाष्य-समेतम्...चन्द्रकान्त भट्टाचार्य्य-प्रमुखैः संशोधितम् = [The Suśrutasaṃhitā with the Commentary Suśrutārthasandīpanabhāṣya by Hārāṇacandra Cakravarti] (Kalikātā: Satya Press); Edition "t" in HIML: IB, 312.
- Bhishagratna, Kaviraj Kunjalal (1907–16), An English Translation of the Sushruta Samhita Based on Original Sanskrit Text, 3 vols. (1st edn., Calcutta: The Author), URL, accessed 18/02/2021.
- Birch, Jason, et al. (2021), "Further Insight into the Role of Dhanvantari, the Physician to the Gods, in the Suśrutasaṃhitā," *Academia Letters*. DOI: 10.20935/AL2992.
- Bloomfield, Maurice (1890), "The Kauśika Sūtra of Atharva Veda With Extracts from the Commentaries of Dārila and Keśava," *Journal of the American Oriental Society*, 14, ISSN: 0003-0279. DOI: 10.2307/592399; reprint of the 1889 edition, JAOS.
- Böhtlingk, Otto (1879), *Sanskrit-wörterbuch in kürzerer fassung* (St. Petersburg: Kaiserlichen Akademie der Wissenschaften), URL, accessed 18/05/2023.
- Breton, P. (1826), "On the Native Mode of Couching," *Transactions of the Medical and Physical Society of Calcutta*, 2: 341–82, ark:/13960/t3dz8nn5t, URL, accessed 02/06/2021.
- Bronkhorst, Johannes (2016), *How the Brahmins Won: From Alexander to the Guptas* (Leiden: Brill). DOI: 10.1163/9789004315518.

Brooks, Lisa Allette (2018), "Epistemology and Embodiment: Diagnosis and the Senses in Classical Ayurvedic Medicine," *Asian Review of World Histories*, 6: 98–135. DOI: 10.1163/22879811-12340027.

- ——(2020*a*), "A Surgeon's Hand: Reflections on Surgical Tactility in Early Ayurveda," *Asian Medicine*, 15/1: 30–62. DOI: 10.1163/15734218-12341460.
- ——(2020b), "Whose Life is Water, Whose Food is Blood: Fluid Bodies in Āyurvedic Leech Therapy," in Natalie Köhle and Shigehisa Kuriyama (eds.), Fluid Matter(s): Flow and Transformation in the History of the Body (Asian Studies Monograph Series, 14; Canberra: ANU Press). DOI: 10.22459/fm.2020.
- ——(2021*a*), "The Vascularity of Ayurvedic Leech Therapy: Sensory Translations and Emergent Agencies in Interspecies Medicine," *Medical Anthropology Quarterly*, 35/1: 82–101. DOI: 10.1111/maq.12595.
- ——(2021*b*), "Translating Touch in Ayurveda: Medicine, Sense, and Subjectivity in Early south Asia and Contemporary Kerala," PhD thesis (University of California, Berkeley).
- ——(forthcoming), "Leech Logic," in An Editor (ed.), A Book.
- Brunton, T. Lauder, and Fayrer, J. (1909), "On the Nature and Physiological Action of the Poison of Naja tripudians and other Indian Venomous Snakes, parts I and II," in *On the Poison of Venomous Snakes and the Methods of Preventing Death from their Bite* (London: Macmillan and Co.), 1–22, 23–110, ark:/13960/t0bv7ts2c.
- Cardona, George (1976), *Pāṇini: A Survey of Research* (Trends in Linguistics State-of-the Art Reports, 6; The Hague: Mouton & Co. B.V., Publishers), ark:/13960/s2mtq72w6s2.
- Chevillard, Jean-Luc (2009), "The Metagrammatical Vocabulary inside the Lists of 32 Tantrayukti-s and its Adaptation to Tamil: Towards a Sanskrit-Tamil Dictionary," in Eva Wilden (ed.), Between Preservation and Recreation: Tamil Traditions of Commentary. Proceedings of a Workshop in honour of T.V. Gopal Iyer (École Française d'Extrême-Orient Collection Indologie, 109; Pondichéry: Institut français de Pondichéry / École Française d'extrême-Orient), 71–132, URL, accessed 15/11/2023.

Cohen, Jack (1990), "The Function of Human Semen Coagulation and Liquefaction In Vivo," in *Advances in Assisted Reproductive Technologies*, ed. Shlomo Mashiach et al. (NY & London: Plenum Press), 443–52, ISBN: 9781461306450. DOI: 10.1007/978-1-4613-0645-0_49.

- Cone, Margaret (2001), *A Dictionary of Pāli* (Oxford: The Pali Text Society), ISBN: 0 86013 394 x.
- Das, Rahul Peter (2003), The Origin of the Life of a Human Being. Conception and the Female According to Ancient Indian Medical and Sexological Literature (Indian Medical Tradition; Delhi: Motilal Banarsidas), ISBN: 81-208-1998-5.
- Dasgupta, S., N. (1952), "Speculations in the Medical Schools," in *A History of Indian Philosophy*, ii (Reprint of 1932 edition, Cambridge: Cambridge University Press), chap. 13, 273–436, URL, accessed 26/01/2018.
- Dave, K. N. (1985), *Birds in Sanskrit Literature* (Delhi: Motilal Banarsidass), ISBN: 0-89581-676-8, ark:/13960/t2c94cv80.
- Deshpande, Adwait M., Sastry, K. Venkata, and Bhise, Satish B. (2022), "A Contemporary Exploration of Traditional Indian Snake Envenomation Therapies," *Tropical Medicine and Infectious Disease*, 7/6: 108, ISSN: 2414-6366. DOI: 10.3390/tropicalmed7060108.
- Deshpande, Vijaya (1999), "Indian Influences on Early Chinese Ophthalmology: Glaucoma As a Case Study," *Bulletin of the School of Oriental and African Studies*, 62: 306–22. DOI: 10.1017/S0041977X00016724.
- ——(2000), "Ophthalmic Surgery: A Chapter in the History of Sino-indian Medical Contacts," *Bulletin of the School of Oriental and African Studies*, 63/3: 370–88, ISSN: 0041-977X. DOI: 10.1017/s0041977x00008454.
- Deuti, Kaushik (2020), *Skinks of India*, ed. Sujoy Raha and Probath Bag (Kolkata: Zoological Survey of India), ISBN: 9788181715517.
- Dikshitar, V. R. Ramachandra (1930), "Tantrayukti," *Journal of Oriental Research*, 4: 82-9, ark:/13960/t3b04m19g.
- Doniger, Wendy (2015), "Introduction: Sympathy for the Devi: Snakes and Snake Goddesses in Hinduism," in Kaiser Haq, *The Triumph of the Snake Goddess* (Cambridge, MA: Harvard University Press), 1–28. DOI: 10.4159/9780674089136-intro.

Edgerton, Franklin (1953), Buddhist Hybrid Sanskrit Grammar and Dictionary (William Dwight Whitney Linguistic Series; New Haven: Yale University Press); vol. 1: Grammar, vol. 2: Dictionary.

- Eggermont, Pierre Herman Leonard (1975), Alexander's Campaigns in Sind and Baluchistan and the Siege of the Brahmin Town of Harmatelia (Louvain: Leuven University Press), ISBN: 9061860377, ark:/13960/s2bf83pchxw.
- Ellenhorn, Matthew J. (1997), Ellenhorn's Medical Toxicology. Diagnosis and Treatment of Human Poisoning (2. ed., Baltimore, MD: Williams & Wilkins), ISBN: 0683300318, ark:/13960/s21qsb3jf1v; Previous ed.: London: Elsevier, 1988.
- Elliot, Robert Henry (1918), The Indian Operation of Couching for Cataract: Incorporating the Hunterian Lectures Delivered before the Royal College of Surgeons of England on February 19 and 21, 1917 (London: H. K. Lewis).
- Elshakry, Marwa S. (2008), "Knowledge in Motion: The Cultural Politics of Modern Science Translations in Arabic," *Isis*, 99/4: 701–30. DOI: 10.1086/595767, URL, accessed 24/02/2019.
- Emeneau, M. B. (1969), "Sanskrit Syntactic Particles "kila, khalu, nūnam"," *Indo-Iranian Journal*, 11/4: 241–68.
- Emmerick, Ronald E. (1984), "Some Remarks on the History of Leprosy in India," *Indologica Taurinensia*, 12: 93-105. DOI: 10.5281/zenodo.10798623.
- Ewart, Joseph (1878), The Poisonous Snakes of India: For the Use of the Officials and Others Residing in the Indian Empire (London: J & A Churchill), ISBN: 81-7002-011-5, ark:/13960/t9z07w72g; Reprinted Delhi: Himalayan Books, 1985.
- Falk, Harry (1991), "Silver, Lead and Zinc in Early Indian Literature," *South Asian Studies*, 7/1: 111-7. DOI: 10.1080/02666030.1991.9628430.
- Fan, Ka Wai (2005), "Couching for Cataract and Sino-Indian Medical Exchange From the Sixth to the Twelfth Century AD," *Clinical and Experimental Ophthalmology*, 33/2: 188–90. DOI: 10 . 1111 / j . 1442 9071 . 2005 . 00978 . x; unaware of V. Deshpande 1999; 2000.

Fayrer, Joseph (1874), The Thanatophidia of India, Being a Description of the Venomous Snakes of the Indian Peninsula with and Account of the Influence of their Poison on Life and a Series of Experiments (2nd edn., London: Churchill), ark:/13960/t9h49dg5c; First edition 1872.

- Frauwallner, Erich (1958), "Die Erkenntnislehere des klassischen Sāṃkhya-Systems," Wiener Zeitschrift für die Kunde Süd- und Ostasiens und Archiv für indische Philosophie, 2: 84–139, ark:/13960/s2sdmmt8nf8.
- Froese, R., and Pauly, D. (2022) (eds.), "Fishbase: The Global Encyclopedia about Fish," URL.
- Gaṇapatiśāstrī, T. (1920–25), Āryamañjuśrīmūlakalpaḥ (Trivandrum Sanskrit Series, 70; Anantaśayane: Rājakīyamudraṇayantrālaye), ark:/13960/t4pk5sj0j.
- Ghosh, Ritwik, et al. (2023), "Snakebite Envenomation-Induced Posterior Reversible Encephalopathy Syndrome Presenting with Bálint Syndrome," *Neurología (English Edition)*, 38/6 (July): 440-2, ISSN: 2173-5808. DOI: 10.1016/j.nrleng.2022.06.001.
- Gombrich, Richard (1979), "He Cooks Softly': Adverbs in Sanskrit Grammar," *Bulletin of the School of Oriental and African Studies*, 42/2: 244-56. DOI: 10.1017/s0041977x0014580x.
- Gonda, Jan (1977), *The Ritual Sutras* (A History of Indian Literature, 1.2; Wiesbaden: Harrassowitz).
- Goswami, Pradip Kumar (2011), "Comparative Studies of Bhanumati and Nibandha Samgraha with Special Reference to Arista Vijnana (prognostic Science)," AYU (An International Quarterly Journal of Research in Ayurveda), 32/2: 147. DOI: 10.4103/0974-8520.92540.
- Gupta, Parmanand (1989), Geography from Ancient Indian Coins & Seals (New Delhi: Concept Publishing Company), ISBN: 9788170222484.
- Hamza, Muhammad, et al. (2021), "Clinical Management of Snakebite Envenoming: Future Perspectives," *Toxicon: X* 11/100079: 1–12, ISSN: 2590-1710. DOI: 10.1016/j.toxcx.2021.100079.
- Harimoto, Kengo (2011), "In Search of the Oldest Nepalese Manuscript," *Rivista degli Studi Orientali*, 84/1–4: 85–106, ISSN: 0392-4866, URL, accessed 08/09/2019.

——(2013), "More Observations on the Old Nepalese Manuscripts of the Suśrutasaṃhitā: oral presentation of the 20th congress of the Association for the Study of the History of Indian Thought, the University of Tokyo, December 2013."

- Hayashi, Takao (2017), "The Units of Time in Ancient and Medieval India," *History of Science in South Asia*, 5/1: 1–116. DOI: 10.18732/h2ht0h.
- Hellwig, Oliver (2009), Wörterbuch Der Mittelalterlichen Indischen Alchemie (Groningen: Barkhuis & University of Groningen, University Library), ISBN: 9789077922620. DOI: 10.2307/j.ctt22728hs, URL, accessed 19/06/2020.
- Hendley, T. Holbein (1895), A Medico-topographical Account of Jeypore, Based on the Experience of Twenty Years' Service As a Residency Surgeon and Thirteen As Superintendent of Dispensaries at Jeypore, Rajputana (Calcutta: Calcutta Central Press Company).
- Hoernle, A. F. Rudolf (1893–1912) (ed.), *The Bower Manuscript: Facsimile Leaves, Nagari Transcript, Romanised Transliteration and English Translation with Notes* (New Imperial Series, 22; Calcutta: Government of India and under the patronage of the Bengali Government, Archaeological Survey of India), ark:/13960/t05z1bg4q.
- ——(1897), सुश्रुतसंहिता = The Suçruta-Saṃhitā or the Hindū System of Medicine According to Suçruta Translated from the Original Sanskrit (Bibliotheca Indica, 911; Calcutta: Asiatic Society), ark:/13960/t8pd1kw9r, accessed 03/01/2018; No more published; Hoernle does not state which edition he is translating, but it includes the "Dhanvantari phrase".
- Irwin, John C. (1982), "The Sacred Anthill and the Cult of the Primordial Mound," *History of Religions*, 21/4: 339–60, ISSN: 00182710, 15456935, URL, accessed 24/01/2024.
- Jack, David Morton (1884), "A Thesis on Cataract in India: Its Pathology and Treatment," Wellcome Library, London, MS 3007, URL, accessed 02/06/2021.
- Jamison, Stephanie W., and Brereton, Joel P. (2014), *The Rigveda* (South Asia Research; New York: Oxford University Press), ISBN: 9780199370184; With commentary at http://rigvedacommentary.alc.ucla.edu/.

Jhalakīkar, Bhīmācārya (1978), न्यायकोशः (सकलशास्त्रोपकारकन्यायादिशा-स्त्रीयपदार्थप्रकाशकः) = Nyāyakośa or Dictionary of Technical Terms of Indian Philosophy (Poona: Bhandarkar Oriental Research Institute), ark:/13960/t4cp7242f.

- Jolly, Julius (1951), *Indian Medicine, Translated from the German...by C. G. Kashikar* (Poona: C. G. Kashikar), URL, accessed 08/11/2017; 2nd edition Delhi: Munshiram Manoharlal, 1977, 1994 etc.
- Joshi, S. D., and Roodbergen, J. A. F. (1991), *The Aṣṭādhyāyī of Pānini with Translation and Explanatory Notes* (New Delhi: Sahitya Akademi).
- Kangle, R. P. (1965), The Kauṭilīya Arthaśāstra, 3 vols. (2nd edn., Delhi: Motilal Banarsidass), ISBN: 978-81-208-0042-7, ark:/13960/t3gz6qh1s; reprint of 2010, i: The Kauṭilīya Arthaśāstra: Part I, Sanskrit Text with a Glossary (1969), ii: The Kauṭilīya Arthaśāstra: Part II, Translation with Critical and Explanatory Notes (1972), iii: The Kauṭilīya Arthaśāstra: Part III A Study (1965).
- Karttunen, Klaus (2015), *Yonas and Yavanas in Indian Literature* (Studia Orientalia, 116; Helsinki: Finnish Oriental Society), 454, ISBN: 978-951-9380-88-9, URL; Published electronically in 2016 as a back issue of *Studia Orientalia*.
- Kaur, Sagan Deep, and Singh, Lakhvir (2018), *Historical Note: Indian Arthropods in Early Sanskrit Literature: A Taxonomical Analysis*. DOI: 10.16943/ijhs/2018/v53i1/49364.
- Khan, Zihan Rahman, et al. (2018), "Medicinal Values of Aquatic Plant Genus Nymphoides Grown in Asia: A Review," *Asian Pacific Journal of Tropical Biomedicine*, 8/2: 113-9, ISSN: 2221-1691. DOI: 10.4103/2221-1691.225615.
- Kieffer-Pülz, Petra (1996), "The Meaning of Māļa(ka)/māla(ka) in Pāli," in N. Balbir, G.-J. Pinault, and J. Fezas (eds.), Langue, style et structure dans le monde indien, Centenaire de Louis Renou. Actes du Colloque international (Paris, 25–27 janvier 1996 (Paris), 285–325, URL, accessed 17/05/2023.
- Klebanov, Andrey (2021a), "On the Textual History of the Suśrutasaṃhitā (1): A Study of Three Nepalese Manuscripts," *eJIM: Electronic Journal of Indian Medicine*, 12/1: 1-64. DOI: 10.21827/ejim.12.1.37385.

——(2021b), "On the Textual History of the Suśrutasaṃhitā, (2): An Anonymous Commentary and its Identified Citations," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), *Body and Cosmos: Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk* (Leiden, Boston: Brill), 110–39. DOI: 10.1163/9789004438224_008.

- Kulikov, Leonid (2006), "The Sanskrit-yet-Optative: A Formation Not Yet Recorded in Sanskrit Grammars," *Wiener Zeitschrift für die Kunde Südasiens*, 50: 27–68. DOI: 10.1553/wzksls27, URL.
- Kutumbiah, P. (1962), *Ancient Indian Medicine* (Bombay, etc.: Orient Longmans), ark:/13960/t6r01v93g; Often reprinted.
- Lamming, George E., and Marshall, Francis H. (1990) (eds.), *Marshall's Physiology of Reproduction: Reproduction in the Male* (4th edn., London: Chapman & Hall), ISBN: 0443019673.
- Law, Bimala Churn (1984), *Historical Geography of Ancient India* (New Delhi: Orient Books Reprint), ark:/13960/t3d01t737; Reprint of 1954 Paris edition.
- Leffler, Christopher T., et al. (2020), "The History of Cataract Surgery: From Couching to Phacoemulsification," *Annals of Translational Medicine*, 8/22: 1551-97, ISSN: 2305-5847. DOI: 10.21037/atm-2019-rcs-04, URL, accessed 02/11/2020.
- Lele, W. K. (1981), *The Doctrine of the Tantrayukti-s: Methodology of Theoretico-scientific Treatises in Sanskrit* (Chaukhamba Surabharati Studies, 3; Varanasi: Chaukhamba Surabharati Prakashan), ark:/13960/s28vqzhkdjq.
- ——(2006), Methodology of Ancient Indian Sciences (The Chaukhamba Surbharati Studies, 3; Varanasi: Chaukhamba Surbharati Prakashan), ark:/13960/s2dc7zd8hf1.
- Leslie, I. Julia (1989), The Perfect Wife (New Delhi: Oxford University Press).
- Lienhard, Siegfried (1978), "On the Meaning and Use of the Word Indragopa," *Indologica taurinensia*, 6: 177–88, URL, accessed 06/02/2021; The indragopa is a 'red velvet mite'.
- Mahādeva Śāstrī, K. (1958) (ed.), ജ്യോത്സ്നിക: വിഷവൈദ്യം *Jyotsnika* (Viṣa Vaidya) [The Jyotsnikā of Kārāṭṭu Nārāyaṇan Nampūtir] (Srī Vañci Setu Lakṣmī series, 9; 3rd edn., Trivandrum: The Government of His Highness The Maharaja of Travancore); First published in 1927.

Mairs, Rachel (2013), "Greek Settler Communities in Central and South Asia, 323 BCE to 10 CE," in Ato Quayson (ed.), A Companion To Diaspora And Transnationalism (Oxford: John Wiley and Sons Ltd), 443–54, ISBN: 9781405188265.

- ——(2014), The Hellenistic Far East: Archæology, Language, and Identity in Greek Central Asia: Archæology, Language, and Identity in Greek Central Asia (Berkeley: University of California Press), 250, ISBN: 9780520292468. DOI: 10.1525/9780520959545.
- Majno, Guido (1975), *The Healing Hand. Man and Wound in the Ancient World* (Cambridge, MA: Harvard University Press), ark:/13960/t4hm7xf2c.
- Mānasa-taraṅgiṇī (2019), "Kaiṭabha, Poison and Death: Meanderings through Tradition," mAnasa-taraMgiNI Blog (1 Sept.), URL, accessed 31/01/2023.
- Manevskaia, Ilona (2008), "Preliminary Observations on Compositional Methods in Haribhadra's Ālokā," in Richard Gombrich and Cristina Scherrer-Schaub (eds.), *Buddhist Studies* (Papers of the 12th World Sanskrit Conference, 8; Delhi: Motilal Banarsidass), 97–117.
- McHugh, James (2012), "The Disputed Civets and the Complexion of the God: Secretions and History in India," *Journal of the American Oriental Society*, 132/2: 245, ISSN: 0003-0279. DOI: 10.7817/jameroriesoci.132.2.0245.
- ——(2021), An Unholy Brew: Alcohol in Indian History and Religions (New York: Oxford University Press), 416 pp., ISBN: 9780199375936.
- Mehta, S. R., and Sashindran, V. K. (2002), "Clinical Features And Management Of Snake Bite," *Medical Journal Armed Forces India*, 58/3: 247-9, ISSN: 0377-1237. DOI: 10.1016/s0377-1237(02)80140-x.
- Mejor, Marek (2000), "Some Observations on the Date of the *Yukti-dīpikā* (apropos of a New Edition)," in Piotr Blcerowicz and Marek Mejor (eds.), *On the Understanding of Other Cultures*, vii (Studia Indologiczne; Warszawa: Instytut Orientalistyczny, Uniwersytet Warszawski), 255–89.
- Meulenbeld, Gerrit Jan (1974b), The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes (Leiden: Brill), ISBN: 978-90-04-03892-9, ark:/13960/t25b8q97g.
- ——(1990), "Conformities and Divergences of Basic Ayurvedic Concepts in Veterinary Texts," *Journal of the European Ayurvedic Society*, 1: 1–6, URL, accessed 16/02/2022.

——(1991), "The Constraints of Theory in the Evolution of Nosological Classifications: A Study on the Position of Blood in Indian Medicine (Āyurveda)," in *Medical Literature from India, Sri Lanka, and Tibet*, 91–106, ISBN: 90-04-09522-5, URL.

- ——(1992), "The Characteristics of a Doṣa," *Journal of the European Āyurvedic Society*, 2/1: 1-5, ark:/13960/t8hf69z8j.
- (2008a), "A Quest for Poison Trees in Indian Literature, Along with Notes on Some Plants and Animals of the Kauṭilīya Arthaśāstra," Wiener Zeitschrift für die Kunde Südasiens / Vienna Journal of South Asian Studies, 51 (2007–2008): 5–75, URL.
- ——(2008b), The Mādhavanidāna with "Madhukośa," the Commentary by Vijayarakṣita and Śrīkaṇṭhadatta (Ch. 1-10). Introduction, Translation, and Notes (Delhi: Motilal Banarsidass).
- ——(2011), "The Relationships between Doşas and Dūṣyas: A Study on the Meaning(s) of the Root Murch-/mūrch," *eJournal of Indian Medicine*, 4/2: 35–135, URL, accessed 13/10/2017.
- Meyer, Johann Jakob (1926), Das altindische Buch vom Welt- und Staatsleben. Das Arthaçāstra des Kauṭilya (Leipzig: Otto Harrassowitz), ark:/13960/s21gb96bcxv.
- Minton, Sherman A., and Minton, Madge Rutherford (1969), *Venomous Reptiles* (New York: Charles Scribners' Sons), ark:/13960/t9k423s9k.
- Nadkarni, K. M. (1954), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (Third ed., revised by A. K. Nadkarni, Bombay: Popular Prakashan), ark:/13960/t6rz4h160.
- Oberhammer, Gerhard (1968), "Notes on the Tantrayukti-s," *The Adyar Library Bulletin*, 31–32 (1967–1968): 600–16. DOI: 10.5281/zenodo.10440052.
- Oberlies, Thomas (2003), A Grammar of Epic Sanskrit (Indian Philology and South Asian Studies, 5; Berlin: De Gruyter), ISBN: 9783110144482. DOI: 10.1515/9783110899344.
- Olivelle, Patrick (1995), "Food in India," *Journal of Indian Philosophy*, 23/3: 367-80. DOI: 10.1007/bf01463136.

——(2001), Food for Thought. Dietary Rules and Social Organization in Ancient India (Gonda Lectures, 9; Amsterdam: Royal Netherlands Academy of Arts and Sciences), URL, accessed 28/06/2023.

- ——(2013), King, Governance, and Law in Ancient India: Kauṭilya's Arthaśāstra. a New Annotated Translation (New York: Oxford University Press), ISBN: 9780199891825. DOI: 10.1093/acprof:osobl/9780199891825.003.0001.
- Osbaldeston, Tess Anne, and Wood, R. P. A. (2000), Dioscorides. De Materia Medica. Being an Herbal with Many Other Medicinal Materials Written in Greek in the First Century of the Common Era. a New Indexed Version in Modern English [Introductory Notes by R. P. Wood] (Johannesburg: IBIDIS Press), ISBN: 0-620-23435-0, URL.
- Ozbulat, Mehmet, et al. (2021), "Factors Affecting Prognosis in Patients with Snakebite," *Eurasian Journal of Emergency Medicine*, 20/1 (Mar.): 6-11, ISSN: 2149-6048. DOI: 10.4274/eajem.galenos.2020.69885.
- Pāṇḍeya, Rāmateja (1963) (ed.), श्रीकृष्णद्वैपायनव्यासप्रणीतं गरुडपुराणम् (Vidyabhawan Prachyavidya Granthamala, 3; reprint, Caukhambā Vidyābhavana, Paṇḍita-Pustakālaya: Kāśī), ark:/13960/t6pz7tg7j.
- Paramesvaran, Madhu K. (2023), "Personal email communication," 26 Dec.
- Pillay, V. V. (2013), *Modern Medical Toxicology* (New Delhi: Jaypee Brothers Pvt. Ltd), ISBN: 9789350259658.
- Pollock, Sheldon (1991), *The Rāmāyaṇa of Vālmīki: an Epic of Ancient India: Volume III: Araṇyakāṇḍa*, ed. Robert P. Goldman (Princeton: Princeton University Press), ISBN: 0-691-06660-4.
- Poudel, Ram C., et al. (2013), "Yews (Taxus) along the Hindu Kush-Himalayan Region: Exploring the Ethnopharmacological Relevance among Communities of Mongol and Caucasian Origins," *Journal of Ethnopharmacology*, 147/1: 190–203, ISSN: 0378-8741. DOI: 10.1016/j.jep.2013.02.031.
- Preisendanz, Karin (2007), "The Initiation of the Medical Student in Early Classical Äyurveda: Caraka's Treatment in Context," in Birgit Kellner et al. (eds.), *Pramāṇakīrtiḥ. Papers Dedicated to Ernst Steinkellner on the Occasion of His 70th Birthday. Part 2*, ii, 2 vols. (Wiener Studien zur Tibetologie und Buddhismuskunde, 70.2; Wien: Arbeitskreis für Tibetische Und

Buddhistische Studien Universität Wien), 629–68, ISBN: 9783902501097, URL.

- ——(2013), "Logic, Debate and Epistemology in Ancient Indian Medical Science: An Investigation Into the History and Historiography of Indian Philosophy. Part I," in Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (eds.), *Medical Texts and Manuscripts in Indian Cultural History* (Delhi: Manohar Publishers and Distributors), 63–139, ISBN: 978-9350980194.
- Prets, Ernst, and Prandstetter, Joachim (1991–2006), Terminologie der frühen philosophischen Scholastik in Indien: Ein Begriffswörterbuch zur altinidischen Dialektik, Erkenntnislehre und Metholologie, ed. Gerhard Oberhammer, 3 vols. (Österreichische Akademie der Wissenschaften, Philosoophisch-Historische Klasse, Denkschriften, 223, 248, 343; Wien: Verlag der Österreicheischen Akademie der Wissenschaften); Beitraäge zur Kultur- und Geistesgeschichte Asiens; Nr. 9, 17, 49.
- Rādhākāntā Deva, Rājā (1876), হাজ্বকল্पভুদ: = Shabda Kalpadrumah, Or, the Tree Bearing All the Words That May Be Wished For (Calcutta: Baradākānta Mitra & Co. at the New Bengal Press), ark:/13960/t9x10x61b.
- Rai, Saurav Kumar (2019), "Invoking 'Hindu' Ayurveda: Communalisation of the Late Colonial Ayurvedic Discourse," *The Indian Economic & Social History Review*, 56/4: 411–26. DOI: 10.1177/0019464619873820; Online first.
- Ramachandra Rao, S. K., and Sudarshan, S. R. (1985–2005), Encyclopaedia of Indian Medicine, 6 vols. (Bombay: Popular Prakashan), i: Historical Perspective (1985), ii: Basic Concepts (1985), iii: Clinical Examination and Diagnostic Methods (1987), iv: Materia Medica, Herbal Drugs (2005), v: Materia Medica, Mineral and Metallic Drugs (2005), vi: Diseases and their Cures (2005).
- Raychaudhuri, Hemachandra (1953), *Political History of Ancient India* (Calcutta: University of Calcutta), ark:/13960/s25hz0hz29p.
- Renou, Louis (1940), "Sur certaines anomolies de l'optatif Sanskrit," *Bulletin de la Société de Linguistique de Paris*, 41: 5–17, ark:/12148/bpt6k121049.
- Ruben, Walter (1954), "Medizin (Caraka) und Logik (Nyāya) (um 100 u. Z.)," in id., Geschichte der indischen Philosophie [collected articles] (Berlin: Deutscher Verlag), chap. 21, 212–22, ark:/13960/t9v18cc78.

Saraswat, K. S. (1991), "Archaeobotanical Remains in Ancient Cultural and Socio-Economical Dynamics of the Indian Subcontinent," *Palaeobotanist*, 40: 514–45. DOI: 10.54991/jop.1991.1797.

- Sarukkai, Sundar (2016), "Translation As Method: Implications for History of Science," in Bernard Lightman, Gordon McOuat, and Larry Stewart (eds.), *The Circulation of Knowledge Between Britain, India and China* (Leiden: BRILL), 309–29. DOI: 10.1163/9789004251410 014.
- Sastri, P. S. Subrahmanya (2002), *Tolkāppiyam. The Earliest Extant Tamil Grammar, with a Short Commentary in English: Volume II. Poruļatikāram* (2nd edn., Chennai: The Kuppuswami Sastri Research Institute), ISBN: 81-85170-27-4, ark:/13960/t7jq8k19s; reprint of 1936 edition.
- Śāstrī, Paraśurāma (1931) (ed.), DāmodarasūnuŚārngadharācāryaviracitā Śārngadharasamhitā. BhiṣagvarĀḍhamallaviracitadīpikāKāśīrāmavaidyaviracitagūḍhārthadīpikābhyām, ṭīkābhyām, saṃvalitā (2nd edn., Muṃbai: Nirṇayasāgara Press), ark:/13960/t7wn11g9r; 1st ed. 1920.
- Śāstrī, Vardhamāna Pārśvanātha (1940) (ed.), उग्रादित्याचार्यकृत कल्याणकारक (राष्ट्रभाषानुवादसिहत) = The Kalyāṇa-kārakam of Ugrādityacharya, Edited with Introduction, Translation, Notes, Indexes and Dictionary (Sakhārāma Nemacaṃda Graṃthamālā, 129; Solāpura: Seṭha Goviṃdajī Rāvajī Dośī), ark:/13960/t2q617g4d.
- Scharfe, Hartmut (1993), *Investigations in Kauṭalya's Manual of Political Science* (2nd edn., Oxford: Harrassowitz), ISBN: 3447033304, URL; 2nd. rev. ed. of Untersuchungen zur Staatsrechtslehre des Kauṭalya.
- Schwartzberg, Joseph E., Bajpai, Shiva G., et al. (1978) (eds.), *A Historical Atlas of South Asia* (Chicago: University of Chicago Press), URL.
- Scott, H. (1817), "Some Remarks on the Arts of India, with Miscellaneous Observations on Various Subjects," *Journal of Science and the Arts*, 2: 67–72, ill. after 133, ark:/13960/t9870jt4g; Breton 1826:358–363 cites Scott's description of cataract couching.
- Selby, Martha Ann (2005*a*), "Narratives of Conception, Gestation, and Labour in Sanskrit Ayurvedic Texts," *Asian Medicine*, 1/2: 254–75, ISSN: 1573-420X. DOI: 10.1163/157342105777996638.

——(2005*b*), "Sanskrit Gynecologies in Postmodernity: The Commoditization of Indian Medicine in Alternative Medical and New-age Discourses on Women's Health," in *Asian Medicine and Globalization*, chap. 8, 120–31, URL, accessed 22/03/2018.

- Semeka-Pankratov, Elena (1979), "A Semiotic Approach to the Polysemy of the Symbol *nāga* in Indian Mythology," in Irene Portis Winner and Jean Umiker-Sebeok (eds.), *Semiotics of Culture* (Approaches to Semiotics, 53; The Hague, Paris, NY: Mouton), 237–90. DOI: 10.1515/9783110823134 –009; The contents of this volume were published simultaneously in *Semiotica* (1/3) 1979.
- Sen, Sailendra Nath (1988), *Ancient Indian History and Civilization* (Delhi: New Age International), ark:/13960/t8gf8pz34.
- Shamasastry, R. (1951), *Kauṭilya's Arthaśāstra* (4th edn., Mysore: Sri Raghuveer Printing Press), ark:/13960/t04z1mp6c.
- Sharma, Priya Vrat (1982), *Dalhana and his Comments on Drugs* (Delhi: Munshiram Manoharlal).
- ——(1999–2001), Suśruta-Saṃhitā, with English Translation of Text and Dalhaṇa's Commentary Alongwith (sic) Critical Notes, 3 vols. (Haridas Ayurveda Series, 9; Varanasi: Chaukhambha Visvabharati).
- Sharma, Ram Karan, and Dash, Bhagwan (2006), Agniveśa's Caraka Samhitā. Text with English translation & Critical Exposition Based on Cakrapāṇi Datta's Āyurvedadīpikā (Chowkhamba Sanskrit Studies, 94; repr. Varanasi: Chowkhamba Sanskrit Series Office).
- Shastri, R. Shama (1920) (ed.), बोधायनगृह्यसूत्रम् The Bodhāyana Grihyasutra (Mysore: University of Mysore), ark:/13960/t2t492622.
- Shree Gulabkunverba Ayurvedic Society (1949), The Caraka Saṃhitā. Expounded by the Worshipful Ātreya Punarvasu Compiled by the Great Sage Agniveśa and Redacted by Caraka & Dridhabala. Edited and Published in Six Volumes with Translations in Hindi, Gujarati and English (First Impression, Jamnagar: Shree Gulabkunverba Ayurvedic Society), ark:/13960/t5m95n971.
- Siddiqi, Muhammad Zubayr (1959), Studies in Arabic and Persian Medical Literature, ark:/13960/s25bxqt84xm.
- Singh, A. (2003), "Tantra Yukti: Method of Theorization in Ayurveda," Ancient Science Of Life, 22/3: 64-74.

Singhal, G. D., et al. (1972-82), Diagnostic [and Other] Considerations in Ancient Indian Surgery (Varanasi: Singhal Publications); A translation of the Suśrutasaṃhitā in 10v.

- Singhal, G. D., and Dwivedi, R. N. (1976), Toxicological Considerations in Ancient Indian Surgery: Based on Kalpa-Sthāna of Suśruta Saṃhitā (Ancient Indian Surgery, 7; Allahabad: Singhal Publications).
- Singhal, G. D., and Mitra, Jyotir (1980), Paediatric & Gynaecological Considerations and Aphorisms in Ancient Indian Surgery: Based on Suśruta Samhitā, Uttara-tantra Chapters 27–38 & 63–66 (Varanasi: Singhal Publications).
- Sircar, Dinesh Chandra (1966), *Indian Epigraphical Glossary* (Delhi: Motilal Banarsidass), ark:/13960/t85h7f98n.
- ——(1971), Studies in the Geography of Ancient and Medieval India (2nd edn., Delhi: Motilal Banarsidass), ark:/13960/t72w2zd8w.
- Siromaṇi, Bharatacandra (1873) (ed.), चतुर्वर्गचिन्तामणि-दानखण्डम् (Calcutta: Asiatic Society of Bengal), ark:/13960/t1rf9jd94.
- Slouber, Michael (2016a), Early Tantric Medicine: Snakebite, Mantras, and Healing in the Garuda Tantras (New York: OUP), 392 pp., ISBN: 9780190461812.
- ——(2016b), "Snakebite Goddesses in the Śākta Traditions: Roots and Incorporations of Tvaritā, Kurukullā and Bheruṇḍā: History, practice and doctrine," in Bjarne Wernicke Olesen (ed.), Goddess Traditions in Tantric Hinduism (Routledge studies in tantric traditions; London: Routledge,), chap. 4, ISBN: 9781317585213.
- Smith, Brian K. (1994), Classifying the Universe: The Ancient Indian Varṇa System and the Origins of Caste (New York, Oxford: Oxford University Press), ISBN: 0-19-508498-5.
- Solomon, Esther A. (1976–78), *Indian Dialectics. Methods of Philosophical Discussion*, 2 vols. (Sheth Bholabhai Jeshingbhai Institute of Learning and Research Research Series, 70/74; Ahmedabad: B. J. Institute of Learning and Research. Gujarat Vidya Sabha), ark:/13960/t5jb4x70d.
- Spencer, Walter George (1935–38), Celsus: De Medicina. with an English Translation by W. G. Spencer, 3 vols. (Loeb Classical Library, 292, 304, 336; Cambridge, MA; London: Harvard University Press; William Heinemann), URL, accessed 02/06/2021.

Speziale, Fabrizio (2019), "Rasāyana and Rasaśāstra in the Persian Medical Culture of South Asia," *History of Science in South Asia*, 7: 1-41. DOI: 10.18732/hssa.v7i0.40.

- Srikantha Murthy, K. R. (2000–02), *Illustrated Suśruta Saṃhitā: Text, English Translation, Notes, Appendices and Index* (Jaikrishnadas Ayurveda Series, 102; 1st edn., Varanasi: Chaukhambha Orientalia).
- Steingass, F. (1930), A Comprehensive Persian-English Dictionary Including the Arabic Words and Phrases to Be Met with in Persian Literature (London: Kegan Paul, Trench, Trubner), ark:/13960/s25bwz0337d; Reprint, Delhi: Oriental Reprint, 1973.
- Storey, C. A. (1971), *Persian Literature, a Bio-bibliographical Survey*. Vol. II.2: Medicine (London: Royal Asiatic Society of Great Britain and Ireland), ark:/13960/t9v18bf68.
- Suvedī, K. S., and Tīvārī, N. (2000) (eds.), सौश्रुतनिघण्टुः: ग्रन्थादौ विस्तृतेन ग्रन्थ-वैशिष्ट्यप्रकाशकेनोपोद्धातेन अवसाने च द्रव्याणामनेकभाषानामावली-पर्यायसङ्ग्रहाभ्यां समलङ्कृतः सुश्रुतसंहितायां प्रयुक्तानामौषधद्रव्याणां पर्याय-गुणकर्मवर्णात्मको ऽपूर्वग्रन्थः (Belajhuṇḍī, Dāṅ: Mahendrasaṃskṛtaviśvavidyālayaḥ).
- Talwar, P. K., and Kacker, R. K. (1984), *Commercial Sea Fishes of India* (Calcutt: Zoological Survey of India), ark:/13960/t5s841v5m.
- Tivārī, Premvatī (1990), *Āyurvedīya prasūti-tantra evaṃ strī-rog; pratham bhāg: Prasūti-tantra, dvitīya bhāg: Strī-rog* (Jayakṛṣṇadāsa Āyurvedīya Granthamālā, 41; Varanas: Caukhamba Orientaliai).
- Unni, N. P. (2006), The Arthaśāstra of Kauṭalya with the Commentary "Śrīmūlā" of Mahāmahopādhyāya T. Gaṇapati Śāstrī: Part III—8, 9, 10, 11, 12, 13, 14 & 15 Adhikaraṇas (Delhi: New Bharatiya Corporation), ark:/13960/t41s58879.
- Vaidyopādhyāya, Rāmaprasāda (1911) (ed.), चरकसंहिता । श्रीमन्महर्षिप्रवरचरकप्र-णीता । पण्डितरामप्रसादवैद्योपाध्यायविरचितप्रसादनी-भाषाटीकासहिता । (mumbayī: Kṣemarāja-Śrīkṛṣṇadāsaśreṣṭhin), ark:/13960/t2r59q189.
- Wall, Frank (1913), The Poisonous Terrestrial Snakes of Our British Indian Dominions (Including Ceylon) and How to Recognize Them; With Symptoms of Snake Poisoning and Treatment (3rd edn., Bombay: Bombay Natural History Society), ark:/13960/t1zc8g94b.

——(1921), Ophidia Taprobanica or the Snakes of Ceylon (Colombo: Cottle, Government Printer), ark:/13960/t39z9q93n.

- Weinstein, Scott, et al. (2009), "Envenomations: An Overview of Clinical Toxinology for the Primary Care Physician.," *American family physician*, 80 (8): 793–802, ISSN: 1532-0650 (ppublish).
- Whitney, William Dwight (1885), The Roots, Verb-forms, and Primary Derivatives of the Sanskrit Language. A Supplement to his Sanskrit Grammar (Leipzig: Breitkopf and Härtel), ark:/13960/t3qv3p906.
- WHO (2019), Snakebite Envenoming: A Strategy for Prevention and Control (Geneva: WHO), ISBN: 978-92-4-151564-1.
- Winternitz, Maurice (1981–85), A History of Indian Literature, trans. from the German V. Srinivasa Sarma and Subhadra Jha (2nd edn., Delhi: Motilal Banarsidas), ISBN: 81-208-0264-0, ark:/13960/s2p4419t5qd.
- Wujastyk, Dagmar (2012), Well-mannered Medicine: Medical Ethics and Etiquette in Classical Ayurveda (New York: Oxford University Press). DOI: 10.1093/acprof:0so/9780199856268.001.0001.
- ——(2013*a*), "Perfect Medicine. Mercury in Sanskrit Medical Literature," *Asian Medicine: Tradition & Modernity*, 8/1 (Sept.): 15–40, ISSN: 1573-4218. DOI: 10.1163/15734218-12341278.
- ——(2019), "Iron Tonics: Tracing the Development from Classical to Iatrochemical Formulations in Ayurveda," *HIMALAYA: The Journal of the Association for Nepal and Himalayan Studies*, 39/1. DOI: 10.5281/zenodo.7746874.
- Wujastyk, Dominik (2000), "The Combinatorics of Tastes and Humours in Classical Indian Medicine and Mathematics," *Journal of Indian Philosophy*, 28: 479–95. DOI: 10.1023/a:1017514013759.
- ——(2003*a*), "Black Plum Island," in *2nd International Conference on Indian Studies. Proceedings* (Kraków: Jagiellonian University, Institute of Oriental Philology and Księgarnia Akademicka), 637–49.
- ——(2003b), The Roots of Ayurveda: Selections from Sanskrit Medical Writings (Penguin Classics; 3rd edn., London, New York, etc.: Penguin Group), ISBN: 0-140-44824-1.

——(2004), "Agni and Soma: A Universal Classification," *Studia Asiatica: International Journal for Asian Studies*, IV–V, ed. Eugen Ciurtin: 347–70. DOI: 10.5281/zenodo.7742068.

- ——(2013*b*), "New Manuscript Evidence for the Textual and Cultural History of Early Classical Indian Medicine," in *Medical Texts and Manuscripts in Indian Cultural History*, ed. Dominik Wujastyk, Anthony Cerulli, and Karin Preisendanz (New Delhi: Manohar), 141–57, URL.
- ——(2016), "Models of Disease in Ayurvedic Medicine," in Mark Jackson (ed.), *The Routledge History of Disease* (Abingdon: Routledge), chap. 3, 38–53, ISBN: 9780415720014. DOI: 10.4324/9781315543420-4.
- ——(2021), "A New Translation of Carakasaṃhitā, Vimānasthāna, Chapter 1, Based on the Vienna Critical Edition," in Toke Lindegaard Knudsen, Jacob Schmidt-Madsen, and Sara Speyer (eds.), Body and Cosmos. Studies in Early Indian Medical and Astral Sciences in Honor of Kenneth G. Zysk (Leiden, Boston: Brill), chap. 6, 77–109. DOI: 10.1163/9789004438224 007.
- Wujastyk, Dominik, et al. (2021–), "The Suśruta Project: The Textual and Cultural History of Medicine in South Asia Based on Newly-Discovered Manuscript Evidenc," ed. Dominik Wujastyk, Jason Birch, Andrey Klebanov, et al., URL, accessed 21/01/2023.
- Wujastyk, Dominik (2022), "The Science of Medicine," in Gavin D. Flood (ed.), *The Wiley Blackwell Companion to Hinduism* (2nd edn., Hoboken, NJ: Wiley and Sons, Ltd.), chap. 23, 399–413, ISBN: 9781119144861. DOI: 10.1002/9781119144892.ch23.
- Wujastyk, Dominik, et al. (2023), On the Plastic Surgery of the Ears and Nose. The Nepalese Version of the Suśrutasamhitā (Heidelberg: Heidelberg Asian Studies Publishing), ISBN: 978-3-948791-63-6. DOI: 10.11588/hasp.1203.
- Yagi, Toru (1994), "A Note on bhojya- and bhakṣya-," in Yasuke Ikari (ed.), A Study of the Nīlamata. Aspects of Hinduism in Ancient Kashmir (Kyoto: Kyoto Institute for Research in Humanities, Kyoto University).
- Zimmermann, Francis (1999), *The Jungle and the Aroma of Meats* (2nd edn., Delhi: Motilal Banarsidass), ISBN: 8120816188.

Materia Medica

Abbreviations

ADPS	Sivarajan,	V. V.,	and Bala	achandran,	Indira	(1994),	Ayur-
------	------------	--------	----------	------------	--------	---------	-------

vedic Drugs and Their Plant Sources (New Delhi, Bombay,

Calcutta: Oxford & IBH Publishing).

AVS Warrier, P. K., Nambiar, V. P. K., and Ramankutty, C.

(1994–96) (eds.), Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala,

Kottakal (Madras: Orient Longman).

BIA Prater, S. H. (1993), The Book of Indian Animals (3rd edn.,

Bombay, Delhi, etc.: Oxford University Press), ark:/13960/t6356w32f; 4th impression of 3rd corrected 1980 edition.

Chevillard Chevallier, Andrew (2000), The Encyclopedia of Herbal

Medicine, ed. Penny Warren et al. (1st edn., New York: Dorling Kindersley), ISBN: 9780751303148, ark:/13960/

s2bh76qc88s.

Chopra Chopra, R. N., Nayar, S. L., and Chopra, I. C. (1956),

Glossary of Indian Medicinal Plants (3rd reprint, 1992, New Delhi: Council of Scientific and Industrial Research); vol. 2:

chop-1969.

Chopra IDG Chopra, R. N., Chopra, I. C., et al. (1958), Chopra's Indigen-

ous Drugs of India (2nd edn., Calcutta: Dhur & Sons), ark:/

13960/t9673t140.

Abbreviations 294

Dutt

Dutt, Uday Chand (1922), The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), ark: / 13960 / t59c7tg9z; Reprinted Varanasi: Chowkhamba Saraswatibhavan, 1980.

Dymock

Dymock, William, Warden, C. J. H., and Hooper, David (1890), Pharmacographia Indica: A History of the Principal Drugs of Vegetable Origin Met with in British India (London, Bombay, Calcutta: Kegan Paul), URL, accessed 16/03/2023.

GIM₁

Meulenbeld, Gerrit Jan (1974a), "Sanskrit Names of Plants and their Botanical Equivalents," in id., The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes (Leiden: Brill), chap. Appendix Four, 520-611, ark: /13960/t25b8q97g.

GIM₂

Meulenbeld, Gerrit Jan (1988), "G. J. Meulenbeld's Additions to his "Sanskrit Names of Plants and their Botanical Equivalents"," in Rahul Peter Das, Das Wissen von der Lebensspanne der Bäume: Surapālas Vṛkṣāyurveda (Stuttgart: Franz Steiner Verlag), chap. Appendix 1, 425-65, ISBN: 9783515046633; Supplement to GJM1.

GVDB

Singh, Thakur Balwant, and Chunekar, K. C. (1972), Glossary of Vegetable Drugs in Brhattrayī (Varanasi: Chowkhamba Sanskrit Series Office), ark:/13960/s2cvp72x58j.

HK

Hilgenberg, Luise, and Kirfel, Willibald (1941), Vāgbhata's Astāngahrdayasamhitā, ein altindisches Lehrbuch der Heilkunde, aus dem Sanskrit ins Deutsche übertragen mit Einleitung, Anmerkungen und Indices (Leiden: Brill), ark:/13960/t52h05616.

IGP

Griffiths, Mark (1994), The New Royal Horticultural Society Index of Garden Plants (London: Macmillan), ark:/13960/ t2q61gn9z.

Issar

Issar, T. P. (1994), Blossoms of Bangalore (Bangalore: T. P. Issar).

Abbreviations 295

IW Israel, Samuel, et al. (1988), Indian Wildlife: Sri Lanka Nepal (Insight Guides; Singapore etc.: APA Publications), ISBN: 9780245545238, ark:/13960/s2p9d5pqd1w. K & B Kirtikar, K. R., Basu, B. D., and an I.C.S (1987), Indian Medicinal Plants, ed. E. Blatter, J. F. Caius, and K. S. Mhaskar, 8 vols. (2nd edn., Dehradun: International Book Distributors); First published in Allahabad, 1918. Kew Kew Gardens (2024), "Plants of the World," Royal Botanic Gardens, URL. Missouri Botanical Garden (2024), "Missouri Botanical **MBG** Garden: Plant Finder," Missouri Botanical Garden, URL. NK Nadkarni, K. M. (1982), Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL; First published in 1954. Peter Peter, K. V. (2012) (ed.), Handbook of Herbs and Spices (Food Science, Technology and Nutrition, 228; 2nd edn., Oxford, Cambridge, Philadelphaia, New Delhi: Woodhead Publishing), ISBN: 9780857090393. Potter Wren, R. C. (1956), Potter's New Cyclopaedia of Botanical Drugs and Preparations, ed. R. W. Wren (7th edn., Rustington, Sussex: Health Science Press), ark:/13960/ t14n65c9g. Wren, R. C., Williamson, Elizabeth M., and Evans, Fred J. Potter_{rev} (1994), Potter's New Cyclopaedia of Botanical Drugs and Pre-

print of revised 1988 edition.

19-561595-6; 4th reprint.

Trees

parations (Saffron Walden: C. W. Daniel Company Ltd.); Re-

Bole, P. V., and Vaghani, Yogini (1986), *Field Guide to the Common Trees of India* (Bombay, Delhi, Oxford, etc.: World Wildlife Fund – India and Oxford University Press), ISBN: O-

Watt, George (1908), The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products"

of India" (London: John Murray), ark:/13960/t8cg7dm79.

Watt_{Dict} Watt, George (1889–96), A Dictionary of the Economic Products of India (Calcutta: Dept. Revenue and Agriculture,

Government of India), URL, accessed 28/04/2021.

Flora

aconite leaf (?) (*viṣapatrikā*) Unknown. Cf. perhaps, *vatsanābha* (wolfsbane). Cf. GVDB: 373: 131

agarwood (*aguru*) Aquilaria malaccensis Lam., GVDB: 3: 90, 179

Alexandrian laurel (*punnāga*) Calophyllum inophyllum, L. See AVS: 1, 338, NK: 1, #425: 173, 179

amaranth (taṇḍulīya) see amaranth (taṇḍulīyaka): 174

amaranth (taṇḍulīyaka) Amaranthus spinosus L. See GVDB: 174, Dutt: 321, NK: 1, #144, Potter_{rev}: 15. Cf. AVS: 1, 121. Amaranth (etym. amṛta!) is a large family, many originally endemic to S. America. A. hypochondriacus L. is sometimes identified with taṇḍulīyaka, but A. spinosus L. is better known and attested in the first millennium BCE (Saraswat 1991): 121, 177, 265

arjun (*arjuna*) Terminalia arjuna, Bedd. See HK: 738: 40, 72, 177

GVDB: 26: 91, 93, 173, 179, 186, 276 axlewood (*dhava*) Anogeissus latifolia (Roxb. ex DC.) Wall. ex Guill & Perr. See

Asoka tree (aśoka) Saraca indica Linn.,

AVS: 1, 163 f, Chopra: 20: 40, 71, 145, 177

bamboo leaves (*veṇupatrikā*) Bambusa bambos, Druce. See NK: 1, #307: 121 banyan (*vaṭa*) Ficus benghalensis Linn., GVDB: 356: 72, 75 barley (*yava*) Hordeum vulgare, L. See HK: 752: 101

bayberry (katphala) M. esculenta
Buch.-Ham. ex D.Don, which is is native
to the Himalaya, from Kashmir to
Assam, as well as S. China and SE Asia.
Nageia nagi (Thunb.) Kuntze (syn of
Myrica nagi Thunb.), as suggested by
T. B. Singh and Chunekar (GVDB: 66), is
native to East Asia, not India: 174

bearded premna (vasuka) Premna barbata Wall. (— vasuhaṭṭa), according to Cakrapāṇidatta. See the discussion by T. B. Singh and Chunekar (GVDB: 362–363), where other candidate species such as Osmanthus, Calotropis, and Trianthema are discussed. T. B. Singh and Chunekar (GVDB: 363) note that when vasuka is mentioned with vasira, two varieties of salt are often meant (see vasukavasirā). See also NK: #1299 who identifies it with Indigofera enneaphylla, Linn. (Birdsville Indigo), apparently without controversy: 71

beautyberry (*śyāmā*) Callicarpa macrophylla, Vahl. See AVS: 1, 334, NK: 1, #420: 96, 118, 121, 175

beggarweed (amśumatī) Desmodium gangeticum (L.) DC (Dymock: 1, 428, GJM1: 602, NK: 1, #1192; ADPS: 382, 414 and AVS: 2, 319, 4.366 are

confusing): 141 beggarweed ($vid\bar{a}rigandh\bar{a}$) $\rightarrow s\bar{a}laparn\bar{i}$. Desmodium gangeticum (L.) DC. See Dymock: 1, 428, GJM1: 602, cf. NK: 1, #1192; ADPS: 382, 414 and AVS: 2, 319, 4.366 are confusing: 49, 101, 273 beleric myrobalan (bibhītaka) Terminalia bellirica Roxb. One of the components of the three myrobalans (*triphalā*) GVDB: 274, 196: 278 Bengal quince (bilva) Aegle marmelos (L.) Corr. See AVS: 1, 62, Chevillard: 161, NK: 1, #62, i(MW: 732a): 71, 91, 93, 98, 174, 269 big thorn apple (?) (mahākarambha) Perhaps Datura metel, L.?. See thorn apple (karambha): 131, 132 bitter gourd (patoli) see pointed gourd (patola), cite[233]gvdb: 173 bitumen (adrija) $\rightarrow \acute{sil} \ddot{a}jit$. A tar-like, black, resinous rock exudate. See Mahākośa: 1, 21: 157 black creeper (kālānusārī) Ichnocarpus frutescens R. Br. or Cryptolepis buchanani Roemer & Schultes. Probably a synonym for kṛṣṇasārivā (GVDB: 94-95). I. frutescens has dark, rust-colored stems, so has been preferred here. However, Cryptolepis grandiflora, Wight, also has black stems. Synonym of kālānusāriņī, kālānusārivā. kālanusārya may be a synonym of tagara, itself hard to identify: 173 black creeper (pālindī) Ichnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes. See AVS: 3, 141, 145, 203, NK: 1, #1283, 1210, ADPS: 434. Dalhana on SS 5.1.82 identified *pālindī* with *trivrt* (turpeth)

and T. B. Singh and Chunekar

black nightshade (kākamācī) Solanum

(GVDB: 246) supported this as a usual identification: 121, 124, 140, 141, 173

nigrum, Linn., GVDB: 86-87. May also

be the less poisonous S. dulcamara,

"bittersweet nightshade," K & B: 1,889-892:179,268 black pepper (marica) Piper nigrum, L. See ADPS: 294, NK: 1, #1929: 102, 178, 186, 278 blackboard tree (saptachada) Alstonia scholaris R. Br. GVDB: 420: 120, 266 blackboard tree (saptaparna) see blackboard tree (saptachada): 178 blackbuck (harina) Antilope cervicapra, L. See BIA: 270 IW: 95, 165, et passim: 123, 124 blade (?) (kartarīya) unknown vegetable poison, GVDB: 82; also karttarīya: 132 blue water-lily (*utpala*) Nymphaea stellata, Willd. See GJM1: 528, IGP 790; Dutt: 110, NK: 1, #1726: 31, 118, 140, 141, 179, 186, 187, 269 bluebell barleria (kuravaka) see bluebell barleria (kuruvaka): 175 bluebell barleria (kuruvaka) Or kurubaka. T. B. Singh and Chunekar (GVDB: 108) notes that this is sometimes listed as a type of rice, as at Suśrutasamhitā 1.46.8 (Su 1938: 215). Further discussion at GVDB: 447-448, sub bluebell barleria (saireyaka), where kurubaka is said to be identifiable with baka and būka. T. B. Singh and Chunekar (GVDB) finally propose a red-flowering Rhododendron, admitting that this is a novel suggestion: 131, 266 bluebell barleria (saireyaka) A Barleria, perhaps B. cristata L. that is particularly well-known in South India. Four kinds are distinguished in ayurveda, based on the colour of their flowers. See substantive discussion at GVDB: 444-449: 266 bull's head (goksura) Tribulus terrestris L. GVDB: 144–145, 193. A component of lesser five roots: 266 bull's head (*trikaṇṭaka*) → bull's head (goksura) GVDB: 193. A component of

lesser five roots: 273

bulrush (kaśeru) "Two species, Scirpus

```
kysoor Roxb., and S. grossus Linn, f., are
   used" GVDB: 85. Also kaśeruka and
   kaseru: 96, 97, 100
calabash gourd (k\bar{u}sm\bar{a}nda) \rightarrow puspaphala.
   Beninkasa hispida, (Thunb.) Cogn. See
   AVS: 2, 1127; cf. AVS: 1, 261: 274
cardamom (elā) Elettaria cardamomum,
   Maton. See AVS: 2, 360, NK: 1, #924,
   Potter<sub>rev</sub>: 66: 90, 91, 141, 147, 173, 179
carray cheddie (vi\acute{s}vadev\bar{a}) \rightarrow g\bar{a}ngeruk\bar{\imath}
   Canthium parviflorum, Lam. See AVS: 1,
   366 f. Or Sida rhombifolia Linn.
   (GVDB: 372, 444 ff. et passim): 75
cassia cinnamon (patra) Cinnamomum
   tamala, (Buch.-Ham.) Nees. See
   AVS: 2, 84, NK: 1, #589: 90, 98, 121,
castor oil tree (gandharvahasta) \rightarrow eranda.
   GVDB: 135, K & B: 3, 2277: 45, 93
castor-oil (eranda) Ricinus communis, L. See
   NK: 1, #2145, Chopra: 214: 50, 267
castor-oil tree (vardhamāna) see castor-oil
   (eranda), GVDB: 361: 178
catechu (khadira) Senegalia catechu (L.f.) P.
   J. Hurter & Mabb = Acacia catechu
   Willd. GVDB: 129-130: 72
certain minerals (tārāvitāra) Unknown. It is
   not even certain that these are minerals.
   The variant reading in the vulgate, tārah
   sutārah was glossed by Dalhana on
   5.3.14 (Su 1938: 568) as follows tāro
   rūþyam, sutārah þāradah, "tāra means
   silver; sutāra means mercury.": 146
chaff (kāndana) The word kāndana is not
   found in dictionaries; kandana is
   threshing, separating the chaff from the
   grain in a mortar. Cf. Hemādri's
   Caturvargacintāmani (PWK: 2, 8)
   (Siromani 1873: 1, 138: 21, citing the
   Vāyupurāṇa): 32, 276
chebulic myrobalan (harītakī) Terminalia
   chebula Retz. GVDB: 466: 99, 120, 278
cherry (elavālu) Prunus cerasus, L. See
   GVDB: 58 for a thoughtful discussion
   NK: 1, #2037.: 141, 179, 267
```

```
cherry (elavāluka) see cherry (elavālu): 178
chir pine (sarala) Pinus roxburghii, Sarg.
   GVDB: 423: 71, 100, 177, 179
cinnamon (tvac) Cinnamomum cassia,
   Blume. See NK: 1, #579: 179, 267
cinnamon (tvak) see cinnamon (tvac): 173
cinnamon (varānga) see cinnamon (tvac),
   GVDB: 360: 177
citron (mātulunga) Citrus medica, Linn.
   GVDB: 276, 306. Also spelled mātulinga,
   mātulanga, mātulānga: 71, 98, 103,
   104, 174
cluster fig (udumbara) Ficus racemosa, L.
   See ADPS: 487: 177
cobra's saffron (n\bar{a}gapuspa) \rightarrow n\bar{a}gakeśara.
   Mesua ferrea, L. See NK: 1, #1595,
   GVDB: 220: 141
colocynth (indravārunī) Citrullus
   colocynthis (L.) Schrad., GVDB: 46. The
   two varieties of this plant are discussed
   by (ADPS: 180–183); the first is agreed
   to be colocynth, the second is debated
   but is likely to be a Curcubitaceae: 178,
   179, 267
colocynth (mrgādanī) see colocynth
   (indravāruņī) GVDB: 46, 318: 173
common smilax (śvadamśtra) Smilax aspera
   L., GVDB: 414: 71
convolvulus (laksmanā) Sivarajan and
   Balachandran (ADPS: 273-275) suggest
   Ipomoea marginata (Desr.) Verdc. or I.
   obscura (Linn.) AVS: 3, 237-238
   suggests Ipomoea sepiaria Roxb. (looks
   like a little boy (putraka), and generates
   a boy (putrajanan\bar{i}), according to the
   Bhāvaprakāśa). Sivarajan and
   Balachandran (ADPS: 273-275) firmly
   reject Mandragora officinalis which is
   European; but possible consideration
   could be given to Mandragora caulescens
   C.B.Clarke, a variant that is known in
   South Asia. Cf. GVDB: 346-347.
   NK: #1546, #2323 suggests Mandragora
   officinalum, Linn., known as putrada: 75
```

corky coral tree (pāribhadra) Erythrina

```
suberosa Roxb. See GVDB: 245:
                                                  Dymock: 3, 20 ff: 269, 279
   145, 267
                                               croton tree (nāgadantī) Croton persimilis
                                                  Müll.Arg., GVDB: 222: 178, 268, 276
corky coral tree (pāribhadraka) see corky
   coral tree (pāribhadra): 93, 177
                                               croton tree (nāgavinnā) Croton persimilis
                                                  Müll.Arg. GVDB: 222 I have taken this as
costus (kustha) Saussurea costus, Clarke.
   See NK: 1, #2239: 90, 91, 98, 121, 141,
                                                  croton tree (nāgadantī) because of
                                                  context in Suśrutasamhitā Kalpasthāna
   147, 173, 178, 179
                                                  5:175
cottony jujube (kākolī) Ziziphus mauritanica,
                                               crow (?) (kāka2) an unidentified poisonous
   Lam. See IGP: 1233, NK: 1, #2663; IGP
                                                  plant apparently called "crow."
   1233. Cf. NK: 1, #1170: 89, 97, 98, 169
                                                  T. B. Singh and Chunekar (GVDB: 86)
country mallow (atibalā) Abutilon indicum,
                                                  note that several drugs named after the
   (L.) Sweet, but may be other kinds of
                                                  crow are unidentifiable. Black
   mallow, e.g., Sida rhombifolia, L., See
                                                  nightshade, (k\bar{a}kam\bar{a}c\bar{\imath}) is toxic, but this
   NK: 1, #11, IGP: 1080, NK: 1, #2300,
                                                  is a stretch: 131
   ADPS: 71, 77: 49, 97, 100, 257
                                               cuscus grass (uśīra) Andropogon murcatus,
country mallow (sahadev\bar{a}) \rightarrow bal\bar{a}
                                                  Retz. Also "vetiver grass." See NK: 1,
   (GVDB: 428). Contains ephedrine:
                                                  #180: 72, 121, 168
   75, 100
                                               datura (dhattūra) Datura metel, L. See
country sarsaparilla (anantā) Hemidesmus
                                                  AVS: 2, 305 (cf. Abhidhānamañjarī),
   indicus, (L.) R. Br. See ADPS: 434,
                                                  NK: 1, #796 ff. Potter<sub>rev</sub>: 292 f,
   AVS: 3, 141-145, NK: 1, #1210. But see
                                                  ADPS: 132: 45
   GVDB: 13 for complications that may
                                               deodar (bhadradāru) Cedrus deodara,
   suggest that it is to be equated with
                                                  (Roxb.ex D.Don) G. Don. See AVS 41,
   sārivā, which may sometimes be
                                                  NK: 1, #516: 40, 97, 101, 141, 178
   Cryptolepis or Ichnocarpus fruitescens
                                               deodar (devadāru) Cedrus deodara (Roxb.)
   R. Rr. (GVDB: 429-431): 49, 131, 140,
                                                  Loud. GVDB: 206-207: 71, 98, 179,
   141, 146
                                                  257, 268
crape jasmine (tagara) Tabernæmontana
                                               deodar (suradāru) see deodar (devadāru):
   divaricata (L.) R.Br. ex Roem. &
   Schultes. See GJM1: 557, AVS: 5, 232.
                                               devil's dung (hingu) Ferula foetida Regel.,
   Synonym of nata. But some say Valeriana
                                                  GVDB: 471-472: 72, 73, 173
   jatamansi, Jones. See GVDB: 173-174
                                               dried ginger (n\bar{a}gara) \rightarrow dried ginger
   for discussion (and charming comments
                                                  (śunthī) GVDB: 221–222: 73, 173
   on brain-liquid testing). Some say tagara
                                               dried ginger (śunthī) Zingiber officinale,
   is Indian rose-bay or Indian valerian or a
   Nymphoides (see ??), but there remain
                                                  Roscoe. See ADPS: 50, NK: 1, #2658,
                                                  AVS: 5, 435, IGP: 1232: 96, 268, 278
   many historical questions about the
   ancient and regional identities of this
                                               dried meat (vallūra) MW: 929,
   plant See, e.g., AVS: 5, 334, 345. See
                                                  Mahākośa: 1, 730. The term is used,
   also IGP: 1147, K & B: 1, 796, #758:
                                                  rarely, in both the CS (1.5.10) and SS
   90, 91, 98, 121, 141, 173, 179, 270, 279
                                                  (1.13. 16, 6.42.75-76). It is a Dravidian
crimson trumpet-flower tree (pātalā)
                                                  loanword and occurs in the Arthaśāstra
                                                  etc. (KEWA: 3, 167): 31
   Stereospermum chelonides, (L. f.) A.
   DC. See GJM1: 573, AVS: 5, 192 ff,
                                               drum-giver (?) (lambaradā) Unknown; cf.
   ADPS: 362 f, AVS: 3, 1848 f, IGP 1120,
                                                  GVDB: 348: 131
```

- elixir salve (*rasāñjana*) → *añjana*. See Indian barberry: 40, 50
- embelia (*vidanga*) Embelia ribes, Burm. f. See ADPS: 507, AVS: 2, 368, NK: 1, #929, Potter_{rev}: 113: 40, 71, 91, 141, 173, 177
- emblic myrobalan (āmalaka) Phyllanthus emblica, L. See AVS: 4, 256: 71, 99, 100, 186, 278
- emetic nut (*karaghāṭa*) Probably a synonym for *karahāṭa* (emetic nut), q.v., GVDB: 74: 132, 268
- emetic nut (*karaghāṭaka*) see emetic nut (*karaghāta*): 177
- emetic nut (karahāṭa) Randia dumetorum, Lamk. See GVDB: 291-292 and NK: 1, #2091. T. B. Singh and Chunekar (GVDB: 74, 77-78) noted that it may be a synonym for karaghāṭa, emetic nut, and pointed rather to Gardenia turgida Roxb. on the basis of local knowledge in U. P.: 268
- emetic nut (?) (karaṭā) Not in GVDB. Cf. perhaps karahāṭa (emetic nut): 131
- emetic nut (*madana*) Randia dumetorum, Lamk. See NK: 1, #2091: 119, 259
- false daisy (*bhrnga*) Eclipta prostrata (L.) L. See GVDB: 288: 71
- false daisy (*subhaṅgurā*) (su)bhaṅgura = bhṛṅga? Eclipta prostrata (L.) L. See GVDB: 288: 130
- fermented rice-water ($dh\bar{a}ny\bar{a}mla$) $\rightarrow k\bar{a}\tilde{n}ji$, $k\bar{a}\tilde{n}jik\bar{a}$, $sauv\bar{i}ra$. GVDB: 458, NK: 2, appendix VI, #18: 47, 48
- fern (*ajaruhā*) Nephrodium species GVDB: 7, uncertain. Perhbaps Christella dentata(Forssk.) Brownsey & Jermy, which is reported to have folk applications against skin diseases in India: 123
- fire-flame bush (*dhātakī*) Woodfordia fruticosa (L.) Kurz. See AVS: 5, 412, NK: 1, #2626: 72, 120
- five roots (pañcamūla) Described at Suśrutasamhitā 1.38.66-69

- (Su 1938: 169). There are two pañcamūlas, the laghupañcamūla (the lesser five roots) and prhatpañcamūla (greater five roots), with differing properties. Combined they are called daśamūla (ten roots). See also Mahākośa: 1, 468: 71
- flame-of-the-forest (*palāśa*) Butea monosperma (Lam.) Taub. GVDB: 241. *pālāśa* in some sources: 72, 93
- flax (*atasī*) Linum usitatissimum, L. See NK#1495: 97
- foxtail millet (*priyangu*) → *syāmā*. Setaria italica (L.) P. Beauvois GVDB: 263–264, GJM1: 576. The most widely-grown species of millet in Asia. Some say Callicarpa macrophylla, Vahl. See AVS: 1, 334, NK: 1, #420. The fruits of S. italica and C. macroyphylla are similar. See also GVDB: 413, where the authors suggest that *priyangu* is meant by *gondī* or *gondanī* and may have originally been called *gundrabīja*: 40, 141, 147, 173, 174, 186
- fragrant lotus (saugandhika) A type of white water-lily (kumuda) or blue water-lily (utpala), GVDB: 457: 31
- fruit of the marking-nut (*āruṣkara*) see marking-nut (*aruṣkara*). "āruṣkara = aruṣkara phala" ADPS: 23; see also MW: 151: 174
- gajpipul (gajapippalī) GVDB: 469, 132, syn. hastipippalī. A controversial plant, but the conjecture of T. B. Singh and Chunekar that Scindapsus officinalis (Roxb.) Schott is the more ancient identity is accepted here: 269
- gajpipul (*hastipippalī*) see gajpipul (*gajapippalī*), GVDB: 469, 132: 177
- galangal (galangala) Alpinia galanga (L.) Sw. Identified with grey orchid in Kerala (ADPS: 398). The name is borrowed from Chinese, perhaps via Persian or Arabic (Peter: 2, 304), and the name does not occur in early āyurvedic

literature (GVDB): 270 97, 258 garjan oil tree (aśvakarna) Dipterocarpus grev orchid (*rāsnā*) Vanda tessellata (Roxb.) turbinatus Gaertn. f. See GVDB: 28, Hook. ex G.Don, usually. But Pluchea Chopra: 100: 145, 177 lanceolata, Oliver & Hiern, is a more giant potato ($k \bar{s} \bar{i} ravid \bar{a} r \bar{i}$) possibly \rightarrow common identification in Punjab and kṣīraśukla. Ipmoea mauritiana, Jacq. See Gujarat (GVDB: 337–338); Alpinia ADPS: 510, AVS: 3, 222, AVS: 3, galanga (L.) Sw. is more common in 1717 ff: 97, 272, 274, 276 Kerala (ADPS: 398; Peter: 2, 303-318), ginger (mahausadha) Zingiber officinale, though this is usually identified with galangal. As all authorities note, the Roscoe. See ADPS: 50, NK: 1, #2658, identification of this plant is debated. IGP: 1232: 124 Sivarajan and Balachandran gladdener (?) (nandana) an unknown (ADPS: 398–401) note that sources poisonous plant, a.k.a. (equally describe it as having leaves like obscurely) *udīmānaka*, GVDB: 215: 132 cardamom and sweet-smelling roots and gold (hema) gold: 141 that "there is great confusion with gold and sarsaparilla (*surendragopa*) regard to the identity of the drug.": 71, Unknown. Dalhana on 5.3.15 96, 98, 173, 269 (Su 1938: 568) glossed surendra as gummy gardenia ($prthv\bar{i}k\bar{a}$) $\leftarrow hingupatrik\bar{a}$, "gold" and gopā as "Indian sarsaparilla." Gardenia gummifera L.f., GVDB: 257, He also noted other opinions that q.v. for discussion: 174, 179 surendra was "Tellicherry bark": 146 hairy bergenia (*pāsānabheda*) Bergenia golden shower tree (rājadruma) rājadruma ligulata (Wall.) Engl. GVDB: 246-247: 71 = āragvadha. Cassia fistula L. See GVDB halfa grass (darbha) Demostachya 37:146 bipinnnata Stapf. GVDB: 201. Synonym golden shower tree $(r\bar{a}javrksa) \rightarrow r\bar{a}jadruma$ = āragvadha. Cassia fistula L. See of kuśa: 74, 97 halfa grass (kuśa) Desmostachya bipinnata, GVDB: 37: 71 (L.) Stapf. GVDB: 111, AVS: 2, 326: 97, golden shower tree (āragvadha) Cassia fistula L. GVDB: 37-38. The plant has 167, 178 many synonyms.: 99, 172 hare foot uraria (krostakamekhalā) see hare gourd (alābu) Lagenaria siceraria Standl. foot uraria (pṛśniparṇī) GVDB: 25. Some say Lagenaria vulgaris, Mahākośa: 1, 246. krostaka can mean "jackal" śrgāla, as in śrgālavinna, "a kind Seringe (NK: 1, #1419) but this is not appropriate for blood-letting: 27, 28, of prśnaparni) Mahākośa: 1,839:173 119, 170 hare foot uraria ($prthakparn\bar{i}$) \rightarrow hare foot grapes (*drākṣā*) Vitis vinifera L. uraria (pṛśniparṇī) and rajmahal hemp GVDB: 208-209: 174 (*mūrvā*) GVDB: 257. A component of greater five roots (brhatþañcamūla) lesser five roots: 99, 273 Described at Suśrutasamhitā 1.38.68–69 hare foot uraria ($pr\acute{s}niparn\bar{i}$) $\rightarrow sah\bar{a}$? Uraria (Su 1938: 169). Consists of Bengal lagopoides, DC. and U. picta Desv. See quince, migraine tree, Indian trumpet GVDB: 257-258, GJM1: 577, tree, crimson trumpet-flower tree, and Dymock: 1, 426, AVS: 1, 750 ff, NK: 1, white teak: 269, 272, 278 #2542; ADPS: 382, AVS: 2, 319 and AVS: 4, 366 are confusing. Also called green gram (*māsa*) Vigna radiata (L.) R. Wilcz. See ADPS: 296, IGP 1204: 40, pṛthakparṇī. A component of lesser five

roots: 96, 97, 270 heart-leaf sida (balā) Sida cordifolia, Linn. See ADPS: 71, NK: 1, #2297: 49, 97, 100, 102, 141, 257 heart-leaved moonseed ($amrt\bar{a}$) $\rightarrow gud\bar{u}c\bar{\iota}$. Tinospora cordifolia, (Willd.) Hook.f. & Thoms.? See ADPS: 38, NK: 1, #2472, 624, Dastur #229: 121, 140 heart-leaved moonseed (gudūcī) Tinospora cordifolia, (Thunb.) Miers. ADPS: 38, NK: 1, #2472 & #624, Dastur #229, GVDB: 141-142. Also identified as Cocculus cordifolius DC. by Nadkarni (NK) and others (see also the Tropicos botanical database): 71, 98 heart-leaved moonseed (somavallī) Tinospora cordifolia (Thunb.) Miers. GVDB: 456. Likely, but uncertain: 121 heart-leaved moonseed creeper (amrtavalli) See amṛtā: 257 henna (madayantikā) Lawsonia inermis, L. See AVS: 3, 303, NK: 1, #1448, Potter_{rev}: 151: 122 hibiscus (?) (ambasthā) possibly Hibiscus rosa-sinensis L.? T. B. Singh and Chunekar (GVDB: 18-19) discuss the confusions surrounding the identity of this plant, and especially between this plant and velvet-leaf (*pāthā*); they must be different items. T. B. Singh and Chunekar propose that ambasthā is either the fruit of Hibiscus or the galls of a Quercus or Tamarix species. According to Meulenbeld 1974b: 599, vanakārpāsī is more likely a name for a hibiscus: 175 Himalayan birch (bhūrja) Betula utilis D. Don, GVDB: 287: 177 Himalayan mayapple (vakra) Podophyllum hexandrum, Royle (NK: #1971), K & B: 1, 68. But perhaps a synonm of crape jasmine (tagara, nata q.v. (GVDB: 354)):

147, 173

Himalayan monkshood ($ativis\bar{a}$) $\rightarrow vis\bar{a}$

GVDB: 12, NK: 1, #39. Also "atis roots":

Aconitum heterophyllum Wall.

```
88, 122, 124, 147, 178, 179
Himalayan monkshood (vis\bar{a}) \rightarrow ativis\bar{a}
   GVDB: 12, 373: 275
Himalayan yew (sthauneyaka) T. B. Singh
   and Chunekar (GVDB: 458-459)
   suggested Taxus baccata L., but that tree
   is endemic to the Mediterraenean and
   not South Asia. Poudel et al. 2013 show
   that T. contorta Griff., T mairei (Lemée
   & Lév.) and T. wallichiana Zucc. are
   distributed in the Hindu Kush - Himalaya
   region. The Nepalese name Thuneraka
   is etymologically cognate with the
   Sanskrit name. T. contorta is of
   medicinal importance, so its common
   name is used here: 173
hogweed (punarnavā) Boerhaavia diffusa, L.
   See ADPS: 387, AVS: 1, 281, NK: 1,
   #363:99, 121, 140, 175
Holostemma creeper (j\bar{\imath}vant\bar{\imath}) \rightarrow s\bar{\imath}vavall\bar{\imath}?
   Holostemma ada-kodien, Schultes. See
   ADPS: 195, AVS: 3, 167, 169, NK: 1,
   #1242:100,274
holy basil (surasa) Ocimum tenuiflorum,
   Linn. GVDB: 438-439: 174
honey (ksaudra) Eight varieties of honey are
   described in the Suśrutasamhitā (NK: 2,
   Appendix 192). Ksaudra is the product
   of a small bee of tawny colour, called
   kṣudra: 105, 123, 124, 186, 187
horned pondweed (śaivāla) also śaivāla,
   śevāra. Zannichellia palustris L. The
   uncertainties of this identification are
   discussed by T. B. Singh and Chunekar
   (GVDB: 409). Sometimes identified with
   scutch grass (dūrvā) (GVDB: 409).
   Identified as Ceratophyllum demersum
   Linn. ("hornwort") by AVS: 2, 56-57x:
   98, 271, 275
hornwort (jalaśuka) \rightarrow jalanīlikā.
   Ceratophyllum demersum, L. See
   AVS: 2, 56, IGP: 232. T. B. Singh and
   Chunekar (GVDB: 166) suggest horned
   pondweed. Dalhana noted on 1.16.19
```

(Su 1938: 79) that some people interpret

it as a poisonous, hairy, air-breathing, underwater creature: 49 horse gram (kaulattha) See horse gram (*kulattha*): 168 horse gram (kulattha) Macrotyloma uniflorum (Lam.) Verdcourt, syn. Dolichos biflorus, L., D. uniflorus, Lam., GVDB: 109, Kew: sub Macrotyloma uniflorum: 101, 102, 172, 271 horseradish tree (madhukaśigru) Moringa oleifera Lam., GVDB: 398-399. See horseradish tree (*śigru*): 177 horseradish tree (murungi) see horseradish tree (*śigru*) (GVDB: 311): 173 horseradish tree (sigru) Moringa oleifera Lam. See IGP: 759, GJM1: 603, Dymock: 1, 396, GVDB: 398-399: 98, 99, 271 hyacinth beans (nispāva) Lablab purpureus (L.) Sweet (1826) GVDB: 228: 87 Indian barberry $(a\tilde{n}jana) \rightarrow ras\bar{a}\tilde{n}jana$, dāruharidrā. Berberis aristata, DC. Dymock: 1, 65, NK: 1, #335, GJM1: 562, IGP: 141: 50, 122, 268 Indian barberry (dāruharidrā) Berberis aristata, DC. See Dymock: 1, 65, NK: 1, #685, GJM1: 562, IGP 141: 140, 141, 271 Indian barberry $(d\bar{a}rv\bar{i}) \rightarrow$ Indian barberry (dāruharidrā)GVDB: 203: 187 Indian barberry $(k\bar{a}l\bar{i}yaka) \rightarrow d\bar{a}ruharidr\bar{a}$, añjana. Berberis aristata, DC. See Dymock: 1, 65, NK: 1, #685, GJM1: 562, IGP: 141: 121 Indian bat tree (sunga) $\rightarrow parkatīvrkṣa$ according to Śabdasindhu: 1058; idem also suggests *vatavrksa*, i.e., Ficus benghalensis Linn. and āmrātaka, Spondias pinnata (L.f.) Kurz. (native to S.E Asia but naturalized in S. Asia). Contrasted with vata at Suśrutasamhitā

3.2.32. Cf. MW: 1081.: 75

bdellium-tree guggulu: 173

Indian bdellium-tree (guggula) See Indian

Indian bdellium-tree (guggulu) Commiphora

wightii (Arn.) Bhandari (GVDB: 140). This is a flowering shrub or small tree that produces a fragrant resin commonly called guggulu. The name sometimes refers to the plant and sometimes to the resin: 105, 271 Indian beech (naktamāla) Pongamia pinnata, (L.) Pierre. See AVS: 4, 339, NK: 1, #2003: 40, 93 Indian cherry (ślesmātakā) see Indian cherry (ślesmātakī): 177 Indian cherry (ślesmātakī) Cordia dichotoma G. Forst., AVS: 2, 180-183. See Kew, sub C. dichotoma; Cordia myxa L., according to T. B. Singh and Chunekar (GVDB: 413–414), although they also suggest C. dichotoma (synonym of C. wallichii G. Don.) and C. rothii (synonym of Cordia sinensis Lam.: 174, 271 Indian elm (cirabilva) Holoptelea integrifolia (Roxb.) Planch. GVDB: 158, who also say that *pūtika* is a synonym; but that must be different than pūtikā: 271

Indian elm (ciribilva) see Indian elm (*cirabilva*): 177

Indian frankincense (gajavṛttikā) Boswellia serrata Roxb.; equated with Indian frankincense (śallakī) by some, GVDB: 392: 174

Indian frankincense (śallakī) Boswellia serrata Roxb., GVDB: 392: 272

Indian ipecac (payasyā) Uncertain. Possibly Tylophora indica (Burm.f.) Merr. Perhaps a synonym of panacea twiner, giant potato, purple roscoea, and plants like asthma plant and Gulf sandmat (GVDB: 237-238). Also "curds" when not a plant: 49, 98, 274

Indian jujube (sauvīraka) Zizphus jujuba Mill., GVDB: 458, MBG: sub jujuba: 97, 168

Indian kudzu ($vid\bar{a}r\bar{i}$) $\rightarrow payasy\bar{a}$. Pueraria tuberosa (Willd.) DC. See ADPS: 510, AVS: 1, 792 f, AVS: 4, 391; not Dymock: 1, 424 f. See GJM2: 444, 451,

```
AVS: 1, 187, but AVS: 3, 1719 = Ipmoea
   mauritiana, Jacq: 49, 71
Indian laurel (plaksa) Ficus microcarpa, L. f.
   See ADPS: 377: 178
Indian madder (mañjiṣṭhā) Rubia cordifolia,
   L. See IGP, Chopra: 215, GVDB: 289:
   45, 141, 173, 174, 177
Indian mottled eel (varmimatsya) Almost
   certainly the mottled eel. MW: 962c
   noted that the varmi fish "is commonly
   called vāmi." The "vam fish," or "বান মাছ
   (bān māch)" in Bengal, is a marine and
   freshwater eel, Anguilla bengalensis. It is
   the most common eel in Indian inland
   waters and a prized food fish (Froese
   and Pauly 2022). However, some NIA
   languages identify the "vam" fish with
   the Indian Pike Conger, Congresox
   talabonides (Bleeker) (Talwar and
   Kacker 1984: 235, 236): 29
Indian mustard (sarsapa) Brassica juncea,
   Czern. & Coss. See AVS: 1, 301, NK: 1,
   #378: 32, 178
Indian pennywort (mandūkabarnī) Centella
   asiatica (L.) Urban. See GVDB: 290,
   ADPS: 289-291: 175
Indian sarsaparilla (sugandhikā) see Indian
   sarsaparilla (śvetasārivā) GVDB: 430,
   436: 173, 179
Indian sarsaparilla (s\bar{a}riv\bar{a}) \rightarrow anant\bar{a}. The
   śveta variety is Hemidesmus indicus, (L.)
   R. Br. ADPS: 434, AVS: 3, 141–145,
   NK: 1, #1210, GVDB: 430; and the black
   form, black creeper, pālindī.
   Ichnocarpus frutescens, (L.) R.Br. or
   Cryptolepis buchanani, Roemer &
   Schultes AVS: 3, 141, 145, 203, NK: 1,
   #1283, 1210, ADPS: 429-430: 140, 141,
   269, 272
Indian sarsaparilla (śvetasārivā)
   Hemidesmus indicus, (L.) R. Br. See
   Indian sarsaparilla (sārivā). ADPS: 434,
```

AVS: 3, 141–145, NK: 1, #1210,

Indian snakeroot (sarpagandhā) Rauvolfia

GVDB: 430: 272

```
serpentina, (L.) Benth. ex Kurz. See
   NK: 1, #2099, ADPS: 439, GVDB: 425;
   cf. SS 5.5.76-78: 175
Indian symphorema (ananta) Not in GVDB
   but MW: 25 says "sinduvāra" on no
   authority (see Indian symphorema: 177
Indian symphorema (sinduvāra) T. B. Singh
   and Chunekar (GVDB: 435) settles on
   Symphorema polyandrum Wight as the
   identity of this plant. Other authors
   choose Vitex negundo Linn. See further
   NK: 1, #2603 (cf. use of leaves),
   IGP: 1210a, MW: 1088b. Discussion by
   GVDB: 433-435: 173, 174, 179, 272
Indian trumpet tree (śyonāka) Oroxylum
   indicum (L.) Benth. ex Kurz.
   GVDB: 172-173. A component of greater
   five roots: 272
Indian trumpet tree (tintuka) \rightarrow Indian
   trumpet tree (śyonāka). Oroxylum
   indicum (L.) Benth. ex Kurz.
   GVDB: 172–173. A component of greater
   five roots: 269
Indian trumpet tree (tuntuka) see Indian
   trumpet tree (śyonāka),
   GVDB: 172–173: 178
indigo (nīlinī) Indigofera tinctoria, L. See
   NK: 1, #1309, GVDB: 229-230: 272
indigo (n\bar{\imath}l\bar{\imath}) see indigo (n\bar{\imath}lin\bar{\imath}): 179
Indrajao (indrayava) see vṛkṣaka (Indrajao)
   Holarrhena pubescens Wall. ex G.Don
   1837 GVDB: 376, 45 and 84: 88
Indrajao (vrkṣaka) \rightarrow indrayava, indrab\bar{i}ja,
   kalinga, and kutaja. Holarrhena
   pubescens Wall. ex G.Don 1837
   GVDB: 376, 45 and 84: 73, 257, 272
itchytree (nicula) Barringtonia acutangula
   (L.) Gaertn., GVDB: 224: 178
jambul (jambū) Syzygium cumini, (L.)
   Skeels. See ADPS: 188, NK: 1, #967,
   Potter<sub>rev</sub>: 168, Wujastyk 2003a:
   120, 186
jasmine (mālatī) Jasminium grandiflorum, L.
   See NK: 1, #1364: 121
```

jequirity (guñjā) Abrus precatorius, L. See

Roxb. See GJM1: 597, ADPS: 279 f.

AVS: 1, 10, NK: 1, #6, Potter_{rev}: 168:

```
130, 131
                                                   NK: 1, #2420. T. B. Singh and Chunekar
kadam flowers (?) (kādamba) kādamba is a
                                                   (GVDB: 351-352) notes that there are
                                                   two varieties, S. racemosa, qualified as
   hapax, meaning "a kind of flower poison"
   GVDB: 90. But kădamba is Neolamarckia
                                                   śāvara, and S. crataegoides Buch.-Ham.
   cadamba (Roxb.) Bosser, wild chinchona,
                                                   for pattikā lodhra: 40, 141, 173, 187
   NK: 1, #204, GVDB: 70. Kadam flowers
                                                long pepper (krsn\bar{a}) see long pepper
   are not reported to be toxic: 132
                                                    (pippal\bar{\imath}): 186
kutki (kaţukā) Picrorhiza kurroa Royle ex
                                                long pepper (m\bar{a}gadha) see long pepper
   Benth. (GVDB: 64-65): 88, 105, 273
                                                    (pippal\bar{\imath}): 122
kutki (katurohan\bar{\imath}) \rightarrow kutki (katuk\bar{a})
                                                long pepper (pippali) see long pepper
   GVDB: 66: 173
                                                    (pippal\bar{\imath}): 173
lac (lākṣā) Kerria lacca (Kerr.). See
                                                long pepper (pippalī) Piper longum, L. See
   GJM1: 445, NK: 2, #32. Watt
                                                   ADPS: 374, NK: 1, #1928,
   (Watt_{Comm}: 1053–1066) is
                                                    GVDB: 249–250, but cf. AVS: 3, 245: 71,
   characteristically informative, and is
                                                   93, 99, 103–105, 124, 141, 177, 186,
   definite about the antiquity of lac in
                                                    257, 273, 278
   India: 147, 174, 179
                                                long pepper root (pippalīmūla) see long
leadwort (agniśikhā) Plumbago zevlanica (or
                                                    pepper (bibbali): 177
                                                long-stamen Wenlandia (?) (prapauṇḍarīka)
   rosea?), L. See NK: 1, #1966, 1967: 273
leadwort (citraka) Plumbago zeylanica (or
                                                   See the substantial discussion by
   indica?), L. See RA. 6.124, ADPS: 119,
                                                   T. B. Singh and Chunekar (GVDB: 261).
   NK: 1, #1966, 1967: 40, 72, 88, 93,
                                                   They note that it is used mainly in eye
                                                   troubles and frequently with liquorice.
                                                   than which it is has been said to be
leadwort (vidyutśikhā) Synonym of agniśikhā
   (leadwort), q.v.: 131
                                                    thicker, and sweet in taste. A candidate
                                                   they suggest is Wendlandia heynei
lesser five roots (laghupañcamūla)
                                                    (Schult.) Santapau & Merchant
   Described at Suśrutasamhitā 1.38.66-67
                                                   (formerly W. exserta), native to India; I
   (Su 1938: 169). Consists of bull's head,
                                                   have accepted that provisionally:
   poison berry, yellow-fruit nightshade,
   hare foot uraria, and beggarweed: 266,
                                                    173, 179
                                                lotus (nalina) see sacred lotus (kamala),
   269, 270, 278, 281
liquorice (?) (klītaka) Glycyrrhiza glabra, L.?
                                                    GVDB: 218: 186, 187
                                                lotus stalk (mrnāla) "Leaf stalk of sacred
   GVDB: 123-124 discuss the many
   difficulties in identifying this plant: 130
                                                   lotus" GVDB: 318: 98
liquorice (madhuka) also yasti(ka/kā),
                                                luffa (kositaki) = kosataki. Luffa cylindrica,
   yaştīmadhuka, Glycyrrhiza glabra, L.
                                                   (L.) M. J. Roem. or L. acutangula, (L.)
   AVS: 3, 84, NK: 1, #1136, GVDB: 329 f.:
                                                   Roxb. ADPS: 252-253, NK: 1, #1514
   49, 71, 96-101, 103, 124, 139, 141, 173,
                                                    etc. GVDB: 121: 119, 140, 273
   177, 179, 187, 273
                                                luffa gourd (ko \hat{s} a v a t \bar{t}) = ko s \bar{t} t a k \bar{t}, luffa: 140
liquorice (yastī) see liquorice (madhuka):
                                                mahua (madhūka) Madhuca longifolia,
   173, 174
                                                    (Koenig) Macbride. See AVS: 3, 362f:
liquorice (yastīmadhuka) see liquorice
                                                    71, 190-192
   (madhuka): 50
                                                maidenhair fern (hamsāhvayā) Adiantum
                                                   lunaluatum Burm f. GVDB: 463: 257
lodh tree (lodhra) Symplocos racemosa,
```

```
Gmelina arborea Linn., GVDB: 412,
   96-97:71
maloo creeper (aśmantaka) T. B. Singh and
   Chunekar (GVDB: 27) note that this is the
   name of two different drugs, Piliostigma
   malabaricum (Roxb.)Benth. or Phanera
   vahlii. (Wight & Arn., 1834) Benth.
   (non-lactiferous), and Ficus cordifolia
   Roxb. (lactiferous). I have selected P.
   vahlii in this context because of its
   abundance in S. Asia and its Himalayan
   and Nepalese distribution: 175, 177
mango (āmra) Mangifera indica Linn.
   GVDB: 37: 120, 175, 178, 186
mangosteen (amla) Garcinia pedunculata
   Roxb. ex Buch.-Ham. See GVDB: 20-21:
   172
marking-nut (aruskara) Semecarpus
   anacardium L. See bhallātaka
   (marking-nut tree), GVDB: 23,
   ADPS: 85-86: 131, 269
marking-nut tree (bhallātaka) Semecarpus
   anacarium, L. See NK: 1, #2269,
   AVS: 5, 98, ADPS: 85-86: 93, 122, 274
marsh barbel (ikṣuraka) Hygrophila
   auriculata (Schumach.) Heine (syn.
   Asteracantha longifolia (L.) Nees.),
   GVDB: 42-43: 177
medhshingi (vijayā-2) Dolichandrone falcata
   (Wall. ex DC.) Seem. The
   Sauśrutanighantu gives a number of
   synonyms for vijayā (Suvedī and Tīvārī
   2000: 5.77, 10.143). But one of them,
   visānī (also mesaśrngī), is sometimes
   equated with Dolichandrone falcata (DC.)
   Seemann (ADPS: 518; GVDB: 373 f, a
   plant used as an abortifacient and fish
   poison (NK: #862): 131
migraine tree (agnimantha) Premna
   corymbosa, Rottl. See AVS 1927,
   ADPS: 21, NK: 1, #2025, AVS: 4, 348;
   GJM1: 523: = P. integrifolia/serratifolia,
```

L: 140, 269

milk-white (kṣīraśuklā) An unidentified

Malay beechwood $(śriparni) \rightarrow kāśmari$.

```
and giant potato: 49, 276
mulberry (kramuka) probably the mulberry
   (tūda); see discussion by T. B. Singh and
   Chunekar (GVDB: 122): 173
mulberry (tūda) Morus indica L.,
   GVDB: 189: 274
mung beans (mudga) Phaseolus radiatus L.
   GVDB: 310-311: 97, 100, 192
mung beans (māsaka) Phaseolus mungo
   Linn. GVDB: 308: 120
mung beans (vallīja) This is a guess.
   According to some lexical sources, \rightarrow
   marica. Piper nigrum, L. (MW: 929), but
   this seems unlikely. See NK: 1, #1929.
   T. B. Singh and Chunekar (GVDB: 362)
   note that valliphalamay be calabash
   gourd; the related ?? has poisonous
   seeds.but not flowers. Commenting on
   Brhatsamhitā 8.13ab and 16.24ab,
   Bhattotpala glossed it as mudgādi,
   "mung beans etc.": 132
munj grass (nārācaka) Saccharum
   bengalense, Retz.?. See NK: 1, #2184:
   132
myrobalan (abhayā) Terminalia chebula,
   Retz. See ADPS: 172, NK: 1, #2451,
   Potter<sub>rev</sub>: 214: 88, 140, 147
myrobalans (pathyā) Terminalia chebula
   Retz. See NK: 1, #2451: 186
natron (suvarcikā) Sodium carbonate.
   NK: 2, #45. Dalhana identifies suvarcikā
   with svarjikṣāra 4.8.50 (Su 1938: 441):
   104, 141, 173
neem (picumarda) see neem tree (nimba),
   GVDB: 247-248: 177
neem tree (nimba) Azadirachta indica A.
   Juss., GVDB: 226: 45, 257, 274
nutgrass (kuruvinda) Unknown. Dalhana on
   5.3.15 (Su 1938: 568) glossed the term
   as nutgrass, but noted other opinions
   that it was a whetstone or a very special
   metallic gem. T. B. Singh and Chunekar
   (GVDB: 108) added that it could be a
   variety of rice, sastika dhānya: 146
```

plant. GVDB: 126: see purple roscoea

```
ADPS: 316, AVS: 2, 296, NK: 1, #782:
oleander spurge (mahāvrksa) syn. of snuhī,
   GVDB: 302-303: 177
orchid tree (kovidāra) Bauhinia purpurea
   Linn. or B. variegata Linn. (probably the
   former), GVDB: 120, AVS: 1, 256-260:
   168
paddy rice (śāli) Oriza sativa, Linn.
   GVDB: 395-396 mentioning 33 Sanskrit
   sub-variety names; AVS: 4, 193: 32, 276
panacea twiner (arkapusp\bar{i}) \rightarrow arkaparn\bar{i},
   Tylophora indica (Burm. f.) Merr.
   GVDB: 23-24. Maybe identical to Indian
   ipecac, giant potato and similar sweet,
   milky plants. See GVDB: 24, 127, 238,
   441, 443 for discussion. For discussion
   in the context of Holostemma creeper,
   see ADPS: 195 and AVS: 3, 171. The
   etymology of the name suggests
   Helianthus annus Linn., but this plant is
   native to the Americas: 140, 272
peas (harenu) harenu = satīna. Pisum
   sativum, L. T. B. Singh and Chunekar
   (GVDB: 419–420, 467–468) notes that
   two plants are usually meant under this
   name, but there is no agreement on the
   identity of the second: 98, 140, 141,
   147, 173, 174, 186, 275
peepul tree (aśvattha) Ficus religiosa, L. See
   ADPS: 63: 149
periploca of the woods (meṣaśṛṅga)
   Gymnema sylvestre (Retz.) R. Br. See
   AVS: 3, 107, NK: 1, #1173: 122
phalsa (parūsaka) Grewia asiatica Linn.,
   GVDB: 238: 72
plants like asthma plant and Gulf sandmat
   (dugdhikā) synonym of plants like
   asthma plant and Gulf sandmat (ksīrinī),
   GVDB: 204-205, 127: 275
plants like asthma plant and Gulf sandmat
   (ksīrinī) various milky plants, perhaps
```

including Euphorbia hirta Linn. (asthma

plant) and E. microphylla Heyne (Gulf

nutgrass (*mustā*) Cyperus rotundus, L. See

```
sandmat) (GVDB: 127): 272, 275
plants like asthma plant and Gulf sandmat
   (yavaphalā) synonym of plants like
   asthma plant and Gulf sandmat
   (dugdhikā), and plants like asthma plant
   and Gulf sandmat (ksīrinī), q.v.,
   GVDB: 327, 127: 179
plumed cockscomb (indīvara) Uncertain;
   possibly Celosia argentea Linn. But see
   the useful discussion in GVDB: 44-45.
   Possibly another name for thorn apple
   (karambha), q.v.: 278
pointed gourd (patola) Trichosanthes dioica,
   Roxb., GVDB: 232-233: 98, 140, 266
poison berry (brhatī) Solanum violaceum,
   Ortega. See ADPS: 100, NK: 1, #2329,
   AVS: 5, 151: 93, 99, 140, 141, 273
poison-altar (?) (vişavedikā) Unknown.
   Possibly, at a guess, visamustika
   (strychnine tree)? GVDB: 373 Or visā
   (Himalayan monkshood): 131
pollen (?) (renukā) An unidentifiable plant.
   Perhaps a misreading for peas (harenu),
   although this is a long shot, T. B. Singh
   and Chunekar (GVDB: 339) suggests, on
   no authority, the synonyms vrksaruhā,
   māmsarohinī, or durvā, none of which
   help: 131
pomegranate (dādima) Punica granatum
   Linn. GVDB: 201–202: 71, 72, 103,
   104, 174
pondweed (paripelavā) Normally a neuter
   noun. T. B. Singh and Chunekar
   (GVDB: 238, 264–265, 409) argued that
   plava and śaivāla are the same thing, and
   may be either Zannichellia palustris, L.,
   or Potamogeton pectinatus, L: 141
pondweed (śevāla) Zannichellia palustris L.
   See horned pondweed: 31
pongame oiltree (karañjikā) T. B. Singh and
   Chunekar (GVDB: 74-76) discuss
   complications, but probably Pongamia
   pinnata (L.) Pierre in Suśrutasamhitā
   5.6.3: 177
```

powdered ruffle lichen (śaileyaka)

(1952), although there are some inconsistencies in groups and synonyms. See GVDB: 408–409, AVS: 4, 222–225. The plant has a notably complex taxonomic history: 173 prickly chaff-flower (apāmārga) Achyranthes aspera, L. See GJM1: 524 f, AVS: 1, 39, ADPS: 44 f, AVS: 3, 2066 f, Dymock: 3, 135: 45, 49, 97, 179, 275 prickly chaff-flower (vasira) also vaśīra. Perhaps Achyranthes aspera, L. GVDB: 362 describes several possible identities, including sūryāvarta, prickly chaff-flower and markatatrna. See also vasukavasira (GVDB: 363): 71 prickly-leaved elephant's foot (gojihvā) syn. gojī. Elephantopus scaber, L. See AVS: 2, 357. T. B. Singh and Chunekar (GVDB: 145-146) argue that gojihvā *śāka* is Launaea asplenifolia (Willd) Hook. f. (creeping Launaea), a plant with Himalayan to SE Asian distribution: 275 prickly-leaved elephant's foot (gojī) T. B. Singh and Chunekar (GVDB: 145–146) observe that this plant name is unique to the Suśrutasamhitā. Since the usage is similar to that of prickly-leaved elephant's foot (gojihvā), q.v, it is almost certain to be the same plant.: 177 purging nut (dravantī) Jatropha curcas, L. See AVS: 3, 261, NK: 1, #1374. A.k.a. mūsikaparnī: 276 purging nut (mūṣikā) Jatropha curcas, L. See AVS: 3, 261, NK: 1, #1374: 123 purging nut (putraśrenī) Commonly identified as croton tree (nāgadantī), GVDB: 253 "a variety of red physic nut $(dant\bar{\imath})$." But it appears in a list with nāgadantī at Suśrutasamhitā 5.6.3, and Dalhana identified it there as purging nut $(dravant\bar{\imath}): 178$ purging nut tree (mūsikakarnī) Jatropha curcas, L. AVS: 3, 261, NK: 1, #1374,

Parmotrema perlatum (Huds.) M.Choisy

GVDB: 317. GVDB: 317; ADPS: 23-25 discuss this issue well: 121 purple calotropis (arka) Calotropis gigantea, (L.) R. Br. See ADPS: 52, AVS: 1, 341, NK: 1, #427, Potter_{rev}: 57, Chopra IDG: 305-308: 40, 49, 93, 168, 177 purple roscoea (ksīrakākolī) GVDB: 89 notes that many physicians use Roscoea procera Wall, in this context. But the identification is uncertain. Possibly connected to milk-white or giant potato: 97, 272, 274 pussy willow (vetasa) Salix caprea L., GVDB: 380-381, q.v. for the argument that this is not the same as rattan (vetra): 276 pussywillow (vañjula) see pussy willow (vetasa); T. B. Singh and Chunekar (GVDB: 356) note that this is a tree in the *nyagrodha* group and has sometimes been equated with Asoka tree (aśoka) and sometimes with sandan (tiniśa): 98, 178 radish (mūlaka) Raphanus sativus, L. See NK: 1, #2098: 101, 102 rajmahal hemp (morata) $\rightarrow m\bar{u}rv\bar{\iota}$, Marsdenia tenacissima (Roxb.) Wight et Arn. Good discussion at GVDB: 314-316, 324: 140 rajmahal hemp (mūrvā) Gongronemopsis tenacissima (Roxb.) S.Reuss, Liede & Meve (= Marsdenia tenacissima (Roxb.) Moon), GVDB: 314–316. One of the twenty-two drugs in the group madanādi. T. B. Singh and Chunekar and ADPS: 310-313 discuss the long controversy about the identity of this plant. Sansevieria roxburghiana Schult. & Schult.f. ("Indian bowstring hemp") was preferred by Meulenbeld (GJM1: 590) and the sources he cited,

including NK: 1, #2216, K & B: 4, 2457;

ADPS: 310 mention this identity as being

local to Bengal, but note that the plant is

not a creeper: 100, 270

```
rattan (vetra) Calamus rotang, L. See
   AVS: 1, 330, NK: 1, #413. T. B. Singh
   and Chunekar (GVDB: 381) prefer C.
   tenuis, Roxb., which is also native to S.
   and S.E. Asia: 132
realgar (manahśilā) Arsenii disulphidium
   NK: 2, #11: 186
red gourd (bimbī) Coccinia indica, W. & A.
   See PVS 1994.4.715; NK: 1, #534: 119
red ochre (gairika) Hellwig 2009: 140-141.
   NK: 2, #40; the same source, at #6,
   gives kaoolinum or china clay: 141, 173,
   174, 179, 186, 187
red physic nut (dantī) Baliospermum
   solanifolium (Burm.) Suresh,
   GVDB: 200: 91, 178, 276
red wisteria (?) (antrapācaka) a plant
   poison, perhaps Sesbania grandiflora
   (L.) Poiret (MW: 44) (source unknown).
   S. grandiflora is normally agastya
   (GVDB: 3): 132
resin of white dammer tree (sarjarasa)
   GVDB: 424-425. See white dammer tree
   (sarja): 100, 179
rice grains (tandula) Oriza sativa, Linn.
   Same as paddy rice (śāli) GVDB: 174; or
   just "grains": 32
rice-grain chaff (śālitandulakāndana) See
   chaff: 32
rock salt (saindhava) See NK: 2, M#48,
   Watt_{Comm}: 963–971: 32, 71, 104,
   173, 186
rosha grass (dhyāmaka) Cymbopogon
   martinii (Roxb.) Wats. See AVS: 2, 285,
   NK: 1, #177: 141, 173, 179
sacred lotus (kamala) Nelumbo nucifera,
   Gaertn., GVDB: 73-74, Dutt: 110,
   NK: 1, #1698: 273, 276
sacred lotus (padma) see sacred lotus
   (kamala), GVDB: 235-236: 31, 98,
   121, 179
saffron (bāhlīka) syn. of saffron (kunkuma),
   q.v., GVDB: 273-274: 177
saffron (kunkuma) Crocus sativus Linn.,
   GVDB: 100: 276
```

```
sage-leaved alangium (ankolla) Alangium
   salvifolium (Linn. f.) Wang. GVDB: 5-6.
   See also AVS: 1, 77; cf. NK: 1, #88:
   120, 174, 276
sage-leaved alangium (ankotha) see
   sage-leaved alangium (ankolla): 177
sal group of trees (śālasārādi) śālasārādi is a
   group (gaṇa) of twenty-three trees listed
   at 1.38.8-9 (Su 1938: 165),
   Mahākośa: 1, 898: 72
sal tree (śālā) Shorea robusta, Gaertn.f. See
   AVS: 5, 124: 186
sandalwood (candana) Santalum album, L.
   See ADPS: 111, NK: 1, #2217. See
   GVDB: 152-153 for discussion of types,
   including white and red (Pterocarpus
   santalinus (L.f.)): 73, 98, 100, 141, 168,
   173, 179, 279
sandan (tiniśa) Ougeinia ooieinensis (Roxb.)
   Hochr. GVDB: 181, q.v. for discussion
   about whether tinisa and syandana are to
   be separated. If other trees are in the
   frame for either name, T. B. Singh and
   Chunekar (GVDB) suggest
   Lagerstroemeia parviflora Roxb.
   (sidhraka/siddhaka) and L. flos-reginae
   Retz. (jārula by some). See GVDB: 432:
   177, 180, 276
sappanwood (pattānga) Also pattanga.
   Caesalpinia sappan, L. AVS: 1, 323, K &
   B: 2, 847 f, GVDB: 234: 40, 50
scarlet mallow (bandhujīva) Pentapetes
   phoenicea, L. NK: #1836, GVDB: 268:
scented pavonia (bālaka) Pavonia odorata,
   Willd. See ADPS: 498, NK: 1, #1822:
   141
scented pavonia (toya) \rightarrow b\bar{a}laka? Pavonia
   odorata, Willd. ADPS: 498, NK: 1,
   #1822:179
scramberry (tālīsa) see scramberry (tālīśa):
   173
scramberry (tālīśa) T. B. Singh and
```

Chunekar (GVDB: 179, 458–459)

discusses the several identifications and

```
regional differences in identifying this
                                                  See sarbagandhā. But may be
   plant. Taxus baccata Linn. is a common
                                                  Aristolochia indica Linn. Has been
                                                  identified with nākulī, or gandhanākulī.
   candidate, as is Flacourtia jangomas
   (Lour.) Raeusch. (scramberry): 98,
                                                  See (GVDB: 219, 436): 130
   187, 277
                                               spikenard (jaṭā) see spikenard (jaṭāmāmsī):
scutch grass (dūrvā) Cynodon dactylon
                                                  179
                                               spikenard (jaṭāmāṃsī) Nardostachys
   (Linn.) Pers. (GVDB: 205): 271
                                                  jatamansi (D.Don) DC, GVDB: 163. See
sedge (kutannata) \rightarrow plava, tagara, or
   śyonāka, according to commentators
                                                  also NK: 1, #1691: 277
   (GVDB: 102-103). T. B. Singh and
                                               spikenard (māmsī) see spikenard
   Chunekar leans towards the plava, but
                                                  (jatamāmsi): 141, 173, 179
   that plant too is difficult to identify.
                                               spikenard (nalada) see spikenard
   Various sources identify kutannata as
                                                  (jaṭamāṃsī): 118, 174, 179
   Cyperus rotundus L., C, scariosus R. Br.,
                                               spurge (saptalā) T. B. Singh and Chunekar
   Oroxylum indicum (L,) Benth. ex Kurz (
                                                  (GVDB: 421–422) discuss the four
   = Bignonia Indica L.) or even
                                                  candidates for this plant, three of which
   Cinnnamomum verum J.Presl. The
                                                  are Euphorbias: 101, 175
   Cyperus genus comprises about 700
                                               strychnine tree (viṣamuṣṭika) Strychnos nux
   species of sedges, and I have chosen
                                                  vomica Linn. GVDB: 373: 275
   "sedge" as a generic indication of the
                                               sugar (sitā) Dalhana makes this equation at
   likely identity of this plant: 173
                                                  1.37.25 (Su 1938: 162): 141, 174
selu plum (śelu) Cordia myxa. L. non Forssk.
                                               sugar (śarkara) Saccharum officinarum,
   See GJM1: 529 (2), IGP: 291b, cf.
                                                  Linn. NK: #2182: 124
   AVS: 3, 1677 f; cf. AVS: 2, 180 (C.
                                               sugar cane (iksu) Saccharum officinarum.
   dichotoma, Forst.f.), NK: 1, #672 (C.
                                                  Linn. NK: #2182: 124
   latifolia, Roxb.): 99, 140
                                               sunflower (s\bar{u}ryavall\bar{\iota}) \rightarrow \bar{a}dityavall\bar{\iota},
sesame oil (taila) Sesamum indicum L.
                                                  sūryamukhī, Helianthus annūs Linn.
   GVDB: 183: 49, 168
                                                  GVDB: 35, 443: 140
shami tree (śamī) Prosopis cineraria (L.)
                                               sweet flag (vacā) Acorus calamus Linn. See
   Druce GVDB: 390: 177
                                                  GVDB: 352-355: 97, 104, 178
silk-cotton tree (śālmalī) Bombax
                                               sweet plants (madhuravarga) The sweet
   malabarica. See Issar: 152: 179
                                                  plants are enumerated at Suśrutasamhitā
siris (śirīṣa) Albizia lebbeck, Benth. See
                                                  1.42.11. See also GVDB: 127: 49
   AVS: 1, 81, NK: 1, #91,
                                               sweet-scented oleander (aśvamāraka)
   GVDB: 399-400. Cf. white siris: 140,
                                                  Nerium oleander, L. See ADPS: 223,
                                                  NK: 1, #1709, GVDB: 77, which
   168, 179, 186, 280
siris seeds (śirīṣamāṣaka) Albizia lebbeck,
                                                  discusses the white and red forms: 130
   Benth. See AVS: 1, 81, NK: 1, #91: 120
                                               teak (śāka) Tectona grandis, L.f. See
small-flowered crape myrtle (sidhraka)
                                                  AVS: 5, 245, (MW: 1061): 177
   Lagerstroemia parviflora Roxb.,
                                               Tellicherry bark (kutaja) Holarrhena
   GVDB: 432: 145
                                                  pubescens Wall. ex G.Don, with Wrightia
smooth angelica (coraka) Angelica glauca
                                                  tinctoria and W. arborea considered
   Edgw. GVDB: 161: 175, 177
                                                  GVDB: 101–102, ADPS: 267–270: 93,
snakeroot (sugandh\bar{a}) \rightarrow sarpagandh\bar{a}
                                                  177, 269
   Rauvolfia serpentina Benth. ex. Kurz.
                                               ten roots (daśamūla) Described at
```

- Suśrutasamhitā 1.38.70-71 (Su 1938: 169) as a combination of the lesser five roots and the greater five roots: 269
- the three myrobalans (*triphalā*) chebulic myrobalan beleric myrobalan and emblic myrobalan (*harītakī bibhītaka* and *āmalaka*) One of the most-often mentioned drugs in the Bṛhattrayī GVDB: 194–196: 91, 173, 266
- the three pungent drugs (*trikaṭu*) dried ginger, long pepper, and black pepper (śuṇṭhī, pippalī, and marica) GVDB: 193: 173
- thorn apple (*karambha*) Datura metel, L. See GVDB: 76 for useful discussion. Also, AVS: 2, 305 (cf. Abhidhānamañjarī), NK: 1, #796 ff. Potter_{rev}: 292 f, ADPS: 132. Possibly the same plant as plumed cockscomb (*indīvara*) (GVDB: 76, 44–45): 131, 132, 266, 275
- three heating spices (*tryūṣaṇa*) śuṇṭhī (Dried ginger) Zingiber officinale, Roscoe. ADPS: 50, NK: 1, #2658, AVS: 5, 435, IGP 1232, pippalī (long pepper) Piper longum, L.ADPS: 374, NK: 1, #1928, and marica (black pepper) Piper nigrum, L.ADPS: 294, NK: 1, #1929: 73, 140
- three-leaved caper (*varuṇa*) Crataeva magna (Lour.) DC. See AVS: 2, 202; cf. NK: 1, #696: 122, 175, 178
- toothed-leaf limonia (*surasī*) Naringi crenulata (Roxb.) Nicolson (formerly Limonia crenulata Roxb.), GVDB: 439: 173
- top layer of fermented liquor (surāmaṇḍa) K & B: 2, 502, NK: 2, appendix VI, #49, McHugh 2021: 39: 47, 48
- tree cotton (kārpāsa) G. arboreum L. ADPS: 231. Pace the identifications of T. B. Singh and Chunekar (GVDB: 92, 247), since G. barbadense L. is native to South America and G. herbaceum L. which is native to Africa: 45, 278

- tree cotton (*picu*) See tree cotton (*kārpāsa*): 48, 50
- tree of heaven (*arala*) probably Alianthus excelsa Roxb., GVDB: 21–22: 177
- turmeric (*gaurī*) Curcuma longa, L. See ADPS: 169, AVS: 2, 259, NK: 1, #750: 98
- turmeric (*haridrā*) Curcuma longa Linn. GVDB: 465: 99, 140, 147, 173
- turmeric (*rajanī*) Curcuma longa, L. ADPS: 169, AVS: 2, 259, NK: 1, #750: 32, 141, 174
- turpeth (*trivṛt*) → *tṛvrtā*. Operculina turpethum (Linn.) Silva Manso = Ipmoea turpethum R. Br. GVDB: 197.: 91, 124, 173, 259, 266
- two kinds of salt (*vasukavasira*) See the discussion by T. B. Singh and Chunekar (GVDB: 362–363), who note that when *vasuka* is mentioned together with *vasira*, two varieties of salt are often meant (see *vasukavasirā*): 71
- velvet bean (*svayaṃguptā*) Mucuna pruriens DC., GVDB: 461: 186
- velvet-leaf (pāṭhā) Cissampelos pariera, L. See ADPS: 366, NK: 1, #592, GJM1: 573, AVS: 1, 95; cf. AVS: 2, 277: 40, 73, 88, 104, 140, 173, 270
- velvet-mite (*indragopa*) Kerria lacca (Kerr.). Lienhard 1978: 118
- verbena (*bhārgī*) see verbena (*bhārngī*): 173, 179
- verbena ($bh\bar{a}rng\bar{i}$) \rightarrow phañjī. Clerodendrum serratum (L.) Moon or C. serratum; see AVS: 2, 121, ADPS: 87: 278
- verbena (*phaňji*) Clerodendrum serratum, L. See AVS: 2, 121, ADPS: 87: 121
- viburnum (*tilvaka*) Viburnum nervosum D.Don T. B. Singh and Chunekar (GVDB: 185–186) separate *tilvaka* from *lodhra*, a conflation they attribute to Dṛḍhabala. AVS: 5, 219 makes the same separation, noting that in Kerala the plant Jatropha curcas L. is used in this context. Cf. many varieties listed by

```
Griffiths (IGP: 1200 ff.). Kew confirms
   that V. nervosum has an appropriate
   Himalayan distribution: 91, 177, 279
viburnum extract (tailvaka) see viburnum
   (tilvaka): 186
water snowflake (?) (kumudavatī) This is an
   unidentifiable plant whose name means,
   etymologically, "with lilies." MW: 292
   gives Nymphoides indica (L.) Kuntze
   (formerly Villarsia indica) on no
   authority; I have used the common name
   of N. indica as a possiblity, but this is not
   known to be poisonous; on the contrary,
   it is used medicinally (Khan et al. 2018).
   N. indica is illustrated on p. 6 of the
   Voynich manuscript. Khan et al. (2018)
   assert that this is the same plant as
   tagara, although this is not a widely-held
   view (see crape jasmine): 131
watered buttermilk (udaśvit) MW: 183: 119
weaver's beam tree (moksaka) see weaver's
   beam tree (muṣkaka): 279
weaver's beam tree (muskaka) Schrebera
   swietenioides, Roxb. See AVS: 5, 88,
   Lord, NK: 1, #2246, GVDB: 242-243:
   93, 145, 279
weaver's beam tree (pātalī) usually a
   synonym for crimson trumpet-flower tree
   (pātalā), but T. B. Singh and Chunekar
   (GVDB: 242–243) argue that it is
   weaver's beam tree (moksaka) because
   some authors distinguish two colours
   (unlike p\bar{a}tal\bar{a}): 93, 177, 179
weaver's beam tree (viśalvā) Schrebera
   swieteniodes Roxb. \leftarrow kuber\bar{a}ks\bar{\iota}.
   T. B. Singh and Chunekar (GVDB: 371)
   notes that this name is a synonym for
   many other plants, including lāṅgālī,
   indravāruni, gudūcī etc. Dalhaņa
   identified it with pāṭalā, kāṣṭhapāṭalā,
   and agniśikhā tree, all of which may be
   called śvetamokṣaka or kuberākṣī: 173
weevil wort (tālamūlikā) GVDB: 178-179:
weevil wort (t\bar{a}lapatr\bar{i}) \rightarrow t\bar{a}lam\bar{u}lik\bar{a}, weevil
```

```
wort, q.v. GVDB: 178: 175
white babool (arimeda) Acacia leucophloea,
   (Roxb.) Willd. See AVS: 1, 23: 40, 177
white calotropis (alarka) Calotropis procera,
   (Ait.) R. Br. See NK: 1, #428,
   Chopra: 46b, Chopra IDG: 305-308: 49
white clitoria (śvetā) Clitoria ternatea, L.
   See AVS: 2, 129, NK: 1, #621.
   GVDB: 416-417 notes that there are two
   types, ksudrā (white, according to
   Dalhana) and mahā (blue, , according to
   Dalhana). Sometimes given as a synonym
   for winged-stem canscora, but sometimes
   as a contrasting plant: 121, 174, 179
white cutch tree (somavalka) Acacia
   polyacantha, Willd. See AVS: 1, 30, IGP
   7, GJM1: 602, AVS: 2, 935; pace NK: 1,
   #1038: 122, 146
white dammer tree (sarja) Vateria indica, L.
   See NK: 1, #2571, AVS: 5, 349 f,
   AVS: 1, 292 f, Chopra: 253a. T. B. Singh
   and Chunekar (GVDB: 424) discussed
   whether this term might be broadened to
   any resinous tree and decided against:
   40, 71, 276, 279
white dammer tree (sarjja) see white
   dammer tree (sarja): 177
white sandalwood (bhadraśriya) Santanlum
   album Linn. See white sandalwood
   (bhadraśr\bar{\imath}): 98, 179
white sandalwood (bhadraśrī) Santanlum
   album Linn. see sandalwood (candana)
   GVDB: 152, 282 and Carakasamhitā
   ci.4.102 (Ca 1941: 434) where it is
   contrasted with lohitacandana: 73, 279
white siris (?) (kapītana) T. B. Singh and
   Chunekar (GVDB: 72-73) note that this
   stands for at least two plants, milky and
   non-milky. For the latter type, they
   propose Albizia procera (Roxb.) Benth.,
   Thespesia (hibiscus-like, but not
   endemic to S. Asia) or Spondias
   (cashew). Six different identifications are
   made by Monier-Williams et al.
   (MW: 251), without authority: 177
```

```
white siris (katabhī) Albizia procera (Roxb.)
                                                wild mustard (saurīvaka) Cleome viscosa.
                                                    L.? (cf. Rā.4.144). See AVS: 2, 116,
    Benth. or A. lebbeck (Linn.) Benth.
   GVDB: 63-64, AVS: 1, 81-84. Cf. Cf.
                                                    NK: 1, #615: 132
    siris: 168, 277
                                                wild spider flower (ajagandhā) possibly
white siris (kinihī) Albizia procera (Roxb.)
                                                    Cleome gynandra L. (syn. Gynandropis
                                                    gynandra L.); possibly also Basil
   Benth., GVDB: 98, which also discusses
   past confusions; NK: 1, #93: 140,
                                                    (Ocimum basilicum Linn. or Crested
                                                    Late Summer Mint (Elsholtzia ciliata
    173, 174
                                                    Willd.) (GVDB: 6). But E. ciliata is not
white teak (k\bar{a}r\acute{s}mar\bar{i}) \rightarrow k\bar{a}\acute{s}mar\bar{i}: 187
                                                    native to South Asia: 104
white teak (k\bar{a}\acute{s}mary\bar{a}) \rightarrow k\bar{a}\acute{s}mar\bar{i}: 71
                                                wild spider flower (tailaparnika) see wild
white teak (k\bar{a}\pm mar\bar{i}) \rightarrow k\bar{a}\pm marya, k\bar{a}\pm mar\bar{i},
   madhuparnī. Gmelina arborea, Roxb.
                                                    spider flower: 179
   See GJM1: 543, Trees: 51, ADPS: 240:
                                                wild spider flower (tilaparnī) Cleome
                                                    gynandra L., GVDB: 184-185, but see
   98, 100, 269
                                                    the discussion of the other drug plants
white teak (madhuparn\bar{i}) \rightarrow k\bar{a} \pm mar\bar{i}: 71
white water-lily (kumuda) Nymphaea alba,
                                                    sometimes intended by this name: 280
                                                wild sugar cane (kāndeksu) Saccharum
   Linn., GVDB: 105: 31, 179, 269
                                                    spontaneum L., GVDB: 90: 71
wild asparagus (bahuputrā) Asparagus
   racemosus, Willd. See further wild
                                                winged-stem canscora (girihvā) see
   asparagus (śatāvarī) Possibly a syn. for
                                                    winged-stem canscora (girikarnikā): 174
   nandana. The bark of wild asparagus is
                                                winged-stem canscora (girikarnikā)
    toxic: 122
                                                    sometimes \rightarrow śvetā, in which case
wild asparagus (śatāvarī) Asparagus
                                                    possibly Clitoria ternatea, L., see
   racemosus, Willd. See ADPS: 441,
                                                    AVS: 2, 129, NK: 1, #621. Since śvetā
   AVS: 1, 218, NK: 1, #264, IGP: 103,
                                                    and girihvā are cited as separate
                                                    constitutents of one formula (e.g.,
   AVS: 4, 249 ff, Dymock: 3, 482 ff:
                                                    Suśrutasamhitā 5.5.75 (Su 1938: 579)
    96-98, 100, 192, 280
wild celery (agnika) \rightarrow may be bhallataka.
                                                    they cannot be the same plant.
    lāngalī, ajamodā, morata, or agnimantha,
                                                    GVDB: 138–139 argued for Symphorema
    GVDB: 4. Uncertain A plant often cited
                                                    polyandrum Wight, which they also
                                                    assigned to sinduvāra. When discussing
   in Suśrutasamhitā, but rarely in
    Carakasamhitā (GVDB: 4). Dalhana
                                                    śankhapuspi, another possible synonym,
                                                    Sivarajan and Balachandran
    glossed it at 5.2.45 (Su 1938: 566) as
   ajamodā but noted that others consider
                                                    (ADPS: 425–427) also suggest Canscora
                                                    alata (Roth) Wall. (syn of Canscora
   it to be morata. There is considerable
                                                    decussata Schultes & Schultes f.) and
    complexity surrounding the identification
                                                    Convulvulus pluricaulis Chois. The
    of morața/mūrvā itself and related
                                                    former has a more appropriate
    synonyms (GVDB: 314-316): 140, 280
                                                    distribution and is chosen here: 280
wild celery (ajamodā) Apium graveolens, L.
                                                winged-stem canscora (giryāhvā) see
   Sometimes identified with agnika (wild
                                                    winged-stem canscora (girikarnikā): 279
    celery), q.v.: 140, 173
wild Himalayan cherry (padmaka) Prunus
                                                Withania (aśvagandhā) Withania somnifera
   cerasoides D.Don, GVDB: 236,
                                                    (L.) Dunal. See AVS: 5, 409 f,
   AVS: 4, 353-355. MW: 585 is wide of the
                                                    Dymock: 2, 566 f, 150, GVDB: 29,
   mark: 98-100, 173, 179
                                                    Chevillard: 152: 49, 92, 99, 174
```

314 Fauna

wolfsbane (*vatsanābha*) Aconitum napellus, L. See AVS: 1, 47, NK: 1, #42, Potter_{rev}: 4f. Or Aconitum chasmanthum Stapf ex Holmes, GVDB: 357: 265 wood apple (*kapittha*) Limonia acidissima, L. See AVS: 3, 327, NK: 1, #1021: 99, 121, 122, 174, 177, 186 woody turmeric (*kāleyaka*) Coscinium fenestratum (Goetgh.) Colebr., GVDB: 95. See V. K. Gupta et al. 2015: 173–175: 179 woody-fruited jujube (gopaghonṭā) Ziziphus xylopyra (Retz.) Willd. GVDB: 147 → ghonṭā: 177

yellow-berried nightshade (*kṣudrā*) Solanum virginianum, L. See ADPS: 100, NK: 1, #2329, AVS: 5, 164: 140, 141

yellow-fruit nightshade (kanṭakārī) Solanum virginianum L. (also called Solanthum xanthocarpum, Schrad. & Wendl.) GVDB: 68–69. A component of lesser five roots: 273

Fauna

chital deer (*pṛṣata*) Axis axis, Erxleben.
BIA: 295–296. In *Suśrutasamhitā* 5.5.71
(Su 1938: 579) it seems to be specifically the musk that is meant. so the reference may be to the Musk Deer (Moschus moschiferus L.). But all species produce musk, so *pṛṣata* may also be simply Chital or Spotted Deer. See also IW: 93: 123, 124, 174

civet (mārjāra) BIA: ch. 4 et passim, McHugh 2012: 174

iguana (godheraka) The गौधेरक is described in the Carakasamhitā as a four-legged snake born of a ?? that is similar to a black snake and has several species (6.23.134 (Ca 1941: 577)). CDIAL: 1, #4286 identifies this as an iguana: 181, 281

large gecko (galagoḍikā) A poisonous insect, amphibian or reptile described in Suśrutasaṃhitā 5.8.29 (Su 1938: 588) as a biting creature that may be white, black, with red stripes or rings or spotted. It is described just after the iguanas (godheraka) and before centipedes. The name is unstable, e.g., गलगोलिका, गलदोडी, गलगोली. Cf. the

remarks on geckos in note 428, p. 144. The similarity of names suggests that a गलगोडिका may be a non-domestic creature that looks similar to a domestic gecko. Cf. other IA parallels at CDIAL: 1, #4324, 4431, which points to a Dravidian origin for the lexeme (DED₂: #1125) and suggests "iguana." The tokay gecko (Gekko gecko (Linnaeus, 1758)) is a large gecko endemic to South Asia having a blue-gray skin with red or orange spots and speckles that may change according to its environment like a chameleon. Tokay geckos, especially males, are aggressive and territorial and can inflict a strong bite. However, many agamids and skinks are also endemic to South Asia, and have markings that could match the description of the Suśrutasamhitā. See further Deuti 2020; IW: 40, 135–136.: 76

mongoose (*nakula*) Urva edwardsii or the often sympatric U. auropunctatus (small Indian mongoose, usually an eater of smaller creatures than snakes) (BIA: ch. 5), On mongooses and snakes, see BIA: 98–99; IW: 112: 123, 124, 174

@ - avabāhuka: 67	ādarśamaṇḍala - the mirror ring: 158		
	adhikaraṇa - topic: 256f		
- pratitūnī: 67 - pratyādhmāna: 67	adhimantha - irritation: 195		
- pratyaṣṭhīla: 67	adhiṣṭhāna - base, foundation: 143		
	-carriers: 143 -located: 17		
- <i>tūnī</i> : 67	ādhmāna - tympanites: 66f		
	ādhmāta - swollen: 162		
- vātakaṇṭaka: 67 - vātāṣṭhīlā: 67	adhodrstitva - downward vision: 195		
yoga - cohesion: 256	adhyāya - sections: 20		
'angry beetles' - toṭaka: 144	afflicted - upasysta: 72		
'bellied' - kukṣita: 145	affliction - upasarga: 125		
'cook-fish' - pākamatsya: 144	afterbirth - aparā: 109		
'darts' - śārikā: 145	agada - antidote: 168 - antitoxic: 167		
'earth scorpions' - viśvambhara: 145	agada - antidote: 173		
'flat insects' - picciţā: 144	•		
ʻlids' - śārava: 145	āgantu - external factors: 19		
'liquors' - medaka: 145	āgāradhūma - soot from the chimney: 40,		
'orange-dwellers' - kaṣāyavāsika: 144	91		
'pepper snakes' - sarṣapaka: 144	aggregation - samuccaya: 256, 260		
'poisonous snakes' - pracalāka: 144	agni - heat: 60		
'pot insects' - kaundinya: 144	agnika - the flame: 159		
'speckle-heads' - citrasīrṣa: 145	agnikarma - cauterization: 90		
'wing-scorpions' - patravṛścika: 145	agra - supernatant layer: 191		
'wood-enemies' - dārukāri: 145	agramukta - free from the point: 194		
\sqrt{pid} - pain: 164	āhāra - diet: 17		
\sqrt{rak} - protect: 76	āhārya - take away: 46		
\sqrt{sodh} - purge: 169	ahipatāka - thei snake flag: 159		
$\sqrt{u}h$ - propelled: 164	ahorātra - day and night: 18		
	aids - <i>anga</i> : 188		
abdomen - pakvāśa: 90	air - samīrana: 164		
abdominal gripes - śūla: 178	<i>ajagara</i> - constrictor: 162 - the goat		
abdominal lump - gulma: 204	swallower: 159		
abhayā - chebulic myrobalan: 187	<i>ajākṣīrārdita</i> - stirred with goat's milk:		
abhramukta - free from clouds: 194	196		
abhyanga - massage oil: 119, 125 - oil	ajeya - invincible: 125		
massage: 123 - oil rub: 90, 243	akriya - inactive: 66		
abhyañjana - oil rubs: 173			
abīja - seedless: 72	ākṣepa - contractions: 63		
ācamana - lavages: 75	ākṣepaka - convulsion: 64, 66		
<i>ācāra</i> - regimen: 17	-convulsions: 63		
ācārika - medical advice: 48	alagardā - sting-gush: 29		
accents - svara: 167	alagarda - the hungry sting: 158		
accumulation - samudāya: 45 - sañcaya: 18	alankṛtvā - made accessible: 15		
acidic - amla: 74	āleba - liniment: 186		

ālepana - liniments: 29, 125 - ointments:	araga timira - non-bloodshot blindness:
90	193
alleviated - yāpya: 188	ardhakapāṭasandhika - half door-hinge: 46
alleviation - pratīkāra: 18	ardita - paralysis of the jaw-bones: 65f
along these lines - evam: 19	- spasm of the jaw-bones: 65
amla - acidic: 74	arid-land animals - jāngala: 191
amṛta -immortal: 125	<i>ariṣṭā</i> - bandage: 166f, 171
anāgatāpekṣaṇa - future reference: 256,	arista - omens: 53
259	ariṣṭā - bandage: 172
andaja - born from eggs: 18	arnavamala - cuttle fish: 188
andīnī - with testicles: 205	arśas - prolapses: 204
anekānta - variable statement: 256, 259	<i>ārtava</i> - menstrual blood: 204 - seasonal
anga - aids: 188 - component: 16 - parts: 19	blood: 72
anger - krodha: 17	<i>ārtava</i> - menstrual blood: 74f
<i>angulirāji</i> - the finger stripe: 159	artha - purpose: 245f
animals - paśu: 18	arthāpatti - implication: 256, 259
añjana - application of collyrium: 186,	aruci - disinterest in food: 171
191 - collyrium: 169f, 185–188, 190ff,	asādhya - incurable: 72, 185 - untreatable:
197 - eye make-up: 119, 124 - eye	193
ointment: 124f - stibnite: 191	āsaṅgima - fastening: 46
añjana - collyrium: 173f	aśmarī - urinary calculus: 178
antarāyāma - emprosthotonos: 64	āśoka - grief: 17
antidote - agada: 168 - agada: 173	āśrayin - substrate: 17
antitoxic -agada: 167	aśrupāta - weeping tears: 76
antra - entrails: 188	āsthāpana - enema: 73
ants - pipīlika: 18	asthi - bones: 19
anubandha - indicatory sounds: 252	aṣṭhīlā - pebble: 121
anulepana - massage ointment: 119, 123	asthma - śvāsa: 178
-ointment: 123	asūyā - jealousy: 17
ānulomya - rightness: 60	atibalā - strong mallow: 189
anumata - consent: 256, 259	atideśa - prediction: 256, 258
anuvāsana - oily enema: 73	atikrāntāpekṣaṇa - past reference: 256,
anya - other: 246	260
apadeśa - statement of reason: 256, 258	ātmaka - nature: 16
apakṣāghāta - paralysis: 64	āṭopa - flatulence: 121
apānga - outer corner of the eye: 193	attribute - guṇa: 244
aparā - afterbirth: 109	atyānandā - extremely excited: 205
apatānaka - spasmodic contraction: 63	avabāhuka - @: 67
āpatantraka - spasmodic contradiction: 64	avadāraņa - fissuring: 125
apavarga - exception: 256, 258	avalekhana - combs: 119
apertures of the head - kha: 124	avapīḍa - sternutatory: 169f
aphorism - sūtra: 257	<i>āvarta</i> - spiral: 193
application of collyrium - añjana: 186, 191	avaśardhita - fart: 144
application of oil to the head - sirobasti: 92	aversion to food - bhaktadveṣa: 178
apuṣpa - the grass flower: 158	axelwood - dhava: 197

ayana - half-year: 18	black earth - bhūmī: 175
<i>āyatta</i> - depends on: 17	black part - kṛṣṇa: 193
<i>āyu</i> life: 28	black soot - maṣī: 186
āyur - life, longevity: 13	black - kṛṣṇā: 29
āyurveda - the science of life: 14	blanket sweating - prastara: 90
	blindness - timira: 192
babhru - the brown: 159	blink of the eye - nimeşa: 18
babhrūkuṭīmukha - the brown hut mouth:	blockage of the vision - dṛṣṭyavarodha: 162
158	blood-bile - raktapitta: 185
baddham - bound, connected: 50	blood-bile - <i>śonita-pitta</i> , <i>rakta-pitta</i> : 189
balā - country mallow: 189	blood-letting - sirāvedha: 186
bala - strength: 17	blood - rakta: 72 - rudhira: 18 - śonita: 189
balāsa - phlegm: 91	-śonita: 71f
bali - morsel: 119 - sacrificial offerings:	bloodshot blindness - <i>rāgin timira</i> : 190
167	-rāgini timire: 192f
bandage - <i>ariṣṭā</i> : 166f, 171 - <i>ariṣṭā</i> : 172	blossom - prasūna: 174
-bandha: 166	blue dot cataract - mlāyin: 192
bandha - bandage: 166	blue vitriol - <i>tuttha</i> : 190
base, foundation - adhiṣṭhāna: 143	bodily tissues - dhātu: 60 - dhātu: 164
<i>bāṣpa</i> - vapour: 120f, 124	body language - <i>ingita</i> : 119
basti - enema: 92	bones - asthi: 19
basti - instillation: 73	born from eggs - <i>aṇḍaja</i> : 18
bearers - voḍhāra: 119	born in in a caul - jarāyuja: 18
beauty berry - <i>priyangu</i> : 191	born of sweat - svedaja: 18
bent brow and eye - vakrabhrūnetra: 195	bound, connected - baddham: 50
benumbed - jāḍya: 163	box myrtle - katphala: 188
beryl - vaiḍūrya: 197	brahma - holiness: 167
between the shoulder-blades - trika: 92	brahmacārinī - chaste woman: 76
bhadradāru - deodar: 196	brahmarşi - holy sages: 167
bhakṣya - masticable: 261	brilliance - <i>tejas</i> : 78
bhaktadveṣa - aversion to food: 178	bristles - śūka: 144
bhaṅga - leaves: 194	bṛṃhaṇa - nourishment: 17
bhavet - it may be: 193	bubbling - budbuda: 195
bhāvita - cooked: 191 - infused: 187	budbuda - bubbling: 195
<i>bherī</i> - drum: 174	bulbs - kanda: 18
bheṣaja - treatment: 204	bull - vṛṣabha: 120
bhojya - edible: 261	burning sensation in feet - pādadāha: 66
bhramaraka - drongo: 120	sarming consumon in root passassis.
bhṛṅgarāja - racket-tailed drongo: 120	cakradhārā - rim of a wheel: 47
bhūmī - black earth: 175	cakraka - the ringed: 159
$b\bar{i}ja$ - semen: 204	cala - liquid: 194
bile-fever - pittajvara: 171	can be mitigated - yāpya: 193
bile - pitta: 189	caraṇī - caraṇī: 205
bilious / choleric - pittalā: 205	caraṇī - caraṇī: 205
bindurāji - the drop stripe: 159	cardamom - elā: 188
black drongo - dhūmyāṭa: 120	carman - pelt: 18

carmānta - leather: 166	compendium of diseases - rogasamgraha
carnivore - kravyabhuj: 189	202
carriers - adhiṣṭhāna: 143	complexion - varna: 17, 53, 78
cassia cinnamon - patra: 196	component - aṅga: 16
castor oil - pañcāṅgulataila: 189	compounds - yoga: 186
cataract - linganāśa: 193	compressed - saṃkṣipta: 47
caturvarga - fourfold grouping: 18	compressed - saṃkṣipta: 46
catustaya - four factors: 19	compulsion - niyoga: 256, 260
caused by wind - pavanodbhava: 189	conch - salilotthita: 192
causes - hetu: 205	cone snails - śambūka: 144
causing a fall - sramsanī: 205	congenital blindness - jātyandha: 78
causing the destruction of actions such as	congested humours - sannipāta: 19
moving - gamanādikriyāvināśakarī:	consent - anumata: 256, 259
195	constitution - prakṛti: 170
caustic - <i>kṣāra</i> : 73, 75	constrictor - ajagara: 162
cauterization - agnikarma: 90	contractions -ākṣeþa: 63
chaste woman - brahmacāriņī: 76	contraposition - viparyaya: 256, 259
chebulic myrobalan - <i>abhayā</i> : 187	convulsion -ākṣepaka: 64, 66
chedya - excision: 19	convulsions - ākṣepaka: 63
cheek-ear - gandakarna: 46	cooked barley - yavaudana: 192
chidra - opening: 193	cooked - bhāvita: 191 - siddham: 240
child bearing - kaumārabhṛtya: 200	copper - tāmra: 195
child-murderess - putraghnī: 205	coral - vidruma: 197
chinna - segmented: 29	cosa - driness: 195
chital deer - pṛṣata: 120	cottony jujube - kākolī: 196
choler - pitta: 205	counteraction - pratisedha: 185
- · · · · · · · · · · · · · · · · · · ·	country mallow - balā: 189
chyle - rasa: 35	cow snout - gonasa: 160
cihna - signs: 205	cow-dung - gośakṛt: 187
circuit of the pupil - dṛṣṭimaṇḍala: 193	cow-praising - govandanā: 29
citraka - the mark: 159	cow's flesh - gomāṃsa: 186
citraśīrṣa - 'speckle-heads': 145	cow's urine - gomūtra: 188
citron - mātuluṅga: 196	crabs - uccitinga: 145
clean - $pra\sqrt{s\bar{a}dh}$: 125	creeper-ear - vallīkarņa: 46
cloth - plota: 166	creepy-crawlies - sarīsṛþa: 15, 18
clumps - granthi: 71, 75	crow's lip - kākauṣṭha: 46
clusters - samplava: 18	cuñcumālaka - little ring of spots: 156
cock - tāmracūḍa: 190	curable - sādhya: 72, 185
cohesion -yoga: 256	curds - dadhi: 122, 126
cohesion - yoga: 257	cuscus grass - uśīra: 191
collection - varga: 19	cutting with a blade - śastrakṣata: 186
collyrium - <i>añjana</i> : 169f, 185–188, 190ff,	cuttle fish - arnavamala: 188
197 - añjana: 173f	cuttlefish bone - phena: 197
combined - upahita: 188	-samudraphena: 188
combs - avalekhana: 119	-
comfort - sukha: 19	dadhi - curds: 122, 126

dadhimukha - the curd mouth: 158	dilator - pravardhanaka: 45
dāha - overheating: 185	dīpyaka - the stimulator: 159
dainya - misery: 17	discharge - srāva: 123, 125
dais - pīṭha: 46	disease - vyadhi: 19
daivakṛte - naturally-occurring: 193	diseases - roga: 204
dantamāṃsa - gum: 122	disinterest in food - aruci: 171
dantaveṣṭa - tooth socket: 122	disorders of the female reproductive
darbhapuṣpa - the grass flower: 159	system - yonivyāpat: 204
darita - torn: 155f	door-hinge - kapāṭasandhika: 46
dark brown - śyāma: 78	doṣa - defects: 204 - humour: 193, 257
dark - kṛṣṇa: 78	-humours: 18, 60 -humours: 204
dart-mouth - śankumukhī: 30	doṣa - defect: 74 - pathology: 73
dārukāri - 'wood-enemies': 145	doṣapariplava - unsteadiness of the
datta - given: 120	humours: 195
day and night - ahorātra: 18	double - yamalā: 122
deadly substance - kālakalpa: 164	doubt - saṃśaya: 256, 260
decoction - kaṣāya: 73 - kvātha: 75	downward vision - adhodṛṣṭitva: 195
-niḥkvātha: 75	drākṣā - grapes: 196
decoctions - kaṣāya: 119, 194	dravāñjana - liquid collyrium: 190
decomposition - kuṇapa: 71f	dravya - substance: 53, 244
deducible - ūhya: 256, 261	dravya - liquid: 172
deer - eṇa: 189	dried flesh - vallūraka: 46
defect - doṣa: 74	dried ginger - nāgara: 187
defects - doṣa: 204	driness - coṣa: 195
deity - devatā: 167	drinkable - peya: 261
demons - graha: 200	drongo - bhramaraka: 120
demons - graha: 200	drowsiness - supti: 91
deodar - bhadradāru: 196	<i>dṛṣṭi</i> - eye: 78 - pupil: 185, 194
depends on -āyatta: 17	dṛṣṭimaṇḍala - circuit of the pupil: 193
depression - viṣāda: 17	dṛṣtivibhrama - faulty vision: 124
desert date - ingudī: 191	dṛṣṭyavarodha - blockage of the vision: 162
desire - icchā: 17	drum - bherī: 174
determination - nirnaya: 256	dry rub - utsādana: 123
devadinna - the gift of god: 158	dry rubs - utsādana: 119
devatā - deity: 167	duct - sirā: 168
dhātrī - emblic: 188	ducts - sirā: 19, 90 - srotas: 161
dhātu - bodily tissues: 60	duḥkha - suffering: 17
dhātu - bodily tissues: 164	dumb - <i>mūka</i> : 66
dhava - axelwood: 197	dung beetles - varcaḥkīṭa: 144
dhūma - inhaled smoke: 119	dūrvā - panic grass: 196
dhūmadarśin - seeing smoke: 185	dūṣīviṣa - slow poisoning: 168
dhūmyāṭa - black drongo: 120	dūṣīviṣāri - slow-acting poison antidote:
dhyāma - grimy: 119	122
diet -āhāra: 17	dust - rajas: 60
digdha - poisoned: 172	dveṣa - hatred: 17

dvyāhika - the two-day: 159dvyaṅgulirāji - the two finger stripe: 159	extract - <i>niryāsa</i> : 124 extracted juice - <i>surasa</i> : 75 extracted juice - <i>svarasa</i> : 124
ear-ache - <i>karṇaśūla</i> : 66 earth products - <i>pārthiva</i> : 18	extracted funce -startasa: 124 extracts - rasa: 191 extremely excited - atyānandā: 205
earth - pāṃśu: 166	eye make-up - <i>añjana</i> : 119, 124
earthen products - pārthiva: 18	eye ointment - añjana: 124f
edible - bhojya: 261	eye - <i>drsti</i> : 78
ekāṅgaroga - monoplegia: 64	eyewash - tarpaṇa: 124, 186, 190f
ekānta - invariable statement: 256	1 . 1/ / 0
-invariable statement: 259	fainting - mūrcchā: 172
ekarasa - one essence: 175	fart - avaśardhita: 144
elā - cardamom: 188	fastening - āsangima: 46
elephant/snake - nāga: 145	fat - <i>vasā</i> : 190
elixir salve - rasāñjana: 187, 190f	faulty medical treatment - mithyopacāra:
elixir-salve - rasāñjana: 187	204
elixir-salve - śīta: 187	faulty vision - dṛṣtivibhrama: 124
ellipis - vākyaśeṣa: 256	feeling of heat all over -paridāha: 163
ellipsis - vākyaśeṣa: 259	female reproductive organ -yoni: 204f
embelia - <i>vidanga</i> : 191	female reproductive system - yoni: 204
emblic - dhātrī: 188	field-specific term - svasamjñā: 256, 260
emprosthotonos - antarāyāma: 64	filaments - kiñjalka: 187
eṇa - deer: 189	first point of view - pūrvapakṣa: 259
enclosed roasting - puṭākhya: 189	fissuring -avadāraņa: 125
- puṭapāka: 191	flag - patāka: 174
ends - vaktra: 195	flame of the forest - palāśa: 191
enema - āsthāpana: 73 - basti: 92	flatulence - āṭopa: 121
energy - ojas: 53	flavour - rasa: 257
eṇīpada - the deer foot: 159	flavours - <i>rasa</i> : 17, 53
entrails - antra: 188	flesh - māṃsa: 19
envy - <i>īrṣyā</i> : 17	flooded - pariplutā: 205
errhine - nasya: 189	flowering trees - vṛkṣa: 17
errhines - nasya: 125	flowers - puṣpa: 18
essence - sāra: 18	follicles - kha: 123
evam - along these lines: 19	force - vega: 92
exception - apavarga: 256, 258	formal procedure - kalpa: 118, 143, 154,
excision - chedya: 19	166, 177
expert - vicakṣaṇa: 77	formulation - yoga: 89
explication - vyākhyāna: 256, 260	fortnight - pakṣa: 18
exposition - nirdeśa: 256, 258	foul-smelling pus - pūtipūya: 72
expressed juice - svarasa: 186	four factors - catustaya: 19
extensive meaning of the collection of	fourfold grouping - caturvarga: 18
statements - vāksamūhārthavistāra:	free from clouds - abhramukta: 194
160	free from the point - agramukta: 194
external factors - āgantu: 19	frogs - maṇḍūka: 18
extract of rohu carp - rauhita: 187	fruit trees - vanaspati: 17
•	•

fruits - phala: 18	green vitriol - kāsīsa: 191
future reference - anāgatāpekṣaṇa: 256,	gṛhadhūma - soot: 149, 177
259	gṛhagoḍikā - geckos: 144
	grief -āśoka: 17
gadgad - stammers: 66	grimy - dhyāma: 119
gādha - pinched: 48	grooming - vilekhana: 76
gairikaḥ - red chalk: 196	gruel - yavāgū: 169
gamana - intercourse: 74	guḍikā - pill: 187
gamanādikriyāvināśakarī - causing the	gulma - abdominal lump: 204
destruction of actions such as moving:	gum - dantamāmsa: 122
195	guṇa - attribute: 244
gaṇḍakarṇa - cheek-ear: 46	
gara - toxic potion: 179	haemorrhaging - śonitāgamana: 161
garlands - sraj: 119	half door-hinge - ardhakapāṭasandhika: 46
garuḍa - tārkṣya: 173	half-year - ayana: 18
gauze - plota: 48	hare foot uraria - pṛthakparṇī: 196
gavedhuka - the gavedhuka: 158	hareņu - hareņu: 187f
geckos - gṛhagoḍikā: 144	hareņu - hareņu: 187f
general rule - paribhāṣā: 191	<i>hari</i> - sun: 194
gently - mṛdu: 196	haridrā - turmeric: 191
ghee - sarpis: 186 - sarpis: 125	harṣa - overexcitement: 17
girisarpa - the mountain snake: 158	hastābharaṇaka - the hand decoration:
given - datta: 120	159
giving of fumes - paridhūpāyana: 161	hatred - dveṣa: 17
giving off fumes - paridhūpana: 161	heat - agni: 60 - tejas: 78
glassy opacity - kāca: 191	herbs - oṣadhi: 17
godhā - monitor lizard: 188	hetu - causes: 205 - reason: 245f
gold - śātakumbhī: 195	hetvartha - purpose of a reason: 256, 258
gomāmsa - cow's flesh: 186	himalayan cherry - padmaka: 196
gomūtra - cow's urine: 188	hīnakarṇa - reduced-ear: 46
gonasa - cow snout: 160	holiness - brahma: 167
gośakṛt - cow-dung: 187 - juice of	holostemma - payasyā: 196
cow-dung: 187	holy sages - brahmarşi: 167
gout - vātarakta: 66	honey collyrium - kṣaudrāñjana: 188
govandanā - cow-praising: 29	honey - madhu: 186 - madhus: 120
graha - demons: 200 - demons: 200	horseradish tree - <i>śigru</i> : 192
grahaṇī - seat of fire in the gut: 162	hot all over - samantatastāpaḥ: 161
grahaṇī - seat of fire in the gut: 162	hot over the whole body
grahaṇīdoṣa - humours of the abdomen:	- sarvāngasantāpaḥ: 161
178	huge - mahatī: 205
granthi - clumps: 71, 75 - lumps: 123	human being - puruṣa: 16, 19
grapes - drākṣā: 196	humoral colligation - sannipāta: 72
gṛdhrasī - sciatica: 65f	humour - doșa: 193, 257
great antidote - mahāgada: 29	humours of the abdomen - grahaṇīdoṣa:
great fragrance - mahāsugandha: 125	178
greed -lobha: 17	humours - <i>doṣa</i> : 18, 60
S 7 - 7 - 7 - 1	

humours - doṣa: 204	irregularities - vaiṣamya: 17
icehā dociros 15	irrigated - <i>pratipūrana</i> : 124
icchā - desire: 17	irrigation - seka: 186 - tarpaṇa: 204
if, then not -na ced: 193	irritation - adhimantha: 195 - prakopa: 18
ilikinī - the ilikinī: 159	<i>īrṣyā</i> - envy: 17
illness - ruj: 187	it may be - bhavet: 193
illustration - nidarśana: 256, 260	itemization - vidhāna: 256, 259
immortal - amrta: 125	items created by time - kālakṛta: 18
implication - arthāpatti: 256, 259	-kālakṛta: 18
impotent - śandhī: 205	
in those cases - tatra: 188	<i>jāḍya</i> - benumbed: 163
in yama's direction - yāmya: 149	<i>jāḍyatā</i> - rigidity: 171
inactive - akriya: 66	jala - water: 28
incised - pracchāna: 171 - pracchita: 172	jalaukas - water-dwellers: 28
incising - pracchāna: 168	<i>jāṅgala</i> - arid-land animals: 191
incurable - asādhya: 72, 185	jangama - moving: 17
indian madder - mañjiṣṭhā: 196	jangama - moving: 18
indian sarsaparilla - <i>kālānusāriva</i> : 187	<i>japa</i> - mantra repetition: 167
-sāriva: 187 -śārivā: 196	jarāyuja - born in in a caul: 18
indication - pradeśa: 256, 258	$j\bar{a}t\bar{i}$ -royal jasmine: 197
indicatory sounds - anubandha: 252	<i>jātyandha</i> - congenital blindness: 78
indigo - <i>nīlī</i> : 122	jealousy - asūyā: 17
individuality - viśeṣa: 244	joints - sandhi: 19
indragopa - red velvet mites: 18	juice extract - svarasa: 18
<i>indrāyudhā</i> - rainbow: 29	juice of cow-dung - gośakṛt: 187
infertile - vandhyā: 205	juice - rasa: 91
inflamed - samrambha: 48 - vidagdha: 186	juices - rasa: 190
infused - bhāvita: 187	<i>jyotīratha</i> - the chariot of light: 159
ingita - body language: 119	,,,
ingudī - desert date: 191	kāca - glassy opacity: 191
inhaled smoke - dhūma: 119	kākaustha - crow's lip: 46
inherence - samavāya: 244	<i>kākolī</i> - cottony jujube: 196
inherent factors - svabhāva: 19	<i>kalā</i> -layer: 153 - minutes: 18
inherent - svābhāvika: 17	<i>kalā</i> -interstitial layers: 163 -layers of
injured - utpīḍita: 192	skin: 164
inspissation - rasakriyā: 191	<i>kālakalpa</i> - deadly substance: 164
instillation - basti: 73	<i>kālakṛta</i> - items created by time: 18
intended - vyākhyāta: 19	<i>kālakṛta</i> - items created by time: 18
intercourse - gamana: 74	<i>kālānusāriva</i> - indian sarsaparilla: 187
interpretation - nirvacana: 256, 260	kalāyakhañja - lathyrism: 65, 67
interstitial layers - <i>kalā</i> : 163	kalka - paste: 73, 75
intestines - pakvāśaya: 121	<i>kalpa</i> - formal procedure: 118, 143, 154,
invariable statement - ekānta: 256	166, 177
invariable statement - ekānta: 259	kalyāṇaka - the salutary: 179
investigation - parīkṣā: 249	kāma - lust: 17
invincible - <i>ajeya</i> : 125	kanabha -wasps: 145
$111111101010 - \alpha j c j \alpha \cdot 1 = 0$	<i>πωμωσιω - γ</i> νασμο. 145

kanda - bulbs: 18	kriyākāla - the time for therapies: 19
kanṭaka - spots: 123	kriyāsanga - loss of function: 195
kapālacūrņa - powdered earthenware	<i>kṛmi</i> -worms: 18
crockery: 47	krodha - anger: 17
kapāṭasandhika - door-hinge: 46	krostukasīrsa - synovitis of knee join: 65f
kapha - mucus: 124 - phlegm: 163, 205	kṛṣṇa - black part: 193
kapilā - tawny: 29	kṛṣṇā - black: 29
kapittha - wood apple: 186	kṛṣṇa - dark: 78
karburā - mottled: 29	kṛṣṇasarpa - the black snake: 158
kardama - the mud: 159	kṛṣṇodara - the black belly: 158
karma - regimen: 194	kṣaṇadāndhya - night blindness: 187
karman - movement: 244 - therapies: 19	<i>kṣāra</i> - caustic: 73, 75
karnaśūla - ear-ache: 66	<i>kṣāraka</i> - lye: 190
karnavyadha - piercing the ear: 43	kṣaudrāñjana - honey collyrium: 188
karnini - protuberant: 205	kṣīṇa - low volume: 71 - wasted: 48
<i>karṣū</i> - trench sweating: 90	<i>kṣīra</i> - sap: 18
kaṣāya - decoction: 73 - decoctions: 119,	kṣīrikāpuṣpa - the milk flower: 159
194 - the ochre: 159	kukṣita - 'bellied': 145
kaṣāyavāsika - 'orange-dwellers': 144	kūkuṭa - the kūkuṭa: 158
kāśipati - lord of kāśī: 118	kunakha - ugly nails: 76
<i>kāsīsa</i> - green vitriol: 191	kuṇapa - decomposition: 71f - smell of
kāṣṭhā - trice: 18	decomposition: 72
katphala - box myrtle: 188	kunta - small insects: 18
kaumārabhṛtya - child bearing: 200	kupyaka - metal: 186
kaundinya - 'pot insects': 144	kuśa grass - <i>kuśa</i> : 190
kavala - mouthwash: 122	<i>kuśa</i> - kuśa grass: 190
kevala - simply: 170	kuṣṭha - pallid skin disease: 76
<i>kha</i> - apertures of the head: 124 - follicles:	kutī - sauna: 90
123	kvātha - decoction: 75
khaluşa - the khaluşa: 159	lac - <i>lākṣā</i> : 196
khandaphana - the break hood: 158	lākṣā -lac: 196
khañja - limpness: 65	lame - pangu: 65
khara - rough: 195	lathyrism - kalāyakhañja: 65, 67
kikkisāda - the worm eater: 159	lavages - ācamana: 75
<i>kinihī</i> -white siris: 191	layer - kalā: 153 - paṭala: 193
kiñjalka - filaments: 187	layers of skin - kalā: 164
kitchen - mahānasa: 119	leather - carmānta: 166
kiṭipa - lice: 144	leaves - bhanga: 194 - patra: 18
knowledge - veda: 13, 243	lehya - suckable: 261
kohl - <i>srotas</i> : 190 - <i>srotoja</i> : 187, 197	lekhana - scarification: 17
kostha - trunk of the body: 162	lice - kiṭipa: 144
kravyabhuj - carnivore: 189	life, longevity - āyur: 13
kṛcchra - with difficulty: 193	life - āyu-: 28
<i>kriyā</i> - procedures: 16, 19 - treatment: 191	limpness - khañja: 65
<i>kriyā</i> - treatment: 19, 73	linga - symptom: 124
2. 10	

linganāśa - cataract: 193	mahāpadma - the great lotus: 158
liniment - ālepa: 186	mahāpanasaka - the big jackfruit: 159
liniments - ālepana: 29, 125	mahāsarpa - the great snake: 158
liquid collyrium - dravāñjana: 190	mahāśīrṣa - the big head: 158
liquid - cala: 194 - dravya: 172	mahāsugandha - great fragrance: 125
liquorice - madhukair: 196	mahatī - huge: 205
little ring of spots - cuñcumālaka: 156	mākuli - mākuli: 160
liver extract - yakṛdrasa: 187	mākuli - <i>mākuli</i> : 160
liver -yakṛt: 188	malice - mātsarya: 17
lobha - greed: 17	māṃsa - flesh: 19
located on the limb - śākhāśrayā: 168	· · · · · · · · · · · · · · · · · · ·
located - adhiṣṭhāna: 17	māmsanirgama - prolapse: 195
lodh tree - lodhra: 191	māṃsarasa - meat broth: 91
lodhra - lodh tree: 191	manaḥśilā - realgar: 187, 190f, 197 - red
logical methods of the system	arsenic: 187
-tantrayukti: 256	mānasa - mental: 17
lohitākṣa - the red eye: 158f	maṇdūka - frogs: 18
long pepper - māgadha: 191 - māgadhi:	<i>mañjiṣṭhā</i> - indian madder: 196
188 - māgadhī: 188, 190	mantra repetition - japa: 167
loose stool - <i>vidbheda</i> : 146	manual agitation - pāṇimantha: 90
lord of kāśī - kāśipati: 118	manyāstambha - stiffness of the neck: 163
loss of function - kriyāsaṅga: 195	manyāsthambha - rigidity of neck: 65
• 0 00	mardana - rubbing: 90
lotus-mouth - puṇḍarīkamukhī: 30	marks with a knife - śastrapada: 32
lotus-splittable - utpalabhedyaka: 46	<i>māruta</i> - wind: 72
lotus-spots - padminīkanṭaka: 123	<i>māsa</i> - month: 18
low volume - kṣiṇa: 71	maṣī - black soot: 186
lumps - granthi: 123	massage oil -abhyaṅga: 119, 125
lust - kāma: 17	massage ointment - anulepana: 119, 123
lūtā - spiders: 15	masticable - bhakṣya: 261
lye - kṣāraka: 190	<i>mātrā</i> - measures: 92
madanaka - the intoxicator: 159	<i>mātsarya</i> - malice: 17
made accessible - alankṛtvā: 15	mātulunga - citron: 196
madhu -honey: 186 - mead: 167	matured - vipakva: 186
madhukair - liquorice: 196	mead - madhu: 167
madhus - honey: 120	meaning of one or more words - padārtha:
madira - spirits: 191	257
	measures - mātrā: 92
madirā - spirits: 188 madness - unmāda: 179	meat broth - māṃsarasa: 91
	medaka - 'liquors': 145
māgadhi lang pappar 199	medical advice -ācārika: 48
māgadhi - long pepper: 188	medicines cooked in a crucible
māgadhī - long pepper: 188, 190	- puṭapāka: 186
mahāgada - great antidote: 29	
mahākapota - the big pigeon: 158	men - nara: 144
mahākṛṣṇa - the big black: 158	menstrual blood - ārtava: 204 - ārtava: 74f
mahānasa - kitchen: 119	mental - <i>mānasa</i> : 17

mention - samuddeśa: 256, 258	na ced - if, then not: 193
meṣaśṛṅga - perploca of the woods: 197	$n\bar{a}d\bar{i}$ - tube: 90
meṣaviṣāṇa - periploca of the woods: 189	nadīja - salt: 187
metal - kupyaka: 186	nāga - elephant/snake: 145
metamorphopsia - viparītadarśana: 161	nāgara - dried ginger: 187
milk - payas: 126	nalada - spikenard: 191
mimmira - mumbles: 66	<i>nara</i> - men: 144
minutes - kalā: 18	nasal medicines - nasya: 186
misaligned eyes - vikṛtākṣa: 78	nasya - errhine: 189 - errhines: 125 - nasal
misery - dainya: 17	medicines: 186 - snuff: 119, 124
<i>miśrakacikitsa</i> - various treatments: 49	naturally-occurring - daivakṛte: 193
misshapen eyeball - vilocana: 195	nature - ātmaka: 16
mithuna - pair: 260 - triad: 260	needle - sūcī: 194
mithyopacāra - faulty medical treatment:	nemīsandhānaka - rim-join: 47 - rim-join:
204	46
mitigatible - yāpya: 185	newborn - prasava: 78
mlāyin - blue dot cataract: 192	nidarśana - illustration: 256, 260
monitor lizard - godhā: 188	night blindness - kṣaṇadāndhya: 187
monkey - vānara: 144	niḥkvātha - decoction: 75
monoplegia - ekāṅgaroga: 64	$n\bar{\imath}l\bar{\imath}$ -indigo: 122
month - māsa: 18	nimeṣa - blink of the eye: 18
morsel - bali: 119	nipping with the mouth
mottled - karburā: 29	-mukhasaṃdaṃśā: 143
mouse - mūṣikā: 30	nirdeśa - exposition: 256, 258
mouth ulcer -sarvasara: 178	nirnaya - determination: 256
mouthwash - kavala: 122	nirvacana - interpretation: 256, 260
movement - karman: 244	nirvedhima - ready-split: 46
moving - jangama: 17 - jangama: 18	nirvișa - without venom: 155
mrdu - gently: 196	niryāsa - extract: 124 - resin: 18
mucous - slesman: 163	niśācara - nocturnal creature: 192
mucus - kapha: 124	nișevita - prepared: 190 - used: 188
muhūrta - three-quarters of an hour: 18	nivāta - no wind: 18
mūka - dumb: 66	niyoga - compulsion: 256, 260
mukhasamdamśā - nipping with the	no wind - nivāta: 18
mouth: 143	nocturnal creature - <i>niśācara</i> : 192
muktā - pearl: 193	non-bloodshot blindness - araga timira:
	193
muktvā - separate: 193	non-flowering tree - vanaspati: 191
<i>mūla</i> -root: 17 -roots: 18 multi-joins - <i>vyāyojima</i> : 46	nourishment - bṛṃhaṇa: 17
mumbles - mimmira: 66	numb - stabdha: 91
	numbness - svāpa: 125
mūrcchā - stupor: 121	nutgrass - mustā: 196
mūrcchā - fainting: 172	abiantian tāmataha = a=C
mūṣikā -mouse: 30	objection - pūrvapakṣa: 256
mūṣika - rodents: 15	oblations - upahāra: 167
mustā - nutgrass: 196	obligation - ṛṇa: 78

oceanic - sāmudrikā: 29	<i>pakvāśaya</i> - intestines: 121
off his hand -sapāṇa: 189	$pal\bar{a}$ sá - flame of the forest: 191
oil massage - abhyaṅga: 123	pālindaka - the morning glory: 159
oil rub - abhyanga: 90, 243	pallava - shoots: 194
oil rubs - abhyañjana: 173	pallid skin disease - kuṣṭha: 76
oil stripe - snigdharāji: 160	pāmsu - earth: 166
oil - sneha: 18	panasaka - the jackfruit: 158
oily enema - anuvāsana: 73	pañcāṅgulataila - castor oil: 189
oily stripe - snigdharāji: 160	pangu - lame: 65
ointment - anulepana: 123 - pralepa: 120,	panic grass - dūrvā: 196
124	pāning grass - uurvu. 190 pānimantha - manual agitation: 90
ointments - ālepana: 90	paralysis of arms and back - viśvañci: 651
ojas - energy: 53 - vital energy: 17	paralysis of one side - pakṣāghāta: 66
oleation - sneha: 90	
omens - arista: 53	paralysis of the jaw-bones - ardita: 65f
one essence - ekarasa: 175	paralysis - apakṣāghāta: 64 - pakṣāghāta:
opening - chidra: 193	64
ophidian - sarpita: 155	pārāvata - the pigeon: 159
option - vikalpa: 256, 260	paribhāṣā - general rule: 191
or not distorted - vāvikrtā: 122	paridāha - feeling of heat all over: 163
oṣadhīremedies: 17	paridhūpana - giving off fumes: 161
oṣadhi - herbs: 17 - remedies: 19	paridhūpāyana - giving of fumes: 161
other - anya: 246	<i>parīkṣā</i> - investigation: 249
outer corner of the eye -apānga: 193	pariplutā - flooded: 205
overexcitement - harṣa: 17	parisarpa - the snake around: 158
overheating - dāha: 185	<i>parīṣeka</i> - shower: 123
overheating -uana. 105	<i>pārthiva</i> - earth products: 18
pacification - samśamana: 17 - upaśama:	<i>pārthiva</i> - earthen products: 18
18	partial blindness - timira: 189
pada - word: 243f	particulars - vikalpa: 19
pādadāha - burning sensation in feet: 66	parts - anga: 19
padārtha - meaning of one or more words:	paryuṣita - stale: 74
257 -relevant meaning: 253, 256f	past reference - atikrāntāpekṣaṇa: 256,
- word-meaning: 244	260
padma - the lotus: 158	paste - kalka: 73, 75
padmaka - himalayan cherry: 196	paśu - animals: 18
padminīkanṭaka - lotus-spots: 123	<i>paṭaha</i> - tabors: 174
pain and injury - vedanābhighāta: 14	patāka - flag: 174
pain - \sqrt{pid} : 164	paṭala - layer: 193
pair - mithuna: 260	pāthā - velvet leaf: 191
$p\bar{a}ka$ - sepsis: 125	pathology - doṣa: 73
pākamatsya - 'cook-fish': 144	patra - cassia cinnamon: 196 - leaves: 18
pakṣa - fortnight: 18	patravṛścika - 'wing-scorpions': 145
pakṣāghāta - paralysis of one side: 66	patta - strip of cloth: 91
- paralysis: 64	pavanodbhava - caused by wind: 189
pakvāśa - abdomen: 90	payas - milk: 126
Parvada abadinon, 30	Pwywo IIIIII. 120

pearl - muktā: 193 pebble - aṣṭhītā: 121 peble - aṣṭhītā: 121 person - puruṣa: 260 peya - drinkable: 261 phala - fruits: 18 phena - cuttlefish bone: 197 phlegm - balāsa: 91 - kapha: 163, 205 physical - śāriravad: 19 piccitā - 'flat insects': 144 pigs' ey- stikarākṣtā: 195 pillindaka - the pilindaka: 158 pill gudikā: 187 pinched - gādha: 48 pitha - dais: 46 pitha - bile: 189 - choler: 205 pittajvara - bile-fever: 171 pittalā - bilicus (choleric: 205 pittaviṣa - poison in the bile: 167 pilota - cloth: 166 - gauze: 48 plutā - sprung: 205 poison stink - viṣapūti: 172 pota throat - potagala: 160 potagad - valate in the pilindak: 125 pra√ sādh - clean: 125 pra√ sādh - conteral: 125 pra√ sādh - conteraci 196 protuberant - kaprimī: 296 prescription - upadēsa: 296, 258 prepaled - √ih: 164 protect - √rakṣ: 76 protuberant - kaprimī: 295 prṣsta - chital deer: 120 prṣsta - the lours: 196 prava - kaplacurna: 47 prava / kuth - rot: 122	<i>payasyā</i> - holostemma: 196	pracchita - incised: 172
pebble -asthīlā: 121 pelt -carman: 18 pelt -carman: 18 periploca of the woods - meṣaviṣāṇa: 189 perploca of the woods - meṣaviṣāṇa: 197 person -puruṣa: 260 peya - drinkable: 261 phala - fruits: 18 phena - cuttlefish bone: 197 phlegm - balāṣa: 91 - kapha: 163, 205 phlysical - śāriravad: 19 picciṭā - 'flat insects': 144 picciṭā - 'flat insects': 144 pidpress: 193 piercing the ear - karnavyadha: 43 piercing - vyadha: 194 pigs' eye - sūkarākṣitā: 195 pill- gudikā: 187 pinched - gāḍha: 48 pitha - dais: 46 pitha - bile: 189 - choler: 205 pittaiyara - bile-fever: 171 pittalā - bilei 189 - choler: 205 pittaiyara - bile-fever: 171 pittalā - sillious / choleric: 205 pittaivṣa - poison in the bile - pittavṣa: 167 poison-stink - viṣapūli: 172 pota throat - potagala: 160 potency - vīrya: 173 poundesa - indication: 256, 258 prakopa - irritation: 18 prakpā i- cronstitution: 170 - temperament: 17 prakpa - ointment: 120, 124 prasanga - recontextualization: 256 - recontextualization: 259 prasava - newborn: 78 prasava - newborn: 78 prasava - aleviaton: 18 - remedy: 185 prastāra - blanket sweating: 90 prasūna - blosson: 174 pratikāra - alleviation: 18 - remedy: 185 pratipūrana - irrigated: 124 pratisārana - rub: 122 - rubbing: 122 pratiṣādha - counteraction: 185 pratitūni - @: 67 pratyaādha - steeped: 189 prakpa i- irritation: 18 prakpt i - constitution: 170 - temperament: 17 pralepa - ointment: 120, 124 prasanga - recontextualization: 256 - recontextualization: 256 - recontextualization: 256 - recontextualization: 256 prasava - newborn: 78 prasava - newborn: 174 pratikāra - alleviation: 18- remedy: 185 prasava - newborn: 174 prasava - newborn: 79 prasava - newborn: 78 prasava - newborn: 74 pratikāra - alleviation: 18- remedy: 185 prasava - newborn: 78 prasava - newbor		= · · · · · · · · · · · · · · · · · · ·
pelt - carman: 18 periploca of the woods - meṣaviṣāṇa: 189 periploca of the woods - meṣasriga: 197 person - puruṣa: 260 peya - drinkable: 261 phala - fruits: 18 phena - cuttlefish bone: 197 phlegm - balāsa: 91 - kapha: 163, 205 phlysical - śāriravad: 19 piccitā - flat insects': 144 pid press: 193 piercing - vyadha: 194 pigs' eye - sūkarākṣitā: 195 pill - gudikā: 187 pinched - gādha: 48 pitha - dais: 46 pitha - dais: 46 pitha - bile: 189 - choler: 205 pittaviga - poison in the bile: 167 pittalā - bilious / choleric: 205 pittaviga - poison in the bile: 167 poisoned - digdha: 172 poisoned - digdha: 172 potent - vhandha: 90 powdered earthenware crockery - kapālacūrṇa: 47 prav / kuth - rot: 122 pravadharia: 189 pray sādh - steeped: 189 prakopa - irritation: 18 prakpa - irritation: 120, 124 prasaṅga - recontextualization: 256 - recontextualization: 259 prasava - newborn: 78 prasava - newborn: 74 prasavadhanada - dilator: 45 prasavadhana - dilator: 45 prasav	-	
periploca of the woods - meṣaviṣāṇa: 189 perploca of the woods - meṣaviṣāṇa: 197 person - puruṣa: 260 peya - drinkable: 261 phala - fruits: 18 phena - cuttlefish bone: 197 phlegm - balāṣa: 91 - kapha: 163, 205 physical - śāriravad: 19 piacitā - 'flat insects': 144 piā- press: 193 piercing the ear - kaṛṇavyadha: 43 piercing - vyadha: 194 pigs' eye - sūkarākṣitā: 195 pill - gudikā: 187 pinched - ṣādha: 48 pingalā - ruddy: 30 pipilka - ants: 18 pitha - dais: 46 pitta - bile: 189 - choler: 205 pittaviṣa - poison in the bile: 167 pithan - spleen: 188 plota - cloth: 166 - gauze: 48 plota' - sprung: 205 poison in the bile - pittaviṣa: 167 poison-stink - viṣapūtī: 172 poisoned - digdha: 172 potency - viṛya: 173 poultice - upanāha: 90 prava dais - the poultice - upanāha: 26 prav sadh - clean: 125 prav sadh - clean: 126 prav sadh - clean:		-
perploca of the woods -mesaśriga: 197 person -purusa: 260 peya -drinkable: 261 phala -fruits: 18 phena - cuttlefish bone: 197 phlegm -balāsa: 91 - kapha: 163, 205 phlysical -śāriravad: 19 picciţā - 'flat insects': 144 pid- press: 193 piercing the ear - karnavyadha: 43 piercing the ear - karnavyadha: 158 pill - gudikā: 187 pill - gudikā: 187 pill - gudikā: 187 pilihada - the pilindaka: 158 pittla - dais: 46 pittla - dais: 46 pittla- dais: 46 pittla- dais: 46 pittla- vial: 189 - choler: 205 pittlavisa - poison in the bile: 167 pittlad - sprung: 205 poison in the bile - pittaviṣa: 167 poison-stink - visaptūti: 172 poison-d - digdha: 172 pota throat - potagala: 160 potagala - pota throat: 160 potency - virya: 173 poultice - upanāha: 90 pras vad - newborn: 78 prasava - newborn: 78 prasa	•	
person - puruşa: 260 peya - drinkable: 261 phala - fruits: 18 phena - cuttlefish bone: 197 phlegm - balāsa: 91 - kapha: 163, 205 phlysical - śāriravad: 19 piccitā - 'flat insects': 144 pid- press: 193 piercing the ear - karnavyadha: 43 piigl- gudikā: 187 pill- gudikā: 187 pinched - gādha: 48 pingalā - ruddy: 30 pittla - bile: 189 - choler: 205 pittlaivara - bile-fever: 171 pittlais - poison in the bile: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 potency - virya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrna: 47 pral- sāra - various 129 prasava - newborn: 78 prastava - planket sweating: 90 prasava - prasina - blanket sweating: 90 prasuada - palanket sweating: 90 prasuada - palanket sweating: 90 prasina - blosoom: 144 pratisāra, alleviation: 18-prasiva - prasava-prasiva - prasipara - rub: 122 nubing: 185 prasta		
peya - drīnkable: 261 phala - fruits: 18 prasanga - recontextualization: 256 phena - cuttlefish bone: 197 phena - cuttlefish bone: 197 phena - balāsa: 91 - kapha: 163, 205 phesma - balāsa: 91 - kapha: 163, 205 physical - śārīravad: 19 prasana - blanket sweating: 90 physical - śārīravad: 19 prasina - blossom: 174 pratīkāra - alleviation: 18 - remedy: 185 pratīpārana - irrigated: 124 pratīsārana - irrigated: 124 pratīsārana - rub: 122 - rubbing: 122 pratīsārana - rub: 122 - remedy: 185 pratīsārana - rub: 122 - rubbing: 122 pratīsārana - rub: 122 - remedy: 185 pratīsārana		
phala - fruits: 18 phena - cuttlefish bone: 197 phlegm - balāsa: 91 - kapha: 163, 205 phlysical - śārirwaad: 19 picciţā - 'flat insects': 144 pid- press: 193 piercing the ear - karnavyadha: 43 pigs' eye - sūkarākṣitā: 195 pill- gudikā: 187 pinched - gādha: 48 pingalā - ruddy: 30 piptlika - ants: 18 pitha - dais: 46 pitta - bile: 189 - choler: 205 pittajīvara - bile-fever: 171 pittalā - billous / choleric: 205 pittaviṣa - poison in the bile: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 pote dada - pota throat: 160 potency - vīrya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrna: 47 prakāra - alleviation: 256 prasana - recontextualization: 256 prasanga - recontextualization: 259 prasanga - recontextualization: 259 prasana - recontextualization: 259 prasana - newborn: 78 prasana - recontextualization: 259 prasana - newborn: 78 prasana - rebenbarn: 78 prasana - blessom: 174 pratīkāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - remedy: 185 pratīkāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - remedy: 185 pratīkāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - pratītāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - pratītāra - alleviation: 18 - remedy: 185 pratītāra - alleviation: 18 - pratītāra - alleviation: 18 - pratītāra - alleviation: 185 pratītāra - alleviation: 18 - pratītāra - alleviation: 185 pratītāra - alleviation: 18 - pratītāra - alleviation: 185 pratītāra - alle		
phlegm - cuttlefish bone: 197 phlegm - balāsa: 91 - kapha: 163, 205 phlegmatic - sleşmalā: 205 phlegmatic - sleşmalā: 205 physical - sārīravad: 19 piccitā - 'flat insects': 144 pīd- press: 193 piercing the ear - kaṛṇavyadha: 43 piercing - vyadha: 194 pigs' eye - sūkarākṣitā: 195 pillindaka - the pilindaka: 158 pillindaka - the pilindaka: 158 pillindaka - the pilindaka: 158 piplilindaka - the pilindaka: 158 piplilindaka - the pilindaka: 187 pinched - gāḍha: 48 pingalā - ruddy: 30 piplilia - auis: 18 pitha - dais: 46 pitta - bile: 189 - choler: 205 pittaviṣa - poison in the bile: 167 pilitalā - bilious / choleric: 205 pilitan - spleen: 188 plota - cloth: 166 - gauze: 48 plutā - sprung: 205 poison in the bile - pittaviṣa: 167 poison-stink - viṣapūtī: 172 poison-stink - viṣapūtī: 172 poisoned - digdha: 172 poisoned - digdha: 172 poisoned - digdha: 170 potency - vīrya: 173 poultice - uḥanāha: 90 powdered earthenware crockery - kapālacūrṇa: 47 pra/ vādh - clean: 125 pra/ vāth - rot: 122 - recontextualization: 259 prasava - newborn: 78 prasava - lelanctone loances in blancsom: 185 prasava - lelanctone: 185 prasava - alleviation: 18-remedy: 185 pratikāva - alleviation: 18-prasika: 124 pratikāva - alleviation: 18-remedy: 185 pratikāva - alleviation: 18-remedy: 185 pratikāva - alleviation: 18-remedy: 185 pratikāva - alleviation: 18-prasika: 124 pratikāva - alleviation: 18-prasika: 125 pratikāva - alleviation: 18-prasika: 185 pratikāva - alleviation: 18-pratikālae ileviation: 18-prasika: 125 pratikāvā - aleviatāva - clear: 125 pratikāvā - alleviatāva - clear: 126 pratikāvā - ants: 125 pratiķana - alleviation: 18-		= = =
phlegm - balāsa: 91 - kapha: 163, 205 phlegmatic - śleṣmalā: 205 physical - śārīnaud: 19 prasūna - blanket sweating: 90 prasūna - blossom: 174 pratīkāra - alleviation: 18 - remedy: 185 pratīpārana - irrigated: 124 pratīkāra - alleviation: 18 - remedy: 185 pratīpārana - irrigated: 124 pratīkārana - rub: 122 - rubbing: 122 pratīṣadha - counteraction: 185 pratījādha - counteraction:	=	
phlegmatic - \$lesmalā: 205 physical - \$\frac{sariravad}{19} phricitā - 'flat insects': 144 pratikāra - alleviation: 18 - remedy: 185 pād- press: 193 pratipūraṇa - irrigated: 124 pratikāra - alleviation: 18 - remedy: 185 pratipūraṇa - irrigated: 124 pratisārana - rub: 122 - rubbing: 122 piercing the ear - karnavyadha: 43 pratisārana - rub: 122 - rubbing: 122 piercing - vyadha: 194 pratisādrana - counteraction: 185 prativādhāra - accounteraction: 185 prativādhārā - accounteraction: 185 prativādhārā - @: 67 prilindaka - the pilindaka: 158 pratyadhmāna - @: 67 pratyaḍhmāna	- · · · · · · · · · · · · · · · · · · ·	
physical - śārīravad: 19 picciţā - 'flat insects': 144 pid- press: 193 piercing the ear - karnavyadha: 43 piercing vyadha: 194 pigs' eye - sūkarākṣitā: 195 pillindaka - the pilindaka: 158 pill - gudikā: 187 pinched - gādha: 48 pitilindaka - the pilindaka: 18 prediction - atideśa: 256, 258 pitilindaka - the pilindaka: 18 prediction - atideśa: 256, 258 prepared with turpeth - traivrta: 186 prepared - niṣevita: 190 prescription - upadeśa: 256, 258 pittaviṣa - poison in the bile: 167 pitlatā - sprung: 205 pitla - sprung: 205 poison - stink - viṣaptīti: 172 poison in the bile - pittaviṣa: 167 poison in the bile - pittaviṣa: 167 poison - stink - viṣaptīti: 172 poisoned - digdha: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrṇa: 47 prad/ sādh - clean: 125 prad/ sādh - clean: 125 pulse interval - vegāntara: 164 pundarīka - the lotus: 159		-
piccitā - 'flat insects': 144 pīḍ- press: 193 piercing the ear - karnavyadha: 43 piercing - vyadha: 194 pratiṣārana - irrigated: 124 pratiṣārana - rub: 122 - rubbing: 122 piercing - vyadha: 195 pratiṣārana - rub: 122 - rubbing: 122 pratiṣārana - rub: 122 - rubbing: 124 pratiṣārana - rub: 122 - rubbing: 122 pratiṣārana - rub: 122 - rubining: 122 pratiṣārana - rub: 122 - rubinain: 125 pratiṣārana	· ·	- ·
pid-press: 193 piercing the ear - karnavyadha: 43 piercing the ear - karnavyadha: 43 piercing - vyadha: 194 pigs' eye - sūkarākṣitā: 195 pillindaka - the pilindaka: 158 pill - gudikā: 187 pill - gudikā: 187 pinched - gāḍha: 48 pingalā - ruddy: 30 piertia - one - saādhana: 246, 258 pitha - dais: 46 pitta - bile: 189 - choler: 205 pittaviṣa - poison in the bile: 167 pilota - cloth: 166 - gauze: 48 pilutā - sprung: 205 poison sin the bile - pittaviṣa: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 poisoned - digdha: 172 poida - rudatia - one - digdha: 160 potency - vīrya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrna: 125 pirtaviṣa - the lotus: 159 pratitūnī - @: 67 pratiṣadha - counteraction: 185 pratiṭūtān - counteraction: 185 pratiṣātan - rub: 122 rubbing: 122 pratiṣātan - rub: 122 rubbing: 122 pratiṣātan - rub: 122 rubbing: 122 pratiṣātan - rub: 122 pratiṣātan - rub: 122 rubbing: 122 pratiṣātan - rub: 122 pratiṣātan - counteraction: 185 pratiṣātan - counteraction: 185 pratiṣātān - cou	- ·	= · · ·
piercing the ear - karnavyadha: 43 piercing - vyadha: 194 pigs' eye - sūkarākṣitā: 195 pill - gudikā: 187 pill - gudikā: 187 pinched - gāḍha: 48 piḥla - atis: 18 piṭlha - dais: 46 piṭta - bile: 189 - choler: 205 piṭtalā - bilious / choleric: 205 pittaviṣa - poison in the bile: 167 pittalā - sprung: 205 pioson in the bile - piṭtaviṣa: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 poisoned - digdha: 172 poida - virya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrna: 47 prayadha - counteraction: 185 pratiṣāraṇa - rub: 122 - rubbing: 122 pratiṣādha - counteraction: 185 pratiṣādha - ce: 67 pratyaḍhaā - e: 67 pratyaḍhaa - e: 67 prayaḍhaa - cictal purposes: 18 prayaḍhaa - cictal purposes: 18 prescription - atideśa: 256, 258 prepared with turpeth - traivṛta: 186 prepared - niṣevita: 190 prepared with turpeth - traivṛta: 186 prayaḍhaa: 246, 258 prepared with turpeth - traivṛta: 186 prayaḍana: 195 prepared with turpeth - traivṛta: 186 prayaḍana: 195 prepared with turpeth - traivṛta: 186 prayaḍana: 195 procedures - ṣāḍa: 193 pr		
piercing - vyadha: 194 pigs' eye - sūkarākṣitā: 195 pilindaka - the pilindaka: 158 pill - gudikā: 187 pinched - gādha: 48 pingalā - ruddy: 30 pitlika - ants: 18 pitlika - ants: 18 pitlika - dais: 46 pitlita - bile: 189 - choler: 205 pitlita - bile: 189 - choler: 205 pitlita - bilious / choleric: 205 pitlita - bilious / choleric: 205 pitlita - spleen: 188 plota - cloth: 166 - gauze: 48 plota - cloth: 166 - gauze: 48 plota - cloth: 166 - gauze: 48 plota - cloth: 172 poisoned - digdha: 172 poisoned - digdha: 172 pota throat - potagala: 160 potagala - pota throat: 160 powdered earthenware crockery - kapālacūrna: 47 pravidalmāna - @: 67 pratitūnī - @: 67 pratyādhmāna - @: 67 pr		
pigs' eye - sūkarākṣitā: 195 pilindaka - the pilindaka: 158 pill - gudikā: 187 pinched - gāḍha: 48 pingalā - ruddy: 30 piplika - ants: 18 piplika - ants: 18 pitta - bile: 189 - choler: 205 pittalā - bilicus / choleric: 205 pittaviṣa - poison in the bile: 167 plika - sprung: 205 pilinda - cloth: 166 - gauze: 48 plutā - sprung: 205 poisoned - digdha: 172 pota throat - poṭagala: 160 poṭagala - poṭa throat: 160 potency - vīrya: 173 powdered earthenware crockery - kapālacūrṇa: 47 pinched - gāḍha: 48 pratyādhmāna - @: 67 pratyādha - peic 67 pratyādha - peic 67 pratyādhanaka - dilator: 45 prayaādhanaka - dilator: 45 pratyādhanaka - dilator: 45 pratyādhanaka - dilator: 45 prayaādhanaka - dilator: 45 prayaādhanaka - dilator: 45 pratyādhanaka - dilator: 45 prayaādhanaka - dilator: 45 prayaādhanaka - dilator: 45 pratyādhanaka - dilator: 45 prayaādhanaka -		=
pilindaka - the pilindaka: 158 pill - gudikā: 187 pinched - gādha: 48 pingalā - ruddy: 30 piplika - ants: 18 piplika - ants: 18 piplika - bile: 189 - choler: 205 pitta - bile - pittaviṣa - poison in the bile: 167 pilika - spleen: 188 pilota - cloth: 166 - gauze: 48 pilota - cloth: 166 - gauze: 48 pilota - sprung: 205 poison in the bile - pittaviṣa: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 potenty - virya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrṇa: 47 pra/kuth - rot: 122 pinched - @ cor		-
pill - gudikā: 187 pratyaṣṭhīla - @: 67 pinched - gāḍha: 48 pingalā - ruddy: 30 prayojanavat - practical purposes: 18 pipīlika - ants: 18 prediction - atideśa: 256, 258 pīṭha - dais: 46 prepared with turpeth - traivrṭa: 186 pittajvara - bile: 189 - choler: 205 pitta - bile: 189 - choleric: 205 pitta - bile: 189 - choleric: 205 pitta - bileinous / choleric: 205 pittaviṣa - poison in the bile: 167 pittalā - bilious / choleric: 205 pittaviṣa - poison in the bile: 167 plāhan - spleen: 188 priest - upādhyāya: 77 plota - cloth: 166 - gauze: 48 priyaṅgu - beauty berry: 191 plutā - sprung: 205 poison in the bile - pittaviṣa: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 poisoned - digdha: 172 poitant - potagala: 160 poṭagala - poṭa throat: 160 poṭagala - poṭa throat: 160 potency - vīṛya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrṇa: 47 pra√ xādh - clean: 125 prala - chital deer: 120 pulse interval - vegāntara: 164 pra√kuth - rot: 122		=
pinched - gādha: 48 pingalā - ruddy: 30 pipīlika - ants: 18 pitha - dais: 46 pitta - bile: 189 - choler: 205 pitta - bile: 189 - choler: 205 pitta - bileinus / choleric: 205 pitta - bilicus / choleric: 205 pittaviṣa - poison in the bile: 167 plīhan - spleen: 188 priest - upādhyāya: 77 plota - cloth: 166 - gauze: 48 priyangu - beauty berry: 191 plutā - sprung: 205 poison in the bile - pittaviṣa: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 pota throat - poṭagala: 160 poṭagala - poṭa throat: 160 potency - vīrya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrna: 47 pra√ sādh - clean: 125 pulse interval - vegāntara: 164 pra√kuth - rot: 122 prada - the lotus: 159	- ~	- ·
pingalā - ruddy: 30 prayojanavat - practical purposes: 18 pipīlika - ants: 18 prediction - atideśa: 256, 258 pīlha - dais: 46 pitta - bile: 189 - choler: 205 pittalā - bile: 189 - choler: 205 pittalā - bilous / choleric: 205 pittaviṣa - poison in the bile: 167 plīhan - spleen: 188 plota - cloth: 166 - gauze: 48 plota - cloth: 166 - gauze: 48 plota - sprung: 205 poison in the bile - pittaviṣa: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 pota throat - poṭagala: 160 pota throat - poṭagala: 160 potency - vīrya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrṇa: 47 pray sādh - clean: 125 pray kuth - rot: 122 prayojanavat - practical purposes: 18 prediction - atideśa: 256, 258 premise - sādhana: 246, 258 premise - sādhana: 256, 258 prepared with turpeth - traivṛta: 186 prescription - upadeśa: 256, 258 prescription - upadeśa:		
pipīlika - ants: 18 prediction - atideśa: 256, 258 pīṭha - dais: 46 piṭta - bile: 189 - choler: 205 piṭta - bile: 189 - choler: 205 piṭtalā - bile: 189 - choleric: 205 piṭtalā - bilious / choleric: 107 press - pīḍ: 193 press - pīḍ: 193 priyaṅgu - beauty berry: 191 prolap - salākā: 193f procedures - kriyā: 16, 19 prolapse - māṃsanirgama: 195 prolapse - māṃsanirgama: 195 prolapse - arśas: 204 propelled - √ūh: 164 poṭagala - poṭa throat: 160 protect - √rakṣ: 76 potency - vīrya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrṇa: 47 prihakparṇī - hare foot uraria: 196 pra√sādh - clean: 125 puḥaarīka - the lotus: 159		-
$pitha$ - dais: 46premise - $s\bar{a}dhana$: 246, 258 $pitta$ - bile: 189 - choler: 205prepared with turpeth - $traivrta$: 186 $pittajvara$ - bile-fever: 171prepared - $nisevita$: 190 $pittal\bar{a}$ - bilious / choleric: 205prescription - $upadeśa$: 256, 258 $pittaviṣa$ - poison in the bile: 167press - pid : 193 $pliħan$ - spleen: 188priest - $up\bar{a}dhy\bar{a}ya$: 77 $plota$ - cloth: 166 - gauze: 48priyangu - beauty berry: 191 $plut\bar{a}$ - sprung: 205probe - $sal\bar{a}k\bar{a}$: 193fpoison in the bile - $pittaviṣa$: 167procedures - $kriy\bar{a}$: 16, 19poison-stink - $viṣap\bar{u}ti$: 172prolapse - $m\bar{a}msanirgama$: 195poisoned - $digdha$: 172prolapse - $aršas$: 204pota throat - $potagala$: 160propelled - $\sqrt{u}h$: 164 $potagala$ - pota throat: 160protect - \sqrt{rak} : 76potency - $v\bar{v}rya$: 173protuberant - $karnin\bar{i}$: 205poultice - $upan\bar{a}ha$: 90 $prṣata$ - chital deer: 120powdered earthenware crockery $prṣata$ - the speckled: 158- $kap\bar{a}lac\bar{u}rna$: 47 $prthakparn\bar{i}$ - hare foot uraria: 196 $pra\sqrt{s}adh$ - clean: 125pundarīka - the lotus: 159		
pitta - bile: 189 - choler: 205 pittajvara - bile-fever: 171 pittalā - bilious / choleric: 205 pittalā - bilious / choleric: 205 pittaviṣa - poison in the bile: 167 plota - cloth: 166 - gauze: 48 plota - cloth: 166 - gauze: 48 poison in the bile - pittaviṣa: 167 poison-stink - viṣapūti: 172 poisoned - digdha: 172 pota throat - poṭagala: 160 potency - vīrya: 173 poultice - upanāha: 90 powdered earthenware crockery - kapālacūrṇa: 47 pra√kuth - rot: 122 prepared - niṣevita: 180 prepared - niṣevita: 190 prepared relieuries 190 prepared relieuries 256 prescription - upādyā: 191 prepared relieuries 256 prescription - upādyā: 191 prepared relieuries 256 prescription - upādyā: 191 prola - salāk		
pittajvara - bile-fever: 171 prepared - niṣevita: 190 pittalā - bilious / choleric: 205 prescription - upadeśa: 256, 258 pittaviṣa - poison in the bile: 167 press - pīd: 193 priest - upādhyāya: 77 plota - cloth: 166 - gauze: 48 priyangu - beauty berry: 191 plutā - sprung: 205 probe - śalākā: 193f poison in the bile - pittaviṣa: 167 procedures - kriyā: 16, 19 poison-stink - viṣapūti: 172 prolapse - māṃsanirgama: 195 poisoned - digdha: 172 prolapse - arśas: 204 poṭa throat - poṭagala: 160 protect - \sqrt{rak} ; 76 potency - $v\bar{v}$ rya: 173 protuberant - karṃinī: 205 poultice - upanāha: 90 prṣata - chital deer: 120 powdered earthenware crockery prṣata - the speckled: 158 pra \sqrt{sadh} - clean: 125 pulse interval - vegāntara: 164 pra \sqrt{kuth} - rot: 122 prigata - the lotus: 159	= ·	
pittalā - bilious / choleric: 205 prescription - upadeśa: 256, 258 pittaviṣa - poison in the bile: 167 press - pīd-: 193 priest - upādhyāya: 77 plota - cloth: 166 - gauze: 48 priyaṅgu - beauty berry: 191 plutā - sprung: 205 probe - śalākā: 193f procedures - kriyā: 16, 19 proison in the bile - pittaviṣa: 167 prolapse - māṃsanirgama: 195 proisoned - digdha: 172 prolapse - arśas: 204 propelled - $\sqrt{u}h$: 164 potagala - poṭa throat: 160 protect - \sqrt{rak} ; 76 potency - $v\bar{v}rya$: 173 proluberant - $karṇin\bar{i}$: 205 powdered earthenware crockery pṛṣata - chital deer: 120 powdered earthenware crockery pṛṣata - the speckled: 158 pra $\sqrt{s}adh$ - clean: 125 pulse interval - $veg\bar{a}ntara$: 164 pra $\sqrt{k}uth$ - rot: 122 puṇḍarīka - the lotus: 159		
pittaviṣa - poison in the bile: 167press - piḍ: 193plīhan - spleen: 188priest - upādhyāya: 77plota - cloth: 166 - gauze: 48priyaṅgu - beauty berry: 191plutā - sprung: 205probe - śalākā: 193fpoison in the bile - pittaviṣa: 167procedures - kriyā: 16, 19poison-stink - viṣapūti: 172prolapse - māṃsanirgama: 195poisoned - digdha: 172prolapses - arśas: 204poṭa throat - poṭagala: 160propelled - $\sqrt{u}h$: 164poṭagala - poṭa throat: 160protect - \sqrt{rak} ; 76potency - vīrya: 173protuberant - karṇinī: 205poultice - upanāha: 90pṛṣata - chital deer: 120powdered earthenware crockerypṛṣata - the speckled: 158- kapālacūrṇa: 47pṛthakparṇī - hare foot uraria: 196pra $\sqrt{sādh}$ - clean: 125pulse interval - vegāntara: 164pra \sqrt{kuth} - rot: 122puṇḍarīka - the lotus: 159		·
plīhan - spleen: 188 priest - upādhyāya: 77 plota - cloth: 166 - gauze: 48 priyangu - beauty berry: 191 plutā - sprung: 205 probe - śalākā: 193f poison in the bile - pittaviṣa: 167 procedures - kriyā: 16, 19 poison-stink - viṣapūti: 172 prolapse - māmsanirgama: 195 poisoned - digdha: 172 prolapses - arśas: 204 poṭa throat - poṭagala: 160 propelled - $\sqrt{u}h$: 164 poṭagala - poṭa throat: 160 protect - \sqrt{rak} ; 76 potency - $v\bar{v}rya$: 173 protuberant - $karnin\bar{v}$: 205 poultice - $upan\bar{a}ha$: 90 prṣata - chital deer: 120 powdered earthenware crockery pṛṣata - the speckled: 158 pra $\sqrt{s\bar{a}dh}$ - clean: 125 pulse interval - $veg\bar{a}ntara$: 164 pra \sqrt{kuth} - rot: 122 puṇḍarīka - the lotus: 159		press - <i>pīd</i> -: 193
plota - cloth: 166 - gauze: 48 priyangu - beauty berry: 191 plutā - sprung: 205 probe - $salāk\bar{a}$: $193f$ poison in the bile - $pittaviṣa$: 167 procedures - $kriy\bar{a}$: 16 , 19 poison-stink - $viṣapūti$: 172 prolapse - $m\bar{a}msanirgama$: 195 poisoned - $digdha$: 172 prolapses - $arśas$: 204 poṭa throat - $poṭagala$: 160 propelled - $\sqrt{u}h$: 164 $poṭagala$ - poṭa throat: 160 protect - \sqrt{rak} ;: 76 potency - $virya$: 173 protuberant - $karnin\bar{i}$: 205 poultice - $upan\bar{a}ha$: 90 $prṣata$ - chital deer: 120 powdered earthenware crockery $prṣata$ - the speckled: 158 $-kap\bar{a}lac\bar{u}rna$: 47 $prthakparn\bar{i}$ - hare foot uraria: 196 $pra\sqrt{s\bar{a}dh}$ - clean: 125 pulse interval - $veg\bar{a}ntara$: 164 $pra\sqrt{kuth}$ - rot: 122 $pundar\bar{i}ka$ - the lotus: 159		
poison in the bile - $pittaviṣa$: 167 procedures - $kriy\bar{a}$: 16, 19 poison-stink - $viṣaputi$: 172 prolapse - $m\bar{a}msanirgama$: 195 poisoned - $digdha$: 172 prolapses - $arśas$: 204 propelled - $\sqrt{u}h$: 164 protagala - poṭa throat: 160 protect - \sqrt{rak} : 76 potency - $v\bar{v}rya$: 173 protuberant - $karnin\bar{i}$: 205 poultice - $upan\bar{a}ha$: 90 prɨṣata - chital deer: 120 powdered earthenware crockery pṛṣata - the speckled: 158 prthakparnā - hare foot uraria: 196 pra $\sqrt{s\bar{a}dh}$ - clean: 125 pulse interval - $veg\bar{a}ntara$: 164 pra \sqrt{kuth} - rot: 122 pundarīka - the lotus: 159	plota - cloth: 166 - gauze: 48	
poison in the bile - $pittaviṣa$: 167 procedures - $kriy\bar{a}$: 16, 19 poison-stink - $viṣaputi$: 172 prolapse - $m\bar{a}msanirgama$: 195 poisoned - $digdha$: 172 prolapses - $arśas$: 204 propelled - $\sqrt{u}h$: 164 protegala - poṭa throat: 160 protect - \sqrt{rak} ; 76 potency - $v\bar{v}rya$: 173 protuberant - $karnin\bar{i}$: 205 poultice - $upan\bar{a}ha$: 90 prṣata - chital deer: 120 powdered earthenware crockery pṛṣata - the speckled: 158 prthakparnā - hare foot uraria: 196 pra $\sqrt{s\bar{a}dh}$ - clean: 125 pulse interval - $veg\bar{a}ntara$: 164 pra \sqrt{kuth} - rot: 122 pundarīka - the lotus: 159	plutā - sprung: 205	probe - śalākā: 193f
poisoned - $digdha$: 172 prolapses - $arśas$: 204 propelled - $\sqrt{u}h$: 164 propelled - $\sqrt{v}h$: 164 protect - \sqrt{rak} : 76 protect - \sqrt{rak} : 76 protuberant - $karnini$: 205 poultice - $upanāha$: 90 prisata - chital deer: 120 powdered earthenware crockery prisata - the speckled: 158 - $kapālacurna$: 47 prihakparnī - hare foot uraria: 196 pra $\sqrt{s}adh$ - clean: 125 pulse interval - $vegāntara$: 164 pra \sqrt{kuth} - rot: 122 pundarīka - the lotus: 159	poison in the bile - pittaviṣa: 167	procedures - <i>kriyā</i> : 16, 19
poṭa throat - poṭagala: 160 propelled - $\sqrt{u}h$: 164 poṭagala - poṭa throat: 160 protect - \sqrt{rak} s: 76 potency - $v\bar{v}rya$: 173 protuberant - $karnin\bar{v}$: 205 poultice - $upan\bar{a}ha$: 90 prṣata - chital deer: 120 powdered earthenware crockery pṛṣata - the speckled: 158 prthakparnā - hare foot uraria: 196 pra $\sqrt{s\bar{a}dh}$ - clean: 125 pulse interval - $veg\bar{a}ntara$: 164 pra \sqrt{kuth} - rot: 122 puṇḍarīka - the lotus: 159	poison-stink - viṣapūti: 172	prolapse - māmsanirgama: 195
potagala - poṭa throat: 160protect - \sqrt{rak} ; 76potency - $v\bar{i}rya$: 173protuberant - $karnin\bar{i}$: 205poultice - $upan\bar{a}ha$: 90 pr ; ata - chital deer: 120powdered earthenware crockery pr ; ata - the speckled: 158- $kap\bar{a}lac\bar{u}rna$: 47 pr ; $thakparn\bar{i}$ - hare foot uraria: 196 $pra\sqrt{s\bar{a}dh}$ - clean: 125pulse interval - $veg\bar{a}ntara$: 164 $pra\sqrt{kuth}$ - rot: 122 $pundar\bar{i}ka$ - the lotus: 159	poisoned - digdha: 172	prolapses - arśas: 204
potency - vīrya: 173 protuberant - karṇinī: 205 poultice - upanāha: 90 pṛṣata - chital deer: 120 powdered earthenware crockery pṛṣata - the speckled: 158 - kapālacūrṇa: 47 pṛthakparṇī - hare foot uraria: 196 pra \sqrt sādh - clean: 125 pulse interval - vegāntara: 164 pra \sqrt kuth - rot: 122 puṇḍarīka - the lotus: 159	pota throat - potagala: 160	propelled - $\sqrt{u}h$: 164
potency - vīrya: 173 protuberant - karṇinī: 205 poultice - upanāha: 90 pṛṣata - chital deer: 120 powdered earthenware crockery pṛṣata - the speckled: 158 - kapālacūrṇa: 47 pṛthakparṇī - hare foot uraria: 196 pra \sqrt sādh - clean: 125 pulse interval - vegāntara: 164 pra \sqrt kuth - rot: 122 puṇḍarīka - the lotus: 159	potagala - pota throat: 160	protect - \sqrt{rak} ;: 76
poultice - $upan\bar{a}ha$: 90		protuberant - karninī: 205
-kapālacūrņa: 47 pṛthakparṇī - hare foot uraria: 196 $pra\sqrt{sādh}$ - clean: 125 pulse interval - $vegāntara$: 164 $pra\sqrt{kuth}$ - rot: 122 $puṇḍarīka$ - the lotus: 159	poultice - upanāha: 90	pṛṣata - chital deer: 120
$pra\sqrt{s\bar{a}dh}$ - clean: 125 pulse interval - $veg\bar{a}ntara$: 164 $pra\sqrt{kuth}$ - rot: 122 pundarīka - the lotus: 159	powdered earthenware crockery	pṛṣata - the speckled: 158
$pra\sqrt{kuth}$ -rot: 122 $pundarika$ -the lotus: 159	-kapālacūrņa: 47	pṛthakparṇī - hare foot uraria: 196
= v	$pra\sqrt{s\bar{a}dh}$ - clean: 125	pulse interval - vegāntara: 164
prabha - shine: 193 puṇḍarīkamukha - the lotus mouth: 158	$pra\sqrt{kuth}$ -rot: 122	puṇḍarīka - the lotus: 159
	prabha - shine: 193	puṇḍarīkamukha - the lotus mouth: 158
	pracalāka - 'poisonous snakes': 144	puṇḍarīkamukhī - lotus-mouth: 30
	pracchāna - incised: 171 - incising: 168	pupil - <i>dṛṣṭi</i> : 185, 194
hyacchana incicod 171 incicing 168 punil dyctic 127 104	practiana - inciseu. 171 - incising. 100	pupii - <i>ai</i> șii. 105, 194

purge - \sqrt{sodh} : 169	recontextualization - prasanga: 256
purification - samśodhana: 17	recontextualization - prasanga: 259
purpose of a reason - hetvartha: 256, 258	red arsenic - manahśilā: 187
purpose - artha: 245f	red chalk - gairikah: 196
puruṣa - human being: 16, 19 - person:	red velvet mites - indragopa: 18
260	reduced-ear - hīnakarņa: 46
pūrvapakṣa - first point of view: 259	regimen - ācāra: 17 - karma: 194
-objection: 256	relevant meaning - padārtha: 253, 256f
puṣpa - flowers: 18	religious power - tapas: 167
puṣpābhikīrṇnābha - the flower sprinkle	remedies - oṣadhī: 17 - oṣadhi: 19
beauty: 158	remedy - pratīkāra: 185
puṣpapāṇḍu - the pale as a flower: 159	required knowledge - vijñānīya: 154
puṣpasakalī - the flower all: 159	resin - niryāsa: 18
puṭāhvaya - taken hot: 190	restrictions - yantranā: 194
puṭākhya - enclosed roasting: 189	resuscitator - sañjīvana: 174
puṭapāka - enclosed roasting: 191	retas - semen: 71
-medicines cooked in a crucible: 186	rheum - <i>upadeha</i> : 124
-roasting: 204	rightness - ānulomya: 60
pūtipūya - foul-smelling pus: 72 - stinking	rigid - sthirā: 195
pus: 71	rigidity of neck - manyāsthambha: 65
putraghnī - child-murderess: 205	rigidity - jādyatā: 171
putrid - sīrṇa: 172	rim of a wheel - cakradhārā: 47
un aleat taile d'alean me haui maužim a co	rim-join - nemīsandhānaka: 47
racket-tailed drongo - bhṛṅgarāja: 120	rim-join - nemīsandhānaka: 46
rāgin timira - bloodshot blindness: 190	rjusarpa - the straight snake: 158
rāgiņi timire - bloodshot blindness: 192f	rna - obligation: 78
rainbow - indrāyudhā: 29	roasting - puṭapāka: 204
rainy seasons - varṣā: 18	rodents - mūṣika: 15
rajana - turmerics: 187	roga - diseases: 204
rajas - dust: 60	rogasamgraha - compendium of diseases:
rājicitra - the stripe speckle: 159	202
rakta - blood: 72	rohīta tree - <i>rohīta</i> : 191
raktakṣayā - with bloodloss: 205	rohīta tree: 191
raktamandala - the red ring: 158	root - mūla: 17
raktapitta - blood-bile: 185	roots - mūla: 18
rasa - chyle: 35 - extracts: 191 - flavour:	rot - $pra\sqrt{kuth}$: 122
257 - flavours: 17, 53 - juice: 91	rough - khara: 195
-juices: 190 - the blood of birds and	royal jasmine - jātī: 197
animals: 187	<i>rtu</i> - season: 18, 76
rasakriyā - inspissation: 191	rub - <i>pratisāraņa</i> : 122
rasāñjana - elixir salve: 187, 190f	rubbing - mardana: 90 - pratisāraņa: 122
- elixir-salve: 187	-unmardana: 90 -pratisaraṇa. 122
rauhita - extract of rohu carp: 187	- unmaraana. 90 ruddy - þiṅgalā : 30
ready-split - nirvedhima: 46	rudhira - blood: 18
realgar - manaḥśilā: 187, 190f, 197	
reason - hetu: 245f	ruj - illness: 187

rūkṣa - sere: 74	<i>śārava</i> - 'lids': 145
	<i>śārikā</i> - 'darts': 145
sacrificial offerings - bali: 167	śārīravad - physical: 19
sadanga - the six part: 159	sarīsrpa - creepy-crawlies: 15, 18
saddharana - six-units: 89	sāriva - indian sarsaparilla: 187
sādhana - premise: 246, 258	<i>śārivā</i> - indian sarsaparilla: 196
sādhya - curable: 72, 185	śarkarā - small urinary calculi: 178
śākhāśrayā - located on the limb: 168	sarpānkuśa - snakes' controlling hook:
śalākā - probe: 193f	178
salilotthita - conch: 192 - water-born: 192	sarpis - ghee: 186
saliva - śleșman: 121	sarpiș - ghee: 125
salt - nadīja: 187	sarpita - ophidian: 155 - serpented: 155
<i>śalya</i> - spike: 248, 258 - splinter: 258	sarṣapaka - 'pepper snakes': 144
samāñjana - same collyrium: 190f	sarvakṛṣṇa - the all black: 158
samantatastāpaḥ - hot all over: 161	sarvāngasantāpaḥ - hot over the whole
sāmānya - universality: 244	body: 161
samavāya - inherence: 244	sarvasara - mouth ulcer: 178
<i>śambūka</i> - cone snails: 144	sarvātmikā - sarvātmikā: 205
same collyrium - samāñjana: 190f	sarvātmikā - sarvātmikā: 205
samīraņa - air: 164	
śaṃkhapāla - the conch keeper: 158	śastrakṣata - cutting with a blade: 186
saṃkṣipta - compressed: 47 - compressed:	śastrapada - marks with a knife: 32
46	śātakumbhī - gold: 195
samplava - clusters: 18	sātmya - suitability: 170
samrambha - inflamed: 48	sauna - kuṭī: 90
samsamana - pacification: 17	sauvīraka - stibnite: 187
<i>saṃśaya</i> - doubt: 256, 260	sāvarikā - sāvarikā: 30
saṃśodhana - purification: 17	sāvarikā - sāvarikā : 30
samuccaya - aggregation: 256, 260	scarification - lekhana: 17
samudāya - accumulation: 45	sciatica - <i>gṛdhrasī</i> : 65f
samuddeśa - mention: 256, 258	scramberry - tālīśapatra: 187
samudraphena - cuttlefish bone: 188	season - <i>rtu</i> : 18, 76
sāmudrikā - oceanic: 29	seasonal blood - ārtava: 72
samvatsara - year: 18	seat of fire in the gut - grahaṇī: 162
sanakha - thorny: 179	-grahaṇī: 162
sañcaya - accumulation: 18	secondary ailments - upadrava: 171
sandal - sugandhi: 189	sections - adhyāya: 20
śaṇḍhī - impotent: 205	seedless - abīja: 72
sandhi - joints: 19	seeing smoke - dhūmadarśin: 185
sañjīvana - resuscitator: 174	segmented - chinna: 29
śankumukhī - dart-mouth: 30	seka - irrigation: 186
sannipāta - congested humours: 19	semen - <i>bīja</i> : 204
-humoral colligation: 72	semen - retas: 71
sap - <i>kṣīra</i> : 18	separate - muktvā: 193
sapāṇa - off his hand: 189	sepsis - pāka: 125
sāra - essence: 18	sere - rūkṣa: 74
	• • •

serpented - sarpita: 155	soma creeper - somalatā: 121
sesame oil - taila: 172 - tailam: 240	somalatā - soma creeper: 121
sharp - tīkṣṇa: 169	śonita-pitta, rakta-pitta - blood-bile: 189
shine - <i>prabha</i> : 193	śonita - blood: 189
shooting pain - śūla: 195	śonita - blood: 71f
shoots - pallava: 194 - udbhid: 18	śonitāgamana - haemorrhaging: 161
shower - pariṣeka: 123	śonitena - with blood: 195
shrubs - vīrudh: 17	soot from the chimney -āgāradhūma: 40,
siddham - cooked: 240	91
siddhārthaka - white mustard: 196	soot - gṛhadhūma: 149, 177
side-effects - upadrava: 125	sour - śukta: 74
signs - cihna: 205	spasm of the jaw-bones - ardita: 65
śigru - horseradish tree: 192	spasmodic contraction - apatānaka: 63
simply - kevala: 170	spasmodic contradiction - āpatantraka: 64
sinews - snāyu: 19	sperm - śukra: 71
<i>sirā</i> - duct: 168 - ducts: 19, 90	sphota - spots: 124f
sirāvedha - blood-letting: 186	spiders - lūtā: 15
siris - śirīṣa: 197	spike - <i>śalya</i> : 248, 258
śirīṣa - siris: 197	spikenard - nalada: 191
sīrņa - putrid: 172	spiral - āvarta: 193
śirobasti - application of oil to the head: 92	spirits - madira: 191 - madirā: 188
śiśuka - the kid: 159	spleen - plīhan: 188
<i>śīta</i> - elixir-salve: 187	splinter - śalya: 258
sitā - white sugar: 196	spots - kantaka: 123 - sphota: 124f
six-units - <i>şaddharana</i> : 89	sprung - plutā: 205
skin - tvac: 153 - tvak: 18f	sraj - garlands: 119
śleşmalā - phlegmatic: 205	sramsanī - causing a fall: 205
śleşman - mucous: 163 - saliva: 121	srāva - discharge: 123, 125
slice of flesh - vadhra: 50	śreyas - welfare: 14
slow poisoning - dūṣīviṣa: 168	<i>srotas</i> - ducts: 161 - kohl: 190 - tubes: 163
slow-acting poison antidote - dūṣīviṣāri:	<i>srotoja</i> - kohl: 187, 197
122	stabdha - numb: 91
small insects - kunta: 18	stale - paryusita: 74
small urinary calculi - śarkarā: 178	stalk - vṛnta: 186
smell of decomposition - kunapa: 72	stammers - gadgad: 66
snakes' controlling hook - sarpānkuśa:	stated - ukta: 247
178	statement of reason -apadeśa: 256, 258
snāyu - sinews: 19	stationary - sthāvara: 17 - sthāvara: 18
sneha - oil: 18 - oleation: 90	steeped - pragāḍha: 189
sniffing - ucchingana: 194	sternutatory - avapīda: 169f
snigdharāji - oil stripe: 160 - oily stripe:	sthāvara - stationary: 17
160	sthāvara - stationary: 18
snuff - nasya: 119, 124	sthirā - rigid: 195
sole-heart - talahṛdaya: 260	stibnite - añjana: 191 - sauvīraka: 187
solid - styāna: 194	stick-ear - yaṣṭīkarṇa: 46

stiffness of the neck - manyāstambha: 163	śvetakapota - the white pigeon: 158
sting-gush - alagardā: 29	śvetamandala - the white ring: 158
stings - śūla: 145	swollen belly - udara: 178
stinking pus - pūtipūya: 71	swollen - ādhmāta: 162
stirred with goat's milk - ajākṣīrārdita:	<i>śyāma</i> - dark brown: 78
196	syanda - watery eye: 192
strength - bala: 17	symptom - linga: 124
strip of cloth - patta: 91	synovitis of knee join - krostukaśīrṣa: 65f
strong mallow - atibalā: 189	
stupor - mūrcchā: 121	tabors - paṭaha: 174
styāna - solid: 194	taila - sesame oil: 172
substance - dravya: 53, 244	tailam - sesame oil: 240
substrate - āśrayin: 17	tailasugandhi - the fragrant one in oil: 189
sūcī - needle: 194	take away -āhārya: 46
$s\bar{u}c\bar{v}aktr\bar{a}$ - with a needle-like opening:	taken hot - puṭāhvaya: 190
205	takṣaka - the snake prince takṣaka: 173
suckable - <i>lehya</i> : 261	talahṛdaya - sole-heart: 260
suffering - duḥkha: 17	tālīśapatra - scramberry: 187
sugandhi - sandal: 189	<i>tāmra</i> - copper: 195
	tāmracūḍa - cock: 190
suitability - <i>sātmya</i> : 170 śūka - bristles: 144	tantrayukti - logical methods of the
the state of the s	system: 256
śukapatra - the white leaf: 159	tantuka - the stretch: 159
sūkarākṣitā - pigs' eye: 195	tapas - religious power: 167
sukha -comfort: 19	<i>tārkṣya</i> - garuḍa: 173
śukra - sperm: 71	tarpaṇa - eyewash: 124, 186, 190f
śukta - sour: 74	-irrigation: 204
śūla - abdominal gripes: 178 - shooting	tatra - in those cases: 188 - the tatra: 159
pain: 195 - stings: 145	tawny - kapilā: 29
sun - <i>hari</i> : 194	tejas - brilliance: 78 - heat: 78
supernatant layer - agra: 191	temperament - prakṛti: 17
suppressing - vegāghāta: 74	the all black - sarvakṛṣṇa: 158
supti - drowsiness: 91	the bamboo leaf - venupatraka: 159
surasa - extracted juice: 75	the big black - mahākṛṣṇa: 158
sūtra - aphorism: 257	the big cow snout - vrddhagonasa: 158
svabhāva - inherent factors: 19	the big head - mahāśīrṣa: 158
svābhāvika - inherent: 17	the big jackfruit - mahāpanasaka: 159
svāpa - numbness: 125	the big pigeon - mahākapota: 158
svara - accents: 167	the black belly - kṛṣṇodara: 158
svarasa - expressed juice: 186 - extracted	the black snake - kṛṣṇasarpa: 158
juice: 124 - juice extract: 18	the blood of birds and animals - rasa: 187
śvāsa - asthma: 178	the break hood - khandaphana: 158
svasamjñā - field-specific term: 256, 260	the brown hut mouth - babhrūkuṭīmukha:
svedaja - born of sweat: 18	158
śvetadara - the white rip: 158	the brown - babhru: 159
svetahanu - the white jaw: 159	the chariot of light - <i>jyotīratha</i> : 159
• • • • • • • • • • • • • • • • • • • •	5 35 00

the conch keeper - śaṃkhapāla: 158	the science of life -āyurveda: 14
the curd mouth - dadhimukha: 158	the six part - sadanga: 159
the deer foot - enīpada: 159	the snake around - parisarpa: 158
the drop stripe - bindurāji: 159	the snake prince takṣaka - takṣaka: 173
the finger stripe - angulirāji: 159	the speckled - <i>prṣata</i> : 158
the flame - agnika: 159	the stimulator - dīpyaka: 159
the flower all - puṣpasakalī: 159	the straight snake - rjusarpa: 158
the flower sprinkle beauty	the stretch - tantuka: 159
-puṣpābhikīrṇnābha: 158	the stripe speckle - <i>rājicitra</i> : 159
the fragrant one in oil - tailasugandhi: 189	the tatra - tatra: 159
the gavedhuka - gavedhuka: 158	the three fruits - <i>triphalā</i> : 191
the gift of god - devadinna: 158	the three spices - vyoṣa: 187
the goat swallower - ajagara: 159	the time for therapies - <i>kriyākāla</i> : 19
the grass drier - tṛṇaśoṣaka: 159	the two finger stripe - dvyangulirāji: 159
the grass flower - apuspa: 158	the two-day - dvyāhika: 159
-darbhapuṣpa: 159	the variegated - vicitra: 158
the great lotus - mahāpadma: 158	the white jaw - svetahanu: 159
the great snake - mahāsarpa: 158	the white leaf - śukapatra: 159
the hand decoration - hastābharanaka:	the white pigeon - śvetakapota: 158
159	the white ring - <i>śvetamandala</i> : 158
the hungry sting - alagarda: 158	the white rip - śvetadara: 158
the ilikinī - ilikinī: 159	the worm eater - kikkisāda: 159
the intoxicator - madanaka: 159	the year-snake - varṣāhīka: 159
the jackfruit - panasaka: 158	thei snake flag - ahipatāka: 159
the khaluşa - <i>khaluşa</i> : 159	therapies - karman: 19
the kid - <i>śiśuka</i> : 159	thorny - sanakha: 179
the kūkuṭa - $k\bar{u}kuṭa$: 158	three fruits - triphalā: 186, 188
the little tree - vṛkṣaka: 159	three-quarters of an hour - muhūrta: 18
the lotus mouth - puṇḍarīkamukha: 158	tīkṣṇa - sharp: 169
the lotus - padma: 158 - puṇḍarīka: 159	<i>timira</i> - blindness: 192 - partial blindness:
the mark - citraka: 159	189
the milk flower - kṣīrikāpuṣpa: 159	tooth socket - dantaveṣṭa: 122
the mirror ring -ādarśamandala: 158	topic - adhikarana: 256f
the morning glory - pālindaka: 159	torn - darita: 155f
the mountain snake - girisarpa: 158	totaka - 'angry beetles': 144
the mud - kardama: 159	toxic potion - gara: 179
the ochre - kaṣāya: 159	
the pale as a flower - puspapāndu: 159	toxic reaction - vega: 154, 168f - vega: 164,
the pigeon - pārāvata: 159	173 - viṣavega: 162 traivṛta - prepared with turpeth: 186
the pilindaka - <i>pilindaka</i> : 158	trativita - prepared with turpeth. 180 treatment - bheṣaja: 204 - kriyā: 191
the rain cloud - valāhako: 158f	-kriyā: 19, 73
the red eye - lohitākṣa: 158f	trench sweating - karṣū: 90
the red ring - raktamandala: 158	triad - <i>mithuna</i> : 260
the ringed - cakraka: 159	trice - kāṣṭhā: 18
the salutary - kalvānaka: 179	trice - rașina: 10
LIE SAIULALV "KULVUNUKU, 17/4	TITEL - DELWEEH LIE SHOUIGEI-DIAGES, 92

<i>triphalā</i> - the three fruits: 191 - three	used - nișevita: 188
fruits: 186, 188	uśīra - cuscus grass: 191
trivrt - turpeth: 189	utpalabhedyaka - lotus-splittable: 46
tṛṇaśoṣaka - the grass drier: 159	utpīḍita - injured: 192
trunk of the body - kostha: 162	utsādana - dry rub: 123 - dry rubs: 119
tube - $n\bar{a}d\bar{i}$: 90	uttarabasti - urethral instillation: 73, 75
tubes - srotas: 163	uttarabasti - urethral instillation: 73
tūnī -@: 67	uttaravasti - urethral instillation: 74
turmeric - haridrā: 191	
turmerics - rajana: 187	vadhra - slice of flesh: 50
turpeth - trivrt: 189	vaiḍūrya - beryl: 197
tuttha - blue vitriol: 190	vaiṣamya - irregularities: 17
tvac - skin: 153	vakrabhrūnetra - bent brow and eye: 195
tvak - skin: 18f	<i>vāksamūhārthavistāra</i> - extensive
tympanites - ādhmāna: 66f	meaning of the collection of
	statements: 160
ucchingana - sniffing: 194	vaktra - ends: 195
ucciținga - crabs: 145	<i>vākyaśeṣa</i> - ellipis: 256 - ellipsis: 259
udara - swollen belly: 178	<i>valāhako</i> - the rain cloud: 158f
udāvartā - udāvartā: 205	vallīkarṇa - creeper-ear: 46
udāvartā - udāvartā: 205	vallūraka - dried flesh: 46
udbhid - shoots: 18	vāminī -vomiting: 205
ugly nails - kunakha: 76	<i>vānara</i> - monkey: 144
<i>ūhya</i> - deducible: 256, 261	vanaspati - fruit trees: 17 - non-flowering
ukta - stated: 247	tree: 191
universality - sāmānya: 244	vandhyā - infertile: 205
unmāda - madness: 179	vapour - <i>bāṣpa</i> : 120f, 124
unmardana - rubbing: 90	varaki - wasps: 145
unsteadiness of the humours	varcaḥkīṭa - dung beetles: 144
-doṣapariplava: 195	varga - collection: 19
untreatable - asādhya: 193	variable statement - anekānta: 256, 259
upadeha - rheum: 124	various treatments - miśrakacikitsa: 49
upadeśa - prescription: 256, 258	varṇa - complexion: 17, 53, 78
upādhyāya - priest: 77	<i>varṣā</i> - rainy seasons: 18
upadrava - secondary ailments: 171	varṣāhīka - the year-snake: 159
- side-effects: 125	vartti - wick: 45 - wicks: 197
upahāra - oblations: 167	<i>vasā</i> - fat: 190
upahita - combined: 188	$v\bar{a}ta$ - wind: 204f
upanāha - poultice: 90	vātagulma - wind-swelling: 178
upaśama - pacification: 18	vātakaṇṭaka - @: 67
upasarga - affliction: 125	<i>vātalā</i> - windy: 205
upasṛṣṭa - afflicted: 72	vātarakta - gout: 66
urethral instillation - uttarabasti: 73, 75	vātāṣṭhīlā -@: 67
-uttarabasti: 73 -uttaravasti: 74	<i>vāviķṛtā</i> - or not distorted: 122
urinary calculus -aśmarī: 178	veda - knowledge: 13, 243
ūrņa - wool: 91	vedanābhighāta - pain and injury: 14

vega - force: 92 - toxic reaction: 154, 168f	vyoṣa - the three spices: 187
vega - toxic reaction: 164, 173	
vegāghāta - suppressing: 74	wasps - kanabha: 145 - varaki: 145
vegāntara - pulse interval: 164	wasted - kṣīṇa: 48
velvet leaf - pāthā: 191	water-born - salilotthita: 192
veņupatraka - the bamboo leaf: 159	water-dwellers - jalaukas: 28
vicakṣaṇa - expert: 77	water - jala: 28
vicitra - the variegated: 158	watery eye - syanda: 192
vidagdha - inflamed: 186	weeping tears - aśrupāta: 76
vidaṅga - embelia: 191	welfare - śreyas: 14
vidbheda -loose stool: 146	white mustard - siddhārthaka: 196
vidhāna - itemization: 256, 259	white siris - kinihī: 191
vidruma - coral: 197	white sugar - sitā: 196
vijñānīya - required knowledge: 154	wick - vartti: 45
vikalpa - option: 256, 260 - particulars: 19	wicks - vartti: 197
vikṛtākṣa - misaligned eyes: 78	wild animals - vyāla: 18
vilekhana - grooming: 76	wind-swelling - vātagulma: 178
vilocana - misshapen eyeball: 195	wind - māruta: 72 - vāta: 204f
vipakva - matured: 186	windy - <i>vātalā</i> : 205
viparītadarśana - metamorphopsia: 161	with a needle-like opening - sūcīvaktrā:
viparyaya - contraposition: 256, 259	205
vīrudh - shrubs: 17	with blood - sonitena: 195
<i>vīrya</i> - potency: 173	with bloodloss - raktakṣayā: 205
viṣāda - depression: 17	with difficulty - kṛcchra: 193
vişapūti - poison-stink: 172	with testicles -andīnī: 205
vișavega - toxic reaction: 162	without venom - nirviṣa: 155
viśeṣa - individuality: 244	womb - yoni: 200
viśvambhara - 'earth scorpions': 145	wood apple - kapittha: 186
viśvañci - paralysis of arms and back: 65f	wool - <i>ūrṇa</i> : 91 word-meaning - <i>padārtha</i> : 244
vital energy - ojas: 17	word - pada: 243f
vodhāra - bearers: 119	worms - <i>krmi</i> : 18
vomiting - vāminī: 205	worms - <i>kṛmu</i> . 10
vṛddhagonasa - the big cow snout: 158	yakṛdrasa - liver extract: 187
vṛkṣa -flowering trees: 17	yakrt -liver: 188
vrkṣaka - the little tree: 159	yamalā - double: 122
vṛnta - stalk: 186	yāmya - in yama's direction: 149
vṛṣabha - bull: 120	yantranā - restrictions: 194
vyadha - piercing: 194	$y\bar{a}pya$ - alleviated: 188 - can be mitigated:
vyadhi - disease: 19	193 - mitigatible: 185
vyākhyāna - explication: 256, 260	yaṣṭīkarṇa - stick-ear: 46
vyākhyāta - intended: 19	<i>yavāgū</i> - gruel: 169
vyāla - wild animals: 18	yavaudana - cooked barley: 192
vyāna breath - <i>vyāna</i> : 163	year - samvatsara: 18
vyāna - vyāna breath: 163	yoga - cohesion: 257 - compounds: 186
vyāyojima - multi-joins: 46	-formulation: 89
- · · · · · · · · · · · · · · · · · · ·	•

yoni - female reproductive organ: 204f-female reproductive system: 204

-womb: 200

yonivyāpat - disorders of the female

reproductive system: 204

yuga -yuga: 18 yuga -yuga: 18

Todo list

Cite Paul Courtright, Ganesha book
Can't be "sedation"
add footnote here
add refs to Divodāsa as king 57
find out about uttarabasti
to what?
29, 30 missing?
Problematic passage in the edition
Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक). 90
Perhaps kalka here could also mean the Terminalia Bellerica (विभीतक). 90
Euphorbia Antiquorum (Antique spurge) 93
The webpage https://hindi.shabd.in/vairagya-shatakam-bhag-
acharya-arjun-tiwari/post/117629 says that this verse belongs to
the <i>Nītiratna</i> . I could not find this text
The provisional edition should be modified accordingly 99
There, Dalhana comments that deliberation on avapīḍa had been
done earlier when it was mentioned. Find that description to know
more details
Search for the section where the treatment of $\bar{a}k$, $epaka$ is described. 102
Make the first letter of sentence capital
[?
?
]?
(?)
Is Dh. the teacher of Su. elsewhere?
Cf. Arthaśāstra 1.21.8
I'm still unhappy about this verse

Mention this in the introduction as an example of the scribe knowing	
the vulgate	120
fn about sadyas+	120
Bear's bile instead of deer's bile	121
punarṇṇavā in the N & K MSS	121
śrita for śṛta	122
explain more	122
Medical difference from Sharma	122
example where the vulgate clarifies that these should be used sep-	
arately; appears to be a gloss inserted into the vulgate text	122
The two uses of prāpta are hard to translate. prāptā $ harpha ightarrow ext{kṣipram}$	
is an example of the vulgate banalizing the Sanskrit text to make	
sense of a difficult passage	123
vyadh not $$ vedh (also elsewhere and for the ears), causative	
optative	123
-> ativiṣa	135
Look up the ca. reference	135
Come back to the issue of "kalpa". Look up passages in the Kośa	143
got to here - 2023-01 continue with table for #5	145
write footnote: don't repeat ativiṣā; vulgate similar to H	147
Or "There are 20 phanins and 6 mandalins. The same number are	
known. There are 13 Rājīmats." Or even, "there are 20 Phaṇins	
and six of them are Mandalins." Are phanins really the same as	
darvīkaras?	154
grammar	156
ri- ṛ-?	158
varṇa means "colour" elsewhere?	
write note on pariṣekān pradehāṃś	170
Roots page number	• •
where is cutting with a knife related to removing bile or phlegm	
maṣī burned charcoal. Find refs	
find ref	192
	192
meaning of kalpa	
or a dual?	
Footnote here about who is speaking to whom	
a kind of asthma?	213
Not happy with the last part	213

connecting with the previous pāda?
(atyartha? excessive?)214
fordvādaśādikaḥ)? not clear to me, is it dvādaśādhikaḥ? 214
(any better medical terms for them?)
(since the word lagha is not clear to me)
(Not too happy with it.)
(not sure about it)
(Not in vulgate)
(I am looking for a better translation)
[I'd need to rework on it)
(I'd need to rework on it and think about the sequencing of the num-
ber)
(āmadoṣa? Not too sure)
(2nd hemistich is incomplete)
(not too sure about the meaning of vyapada)
not so sure about sodāvarte
not so sure about it, MW mentions others like Cordia Myxa and
Alangium hexapetalum
not sure about it
(sāmāhāya- any better word?)
Not so happy with this translation
(Not happy with it)
(the second hemistich is incomplete)
can srta mean here boiled milk? Not happy with the last part 219
the rest of the text is unclear to me
(not so sure about it). [ghṛtābhyaṅgonavasthāsu should it be like
ghṛtābhyaṅgo 'navasthāsu?, svedā lepaḥ ghṛtābhyaṅgonavasthāsu
ca yojayet] (Not so happy with the translation)
See chapter 40 of Sūtrasthāna
vasā / medas / majjan
Does bhūtādi a compound or it means ahankāra or ego? 260
triad? –DW 260