

MEDIROZA GENERAL HOSPITAL

Web Application Penetration Testing Report

CLIENT	Mediroza General Hospital
TARGET	https://medirozahospital.com
ENGAGEMENT	Authorized Black-box Penetration Test
ENVIRONMENT	Kali Linux / External Web Testing
MILESTONES	M1 Initial Access • M2 Data Extraction • M3 Attack (Cracking) • M4 Report
STATUS	M1, M2 and M3 evidence completed; M4 documented below

CONFIDENTIALITY NOTICE

This report contains sensitive security-testing evidence, including medical-document evidence and staff/corporate data. It is intended only for authorized personnel and the project assessor. Redact patient and staff information before any public publication.




Figure 1. Project milestone requirements provided for the authorized Networkwalks lab.

1. Executive Summary

The assessment was conducted as an authorized black-box penetration test of Mediroza General Hospital's public-facing web application and patient portal. The supplied project brief defines four milestones: initial access and retrieval of three confidential patient PDF reports (M1), recovery of the encryption on all three reports (M2), discovery of staff salary and shareholder information (M3), and production of a professional penetration-testing report (M4).

Key outcome: the evidence demonstrates successful access to the patient portal, retrieval and password recovery of three protected pathology PDFs, and direct public exposure of an internal SQL backup containing staff salary/PII fields and a shareholder register.

Milestone	Objective	Evidence status
M1 — Initial Access	Retrieve 3 confidential patient PDF lab reports	Completed
M2 — Data Extraction	Crack encryption on all 3 retrieved files	Completed
M3 — Attack (Cracking)	Find staff salaries and shareholder details	Completed
M4 — Pentest Report	Document scope, findings, risk and remediation	Completed in this report

Overall engagement risk: Critical, driven primarily by the publicly retrievable database backup and the exposure of confidential healthcare and personnel information.

2. Scope, Authorization and Methodology

Target: <https://medirozahospital.com>

Type: Full black-box penetration test and vulnerability assessment.

Rules: Testing limited to the target domain; no social engineering; no denial-of-service activity; no testing outside the agreed scope.

Authorization: The project brief states that written authorization was granted for security testing of the web infrastructure.

Methodology: reconnaissance → service enumeration → web technology fingerprinting → content discovery → authentication/input testing → controlled exploitation → data extraction/password auditing → evidence collection → risk assessment and remediation.

Tool	Purpose
whois	Domain registration and registrar information
nslookup / dnsrecon	DNS resolution, NS/MX/TXT/SRV enumeration
nmap	TCP service and port enumeration
whatweb	Web technology fingerprinting
wafw00f	WAF fingerprinting
curl	HTTP headers and direct content retrieval
pdf2john	Extraction of PDF password hashes
John the Ripper	Dictionary-based PDF password recovery
exiftool / PDF viewer	Post-recovery document verification and metadata review

3. Reconnaissance and Web Enumeration

Reconnaissance established the target's public network footprint and identified multiple web-accessible paths that became relevant to M1 and M3.

```
(kali@kali)-[~/Desktop/Week-4]
$ whois medirozahospital.com
Domain Name: MEDIROZAHOSPITAL.COM
Registry Domain ID: 3132326963_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.namecheap.com
Registrar URL: http://www.namecheap.com
Updated Date: 2026-08-14T21:07:45Z
Creation Date: 2026-08-14T20:51:24Z
Registry Expiry Date: 2027-08-14T20:51:24Z
Registrar: NameCheap, Inc.
Registrar IANA ID: 1068
Registrar Abuse Contact Email: abuse@namecheap.com
Registrar Abuse Contact Phone: +1.6613102107
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Name Server: DNS1.NAMECHEAPHHOSTING.COM
Name Server: DNS2.NAMECHEAPHHOSTING.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2026-10-02T03:27:43Z <<<

For more information on Whois status codes, please visit https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and
automated except as reasonably necessary to register domain names or
modify existing registrations; the Data in VeriSign Global Registry
Services' ("VeriSign") Whois database is provided by VeriSign for
information purposes only, and to assist persons in obtaining information
about or related to a domain name registration record. VeriSign does not
guarantee its accuracy. By submitting a Whois query, you agree to abide
by the following terms of use: You agree that you may use this Data only
for lawful purposes and that under no circumstances will you use this Data
to: (1) allow, enable, or otherwise support the transmission of mass
unsolicited, commercial advertising or solicitations via e-mail, telephone,
or facsimile; or (2) enable high volume, automated, electronic processes
that apply to VeriSign (or its computer systems). The compilation,
```

Figure 2. WHOIS enumeration showing domain registration and NameCheap nameserver information.

```
(kali@kali)-[~/Desktop/Week-4]
$ nslookup medirozahospital.com
Server:      192.168.5.2
Address:     192.168.5.2#53

Non-authoritative answer:
Name:   medirozahospital.com
Address: 199.188.201.16

(kali@kali)-[~/Desktop/Week-4]
$
```

Figure 3. DNS resolution showing medirozahospital.com resolving to 199.188.201.16.

```

(kali㉿kali)-[~/Desktop/Week-4]
$ nmap -sS medirozahospital.com
Starting Nmap 7.99 ( https://nmap.org ) at 2026-10-02 00:14 -0400
Nmap scan report for medirozahospital.com (199.188.201.16)
Host is up (0.051s latency).
rDNS record for 199.188.201.16: server274-1.web-hosting.com
Not shown: 991 filtered tcp ports (no-response)
PORT      STATE SERVICE
21/tcp    open  ftp
53/tcp    open  domain
80/tcp    open  http
110/tcp   open  pop3
143/tcp   open  imap
443/tcp   open  https
587/tcp   open  submission
993/tcp   open  imaps
995/tcp   open  pop3s
com/~root/
Nmap done: 1 IP address (1 host up) scanned in 59.23 seconds
com/~sysadm/
(kali㉿kali)-[~/Desktop/Week-4]
$

```

Figure 4. Nmap service enumeration showing multiple internet-facing services.

```

(kali㉿kali)-[~/Desktop/Week-4]
$ curl -I medirozahospital.com
HTTP/1.1 200 OK
Server: openresty/1.31.1.1
Date: Fri, 02 Oct 2026 03:30:19 GMT
Connection: keep-alive
Content-Type: text/html
Cache-Control: private, no-cache, no-store, must-revalidate, max-age=0
cf-edge-cache: no-cache
(kali㉿kali)-[~/Desktop/Week-4]
$

```

Figure 6. HTTP response-header inspection using curl.

```

(kali㉿kali)-[~/Desktop/Week-4]
$ wafw00f medirozahospital.com

```



```

~ WAFW00F : v2.4.2 ~
The Web Application Firewall Fingerprinting Toolkit

[*] Checking https://medirozahospital.com
[+] Generic Detection results:
[-] No WAF detected by the generic detection
[-] Number of requests: 7
(kali㉿kali)-[~/Desktop/Week-4]
$

```

Figure 7. WAFW00F generic detection result for the tested HTTPS endpoint.

```


(kali@kali) ~ - /Desktop/Week-4
$ dnsrecon -d medirozahospital.com
2026-10-01T23:33:04.823154-0400 INFO Starting enumeration for domain: medirozahospital.com
2026-10-01T23:33:04.824600-0400 INFO std: Performing General Enumeration against: medirozahospital.com ...
2026-10-01T23:33:05.178095-0400 ERROR No answer for DNSSEC query for medirozahospital.com
2026-10-01T23:33:05.348955-0400 INFO SOA dns1.namecheaphosting.com 156.154.132.200
2026-10-01T23:33:05.349326-0400 INFO SOA dns1.namecheaphosting.com 2610:al:1024::200
2026-10-01T23:33:05.529707-0400 INFO NS dns2.namecheaphosting.com 156.154.133.200
2026-10-01T23:33:05.828077-0400 INFO Bind Version for 156.154.133.200 Nameserver"
2026-10-01T23:33:05.828816-0400 INFO NS dns2.namecheaphosting.com 2610:al:1025::200
2026-10-01T23:33:05.829753-0400 INFO NS dns1.namecheaphosting.com 156.154.132.200
2026-10-01T23:33:06.098496-0400 INFO Bind Version for 156.154.132.200 Nameserver"
2026-10-01T23:33:06.099237-0400 INFO NS dns1.namecheaphosting.com 2610:al:1024::200
2026-10-01T23:33:06.919439-0400 INFO MX mx2-hosting.jellyfish.systems 162.255.118.29
2026-10-01T23:33:06.919815-0400 INFO MX mx3-hosting.jellyfish.systems 162.255.118.13
2026-10-01T23:33:06.919946-0400 INFO MX mx1-hosting.jellyfish.systems 162.255.118.28
2026-10-01T23:33:06.943447-0400 INFO A medirozahospital.com 199.188.201.16
2026-10-01T23:33:07.228552-0400 INFO TXT medirozahospital.com v=spf1 +a +mx +ip4:199.188.201.7 +ip4:199.188.201.38 include:spf.w
eb-hosting.com ~all
2026-10-01T23:33:07.228950-0400 INFO TXT _dmarc.medirozahospital.com v=DMARC1; p=none;
2026-10-01T23:33:07.431381-0400 INFO Enumerating SRV Records
2026-10-01T23:33:08.415851-0400 INFO SRV _carddav._tcp.medirozahospital.com medirozahospital.com 199.188.201.16 2079
2026-10-01T23:33:08.417301-0400 INFO SRV _caldav._tcp.medirozahospital.com medirozahospital.com 199.188.201.16 2079
2026-10-01T23:33:08.422176-0400 INFO SRV _caldavs._tcp.medirozahospital.com medirozahospital.com 199.188.201.16 2080
2026-10-01T23:33:08.432583-0400 INFO SRV _carddavs._tcp.medirozahospital.com medirozahospital.com 199.188.201.16 2080
2026-10-01T23:33:09.070034-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.203.11 4
43
2026-10-01T23:33:09.070462-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.204.14 4
43
2026-10-01T23:33:09.070599-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.204.9 44
3
2026-10-01T23:33:09.070988-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.203.14 4
43
2026-10-01T23:33:09.071265-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.204.11 4
43
2026-10-01T23:33:09.071396-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.203.9 44
3
2026-10-01T23:33:09.071473-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.204.15 4
43
2026-10-01T23:33:09.071559-0400 INFO SRV _autodiscover._tcp.medirozahospital.com cpanelemaildiscovery.cpanel.net 184.94.203.15 4
43
2026-10-01T23:33:09.073675-0400 INFO 12 Records Found
2026-10-01T23:33:09.073992-0400 INFO Completed enumeration for domain: medirozahospital.com

```

Figure 8. DNSRecon results including NS, MX, TXT and SRV records.

3.1 Content Discovery

The robots.txt file disclosed three sensitive-looking application paths: /patient/, /staff/ and /old/. Directory indexing was subsequently observed on these paths.



```

← → ↺ 🏠 medirozahospital.com/robots.txt

# robots.txt
User-agent: *
Disallow: /patient/
Disallow: /staff/
Disallow: /old/

Sitemap: https://medirozahospital.com/sitemap.xml

```

Figure 9. robots.txt disclosing /patient/, /staff/ and /old/.




Figure 10. Directory listing for /patient/ showing reports, download.php, error_log, login.php, logout.php and portal.php.




Figure 11. Directory listing for /staff/ exposing login.php.




Figure 12. Directory listing for /old/ exposing mediroza_db_backup_2019.sql.

4. M1 — Initial Access

Project objective: attack the website and retrieve three confidential patient PDF lab reports.

The patient portal was identified under /patient/. Authentication testing was performed against the portal login. The evidence supplied for the engagement shows SQL-injection testing using the username input admin' --, followed by successful access to the authenticated portal.




Figure 13. Patient Portal login page showing the SQL-injection test input.




Figure 14. Authenticated patient portal showing the three available encrypted pathology reports.

Retrieved report	Reference	Protection
Pathology Report — S. Dlamini	LR-2024-1187	PDF encrypted

Retrieved report	Reference	Protection
Pathology Report — P. Reddy	LR-2024-1192	PDF encrypted
Pathology Report — E. Thompson	LR-2024-1205	PDF encrypted

M1 result: all three assigned confidential patient PDFs were successfully reached/retrieved, satisfying the milestone's evidence requirement.

5. M2 — Data Extraction: PDF Encryption Recovery

Project objective: crack the encryption on all three retrieved files and prove successful access.

The PDFs were converted to John-compatible hashes using pdf2john. The extracted hashes were then subjected to dictionary attacks using John the Ripper. For the third report, the extracted permissions field required normalization before John accepted the hash; the original extraction was retained as evidence.

```
(kali㉿kali)-[~/Desktop/Week-4]
$ pdf2john patient_report_3.pdf > pdf3.txt

(kali㉿kali)-[~/Desktop/Week-4]
$ cat pdf3.txt
patient_report_3.pdf:$pdf$2*3*128*4294967292*1*32*326139306632613033663438633732363130616437326432313031613
b97c9d140cd23119428bf4e5e4e758a4164004e56ffa0108*32*58e03d692cf37b50b0b5eaa189fcbd372260a949c8992ad7b44fd1
```

Figure 15. PDF hash extraction evidence for a patient report.

```
(kali㉿kali)-[~/Desktop/Week-4]
$ pdf2john patient_report_3.pdf > pdf3.txt

(kali㉿kali)-[~/Desktop/Week-4]
$ cat pdf3.txt
patient_report_3.pdf:$pdf$2*3*128*4294967292*1*32*3261393066326130336634386337323631306164373264323130316137616538*32*5090fa0a5dba99c
b97c9d140cd23119428bf4e5e4e758a4164004e56ffa0108*32*58e03d692cf37b50b0b5eaa189fcbd372260a949c8992ad7b44fd13e2b40c1f8
```

Figure 16. PDF hash extraction evidence for patient_report_2.pdf.

```
(kali㉿kali)-[~/Desktop/Week-4]
$ pdf2john patient_report_2.pdf > pdf2.txt

(kali㉿kali)-[~/Desktop/Week-4]
$ cat pdf2.txt
patient_report_2.pdf:$pdf$2*3*128*4294967292*1*32*3166346338373236356437626464363834663737303265633666363264616463*32*39f4e6b0aedef123
44c340ffb39f8905528bf4e5e4e758a4164004e56ffa0108*32*408b37bcf12da873d7f2840f3c1b917a023961ded4c8164d38e46e9655e66775
```

Figure 17. PDF hash extraction evidence for patient_report_3.pdf.




Figure 18. Dictionary attack evidence showing recovery of patient_report_1.pdf password.




Figure 19. Dictionary attack evidence showing recovery of patient_report_2.pdf password.




Figure 20. John the Ripper evidence showing successful recovery of patient_report_3.pdf password.

Report	Recovered password	Verification
patient_report_1.pdf	123456	Opened successfully
patient_report_2.pdf	password	Opened successfully
patient_report_3.pdf	!@#\$%^&	Opened successfully

Restricted evidence: recovered passwords are included here solely to document the authorized lab result. Do not reuse or publish them.




Figure 21. Recovered patient_report_1.pdf opened successfully.




Figure 22. Recovered patient_report_2.pdf opened successfully.




Figure 23. Recovered patient_report_3.pdf opened successfully.

M2 finding: document-level encryption was undermined by weak, predictable passwords. The use of PDF encryption did not prevent access once the passwords were recovered.

6. M3 — Attack (Cracking): Staff Salaries and Shareholder Details

Project objective: find staff salaries and shareholder details of the hospital.

The /old/ directory exposed a legacy database backup named mediroza_db_backup_2019.sql. The file was directly retrievable over HTTPS without authentication. The supplied SQL content identifies itself as an internal Mediroza CMS 1.4.2 backup and explicitly warns that it contains confidential staff and shareholder records.




Figure 24. Public /old/ directory exposing the database backup filename.




Figure 25. Retrieved SQL backup showing staff table structure and salary field.

6.1 Exposed Staff Data

The staff table contains 30 records and includes full name, job title, department, email, phone, national ID, monthly salary and joining date. For privacy, this report reproduces only the fields necessary to demonstrate the salary exposure; national IDs, phone numbers and email addresses are intentionally omitted.

#	Name	Role	Department	Monthly salary (ZAR)
1	Dr. Rajesh Naidoo	Chief Pathologist	Diagnostics Lab	138,000

#	Name	Role	Department	Monthly salary (ZAR)
2	Sarah Botha	Chief Financial Officer	Finance	152,000
3	Dr. Johan van der Merwe	Medical Director	Management	160,000
4	Dr. Anita Naicker	Consultant Cardiologist	Cardiology	132,000
5	Dr. Ahmed Kara	Consultant Physician	Internal Medicine	128,000
6	Dr. Yusuf Cassim	Senior Registrar	Emergency & Trauma	74,000
7	Michael Roberts	HR Director	Human Resources	96,000
8	Susan Pretorius	HR Officer	Human Resources	32,000
9	Jameel Malik	IT Systems Administrator	IT	58,000
10	Thabo Molefe	Network Engineer	IT	46,000
11	Nomvula Khumalo	Registered Nurse	Emergency & Trauma	34,000
12	Lerato Mokoena	Registered Nurse	Pediatrics	33,000
13	Bongani Ndlovu	Registered Nurse	Cardiology	35,000
14	Zanele Mahlangu	Nursing Sister	Theatre	42,000
15	Kagiso Sithole	Pharmacist	Pharmacy	61,000
16	Naledi Zulu	Pharmacy Assistant	Pharmacy	26,000
17	Themba Nkosi	Radiographer	Radiology	44,000
18	Palesa Radebe	Radiographer	Radiology	43,000
19	Deepak Pillay	Lab Technologist	Diagnostics Lab	41,000
20	Kavitha Govender	Lab Technician	Diagnostics Lab	35,000
21	Dr. Suresh Moodley	Consultant Radiologist	Radiology	130,000
22	Dr. Fatima Patel	Pediatrician	Pediatrics	118,000
23	Nisha Singh	Physiotherapist	Rehabilitation	48,000
24	Dr. Vikram Chetty	Anaesthetist	Theatre	135,000
25	David Smith	Facilities Manager	Operations	52,000
26	Karen O'Connor	Billing Administrator	Finance	29,000
27	James Wilson	Security Supervisor	Operations	27,000
28	Linda Fourie	Receptionist	Front Office	19,000
29	Peter van Wyk	Procurement Officer	Supply Chain	38,000
30	Andile Mbeki	Ward Clerk	Administration	21,000

The supplied backup shows monthly salaries ranging from **ZAR 19,000** to **ZAR 160,000** across the 30 exposed staff records. This is a direct confidentiality and personnel-privacy exposure.

6.2 Exposed Shareholder Register

The same backup contains a shareholders table with shareholder name, percentage ownership, shares held and share class. The percentages in the supplied backup sum to 100%.

#	Shareholder	Share %	Shares held	Class
1	Dr. Rajesh Naidoo	18.00%	180,000	Ordinary

#	Shareholder	Share %	Shares held	Class
2	Cedar Health Holdings (Pty) Ltd	15.00%	150,000	Ordinary
3	Dr. Johan van der Merwe	12.00%	120,000	Ordinary
4	Reddy Family Trust	11.00%	110,000	Ordinary
5	Thabo Molefe	10.00%	100,000	Ordinary
6	Sarah Botha	9.00%	90,000	Ordinary
7	Dr. Ahmed Kara	8.00%	80,000	Preferential
8	Naledi Zulu	7.00%	70,000	Ordinary
9	Michael Roberts	6.00%	60,000	Ordinary
10	Dr. Vikram Chetty	4.00%	40,000	Preferential

M3 result: the milestone was achieved without needing to compromise the database server itself; the legacy backup was already publicly exposed and directly disclosed the required staff and shareholder information.

7. Findings and Risk Ratings

ID	Finding	Severity	Impact
F-01	Publicly accessible SQL database backup	CRITICAL	Unauthenticated disclosure of staff PII, salaries and shareholder register.
F-02	SQL injection / authentication bypass in patient portal	HIGH	Unauthorized access to a restricted patient area and confidential report listings.
F-03	Weak passwords protecting patient PDFs	HIGH	Recovered passwords enabled access to confidential pathology reports.
F-04	Directory indexing and sensitive path disclosure	MEDIUM	Exposes application structure and legacy locations to unauthenticated users.
F-05	Broad internet-facing service footprint	MEDIUM	FTP, mail and other services increase attack surface and require justification/ha

F-01 — CRITICAL

Remove the /old/ directory and all legacy backups from the web root immediately. Store backups outside the document root, encrypt them at rest, and restrict access through authenticated administration and network controls.

F-02 — HIGH

Use parameterized queries/prepared statements for authentication and all database access. Add robust input validation, centralized error handling, secure session management and automated SQL-injection regression testing.

F-03 — HIGH

Replace predictable PDF passwords with long, random, unique secrets or authenticated session-based document access. Password delivery should use a separate verified channel and passwords should not be reused.

F-04 — MEDIUM

Disable directory indexing and remove sensitive paths from public discovery. Do not rely on robots.txt as an access-control mechanism.

F-05 — MEDIUM

Review every exposed service, close unnecessary ports, enforce TLS, disable legacy protocols where possible, and restrict administrative services such as cPanel to trusted management access.

8. M4 — Final Penetration Test Report

8.1 Executive conclusion

The engagement demonstrated multiple independent paths to sensitive information. The patient portal was reachable through a vulnerable authentication flow, three confidential pathology PDFs were retrieved and their weak passwords were recovered, and a publicly exposed legacy SQL backup disclosed personnel salary/PII fields and a shareholder register. The database-backup exposure represents the most significant technical finding because it bypasses application-layer access controls entirely.

8.2 Recommended remediation sequence

Priority	Action
1	Remove public database backups and disable directory listing immediately.
2	Assess and remediate the patient-login SQL injection; add parameterized queries and regression tests.
3	Rotate/reissue affected credentials and review exposure of staff identifiers and patient documents.
4	Replace predictable PDF passwords with strong random secrets or authenticated document access.
5	Review open services and administrative interfaces; restrict unnecessary internet exposure.
6	Add continuous external attack-surface/content-discovery checks for backup, config and legacy files.

8.3 Limitations

This report reflects the evidence supplied for the authorized lab exercise. Testing was limited to the agreed target and did not include denial-of-service, social engineering, internal-network testing, or unauthorized access to unrelated systems. Some evidence screenshots contain sensitive information; this report is therefore marked confidential.

8.4 Final milestone status

M1	Initial Access	Completed — 3 confidential patient PDFs retrieved
M2	Data Extraction	Completed — all 3 PDF passwords recovered and documents opened
M3	Attack (Cracking)	Completed — staff salaries and shareholder details identified in exposed SQL backup
M4	Pentest Report	Completed — professional report with evidence, risk ratings and remediation

Appendix A — Evidence Index

The following evidence was used to support the milestone conclusions in this report.

Figure	Evidence
2–8	WHOIS, DNS, Nmap, WhatWeb, curl, WAFW00F and DNSRecon reconnaissance
9–12	robots.txt and /patient/, /staff/, /old/ directory discovery
13–14	Patient portal login testing and authenticated portal access
15–20	PDF hash extraction and password-recovery evidence
21–23	Recovered PDF verification
24–25	Public database backup discovery and SQL contents

Data-handling note: The source evidence includes medical reports and personal/corporate information. Before uploading this report to a public GitHub repository, portfolio, LinkedIn post, or other public location, redact patient names/IDs/medical values, staff PII, recovered passwords and shareholder-identifying information.

END OF REPORT