



PRACTICAL 2


CREATING INSTANCES USING AMAZON LINUX









Search [Alt+S]
Europe (Stockholm)
Chakrika
EC2 > Instances > Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
e.g. My Web Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
ami-04005916a1c241ff5 (64-bit (x86), uefi-preferred) / ami-0073641137e019ef3 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible
Summary
Number of instances Info
1
Software Image (AMI)
-
Virtual server type (instance type)
t3.micro
Firewall (security group)
-
Storage (volumes)
-
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
EC2 > Instances > Launch an instance
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
ami-04005916a1c241ff5 (64-bit (x86), uefi-preferred) / ami-0073641137e019ef3 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible
Amazon Linux 2023 kernel-6.18 AMI
Description
Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.
Amazon Linux 2023 AMI 2023.12.20261109.0 x86_64 HVM kernel-6.18
Architecture
Boot mode
AMI ID
Creation Date
Username
64-bit (x86)
uefi-preferred
ami-04005916a1c241ff5
2026-11-04
ec2-user
Verified provider
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances > Launch an instance
Get advice on instance type selection...
t3.micro Free tier eligible
Family: t3 2 vCPU 1 GiB Memory Current generation: true On-Demand Linux base pricing: 0.0108 USD per Hour
On-Demand Windows base pricing: 0.02 USD per Hour On-Demand Ubuntu Pro base pricing: 0.0143 USD per Hour
On-Demand RHEL base pricing: 0.0396 USD per Hour On-Demand SUSE base pricing: 0.0108 USD per Hour
t3.small Free tier eligible
Family: t3 2 vCPU 2 GiB Memory Current generation: true On-Demand Ubuntu Pro base pricing: 0.0251 USD per Hour
On-Demand SUSE base pricing: 0.0526 USD per Hour On-Demand RHEL base pricing: 0.0504 USD per Hour
On-Demand Windows base pricing: 0.04 USD per Hour On-Demand Linux base pricing: 0.0216 USD per Hour
c7i-flex.large Free tier eligible
Family: c7i-flex 2 vCPU 4 GiB Memory Current generation: true
On-Demand Windows base pricing: 0.17817 USD per Hour On-Demand SUSE base pricing: 0.14707 USD per Hour
On-Demand Linux base pricing: 0.09077 USD per Hour On-Demand Ubuntu Pro base pricing: 0.09427 USD per Hour
On-Demand RHEL base pricing: 0.11957 USD per Hour
m7i-flex.large Free tier eligible
Family: m7i-flex 2 vCPU 8 GiB Memory Current generation: true
On-Demand Linux base pricing: 0.10175 USD per Hour On-Demand Ubuntu Pro base pricing: 0.10525 USD per Hour
On-Demand Windows base pricing: 0.18915 USD per Hour On-Demand SUSE base pricing: 0.15805 USD per Hour
On-Demand RHEL base pricing: 0.13055 USD per Hour
Free tier eligible
All generations
Compare instance types
Additional costs apply for AMIs with pre-installed software
Verified provider
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
Select
Create new key pair
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances > Launch an instance
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
Enter key pair name
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
Key pair (login) Info
Key pair name - required
Select
Network settings Info
Network Info
vpc-0037bc2de8eb65412
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
Create security group
Select existing
We'll create a new security group called 'launch-wizard-1' with the following
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Compare instance types
Additional costs apply for AMIs with pre-installed software
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 > Instances > Launch an instance
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
linuxkey 1
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair
Summary
Number of instances
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
Key pair (login)
Network settings
Allow SSH traffic from
Allow HTTPS traffic from the internet
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Europe (Stockholm)
Chakrika
EC2 > Instances > Launch an instance
Launching instance
Creating security groups
27%
Details
Please wait while we launch your instance.
Do not close your browser while this is loading.



Search
[Alt+S]
Europe (Stockholm)
Chakrika
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-00b86649129d0338e)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
Manage detailed monitoring
Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
Create Load Balancer
Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
Create AWS budget
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
Manage CloudWatch alarms



Europe (Stockholm)
Chakrika
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
Elas
my linux virtu...
i-00b86649129d0338e
Running
t3.micro
3/3 checks passed
eu-north-1b
ec2-13-61-33-253.eu-n...
13.61.33.253
i-00b86649129d0338e (my linux virtual machine)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-00b86649129d0338e
Public IPv4 address
13.61.33.253 | open address
Private IPv4 addresses
172.31.45.6
IPv6 address
–
Instance state
Running
Public DNS
ec2-13-61-33-253.eu-north-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-45-6.eu-north-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-45-6.eu-north-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences







DELETING AN INSTANCE








CREATING INSTANCES USING WINDOWS



Search [Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
EC2 > Instances > Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
myWindows11
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
ami-04005916a1c241ff5 (64-bit (x86), uefi-preferred) / ami-0073641137e019ef3 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code


EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-0a32de73331e79d22)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
Manage detailed monitoring
Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
Create Load Balancer
Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
Create AWS budget
Snipping Tool
Screenshot copied to clipboard
Automatic save is turned off.
Mark-up and share
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc



Search
[Alt+S]
Europe (Stockholm)
Chakrika
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Instances (1/3) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
my linux virtu...
i-00b86649129d0338e
Stopped
t3.micro
–
eu-north-1b
mywindows
i-041bb792f2f684748
Terminated
t3.micro
eu-north-1b
myWindows11
i-0a32de73331e79d22
Running
t3.micro
3/3 checks passec
eu-north-1b
ec2-13-60-41-177.eu-n...
13.60.41.177
i-0a32de73331e79d22 (myWindows11)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0a32de73331e79d22
Public IPv4 address
13.60.41.177 | open address
Private IPv4 addresses
172.31.42.102
IPv6 address
–
Instance state
Running
Public DNS
ec2-13-60-41-177.eu-north-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-42-102.eu-north-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-42-102.eu-north-1.compute.internal
Answer private resource DNS name
IPv4 (A)
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
Chakrika
EC2 > Instances > i-0a32de73331e79d22 > Connect to instance
Connect to Windows instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an RDP client.
Instance info
Instance
i-0a32de73331e79d22 (myWindows11)
State: Running
Status: 3/3 checks passed
VPC
vpc-0037bc2de8eb65412
Subnet
subnet-0636f50e7e38c8a1d
Security groups
sg-0d76524b3c23095e5 (launch-wizard-3)
In web browser
RDP (Remote Desktop Protocol)
Choose how to connect
Maximum security
IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.
Remote desktop
SSM agent-based
Fleet Manager
Browser-based remote desktop session powered by Systems Manager. Supports copy-paste between your local machine and remote session.
Direct
Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.
SSM agent info
Ping status
-
Session Manager connection status
Not connected
SSM agent version
-
IAM role
-
Systems Manager default role not enabled (No SSM fallback)
DHMC is not enabled and IAM instance profile is not attached
To connect to an instance using Session Manager, you can either set up SSM permissions by default for all instances in your account using the default host management configuration (DHMC), or link an IAM role with required permissions to this instance. Learn more
DHMC setup
Modify IAM role
Cancel
Connect with Fleet Manager Remote Desktop








CREATING INSTANCES USING UBUNTU



Search
[Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
EC2 / Instances / Launch an instance
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
MYLINUXGUI
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Ubuntu Server 26.04 LTS (HVM), SSD Volume Type
ami-021aaf3749be66813 (64-bit (x86)) / ami-05386a1c07c54a435 (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs
Free tier eligible
Description
Ubuntu Server 26.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical (http://www.ubuntu.com/cloud/services).
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
EC2 / Instances / Launch an instance
Instance type Info | Get advice
Instance type
t3.micro
Free tier eligible
All generations
Additional costs apply for AMIs with pre-installed software
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have
Key pair name - required
Select
Network settings Info
Network Info
vpc-0037bc2de8eb65412
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules t
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-2' with the following rules:
Allow SSH traffic from
Anywhere
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
linuxgui
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
Chakrika
EC2 / Instances / Launch an instance
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Security group name - required
launch-wizard-2
This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&;{}!$*
Description - required Info
launch-wizard-2 created 2026-11-12T03:39:52.926Z
Inbound Security Group Rules
Security group rule 1 (TCP, 22, 134.82.69.47/32)
Remove
Type Info
ssh
Protocol Info
TCP
Port range Info
22
Source type Info
My IP
Name Info
Add CIDR, prefix list or security group
Description - optional Info
e.g. SSH for admin desktop
134.82.69.47/32
Security group rule 2 (TCP, 3389, 134.82.69.47/32)
Remove
Type Info
rdp
Protocol Info
TCP
Port range Info
3389
Source type Info
My IP
Name Info
Add CIDR, prefix list or security group
Description - optional Info
e.g. SSH for admin desktop
134.82.69.47/32
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Europe (Stockholm)
Chakrika
EC2 / Instances / Launch an instance
Configure storage Info
Advanced
1x
30
GiB
gp3
Root volume, 3000 IOPS, Not encrypted
Add new volume
The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance
Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.
File systems
S3 Files - new
EFS
FSx
None
Advanced details Info
Domain join directory Info
Select
Create new directory
IAM instance profile Info
Select
Create new IAM profile
Hostname type Info
IP name
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
EC2 / Instances / Launch an instance
For V2 requests, you must include a session token in all instance metadata requests. Applications or agents that use V1 for instance metadata access will break.
Metadata response hop limit Info
2
Allow tags in metadata Info
Select
User data - optional Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
apt update -y
DEBIAN_FRONTEND=noninteractive apt install -y xfce4 xfce4-goodies xrdp
echo "xfce4-session" > /home/ubuntu/.xsession
chown ubuntu:ubuntu /home/ubuntu/.xsession
adduser xrdp ssl-cert
echo "ubuntu:levi1225" | chpasswd
systemctl enable xrdp
systemctl restart xrdp
User data has already been base64 encoded
Summary
Number of instances Info
1
Software Image (AMI)
Canonical, Ubuntu, 26.04, amd6...read more
ami-021aaf3749be66813
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
EC2 / Instances / Launch an instance
Success
Successfully initiated launch of instance (i-0476d69f407b6f65d)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
Manage detailed monitoring
Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
Create Load Balancer
Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
Create AWS budget
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
Manage CloudWatch alarms
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences








CREATING BUCKET FOR STORAGE USING S3


Search
[Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
Amazon S3 / Buckets / Create bucket
Create bucket Info
Buckets are containers for data stored in S3.
General configuration
AWS Region
Europe (Stockholm) eu-north-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
amzn-s3-demo-bucket
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more
Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
Choose bucket
Format: s3://bucket/prefix
Object Ownership Info
Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.
Object Ownership
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
Chakrika
Amazon S3 / Buckets / Create bucket
You can use bucket tags to analyze, manage and specify permissions for a bucket. Learn more
You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. Learn more
No tags associated with this bucket.
Add new tag
You can add up to 50 tags.
Default encryption Info
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page.
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more
Disable
Enable
Advanced settings
After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.
Cancel
Create bucket


Search
[Alt+S]
Europe (Stockholm)
Chakrika
Amazon S3 / Buckets / filestoragesystem11
Successfully created bucket "filestoragesystem11"
filestoragesystem11 Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (0)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
No objects
You don't have any objects in this bucket.
Upload



Search
[Alt+S]
Europe (Stockholm)
Chakrika
Amazon S3 / Buckets / filestoragesystem11 / Upload
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (5 total, 5.7 MB)
All files and folders in this table will be uploaded.
Remove
Add files
Add folder
Find by name
Name
Folder
Type
Size
intr-08-2021-0600.pdf - application/pdf 1.1 MB
Important_Questions_PBL_End_Sem.pdf - application/pdf 86.2 KB
28. 10.2026 I & II YEAR FN Seating Plan.pdf - application/pdf 3.9 MB
EVEN SEM TUITION FEE.pdf - application/pdf 66.2 KB
OSSP ABSTARCT.pdf.pdf - application/pdf 444.5 KB
Destination Info
Destination
s3://filestoragesystem11
Destination details
Bucket settings that impact new objects stored in the specified destination.
Permissions
Grant public access and access to other AWS accounts.
Properties
Specify storage class, encryption settings, tags, and more.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



DELETING KEY PAIRS



DELETING SECURITY GROUPS


aws
Search
[Alt+S]
Europe (Stockholm)
Chakrika (885167903742)
Chakrika
EC2 / Security Groups
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Security Groups (4/4) Info
Actions
Export security groups to CSV
Create security group
Find security groups by attribute or tag
Name
Security group ID
Security group name
VPC ID
Description
sg-0aa616f23f2f75101
default
vpc-0037bc2de8eb65412
default VPC security group
launch-wizard-3 created 2026-11-11T05:32:46...
launch-wizard-2 created 2026-11-11T05:28:35...
launch-wizard-1 created 2026-11-11T04:49:43...
Delete security groups
Some security groups can't be deleted
The following security groups can't be deleted. They are either default security groups, referenced by other security groups, or they are associated with instances or network interfaces.
Security group
Status
Reason
sg-0aa616f23f2f75101 default
Will not be deleted
This is a default security group. Default security groups c...
sg-0d76524b3c23095e5 launc...
Will not be deleted
1 instance associated. Terminate the instances, or asso
1 network interface associated. Delete the network inte
sg-022de36425a133ae2 launc...
Will not be deleted
1 instance associated. Terminate the instances, or asso
1 network interface associated. Delete the network inte
sg-05dddbc39cc97b3dd launc...
Will be deleted
No associated resources
To confirm deletion, enter delete below.
Cancel
Delete
Security Groups: sg-0aa616f23f2f7510
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences