

SKILL WEEK 5

2520080012

TASK 1:

Single quotes (' ') in Ubuntu shell scripting are used to preserve the literal content of a string. Everything enclosed within single quotes is treated exactly as written, so **variable expansion, command substitution, and interpretation of special characters are ignored**. Single quotes are useful for storing quoted strings, preserving spaces and special symbols, validating how the shell parses input, and testing edge cases where characters such as \$, *, and \$(command) should remain unchanged.

```
root@LAPTOP-0PA61QEN:~# ls /home
alurusaranya
root@LAPTOP-0PA61QEN:~# su alurusaranya
alurusaranya@LAPTOP-0PA61QEN:/root$ ls
ls: cannot open directory '.': Permission denied
alurusaranya@LAPTOP-0PA61QEN:/root$ cd ~
alurusaranya@LAPTOP-0PA61QEN:~$ echo 'Hello World'
Hello World
alurusaranya@LAPTOP-0PA61QEN:~$ echo 'Hello $USER'
Hello $USER
alurusaranya@LAPTOP-0PA61QEN:~$ name="Saranya"
echo 'My name is $name'
My name is $name
alurusaranya@LAPTOP-0PA61QEN:~$ text='Operating System Practical'
echo "$text"
Operating System Practical
alurusaranya@LAPTOP-0PA61QEN:~$ echo 'Hello    World'
Hello    World
alurusaranya@LAPTOP-0PA61QEN:~$ echo '$HOME'
echo '*.txt'
echo '$(date)'
echo 'Hello "World"'
$HOME
*.txt
$(date)
Hello "World"
```

TASK 2:

Double quotes (" ") in Ubuntu shell scripting are used to preserve spaces and group multiple words as a single string while still allowing **variable expansion and command substitution**. Variables such as \$name are replaced by their values, and commands such as \$(date) are executed and substituted into the string. Double quotes are useful for handling strings containing spaces, parsing nested tokens, validating command outputs, and safely executing commands involving variables or quoted text.

```
alurusaranya@LAPTOP-0PA61QEN:~$ echo "Hello World"
Hello World
alurusaranya@LAPTOP-0PA61QEN:~$ text="Operating System Practical"
echo "$text"
Operating System Practical
alurusaranya@LAPTOP-0PA61QEN:~$ name="Saranya"
echo "My name is $name"
My name is Saranya
alurusaranya@LAPTOP-0PA61QEN:~$ name="Saranya"
echo "Hello $name, welcome to "OS""
Hello Saranya, welcome to OS
alurusaranya@LAPTOP-0PA61QEN:~$ echo "He said 'Hello World'"
He said 'Hello World'
alurusaranya@LAPTOP-0PA61QEN:~$ echo "Current directory is $(pwd)"
Current directory is /home/alurusaranya
alurusaranya@LAPTOP-0PA61QEN:~$ echo "Today is $(date)"
Today is Sat Aug 29 08:31:11 UTC 2026
alurusaranya@LAPTOP-0PA61QEN:~$ name="Saranya"
alurusaranya@LAPTOP-0PA61QEN:~$ echo '$name'
$name
alurusaranya@LAPTOP-0PA61QEN:~$ echo "$name"
Saranya
alurusaranya@LAPTOP-0PA61QEN:~$ echo '*.txt'
*.txt
alurusaranya@LAPTOP-0PA61QEN:~$ echo "*.txt"
*.txt
alurusaranya@LAPTOP-0PA61QEN:~$ |
```