


## Homework 2

Name: Chakrya Ros

### Part 1: Date Model



### Part 2: DDL Scripts

```
-- MySQL Script generated by MySQL Workbench
-- Sat Feb 16 15:21:15 2019
-- Model: New Model   Version: 1.0
-- MySQL Workbench Forward Engineering
```

```
SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0;
SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0;
SET @OLD_SQL_MODE=@@SQL_MODE,
SQL_MODE='ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLES,NO_ZERO_IN_DATE,NO_ZERO_DATE,ERROR_FOR_DIVISION_BY_ZERO,NO_ENGINE_SUBSTITUTION';
```

-----

-- Schema homework2

-- Schema homework2

CREATE SCHEMA IF NOT EXISTS `homework2` DEFAULT CHARACTER SET utf8 ;  
USE `homework2` ;

-- Table `homework2`.`Customer`

DROP TABLE IF EXISTS `homework2`.`Customer` ;

CREATE TABLE IF NOT EXISTS `homework2`.`Customer` (  
 `CustomerID` INT NOT NULL AUTO\_INCREMENT,  
 `CustomerNmae` VARCHAR(45) NOT NULL,  
 `CustomerAddress1` INT NOT NULL,  
 `CustomerAddress2` INT NULL,  
 `CustomerCity` VARCHAR(45) NOT NULL,  
 `CustomerState` VARCHAR(45) NOT NULL,  
 `CustomerZip` VARCHAR(50) NOT NULL,  
 `CustomerPhone1` INT NOT NULL,  
 `CustomerPhone2` INT NULL,  
 `ReferredBy` VARCHAR(45) NOT NULL,  
 `CustomerSince` INT NULL,  
 `CustomerTypeMowing` VARCHAR(50) NOT NULL,  
 `CustomerTypeLandscaping` VARCHAR(50) NOT NULL,  
 `CustomerPriorBalance` DECIMAL(6,2) NOT NULL,  
 `CustomerTotalCredits` DECIMAL(6,2) NOT NULL,  
 `CustomersTotalAmountDue` DECIMAL(6,2) NOT NULL,  
 `CustomerTypeOther` VARCHAR(45) NULL,  
 `Note` VARCHAR(45) NULL,  
 PRIMARY KEY (`CustomerID`))  
ENGINE = InnoDB;

-- Table `homework2`.`Invoice`

DROP TABLE IF EXISTS `homework2`.`Invoice` ;

CREATE TABLE IF NOT EXISTS `homework2`.`Invoice` (  
 `InvoiceNumer` INT NOT NULL AUTO\_INCREMENT,

```

`InvoiceDate` DATE NOT NULL,
`InvoiceTotalAmountDue` DECIMAL(6,2) NOT NULL,
`InvoiceAmountRemitted` DECIMAL(6,2) NOT NULL,
`TotalCharges` DECIMAL(6,2) NOT NULL,
`TotalCredits` DECIMAL(6,2) NOT NULL,
`Customer_CustomerID` INT NOT NULL,
PRIMARY KEY (`InvoiceNumber`, `Customer_CustomerID`),
INDEX `fk_Invoice_Customer1_idx` (`Customer_CustomerID` ASC) VISIBLE,
CONSTRAINT `fk_Invoice_Customer1`
  FOREIGN KEY (`Customer_CustomerID`)
    REFERENCES `homework2`.`Customer` (`CustomerID`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;

```

```

-----
-- Table `homework2`.`InvoiceDetail`
-----

```

```

DROP TABLE IF EXISTS `homework2`.`InvoiceDetail` ;

```

```

CREATE TABLE IF NOT EXISTS `homework2`.`InvoiceDetail` (
  `InvoiceNumber` INT NOT NULL,
  `InvoiceDetailLineNumber` INT NOT NULL AUTO_INCREMENT,
  `InvoiceDetailDate` DATE NOT NULL,
  `ServiceRendered_MaterialsDelivered` VARCHAR(450) NOT NULL,
  `Charge` DECIMAL(5,2) NOT NULL,
  `Credit` DECIMAL(5,2) NOT NULL,
  PRIMARY KEY (`InvoiceNumber`, `InvoiceDetailLineNumber`),
  CONSTRAINT `fk_InvoiceDetail_Invoice`
    FOREIGN KEY (`InvoiceNumber`)
      REFERENCES `homework2`.`Invoice` (`InvoiceNumber`)
      ON DELETE NO ACTION
      ON UPDATE NO ACTION)
ENGINE = InnoDB;

```

```

SET SQL_MODE=@OLD_SQL_MODE;
SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS;
SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS;

```

Part 3: Assumption & Thought Process

1. I had to assume that customers has multiple possible invoices, so I used an independent one to many relationship between Customers and invoice.
2. Invoice are composed of invoice details, so I used a dependent one to many.
3. Customer ID is the foreign key of Invoice table and the InvoiceNumber is foreign key of InvoiceDetail table .