NetExam

Sri Lanka Institute of Information Technology

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

$-2x^{-3} - 3$

$\frac{-2}{x^3} - 3$

Select one:

- $-\frac{2}{x^3} - 3$
- $-\frac{1}{x^3} - 3$
- $-\frac{1}{x^3} - 4$
- $\frac{1}{5x^2}$
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Find the value of $\int_0^4 g(s)\,ds$, given that $\int_4^0 g(s)\,ds = \frac{21}{8}$.

Select one:

- -21/4
- 0
- 9
- 21/8
- None of the above.

$-\frac{21}{8}$

Not yet answered

Marked out of 1.00

Flag question

$$\left(x^3-1\right)^2-x^6+\sqrt{x}-1$$

Select one:

- $-\dfrac{12x^{\frac{11}{2}}+12x^{\frac{5}{2}}-1}{2\sqrt{x}}$
- $-\dfrac{12x^{\frac{5}{2}}-1}{2\sqrt{x}}$
- $-\dfrac{12x^{\frac{7}{2}}+1}{2x^{\frac{3}{2}}}$
- $-7x^6+6x^2\left(x^3-1\right)-\dfrac{1}{2x^{\frac{3}{2}}}$
- None of the above

$2(x^3-1)(3x^2)-6x^5+\frac{1}{2}x^{-1/2}$

$2x^3-2(3x^2)$ 〃

$\cancel{6x^5}-6x^2-\cancel{6x^5}+\frac{1}{2}x^{-1/2}$

$-6x^2+\frac{1}{2\sqrt{x}}$

$\frac{-12x^{\frac{5}{2}}+1}{2\sqrt{x}}$

NetExam

Sri Lanka Institute of Information Technology

Question 6

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\frac{d}{dx}\left[\left(\sqrt{x}-3\right)\left(x^2-5x\right)\right]$$

Select one:

- $\frac{\sqrt{x}(5x-18)-12x+30}{2}$
- $\frac{\sqrt{x}(5x-15)-12x+30}{2}$
- $\frac{\sqrt{x}(5x-18)-16x+48}{2}$
- $\frac{\sqrt{x}(5x-3)-16x+8}{2}$
- None of the above

$$(\sqrt{x}-3)(2x-5)+(x^2-5x)\left(\frac{1}{2}x^{-1/2}\right)$$

$$2x^{3/2}-5x^{1/2}-6x+15+\frac{1}{2}x^{3/2}-5\times\frac{1}{2}x^{1/2}$$

$$\frac{5}{2}x^{3/2}-\frac{15}{2}x^{1/2}-6x+15$$

$$\frac{5x^{3/2}-15x^{1/2}-12x+30}{2}$$

$$\frac{\sqrt{x}(5x-15)-12x+30}{2}$$

NetExam

Sri Lanka Institute of Information Technology

Question **13**

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{X\bar{Y}} + \bar{X}.Y$
- None of the above

Next

X	Y	F
0	0	0
0	1	1
1	0	1
1	1	0

oodle

NetExam

Sri Lanka Institute of Information Technology

ion 14

et answered

ed out of

Flag question

Following circuit is equivalent to:



$\overline{(\overline{A+A}) + (\overline{B+B})}$

$(\overline{\overline{A+A}})(\overline{\overline{B+B}})$

$\overline{\bar{A}.\bar{A}}.(\overline{\bar{B}.\bar{B}})$

$\underbrace{\bar{\bar{A}}+\bar{\bar{A}}}(\underbrace{\bar{\bar{B}}+\bar{\bar{B}}})$

$\underbrace{A+A}(\underbrace{B+B})$

$A.B$

Select one:

- NOR Gate
- OR Gate
- AND Gate
- NOT Gate
- None of the above

red

on

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, *v* is given by the function $v = 550 + 16.5t$, in which *t* s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

on 6

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(\sqrt{x}-3\right)\left(x^2-5x\right)\right]$$

Select one:

- $\dfrac{\sqrt{x}\,(5x-18)-12x+36}{2}$
- $\dfrac{\sqrt{x}\,(5x-15)-12x+30}{2}$
- $\dfrac{\sqrt{x}\,(5x-18)-16x+48}{2}$
- $\dfrac{\sqrt{x}\,(5x-3)-16x+8}{2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x-2)^{1/3}$
- $f^{-1}(x) = (x-2)^{1/2}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

$y = x^3 + 2$

$x = \sqrt[3]{y - 2}$

$= (x - 2)^{1/3}$

NetExam

Sri Lanka Institute of Information Technology

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

$$y = 2(24 - 5x)^{1/2}$$

$$\frac{y}{2} = \sqrt{24 - 5x}$$

$$\left(\frac{y}{2}\right)^2 = \left(\sqrt{24 - 5x}\right)^2$$

$$\frac{y^2}{4} = 24 - 5x$$

$$\frac{y^2}{4} - 24 = -5x$$

$$\frac{y^2}{20} - \frac{24}{5} = -x$$

$$-\left(\frac{y^2}{20} - \frac{24}{5}\right) = -(-x)$$

$$-\frac{y^2}{20} + \frac{24}{5} = x$$

$$f^{-1}(x) = 24/5 - x^2/20$$

Sri Lanka Institute of Information Technology

uestion **17**

ot yet answered

Marked out of .00

Flag question

Convert the number 167_{10} to a base 11 positional number system.

Select one:

- 20A
- 812
- 113
- 11B
- None of the above.

11 | 167

11 | 15 - 2

1 - 4

142_{11}

Moodle

NetExam

Sri Lanka Institute of Information Technology

on 21

answered

d out of

question

Convert the number 4221_5 to equivalent decimal numbers.

Select one:

- 561
- 692
- 298
- 332
- None of the above.

4221

$5^3\ 5^2\ 5^1\ 5^0$

$500 + 50 + 10 + 1$

561

Question 7

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-9}{2x+1}\right]$$

$$\frac{(2x+1)(2x)-(x^2-9)(2)}{(2x+1)^2}$$

Select one:

- $\frac{2\left(x^2+x+9\right)}{(2x+1)^2}$
- $\frac{2\left(x^2+x+7\right)}{(2x+1)^2}$
- $\frac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\frac{2\left(x^2+x+11\right)}{(2x+1)^2}$
- None of the above

$$\frac{4x^2+2x-2x^2-18}{(2x+1)^2}$$

$$\frac{2x^2+2x+18}{(2x+1)^2}$$

$$\frac{2(x^2+x+9)}{(2x+1)^2}$$

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.00

Flag question

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f.

Select one:

- one-to-many
- one-to-one
- many-to-one
- many-to-many
- None of the above

Answer 1	Idempotent Law
Answer 2	Choose...
Answer 3	Universal Bound Law
Answer 4	Identity Law

on 12

et answered

ed out of

Flag question

Select the suitable answer for each blank.

proof:

$AB + A$

$AB + A1$ [__1__]

$A(B + 1)$ [__2__]

$A(1)$ [__3__]

A [__4__]

Answer 1 Choose... Identity

Answer 2 Choose... distributive

Answer 3 Choose... Null

Answer 4 Choose... Identity

NetExam

Sri Lanka Institute of Information Technology

Question **4**

Not yet answered

Marked out of 1.00

Flag question

Find the value of the following definite integral.

$$\int_0^2 12x(x+1)(2-x)\,dx$$

Select one:

- 64
- 32
- 30
- 28
- None of the above

Select Answer.

Associative Law is: (A + B) + C = A + (B + C)

Distributive Law is: A.(B.C) = (A.B) . (A.C)

Absorptive Law is: Choose...

- Choose...
- (A + B) + C = A + (B + C)
- B + 1 = 0
- A +(B.C) = (A+B) . (A+C)
- A.(B.C) = (A.B) . (A.C)
- C + 0 = C
- (A . B) + C = A + (B . C)

Exam

Institute of Information Technology

8

nswered

ut of

uestion

Differentiate the following function with respect to t.

$$5t^3 + \frac{1}{t^{\frac{3}{2}}} - 3$$

$15t^2 - \frac{5}{2} t^{\frac{1}{2}}$

$15t^2 - \frac{5}{2t^{\frac{1}{2}}}$

Select one:

- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- $15t^2 + \frac{5t^{\frac{3}{2}}}{2}$
- $15t^2 - \frac{5}{2t^{\frac{3}{2}}} - 3$
- $15t^2 - \frac{5}{2t^{\frac{1}{2}}}$
- None of the above

Question **6**

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(\sqrt{x}-3\right)\left(x^2-5x\right)\right]$$

Select one:

- $\dfrac{\sqrt{x}\,(5x-18)-12x+36}{2}$
- $\dfrac{\sqrt{x}\,(5x-15)-12x+30}{2}$
- $\dfrac{\sqrt{x}\,(5x-18)-16x+48}{2}$
- $\dfrac{\sqrt{x}\,(5x-3)-16x+8}{2}$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 7

Not yet answered

Marked out of 1.00

Flag question

Differentiate following function with respect to x

$$\frac{x^2-3}{2x+1}$$

Select one:

- $\frac{2\left(x^2+x+4\right)}{(2x+1)^2}$
- $\frac{2\left(x^2+x+3\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2+x+1\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- None of the above

$$\frac{(2x+1)(2x)-(x^2-3)(2)}{(2x+1)^2}$$

$$\frac{4x^2+2x-2x^2-6}{(2x+1)^2}$$

$$\frac{2x^2+2x-6}{(2x+1)^2}$$

$$\frac{2(x^2+x-3)}{(2x+1)^2}$$

Sri Lanka Institute of Informa

wered

of

stion

Find the value of the following defin

$$\int_{-1}^{1} \frac{x^2 - \sqrt{25x^2}}{x} dx$$

$$\frac{x^{\cancel{2}1} - 5\cancel{x}}{\cancel{x}}$$

$$x - 5$$

$$\frac{x^2}{2} - 5x$$

$$\left(\frac{1^2}{2} - 5\times 1\right) - \left(\frac{-1^2}{2} - 5\times -1\right)$$

$$\frac{1}{2} - 5 - \left(\frac{1}{2} + 5\right)$$

$$\frac{1-10}{2} - \left(\frac{1+10}{2}\right)$$

$$\frac{-9}{2} - \frac{11}{2}$$

$$\frac{-\cancel{20}}{\cancel{2}}$$

$$-10$$

Select one:

- 10
- -10
- 0
- -1
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate, with respect to x,

f(x)= $(2x-1)^4+(x^2-2)^2$

Select one:

- $68x^3-96x^2+36x-8$
- $68x^3-288x^2+424x-216$
- $68x^3-192x^2+184x-64$
- $68x^3-96x^2+40x-8$
- None of the above

$4(2x-1)^3(2)+2(x^2-2)(2x)$

$8(2x-1)^3+4x(x^2-2)$

$8(8x^3-12x^2+6x-1)+4x^3-8x$

$64x^3-96x^2+48x-8+4x^3-8x$

$68^3-96x^2+40x-8$

$1 - 3 - 3 - 1$

$1(a^3b^0)-3(a^2b^1)+3(a^1b^2)-1(a^0b^3)$

$1((2x)^3\cdot 1^0)-3((2x)^2\cdot 1^1)+3((2x)^1\cdot 1^2)-1((2x)^0\cdot 1^3)$

$1(8x^3\cdot 1)-3(4x^2\cdot 1)+3(2x\cdot 1)-1(1\cdot 1)$

$(8x^3-12x^2+6x-1)$

erentiate following function with respect to x

$$\frac{x^2-3}{2x+1}$$

elect one:

- $\frac{2\left(x^2+x+4\right)}{(2x+1)^2}$
- $\frac{2\left(x^2+x+3\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2+x+1\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- None of the above

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

Next page

Mary deposits $ 450 in a savings account at 2.5% simple annual interest. The value of this account, v, is given by the function $v = 450 + 12.5t$, , in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find,

$$\int (x^3 - 5x + 8)\, dx$$

Select one:

- $\frac{x(x^3 - 10x + 20)}{4} + C$
- $\frac{x(x^3 - 10x + 24)}{4} + C$
- $\frac{x(x^3 - 10x + 32)}{4} + C$
- $\frac{x(x^3 - 10x - 12)}{4} + C$
- None of the above

$$\frac{x^4}{4} - \frac{5x^2}{2} + 8x$$

$$\frac{x^4 - 10x^2 + 32x}{4}$$

$$\frac{x(x^3 - 10x + 32)}{4}$$

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question **8**

Not yet answered

Marked out of 1.00

Flag question

Differentiate with respect to x.

$$-12x^2 + x^{\frac{3}{2}} - 3$$

Select one:

- $\frac{1}{2\sqrt{x}} - 24x$
- $-24x + \frac{3\sqrt{x}}{2} - 3$
- $24x + \frac{3\sqrt{x}}{2}$
- $\frac{3\sqrt{x}}{2} - 24x$
- None of the above

$-24x + \frac{3}{2}x^{\frac{1}{2}}$

$-24x + \frac{3\sqrt{x}}{2}$

$\frac{3\sqrt{x}}{2} - 24x$

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x,

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

$(x^{1/2}-3)(x^2-3x)$

$(x^{1/2}-3)(2x-3)+$

$(x^2-3x)(\frac{1}{2}x^{-1/2})$

$2x^{3/2}-3x^{1/2}-6x+9+\frac{1}{2}x^{3/2}-$

$-\frac{3}{2}x^{1/2}$

$\frac{5}{2}x^{3/2}-\frac{9}{2}x^{1/2}-6x+9$

$\dfrac{5x^{3/2}-9x^{1/2}-12x+18}{2}$

$\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$

on 4
t answered
d out of
g question

Find the value of $\int_0^3 h(t)\,dt$. given that $\int_3^0 h(t)\,dt = 6$.

Select one:

- -6
- 0
- 9
- 21/8
- None of the above.

Moodle

NetExam

Institute of Information Technology

Question 9

Not yet answered

Marked out of

Flag question

$$\int x^3 - 2x + 5\,dx$$

Select one:

- $\frac{x(x^3 - 4x + 20)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x(x^3 - 4x + 12)}{4} + C$
- $\frac{x(x^3 - 4x - 8)}{4} + C$
- None of the above

$$\frac{x^4}{4} - \frac{2x^2}{2} + 5x$$

$$\frac{x^4 - 4x^2 + 20x}{4}$$

$$\frac{x(x^3 - 4x + 20)}{4}$$

NetExam

Sri Lanka Institute of Information Technology

Mary deposits $ 450 in a savings account at 2.5% simple annual interest. The value of this account, v, is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of 4.00

Flag question

Select the suitable answer for each blank.

Q = (A + B).(A + C)

A.A + A.C + A.B + B.C – Distributive law

A + A.C + A.B + B.C – 1

A(1 + C) + A.B + B.C – Distributive law

A.1 + A.B + B.C – 2

A(1 + B) + B.C – Distributive law

A.1 + B.C – 3

Q = A + (B.C) – 4

Answer 1 Choose... Idempotent

Answer 2 Choose... Null

Answer 3 Choose... Null

Answer 4 Choose... Identity

NetExam

Sri Lanka Insticute of Information

Find the value of the following definite

$$\int_1^7 x^2 \, dx$$

Select one:

- 116
- 120
- 115
- 114
- None of the above

$$\frac{x^3}{3}$$

$$\left(\frac{7^3}{3}\right) - \left(\frac{1^3}{3}\right)$$

$$\frac{343}{3} - \frac{1}{3}$$

$$\frac{342}{3}$$

$$114$$

NetExam

Sri Lanka Institute of Information Technology

Following circuit is equivalent to,



$\overline{(\overline{A.A}).(\overline{B.B})}$

$\overline{\overline{A}+\overline{A}}+\overline{(\overline{B}+\overline{B})}$

$\overline{\overline{A}}.\overline{\overline{A}}+\overline{\overline{B}}.\overline{\overline{B}}$

$A.A+B.B$

$A+B$

Select one:

- OR Gate
- NOR Gate
- NAND Gate
- NOT Gate
- None of the above

NetExam

Sri Lanka Institute of Information Technology

nswered

out of

g question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x-2)^{1/2}$
- $f^{-1}(x) = (x-2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

$y = x^3 + 2$

$x^3 = y - 2$

$x = \sqrt[3]{(y-2)}$

$f^{-1}(x) = (x-2)^{\frac{1}{3}}$

Find the dual of the following expression.

$(a + 0 + 1).(b .c) = b.c.1$

Select one:

- $(a .0 . 1).(b+c) = b+c+1$
- $(a. 0 . 1)+(b+c) = b+c+1$
- $(a. 1. 0)+(b+c) = b+c+0$
- $(a. 1. 0)(b+c) = b+c$
- None of the above

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 12 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 24/5 - x^2/20$
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

estion **5**

t yet answered

arked out of

00

Flag question

Simplify.

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+\left(x^2+2\right)^2\right]$$

Select one:

- $68x^3-288x^2+424x-216$
- $68x^3-288x^2+440x-216$
- $68x^3-192x^2+184x-64$
- $80x^3-192x^2+176x-64$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

it210318

uestion 13

Not yet answered

Marked out of 1.00

Flag question

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- $\bar{X}YZ + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$
- $\bar{X}YZ + X\bar{Y}Z + XY\bar{Z} + XYZ$
- $\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$
- $\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + \bar{X}YZ$
- None of the above

Quiz na

Finish attempt

Time left 0:21:3

1 2 3 9 10 11 17 18 19

Next page

x	y	z	F	
0	0	0	0	
0	0	1	0	
0	1	0	0	
0	1	1	1	— $\bar{x}yz$
1	0	0	0	
1	0	1	1	— $x\bar{y}z$
1	1	0	1	— $xy\bar{z}$
1	1	1	1	— xyz

NetExam

Sri Lanka Institute of Information Technology

Convert the number 125.125_{10} to the equivalent binary number.

Select one:

- 100010001.01
- 100010001.111
- 100101100.11
- 1111101.001
- None of the above.

Differentiate following function with respect to x

$$\frac{x^2-3}{2x+1}$$

Select one:

- $\frac{2\left(x^2+x+4\right)}{(2x+1)^2}$
- $\frac{2\left(x^2+x+3\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2+x+1\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- None of the above

$$\frac{(2x+1)(2x)-(x^2-3)(2)}{(2x+1)}$$

$$\frac{4x^2+2x-2x^2+6}{(2x+1)^2}$$

$$\frac{2x^2+2x+6}{(2x+1)^2}$$

$$\frac{2(x^2+x+3)}{(2x+1)^2}$$

Moodle

NetExam

Sri Lanka Institute of Information Technology

tion 10

et answered

ed out of

g question

Select the Correct Answer.

A variant of Associative Law is.

A Variant of Identity Law is.

A Variant of Distributive Law is.

Choose...

Choose...

A .(B.C) = (A.B) . (A.C)

A +(B.C) = (A+B) . (A+C)

(A + B) + C = A + (B + C)

C + 0 = C

(A . B) + C = A + (B . C)

B + 1 = 0

identity law = A+0

NetExam

Sri Lanka Institute of Information Technology

Question 22

Not yet answered

Marked out of 1.00

Flag question

A = 0111101 + 1001001

Find the 2's Complement of A.

(No spaces should be there in your answer)

Answer: 10111010

0111101
+1001001

10000110
1's
01111001
2's
01111010

Next page

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x,

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

Moodle

it21051548 Hasaranga A.R.W.M.V

NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above

Boolean

Quiz navigation

Finish attempt ...

Time left 0:23:51

1 2 3 4 5 8 9 10 11 12 15 16 17 18 19 22 23

Next page

X	Y	Z	F	
0	0	0		
0	0	1	1	$\bar{X}\bar{Y}Z$
0	1	0	1	$\bar{X}Y\bar{Z}$
0	1	1		
1	0	0	1	$X\bar{Y}\bar{Z}$
1	0	1		
1	1	0		
1	1	1	1	XYZ

Differentiate with respect to x.

$$(x^2 - 1)^3 - x^2 + \sqrt{x} - 1$$

Select one:

- $\dfrac{12x^{\frac{5}{2}} + 12x^{\frac{3}{2}} - 1}{2\sqrt{x}}$
- $\dfrac{12x^{\frac{5}{2}} - 1}{2\sqrt{x}}$
- $\dfrac{12x^{\frac{5}{2}} + 1}{2x^{\frac{1}{2}}}$
- $-2x^2 + 6x^2(x^2 - 1) - \dfrac{1}{2x^{\frac{1}{2}}}$
- None of the above

loodle

NetExam

Sri Lanka Institute of Information Technology

ion 5

et answered

ed out of

ag question

Differentiate, with respect to x,

f(x)= $(2x-1)^4+(x^2-2)^2$

Select one:

- $68x^3-96x^2+36x-8$
- $68x^3-288x^2+424x-216$
- $68x^3-192x^2+184x-64$
- $68x^3-96x^2+40x-8$
- None of the above

Differentiate

...ollowing function with respect to x,

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is th boolean expression which matches the above circuit.

Select one:

- $\bar{X}YZ + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$
- $\bar{X}YZ + X\bar{Y}Z + XY\bar{Z} + XYZ$
- $\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$
- $\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + \bar{X}YZ$
- None of the above

X	Y	Z	F	
0	0	0	0	
0	0	0	0	
0	0	0	0	$\bar{X}YZ$
0	0	0	0	$X\bar{Y}Z$
1	1	1	1	$XY\bar{Z}$
1	1	1	1	XYZ

Question **12**

Not yet answered

Marked out of 4.00

Flag question

Select the suitable answer for each blank.

Q = (A + B).(A + C)

A.A + A.C + A.B + B.C – Distributive law

A + A.C + A.B + B.C – 1

A(1 + C) + A.B + B.C – Distributive law

A.1 + A.B + B.C – 2

A(1 + B) + B.C – Distributive law

A.1 + B.C – 3

Q = A + (B.C) – 4

Answer 1 Idempotent Law

Answer 2 Universal Bound Law

Answer 3 Universal Bound Law

Answer 4 Identity Law

≡ Qu

Finish a

Time le

1

9

17

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.00

Flag question

Mary deposits \$550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

n 3

t answered

d out of

g question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

oodle

NetExam

Sri Lanka Institute of Information Technology

on 9

et answered

ed out of

ag question

Simplify

$$\int x^3 - 2x + 5\,\mathrm{d}x$$

$$\frac{x^4}{4} - \frac{\cancel{2}x^2}{\cancel{2}} + 5x$$

Select one:

- $\frac{x\left(x^3 - 4x + 20\right)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x\left(x^3 - 4x + 12\right)}{4} + C$
- $\frac{x\left(x^3 - 4x - 8\right)}{4} + C$
- None of the above

$$\frac{x^4 - 4x^2 + 20x}{4}$$

$$\frac{x(x^3 - 4x + 20)}{4}$$

NetExam

Sri Lanka Institute of Information Technology

6

swered

ut of

uestion

Calculate the 1's complement for the following binary number.

1000111011001

Select one:

- 11101101100011
- 10111111001111
- 111000100110
- 0101010000001
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

uestion 17

lot yet answered

Marked out of .00

Flag question

Convert the number 168_{10} to a base 3 number system.

Select one:

- 22001
- 11111
- 10002
- 20020
- None of the above.

3 | 168

3 | 56 – 0

3 | 18 – 2

3 | 6 – 0

2 – 0

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+\left(x^2-3\right)^2\right]$$

Select one:

- $68x^3-288x^2+420x-216$
- $68x^3-288x^2+416x-216$
- $68x^3-96x^2+36x-8$
- $80x^3-192x^2+176x-64$
- None of the above

estion 2
ot yet answered
arked out of
00
Flag question

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Select the suitable answer for each blank.

$Q = (A + B).(A + C)$

$A.A + A.C + A.B + B.C$ – Distributive law

$A + A.C + A.B + B.C$ – 1

$A(1 + C) + A.B + B.C$ – Distributive law

$A.1 + A.B + B.C$ – 2

$A(1 + B) + B.C$ – Distributive law

$A.1 + B.C$ – 3

$Q = A + (B.C)$ – 4

Answer 1 Choose... Idempotent

Answer 2 Choose... null

Answer 3 Choose... null

Answer 4 Choose... Identity

Sri Lanka Institute of Information Technology

uestion 3

ot yet answered

Marked out of
.00

Flag question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x-2)^{1/3}$
- $f^{-1}(x) = (x-2)^{1/2}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

$x^3 = y - 2$

$x = (y-2)^{1/3}$

$= (x-2)^{1/3}$

NetExam

Sri Lanka Institute of Information Technology

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(2\sqrt{x}-3\right)\left(x^2-4x\right)\right]$$

Select one:

- $\sqrt{x}\,(5x-12)-6x+12$
- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-15)-12x+30}{2}$
- $\dfrac{\sqrt{x}\,(5x-3)-16x+8}{2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Convert the number 300.75_{10} to the equivalent binary number.

Select one:

- 100010001.01
- 100010001.111
- 100101100.11
- 1111101.001
- None of the above.

on 8

t answered

d out of

g question

Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

$-2x^{-3} - 3$

$-\frac{2}{x^3} - 3$

Select one:

- $-\frac{2}{x^3} - 3$
- $-\frac{1}{x^3} - 3$
- $-\frac{1}{x^3} - 4$
- $\frac{1}{5x^2}$
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Question **4**

Not yet answered

Marked out of 1.00

Flag question

Find the value of the following definite integral.

$$\int_{-1}^{1} \frac{(x+2)^2}{x^4}\,dx$$

Select one:

- -7
- -14/3
- 14/3
- 3/14
- None of the above

$$\frac{x^2+4x+4}{x^4}$$

$$x^{-4}(x^2+4x+4)$$

$$x^{-2}+4x^{-3}+4x^{-4}$$

$$\frac{x^{-1}}{-1}+\frac{4x^{-2}}{-2}+\frac{4x^{-3}}{-3}$$

$$\left[\frac{1}{-1}+\frac{4}{-2}+\frac{4}{-3}\right]-\left[\frac{1}{1}+\frac{4}{-2}+\frac{4}{3}\right]$$

$$\frac{6+12+8}{-6}-\left(\frac{-6+12-8}{-6}\right)$$

$$\frac{\cancel{26}\,13}{-\cancel{6}\,3}-\left(\frac{-\cancel{2}\,1}{-\cancel{6}\,3}\right)=\frac{13+1}{-3}=\frac{14}{-3}$$

NetExam

Sri Lanka Institute of Information Technology

wered

t of

estion

Differentiate the following function with respect to t,

$$5t^3 + \frac{1}{t^{\frac{5}{2}}} - 3$$

$15t^2 - \frac{5}{2}t^{-7/2}$

$15t^2 - \frac{5}{2t^{7/2}}$

Select one:

- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- $15t^2 + \frac{5t^{\frac{3}{2}}}{2}$
- $15t^2 - \frac{5}{2t^{\frac{7}{2}}} - 3$
- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Simplify

$$\int \left(x^3 - 6x + 8\right) \mathrm{d}x$$

$$\frac{x^4}{4} - \frac{6x^2}{2} + 8x$$

Select one:

- $\dfrac{x\left(x^3 - 12x + 32\right)}{4} + C$
- $\dfrac{x^4}{4} + x^2 + 5x + C$
- $\dfrac{x\left(x^3 - 4x + 12\right)}{4} + C$
- $\dfrac{x\left(x^3 - 4x - 8\right)}{4} + C$
- None of the above

$$\frac{x^4 - 12x^2 + 32x}{4}$$

$$\frac{x(x^3 - 12x - 32)}{4}$$

A Variant of Identity Law is,

A Variant of Distributive Law is,

Choose...

Choose...

B + 1 = 0

(A . B) + C = A + (B . C)

A +(B.C) = (A+B) . (A+C)

C + 0 = C

(A + B) + C = A + (B + C)

A .(B.C) = (A.B) . (A.C)

Following circuit is equivalent to;



$\overline{A+B}$

$\overline{\overline{A+B} + \overline{A+B}}$

$\overline{\overline{A+B} + \overline{A+B}}$

$\overline{\bar{A}\bar{B}} \quad . \quad \overline{\bar{A}\ \bar{B}}$

$\bar{\bar{A}} + \bar{\bar{B}}$

$A+B$

Select one:

- OR Gate
- AND Gate
- NAND Gate
- NOT Gate
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off wh

Select the answer which gives the boolean expression for the above circuit.

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Following circuit is equivalent to;



$\overline{AB}$

$\overline{\overline{AB} \cdot \overline{AB}}$

$\overline{\overline{AB} \cdot \overline{AB}}$

$\overline{\overline{AB}} + \overline{\overline{AB}}$

$\overline{\overline{A}+\overline{B}} \cdot \overline{\overline{A}+\overline{B}}$

$\overline{\overline{A}} \cdot \overline{\overline{B}}$

AB

Select one:

- OR Gate
- AND Gate
- NOR Gate
- NAND Gate
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question 21

Not yet answered

Marked out of 1.00

Flag question

Convert the number 361_9 to equivalent decimal numbers.

Select one:

- 561
- 692
- 298
- 332
- None of the above.

9^2 9^1 9^0

3 6 1

243+54 +1

Next page

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f.

Select one:

- one-to-one
- one-to-many
- many-to-many
- many-to-one
- None of the above

Next pa

NetExam

Sri Lanka Institute of Information Technology

Find the dual of the following expression.

a.1 = (a+b+c+1).a

Select one:

- a = (a.b.c)+a
- a+1 = (a.b.c.1)+a
- a+0 = (a.b.c.0)+a
- a+0 = (a.b.c.1)+a
- None of the above

Moodle

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of 4.00

Flag question

Select the suitable answer for each blank.

Q = (A + B).(A + C)

A.A + A.C + A.B + B.C – Distributive law

A + A.C + A.B + B.C – 1

A(1 + C) + A.B + B.C – Distributive law

A.1 + A.B + B.C – 2

A(1 + B) + B.C – Distributive law

A.1 + B.C – 3

Q = A + (B.C) – 4

Answer 1 Choose... Idempotent

Answer 2 Choose... Null

Answer 3 Choose... Null

Answer 4 Choose... Identity

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+\left(x^2-3\right)^2\right]$$

Select one:

- $68x^3-288x^2+420x-216$
- $68x^3-288x^2+416x-216$
- $68x^3-96x^2+36x-8$
- $80x^3-192x^2+176x-64$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 1

Not yet answered

Marked out of 2.00

Flag question

Simplify,

$$\int_{-2}^{1} |3x+5| \, dx$$

Select one:

- 32/3
- 65/6
- 11
- -11
- None of the above

NetExam

Sri Lanka Institute of Information Technology

vered

of

stion

Convert the number 167_{10} to a base 11 positional number system.

Select one:

- 20A
- 812
- 113
- 11B
- None of the above.

11 | 167

11 | 15 – 2

1 – 4

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x,

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

oodle

NetExam

Sri Lanka Institute of Information Technology

stion 6

t yet answered

rked out of

0

Flag question

Differentiate.

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(\sqrt{x}-3\right)\left(x^2-4x\right)\right]$$

Select one:

- $\dfrac{\sqrt{x}\,(5x-12)-12x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\sqrt{x}\,(5x-9)-6x+9$
- None of the above

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

Proof: $a(a + b)$

$= (a+0)(a + b)$ (1)

$= a+0\cdot b$ (2)

$= a + 0$ (3)

$= a$ (4)

Answer 1 Distributive Law Identity

Answer 2 IdentityLaw Absorption

Answer 3 Universal Bound Law ✓

Answer 4 IdentityLaw ✓

NetExam

Sri Lanka Institute of Information Technology

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- $\bar{X}YZ + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$
- $\bar{X}YZ + X\bar{Y}Z + XY\bar{Z} + XYZ$
- $\bar{X}Y\bar{Z} + X\bar{Y}\bar{Z} + XY\bar{Z} + XYZ$
- $\bar{X}Y\bar{Z} + X\bar{Y}Z + XY\bar{Z} + \bar{X}YZ$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate with respect to t,

$$24t^2 + \frac{1}{t^{\frac{3}{2}}} - 3$$

Select one:

- $24t - \frac{3}{2t^{\frac{5}{2}}}$
- $48t - \frac{3}{2t^{\frac{5}{2}}} - 3$
- $48t - \frac{3}{2t^{\frac{5}{2}}}$
- $48t + \frac{3\sqrt{t}}{2} - 3$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question **11**

Not yet answered

Marked out of 1.00

Flag question

Find the dual of the following expression.

(a + 0).(b + 1) = a

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above

ered

f

stion

Simplify,

$$\int_{2}^{3} |2x - 5| \, dx$$

Select one:

- -0.5
- 0.5
- 1
- -1
- 2

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of 1.00

Flag question

Differentiate, with respect to x.

f(x)= $(2x-1)^4+(x^2-2)^2$

Select one:

- $68x^3-96x^2+36x-8$
- $68x^3-288x^2+424x-216$
- $68x^3-192x^2+184x-64$
- $68x^3-96x^2+40x-8$
- None of the above

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+(x^2+2)^2\right]$$

Select one:

- $68x^3-288x^2+424x-216$
- $68x^3-288x^2+440x-216$
- $68x^3-192x^2+184x-64$
- $80x^3-192x^2+176x-64$
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

Select the Correct Answer.

A variant of Associative Law is, Choose...

A Variant of Identity Law is, Choose...

A Variant of Distributive Law is, Choose...

on 11
t answered
d out of
g question

Find the dual of the following expression.

a.1 = (a+b+c+1).a

Select one:

- a = (a.b.c)+a
- a+1 = (a.b.c.1)+a
- a+0 = (a.b.c.0)+a
- a+0 = (a.b.c.1)+a
- None of the above

Differentiate, with respect to x,

f(x)= $(2x-1)^4+(x^2-2)^2$

Select one:

- $68x^3-96x^2+36x-8$
- $68x^3-288x^2+424x-216$
- $68x^3-192x^2+184x-64$
- $68x^3-96x^2+40x-8$
- None of the above

Sri Lanka Institute of Information Technology

Question **14**

Not yet answered

Marked out of 1.00

Flag question

Following circuit is equivalent to;



Select one:

- OR Gate
- AND Gate
- NAND Gate
- NOT Gate
- None of the above

$\overline{\overline{A+B} \cdot \overline{A+B}}$

$A+B$

NetExam

Sri Lanka Institute of Information Technology

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+(x^2+2)^2\right]$$

Select one:

- $68x^3-288x^2+424x-216$
- $68x^3-288x^2+440x-216$
- $68x^3-192x^2+184x-64$
- $80x^3-192x^2+176x-64$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate, with respect to x,

f(x)= $(2x-1)^4+(x^2-2)^2$

Select one:

- $68x^3-96x^2+36x-8$
- $68x^3-288x^2+424x-216$
- $68x^3-192x^2+184x-64$
- $68x^3-96x^2+40x-8$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Simplify the following boolean expression.

$$\overline{A}\,B\,\overline{C} + A\,\overline{B}\,\overline{C} + \underbrace{\overline{A}\,\overline{B}\,\overline{C} + \overline{A}\,\overline{B}\,\overline{C}}$$

Select one:

- $\bar{A}\bar{B}\bar{C}$
- $\bar{B}\bar{C}$
- $(\bar{A}+\bar{B})\bar{C}$
- $(A+\bar{B})\bar{C}$
- None of the above

$\overline{A}B\overline{C} + A\overline{B}\overline{C} + \overline{A}\overline{B}\overline{C}$

$\overline{A}\overline{C}\underbrace{(B+\overline{B})}_{1} + A\overline{B}\overline{C}$

$\overline{A}\overline{C} + A\overline{B}\overline{C}$

$\overline{C}(\overline{A}+A\overline{B})$

$\overline{C}(\overline{A}+\overline{B})$

NetExam

Institute of Information Technology

Question 5

Answered

Out of

Question

Simplify.

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+(x^2-3)^2\right]$$

Select one:

- $68x^3-288x^2+420x-216$
- $68x^3-288x^2+416x-216$
- $68x^3-96x^2+36x-8$
- $80x^3-192x^2+176x-64$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above

Next page

X	Y	Z	F
0	0	0	
0	0	1	
0	1	0	
0	1	1	
1	0	0	
1	0	1	
1	1	0	
1	1	1	

$Y(z + x\bar{z}) + zx$

$Y(z + x) + zx$

$Yz + Yx + zx$

$\bar{x}Yz + x\bar{y}z + xY\bar{z} + xYz$

$Yz(x + \bar{x}) + x\bar{y}z + xY\bar{z}$

$z(Y + x\bar{Y}) + xY\bar{z}$

$z(Y + x) + xY\bar{z}$

$zY + zx + xY\bar{z}$

NetExam

Sri Lanka Institute of Information Technolo

Find the value of the following definite integral.

$$\int_1^7 x^2 \, dx$$

$$\frac{x^3}{3}$$

$$\frac{7^3}{3} - \frac{1^3}{3}$$

$$\frac{343 - 1}{3}$$

$$\frac{342}{3}$$

114

Select one:

- 116
- 120
- 115
- 114
- None of the above

Moodle

it21047756 Weerasekara.W

NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of 1.00

Flag question

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above

Next page

Quiz naviga

Finish attempt ...

Time left 0:22:26

1 2 3

9 10 11

17 18 19

Differentiate with respect to x,

$$(x^3-1)^2-x^6+\sqrt{x}-1$$

Select one:

- $-\dfrac{12x^{\frac{9}{2}}+12x^{\frac{5}{2}}-1}{2\sqrt{x}}$
- $-\dfrac{12x^{\frac{5}{2}}-1}{2\sqrt{x}}$
- $-\dfrac{12x^{\frac{7}{2}}+1}{2x^{\frac{3}{2}}}$
- $-7x^6+6x^2(x^3-1)-\dfrac{1}{2x^{\frac{3}{2}}}$
- None of the above

ifferentiate,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(\sqrt{x}-3\right)\left(x^2-4x\right)\right]$$

elect one:

- $\dfrac{\sqrt{x}\,(5x-12)-12x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\sqrt{x}\,(5x-9)-6x+9$
- None of the above

stion 4
yet answered
rked out of
0
Flag question

Find the value of the following definite integral.

$$\int_{-3}^{3} x^3 - x \, dx$$

Select one:

- 5
- -10
- 0
- 4
- None of the above

NetExam

Sri Lanka Institute of Information Technology

uestion 14

ot yet answered

Marked out of
1.00

Flag question

Following circuit is equivalent to;



Select one:

- OR Gate
- AND Gate
- NOR Gate
- NAND Gate
- None of the above

NetExam

Sri Lanka Institute of Information Technology

ed

on

Differentiate with respect to x,

$$-12x^2 + x^{\frac{3}{2}} - 3$$

Select one:

- $\frac{1}{2\sqrt{x}} - 24x$
- $-24x + \frac{3\sqrt{x}}{2} - 3$
- $24x + \frac{3\sqrt{x}}{2}$
- $\frac{3\sqrt{x}}{2} - 24x$
- None of the above

$-24x + \frac{3\sqrt{x}}{2}$

NetExam

Sri Lanka Institute of Information Technology

it21103322 Bandara A.M.S.S it21103322

Question **2**

Not yet answered

Marked out of 1.00

Flag question

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, *v* is given by the function $v = 550 + 16.5t$, in which *t* s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Quiz navigation

Finish attempt ...

Time left 0:55:59

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	

Next page

uestion 22

ot yet answered

larked out of
.00

Flag question

A = 0111101 + 1001001

Find the 2's Complement of A.

(No spaces should be there in your answer)

Answer: 10111010

NetExam

Sri Lanka Institute of Information Technology

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f.

Select one:

- one-to-many
- one-to-one
- many-to-one
- many-to-many
- None of the above

NetExam

Sri Lanka Institute of Information Technology

n 2

answered

out of

question

Mary deposits $ 450 in a savings account at 2.5% simple annual interest. The value of this account, v, is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

Proof: $a(a + b)$

$= (a+0)(a + b)$ (1)

$= a+0 \cdot b$ (2)

$= a + 0$ (3)

$= a$ (4)

Answer 1 Choose...

Answer 2 Choose...

Answer 3 Choose...

Answer 4 Choose...

Mary deposits $ 450 in a savings account a

of this account, v, is given by the function

of years the money is in the bank. What is

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

estion 4

t yet answered

rked out of
00

Flag question

Find the value of $\int_{\frac{3\pi}{2}}^{0} f(x)\ dx$, given that $\int_{0}^{\frac{3\pi}{2}} f(x)\ dx = \frac{21}{4}$.

Select one:

- - 21/4
- 0
- 21/4
- 7
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

Proof: $a(a + b)$

$= (a+0)(a + b)$ (1)

$= a+0 \cdot b$ (2)

$= a + 0$ (3)

$= a$ (4)

Answer 1 Choose... Identity

Answer 2 Choose... Absorption

Answer 3 Choose... null

Answer 4 Choose... Identity

NetExam

Sri Lanka Institute of Information Technology

estion 16

t yet answered

rked out of

0

Flag question

Calculate the 1's complement for the following binary

1000111011001

Select one:

- 11101101100011
- 10111111001111
- 111000100110
- 0101010000001
- None of the above.

le

NetExam

Sri Lanka Institute of Information Technology

swered

t of

uestion

Find the value of $\int_0^{\frac{21}{4}} f(t)\,dt$, given that $\int_{\frac{21}{4}}^{0} f(t)\,dt = 7$.

Select one:

- -6
- 0
- 9
- 21/8
- None of the above.

Sri Lanka Institute of Information...

Question **12**

Not yet answered

Marked out of 4.00

Flag question

Select the suitable answer for each blank.

$$A + \overline{A}\,B = A\,1 + \overline{A}\,B$$

$$= A\,(1 + B) + \overline{A}\,B \quad [__1__]$$ null

$$= A + A\,B + \overline{A}\,B \quad [__2__]$$ Distributive

$$= A + B\,(A + \overline{A}) \quad [__3__]$$,,

$$= A + B \quad [__4__]$$ Inverse

Answer 1 Choose...

Answer 2 Choose...

Answer 3 Choose...

Answer 4 Choose...

Moodle

it21046902 Perera

NetExam

Sri Lanka Institute of Information Technology

Question **4**

Not yet answered

Marked out of 1.00

Flag question

Find the value of $\int_{0}^{\frac{21}{4}} f(t)\,dt$, given that $\int_{\frac{21}{4}}^{0} f(t)\,dt = 7$.

Select one:

- -6
- 0
- 9
- 21/8
- None of the above.

Quiz navi

Finish attempt ...

Time left 0:50:38

1	2	3
8	9	10
15	16	17
22	23	

Next page

fferentiate the following function with respect to x

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

ered

of

estion

Find the dual of the following expression.

a.b.c.0 = (a+b+1).0

Select one:

- a+b+c+1 = 1
- a+b+c+0 = (a.b.1)+1
- a+b+c+1 = (a.b.1)+1
- a+b+c+0 = (a.b.1)+0
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question **13**

Not yet answered

Marked out of 1.00

Flag question

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above

Quiz

Finish atte

Time left 0:

1 2 9 10 17 18

Next page

Question **6**

Not yet answered

Marked out of 1.00

Flag question

Differentiate,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(\sqrt{x}-3\right)\left(x^2-4x\right)\right]$$

Select one:

- $\dfrac{\sqrt{x}\,(5x-12)-12x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\sqrt{x}\,(5x-9)-6x+9$
- None of the above

Next page

Sri Lan[illegible] of Information Technology

Question **8**

Not yet answered

Marked out of 1.00

Flag question

Differentiate with respect to t,

$$24t^2 + \frac{1}{t^{\frac{1}{2}}} - 3$$

Select one:

- $24t - \frac{3}{2t^{\frac{3}{2}}}$
- $48t - \frac{3}{2t^{\frac{3}{2}}} - 3$
- $48t - \frac{3}{2t^{\frac{3}{2}}}$
- $48t + \frac{3\sqrt{t}}{2} - 3$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Moodle

Exam

Sri Lanka Institute of Information Technology

Question 3

Not answered

Marked out of 2.00

Flag question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x-2)^{1/2}$
- $f^{-1}(x) = (x-2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

1
wered
t of
estion

Find the dual of the following expression.

a.1 = (a+b+c+1).a

Select one:

- a = (a.b.c)+a
- a+1 = (a.b.c.1)+a
- a+0 = (a.b.c.0)+a
- a+0 = (a.b.c.1)+a
- None of the above



AND

NetExam

Sri Lanka Institute of Information Technology

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, *v* is given by the function $v = 550 + 16.5t$, in which *t* s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

13

answered

out of

question

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean e above circuit.

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 3

Not yet answered

Marked out of 2.00

Flag question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

12

answered

out of

g question

Select the suitable answer for each blank.

proof:

$AB + A$

$AB + A1$ (__1__)

$A(B + 1)$ (__2__)

$A(1)$ (__3__)

A (__4__)

Answer 1 Choose...

Answer 2

Answer 3

Answer 4

Choose...

Universal Bound Law

Distributive law

IdentityLaw

De Morgan's Law

Identity Law

Inverse Law

Associative Law

Commutative Law

Distributive Law

wered

t of

uestion

Differentiate, with respect to x,

f(x)= $$(2x-1)^4+\left(x^2-2\right)^2$$

Select one:

- $68x^3-96x^2+36x-8$
- $68x^3-288x^2+424x-216$
- $68x^3-192x^2+184x-64$
- $68x^3-96x^2+40x-8$
- None of the above

odle

NetExam

Sri Lanka Institute of Information Technology

tion 4

yet answered

ked out of

Flag question

Find the value of the following definite integral.

$$\int_0^2 12x(x+1)(2-x)\,dx$$

Select one:

- 64
- 32
- 30
- 28
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find.

$$\int \left(x^3 - 5x + 8\right) \mathrm{d}x$$

Select one:

- $\dfrac{x\left(x^3 - 10x + 20\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x + 24\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x + 32\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x - 12\right)}{4} + C$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

vered

of

estion

Simplify,

$$\int_{-2}^{-1} |2x+3| \, dx$$

Select one:

- 1
- 2
- 0.5
- -1
- -0.5

ASUS VivoBook

NetExam

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

Proof: $a(a + b)$

$= (a+0)(a + b)$ (1)

$= a+0 \cdot b$ (2) Absorption

) (3)

(4)

Choose...
IdentityLaw
Identity Law
Commutative Law
Associative Law
Universal Bound Law
Inverse Law
Distributive Law
De Morgan's Law
Distributive law

Answer 1 Choose...

Answer 2 Choose...

Answer 3 Choose...

Answer 4 Choose...

Simplify.

$$\int_{-2}^{1} |3x+5| \, dx$$

Select one:

- 32/3
- 65/6
- 11
- -11
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Following circuit is equivalent to.



Select one:

- OR Gate
- NOR Gate
- NAND Gate
- NOT Gate
- None of the above

NetExam

Sri Lanka Institute of Information Technology

red

tion

Find the dual of the following expression.

(a + 0).(b + 1) = a

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-5}{2x+1}\right]$$

Select one:

- $\dfrac{2\left(x^2+x+5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x-5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+11\right)}{(2x+1)^2}$
- None of the above

Simplify the following boolean expression.

$$(A+B)(\overline{A}+C)(B+C)$$

Select one:

- $(A+B)(\bar{A}+C)$
- $(\bar{A}+\bar{B})(A+C)$
- $(\bar{A}+B)(A+C)$
- $(\bar{A}+\bar{C})(A+B)$
- None of the above

$AB + AC + \underbrace{BB} + BC(\bar{A}+C)$

$AB + AC + B + BC(\bar{A}+C)$

$AB + AC + B\underbrace{(1+C)}_{1}(\bar{A}+C)$

$AB + AC + B(\bar{A}+C)$

$B\underbrace{(1+A)}_{1} + AC(\bar{A}+C)$

$(B+AC)(\bar{A}+C)$

$B\bar{A} + BC + \underbrace{AC\bar{A}} + ACC$

$B\bar{A} + BC + 0 + AC$

$B\bar{A} + BC + A\bar{A} + AC$

$B(\bar{A}+C) + A(\bar{A}+C)$

$(B+A)(\bar{A}+C)$

Find the value of the following defin

$$\int_{-2}^{-1} (s^2 + 2s + 2)ds$$

Select one:

- 3/4
- 4/3
- 1/3
- 2/3
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Select the Correct Answer.

A variant of Universal Bound Low is, Choose...

A Variant of Identity Low is, Choose...

A Variant of Idempotent Low is, Choose...

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

Q = (A + B).(A + C)

A.A + A.C + A.B + B.C – Distributive law

A + A.C + A.B + B.C – 1 Idempotent

A(1 + C) + A.B + B.C – Distributive law

A.1 + A.B + B.C – 2 null

A(1 + B) + B.C – Distributive law

A.1 + B.C – 3 null

Q = A + (B.C) – 4 Idertity

Answer 1 Choose...

Answer 2 Choose...

Answer 3 Choose...

Answer 4 Choose...

NetExam

Sri Lanka Institute of Information Technology

Question **11**

Not yet answered

Marked out of 1.00

Flag question

Find the dual of the following expression.

a.b.c.0 = (a+b+1).0

Select one:

- a+b+c+1 = 1
- a+b+c+0 = (a.b.1)+1
- a+b+c+1 = (a.b.1)+1
- a+b+c+0 = (a.b.1)+0
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 10

Not yet answered

Marked out of 3.00

Flag question

Select the Correct Answer.

A variant of Universal Bound Low is, Choose...

A Variant of Identity Low is,

A Variant of Idempotent Low is,

- Choose...
- B + 1 = 0
- C + 0 = C
- A. 1 = 0
- B + 1 = 1
- A . A = A
- A + 0 = 1

Question **13**

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

3

answered

d out of

Flag question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

6) $\int_0^2 12x(x+1)(2-x)\,dx$

$\cancel{2dx} = 12dx^3 - 12dx^2 + 22dx^2$

7) $f(x) = (2x-1)^2 + (x^2-2)^2$

8) $\frac{d}{dx} \cdot [(\sqrt{x}-3)(x^2-2x)]$

$= \frac{5x\sqrt{x}}{2} - 6\sqrt{x} - 6x + 12$

9) $\frac{d}{dx}\left[\frac{x^2-7}{2x+1}\right]$

$= \frac{2x^2+2x+14}{(2x+1)^2} = \frac{2(x^2+5x+}{(2x+1)}$

10) $\frac{d}{dx}\left(\frac{x^2-5}{2x+1}\right)$

$\frac{2(x^2+2x+5)}{(2x+1)^2}$

13

nswered

out of

question

Assume that you have to design a circuit f
Select the answer which gives the boolean

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+(x^2-3)^2\right]$$

Select one:

- $68x^3-288x^2+420x-216$
- $68x^3-288x^2+416x-216$

NetExam

Sri Lanka Institute of Information Technology

Find the dual of the following expression.

$(a + 0).(b + 1) = a$

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x,

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question **6**

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(2\sqrt{x}-3\right)\left(x^2-4x\right)\right]$$

Select one:

- $\sqrt{x}\,(5x-12)-6x+12$
- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-15)-12x+30}{2}$
- $\dfrac{\sqrt{x}\,(5x-3)-16x+8}{2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

11

answered

out of

question

Find the dual of the following expression.

(a + 0).(b + 1) = a

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question 11

Not yet answered

Marked out of 1.00

Flag question

Find the dual of the following expression.

(a + 0 + 1).(b .c) = b.c.1

Select one:

- (a .0 . 1).(b+c) = b+c+1
- (a. 0 . 1)+(b+c) = b+c+1
- (a. 1. 0)+(b+c) = b+c+0
- (a. 1. 0)(b+c) = b+c
- None of the above

vered
of
estion

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, *v* is given by the function $v = 550 + 16.5t$, in which *t* s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Next page

loodle

NetExam

Sri Lanka Institute of Information Technology

tion 8

yet answered

ked out of

Flag question

Differentiate with respect to x,

$$-12x^2 + x^{\frac{3}{2}} - 3$$

Select one:

- $\frac{1}{2\sqrt{x}} - 24x$
- $-24x + \frac{3\sqrt{x}}{2} - 3$
- $24x + \frac{3\sqrt{x}}{2}$
- $\frac{3\sqrt{x}}{2} - 24x$
- None of the above

Differentiate the following function with respect to x.

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

A function is said to be _____, if and only if $f(a) = f(b)$ implies that $a = b$ for all a and b in the domain of f.

Select one:

- one-to-one
- one-to-many
- many-to-many
- many-to-one
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate with respect to t,

$$24t^2 + \frac{1}{t^{\frac{3}{2}}} - 3$$

Select one:

- $24t - \frac{3}{2t^{\frac{5}{2}}}$
- $48t - \frac{3}{2t^{\frac{5}{2}}} - 3$
- $48t - \frac{3}{2t^{\frac{5}{2}}}$
- $48t + \frac{3\sqrt{t}}{2} - 3$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

nd the answer for the following binary division.

0100011 ÷ 10

elect one:

- Quotient = 10110001 & Remainder = 01
- Quotient = 01010101 & Remainder = 01
- Quotient = 01010001 & Remainder = 00
- Quotient = 10111000 & Remainder = 10
- None of the above.

dle

NetExam

Sri Lanka Institute of Information Technology

1

swered

ut of

uestion

Find the dual of the following expression.

a.1 = (a+b+c+1).a

Select one:

- a = (a.b.c)+a
- a+1 = (a.b.c.1)+a
- a+0 = (a.b.c.0)+a
- a+0 = (a.b.c.1)+a
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x,

$$\left(\sqrt{x}-3\right)\left(x^2-3x\right)$$

Select one:

- $\sqrt{x}\,(5x-9)-6x+9$
- $\dfrac{\sqrt{x}\,(5x-9)-16x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question **13**

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above

Next page

Differentiate with respect to x,

$$\left(x^3-1\right)^2-x^6+\sqrt{x}-1$$

Select one:

- $-\dfrac{12x^{\frac{11}{2}}+12x^{\frac{5}{2}}-1}{2\sqrt{x}}$
- $-\dfrac{12x^{\frac{5}{2}}-1}{2\sqrt{x}}$
- $-\dfrac{12x^{\frac{7}{2}}+1}{2x^{\frac{3}{2}}}$
- $-7x^6+6x^2\left(x^3-1\right)-\dfrac{1}{2x^{\frac{3}{2}}}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Mary deposits $ 450 in a savings account at 2.5% simple annual interest. Th

of this account, v, is given by the function $v = 450 + 12.5t$, , in which t is

of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

stion 7

yet answered

ked out of

lag question

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-7}{2x+1}\right]$$

Select one:

- $\dfrac{2\left(x^2+x+5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+7\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+2\right)}{(2x+1)^2}$
- None of the above

Moodle

Sri Lanka Institute of Information Technology

Question

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-5}{2x+1}\right]$$

Select one:

- $\dfrac{2\left(x^2+x+5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x-5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+11\right)}{(2x+1)^2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Select the Correct Answer.

A variant of idempotent Law is, Choose...

A Variant of Identity Law is,

A Variant of Absorption Law is,

- Choose...
- B.B = 1
- A.(A + C) = A
- A . 1 = A
- (A + A) = A
- A + A = 0
- A.0 = A

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question **23**

Not yet answered

Marked out of 1.00

Flag question

Simplify the following boolean expression.

$$ABC + \overline{A}B + AB\overline{C}$$

$$AB\underbrace{(C + \overline{C})}_{1} + \overline{A}B$$

$$AB + \overline{A}B$$

$$B\underbrace{(A + \overline{A})}_{1}$$

$$B$$

Select one:

- A
- B
- AB
- BC
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

Select one:

- $-\frac{2}{x^3} - 3$
- $-\frac{1}{x^3} - 3$
- $-\frac{1}{x^3} - 4$
- $\frac{1}{5x^2}$
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Convert the number 100111.1101_2 to the equivalent decimal number.

Select one:

- 37.9375
- 39.8125
- 55.3125
- 49.6875
- None of the above.

odle

n 7

t answered

ed out of

lag question

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-7}{2x+1}\right]$$

Select one:

- $\dfrac{2\left(x^2+x+5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+7\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+2\right)}{(2x+1)^2}$

odle

NetExam

Sri Lanka Institute of Information Technology

stion 4

yet answered

ked out of

Flag question

Find the value of the following definite integral.

$$\int_{-1}^{1} \frac{x^2 - \sqrt{25x^2}}{x} dx$$

Select one:

- 10
- -10
- 0
- -1
- None of the above

ASUS VivoBook

NetExam

Sri Lanka Institute of Information Technology

A committee of three individuals decides issues for an organization. Each individual votes either yes or no for each proposal that arises. A proposal is passed if it receives at least two yes votes. Assume that you design a circuit that determines whether a proposal passes. What is the boolean expression which matches the above circuit.

Select one:

- XY + XZ + YZ
- XYZ + XZ
- XY + XZ
- X.(Y+Z)
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

11

nswered

out of

question

Find the dual of the following expression.

a.1 = (a+b+c+1).a

Select one:

- a = (a.b.c)+a
- a+1 = (a.b.c.1)+a
- a+0 = (a.b.c.0)+a
- a+0 = (a.b.c.1)+a
- None of the above

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(\sqrt{x}-3\right)\left(x^2-5x\right)\right]$$

Select one:

- $\dfrac{\sqrt{x}\,(5x-18)-12x+36}{2}$
- $\dfrac{\sqrt{x}\,(5x-15)-12x+30}{2}$
- $\dfrac{\sqrt{x}\,(5x-18)-16x+48}{2}$
- $\dfrac{\sqrt{x}\,(5x-3)-16x+8}{2}$

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.00

Flag question

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, v is given by the function $v = 550 + 16.5t$, in which t s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question **5**

Not yet answered

Marked out of 1.00

Flag question

Differentiate with respect to x,

$$(x^3-1)^2-x^6+\sqrt{x}-1$$

Select one:

- $-\frac{12x^{\frac{11}{3}}+12x^{\frac{5}{3}}-1}{2\sqrt{x}}$
- $-\frac{12x^{\frac{5}{3}}-1}{2\sqrt{x}}$
- $-\frac{12x^{\frac{7}{3}}+1}{2x^{\frac{2}{3}}}$
- $-7x^6+6x^2(x^3-1)-\frac{1}{2x^{\frac{1}{2}}}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find the answer for the following binary multiplication.

11100011 × 101

Select one:

- 10001101111
- 11111111001
- 10101100000
- 010010100110
- None of the above.

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x-2)^{1/2}$
- $f^{-1}(x) = (x-2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

estion 10

t yet answered

arked out of

00

Flag question

Select the Correct Answer.

A variant of Associative Law is. Choose...

A Variant of Identity Law is.

A Variant of Distributive Law is.

- Choose...
- (A + B) + C = A + (B + C)
- (A . B) + C = A + (B . C)
- A +(B.C) = (A+B) . (A+C)
- B + 1 = 0
- C + 0 = C
- A .(B.C) = (A.B) . (A.C)

Next page

Quiz na

Finish attempt

Time left 0:22

1 2

11 12

21 22

NetExam

Sri Lanka Institute of Information Technology

Differentiate following function with respect to x

$$\frac{x^2 - 3}{2x + 1}$$

Select one:

- $\frac{2\left(x^2 + x + 4\right)}{(2x+1)^2}$
- $\frac{2\left(x^2 + x + 3\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2 + x + 1\right)}{(2x+1)^2}$
- $-\frac{2\left(x^2 + x + 6\right)}{(2x+1)^2}$
- None of the above

ered
f
tion

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x-2)^{1/2}$
- $f^{-1}(x) = (x-2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 11

Not yet answered

Marked out of 1.00

Flag question

Find the dual of the following expression.

a.1 = (a+b+c+1).a

Select one:

- a = (a.b.c)+a
- a+1 = (a.b.c.1)+a
- a+0 = (a.b.c.0)+a
- a+0 = (a.b.c.1)+a
- None of the above

ion 2
et answered
ed out of
lag question

Mary deposits $ 450 in a savings account at 2.5% simple annual interest. The value of this account, v, is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-7}{2x+1}\right]$$

Select one:

- $\dfrac{2\left(x^2+x+5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+7\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+2\right)}{(2x+1)^2}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Following circuit is equivalent to;



Select one:

- OR Gate
- AND Gate
- NOR Gate
- NAND Gate
- None of the above

NetExam

Sri Lanka Institute of Information Technology

12

nswered

out of

question

Select the suitable answer for each blank.

$$A + \overline{A}\,B = A\,1 + \overline{A}\,B$$

$$= A\,(1 + B) + \overline{A}\,B \quad \text{[__1__]}$$ null

$$= A + A\,B + \overline{A}\,B \quad \text{[__2__]}$$ Distribu

$$= A + B\,(A + \overline{A}) \quad \text{[__3__]}$$ 11

$$= A + B \quad \text{[__4__]}$$ inverse

Answer 1 Choose...

Answer 2 Choose...

Answer 3 Choose...

Answer 4 Choose...

Question **1**

Not yet answered

Marked out of 2.00

Flag question

Find the value of the following definite integral.

$$\int_0^3 |3t - 5|\, dt$$

Select one:

- 20
- 30/6
- 41/6
- 42/6
- None of the above

Question **9**

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\int \left(x^3 - 5x + 8\right) \mathrm{d}x$$

Select one:

- $\dfrac{x\left(x^3 - 10x + 20\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x + 24\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x + 32\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x - 12\right)}{4} + C$
- None of the above

NetExam

Lanka Institute of Information Technology

ity.

$$\frac{d}{dx}\left[(2x-3)^4+(x^2+2)^2\right]$$

ct one:

$68x^3-288x^2+424x-216$

$68x^3-288x^2+440x-216$

$68x^3-192x^2+184x-64$

$80x^3-192x^2+176x-64$

None of the above

NetExam

Sri Lanka Institute of Information Techn

ered

f

ion

Find the dual of the following expression.

a.1 = (a+b+c+1).a

Select one:

- a = (a.b.c)+a
- a+1 = (a.b.c.1)+a
- a+0 = (a.b.c.0)+a
- a+0 = (a.b.c.1)+a
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Convert the number 168_{10} to a base 3 number system.

Select one:

- 22001
- 11111
- 10002
- 20020
- None of the above.

$$
\begin{array}{r|l}
3 & 168 \\
3 & 56 - 0 \\
3 & 18 - 2 \\
3 & 6 - 0 \\
 & 2 - 0
\end{array}
$$

tion 3
yet answered
ked out of
Flag question

The inverse of function $f(x) = x^3 + 2$ is _____.

Select one:

- $f^{-1}(x) = (x-2)^{1/2}$
- $f^{-1}(x) = (x-2)^{1/3}$
- $f^{-1}(x) = x^{1/3}$
- $f^{-1}(x) = x - 2$
- None of the above

2
answered
out of
question

Mary deposits $ 450 in a savings account at 2.5% simple annual interest. The value of this account, v, is given by the function $v = 450 + 12.5t$, in which t is the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 450$
- $v \leq 450$
- $v \geq 450$
- $0 \leq v \leq 12.5$
- None of the above

Next page

Fin
Tim
1
8
15
22

Question **11**

Not yet answered

Marked out of 1.00

Flag question

Find the dual of the following expression.

a.b.c.0 = (a+b+1).0

Select one:

- a+b+c+1 = 1
- a+b+c+0 = (a.b.1)+1
- a+b+c+1 = (a.b.1)+1
- a+b+c+0 = (a.b.1)+0
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find the dual of the following expression.

$(a + 0).(b + 1) = a$

Select one:

- (a.1)+(b.0)=a
- (a.1)(b.0)=a
- (a.1)+(b.1)=a
- (a.1)+(b.0)=b
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

$$A + \overline{A}\,B = A\,1 + \overline{A}\,B$$

$$= A\,(1 + B) + \overline{A}\,B \quad (__1__)$$

$$= A + A\,B + \overline{A}\,B \quad (__2__)$$

$$= A + B\,(A + \overline{A}) \quad (__3__)$$

(__4__)

Choose...

Inverse Law

Associative Law

Commutative Law

Universal Bound Law

Absorption Law

De Morgan's Law

Double Complement law

Distributive Law

Answer 1

Answer 2

Answer 3

Answer 4 Choose...

answer for each ...

$AB + A$

$AB + A1$ [__1__]

$A(B + 1)$ [__2__]

$A(1)$ [__3__]

A [__4__]

Choose...

Choose...
IdentityLaw
Associative Law
Identity Law
Commutative Law
Distributive Law
De Morgan's Law
Inverse Law
Distributive law
Universal Bound Law

NetExam

Sri Lanka Institute of Information Technology

Select the Correct Answer.

A variant of Associative Law is, Choose...

A Variant of Identity Law is,

A Variant of Distributive Law is,

- Choose...
- C + 0 = C
- A .(B.C) = (A.B) . (A.C)
- A +(B.C) = (A+B) . (A+C)
- B + 1 = 0
- (A + B) + C = A + (B + C)
- (A . B) + C = A + (B . C)

NetExam

Sri Lanka Institute of Information Technology

Question **6**

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\frac{d}{dx}\left[\left(\sqrt{x}-3\right)\left(x^2-5x\right)\right]$$

Select one:

- $\frac{\sqrt{x}\,(5x-18)-12x+36}{2}$
- $\frac{\sqrt{x}\,(5x-15)-12x+30}{2}$
- $\frac{\sqrt{x}\,(5x-18)-16x+48}{2}$
- $\frac{\sqrt{x}\,(5x-3)-16x+8}{2}$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 4

Not yet answered

Marked out of 1.00

Flag question

Find the value of the following definite integral.

$$\int_{1}^{7} x^2 \, dx$$

Select one:

- 116
- 120
- 115
- 114
- None of the above

wered

of

estion

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-9}{2x+1}\right]$$

Select one:

- $\dfrac{2\left(x^2+x+9\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+7\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+11\right)}{(2x+1)^2}$
- None of the above

Question 2
Not yet answered
Marked out of 1.00
Flag question

Mary deposits $550 in a savings account at 3% simple annual interest. The value of this account, *v* is given by the function $v = 550 + 16.5t$, in which *t* s the number of years the money is in the bank. What is the range of this function?

Select one:

- $0 \leq v \leq 550$
- $v \geq 550$
- $v \leq 550$
- $0 \leq v \leq 16.5$
- None of the above

Find the value of the following definite integral.

$$\int_0^1 |2x - 12| dx$$

Select one:

- 12
- 11
- 13
- -12
- None of the above

wered

t of

estion

Find the value of the following definite integral.

$$\int_0^2 12x(x+1)(2-x)\,dx$$

Select one:

- 64
- 32
- 30
- 28
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question **6**

Not yet answered

Marked out of 1.00

Flag question

Differentiate,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\left(\sqrt{x}-3\right)\left(x^2-4x\right)\right]$$

Select one:

- $\dfrac{\sqrt{x}\,(5x-12)-12x+24}{2}$
- $\dfrac{\sqrt{x}\,(5x-9)-12x+18}{2}$
- $\dfrac{\sqrt{x}\,(5x-6)-16x+16}{2}$
- $\sqrt{x}\,(5x-9)-6x+9$
- None of the above

Quiz navig

Finish attempt

Time left 0:43:39

1 2 3

9 10 11

17 18 19

Next page

Question **4**

Not yet answered

Marked out of 1.00

Flag question

Simplify.

$$\int_{-1}^{1} (x-3)^3 \, dx$$

Select one:

- -60
- -58
- -50
- 58
- 65

NetExam

Sri Lanka Institute of Information Technology

Find the answer for the following binary division.

10101010 ÷ 10

Select one:

- Quotient = 1011000 & Remainder = 00
- Quotient = 01010101 & Remainder = 01
- Quotient = 01010101 & Remainder = 00
- Quotient = 1011000 & Remainder = 10
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Differentiate the following function with respect to x

$$x^{-2} - 3x + 3$$

Select one:

- $-\frac{2}{x^3} - 3$
- $-\frac{1}{x^3} - 3$
- $-\frac{1}{x^3} - 4$
- $\frac{1}{5x^2}$
- None of the above.

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 9

Not yet answered

Marked out of 1.00

Flag question

Simplify

$$\int x^3 - 2x + 5 \, dx$$

Select one:

- $\frac{x\left(x^3 - 4x + 20\right)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x\left(x^3 - 4x + 12\right)}{4} + C$
- $\frac{x\left(x^3 - 4x - 8\right)}{4} + C$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find the answer for the following binary addition.

10101010 + 11001100

Select one:

- 0101110110
- 01000100
- 110110100
- 101110101
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+(x^2+2)^2\right]$$

Select one:

- $68x^3-288x^2+424x-216$
- $68x^3-288x^2+440x-216$
- $68x^3-192x^2+184x-64$
- $80x^3-192x^2+176x-64$
- None of the above

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 8

Not yet answered

Marked out of

Flag question

Differentiate the following function with respect to t.

$$5t^3 + \frac{1}{t^{\frac{5}{2}}} - 3$$

Select one:

- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- $15t^2 + \frac{5t^{\frac{3}{2}}}{2}$
- $15t^2 - \frac{5}{2t^{\frac{5}{2}}} - 3$
- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question **3**

Not yet answered

Marked out of 2.00

Flag question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

on 17

et answered

ed out of

ag question

Convert the number 168_{10} to a base 5 number system.

Select one:

- 2200
- 4412
- 1133
- 2002
- None of the above.

5 | 168

5 | 33 – 3

5 | 6 – 3

1 – 1

NetExam

Sri Lanka Institute of Information Technology

Question 17

Not yet answered

Marked out of 1.00

Flag question

Convert the number 168_{10} to a base 3 number system.

Select one:

- 22001
- 11111
- 10002
- 20020
- None of the above.

3 | 168

3 | 56 - 0

3 | 18 - 2

3 | 6 - 0

2 - 0

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 4

Not yet answered

Marked out of 1.00

Flag question

Find the value of the following definite integral.

$$\int_{1}^{7} x^2 \, dx$$

Select one:

- 116
- 120
- 115
- 114
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Convert the number 1999_{10} to equivalent binary numbers.

Select one:

- 10000101000
- 1111100111
- 10001001000
- 11111001111
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of 4.00

Flag question

Select the suitable answer for each blank.

Proof: $a(a + b)$

$= (a+0)(a + b)$ (1)

$= a+0\cdot b$ (2) Absorption

$= a + 0$ (3)

$= a$ (4)

Answer 1 Choose...

Answer 2 Choose...

Answer 3

Answer 4

- Inverse Law
- Distributive law
- Identity Law
- Commutative Law
- Associative Law
- Distributive Law
- IdentityLaw
- Universal Bound Law
- De Morgan's Law

Select the suitable answer for each blank.

proof:

$AB + A$

$AB + A1$ (__1__)

$A(B + 1)$ (__2__)

$A(1)$ (__3__)

A (__4__)

Answer 1 Choose...

Answer 2

Answer 3

Answer 4

- Choose...
- Universal Bound Law
- Distributive law
- IdentityLaw
- De Morgan's Law
- Identity Law
- Inverse Law
- Associative Law
- Commutative Law
- Distributive Law

Sri Lanka Institute of Information Technology

Question **23**

Not yet answered

Marked out of 1.00

Flag question

Simplify the following boolean expression.

$$\overline{A}\,B\,\overline{C} + A\,\overline{B}\,\overline{C} + \overline{A}\,\overline{B}\,\overline{C} + \overline{A}\,\overline{B}\,\overline{C}$$

$$\overline{A}B\overline{C} + \overline{B}\,\overline{C}\underbrace{(A+\overline{A})}_{1}$$

$$\overline{A}B\overline{C} + \overline{B}\overline{C}$$

$$\overline{C}(\overline{A}B + \overline{B})$$

$$\overline{C}(\overline{A} + \overline{B})$$

Select one:

- $\overline{A}\overline{B}\overline{C}$
- $\overline{B}\overline{C}$
- $(\overline{A}+\overline{B})\overline{C}$
- $(A+\overline{B})\overline{C}$
- None of the above

Finish attempt ...

NetExam

Sri Lanka Institute of Information Technology

Select the suitable answer for each blank.

proof:

$AB + A$

$AB + A1$ (__1__) Identity

$A(B + 1)$ (__2__) Distributive

$A(1)$ (__3__) null

A (__4__) Identity

Answer 1 Choose...

Answer 2 Choose...

Answer 3 IdentityLaw

Answer 4 Identity Law

Differentiate the following function with respect to t,

$$5t^3 + \frac{1}{t^{\frac{5}{2}}} - 3$$

Select one:

- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- $15t^2 + \frac{5t^{\frac{3}{2}}}{2}$
- $15t^2 - \frac{5}{2t^{\frac{7}{2}}} - 3$
- $15t^2 - \frac{5}{2t^{\frac{7}{2}}}$
- None of the above

8

swered

t of

estion

Find the answer for the following binary division.

10100011 ÷ 10

01010001 R - 1

Select one:

- Quotient = 10100011 & Remainder = 01
- Quotient = 01010101 & Remainder = 01
- Quotient = 01010001 & Remainder = 00
- Quotient = 1011000 & Remainder = 10
- None of the above.

NetExam

Sri Lanka Institute of Information Technology

Question **13**

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by two switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $XY + \bar{X}.\bar{Y}$
- $X\bar{Y} + \bar{X}.Y$
- $\overline{XY} + X.Y$
- $\overline{XY} + \bar{X}.Y$
- None of the above

Quiz navigation

Finish attempt ...

Time left 0:19:09

1 2 3 4 5

11 12 13 14 15

21 22 23

Next page

Question **7**

Not yet answered

Marked out of 1.00

Flag question

Find,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[\frac{x^2-5}{2x+1}\right]$$

Select one:

- $\dfrac{2\left(x^2+x+5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x-5\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+6\right)}{(2x+1)^2}$
- $\dfrac{2\left(x^2+x+11\right)}{(2x+1)^2}$

Select the suitable answer for each blank.

Q = (A + B) (A + C)

A.A + A.C + A.B + B.C – Distributive law

A + A.C + A.B + B.C – 1

A(1 + C) + A.B + B.C – Distributive law

A.1 + A.B + B.C – 2

A(1 + B) + B.C – Distributive law

A.1 + B.C – 3

Q = A + (B.C) – 4

Answer 1 Choose...

Answer 2 Choose...

Answer 3 Idempotent Law

Answer 4 Associative Law

De Morgan's Law

Identity Law

Inverse Law

Distributive law

Commutative Law

Universal Bound Law

red

tion

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+\left(x^2+2\right)^2\right]$$

Select one:

- $68x^3-288x^2+424x-216$
- $68x^3-288x^2+440x-216$
- $68x^3-192x^2+184x-64$
- $80x^3-192x^2+176x-64$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Question **13**

Not yet answered

Marked out of 1.00

Flag question

Assume that you have to design a circuit for a light fixture controlled by three switches, where flipping one of the switches turns the light on when it is off and turns it off when it is on. Select the answer which gives the boolean expression for the above circuit.

Select one:

- $X\bar{Y}Z + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $XYZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $X\bar{Y}Z + \bar{X}\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- $\bar{X}YZ + X\bar{Y}\bar{Z} + \bar{X}Y\bar{Z} + \bar{X}\bar{Y}Z$
- None of the above

Next page

NetExam

Sri Lanka Institute of Information Technology

Differentiate, with respect to x,

f(x)= $(2x-1)^4+(x^2-2)^2$

Select one:

- $68x^3-96x^2+36x-8$
- $68x^3-288x^2+424x-216$
- $68x^3-192x^2+184x-64$
- $68x^3-96x^2+40x-8$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Simplify

$$\int x^3 - 2x + 5 \, dx$$

Select one:

- $\frac{x\left(x^3 - 4x + 20\right)}{4} + C$
- $\frac{x^4}{4} + x^2 + 5x + C$
- $\frac{x\left(x^3 - 4x + 12\right)}{4} + C$
- $\frac{x\left(x^3 - 4x - 8\right)}{4} + C$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

3

answered

out of

question

$f(x) = 2(24 - 5x)^{1/2}$ is a function that is defined for $x \leq 24/5$. Find the inverse function.

Select one:

- $f^{-1}(x) = 24/5 - x^2/20$
- $f^{-1}(x) = 5/2 + x/4$
- $f^{-1}(x) = 24/5 + x^2/20$
- $f^{-1}(x) = 12 - x^2/20$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Simplify,

$$\frac{\mathrm{d}}{\mathrm{d}x}\left[(2x-3)^4+(x^2-3)^2\right]$$

Select one:

- $68x^3-288x^2+420x-216$
- $68x^3-288x^2+416x-216$
- $68x^3-96x^2+36x-8$
- $80x^3-192x^2+176x-64$
- None of the above

NetExam

Sri Lanka Institute of Information Technology

Find,

$$\int \left(x^3 - 5x + 8\right) \mathrm{d}x$$

Select one:

- $\dfrac{x\left(x^3 - 10x + 20\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x + 24\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x + 32\right)}{4} + C$
- $\dfrac{x\left(x^3 - 10x - 12\right)}{4} + C$
- None of the above