



Sri Lanka Institute of Information Technology


ed

0.63

on

$$Let A = \begin{bmatrix} 8 & 3 \\ 4 & -6 \end{bmatrix}$$

Find
$$A^2 - 3I + 2A$$
.



Sri Lanka Institute of Information Technology

m9

di manana an

to Suo En

leg question

Let
$$A = \begin{bmatrix} 3 & 7 \\ -4 & 5 \end{bmatrix}$$

Find
$$A^2 - 3I + 2A$$
.



NetExauni

Sri Lanka Institute of Information Technology

Question 3

Not yet answered

Marked out of 4.00

P Flag question

$$A = \begin{bmatrix} 21 & 13 & -4 \\ 15 & 14 & 0 \end{bmatrix} \cdot \begin{bmatrix} -7 & 11 \\ 4 & -4 \\ -12 & 8 \end{bmatrix}$$

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$



NetExauni

Sri Lanka Institute of Information Technology

Question 3


Not yet answered


Marked out of 4.00

P Flag question

$$A = \begin{bmatrix} 21 & 13 & -4 \\ 15 & 14 & 0 \end{bmatrix} \cdot \begin{bmatrix} -7 & 11 \\ 4 & -4 \\ -12 & 8 \end{bmatrix}$$

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$







Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 4.00

P Flag question

Let
$$A = \begin{bmatrix} 3 & 7 \\ -4 & 5 \end{bmatrix}$$

Find
$$A^2 - 3I + 2A$$
.

Moodle

> × e | © | D



NetExam

Sri Lanka Institute of Information Technology

Question 3

Not yet answered Marked out of

P Flag question

Find the following product.

$$A = \begin{bmatrix} 21 & 13 & -4 \\ 15 & 14 & 0 \end{bmatrix} \cdot \begin{bmatrix} -7 & 11 \\ 4 & -4 \\ -12 & 8 \end{bmatrix}$$

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

a = : b = : d = :

4



Sri Lanka Institute of Information Technology

Question 1

Not yet answered Marked out of 4.00

P Flag question

$$A = \begin{bmatrix} 12 & 10 & -7 \\ 15 & 11 & 0 \end{bmatrix} \cdot \begin{bmatrix} -3 & 10 \\ 7 & -2 \\ -11 & 8 \end{bmatrix}$$

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$



Sri Lanka Institute of Information Technology

Question 1

Not yet answered

Marked out of 3.00

P Flag question

Assume the degree sequence of a graph is 5, 4, 3, 2, 2, 1,1. Determine whether, it is possible to draw the graph with the above degree sequence.

Oyes

ONO

If this graph exists, does it has an Euler Path?

Oyes

ONO

If this graph exists, does it has an Euler Circuit?

Dives

ONO

Question 10


Not yet answered


Marked out of 4.00

Flag question

$$A = \begin{bmatrix} 12 & 10 & -7 \\ 15 & 11 & 0 \end{bmatrix} \cdot \begin{bmatrix} -3 & 10 \\ 7 & -2 \\ -11 & 8 \end{bmatrix}$$

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$







Sri Lanka Institute of Information Technology


Question 1

Not yet answered Marked out of 4.00

P Flag question

$$A = \begin{bmatrix} 12 & 10 & -7 \\ 15 & 11 & 0 \end{bmatrix} \cdot \begin{bmatrix} -3 & 10 \\ 7 & -2 \\ -11 & 8 \end{bmatrix}$$

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$






Sri Lanka Institute of Information Technology

etion **5** yet answered ked out of

Let
$$A = \begin{bmatrix} 4 & -3 \\ 6 & 5 \end{bmatrix}$$

Find $A^2 - 3I + 2A$.





Sri Lanka Institute of Information Technology

stion **6**yet answered
rked out of
0

Flag question

$$A = \begin{bmatrix} 10 & 12 & -8 \\ 20 & 15 & 0 \end{bmatrix} \cdot \begin{bmatrix} -5 & 11 \\ 4 & -3 \\ -15 & 9 \end{bmatrix}$$

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

Let,
$$A = \begin{bmatrix} 11 & -13 \\ -12 & 21 \end{bmatrix}$$
, $B = \begin{bmatrix} 2 & 1 \\ -1 & 0 \end{bmatrix}$, $C = \begin{bmatrix} 3 & 2 \\ 1 & -2 \end{bmatrix}$, $D = \begin{bmatrix} 5 & 4 \\ 5 & -6 \end{bmatrix}$

Find A+ 2B - 3C + D.

Let,

$$Answer = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

B




3

answered

out of

question

Consider the following graph.



Determine whether the above graph has the following.

Hamilton Path =

- O Yes
- ONO

Hamilton Circuit =

- O Yes
- ONO

Euler Path =

- O Yes
- ONO

Euler Circuit =

O Yes

6

Sri Lanka Institute of Information Technology

Question 3

8.00


Not yet answered Marked out of

P Flag question

Let,
$$A = \begin{bmatrix} 11 & -13 \\ -12 & 21 \end{bmatrix}$$
, $B = \begin{bmatrix} 2 & 1 \\ -1 & 0 \end{bmatrix}$, $C = \begin{bmatrix} 3 & 2 \\ 1 & -2 \end{bmatrix}$, $D = \begin{bmatrix} 5 & 4 \\ 5 & -6 \end{bmatrix}$

Find A+ 2B - 3C + D. Let,

$$Answer = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$



Assume the degree sequence of a graph is 6, 4, 4, 2, 2, 2, 0, 0. Question 1 Not yet answered Determine whether, it is possible to draw the graph with the Marked out of above degree sequence. 3.00 P Flag question Oyes ONO If this graph exists, does it have an Euler Path? O Yes ONO If this graph exists, does it have an Euler Circuit? O Yes ONO

ta Institute of Information Technology

Son 7

et answered

ed out of

lag question

$$\operatorname{Let} A = \begin{bmatrix} 2 & 9 \\ 7 & -6 \end{bmatrix}$$

Find $A^2 - 3I + 2A$.





Sri Lanka Institute of Information Technology

Let,
$$A = \begin{bmatrix} 31 & -15 \\ 13 & 20 \end{bmatrix}$$
, $B = \begin{bmatrix} 2 & 1 \\ -1 & 0 \end{bmatrix}$, $C = \begin{bmatrix} 3 & 2 \\ 1 & -2 \end{bmatrix}$, $D = \begin{bmatrix} 5 & 4 \\ 5 & -6 \end{bmatrix}$

Find A+ 2B - 3C + D.

Let.

$$Answer = \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

c = : | d = :