

Practical – 10

-> Create an interactive product listing card which consists of Product image, Product Name and price and Add to Cart button.

Input:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Product Store</title>

<!-- Bootstrap -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">

<style> body {  background: linear-gradient(135deg,
#1e3c72, #2a5298);  font-family: 'Segoe UI', sans-serif;
}

.navbar {
  background: rgba(0,0,0,0.7);
}

.product-card {  border-
radius: 15px;  overflow:
hidden;  transition: 0.4s;
  background: #fff;
}

.product-card:hover {  transform:
translateY(-10px) scale(1.02);  box-
shadow: 0 15px 30px rgba(0,0,0,0.3);
}

.product-img {
height: 220px;
object-fit: cover;
transition: 0.4s;
```

```
}

.product-card:hover .product-img {
  transform: scale(1.1);
}

.btn-cart {
  background: #2a5298;
  color: #fff; border-
radius: 25px; transition:
0.3s;
}

.btn-cart:hover {
  background: #1e3c72;
}

.cart-badge {
  background: red; color:
#fff; border-radius:
50%; padding: 5px
10px;
  font-size: 12px;
}
</style>
</head>

<body>

<nav class="navbar navbar-expand-lg navbar-dark px-4">
  <a class="navbar-brand" href="#">🛒 MyStore</a>

  <div class="ms-auto text-white">
    Cart 🛒 <span id="cart-count" class="cart-badge">0</span>
  </div>
</nav>

<div class="container mt-5">
  <div class="row g-4">
```

```
<!-- Product 1 -->
<div class="col-md-6">

  <div class="product-card p-3 text-center">
    
    <h5 class="mt-3">Smart Watch</h5>
    <p class="text-muted">₹1999</p>
    <button class="btn btn-cart w-100 add-cart">Add to Cart</button>
  </div>
</div>

<!-- Product 2 (Removed) -->

<!-- Product 3 -->
<div class="col-md-6">
  <div class="product-card p-3 text-center">
    
    <h5 class="mt-3">Running Shoes</h5>
    <p class="text-muted">₹2499</p>
    <button class="btn btn-cart w-100 add-cart">Add to Cart</button>
  </div>
</div>

</div>
</div>

<script> let count = 0; const cartCount =
document.getElementById("cart-count");

document.querySelectorAll(".add-cart").forEach(button => {
  button.addEventListener("click", () => {
count++;    cartCount.textContent =
count;

    button.innerText = "Added ✓";
    button.style.background = "green";
```

```
        setTimeout(() => {  
button.innerText = "Add to Cart";  
        button.style.background = "#2a5298";  
        }, 1000);  
    });  
  
});  
</script>  
  
</body>  
</html>
```

OUTPUT:-

