

Practical – 14

->Create a quiz application that displays one question at a time. Track the user score and show the result at the end.

Input:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>Multi Subject Quiz App</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial;
```

```
      background: linear-gradient(to right, #667eea, #764ba2);
```

```
      color: white;
```

```
      text-align: center;
```

```
      padding: 20px;
```

```
    }
```

```
    .container {
```

```
      background: rgba(0, 0, 0, 0.7);
```

```
      padding: 20px;
```

```
      border-radius: 10px;
```

```
      max-width: 600px;
```

```
      margin: auto;
```

```
    }
```

```
    button {
```

```
      padding: 10px 15px;
```

```
      margin: 5px;
```

```
      border: none;
```

```
      cursor: pointer;
```

```
      border-radius: 5px;
```

```
    }
```

```
    .option {
```

```
      display: block;
```

```
      background: #eee;
```

```
      color: black;
```

```
    }
```

```
    .correct {
```

```
      background: green !important;
```

```
      color: white;
```

```
    }
```

```
.wrong {
    background: red !important;
    color: white;
}
</style>
</head>

<body>

    <div class="container">
        <h1> Quiz Application</h1>

        <!-- Subject Selection -->
        <div id="subjectSelection">
            <h3>Select Subject</h3>
            <button onclick="startQuiz('web')">Web Development</button>
            <button onclick="startQuiz('os')">Operating System</button>
            <button onclick="startQuiz('hacking')">Ethical Hacking</button>
            <button onclick="startQuiz('kali')">Kali Linux</button>
            <button onclick="startQuiz('sql')">SQL</button>
        </div>

        <!-- Quiz Section -->
        <div id="quizBox" style="display:none;">
            <h3 id="question"></h3>
            <div id="options"></div>
            <p id="feedback"></p>
            <button onclick="nextQuestion()">Next</button>
        </div>

        <!-- Result -->
        <div id="resultBox" style="display:none;">
            <h2 id="resultText"></h2>
            <button onclick="location.reload()">Restart</button>
        </div>
    </div>

    <script>
        let currentQuestion = 0;
        let score = 0;
        let selectedSubject = "";

        // Questions Data (10 each)
        const quizData = {
            web: [
                { q: "What does HTML stand for?", o: ["Hyper Text Markup Language",
"High Text Machine Language", "Hyper Tool Multi Language", "None"], a: 0 },
```

```

    { q: "CSS is used for?", o: ["Structure", "Styling", "Database",
"Logic"], a: 1 },
    { q: "JavaScript is?", o: ["Markup", "Programming", "Database",
"OS"], a: 1 },
    { q: "Bootstrap is?", o: ["Framework", "Language", "Server",
"Browser"], a: 0 },
    { q: "DOM stands for?", o: ["Document Object Model", "Data Object
Model", "Digital Object", "None"], a: 0 },
    { q: "Which tag is used for link?", o: ["<a>", "<link>", "<href>",
"<url>"], a: 0 },
    { q: "React is?", o: ["Library", "Language", "OS", "Database"], a:
0 },
    { q: "CSS stands for?", o: ["Cascading Style Sheets", "Color Style
Sheet", "Creative Style", "None"], a: 0 },
    { q: "JS used for?", o: ["Styling", "Logic", "Database", "None"],
a: 1 },
    { q: "HTML file extension?", o: [".html", ".js", ".css", ".py"], a:
0 }
  ],

  os: [
    { q: "OS stands for?", o: ["Operating System", "Open Software",
"Optical System", "None"], a: 0 },
    { q: "CPU scheduling is?", o: ["Process management", "Memory",
"File", "None"], a: 0 },
    { q: "RAM is?", o: ["Temporary memory", "Permanent", "Storage",
"None"], a: 0 },
    { q: "Kernel is?", o: ["Core of OS", "UI", "App", "None"], a: 0 },
    { q: "Process is?", o: ["Program in execution", "File", "Folder",
"None"], a: 0 },
    { q: "Deadlock is?", o: ["Blocked process", "Fast process", "Slow
process", "None"], a: 0 },
    { q: "Virtual memory?", o: ["Disk as RAM", "RAM", "CPU", "None"],
a: 0 },
    { q: "OS type?", o: ["Batch", "Real-time", "Distributed", "All"],
a: 3 },
    { q: "Thread is?", o: ["Lightweight process", "Heavy", "None",
"File"], a: 0 },
    { q: "Linux is?", o: ["OS", "Language", "Browser", "None"], a: 0 }
  ],

  hacking: [
    { q: "Ethical hacking means?", o: ["Legal hacking", "Illegal",
"Game", "None"], a: 0 },
    { q: "Phishing is?", o: ["Fake email attack", "Virus", "Worm",
"None"], a: 0 },

```

```

{ q: "Firewall is?", o: ["Security system", "Virus", "App",
"None"], a: 0 },
{ q: "Malware?", o: ["Malicious software", "Good software", "None",
"App"], a: 0 },
{ q: "DoS attack?", o: ["Denial of Service", "Access", "Login",
"None"], a: 0 },
{ q: "Trojan is?", o: ["Malware", "Antivirus", "App", "None"], a: 0
},
{ q: "SQL injection?", o: ["Database attack", "Virus", "App",
"None"], a: 0 },
{ q: "Password cracking?", o: ["Breaking passwords", "Creating",
"None", "App"], a: 0 },
{ q: "VPN?", o: ["Secure network", "Virus", "App", "None"], a: 0 },
{ q: "Encryption?", o: ["Data security", "Hack", "Delete", "None"],
a: 0 }
],

kali: [
{ q: "Kali Linux is used for?", o: ["Penetration testing",
"Gaming", "Office", "None"], a: 0 },
{ q: "Nmap is?", o: ["Scanner", "Game", "Editor", "None"], a: 0 },
{ q: "Metasploit?", o: ["Exploit tool", "Game", "Browser", "None"],
a: 0 },
{ q: "Wireshark?", o: ["Packet analyzer", "Game", "App", "None"],
a: 0 },
{ q: "Aircrack-ng?", o: ["WiFi hacking", "Game", "App", "None"], a:
0 },
{ q: "Hydra?", o: ["Password cracking", "Game", "App", "None"], a:
0 },
{ q: "Burp Suite?", o: ["Web testing", "Game", "App", "None"], a: 0
},
{ q: "Kali based on?", o: ["Debian", "Ubuntu", "Windows", "None"],
a: 0 },
{ q: "Tool for brute force?", o: ["Hydra", "Chrome", "Word",
"None"], a: 0 },
{ q: "Nikto?", o: ["Web scanner", "Game", "App", "None"], a: 0 }
],

sql: [
{ q: "SQL stands for?", o: ["Structured Query Language", "Simple
Query", "None", "App"], a: 0 },
{ q: "SELECT used for?", o: ["Retrieve data", "Insert", "Delete",
"None"], a: 0 },
{ q: "INSERT?", o: ["Add data", "Delete", "Update", "None"], a: 0
},
{ q: "DELETE?", o: ["Remove data", "Add", "View", "None"], a: 0 },

```

```
{ q: "UPDATE?", o: ["Modify data", "Add", "Delete", "None"], a: 0
},
    { q: "WHERE?", o: ["Condition", "Add", "Delete", "None"], a: 0 },
    { q: "JOIN?", o: ["Combine tables", "Delete", "Add", "None"], a: 0
},
    { q: "Primary key?", o: ["Unique ID", "Duplicate", "None", "App"],
a: 0 },
    { q: "Database?", o: ["Data storage", "Game", "App", "None"], a: 0
},
    { q: "Table?", o: ["Data structure", "Game", "App", "None"], a: 0 }
]
};

// Start Quiz
function startQuiz(subject) {
    selectedSubject = subject;
    document.getElementById("subjectSelection").style.display = "none";
    document.getElementById("quizBox").style.display = "block";
    loadQuestion();
}

// Load Question
function loadQuestion() {
    let qData = quizData[selectedSubject][currentQuestion];
    document.getElementById("question").innerText = qData.q;
    let optionsHTML = "";
    qData.o.forEach((opt, i) => {
        optionsHTML += `<button class="option"
onclick="checkAnswer(${i})">${opt}</button>`;
    });
    document.getElementById("options").innerHTML = optionsHTML;
    document.getElementById("feedback").innerText = "";
}

// Check Answer
function checkAnswer(selected) {
    let correct = quizData[selectedSubject][currentQuestion].a;
    let buttons = document.querySelectorAll(".option");


    if (selected === correct) {
        buttons[selected].classList.add("correct");
        document.getElementById("feedback").innerText = "✔ Correct!";
        score++;
    } else {
        buttons[selected].classList.add("wrong");
        buttons[correct].classList.add("correct");
        document.getElementById("feedback").innerText = "✘ Wrong!";
```

```
}  
  
    buttons.forEach(btn => btn.disabled = true);  
}  
  
// Next Question  
function nextQuestion() {  
    currentQuestion++;  
    if (currentQuestion < 10) {  
        loadQuestion();  
    } else {  
        showResult();  
    }  
}  
  
// Show Result  
function showResult() {  
    document.getElementById("quizBox").style.display = "none";  
    document.getElementById("resultBox").style.display = "block";  
    document.getElementById("resultText").innerText =  
        `🏆 Your Score: ${score} / 10`;  
}  
</script>
```

</body>

</html>

OUTPUT: -





Marwadi
University
Marwadi Chandarana Group



FACULTY OF ENGINEERING AND TECHNOLOGY

Department of Computer Science & Engineering

In Cyber Security 01CC0402 -

Web Development Technology

Quiz Application

What does HTML stand for?

- ☐ Hyper Text Markup Language
- ☐ High Text Machine Language
- ☐ Hyper Tool Multi Language
- ☐ None

Next

Quiz Application

Your Score: 8 / 10

Restart