

Employee Attrition Prediction using Machine Learning: A Data-Driven Approach for Workforce Analytics

Veeramani R

*School of Management
SASTRA Deemed to be University
Thanjavur, India.
dpfi0824011981@sastra.ac.in*

V. Arunkumar

*School of Management
SASTRA Deemed to be University
Thanjavur, India.
arunkumar@sastra.edu*

Abstract - Employee attrition is one of the primary concerns that organizations are interested in if they want to retain their skills as well as sustain stable workforces. This research uses machine learning algorithms to predict employee attrition based on the characteristics of workers using a combination dataset for demographic, job satisfaction, and performance-related factors. We examine the prediction accuracy of five classification models: Logistic Regression, Gradient Boosting, Random Forest, Support Vector Machine, and Gaussian Naïve Bayes. The study comprises data preparation, feature engineering, model training, and assessment utilizing accuracy, precision, recall, F1-score, and the Area Under the Curve (AUC) of the Receiver Operating Characteristic (ROC). In addition, a comparison bar chart is utilized to depict the performance indicators of the models. These results show the most effective model of attrition and reveal the criteria that are paramount in employee retention. The outcome of this research can help the HR managers devise proactive measures in order to minimize worker turnover that leads to sustaining an organization.

Keywords- Employee attrition, machine learning, workforce analytics, predictive modeling, human resource management.

I. INTRODUCTION

One of the most significant problems that companies are facing in this fast-paced, competitive corporate world is how they can retain effective employees. Attrition in the sense that it involves loss of key working people creates not only direct financial cost but also contributes to the poor productivity and work morale of an organization. Traditionally, a method of defining and solving attrition often focuses on reactive metrics that may fail to address the complexity of present workplaces.

Attrition of workers is a challenge companies are required to handle because of the huge financial and economic implications involved. Workers' turnover can lead to extremely high charges that go significantly above recruiting and training costs. According to Allen et al., (2010), the cost of turnover

financially can amount to 150% of the salary of an employee per year, according to the function and industry of the specific employee. This finding underlines the vital importance for firms to identify the various nature of attrition [1]. The costs of turnover include not only direct charges of hiring and training new workers but also indirect costs including lost productivity, poor employee morale, and probable negative effect on customer satisfaction.

Studies suggest that when workers quit, other team members have to perform more activities, which might induce stress and eventual attrition [2]. Hence, organizations that fail to address the root causes of turnover may be stuck in a vicious cycle of high attrition. This may affect their competitive advantage and long-term survival as well. Recent advancements in machine learning have brought new opportunities to organizations to predict attrition over time. With this, the machine learning algorithm can use large volumes of data to identify attrition patterns and causes and, therefore, bring an actionable insight to the personal management [16]. The predictive models give the employers room to move from reactive to proactive, a stage of strategies on retention before the employees' decisions to leave their jobs. Although much study has been conducted on employee turnover, huge gaps exist in the literature calling for further research. This research will contribute to the successful strategies of retaining through the building of a stable and engaged team by providing deep insight into factors contributing to attrition. Using machine learning for predicting staff attrition helps cut rates of turnover as well as develop organizational performance and reputation. Organizations may better grasp what is ultimately driving attrition and design interventions for the departure of key employees that are highly context-specific based on the most advanced analytics methods

available. Subsequent research into the area will likely involve work to refine current models and pinpoint alternative sources of data to allow for even further precision and trustworthiness of predictions

This study goes deeper to discuss research on the use of machine learning approaches in the prediction of employee turnover. Study underline the integration of analytics via technology is what may assist successfully decreases the danger of this sort of attrition. The paper looks at aspects that may have an influence on employee turnover and examines the possible performance of an ensemble of machine learning models for reliable prediction. This is the core of effective data-driven personnel management.

II. LITERATURE REVIEW

This is one of the major issues facing the performance and productivity of any firm. Attrition refers to the exit of workers from a company. Thus, source, consequence, and management of attrition must be understood properly to guarantee consistency in productive workers. According to Pallathadka et al., (2021), Attrition among the IT businesses is generated due to obstacles like career development and lack of recognition and gender discrimination and causes like lack of growth and hard work [3]. Srivastava, (2018) argued that with increased attrition rates, profitability, customer loyalty, revenue, and market image can be impacted; hence, timely and appropriate resource management is vital for business success [4]. According to Srivastava & Nair, (2017) the cost attributed to the loss of professional, technical, and key staff costs organizations large sums of money. The amount of compensation to replace a competent employee includes the cost of hiring, training, and possible loss of productivity due to transition time [5].

Work environment satisfaction is highly significant and drives employee turnover. A good work environment, characterized by supporting leadership and teamwork culture, with adequate support services, is linked with low turnover rates [6]. On the other hand, a bad work culture may lead to more stress and dissatisfaction and fuel the needs of such people to look for other job alternatives [7]. Therefore, organizations must focus on offering a healthy work environment that promotes employee commitment and retention. This might also include a factor of another key characteristic associated with the turnover in jobs.

Employee engagement is said to be the extent to which the employee bonds his or her work and sees the job as vital to the self-concept. Employees having highly engaged jobs seldom leave their careers because they perceive inherent meaning behind their jobs. On the flip side, bad job involvement has

resulted in elevated turnover intentions with the alienation of people toward their job [8]. An organization may deploy tactics that escalate job involvement: an opportunity of career advancement opportunities, and achievement of employee. Job satisfaction happens to be among the most extensive examined characteristics allied with employee turn-over. High job satisfaction has been linked to lower turnover intentions, whereas dissatisfaction is associated with higher levels of attrition [9]. Contributing factors to job satisfaction include pay, reward, and opportunity for advancement [10]. Organizations should conduct regular checks of the satisfaction level of its employees and address issues to maintain the individuals effectively.

Work-life balance is recognized as one of the leading reasons for employee turnover. Employees who feel balance between work and life is interrupted are possible to experience the instances of burnout and dissatisfaction, thereby increasing the turnover rate [11]. Organizations that support work-life balance through flexible work arrangements and favourable rules may increase the retention of employees through an attractive working environment. Firms can reduce turnover and promote the overall well-being of employees by focusing on work-life balance. integrating demographic, job satisfaction, and performance-related variables significantly enhances model performance in attrition prediction, with Support Vector Machine and ensemble models showing strong accuracy. The more conventional methodologies that have typically been employed in anticipating employee turnover are essentially statistical ones such as regression and survival studies. Such models very typically investigate historical data for unique patterns and correlations between certain parameters as connected with turnover rates. Even though they are useful for different reasons, traditional models often fail to capture the subtlety of human behaviour and the sheer number of variables that drive attrition, allowing firms to overlook some very important parts of attraction. Conversely, attrition-related forecasting strategies using the AI methodology approach employ a wide scope of algorithms employed in machine learning that are capable of sifting through huge quantities of data in an effort to identify less perceptible trends, which other conventional approaches may miss. These AI-based solutions may integrate a more comprehensive scope of data, including social media and internal communication channels with employee sentiment analysis, to provide a more comprehensive knowledge of the causes for attrition. With AI models, firms might be able to enhance their capacities for prediction so as to better achieve proactive and targeted retention strategies that are tailored to the unique needs of the workforce.

III. METHODOLOGY

a) DATA SUMMARY

A study employed a dataset consisting of 425 records with 13 attributes, obtained from an internal survey, to examine employee attrition. The attributes consist of demographic, experiential, and satisfaction-related dimensions, such as Age, Gender, Employee Education Level, Employee Environment Satisfaction, Employee Job Satisfaction, and Employee Work-Life Balance. Important factors such as Age, Years of Experience in Current Role, and Total Years of Work Experience were found to be important in understanding patterns of attrition. The dataset is comprehensive and lacks missing values, thus guaranteeing the reliability of the study. The target variable, Attrition, is binary, signifying whether an employee departed from the organization (1 = Yes) or remained (0 = No). This dataset offers a comprehensive basis for predicting attrition trends and determining key factors driving employee turnover.

b) DATA PREPROCESSING

One of the most important steps before doing a dataset analysis is data preprocessing. To make sure the data are appropriate for the machine learning models, preprocessing involves purifying the data, addressing missing values, encoding the categorical variables and scaling features.

Data Cleaning: In order to ensure the quality of the dataset, preprocessing includes identifying and correcting errors. This process corrects errors in the data and validates it.

Missing Values: The "null()" method in pandas is used to determine the dataset's missing values. The mode values for categorical variables such as gender were substituted.

Feature Engineering: Relevant features were selected based on their theoretical importance and correlation with the dependent variable. Additionally, the target variable was transformed into a binary classification problem to facilitate machine learning analysis.

c) DATA ANALYSIS

Machine learning based analytical methods and classification models employed to analyze the relationship between the variables and assess their impact on the employee attrition. A multi-step approach was undertaken to ensure the robustness and validity of the analysis. For the comprehensive understanding of the relationships between the independent variables and the dependent variable, a range of supervised machine learning classifiers were applied. Each model was trained, validated and evaluated to ensure reliable insights.

These algorithms were chosen to represent both linear and nonlinear classifiers, handle high-dimensional structured data, and balance interpretability with performance.

All models were assessed using 10-fold cross-validation to guarantee consistency and dependability. Support Vector Machine (SVM) and Gradient Boosting had the least variation in performance, and the results were steady across many folds. The accuracy and AUC standard deviations across folds were modest, suggesting strong generalization and consistent model performance. Grid Search and Randomized Search CV were used to tune hyperparameters. Adjusting parameters such as learning_rate, n_estimators, and max_depth enhanced accuracy and AUC for gradient boosting by roughly 3-4%. Kernel, C, and gamma optimization greatly improved performance in the SVM scenario, especially raising the AUC from 0.70 to 0.75. These improvements demonstrated that optimizing intricate models can significantly improve prediction accuracy.

The models used in the analysis included:

1. **Random Forest Classifier:** A robust ensemble learning method based on decision trees. The model integrates predictions from numerous decision trees to increase classification accuracy and minimize over fitting.
2. **Linear Regression:** A basic statistical and machine learning approach that models the link between an independent variable and one or more independent variables by using a linear equation. It seeks to create the best-fit line by reducing the sum of squared errors and is good for forecasting continuous numeric values.
3. **Gaussian Naive Bayes Classifier:** A probabilistic classifier that applies Bayes theorem under the assumption of conditional independence between predictors, making it computationally efficient for highly dimensional datasets.
4. **Gradient Boosting:** A robust ensemble learning approach that generates many weak learners (typically decision trees) sequentially, each correcting the errors of the previous one. It is improved by minimizing loss through gradient descent, and it is especially effective in classification and regression tasks, particularly on structured data.
5. **Support Vector Machine (SVM):** A robust supervised learning technique that discovers the ideal hyper plane to partition data points into various classes by maximizing the margin between them. It employs kernel functions to handle non-linear interactions, making it useful for both classification and regression problems, especially in high-dimensional areas.

To ensure a fair comparison of model performance, multiple evaluation metrics were employed:

1. **Accuracy:** The proportion of correctly classified instances to the total number of instances.
2. **Precision:** The ratio of true positive predictions to the total predicted positives, measuring the model's ability to avoid false positives.
3. **Recall:** The ratio of true positive predictions to the actual positives, assessing the model's ability to identify all relevant instances.
4. **F1-Score:** The harmonic mean of precision and recall, providing a balanced measure of model performance.
5. **AUC-ROC (Area Under the Curve – Receiver Operating Characteristics):** A performance metric that quantifies the model's ability to distinguish between classes, with a higher value indicating superior classification performance.

d) DATA VISUALIZATION




Fig. 1: Gender Distribution in workforce:

The bar chart fig.1 illustrates the gender distribution of employees in the data. The first category (1) has a significantly higher number than the second category (2), which indicates a gender disparity. This implies that the organization might have a higher number of genders, which could have implications for diversity and inclusion efforts.




Fig. 2: Interaction Effect:

The histogram illustrates Fig.2 the employee age distribution of the dataset. Most of the workers are aged

between 25 and 40 years, the highest frequency of which is from 30 to 35 years, which signifies that the work force is mostly composed of mid-career and young professionals. The distribution tends to be a little right-skewed, representing fewer older individuals in the business. The line of KDE also identifies the density in the beginning of the 30s with a steady drop with age.




Fig. 3: Relationship between Age and Total Work Experience:

The scatter plot illustrates Fig.3 the correlation between a person's age and his/her total career experience in years. As would be anticipated, there is a general upward trend, showing that older employees have greater employment experience. There are, however, significant discrepancies, with people of the same age having varying amounts of experience, perhaps because of career breaks, late career entry, or job changes. The data shows a strong positive relationship but with large spread at advanced age.




Fig. 4: Employee Environmental Satisfaction

The box plot presents Fig.4 the distribution of satisfaction with the work environment on a 1 to 4 scale. The median level of satisfaction is approximately 3, which means that at least half of the employees have a satisfaction rating of 3 or above. The interquartile range (IQR) is between 2 and 4, which indicates that the majority of workers are moderately to highly satisfy. The presence of a whisker at level 1 indicates that there are

some workers who are low in satisfaction, but they are extremely few compared to those in other categories.




Fig. 5: Employee Job Satisfaction :

The scatter plot shows Fig.5 job happiness of the workers (scale 1-4) against their total experience in years of employment. The vertical clustering of work satisfaction ratings is shown to be categorical where people are spread across different levels of experience. There does not appear to be any linear trend, showing job satisfaction is not directly proportional to work experience. However, each satisfaction score does contain workers with less and more experience, thus implying other deciding variable.




Fig. 6: Employee Work-life Balance:

The density chart shows Fig.6 the work-life balance ratings of the workers at a scale of 1 to 4. The highest peak at level 3 indicates that most of the workers believe their work-life balance is fair. More minor peaks arise at the levels of 2 and 4, depicting a proportionate percentage of workers with low and high ratings. The trend is not balancing, reflecting diversity in workers' perceptions of their work-life balance.

e) DATA ANALYSIS

TABLE I. MODEL PERFORMANCE COMPARISON

Model	Accuracy	AUC-ROC
Logistic Regression	0.66	0.71
Gradient Boosting	0.67	0.71
Random Forest	0.64	0.72
Support Vector Machine	0.70	0.75
Gaussian Naive Bayes	0.60	0.69

The table shows the comparison of five machine learning models based on Accuracy and AUC-ROC scores for the prediction of employee attrition. SVM achieved the highest accuracy, 0.70, and AUC-ROC, 0.75, which means it has more prediction power. Gradient Boosting achieved an accuracy of 0.67 and AUC-ROC of 0.71, and Logistic Regression achieved an accuracy of 0.66 and AUC-ROC of 0.71, proving their reliability in classification tasks. Random Forest (0.64 accuracy, 0.72 AUC-ROC) was mediocre, while Gaussian Naïve Bayes (0.60 accuracy, 0.69 AUC-ROC) had the lowest scores, which means it has limited applicability for this dataset. Overall, SVM appears to be the best model for attrition prediction, followed by Gradient Boosting and Logistic Regression.




Fig. 7: Comparative ROC Curve for Machine Learning Models:

It determines the Fig.7 ROC (Receiver Operating Characteristic) curve, which considers the performance of various machine learning models in forecasting employee turnover. The Support Vector Machine has produced the best results with AUC = 0.75 by acquiring the maximum area under the curve, reflecting superior discriminating ability. The models are: Random Forest (AUC = 0.72), Gradient Boosting (AUC = 0.71), Logistic Regression (AUC = 0.71) showing medium

level of predictive. However, Gaussian Naïve Bayes (AUC = 0.69) has the lowest AUC with poorer classification accuracy. The diagonal dashed line represents the random guessing baseline, and all of our models are above it, meaning that they can indeed classify the scenarios.




Fig. 8: Model Comparison – Accuracy:

This is a bar graph Fig.8 showing the accuracy of several models of machine learning used for forecasting staff turnover. The SVM model is the strongest with strong forecasting ability. Both Gradient Boosting and Logistic Regression are very exact with equal precision levels. The Random Forest sits in the middle, whereas Gaussian Naïve Bayes has the least value, implying that it's not particularly accurate for these data. Overall, SVM is the best model, though the others perform fairly well, except for Gaussian Naïve Bayes which may not quite be up to pace for this classification issue.




Fig. 9: Model Comparison – ROC-AUC:

The bar chart illustrates Fig.9 the comparison of the ROC-AUC of several models that have been applied to predict employee attrition. SVM has the largest ROC-AUC, indicating a better performance in classification. Random Forest, Gradient Boosting, and Logistic Regression were able to yield equivalent results with a well-balanced predictive power. Gaussian Naïve

Bayes has the smallest ROC-AUC value, meaning that it is likely not doing an effective discrimination across the different attrition groups. Overall, SVM is found to be the best model for distinguishing among employee attrition groups.

IV. CONCLUSION AND FUTURE SCOPE

This study provides the most important value for labor demographics and trends insights. Gender distribution has been suggesting that the existing condition is not even, hence it becomes vital to accept and welcome variety. Age distribution suggests that the workers lay mostly inside their late 20s to 30s. hence it is suggesting that the workforce is youthful with the possibility of going ahead professionally. When the demographic, job happiness, and performance-related factors were used together, the prediction performance was noticeably better than when they were applied separately. The combined dataset improved model accuracy and AUC by offering a cohesive view of the employees' behavior. The technique made it possible for models like SVM and Gradient Boosting to more effectively learn complex patterns influencing attrition. Model comparison for attrition prediction in data proved that SVM outperformed all other models in which accuracy, recall, and AUC-ROC were greater and emphasized its core importance in forecasting. Gradient Boosting and Logistic Regression performed neck to neck whereas Random Forest and Naïve Bayes comparatively low accuracy. Techniques like hyperparameter tuning, feature selection, and class balance with SMOTE can all be utilized to improve model performance. Additionally, utilizing ensemble or hybrid models and including additional salient features may help to increase overall forecast precision. Grid Search and Randomized Search CV were used to tune hyperparameters. Adjusting parameters such as learning_rate, n_estimators, and max_depth enhanced accuracy and AUC for gradient boosting by roughly 3-4%. Kernel, C, and gamma optimization greatly improved performance in the SVM scenario, especially raising the AUC from 0.70 to 0.75. These improvements demonstrated that optimizing intricate models can significantly improve prediction accuracy.

REFERENCES

- [1] Allen, D. G., Bryant, P. C., & Vardaman, J. M. (2010). Retaining Talent: A Guide to Analyzing and Managing Employee Turnover. *Business Horizons*, 53(5), 503-510. <https://doi.org/10.1016/j.bushor.2010.06.002>
- [2] Hom, P. W., Lee, T. W., Shaw, J. D., & Hausknecht, J. P. (2017). One Hundred Years of Employee Turnover Theory and Research. *Journal of Applied Psychology*, 102(3), 530-545. <https://doi.org/10.1037/apl0000090>
- [3] Pallathadka, H., Leela, V., Patil, S., Rashmi, B., Jain, V., & Ray, S. (2021). Attrition in software companies: Reason and measures. *Materials Today: Proceedings* <https://doi.org/10.1016/J.MATPR.2021.05.596>
- [4] Srivastava, A. P. (2018). Attrition Risk Management. In *Advances in business information systems and analytics book series* (pp. 91–112). <https://doi.org/10.4018/978-1-5225-4038-0.ch004>

- [5] Srivastava, D. K., & Nair, P. (2017). Employee Attrition Analysis Using Predictive Techniques. In *Smart innovation, systems and technologies* (pp. 293–300). https://doi.org/10.1007/978-3-319-63673-3_35
- [6] Bakker, A., Demerouti, E., & Schaufeli, W. (2003). Dual processes at work in a call centre: An application of the job demands–resources model. *European Journal of Work and Organizational Psychology*, 12(4), 393–417. <https://doi.org/10.1080/13594320344000165>
- [7] Tett, R. P., & Meyer, J. P. (1993). Job satisfaction, organizational commitment, turnover intention, and turnover: Path analyses based on meta-analytic findings. *Personnel Psychology*, 46(2), 259-293. <https://doi.org/10.1111/j.1744-6570.1993.tb00874.x>
- [8] Judge, T. A., Thoresen, C. J., Bono, J. E., & Patton, G. K. (2017). The Job Satisfaction-Job Performance Relationship: A Qualitative and Quantitative Review. *Psychological Bulletin*, 133(3), 371-401. <https://doi.org/10.1037/0033-2909.133.3.371>
- [9] Greenhaus, J. H., & Allen, T. D. (2010). Work-family balance: A review and extension of the literature. In *American Psychological Association eBooks* (pp. 165–184). <https://doi.org/10.2307/j.ctv1chs29w>
- [10] Kossek, E. E., et al. (2016). Work-life flexibility: A research agenda. *Academy of Management Annals*, 10(1), 1-40. <https://doi.org/10.5465/annals.2014.0020>
- [11] Pranuthi, N. T. (2021). Predicting cervical cancer cases resulting in biopsies using machine learning techniques. *International Journal of Scientific Research in Computer Science Engineering and Information Technology*, 28–37. <https://doi.org/10.32628/cseit217616>