

SQL

Common Interview Questions



Pradeep M
@pradeep-m-analyst





1

How can you fetch common records from two tables?

To fetch common records from two tables, you can use the **INNER JOIN** clause.



```
SELECT table1.column1, table2.column2  
FROM table1  
INNER JOIN table2  
ON table1.common_column = table2.common_column;
```



2

Can we use Aggregate function as Window function?

Yes, you can use Aggregate functions as Window functions in SQL.



```
SELECT SUM(column_name) OVER (ORDER BY column_name)  
FROM table;
```



3

How can you fetch alternate records from a table?

To fetch alternate records from a table, you can use the **ROW_NUMBER()** function.



```
SELECT *  
FROM (  
    SELECT *, ROW_NUMBER() OVER (ORDER BY column_name) AS row_num  
    FROM table_name  
    ) AS subquery  
WHERE row_num % 2 = 1;
```



4

Name the operator which can be used in a query for pattern matching?

The operator used for pattern matching in SQL queries is **LIKE.**



```
SELECT * FROM table WHERE column_name LIKE 'a%';
```



5

How can you fetch the first 5 characters from a string?

To fetch the first 5 characters from a string, you can use the **SUBSTRING** function.



```
SELECT SUBSTRING(column_name, 1, 5) FROM table;
```



What are the differences between rank, row_number and dense_rank?

- RANK: Gives duplicate ranks to rows with the same values. **Skips the next rank.**
- ROW_NUMBER: Assigns a unique row number to each row irrespective of duplicates.
- DENSE_RANK: Gives duplicate ranks to rows with the same values. **Does not skip any rank.**



How to find duplicates in a given table?

To find duplicates in a table, you can use the **GROUP BY** and **HAVING** clauses.



```
SELECT column_name, COUNT(*)  
FROM table  
GROUP BY column_name  
HAVING COUNT(*) > 1;
```



How to delete duplicates in a table?

To delete duplicates from a table, you can use a **temporary table** or **ROW_NUMBER**



```
WITH CTE AS(  
    SELECT ROW_NUMBER( )OVER(PARTITION BY  
        column_name ORDER BY column_name) AS RN  
    FROM table  
)  
DELETE FROM CTE WHERE RN > 1;
```




How can you select unique records from a table?

To select unique records from a table, you can use the **DISTINCT** keyword.



```
SELECT DISTINCT column_name FROM table;
```



10

How can you convert a text into date format ?

You can convert a text into date format in SQL using the **CAST**.



```
SELECT CAST( '31-01-2023' AS DATE );
```



How can you retrieve rows that are not common in both tables?

You can use a **FULL OUTER JOIN** to combine both tables and then filter out rows where one table has null values.



```
SELECT * FROM table1  
FULL OUTER JOIN table2  
ON table1.column_name = table2.column_name  
WHERE table1.column_name IS NULL OR table2.column_name IS NULL;
```

**I hope you find this
valuable! 🥰**

**A like from you would be a great
encouragement**



Pradeep M
@pradeep-m-analyst

