

SKILL-6 INPUT



```
GNU nano 8.7.1 escape_parser.c
#include <stdio.h>
#include <string.h>

void parse_escape(const char *input, char *output)
{
    int i = 0, j = 0;
    while (input[i] != '\0')
    {
        if (input[i] == '\\')
        {
            char next = input[i + 1];
            if (next == ' ' || next == '&' || next == '|' ||
                next == ';' || next == '\\')
            {
                output[j++] = next;
                i += 2;
            }
            else
            {
                output[j++] = input[i++];
            }
        }
        else
        {
            output[j++] = input[i++];
        }
    }
    output[j] = '\0';
}

int main()
{
    char input[200];
    char output[200];

    printf("Skill-6: Escape Sequence Parser\n");
    printf("=====\n\n");

    const char *tests[] = {
        "hello world",
        "hello\\ world",
        "hello\\&world",
        "hello\\|world",
        "hello\\;world",
        "hello\\\\world",
        "hello\\world&\\test\\ data"
    };

    int n = sizeof(tests) / sizeof(tests[0]);
    for (int i = 0; i < n; i++)
    {
        strcpy(input, tests[i]);
        parse_escape(input, output);

        printf("Input : %s\n", input);
        printf("Output: %s\n", output);
        printf("-----\n");
    }

    return 0;
}
```

Read 66 lines

⌘G Help ⌘W Write Out ⌘F Where Is ⌘K Cut ⌘I Execute ⌘C Location
⌘X Exit ⌘O Read File ⌘\ Replace ⌘L Paste ⌘J Justify ⌘_ Go To Line

OUTPUT

```
administrator@VBCO-LAP-29 x + v
administrator@VBCO-LAP-29:~/skill-6$ pwd
/home/administrator/skill-6
administrator@VBCO-LAP-29:~/skill-6$ /home/administrator/skill-6
-bash: /home/administrator/skill-6: Is a directory
administrator@VBCO-LAP-29:~/skill-6$ nano escape_parser.c
administrator@VBCO-LAP-29:~/skill-6$ ls
escape_parser.c
administrator@VBCO-LAP-29:~/skill-6$ gcc -Wall -Wextra escape_parser.c -o escape_parser
administrator@VBCO-LAP-29:~/skill-6$ ls
escape_parser  escape_parser.c
administrator@VBCO-LAP-29:~/skill-6$ ./escape_parser
Skill-6: Escape Sequence Parser
=====

Input : hello world
Output: hello world
=====

Input : hello\ world
Output: hello world
=====

Input : hello&world
Output: hello&world
=====

Input : hello|world
Output: hello|world
=====

Input : hello;world
Output: hello;world
=====

Input : hello\\world
Output: hello\\world
=====

Input : hello\world&\test\ data
Output: hello\world&\test data
=====

administrator@VBCO-LAP-29:~/skill-6$ ls -l
total 20
-rwxr-xr-x 1 administrator administrator 16136 Sep 27 16:08 escape_parser
-rw-r--r-- 1 administrator administrator 1313 Sep 27 16:08 escape_parser.c
administrator@VBCO-LAP-29:~/skill-6$ gcc -Wall -Wextra escape_parser.c -o escape_parser
administrator@VBCO-LAP-29:~/skill-6$ ls
escape_parser  escape_parser.c
administrator@VBCO-LAP-29:~/skill-6$ ./escape_parser
Skill-6: Escape Sequence Parser
=====

Input : hello world
Output: hello world
=====

Input : hello\ world
Output: hello world
=====

Input : hello&world
Output: hello&world
=====

Input : hello|world
Output: hello|world
=====

Input : hello;world
Output: hello;world
=====

Input : hello\\world
Output: hello\\world
=====

Input : hello\world&\test\ data
Output: hello\world&\test data
=====

administrator@VBCO-LAP-29:~/skill-6$ ls -l
total 20
-rwxr-xr-x 1 administrator administrator 16136 Sep 27 16:03 escape_parser
-rw-r--r-- 1 administrator administrator 1313 Sep 27 16:08 escape_parser.c
administrator@VBCO-LAP-29:~/skill-6$ nano escape_parser.c
administrator@VBCO-LAP-29:~/skill-6$
```