

Problem List

Submit

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 25 / 25 testcases passed

VTU29055 submitted at Aug 09, 2026 15:54

Analysis

Solution

Unlock the Full LeetCode Experience

Runtime

11 ms | Beats 96.21%

Memory

47.51 MB | Beats 67.48%

Code

Java

Auto

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Case 3

Input

nums =

[1,1,1,2,2,3]

k =

2

Output

1 import java.util.*;

Problem List

Submit

DescriptionAcceptedEditorialSolutionsSubmissions

All Submissions

Accepted210 / 210 testcases passed
VTU29055 submitted at Aug 09, 2026 15:42

Analysis

Solution

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1 msBeats 99.96%

Memory

76.92 MBBeats 93.17%

100%

50%

0%

1ms2ms3ms4ms

Code / Java

1class Solution {

Java

Auto

int maxSum = nums[0];
for (int i = 1; i < nums.length; i++) {
currentSum = Math.max(nums[i], currentSum + nums[i]);
maxSum = Math.max(maxSum, currentSum);
}
return maxSum;

Testcase

Test Result

AcceptedRuntime: 0 ms

Case 1Case 2Case 3

Input

nums =
[-2, 1, -3, 4, -1, 2, 1, -5, 4]

Output

6

Expected

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Compiler Message

Success

Input (stdin)

```
1 6 3
2 5 3 5 2 3 2
```

Download

Expected Output

```
1 3
```

Download

Problem List

Submit

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

362 / 362 testcases passed

VTU29055 submitted at Aug 09, 2026 15:40

Analysis

Solution

₹583.25

Unlock the Full LeetCode Experience


Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms Beats 100.00%

Memory

46.68 MB Beats 64.05%



Code

Java

Code

Auto

```
5 for (int i = 1; i < nums.length; i++) {
6     if (nums[i] != nums[i - 1]) {
7         nums[k] = nums[i];
8         k++;
9     }
10 }
11
12 return k;
13 }
14 }
```

Saved

Ln

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

nums = [1,1,2]

Output

[1,2]

Problem List

Submit

0

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

53 / 53 testcases passed

Analysis

Solution

VTU29055

submitted at Aug 09, 2026 15:33

₹583.25

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime


0 ms

Beats 100.00%

Memory

46.42 MB

Beats 63.15%



Runtime (ms)	Percentage
1ms	100%
2ms	~10%
3ms	~5%
4ms	~5%

Code

Java

```
1 class Solution {
```

Code

Auto

```
3     int[] result = new int[2 * n];
4
5     for (int i = 0; i < n; i++) {
6         result[2 * i] = nums[i];
7         result[2 * i + 1] = nums[i + n];
8     }
9
10    return result;
11 }
12 }
```

Saved

Ln 12, Col 2

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Case 3

Input

nums =

[2,5,1,3,4,7]

n =

3

Output

Problem List

Submit

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

80 / 80 testcases passed

Analysis

Solution

VTU29055

submitted at Aug 09, 2026 15:49

₹583.25

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms

Beats 100.00%

Memory

42.62 MB

Beats 97.76%

Code

Java

Auto

```
7         altitude += gain[i];
8
9         if (altitude > highest) {
10             highest = altitude;
11         }
12     }
13
14     return highest;
15 }
16 }
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

gain = [-5,1,5,0,-7]

Output

1

Expected

Code

Java

```
1 class Solution {
```

Problem List

Submit

0

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

129 / 129 testcases passed

Analysis

Solution

VTU29055

submitted at Aug 09, 2026 15:51

₹583.25/mo

Save over 59%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

6 ms | Beats 99.28%

Memory

49.76 MB | Beats 44.27%

Code

Java

Auto

```
10
11
12
13
14
15
16
17
18
19
String key = new String(chars);
map.putIfAbsent(key, new ArrayList<>());
map.get(key).add(str);
}
return new ArrayList<>(map.values());
}
```

Saved

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Case 3

Input

strs =

["eat", "tea", "tan", "ate", "nat", "bat"]

Output

[["eat", "tea", "ate"], ["bat"], ["tan", "nat"]]

Expected

Code

Java

```
1 import java.util.*;
```

Problem List

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 54 / 54 testcases passed

VTU29055 submitted at Aug 09, 2026 15:28

Analysis

Solution

₹583.25/mo

Save over 56%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms Beats 100.00%

Memory

43.98 MB Beats 94.47%



Time Interval	Performance (%)
1ms	100%
2ms	~2%
3ms	~2%
4ms	~2%

Code

Java

Code

```
class Solution {
    public int[] runningSum(int[] nums) {
        int sum = 0;
        for (int i = 0; i < nums.length; i++) {
            sum += nums[i];
            nums[i] = sum;
        }
        return nums;
    }
}
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Case 3

Input

nums = [1,2,3,4]

Output

[1,3,6,10]

Problem List

Submit

0

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

116 / 116 testcases passed

Analysis

Solution

VTU29055

submitted at Aug 09, 2026 15:37

₹583.25/mo

Save over 88%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms | Beats 100.00%

Memory

43.41 MB | Beats 62.14%



Runtime (ms)	Beats (%)
0	100.00%
1	
2	
3	
4	

Code

Java

```
1 class Solution {
```

Code

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

nums =

[3,2,2,3]

val =

3

Output

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin)

Download

```
1 5
2 john tom
3 john mary
4 john tom
5 mary anna
6 mary anna
```

Your Output (stdout)

```
1 1
2 2
3 2
```