Index Terms	Links			
Clothing				
insulation, clo units	F9.8			
moisture permeability	F9.8			
CLTD/CLF. *See* **Cooling load temperature differential method with solar cooling load factors (CLTD/CLF)**				
Coal				
classification	F28.8			
handling facilities	A27.6	9		
heating value	F28.9			
stokers	S31.16			
types	F28.8			
Coanda effect	A33.6	F20.2	6	S20.2
Codes	F39			
(*See also* **Standards**)				
air conditioners, room	S50.4			
air distribution	A57.1			
boilers	S32.6			
building codes	S19.1			
chilled-beam system	A57.18			
chimneys, fireplaces, and gas vents	S35.34			
condensers	S39			
evaporative	S39.18			
water-cooled	S39.7			
coolers, liquid	S42.4			
data processing	A19.16			
dehumidifiers, room	S25.3			
duct construction	S19.1			
electrical	A56.15			
furnaces	S33.10			
makeup air units	S28.9			
motors	S45.2			
nuclear facilities	A28.12			
piping	S46.6			
tall buildings	A4.14			
Coefficient of performance (COP)				
absorption	F2.14			
compressors	S38.2			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Coefficient of performance (COP) (*Cont.*)			
economic (ECOP), combined heat and power (CHP)	S7.49		
refrigeration	F2.3	14	
room air conditioners	S50.2		
Cogeneration. *See* **Combined heat and power (CHP)**			
Coils			
air-cooling	S4.8		
airflow resistance	S23.6		
applications	S23.1	4	
aqueous glycol coils	S23.2		
construction and arrangement	S23.1		
control	A47.6	S23.3	
direct-expansion coils	S23.2		
fluid flow arrangement	S23.3		
heat transfer	S23.6		
load determination	S23.14		
maintenance	S23.15		
performance	S23.7		
rating	S23.6		
refrigerant coils	S23.2		
selection	S23.5		
on ships	A13.4		
water coils	S23.2		
air-heating	S27.1		
aqueous glycol	S27.2		
construction	S27.1		
design	S27.1		
electric	A47.3	S27.3	
installation	S27.4		
maintenance	S27.5		
rating	S27.3		
refrigerant	S27.3		
selection	S27.3		
shipboard	A13.4		
steam	A47.2	S27.1	
water	A47.2	S15.6	S27.2
condensers	S39		
evaporative	S39.15		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Coils (*Cont.*)					
dehumidifying	S23.1				
desuperheating	S39.17				
energy recovery loops	S26.12				
halocarbon refrigeration systems	R1.27				
heat and mass transfer, simultaneous	F6.12				
heat reclaim	S27.3				
preheat	S4.8				
reheat	S4.8	S27.2			
Colburn's analogy	F4.17				
Colebrook equation					
friction factor	F21.6				
pressure drop	F22.1				
Collectors, solar	A35.6	11	23	25	S37.3
(*See also* **Solar energy**)					
Colleges and universities	A7.11				
Combined heat and power (CHP)	S7				
economic feasibility	S7.48				
estimate	S7.49				
load duration curve	S7.50				
simulation	S7.52				
electrical systems	S7.43				
expansion engines/turbines	S7.31				
heat-activated chillers	S7.38				
heat recovery					
engines	S7.32	33			
turbines	S7.37				
load profiling	S7.4				
maintenance	S7.17				
modular systems	S7.3				
packaged systems	S7.3				
peak shaving	S7.4				
prime movers					
fuel cells	S7.22				
selection	S7.4				
thermal output	S7.32				
turbines					
combustion	S7.17	46			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links					
Combined heat and power (CHP) (*Cont.*)						
steam	S7.24	46				
thermal energy storage	S7.39					
utilization systems						
air	S7.42					
district heating and cooling	S7.43					
hydronic	S7.42					
service hot water	S7.43					
vibration control, foundations	S7.15					
Combustion	F28					
air pollution	F28.14					
air required for	F28.10					
altitude compensation	F28.3					
calculations						
air required for	F28.10					
carbon dioxide, theoretical	F28.11					
efficiency	F28.13					
flue gas	F28.10					
coals						
classification	F28.8					
heating value	F28.9					
types	F28.8					
condensation in	F28.17					
continuous	F28.2					
corrosion in	F28.17					
diesel fuel	F28.8					
efficiency	F28.13					
engine fuels, cetane number	F28.8					
excess air	F28.10					
flammability limits	F28.1					
flue gas	F28.1	2	10	15	17	
fuel oils	F28.6					
gaseous fuels						
illuminants	F28.10					
liquefied petroleum gas	F28.5					
natural gas	F28.5					
types and properties	F28.5					
gas turbine fuel	F28.8					

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Combustion (*Cont.*)		
heating value	F28.3	
ignition temperature	F28.2	
illuminants	F28.10	
liquid fuels	F28.6	
engines	F28.8	
noise	F28.17	
oscillation	F28.17	
pollution	F28.14	
principles	F28.1	
pulse	F28.2	
reactions	F28.1	
resonance	F28.17	
solid fuels	F28.8	
soot	F28.17	
sound	F28.17	
stoichiometric	F28.1	
types	F28.1	
Combustion air systems		
air required	S35.28	
analysis	F36.34	
burners		
gas	S31.19	
oil	S31.10	
control	S31.2	
efficiency boilers	S32.6	
industrial exhaust gas cleaning	S30.26	
venting	S35.1	
Combustion turbine inlet cooling (CTIC)	S7.20	S8.1
thermal storage	S51.22	
Comfort. (*See also* **Physiological principles, humans**)		
environmental indices	F9.20	
environmental parameters		
air velocity	F36.31	
asymmetric thermal radiation	F9.14	
draft	F9.14	
floor temperature	F9.16	
radiant temperature	F9.11	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Comfort. (*See also* **Physiological principles, humans**) (*Cont.*)			
vertical air temperature difference	F9.15		
humidity	F25.16	F36.31	S22.1
local discomfort	F9.14		
models			
adaptive	F9.20		
multisegment	F9.19		
two-node	F9.18		
nonuniform conditions	F9.14		
predicted mean vote (PMV)	F9.17	F36.31	
predicted percent dissatisfied (PPD)	F9.18		
productivity	F9.13		
radiant heating	A54.3		
special environments			
extreme cold	F9.27		
hot and humid environments	F9.26		
infrared heating	F9.23		
personal environmental control (PEC) systems	F9.25		
radiant heating, comfort equations	F9.25		
steady-state energy balance	F9.17		
multisegment models	F9.19		
two-node model	F9.18		
task performance	F9.13		
thermal sensation scale	F9.12		
zones	F9.20	F10.17	
Commercial and public buildings	A3		
air leakage	F16.25		
airports	A3.6		
burners			
gas	S31.3	6	
oil	S31.12		
bus terminals	A3.6		
central cooling systems	A42.1		
cruise terminals	A3.6		
design concepts	A3.3		
ducts	S19		
furnaces	S33.5		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Commercial and public buildings (*Cont.*)			
general design considerations	A3.1		
humidifiers	S22.6		
ice rinks	R44		
kitchen ventilation	A33.1		
load characteristics	A3.2		
malls	A2.6		
materials	S19.8		
office buildings	A3.1		
retail facilities	A2.1		
service water heating	A50.13		
transportation centers	A3.6		
warehouses	A3.8		
Commissioning	A43		
acceptance	A43.7		
basis of design (BOD)	A43.2	5	
certification	A43.12		
checklist	A43.2	8	
construction	A43.6		
control systems	F7.18		
costs	A43.11		
desiccant dehumidifiers	S24.8		
design	A43.5	A47.21	
design review	A43.7		
existing buildings	A43.1	11	
in integrated building design	A58.8		
issues log	A43.8		
laboratories	A16.20		
makeup air units	S28.9		
new construction	A43.1		
objectives	A43.2		
occupancy and operations	A43.10		
owner’s project requirements (OPR)	A43.2		
predesign	A43.4		
pumps, centrifugal	S44.15		
recommissioning	A43.1	11	
retrocommissioning	A43.1	11	
systems manual	A43.2	6	10

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Commissioning (*Cont.*)				
team	A43.3			
test procedures	A43.8			
Compressors	S38			
air conditioners, room	S50.2			
ammonia refrigeration systems	R2.2			
bearings				
centrifugal	S38.36			
reciprocating	S38.7	10		
rotary	S38.13			
scroll	S38.24			
single-screw	S38.14			
twin-screw	S38.20			
centrifugal	S7.45	S38.27		
chemical industry refrigeration	R46.6			
drives	R2.2			
dynamic	S38.1			
engine-driven	S7.45			
halocarbon refrigeration systems	R1.24			
heat pump systems	S9.6			
motors	S38.6	S45.4		
noise generation	A48.15	S38.5	23	34
operation and maintenance	S38.36			
orbital	S38.24			
positive-displacement	S38.2			
reciprocating	R1.34	R2.11	S7.44	S38.7
rotary	R2.12	S38.11		
screw	R2.14	S7.45		
single	S38.14			
twin	S38.19			
scroll	S38.24			
trochoidal (Wankel)	S38.26			
Computational fluid dynamics (CFD)	F13.1			
assessing predictions	F13.11			
boundary conditions for				
inlet	F13.6			
outlet	F13.7			
reporting	F13.13			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Computational fluid dynamics (CFD) (*Cont.*)			
sources/sinks	F13.8		
surfaces	F13.7	F13.8	
walls	F13.7		
considerations	F13.9		
grids	F13.4		
mathematical approaches	F13.1		
meshing	F13.4		
reporting	F13.9	13	
steps	F13.9		
turbulence modeling	F13.3		
validation	F13.9	10	
verification	F13.9		
viscosity modeling	F13.10		
Computer-aided design (CAD)	A18.5	A40.14	
Computers	A40		
abbreviations for programming	F37.1		
BACnet®	A40.18	F7.18	
building automation systems (BAS)	A40.17		
computational fluid dynamics	A15.3	A40.14	A53.14
computer-aided design (CAD)	A18.5	A40.14	
for control	F7.4	10	20
design tools			
acoustic calculations	A40.11		
building information modeling (BIM)	A40.15		
combined heat and power (CHP)	S7.52		
computational fluid dynamics	A40.14		
computer-aided design (CAD)	A40.14		
duct design	A40.10		
equipment selection and simulation	A40.12		
load calculations	A40.9		
piping design	A40.11		
refrigerant properties	A40.16		
smoke control analysis	A53.12	13	
ventilation	A40.17		
road tunnel	A15.3		
equipment	A40.12		
graphics	A40.14		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Computers (*Cont.*)				
hardware	A40.1			
HVAC simulation	A40.13			
Internet	A40.7			
modeling	F7.20			
monitoring and control	A40.17			
networking components	A40.5			
peripherals	A40.5			
smoke control analysis	A53.12	13		
software	A40.2			
antispyware	A40.2			
custom programming	A40.4			
development tools	A40.4			
energy analysis	F19.3			
firewall	A40.2			
graphics	A40.3			
HVAC	A40.9			
readymade	A40.4			
road tunnel	A15.3			
terminology	A40.2			
utilities	A40.2	16		
supervisory control	A40.17			
World Wide Web	A40.8			
Concert halls	A5.4			
Concrete				
cooling	R45.1			
pozzolanic admixtures	R45.1			
selection	R45.1			
thermal design	R45.4			
water heating for	A50.24			
Condensate				
steam systems	F22.16	S11.6	S12.11	24
water treatment	A49.11			
Condensation				
in building components	F25.16			
in combustion systems	F28.17			
concealed	S22.3			
control, with insulation	F23.3			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Condensation (*Cont.*)			
dew-point analysis	F25.15		
dropwise	F5.10		
energy recovery equipment	S26.7		
film	F5.10		
heat transfer coefficients	F5.11		
interstitial, and drying	F25.15		
noncondensable gases	F5.12		
with oil	F5.13		
oil-fired appliances	S35.21		
prevention, dehumidification for	S24.9		
surface	F25.2	15	
in tubes	F5.10		
visible	S22.3		
Condensers	S39		
air conditioners, room	S50.2		
air-cooled	R15.16	S39.8	11
control	S39.10		
installation	S39.13		
machine room	R15.17		
maintenance	S39.13		
noise	R15.18		
rating	S39.11		
remote from compressor	R15.17		
types	S39.8		
ammonia refrigeration systems	R2.2		
horizontal shell-and-tube	R2.16		
parallel horizontal shell-and-tube	R2.17		
piping	R2.16		
cascade	R5.1		
chemical industry refrigeration	R46.6		
in chillers	S43.5	8	13
evaporative	R15.17	S39.14	
airflow	S39.15		
capacity control	S39.18		
codes	S39.18		
coils	S39.15		
freeze prevention	S39.15		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Condensers (*Cont.*)		
heat transfer	S39.14	
liquid subcoolers	S39.17	
location	R2.17	S39.15
maintenance	S39.18	
multicircuiting with liquid coolers	S39.17	
multiple-condenser installations	S39.16	
purging	S39.18	
rating	S39.16	
standards	S39.18	
water	S39.18	
halocarbon refrigeration systems		
air-cooled	R1.33	
evaporative	R1.33	
piping	R1.24	
pressure control	R1.32	
water	R1.32	
retail food store refrigeration	R15.16	
water-cooled	S39.1	
codes	S39.7	
Darcy-Weisbach equation	S39.4	
fouling factor	S39.4	
heat removal	S14.1	S39.1
heat transfer	S39.2	
liquid subcooling	S39.5	
maintenance	S39.7	
noncondensable gases	S39.6	
pressure drop	S39.4	
standards	S39.7	
types	S39.5	
water circuiting	S39.5	
Conductance, thermal	F4.3	F25.1
Conduction		
display cases	R15.4	
steady-state	F4.3	
thermal	F4.1	3
Conductivity, thermal	F25.1	F26.1
apparent	F25.1	F26.1

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Conductivity, thermal (*Cont.*)					
of thermal insulation	F26.1				
foods	R19.9				
soils	F26.18				
Constant air volume (CAV)					
control	A42.1				
supply air temperature reset	A42.36				
versus variable-air-volume (VAV)	A16.12				
Constant-volume, all-air systems					
dual-duct	S4.12				
single-duct	S4.10				
terminal units	S4.15				
Construction. (*See also* **Building envelopes**)					
curtain wall	F15.5				
glass block wall	F15.27				
in integrated building design	A58.7	8			
Containers. (*See also* **Cargo containers**)					
air transport	R27.3				
marine transport	R26.2				
Contaminants					
clean spaces	A18.3	9			
food	R22.1				
gaseous					
combustion	F28.14	S30.26			
concentration, indoor, measurement	A46.5				
control	A46.6	S24.10	S30.17	23	26
environmental tobacco smoke (ETS)	F11.2				
flammable	F11.18				
indoor air	F11.16				
industrial	F11.15				
inorganic	F11.14				
measurement	A46.5	F11.11	F36.33		
microbial volatile organic compounds (MVOCs)	F10.7				
nuclear facilities	A28.3	5	8		
outdoor air	F11.15				
ozone	A46.13				
polycyclic aromatic compounds (PACs)	F10.6				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Contaminants (*Cont.*)			
radioactive	F11.19		
radon	A46.13	F10.22	
semivolatile organic compounds (SVOCs)	F10.4	12	F11.14
soil gases	F11.20		
vapors, flammable	F11.18		
volatile organic compounds (VOC)	F11.13		
total (TVOC)	F11.13		
volatile organic compounds (VOCs)	F10.10	11	
indoor, concentration prediction	F13.16		
organism destruction	R22.4		
particulate			
aerosols	S29.1		
asbestos	F10.5		
classification	F11.1		
coarse	F11.3		
collection mechanisms	S29.2	S30.10	15
combustion	F28.14		
dusts	F11.18	S29.1	
environmental tobacco smoke (ETS)	F11.2		
fine	F11.3		
fogs	F11.1	4	
fumes	F11.1		
measurement	F36.34		
mists	F11.1	4	
pollen	F11.6		
polycyclic aromatic compounds (PACs)	F10.6		
radioactive	F11.19		
size distribution	F11.4		
smogs	F11.1	4	
smokes	F11.1		
suspended particles, counters	F11.6		
synthetic vitreous fibers	F10.5		
ultrafine	F11.3		
refrigerant systems	R7.1		
dirt	R7.6		
field assembly	R7.8		
filter-driers	R7.6		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Contaminants (*Cont.*)			
generation by high temperature	R6.9		
lubricants	R7.7		
metallic	R7.6		
moisture	R7.1		
motor burnout	R7.8	8	
noncondensable gases	R7.7		
residual cleaning agents	R7.7		
sludge, tars, and wax	R7.7		
solvents	R7.7		
special system characteristics	R7.9		
textile processing	A21.7		
Continuity, fluid dynamics	F3.2		
Control. (*See also* **Controls, automatic Supervisory control**)			
absorption units	R18.6	9	
aircraft cabin pressure	A12.11	13	
air-handling systems	A42.35	A47.9	
all-air systems	S4.17		
authority	F7.7		
automobile air conditioning	A10.8		
biological growth	A49.5		
boilers	A47.1	S32.7	
building pressurization	A47.8		
burners	S31.19		
bus terminal ventilation	A15.26		
central air conditioning	A42.1		
chemical plants	R46.3		
chilled-water pumps	A42.12	25	27
chillers	A42.29		
combustion turbines	S7.22		
components	F7.4		
condensers			
air-cooled	S39.10		
evaporative	S39.18		
cooling	S6.19		
coils	A47.6	S23.3	
tower fans	A42.21	25	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Control. (*See also* **Controls, automatic Supervisory control**) (*Cont.*)				
towers	A47.5			
corrosion	A49.2	9		
dehumidifying coils	S23.3			
design principles				
controlled area size	A47.20			
energy conservation	A47.19			
load matching	A47.20			
sensor location	A47.21			
system selection	A47.20			
economizers	A47.2	10		
electric heating slabs	S6.19			
energy recovery equipment	S26.7	10		
engines	S7.15			
fans	A47.7	S21.11		
air volume	S45.11			
fire	A53.1			
fixed-guideway vehicle air conditioning	A11.8			
fundamentals	F7			
furnaces	S33.2	5		
gaseous contaminants	A46.1			
heaters	S34.2	4		
infrared	S16.4			
heating coils	A47.2			
heat pumps	S49.10			
heat recovery systems	S9.18			
heat timers	S11.13			
humidifiers	S22.9			
humidity	A47.12	S22.1	S24.1	
hydronic heating systems	S13.13	S15.6		
justice facilities	A9.3			
laboratory systems	A16.12			
liquid chillers	S43.3	7	11	14
low-temperature	R2.7			
makeup air units	A47.16	S28.9		
motors	S45.5	6		
protection	S45.6			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Control. (*See also* **Controls, automatic Supervisory control**) (*Cont.*)				
nuclear facilities	A28.5			
optimization	A42.1			
outdoor air quantity	A47.9			
paper moisture content	A20.2			
parking garage ventilation	A15.20			
photographic materials processing	A22.3			
pipe-tracing systems	A51.20			
plant growth chambers	A24.17			
processes	A46.6			
radiant panels	A47.4	S6.19		
radioactivity	A28.8			
rail car air conditioning	A11.7			
refrigerant flow	R11.1			
residential heating and cooling	A1.6			
road tunnel ventilation	A15.11			
scale	A49.4			
ship air conditioning				
merchant	A13.3			
naval surface	A13.4			
smoke	A53.1			
snow-melting systems	A51.10			
solar energy	A35.12	24	26	S37.17
differential temperature controller	S37.17			
hot-water dump	S37.18			
overtemperature protection	S37.18			
sound	A48.1	46	F8.15	
static pressure, and variable flow rates	A47.8			
steam systems	S11.13			
thermal storage systems	A42.38	S51.28		
unit heaters	S28.6			
unit ventilators	A47.15	S28.3		
variable-air-volume (VAV) systems	A42.1	A47.7		
vibration	A48.41			
zone systems	A47.17			
zone valves	S11.13			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Controlled-atmosphere (CA) storage				
apples	R35.3			
apricots	R35.13			
berries	R35.13			
cherries, sweet	R35.12			
figs	R35.13			
grapes	R35.8			
nectarines	R35.12			
peaches	R35.12			
pears	R35.6	7		
plums	R35.11			
refrigerated facilities	R23.3			
strawberries	R35.13			
vegetables	R37.6			
Controlled-environment rooms (CERs)				
and plant growth	A24.16			
Controls, automatic	F7			
(*See also* **Control**)				
actuators	F7.4			
authority	F7.7			
classification	F7.4			
closed loop (feedback)	F7.1			
commissioning	F7.18			
components				
controlled devices	F7.4			
controllers	A38.16	F7.10	19	
sensors	F7.8			
transducers, electronic-to-pneumatic (E/P)	F7.12			
computers	A40.17	F7.4		
control action types	F7.2	3	18	
dampers	F7.6			
actuator mounting	F7.8			
actuators	F7.8			
types	F7.6			
direct digital (DDC)	A38.16	F7.4	10	19
explosive atmospheres	A47.18			
extraordinary incidents	A47.19			
feedback (closed loop)	F7.1			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Controls, automatic (*Cont.*)			
fuzzy logic	F7.3		
mobile applications	A47.18		
modeling	F19.21		
modulating	F7.2		
open loop	F7.1		
positive positioners	F7.8		
proportional/integral (PI)	F7.3		
proportional-integral-derivative (PID)	F7.3		
proportional-only (P)	F7.3		
refrigerant flow	R11.1		
safety	A47.18		
sensors	F7.8	R11.4	
location	A47.21		
static pressure	A47.8		
switches	R11.1		
systems	F7.1		
terminology	F7.1		
testing	A38.16		
thermostats	F7.11		
transducers, pressure	R11.4		
transmitters	F7.8		
tuning	F7.3	18	19
two-position	F7.2		
valves	F7.4		
actuators	F7.6		
flow characteristics	F7.5		
selection and sizing	F7.5	6	
Convection			
flow, fully developed turbulent	F4.17		
forced	F4.17		
condensation in tubes	F5.10		
evaporation in tubes	F5.5	7	11
laminar	F4.17		
transition region	F4.17		
turbulent	F4.17		
free	F4.19		
mass	F6.5		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Convection (*Cont.*)		
natural	F4.19	F5.1
steam heating systems	S11.11	
thermal	F4.1	
Convectors		
application	S36.5	
design effects	S36.3	
heat-distributing unit	S36.1	
nonstandard condition corrections	S36.3	
rating	S36.2	
Convention centers	A5.5	
Conversion factors	F38	
Coolants, secondary		
brines		
corrosion inhibition	A49.10	F31.4
properties	F31.1	
calcium chloride solutions	F31.1	
d-limonene	F31.13	
ethyl alcohol solutions	F31.1	
halocarbons	F31.13	
inhibited glycols		
corrosion inhibition	F31.11	
ethylene glycol	F31.4	
propylene glycol	F31.4	
service considerations	F31.11	
low-temperature refrigeration	R48.10	
nonhalocarbon nonaqueous fluids	F31.13	
polydimethylsiloxane	F31.13	
potassium formate solutions	F31.1	
refrigeration systems	R13.1	
sodium chloride solutions	F31.1	
sodium nitrate and nitrite solutions	F31.1	
Coolers. (*See also* **Refrigerators**)		
beverage	R39.11	
cryocoolers	R47.11	
forced-circulation air	R14.1	
installation and operation	R14.6	
liquid (*See also* **Evaporators**)		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Coolers. (*See also* **Refrigerators**) (*Cont.*)				
Baudelot	S42.2			
brazed (semiwelded) plate	S42.1			
in chillers	S43.6	7	8	13
evaporative, with evaporative condensers	S39.17			
flooded	S42.1			
freeze prevention	S42.5			
heat transfer	S42			
coefficients	S42.3			
fouling factor	S42.4			
maintenance	S42.6			
oil return	S42.6			
piping	R1.26			
pressure drop	S42.4			
refrigerant flow control	S42.5			
residential	A1.5			
shell-and-tube	S42.1			
tube-in-tube	S42.1			
vessel design requirements	S42.4			
retail food store	R15.1			
walk-in	R15.12	R16.3		
water	R39.11			
Cooling. (*See also* **Air conditioning**)				
absorption equipment	R18.1			
animal environments	A24.4			
bakery products	R41.4			
concrete				
active systems	R45.5			
air blast	R45.2			
chilled water	R45.1			
embedded coils	R45.1			
inundation	R45.2			
passive	R45.4			
controls	S6.19			
foods and beverages, time calculations	R20.1			
fruits and vegetables				
evaporative	R28.8			
forced-air	R28.6			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Cooling. (*See also* **Air conditioning**) (*Cont.*)			
hydrocooling	R28.3		
load calculation	R28.1		
package icing	R28.8		
vacuum cooling	R28.9		
geothermal energy systems	A34.9		
greenhouses	A24.12		
radiant panel systems	S6.1		
radiative	A35.17		
solar energy systems	A35.15	18	26
water systems	S13.1	17	18
dynamometers	A17.4		
Cooling load			
calculations	F17	F18	
central plant	S3.2		
coil	F18.2		
cooling load temperature differential method			
with solar cooling load factors (CLTD/CLF)	F18.49		
nonresidential	F18		
conduction transfer functions	F18.18		
heat balance (HB) method	F18.2	14	
heat gain			
fenestration	F18.14		
infiltration	F18.12		
internal	F18.3		
latent	18.13		
heat sources	F18.3		
radiant time series (RTS) method	F18.2	20	
sol-air temperature	F18.22		
system effects	F18.32		
total equivalent temperature differential			
method with time averaging (TETD/TA)	F18.49		
transfer function method (TFM)	F18.49		
residential	F17		
heat balance (RHB) method	F17.2		
load factor (RLF) method	F17.2		
space	F18.2		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Cooling load temperature differential method with solar cooling load factors (CLTD/CLF)	F18.49	
Cooling towers	S40	
approach to wet bulb	S40.1	
capacity control	S40.2	
airflow	A42.22	
fan cycling	S40.11	
fan sequencing	A42.21	
flow modulation	A42.14	
two-speed fans	S40.11	
variable-frequency fan drives	S40.11	
variable- vs. fixed-speed fans	A42.14	
construction materials	S40.9	
design conditions	S40.2	
drift	S40.14	
eliminators	S40.14	15
economics	S40.10	
fill	S40.3	
fogging	S40.14	
free cooling	S40.13	
freeze protection	S14.3	S40.13
heat and mass transfer, simultaneous	F6.12	
hybrid	S40.2	7
indirect evaporative coolers	S14.4	S41.5
inspections	S40.15	
Legionella pneumophila	S40.15	16
maintenance	S40.14	
model	F19.15	
number of transfer units (NTU)	S40.19	
performance		
curves	S40.17	
monitoring	S40.15	
thermal	S40.18	
tower coefficients	S40.21	
piping	S14.2	S40.11
plumes	S40.14	
principle of operation	S40.1	
recommissioning	A49.8	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Cooling towers (*Cont.*)					
selection	S40.10				
shutdown	A49.9				
siting	S40.10				
sound, attenuators	S40.14				
start-up	A49.8				
testing	A38.15	S40.18			
theory	S40.18				
counterflow integration	S40.20				
cross-flow integration	S40.20				
heat and mass transfer	S40.18				
types	S3.5				
direct contact	S40.2	5			
hybrid	S40.2				
indirect contact	S40.2	7			
open systems	S14.1				
water treatment	A49.4	8	9	S14.3	S40.16
winter operation	S40.13				
inspections	S40.16				
Cool storage	S51.1				
COP. *See* **Coefficient of performance (COP)**					
Corn, drying	A25.1				
Correctional facilities. *See* **Justice facilities**					
Corrosion					
brines	F31.4				
in combustion systems	F28.17				
concentration cell corrosion	A49.2				
contributing factors	A49.2				
control	A49.2	3	9		
in boilers	A49.10				
cathodic protection	A49.4				
buried pipe	S12.29				
in cooling towers	A49.4				
cycles of concentration	A49.3				
in geothermal energy systems	A34.6				
inhibitors	A49.3				
materials selection	A49.3				
passivation	A49.4				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Corrosion (*Cont.*)		
protective coatings	A49.3	
in steam and condensate systems	A49.11	
energy recovery equipment	S26.7	
galvanized metals	F31.11	
glycol degradation	F31.11	
inhibited glycols	F31.11	
under insulation	F23.8	R10.2
of insulation jacketing	R10.7	
microorganism influence	A49.2	5
oil-fired appliances	S35.22	
oxygen corrosion	A49.2	11
secondary coolant systems	R13.5	
service water systems	A50.9	
types	A49.2	
white rust	A49.4	
Costs. (*See also* **Economics**)		
all-air systems	S4.3	
analysis period	A37.2	
economic analysis techniques		
computer analysis	A37.12	
inflation	A37.10	
internal rate of return	A37.11	
life-cycle cost analyses	A37.9	
payback	A37.9	
present value (worth)	A37.10	
savings-to-investment ratio (SIR)	A37.11	
energy	A37.4	9
financing alternatives	A37.8	
inflation	A37.10	
interest and discount rate	A37.4	
laboratory systems	A16.20	
life-cycle	A37.12	
energy recovery equipment	S26.12	
operation and maintenance	A39.1	
piping insulation	S12.22	
maintenance	A37.7	
operating		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Costs. (*See also* **Economics**) (*Cont.*)		
actual	A37.4	
electrical energy	A37.5	
natural gas	A37.6	
other fuels	A37.6	
snow-melting systems	A51.8	10
owning		
initial cost	A37.1	
insurance	A37.4	
taxes	A37.4	
periodic	A37.4	
refrigerant phaseout	A37.8	
Cotton, drying	A25.8	
Courthouses	A9.4	
Courtrooms	A9.5	
CPVC. *See* **Chlorinated polyvinyl chloride (CPVC)**		
Crawlspaces		
heat loss	F17.11	
insulation	A44.11	
vented vs. unvented	A44.11	
wall insulation	A44.11	
Critical spaces		
forensic labs	A9.7	
justice facilities	A9.4	
Crops. *See* **Farm crops**		
Cruise terminals	A3.6	
Cryogenics	R47	
biomedical applications		
cryomicroscopy	R49.6	
cryopreservation	R49.1	
cryoprotective agents	R49.2	
cryosurgery	R49.7	
induced hypothermia	R49.7	
refrigeration	R49.1	
specimen preparation	R49.6	
Brayton cycle	R47.11	
cascade cycle	R47.8	
Claude cycle	R47.8	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Cryogenics (*Cont.*)	
cryobiological	R49.8
cryocoolers	
recuperative	R47.11
regenerative	R47.14
cryopumping	R47.1
equipment	
coiled-tube exchanger	R47.21
compressors	R47.20
expansion devices	R47.20
heat exchangers	R47.21
regenerators	R47.22
systems	R47.20
turboalternators	R47.21
turboexpanders	R47.21
fluids	
cold burns	R47.28
flammability	R47.29
storage vessels	R47.26
transfer	R47.27
freezers, industrial	R29.5
Gifford-McMahon cycle	R47.15
hazards	R47.28
Heylandt cycle	R47.8
instrumentation	R47.27
insulation	
low-temperature	R47.23
selection (table)	R47.26
thermal conductivity (table)	R47.24
isenthalpic expansion	R47.6
isentropic expansion	R47.7
Joule-Thomson cycle	R47.6
Kleemenko cycle	R47.13
Linde cycle	R47.6
liquefaction	
balanced flow condition	R47.6
of gases	R47.6
liquid-level sensors	R47.27

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Cryogenics (*Cont.*)		
mixed refrigerant cycle	R47.8	
natural gas processing	R47.19	
orifice pulse tube refrigerators	R47.14	
properties		
electrical	R47.5	
magnetic	R47.5	
mechanical	R47.6	
thermal	R47.3	
purification of gases	R47.19	
recovery of gases	R47.17	18
separation of gases, Gibbs phase rule	R47.16	
staging	R47.15	
Stirling cycle	R47.14	
storage systems	R47.26	
transfer systems	R47.27	
Curtain walls	F15.5	
Cycloparaffins	R12.3	
D		
Dairy products	R33	
aseptic packaging	R33.20	
butter		
manufacture	R33.6	
refrigeration load	R33.9	
buttermilk	R33.5	
cheese		
cheese room refrigeration	R33.12	
manufacture	R33.10	
cream	R33.5	
display refrigerators	R15.6	
ice cream		
freezing	R33.16	
hardening	R33.17	
milkfat content	R33.13	
mix preparation	R33.14	
refrigeration	R33.16	19

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Dairy products (*Cont.*)			
milk			
dry	R33.22		
evaporated	R33.21		
fresh	R33.1		
sweetened condensed	R33.22		
thermal properties	R19.1		
UHT sterilization	R33.19		
yogurt	R33.5		
Dampers			
air outlet	S20.4	6	7
controls, automatic	F7.6	7	
fire and smoke control	A53.8		
furnaces	S33.2	9	
opposed-blade	S4.6	S20.4	7
outdoor air	A47.9		
parallel-blade	S4.7	S20.4	7
return air	S4.7		
sound control	A48.12		
splitter	S20.7		
vehicular facilities, enclosed	A15.34		
vent	S35.30		
Dams, concrete cooling	R45.1		
Darcy equation	F21.6		
Darcy-Weisbach equation			
ductwork sectional losses	F21.10		
pressure drop	F3.6	F22.1	
water-cooled condensers	S39.4		
water systems	S44.5		
Data-driven modeling			
black-box	F19.22		
calibrated simulation	F19.22		
empirical	F19.22		
examples	F19.27		
gray-box	F19.23		
neural network	F19.28		
steady-state	F19.23		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Data processing areas				
air-conditioning systems	A19.1			
humidification	S22.1			
codes, standards, and guidelines	A19.16			
design criteria	A19.1			
Daylighting				
interior building illumination	F15.50			
light transmittance	F15.51			
solar radiation	F15.1			
DDC. *See* **Direct digital control (DDC)**				
Dedicated outdoor air system (DOAS)	S4.13	S18.2	7	S25.4
Defrosting				
air coolers, forced-circulation	R14.4			
air-source heat pump coils	S9.7	8	S49.9	
ammonia liquid recirculation systems	R2.23			
household refrigerators and freezers	R17.5			
meat coolers	R30.2			
retail food store refrigerators	R15.19			
Degree-days	F14.12	F19.18		
Dehumidification	A47.12	S24		
absorption	S24.10			
adsorption	S24.11			
air washers	S41.8			
all-air systems	S4.6			
desiccant	S24.1			
applications	S24.1	8		
capacity	S24.2			
equipment	S24.3			
high-pressure	S24.10			
liquid	F32.3			
solid	F32.4			
evaporative cooling	A52.2	S41.8		
performance factor	S41.8			
residential	A1.5			
Dehumidifiers				
dedicated outdoor air systems (DOAS)	S18.2	7	S25.4	
desiccant	S24			
capacity	S24.2			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Dehumidifiers (*Cont.*)		
commissioning	S24.8	
high-pressure	S24.10	
liquid	S24.3	
operation	S24.7	
rotary solid	S24.4	
solid	S24.4	
ice rinks	S25.7	
indoor swimming pool	S25.5	
industrial	S25.7	
installation	S25.8	
mechanical	S25.1	
components	S25.1	
psychrometrics	S25.1	
types	S25.2	
service	S25.8	
wraparound heat exchangers	S25.8	
Dehydration		
of eggs	R34.11	
farm crops	A25.1	
industrial systems for	A30.1	
refrigeration systems	R8.1	
Density		
fluids	F3.1	
modeling	R19.6	
Dental facilities	A8.15	
Desiccants	F32.1	S24.1
adsorption	S24.1	
cosorption of water vapor and air contaminants	F32.5	
dehumidification	S24.1	
glycols	S24.2	
isotherms	F32.5	
life	F32.5	
liquid	S24.2	3
lithium chloride	S24.2	
materials	F32.1	
refrigerant systems	R7.5	
equilibrium curves	R7.4	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Desiccants (*Cont.*)		
moisture	R7.3	
types		
liquid absorbents	F32.3	
solid adsorbents	F32.4	
wheel	S24.5	
Design-day climatic data	F14.12	
Desorption isotherm	F26.19	
Desuperheaters		
air conditioners, unitary	S49.4	
in ammonia refrigeration	R2.3	
condensers, evaporative	S39.17	
heat pumps, unitary	S49.4	
Dew-point		
analysis	F27.8	
method	F25.15	
Diamagnetism, and superconductivity	R47.5	
Diesel fuel	F28.8	
Diffusers, air, sound control	A48.12	
Diffusion		
coefficient	F6.2	
eddy	F6.7	
moisture flow	F25.12	
molecular	F6.1	
space air	F20.1	
Diffusivity		
thermal, of foods	R19.17	
water vapor	F25.2	
Dilution		
exhaust	F24.11	
smoke	A53.4	
ventilation	A31.2	A46.6
Dining halls, in justice facilities	A9.4	
DIR. *See* **Dispersive infrared (DIR)**		
Direct digital control (DDC)	F7.4	10
Direct numerical simulation (DNS)		
turbulence modeling	F13.4	F24.10

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Dirty bombs. *See* **Chemical, biological, radiological, and explosive (CBRE) incidents**			
Discharge coefficients, in fluid flow	F3.9		
Dispersive infrared (DIR)	F7.9		
Display cases	R15.1	4	
District energy (DE)	S12.1		
costs	S12.2		
economics	S12.3		
final design	S12.3		
financial feasibility	S12.3		
flow control	S12.34		
metering	S12.38		
utility rates	S12.2		
District heating and cooling (DHC)	S12		
applicability	S12.1		
central plants			
boiler	S12.7		
chiller	A47.4	S12.1	7
distribution design	S12.9		
emission control	S12.8		
equipment	S12.5		
heating medium	S12.5		
thermal storage	S12.8		
combined heat and power (CHP)	S7.43		
components	S12.1		
consumer interconnections			
chilled water	S12.7	24	37
components	S12.33		
direct connection	S12.32		
energy transfer station	S12.32		
flow control	S12.34		
hot water	S12.36		
indirect, with heat exchangers	S12.33		
steam	S12.24	35	
temperature differential control	S12.38		
costs	A37.9		
distribution system			
aboveground systems	S12.23	24	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
District heating and cooling (DHC) (*Cont.*)			
condensate drainage and return	S12.11	24	
conduits	S12.27	29	
constant-flow	S12.9		
construction	S12.23		
entry pits	S12.30		
hydraulic design	S12.10		
insulation, pipe	S12.12	22	26
pipe	S12.11		
thermal design conditions	S12.12		
underground systems	S12.25		
valve vaults	S12.30		
variable-flow	S12.9		
water hammer	S12.10		
economics	S12.2		
geothermal heating systems	A34.8		
heating conversion to	S12.37		
heat transfer analysis	S12.13		
ground to air	S12.14		
pipes	S12.20		
single buried pipe	S12.15		
soil temperature calculation	S12.14		
two pipes buried	S12.18		
metering	S12.38		
pressure losses	S12.11		
thermal storage	S12.8	S51.7	21
water systems	S12.1		
d-limonene	F31.13		
DNS. *See* **Direct numerical simulation (DNS)**			
Doors			
air exchange	F16.26		
U-factors	F27.7		
Dormitories			
air conditioning	A6.8		
design criteria	A6.1		
energy systems	A6.1		
load characteristics	A6.1		
service water heating	A50.14	18	20

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Draft		
burners	S31.1	14
chimney	S35.1	
comfort affected by	F9.14	
cooling towers	S40.4	4
Drag, in fluid flow	F3.5	
Driers	R7.6	
(*See also* **Dryers**)		
Drip station, steam systems	S12.11	
Dryers. (*See also* **Driers**)		
commercial and industrial		
adsorption	S24.11	11
agitated-bed	A30.6	
calculations	A30.2	
conduction	A30.3	
constant-moisture solvent	A30.7	
convection	A30.4	
dielectric	A30.4	
drying time determination	A30.2	
flash	A30.6	
fluidized-bed	A30.6	
freeze drying	A30.6	
mechanism	A30.1	
microwave	A30.4	
psychrometrics	A30.1	
radiant infrared	A30.3	
selection	A30.3	
superheated vapor	A30.6	
tunnel	A30.5	
ultraviolet (UV)	A30.3	
vacuum drying	A30.6	
desiccant, high-pressure	S24.10	11
farm crops	A25.1	
Drying		
air	S24.11	
desiccant, high-pressure	S24.10	11
dew-point control	S24.11	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Drying (*Cont.*)		
farm crops	A25.1	
gases	S24.11	
DTW. *See* **Dual-temperature water (DTW) system**		
Dual-duct systems		
all-air systems	S4.12	
control	A47.17	
terminal boxes	A47.15	
testing, adjusting, balancing	A38.4	
Dual-temperature water (DTW) system	S13.1	
DuBois equation	F9.3	
Duct design		
air leakage	F21.15	
balancing dampers	F21.21	
all-air systems	S4.10	
Bernoulli equation	F21.1	
commercial, small applications	S10.8	
computer analysis	A40.10	
Darcy equation	F21.6	
Darcy-Weisbach equation	F21.10	
duct fitting database	F21.10	
dynamic losses		
duct fitting database	F21.10	
local loss coefficients	F21.8	
fan-system interface	F21.12	
friction losses	F21.6	
industrial exhaust systems	S30.27	
methods	F21.19	
noise	F21.18	
procedures	F21.21	
pressure	F21.2	
residential	S10.7	
roughness factors	F21.6	
stack effect	F21.2	
testing, adjusting, and balancing	F21.19	
Ducts		
acoustical lining	A48.21	S19.8
in hospitals	A8.13	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Ducts (*Cont.*)			
air dispersion (fabric) systems	S19.6		
airflow measurement in	A38.2		
antimicrobial	S19.9		
classifications (pressure)	S19.1		
cleaning	S19.1		
commercial	S19.6		
(*See also* **Commercial and public buildings**)			
construction			
codes	S19.1		
commercial	S19.6		
industrial	S19.8		
kitchen exhaust	S19.9		
master specifications	S19.11		
outdoor ducts	S19.10		
residential	S19.6		
seismic qualification	S19.10		
sheet metal welding	S19.11		
standards	S19.1	6	8
thermal insulation	S19.11		
underground	S19.10		
desiccant dehumidifiers	S24.7		
efficiency testing	S10.9		
fibrous glass	S19.7		
flat oval	F21.8	S19.7	
flexible	F21.6	S19.7	
fluid flow	F3.1		
forced-air systems, small	S10.2	7	
friction chart	F21.6		
grease systems	S19.9		
industrial	S19.1		
(*See also* **Industrial applications**)			
industrial exhaust systems	A32.6		
insulation	F23.16		
insulation, thermal	S19.11		
leakage, system	S19.2		
(*See also* **Leakage**, HVAC air systems)			
moisture-laden vapor systems	S19.9		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Ducts (*Cont.*)			
noise in	A48.12		
noncircular	F21.7		
outdoor	S19.4		
plastic, rigid	S19.9		
rectangular	F21.7	S19.6	8
residential	S19.6		
(*See also* **Residential systems**)			
road tunnels	A15.10		
roughness factors	F21.6		
round	S19.7	8	
security concerns	A59.11		
seismic	S19.10		
ships	A13.3		
sound			
attenuation	A48.18		
control	F8.13		
underground	S19.10		
velocity measurement in	F36.19		
vibration control	A48.51		
welding sheet metal	S19.11		
Dust mites	F25.17		
Dusts	S29.1		
synthetic	S29.2		
Dynamometers	A17.1		

E

Earth, stabilization	R45.3	4	
Earthquakes, seismic-resistant design	A55.1		
Economic analysis	A37		
computer analysis	A37.12		
inflation	A37.10		
internal rate of return	A37.11		
life-cycle cost analyses	A37.9		
payback	A37.9		
improved	A37.10		
simple	A37.9		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Economic analysis (*Cont.*)		
present value (worth)	A37.10	
savings-to-investment ratio (SIR)	A37.11	
Economic coefficient of performance (ECOP)	S7.49	
Economics. (*See also* **Costs**)		
district heating and cooling	S12.2	
energy management planning	A36.1	
evaporative cooling	A52.16	19
indoor gaseous contaminant control	A46.14	
insulation thickness, pipe	S12.22	
laboratory systems	A16.20	
owning and operating costs	A37.1	
Economizers		
air-side	F16.19	
compressors, single-screw	S38.16	
control	A42.35	
humidification load calculation	S22.4	
kitchen ventilation	A33.3	
water-side	S2.3	
ECOP. *See* **Economic coefficient of performance (ECOP)**		
ECS. *See* **Environmental control system (ECS)**		
Eddy diffusivity	F6.7	
Educational facilities	A7	
air conditioning	A7.1	
service water heating	A50.22	
EER. *See* **Energy efficiency ratio (EER)**		
Effectiveness, heat transfer	F4.21	
Effective radiant flux (ERF)	A54.2	
Efficiency		
air conditioners		
room	S50.2	
unitary	S49.5	
boilers	S32.5	
combustion	F28.13	
compressors		
centrifugal	S38.32	
positive-displacement	S38.3	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Efficiency (*Cont.*)		
reciprocating	S38.8	9
rotary	S38.12	
scroll	S38.26	
single-screw	S38.18	
fins	F4.6	
furnaces	9	
heat pumps, unitary	S49.5	
industrial exhaust gas cleaning	S30.3	
infrared heaters	S16.3	
motors	S45.2	
pumps, centrifugal	S44.7	
refrigerating	F2.3	
Eggs	R34	
composition	R34.1	
dehydration	R34.11	
processing plant sanitation	R34.13	
products	R34.9	
shell eggs		
packaging	R34.8	
processing	R34.5	
refrigeration	R34.5	
spoilage prevention	R34.4	
storage	R34.8	
structure	R34.1	
transportation	R34.8	
storage	R34.1	
thermal properties	R19.1	
EIFS. *See* **Exterior insulation finishing system (EIFS)**		
Electricity		
billing rates	A56.12	
codes	A56.15	
costs	A37.5	9
generation, on-site	A37.9	
imbalance	S45.1	
measurement	F36.26	
motor starting	A56.5	S45.7

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Electricity (*Cont.*)		
performance	A56.1	
power quality variations	A56.6	
principles	A56.2	
safety	A56.1	
voltage	A56.1	
Electric thermal storage (ETS)	S51.16	
Electrostatic precipitators	S29.6	S30.7
Elevators		
smoke control	A53.11	
in tall buildings	A4.2	
Emissions, pollution	F28.7	
Emissivity	F4.2	
Emittance, thermal	F25.2	
Enclosed vehicular facilities	A15	
Energy		
audit	A36.6	
balance		
comfort	F9.2	17
refrigeration systems	R5.3	
conservation		
air conditioners, room	S50.3	
building envelopes	A44.1	
building supervisory control	A42.1	
clean spaces	A18.17	
educational facilities	A7.1	
farm crop drying	A25.3	
greenhouses	A24.15	
hospitals	A8.13	
industrial environments	A31.6	
infrared heaters	S16.1	
kitchen ventilation	A33.1	
pumps, centrifugal	S44.15	
refrigerators, commercial	R16.7	
temperature and ventilation control	A47.19	
textile processing	A21.7	
thermal insulation	F23.1	
consumption		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Energy (*Cont.*)		
benchmarking	A36.6	
building HVAC, control effect on	A42.13	
emergency reduction	A36.15	
gaseous contaminant control	A46.14	
humidifiers	S22.3	
United States	F34.7	
world		F34.5
costs		A37.4
efficiency		
in commercial and food service refrigerators	R16.7	
energy efficiency ratio (EER)	S50.2	
and humidity	F25.17	
emergency use reduction	A36.15	
estimating	F19	
analysis	F19.3	
balance point temperature	F19.16	
correlation	F19.20	
degree-day methods	F19.16	
forecasting	A42.40	
general considerations	F19.1	
integration of systems	F19.21	
models	F19.1	
seasonal efficiency of furnaces	F19.18	
simulating	F19.20	
software selection	F19.3	
field survey audit	A38.17	
forecasting building needs	A42.40	
management	A36	
cost control	A36.10	10
emergency energy use reduction	A36.15	
energy audits	A36.6	
energy-efficiency measures (EEM), comparing	A36.11	
implementation	A36.15	
improving discretionary operations	A36.10	
resource evaluation	A36.1	
modeling	F19	
calculating	F19.4	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Energy (*Cont.*)		
classical approach	F19.1	
data-driven approach	F19.2	
data-driven models	F19.2	22
forward models	F19.2	
general considerations	F19.1	
in integrated building design	A58.4	
primary system components	F19.11	
secondary system components	F19.8	
system controls	F19.21	
monitoring	A41	
applications	A41.1	
data	A41.6	
design and implementation methodology	A41.6	
documentation	A41.7	15
planning	A41.6	15
quality assurance	A41.6	15
production, world	F34.4	
recovery (*See also* **Heat recovery**)		
air-to-air	S26	S41.4
in chemical industry	R46.4	
industrial environments	A31.6	
renewable	F35.2	
resources	F34	F35.2
demand-side management (DSM)	F34.3	
electricity	F34.1	
fossil fuel	F34.1	
integrated resource planning (IRP)	F34.3	
nonrenewable	F34.1	
renewable	F34.1	
United States	F34.7	
world	F34.4	
savings verification	A41.2	
self-imposed budgets	F35.6	
wheels	S26.9	
Energy efficiency ratio (EER)	S50.1	
Energy savings performance contracting (ESPC)	A37.8	
Energy transfer station	S12.32	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Engines	S7
air systems, compressed	S7.13
applications	
centrifugal compressors	S7.45
heat pumps	S7.45
reciprocating compressors	S7.44
screw compressors	S7.45
continuous-duty standby	S7.4
controls and instruments	S7.15
exhaust systems	S7.13
expansion engines	S7.31
fuels	F28.8
cetane number	F28.8
heating values	S7.11
selection	S7.10
heat recovery	
exhaust gas	S7.35
jacket water	S7.33
lubricant	S7.34
reciprocating	S7.33
turbocharger	S7.34
heat release	A17.1
jacket water system	S7.13
lubrication	S7.12
noise control	S7.15
performance	S7.10
reciprocating	S7.9
vibration control	S7.15
water-cooled	S7.13
Engine test facilities	A17
air conditioning	A17.1
dynamometers	A17.1
exhaust	A17.2
noise levels	A17.4
ventilation	A17.1
Enhanced tubes. *See* **Finned-tube heat transfer coils**	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Enthalpy		
calculation	F2.5	
definition	F2.2	
foods	R19.7	
water vapor	F6.9	
wheels	S26.9	
Entropy	F2.1	
calculation	F2.5	
Environmental control		
animals. *See* **Animal environments**		
humans. *See* **Comfort**		
plants. *See* **Plant environments**		
retail food stores		
equipment and control	R15.21	
store ambient effect	R15.3	
Environmental control system (ECS)	A12	
Environmental health	F10	
biostatistics	F10.3	
epidemiology	F10.3	
exposure	F10.6	
industrial hygiene	F10.3	
microbiology/mycology	F10.3	
physical hazards		
electrical hazards	F10.19	
electromagnetic radiation	F10.22	
noise	F10.21	
thermal comfort	F10.17	
vibrations	F10.19	
standards	F10.11	
Environmental tobacco smoke (ETS)		
contaminants	A46.2	
secondhand smoke	F11.18	
sidestream smoke	F10.6	
superheated vapors	F11.2	
Equipment vibration	A48.43	F8.17
ERF. *See* **Effective radiant flux (ERF)**		
ESPC. *See* **Energy savings performance contracting (ESPC)**		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Ethylene glycol, in hydronic systems	S13.23				
ETS. *See* **Environmental tobacco smoke (ETS)**					
Electric thermal storage (ETS)					
Evaluation. *See* **Testing**					
Evaporation, in tubes					
forced convection	F5.5	7			
natural convection	F5.1				
Evaporative coolers. (*See also* **Refrigerators**)					
liquid (*See also* **Evaporators**)					
in chillers	A1.5	S39.17	S43.5	7	13
Evaporative cooling	A52				
applications					
air cleaning	A52.2	S41.8			
animal environments	A24.4	A52.14			
combustion turbines	S7.20				
commercial	A52.9				
dehumidification	A52.2	S41.8			
gas turbines	A52.13				
greenhouses	A24.13	A52.14			
humidification	A52.2	S41.7			
industrial					
air conditioning	A14.7				
area cooling	A52.11				
process cooling	A52.13				
spot cooling	A52.12				
laundries	A52.13				
makeup air pretreatment	S41.6				
motors	A52.12				
power generation facilities	A52.13				
precooling	S41.6				
produce storage	A52.14				
residential	A52.9				
wood and paper products facilities	A52.13				
cooling towers	S40.1				
direct	A52.1	2	S41.1		
economics	A52.16				
entering air condition	A52.18				
equipment					

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Evaporative cooling (*Cont.*)				
indirect	S41.3			
maintenance	S41.9			
two-stage	S41.5			
exhaust requirement	A52.10			
heat recovery and	A52.7	S41.5		
indirect	A52.1	2	S41.3	
psychrometrics	A52.1	10	17	18
staged				
booster refrigeration	A52.8	18		
two-stage (indirect/direct)	A52.10	17	S41.5	
water treatment	A49.9	S41.9		
Legionella pneumophila	S41.9			
Evaporators. (*See also* **Coolers**, liquid)				
air conditioners, room	S50.2			
ammonia refrigeration systems				
equipment	R2.2			
piping	R2.18			
automobile air conditioning	A10.5	11		
chemical industry refrigeration	R46.7			
halocarbon refrigeration systems, piping	R1.28			
liquid overfeed systems	R4.6			
Exfiltration	F16.1			
Exhaust				
animal buildings	A24.6			
clean spaces	A18.16	18		
engines				
heat recovery	S7.35			
installation recommendations	S7.13			
engine test facilities	A17.2			
industrial environments	A14.8	A32.1		
kitchens	A33.10	A33.31		
laboratories	A16.3	9		
stack height	A16.13			
photographic processing areas	A22.3			
stacks				
buildings	A45.1			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Exhaust (*Cont.*)		
design strategies	A45.1	
exhaust dilution prediction equations	A45.11	
exhaust velocity	A45.1	
industrial exhaust systems	A32.8	
location relative to air intake	A45.2	
wake downwash	A45.2	
vehicular facilities, enclosed	A15.37	
Exhibit buildings, temporary	A5.8	
Exhibit cases	A23.5	16
Exhibition centers	A5.5	
smoke management	A53.13	
Expansion joints and devices	S46.10	
bends	S46.11	
joints		
district heating and cooling	S12.22	
packed	S46.13	
packless	S46.13	
loops	S46.11	
Expansion tanks	S12.8	
hydronic systems	S15.3	
closed	S13.4	
diaphragm	S13.4	
expansion chamber	S13.4	
functions of	S13.4	11
open	S13.4	
sizing equations	S13.5	
secondary coolant systems	R13.3	
solar energy systems	A35.12	
Explosions. *See* **Chemical, biological, radiological, and explosive (CBRE) incidents**		

F

Fairs	A5.8	
Family courts	A9.3	
(*See also* **Juvenile facilities)**		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Fan-coil units	S5.6		
capacity control	S5.7		
maintenance	S5.7		
performance under varying load	S5.11		
systems	S20.10		
types	S5.6		
ventilation	S5.6		
wiring	S5.7		
Fans	S21		
air conditioners, room	S50.2		
all-air systems	S4.4	6	9
animal environments	A24.6		
control	A47.7	S21.11	
cooling tower capacity control	A42.21	S40.11	
draft	S35.31		
fixed- vs. variable-speed	A42.14		
flow control	S21.11	S45.11	
furnaces	S33.2		
industrial exhaust systems	A32.8		
isolation	S21.11		
kitchen exhaust	A33.18		
laws	S21.4		
operating principles	S21.1		
parallel operation	S21.9		
plenum	S21.1		
plug	S21.1		
pressure relationships	S21.6		
effect of duct system on	S21.7		
rating	S21.2		
selection	A48.10	S21.8	
ships, naval surface	A13.3		
sound level	A48.8	S21.10	
system effects	S21.8		
testing	S21.2		
types	S21.1		
unstable operation	A47.9		
variable- vs. fixed-speed	A42.14		
vehicular facilities, enclosed	A15.33		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Farm crops, drying and storing	A25	
aeration	A25.4	9
dryeration	A25.4	
drying		
combination	A25.4	
corn	A25.1	
cotton	A25.8	
deep-bed	A25.4	
energy conservation	A25.3	
equipment	A25.2	
full-bin	A25.5	
hay	A25.7	
layer	A25.6	
peanuts	A25.8	
rice	A25.9	
shallow-layer	A25.3	
soybeans	A25.7	
specific	A25.7	
microbial growth	A25.1	
recirculation	A25.3	
storing	A25	
grain aeration	A25.9	
moisture migration	A25.9	
Faults, system, reasons for detecting	A39.6	
***f*-Chart method,** sizing heating and cooling systems	A35.20	
Fenestration. (*See also* **Windows**)		
air leakage	F15.49	
area	A44.2	
attachments	F15.30	
building envelopes	A44.2	F15.1
codes	F15.58	
components	F15.1	
condensation resistance	F15.54	
control of rain entry	A44.10	
cooling load	F18.14	
draperies	F15.32	
durability	F15.57	
energy flow	F15.3	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Fenestration. (*See also* **Windows**) (*Cont.*)					
energy performance, annual	F15.53				
exterior shading	F15.1				
glazing (glass)	F15.1				
occupant comfort	F15.55				
opaque elements	F15.29				
shading devices	F15.30				
solar gain	A44.10				
solar heat gain	F15.13	17			
standards	F15.58				
thermal radiation	F15.16				
U-factors	F15.3	6			
Fick's law	F6.1				
and moisture flow	F25.12				
Filters, air	S29				
(*See also* **Air cleaners**)					
air conditioners, room	S50.4				
aircraft	A12.9	14			
clean spaces	A18.3	9	13		
demisters	A28.8				
desiccant dehumidifiers	S24.7				
dry, extended surface	S29.5				
electronic	S29.5	6			
furnaces	S33.2				
high-efficiency particulate air (HEPA) filters	A16.4	A18.1	A28.3	S29.3	6
	S30.3				
hospitals	A8.2				
industrial air-conditioning	A14.7				
industrial exhaust gas					
fabric	S30.10				
granular bed	S30.14				
installation	S29.10				
kitchens	A33.6	10			
laboratories	A16.9				
maintenance	S29.8				
nuclear facilities	A28.3	8			
panel	S29.5				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Filters, air (*Cont.*)					
places of assembly	A5.1				
printing plants	A20.4				
renewable media, moving-curtain	S29.6				
residential	A1.5				
safety requirements	S29.10				
selection	S29.8				
ships	A13.4				
standards	S29.3	4			
test methods	S29.2				
types	S29.5				
ultralow-penetration air (ULPA) filters	A18.2	3	S29.4	6	S30.3
viscous impingement	S29.5	6			
Filters, water	A49.7				
Finned-tube heat-distributing units	S36.1	5			
design	S36.3				
nonstandard condition corrections	S36.3				
rating	S36.3				
Finned-tube heat transfer coils	F4.25				
energy recovery loops	S26.12				
two-phase flow in	F5.17				
Fins	F4.6				
Fire/smoke management. *See* **Smoke management**					
Firearm laboratories	A9.6				
Fireplaces	S34.4				
chimney design	S35.23				
Fire safety					
clean space exhaust systems	A18.16				
fire and smoke dampers	A53.8				
industrial exhaust gas cleaning	S30.29				
insulation fire resistance ratings	F23.7				
justice facilities	A9.3	6			
kitchens	A33.19				
laboratories	A16.11				
nuclear facilities	A28.2				
penetration fire stopping	A53.1				
smoke management	A53.1				
thermal insulation	F23.6				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Fish	R19	R32
fresh	R19.2	R32.1
frozen	R19.4	R32.4
thermal properties	R19.1	
Fitness facilities. (*See also* **Gymnasiums**)		
in justice facilities	A9.5	
Fittings		
duct fitting database	F21.10	
effective length	F3.8	
halocarbon refrigeration systems	R1.10	
loss coefficients	F3.8	
local	F21.8	
pipe		
sizing	F22.1	7
standards	S46.2	
tees	F22.7	
Fixed-guideway vehicles (*See also* **Mass-transit systems**)	A11.7	
Fixture units	A50.1	26
pipe sizing	F22.9	
Flammability limits, gaseous fuels	F28.1	
Flash tank, steam systems	S11.15	
Floors		
coverings		
panel systems	S6.7	
temperature comfort	F9.16	
slabs, heat loss	F17.11	F18.31
Flowers, cut		
air transport	R27.1	3
cooling	R28.11	
refrigerators	R16.3	
storage, temperatures	R21.12	
Flowmeters	A38.12	F36.19
bypass spring impact meters	A38.13	
in conduits	F3.13	
devices	A38.12	
district heating and cooling systems	S12.38	
flow nozzles	F36.22	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Flowmeters (*Cont.*)			
hoods	F36.20		
orifice plates	A38.12	F36.22	
positive-displacement meters	F36.23		
rotameters	F36.23		
turbine meters	A38.13	F36.23	
ultrasonic	A38.13		
velocity impact meters	A38.13		
venturi meters	A38.13	F36.22	
Fluid dynamics computations	F13.1		
Fluid flow	F3		
analysis	F3.6		
Bernoulli equation	F3.6		
kinetic energy factor	F3.2		
pressure variation	F3.2		
boundary layer	F3.3		
cavitation	F3.13		
choking	F3.13		
compressible	F3.13		
expansion factor	F3.12		
pressure	F3.12		
continuity	F3.2		
Darcy-Weisbach equation	F3.6		
devices	F3.5		
discharge coefficients	F3.9		
drag	F3.5		
friction factors	F3.6		
incompressible	F3.9		
laminar	F3.2		
measurement	A38.11	F3.10	F36.20
noise	F3.13		
nonisothermal effects	F3.5		
parabolic velocity profile, Poiseuille	F3.3		
patterns	F3.4		
pipe friction	F3.6	7	
Poiseuille	F3.3		
properties	F3.1		
Reynolds number, Re	F3.3		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Fluid flow (*Cont.*)		
section change losses	F3.8	
sensors	F7.10	
separation	F3.4	
turbulent	F3.3	
two-phase		
boiling	F5.1	
condensation	F5.10	
evaporation	F5.2	5
pressure drop	F5.13	
unsteady	F3.11	
valve losses	F3.8	9
vena contracta	F3.4	
wall friction	F3.3	
Food. (*See also specific foods*)		
codes	R15.2	
cooling times	R20.1	
freezing times	R20.7	
industrial freezing methods	R29.1	
long-term storage	R40.7	
microbial growth		
control	R22.3	
generalized	R22.1	
requirements	R22.2	
plants	R40.3	
poultry products		
freezing	R31.5	
refrigeration	R31.1	
processing facilities		
contamination prevention	R22.3	
dairy	R33.1	
fruits	R40.5	
main dishes	R40.1	
meat	R30.1	
organism destruction	R22.4	
potato products	R40.5	
poultry	R31.1	
precooked foods	R40.1	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Food. (*See also specific foods*) (*Cont.*)			
refrigeration systems	R40.3	4	6
regulations and standards	R22.5		
sanitation	R22.4		
vegetables	R40.3		
refrigeration			
dairy products	R33		
eggs and egg products	R34.1		
fishery products	R32		
fruits, fresh	R35	R36	
meat products	R30		
vegetables	R37		
refrigerators			
commercial	R16		
retail food store	R15.1	12	
storage requirements			
canned foods	R21.11		
citrus fruit	R36.3		
commodities	R21.1		
dried foods	R21.11		
fruit	R35		
thermal properties	R19		
enthalpy	R19.7		
heat of respiration	R19.17	19	20
ice fraction	R19.2		
surface heat transfer coefficient	R19.24		
thermal conductivity	R19.9	12	16
thermal diffusivity	R19.17		
transpiration coefficient	R19.19	24	
water content, initial freezing point	R19.2		
Food service			
refrigerators for	R16.1		
service water heating	A50.14	21	
vending machines	R16.5		
Forced-air systems, residential	A1.1		
multifamily	A1.6		
Forensic labs	A9.5		
autopsy rooms	A9.5	6	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Forensic labs (*Cont.*)				
critical spaces	A9.4	7		
firearm labs	A9.5	6	7	
intake air quality	A9.6			
Fouling factor				
condensers, water-cooled	S39.4			
coolers, liquid	S42.4			
Foundations, moisture control	A44.11			
Fountains, *Legionella pneumophila* control	A49.7			
Fourier's law, and heat transfer	F25.5			
Four-pipe systems	S5.5			
load	S13.20			
room control	S5.15			
zoning	S5.15			
Framing				
materials	F15.2			
solar gain	F15.18			
Freeze drying	A30.6			
biological materials	R49.4			
Freeze prevention. (*See also* **Freeze protection systems**)				
condensers, evaporative	S39.15			
coolers, liquid	S42.5			
cooling tower				
basin water	S40.13			
piping	S14.3			
energy recovery equipment	S26.7			
hydronic systems	S13.23			
insulation for	F23.5			
solar energy systems	A35.24	S37.2	19	
Freeze protection systems	A51.17	19		
Freezers				
blast	R16.3	R23.10	R29.1	R30.15
household	R17.1			
cabinet construction	R17.3			
cabinets	R17.2			
defrosting	R17.5			
durability	R17.12			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Freezers (*Cont.*)		
efficiency	R17.9	
performance evaluation	R17.9	
refrigerating systems	R17.4	
safety	R17.11	
testing	R17.9	
industrial	R29.1	
walk-in	R16.3	
Freezing		
beverages	R20.7	
biomedical applications	R49.1	
foods		
bakery products	R41.5	
egg products	R34.9	
fish	R32.5	
freezing time calculations	R20.7	
ice cream	R33.15	
meat products	R30.16	
poultry products	R31.5	
processed and prepared food	R40.1	
industrial	R29.1	
soil	R45.3	4
Friction, in fluid flow		
conduit	F3.6	
wall	F3.3	
Fruit juice	R38	
Fruits		
dried		
storage	R42.7	
thermal properties	R19.1	
fresh		
air transport	R27.1	
apples, storage	A52.14	R35.1
apricots	R35.13	
avocados	R36.8	
bananas	R36.5	
berries	R35.13	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Fruits (*Cont.*)		
cherries, sweet	R35.12	
citrus	A52.14	R36.1
cooling	R28.1	
deciduous tree	R35	
desiccation	R21.1	
deterioration rate	R21.1	
display refrigerators	R15.8	
figs	R35.13	
grapes	R35.8	
mangoes	R36.8	
nectarines	R35.12	
peaches	R35.12	
pears	R35.6	
pineapples	R36.8	
plums	R35.11	
storage diseases	R35.1	
strawberries	R35.13	
thermal properties	R19.1	
vine fruits	R35.1	
frozen	R40.5	
Fuel cells, combined heat and power (CHP)	S7.22	
Fuels	F28	
classification	F28.5	
combustion	F28	
engines	S7.10	
flammability limits	F28.1	
gaseous	F28.5	
heating value	F28.3	S7.11
ignition temperature	F28.2	
liquid	F28.6	
oil. *See* **Oil, fuel**		
systems	S7.11	
solid	F28.8	
turbines	S7.19	
Fume hoods, laboratory exhaust	A16.3	
Fungal pathogens	F10.8	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Furnaces	S33			
air cleaners and filters	S33.2			
airflow configurations	S33.3			
air supply	S35.28			
burners	S31.1	S33.2		
casings	S33.1			
codes	S33.10			
commercial	S33.5			
efficiency	S33.10			
components	S33.1			
controls	S33.2	5	9	
derating	S31.9			
duct	S33.5			
duct furnaces	S31.6			
electric	S33.4	10		
fans and motors	S33.2			
floor furnaces	S34.2			
gas-fired	S33.1	9		
codes	S33.10			
commercial	S33.5			
installation	S33.10			
residential	S33.1			
standards	S33.11			
upflow	S33.5			
humidifiers	S33.2			
installation	S33.10			
location	S33.6			
natural gas	S31.11	S33.1	4	9
draft hoods	S33.2			
residential	S33.1	9		
vent dampers	S33.2	9		
venting	S33.2	S35.19		
oil	S33.4	10		
venting	S35.21			
performance criteria	S33.8			
propane	S33.4	10		
regulating agencies	S33.11			
residential	A1.3	S33.1		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Furnaces (*Cont.*)		
annual fuel utilization efficiency (AFUE)	S33.9	
floor furnaces	S34.2	
indoor or outdoor	S33.4	
performance criteria	S33.8	
selection	S33.6	
selection	S33.6	
standards	S33.11	
stokers	S31.16	
thermal storage	S51.18	
unducted	S33.5	
upflow	S33.5	
venting	S35.19	21
wall furnaces	S34.1	
G		
Galleries. *See* **Museums, galleries archives, and libraries**		
Garages		
automotive repair	A15.21	
bus	A15.21	
contaminant criteria	A15.19	
parking	A3.7	A15.18
ventilation		
airflow rate	A15.19	
control	A15.20	
equipment	A15.33	
residential	F16.20	
system configuration	A15.20	
Gases		
compressed, storage	A16.8	
drying	S24.11	
liquefaction	R47.6	
purification	R47.16	19
separation		
gaseous oxygen	R47.18	
Gibbs phase rule	R47.16	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Gas-fired equipment	S34		
(*See also* **Natural gas**)			
noise	F28.17		
Gas vents	S35.1		
GCHP. *See* **Ground-coupled heat pumps (GCHP)**			
Generators			
absorption units	R18.1	10	
combined heat and power (CHP)	S7.39		
Geothermal energy	A34		
corrosion control	A34.6		
direct-use systems	A34.3		
cooling	A34.9		
equipment	A34.5		
heating	A34.8		
service water heating	A34.9		
district heating	A34.8		
geothermal fluids	A34.1		
disposal	A34.4		
temperature	A34.1	3	
ground-source heat pump (GSHP) systems	A34.10	30	S9.4
heat exchangers	A34.6	29	
materials performance	A34.5		
resources	A34.1		
valves	A34.7		
water wells			
flow rate	A34.3		
pumps	A34.6	28	
terminology	A34.26		
water quality testing	A34.4		
Geothermal heat pumps (GHP)	A34.10		
Glaser method	F25.15		
Glazing			
angular averaging	F15.15		
glass	F15.1		
plastic	F15.28		
solar-optical properties	F15.13		
spectral averaging	F15.15		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Glazing (*Cont.*)		
spectral range	F15.16	
systems	F15.15	
Global warming potential (GWP)	R6.1	
Glycols, desiccant solution	S24.2	
Graphical symbols	F37	
Green design, and sustainability	F35.1	
Greenhouses. (*See also* **Plant environments**)		
evaporative cooling	A52.14	
plant environments	A24.10	
Grids, for computational fluid dynamics	F13.4	
Grilles	S20.4	7
Ground-coupled heat pumps (GCHP)		
closed-loop ground-source	A34.10	
heat exchanger	S49.11	
Ground-source heat pumps (GSHP)	A34.1	9
Groundwater heat pumps (GWHP)	A34.25	
GSHP. *See* **Ground-source heat pumps (GSHP)**		
Guard stations, in justice facilities	A9.4	
GWHP. *See* **Groundwater heat pumps (GWHP)**		
GWP. *See* **Global warming potential (GWP)**		
Gymnasiums	A5.5	A7.3

H

HACCP. *See* **Hazard analysis and critical control point (HACCP)**		
Halocarbon		
coolants, secondary	F31.13	
refrigerant systems	R1.1	
Hartford loop	S11.3	
Hay, drying	A25.7	
Hazard analysis and control	F10.4	
Hazard analysis and critical control point (HACCP)	R22.4	
in meat processing facilities	R30.1	
Hazen-Williams equation	F22.1	
HB. *See* **Heat balance (HB)**		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Health	
airborne pathogens	F10.7
asbestosis	F10.5
carbon monoxide	F10.15
coalworker's pneumoconiosis	F10.5
in justice facilities	A9.3
Legionella pneumophila	F10.7
and moisture problems	F25.17
silicosis	F10.5
synthetic vitreous fibers (SVFs)	F10.5
Health care facilities	A8
(*See also specific types*)	
Heat	
flow rates	F18.1
latent	
respiratory loss	F9.4
skin loss	F9.3 10
sensible	
respiratory	F9.4
skin	F9.3
space extraction rate	F18.2
timers	S11.13
transfer	F4 F25 F26 F27
Heat and moisture control	F27.1
Heat balance	S9.19
air	F18.17
conduction transfer function	F18.18
cooling load calculation methods	F18.2 14
equations	F18.18
input procedure	F18.19
model	F18.15
studies	S9.19
surface	F18.15
Heat capacity	F25.1
Heat control	F27
Heaters	S34
automobiles	A10.5
catalytic	S34.1

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Heaters (*Cont.*)					
control	S34.2	4			
direct-contact	S15.5				
electric	S16.2	S34.3			
fireplaces	S34.4				
gas	S16.1	S31.6	S34.1		
control valves	S34.2				
efficiency requirements	S34.2				
infrared	S16.1				
room	S34.1				
thermostats	S34.2				
wall furnaces	S34.1				
hot-water	S28.4				
hydronic snow melting	A51.12				
infrared	S16.1	S31.6			
indirect	S31.6				
oil-fired	S16.3				
radiant	A54.1	4	8		
in-space	S34.1				
kerosene	S34.3				
oil	S16.3	S34.3			
radiant	S31	S34			
electric	S16.2				
gas-fired	S16.1	S31.6	6	S34.1	
infrared	S31.6				
oil-fired infrared	S16.3				
panels	S34.4				
quartz	S34.4				
residential	S34.1				
room	S34.1				
solid fuel	S34.4				
standards	S34.6	7			
steam	S28.4				
stoves	S34.5				
testing	S34.7				
unit	S28.4	S31.6			
control	S28.6				
location	S28.4				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Heaters (*Cont.*)			
maintenance	S28.8		
piping	S28.7		
ratings	S28.6		
selection	S28.4		
sound level	S28.6		
types	S28.4		
ventilators	S28.1		
water	A50		
Heat exchangers	S48		
air-to-air energy recovery	S26.1		
heat pipes	S26.13		
liquid desiccant cooling systems	S26.15		
rotary enthalpy wheels	S26.9		
thermosiphon	S26.16		
twin-tower enthalpy recovery loops	S26.18		
animal environments	A24.4		
antifreeze effect on	S13.24		
chimneys	S35.31		
counterflow	F4.21	S48.1	
district heating and cooling	S12.33		
double-wall construction	S48.3		
effectiveness, capacity rate ratio	F4.22		
enhanced surfaces	F5.16		
fouling	S48.5		
furnaces	S33.1		
geothermal energy systems	A34.6	29	
halocarbon refrigeration systems	R1.29		
heat transfer	S48.1		
installation	S48.6		
liquid suction	R1.29		
number of transfer units (NTU)	F4.22		
parallel flow	F4.21		
plate	F4.23	R1.29	S42.1
brazed	S12.34	S48.3	
components	S48.4		
gasketed	S12.34	S48.3	
plate-and-frame	S12.34		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Heat exchangers (*Cont.*)			
pressure drop in	F5.16		
welded	S12.34	S48.3	
selection	S48.5		
shell-and-coil	R1.29	S12.34	S48.2
shell-and-tube	R1.29	S12.34	S42.1
components	S48.4		
converters	S48.2		
straight-tube	S48.2		
tube-in-tube	R1.29	S42.1	
U-tube	S48.2		
solar energy	S37.15		
systems			
solar energy	A35.12		
steam	S11.3		
water, medium- and high-temperature	S15.6		
wraparound	S25.8		
Heat flow	F25		
(*See also* **Heat transfer**)			
and airflow	F25.14		
through flat building component	F25.7		
hygrothermal modeling	F25.16		
and moisture	F25.14		
paths, series and parallel	F25.7		
Heat flux	F25.1		
radiant panels	S6.2		
Heat gain. (*See also* **Load calculations**)			
appliances	F18.7		
calculation			
solar heat gain coefficient (SHGC)	F18.16		
standard air values	F18.13		
control	F25	F26	F27
electric motors	F18.6		
engine test facilities, dynamometers	A17.1		
fenestration	F18.14		
floors	F18.23		
hospital and laboratory equipment	F18.7		
humans	F18.3		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Heat gain. (*See also* **Load calculations**) (*Cont.*)			
laboratories	A16.2		
latent, permeable building materials	F18.13		
lighting	F18.3		
office equipment	F18.9		
radiant panels	S6.7		
space	F18.1		
Heating			
absorption equipment	R18.1		
animal environments	A24.4		
equipment	S3.1	S27	S49
baseboard units	S36.1		
boilers	S32.1		
convectors	S36.1		
finned-tube units	S36.1		
furnaces	S33.1		
radiators	S36.1		
geothermal energy systems	A34.8		
greenhouses	A24.11		
industrial environments	A14.6		
infrared	S16.1		
radiant	A54.1	8	
nonresidential	S13.16		
places of assembly	A5.1		
plant growth chambers	A24.17		
power plants	A27.10		
residential	A1.1		
solar energy	S37.1		
systems			
all-air	S4.2	5	
selection	S1.1	8	
small forced-air	S10.1		
solar energy	A35.15	26	
steam	S11.1		
thermal storage	S51.16		
Heating load			
calculations	F18.25		
central plant	S3.2		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Heating load (*Cont.*)				
residential calculations				
crawlspace heat loss	F17.11			
Heating values of fuels	F28.3	7	9	
Heat loss. (*See also* **Load calculations**)				
basement	F18.31			
crawlspaces	F17.11			
floor slabs	F18.31			
latent heat loss	F17.12	F18.31		
radiant panels	S6.7			
Heat pipes, air-to-air energy recovery	S26.13			
Heat pumps				
absorption	R18.3			
air-source	S49.1	8		
add-on	S49.8			
air-to-air	S9.4	9		
air-to-water	S9.6	9		
balance point	S49.9			
compressor selection	S49.10			
control	S49.10			
defrost cycle	S49.9			
installation	S49.10			
refrigerant circuits	S49.10			
selection	S49.9			
boosters	S51.18			
cascade systems	S9.6			
components	S9.6			
compression cycles	S9.2			
control	S9.7	8		
efficiency	S49.5			
engine-driven	S7.45			
ground-source				
ground-coupled	A34.10	13	S9.15	S49.11
groundwater	A34.11	25	S49.10	
surface water	A34.12	30	S49.10	
terminology	A34.10			
heat recovery heat pumps	S9.9			
design principles	S9.13			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Heat pumps (*Cont.*)			
waste heat recovery	S9.14		
heat sources and sinks	S9.2	4	
ice-source	R43.7		
industrial process	S9.9		
closed-cycle systems	S9.9		
design	S9.13		
heat recovery	S9.9	9	
open-cycle systems	S9.11		
semi-open-cycle systems	S9.11		
multisplit system	S18.1		
packaged terminal heat pumps (PTHPs)	S50.6		
testing	S50.7		
room	S50.1		
split systems	S49.1		
supplemental heating	S9.8		
through-the-wall	S2.3		
types	S9.4		
unitary	S49.1		
application	S49.1		
certification	S49.6		
codes	S49.5		
desuperheaters	S49.4		
installation	S49.2		
service	S49.2		
space conditioning/water heating	S49.4		
standards	S49.5		
types	S49.2		
water heaters	A50.3	27	
water-source			
certification	S49.11		
design	S49.11		
entering water temperature	S49.11		
groundwater	A34.11	25	S49.10
indirect systems	A34.29		
surface water	A34.12	30	S49.10
testing	S49.11		
water loop	S9.15	S49.10	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Heat pumps (*Cont.*)					
water-to-air	S9.6				
water-to-water	S9.6				
window-mounted	S2.3				
Heat recovery. (*See also* **Energy**, recovery)					
balanced heat recovery	S9.19				
cascade systems	S9.14				
coils	S27.3				
combined heat and power (CHP)	S7.32				
combustion turbines	S7.37				
evaporative cooling	A52.7	S41.5			
heat-activated chillers	S7.38				
heat balance	S9.19				
heat pumps	S9.9				
industrial exhaust systems	A32.8				
kitchen ventilation	A33.2				
laboratories	A16.19				
liquid chillers	S43.2	12			
multiple buildings	S9.21				
reciprocating engines	S7.33				
retail food store refrigeration	R15.18				
service water heating	A50.4				
steam					
systems	S11.3	14			
turbines	S7.37				
supermarkets	A2.4				
terminology	S9.1				
waste heat	S9.14				
water loop heat pump systems	S9.15				
Heat storage. *See* **Thermal storage**					
Heat stress					
index (HSI)	A31.5	F9.21			
industrial environments	A31.5				
thermal standards	A31.5				
Heat transfer	F4	F25	F26	F27	
(*See also* **Heat flow**)					
across air space	F25.6				
antifreeze effect on water	S13.23				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Heat transfer (*Cont.*)	
apparent transfer coefficient	F25.6
augmentation	
active	F4.28
passive	F4.25
coefficients	F15.5
condensation	F5.11
convective	F9.7
convective evaporation	F5.7
evaporative	F9.8
foods	R19.24
Lewis relation	F9.4
low-temperature	R48.9
overall	F4.26
coils	
air-cooling and dehumidifying	S23.6
air-heating	S27.4
condensers	S39.2
water-cooled	S39.2
conductance	F4.3
conduction	F4.1 3
shape factors	F4.4
control	F25 F26 F27
convection	
buffer layer	F4.1
coefficient	F4.1
external	F4.17
flow, fully developed laminar	F4.17
forced, boundary layer	F4.17
free	F4.1 19
internal	F4.17
laminar sublayer	F4.1
natural	F4.1 19
turbulent region	F4.1
definition	F25.1
diffuse radiators	F4.15
district heating and cooling pipes	S12.13
effectiveness	F4.22

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Heat transfer (*Cont.*)		
extended surfaces	F4.4	
factor, friction	F4.19	
film		
coefficient	F25.1	
resistance	F25.6	6
fins	F4.4	7
forced convection, air coolers	F4.17	
Fourier's law	F25.5	
ground	F19.7	
ground loops	A34.14	
heat exchangers	S48.1	
insulation	F36.33	
lakes	A34.30	
mass transfer		
convection	F6.6	
molecular diffusion	F6.3	
simultaneous with	F6.9	12
number of transfer units (NTU)	F4.22	
radiant balance	F4.15	
radiation		
actual, gray	F4.2	13
angle factor	F4.13	
Beer's law	F4.16	
blackbody	F4.12	
black surface	F4.2	
energy transfer	F4.11	
exchange between surfaces	F4.14	
in gases	F4.16	
gray surface	F4.12	
hemispherical emissivity	F4.12	
Kirchoff's law	F4.13	
monochromatic emissive power	F4.12	
spectral emissive power	F4.12	
Stefan-Boltzmann law	F4.2	12
thermal	F4.2	
Wien's displacement law	F4.12	
simultaneous with mass transfer	F6.9	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Heat transfer (*Cont.*)			
snow-melting systems	A51.1		
fluids	A51.10		
solar energy systems	A35.11		
steady-state	F25.5		
surface	F25.6		
terminology	F25.1		
thermal bridging	F25.8		
transient			
cooling time estimation	F4.9		
cylinder	F4.9		
radiation	F4.8		
slab	F4.9		
sphere	F4.9		
transmission data	F26		
water	S13.3		
Heat transmission			
doors	F27.7		
floor slabs	F18.31		
windows	F27.7		
Heat traps	A50.2		
Helium			
in air	F1.1		
recovery	R47.18		
and thermal radiation	F4.16		
High-efficiency particulate air (HEPA) filters	A28.3	S29.6	S30.3
High-rise buildings. *See* **Tall Buildings**			
High-temperature short-time (HTST) pasteurization	R33.2		
High-temperature water (HTW) system	S13.1		
Homeland security. *See* **Chemical, biological radiological, and explosive (CBRE) incidents**			
Hoods			
draft	S33.2	S35.30	
gaseous contaminant control	A46.6		
industrial exhaust systems			
capture velocities	A32.2		
compound hoods	A32.5		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Hoods (*Cont.*)		
design principles	A32.3	
entry loss	A32.4	
overhead hoods	A32.6	
sidedraft hoods	A32.6	
volumetric flow rate	A32.2	
kitchen exhaust	A33.30	
ductless	A33.17	
recirculating systems	A33.17	19
residential	A33.30	
type I	A33.10	
type II	A33.10	17
laboratory fume	A16.3	
sound control	A48.34	
unidirectional	A18.9	
Hospitals	A8.2	
air conditioning	A8.2	
air movement	A8.3	
air quality	A8.2	
cooling	A8.13	
design criteria		
administration	A8.11	
ancillary spaces	A8.9	
autopsy rooms	A8.10	
diagnostic and treatment	A8.11	
infectious isolation	A8.8	
intensive care units	A8.8	
laboratories	A8.9	
nursery suites	A8.8	
nursing areas	A8.8	
operating rooms	A8.5	S22.2
patient rooms	A8.8	
pharmacies	A8.10	
protective isolation	A8.8	
recovery rooms	A8.8	
service areas	A8.12	
sterilizing and supply	A8.12	
surgery and critical care	A8.5	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Hospitals (*Cont.*)			
energy conservation	A8.13		
heating and hot-water standby	A8.13		
indoor air quality (IAQ)	A8.2		
infection sources and control	A8.2		
insulation	A8.13		
Legionella pneumophila	A8.2		
pressure relationships and ventilation	A8.4		
smoke control	A8.5		
zoning	A8.13		
Hot-box method, of thermal modeling	F25.8		
Hotels and motels	A6		
accommodations	A6.3		
back-of-the-house (BOTH) areas	A6.6		
central plant	A6.7		
design criteria	A6.1		
guest rooms	A6.4		
indoor air quality (IAQ)	A6.6		
load characteristics	A6.1		
makeup air units	A6.7		
public areas	A6.6		
service water heating, showers	A50.14	20	
sound control	A6.8		
systems	A6.3		
Hot-gas bypass	R1.34		
Houses of worship	A5.3		
HSI. *See* **Heat stress**, index (HSI)			
HTST. *See* **High-temperature short-time (HTST) pasteurization**			
Humidification	S22		
air washers	S41.7		
all-air systems	S4.5	8	
control	A47.12	13	S22.1
design	S22.4		
direct evaporative cooling	A52.2		
evaporative coolers	S41.7		
load calculations	S22.4		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Humidifiers	S22			
all-air systems	S4.8			
bacterial growth	S22.1			
central air systems				
industrial and commercial	S22.6			
residential	S22.6			
commercial	S22.6			
controls	S22.9			
energy considerations	S22.3			
equipment	S22.5			
evaporative cooling	S22.9			
furnaces	S33.2			
industrial	S22.6			
Legionella pneumophila control	A49.7			
load calculations	S22.4			
nonducted	S22.6			
portable	S22.6			
residential	A1.5	S10.2	S22.6	
scaling	S22.5			
supply water	S22.5			
terminal	S4.17			
Humidity				
building envelope affected by	S22.2			
control	A47.12	F32.1	S22.1	S24.1
disease prevention and treatment	S22.1			
human comfort conditions	S22.1			
measurement	F36.10			
odors affected by	F12.2			
sound transmission affected by	S22.2			
sources of	S25.8			
static electricity affected by	S22.2			
HVAC security	A59			
owner’s project requirements (OPR)	A59.1			
risk evaluation	A59.2			
system design	A59.3			
design measures	A59.3			
maintenance management	A59.5			
modes of operation	A59.3			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Hydrogen, liquid	R47.2		
Hydronic systems	S35		
(*See also* **Water systems**)			
central multifamily	A1.6		
combined heat and power (CHP)	S7.42		
heating and cooling design	S13.1		
heat transfer vs. flow	A38.6	7	
pipe sizing	F22.6		
residential	A1.3		
snow melting	A51.10		
testing, adjusting, balancing	A38.6	8	
units			
baseboard	S36.1	3	5
convectors	S36.1	2	5
finned-tube	S36.1	3	5
heaters	S28.4		
makeup air	S28.8		
pipe coils	S36.1		
radiant panels	S6.10	S36.6	
radiators	S36.1	2	5
ventilators	S28.1		
water treatment	A49.10		
Hygrometers	F7.9	F36.10	11
Hygrothermal loads	F25.2		
Hygrothermal modeling	F25.16	F27.10	
criteria	F25.16		
dew-point method	F25.15		
transient analysis	F25.16	F27.10	

I

IAQ. *See* **Indoor air quality (IAQ)**

IBD. *See* **Integrated building design (IBD)**

Ice	
commercial	R43.6
delivery systems	R43.5
manufacture	R43.1

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Ice (*Cont.*)		
storage	R43.4	
thermal storage	R43.3	S51.9
Ice makers		
commercial	R16.6	
heat pumps	R43.7	
household refrigerator	R17.2	
large commercial	R43.1	
storage	R43.4	
thermal storage	R43.3	
types	R43.1	
water treatment	A49.7	9
Ice rinks	A5.5	R44
conditions	R44.4	5
dehumidifiers	S25.7	
energy conservation	R44.5	
floor design	R44.8	
heat loads	R44.2	
pebbling	R44.11	
surface building and maintenance	R44.10	
water quality	R44.11	
ID_{50}, mean infectious dose	A59.8	
Ignition temperatures of fuels	F28.2	
IGUs. *See* **Insulating glazing units (IGUs)**		
Illuminance	F36.30	
Indoor air quality (IAQ). (*See also* **Air quality**)		
bioaerosols		
health effects	F10.7	
particles	F10.4	
sources	F10.7	
environmental tobacco smoke (ETS)	F10.6	
gaseous contaminant control	A46.1	
hospitals	A8.2	
hotels and motels	A6.6	
humidity	F25.16	
kitchens	A33.22	
microbial volatile organic chemicals (MVOCs)	F10.7	
modeling	F13.1	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Indoor air quality (IAQ). (*See also* **Air quality**) (*Cont.*)			
particulate matter	F10.4		
polycyclic aromatic compounds (PACs)	F10.6		
polycyclic aromatic hydrocarbons (PAHs)	F10.6		
radon action levels	F10.22		
semivolatile organic compounds (SVOCs)	F10.4	12	
sensors	F7.10		
standards	F10.11		
synthetic vitreous fibers	F10.5		
volatile organic compounds (VOCs)	F10.11		
Indoor environmental modeling	F13		
computational fluid dynamic (CFD)	F13.1		
contaminant transport	F13.16		
multizone network	F13.14		
verification and validation	F13.17		
Induction			
air-and-water systems	A38.5		
systems	S5.10		
units under varying load	S5.11		
Industrial applications			
burners			
gas	S31.6		
oil	S31.12		
ducts	S19.8		
gas drying	S24.11		
heat pumps	S9.9		
humidifiers	S22.6		
process drying	S24.11		
process refrigeration	R46.1		
thermal storage	S51.22		
service water heating	A50.24		
steam generators	A27.4		
Industrial environments	A14	A31	A32
air conditioning	A14		
cooling load	A14.6		
design	A14.5		
evaporative systems	A14.7		
maintenance	A14.8		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Industrial environments (*Cont.*)			
refrigerant systems	A14.7		
spot cooling	A31.3	A52.12	
ventilation	A31.1		
air distribution	A31.3		
air filtration systems	A14.7	S29.2	S30.1
contaminant control	A14.5	8	
energy conservation	A31.6		
energy recovery	A31.6		
energy sustainability	A31.6		
evaporative cooling	A52.12		
heat control	A31.4		
heat exposure control	A31.6		
heating systems	A14.6		
heat stress	A31.5		
local exhaust systems	A31.6	A32.1	
air cleaners	A32.8		
airflow near hood	A32.3		
air-moving devices	A32.8		
ducts	A32.6	S30.27	
energy recovery	A32.8		
exhaust stacks	A32.8		
fans	A32.8		
hoods	A32.2		
operation and maintenance	A32.9		
system testing	A32.9		
process and product requirements	A14.1		
spot cooling	A31.3	6	
thermal control	A14.4		
ventilation systems	A31.2		
Industrial exhaust gas cleaning (*See also* **Air cleaners**)	S29		
auxiliary equipment	S30.27		
equipment selection	S30.1		
gaseous contaminant control	S30.17		
absorption	S30.17		
adsorption	S30.23	25	
incineration	S30.26		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Industrial exhaust gas cleaning (*Cont.*)		
spray dry scrubbing	S30.17	
wet-packed scrubbers	S30.18	23
gas stream	S30.2	
monitoring	S30.1	
operation and maintenance	S30.29	
particulate contaminant control	S30	
collector performance	S30.3	
electrostatic precipitators	S30.8	
fabric filters	S30.10	
inertial collectors	S30.4	
scrubbers (wet collectors)	S30.15	
settling chambers	S30.4	
regulations	S30.1	
safety	S30.29	
scrubbers (wet collectors)	S30.15	
Industrial hygiene	F10.3	
Infiltration. (*See also* **Air leakage**)		
air exchange	R24.4	
rate	F16.3	12
air leakage		
air-vapor retarder	F16.17	
building data	F16.16	
controlling	F16.17	
calculation, residential	F16.23	
climatic zones	F16.19	
commercial buildings	F16.25	
direct flow through doorways	R24.6	
driving mechanisms	F16.12	
examples	F16.23	
fenestration	F15.49	
indoor air quality (IAQ)	F16.10	
infiltration degree-days	F16.12	
latent heat load	F16.11	F17.5
leakage function	F16.15	
measurement	F36.24	
refrigerated facilities	R24.4	
residential buildings	F16.14	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Infiltration. (*See also* **Air leakage**) (*Cont.*)				
sensible heat load	F16.11	F17.5		
terminology	F16.1			
thermal loads	F16.11			
ventilation	R15.4			
Infrared applications				
comfort	F9.23	25		
drying	A30.3			
energy generators	S16.1			
greenhouse heating	A24.12			
heaters	A54.1	4	8	S16.1
electric	S16.2			
gas-fired	S16.1	S31.6		
industrial environments	A14.7			
oil-fired	S16.3			
system efficiency	S16.3			
snow-melting systems	A51.16			
In-room terminal systems				
changeover temperature	S5.12			
performance under varying load	S5.11			
primary air	S5.10			
Instruments (*See also specific instruments or applications*)	F14			
Insulating glazing units (IGUs)	F15.4			
Insulation, electrical	R6.9			
Insulation, thermal				
airflow retarders	F25.10			
animal environments	A24.4			
below-ambient system	R10.1	2		
clothing	F9.8			
compressive resistance	F23.9			
condensation control	F23.3			
corrosion under	F23.8			
cryogenic	R47.23			
ducts	F23.16	S19.11		
flexible	F23.13			
process	F23.16			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Insulation, thermal (*Cont.*)		
economic thickness, in mechanical systems	F23.1	
electrical, motor, breakdown of	S45.14	
energy conservation	F23.1	
fire resistance ratings	F23.7	
fire safety	F23.6	
flame spread index	F23.6	
foundations	A44.3	
freeze protection	F23.5	
green buildings	F23.1	
heat gain	F23.18	
heat loss	F23.18	
heat transfer	F36.33	
hospitals	A8.13	
insertion loss	F23.6	
limited combustible	F23.7	
materials	F23.9	F26.1
cellular	F23.9	
fibrous	F23.9	
foil, scrim, and kraft paper (FSK)	F23.13	
foil-reinforced kraft (FRK)	F23.14	
granular	F23.9	
reflective	F23.9	
moisture control	F26.1	
noise control	F23.6	
noncombustible	F23.7	
operating temperature	F23.9	
performance	F26.1	
personnel protection	F23.2	
pipes	F23.13	
economic thickness	S12.22	
hangers	F23.13	
underground	F23.15	S12.12
properties	F25.1	
refrigerant piping	R10.1	
design	R10.1	
installation	R10.8	
jacketing	R10.7	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Insulation, thermal (*Cont.*)		
joint sealant	R10.7	
maintenance	R10.9	
thickness tables	R10.4	
vapor retarders	R10.7	
refrigerated facilities	R23.12	R24.1
smoke developed index	F23.6	
solar energy systems	S37.6	13
tanks, vessels, and equipment	F23.15	
thermal conductivity	F23.9	
thermal storage systems, water	S51.6	
water absorption	F23.9	
water vapor permeability	F23.9	
water vapor permeance	F23.9	
water vapor retarders	F23.11	
weather barriers	F23.10	
weather protection	F23.10	
Integrated building design (IBD)	A58.1	
budgeting	A58.5	
commissioning	A58.8	
communication	A58.5	
construction		
contract administration	A58.7	
document phase	A58.8	
post-construction activities	A58.9	
design		
basis	A58.6	
criteria	A58.6	
development	A58.8	
intent	A58.8	
team	A58.5	8
design-phase contract	A58.1	
documentation	A58.8	
drawings		
preliminary	A58.7	
working	A58.7	
energy modeling	A58.4	
building optimization	A58.4	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Integrated building design (IBD) (*Cont.*)		
equipment selection	A58.4	
system optimization	A58.4	
objectives	A58.1	
organization	A58.5	
programming	A58.4	
project		
closeout	A58.8	
delivery	A58.9	
design	A58.6	
manual	A58.7	
predesign	A58.9	
quality assurance/quality control (QA/QC)	A58.5	
schematic design	A58.1	
specifications		
outline	A58.7	
project manual	A58.7	
training	A58.5	
Integrated design process (IDP)	A58.1	
Intercoolers, ammonia refrigeration systems	R2.3	
J		
Jacketing, insulation	R10.7	
Jails	A9.3	
Joule-Thomson cycle	R47.6	
Judges' chambers	A9.5	
Juice	R38.1	
Jury facilities	A9.5	
Justice facilities	A9	
control rooms	A9.3	4
courthouses	A9.4	
courtrooms	A9.4	5
dining halls	A9.4	
energy considerations	A9.2	
fire/smoke management	A9.3	
fitness facilities	A9.5	
forensic labs	A9.1	5

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Justice facilities (*Cont.*)		
guard stations	A9.3	4
health issues	A9.3	
heating and cooling plants	A9.2	
jail cells	A9.5	
jails	A9.3	
judges' chambers	A9.4	5
jury rooms	A9.5	
juvenile	A9.1	
kitchens	A9.4	
laundries	A9.4	
libraries	A9.3	5
police stations	A9.1	
prisons	A9.3	
system controls	A9.3	
system requirements	A9.1	
terminology	A9.1	
types of	A9.1	
U.S. Marshals	A9.5	
Juvenile facilities	A9.1	
(*See also* **Family courts**)		

K

K-12 schools	A7.2	
Kelvin's equation	F25.11	
Kirchoff's law	F4.13	
Kitchens	A33	
air balancing	A33.3	
multiple-hood systems	A33.4	
air filtration	A33.6	10
cooking effluent		
control of	A33.6	
generation of	A33.1	
thermal plume behavior	A33.5	
dishwashers, piping	A50.8	
energy conservation		
economizers	A33.3	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Kitchens (*Cont.*)		
reduced airflow	A33.3	
residential hoods	A33.31	
restaurants	A33.1	
exhaust hoods	A33	
ductless	A33.17	
recirculating systems	A33.17	19
residential	A33.30	
systems	A33.10	
type I	A33.10	
type II	A33.10	17
exhaust systems	A33.10	31
ducts	A33.18	S19.9
effluent control	A33.6	
fans	A33.18	
fire safety	A33.10	
hoods	A33.10	
maintenance	A33.29	
multiple-hood systems	A33.4	21
residential	A33.31	
terminations	A33.19	
fire safety	A33.19	21
fire suppression	A33.19	
multiple-hood systems	A33.21	
prevention of fire spread	A33.21	
residential	A33.31	
grease removal	A33.6	10
heat recovery	A33.2	
indoor air quality (IAQ)	A33.22	
integration and design	A33.3	
in justice facilities	A9.4	
maintenance	A33.29	
makeup air systems		
air distribution	A33.23	
maintenance	A33.29	
replacement	A33.22	
residential	A33.31	
operation	A33.28	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Kitchens (*Cont.*)	
residential	A33.29
service water heating	A50.8
ventilation	A33
Kleemenko cycle	R47.13
Krypton, recovery	R47.18
L	
Laboratories	A16
air distribution	A16.9
air filtration	A16.9
air intakes	A16.13
animal labs	A16.14
cage environment	A24.9
ventilation performance	A24.9
biological safety cabinets	A16.6
biosafety levels	A16.17
clean benches	A16.8
cleanrooms	A18.1
clinical labs	A16.18
commissioning	A16.20
compressed gas storage	A16.8
containment labs	A16.17
controls	A16.12
design parameters	A16.2
duct leakage rates	A16.10
economics	A16.20
exhaust devices	A16.8
exhaust systems	A16.10
fire safety	A16.11
fume hoods	A16.3
controls	A16.13
performance	A16.4
hazard assessment	A16.2
heat recovery	A16.19
hospitals	A8.9

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Laboratories (*Cont.*)		
loads	A16.2	
nuclear facilities	A28.11	
paper testing labs	A26.4	
radiochemistry labs	A16.18	
safety	A16.2	11
scale-up labs	A16.18	
stack heights	A16.13	
supply air systems	A16.9	
system maintenance	A16.18	
system operation	A16.18	
teaching labs	A16.18	
types	A16.1	
ventilation	A16.8	
Laboratory information management systems (LIMS)	A9.7	
Lakes, heat transfer	A34.30	
Laminar flow		
air	A18.4	
fluids	F3.2	
Large eddy simulation (LES), turbulence modeling	F13.3	F24.10
Laser Doppler anemometers (LDA)	F36.17	
Laser Doppler velocimeters (LDV)	F36.17	
Latent energy change materials	S51.2	
Laundries		
evaporative cooling	A52.13	
in justice facilities	A9.4	F25.11
service water heating	A50.22	23
LCR. *See* **Load collector ratio (LCR)**		
LD_{50}, mean lethal dose	A59.8	
LDA. *See* **Laser Doppler anemometers (LDA)**		
LDV. *See* **Laser Doppler velocimeters (LDV)**		
LE. *See* **Life expectancy (LE) rating**		
Leakage		
air-handling unit	S19.6	
ducts	F21.15	S19.2
HVAC air systems	S19.2	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Leakage (*Cont.*)			
responsibilities	S19.5		
sealants	S19.2		
testing	S19.3		
Leakage function, relationship	F16.15		
Leak detection of refrigerants	F29.9		
methods	R8.4		
Legionella pneumophila	A49.6	F10.7	
air washers	S41.9		
control	A49.7		
cooling towers	S40.15	16	
decorative fountains	A49.7		
evaporative coolers	S41.9		
hospitals	A8.2		
Legionnaires' disease	A49.6		
service water systems	A50.10		
Legionnaires' disease. *See* ***Legionella pneumophila***			
LES. *See* **Large eddy simulation (LES)**			
Lewis relation	F6.9	F9.4	
Libraries. *See* **Museums, galleries, archives and libraries**			
Life expectancy (LE) rating, film	A22.3		
Lighting			
cooling load	F18.3		
greenhouses	A24.14		
heat gain	F18.3		
plant environments	A24.17		
sensors	F7.10		
Light measurement	F36.30		
LIMS. *See* **Laboratory information management systems (LIMS)**			
Linde cycle	R47.6		
Liquefied natural gas (LNG)	S8.6		
vaporization systems	S8.6		
Liquefied petroleum gas (LPG)	F28.5		
Liquid overfeed (recirculation) systems	R4		
ammonia refrigeration systems	R2.22		
circulating rate	R4.4		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Liquid overfeed (recirculation) systems (*Cont.*)		
evaporators	R4.6	
line sizing	R4.7	
liquid separators	R4.7	
overfeed rate	R4.4	
pump selection	R4.4	
receiver sizing	R4.7	
recirculation	R4.1	
refrigerant distribution	R4.3	
terminology	R4.1	
Lithium bromide/water	F30.69	
Lithium chloride	S24.2	
Load calculations		
cargo containers	R25.8	
coils, air-cooling and dehumidifying	S23.14	
computer calculation	A40.9	
humidification	S22.4	
hydronic systems	S13.2	
internal heat load	R24.3	
nonresidential	F18.1	18
precooling fruits and vegetables	R28.1	
refrigerated facilities		
air exchange	R24.4	
direct flow through doorways	R24.6	
equipment	R24.6	
infiltration	R24.4	
internal	R24.3	
product	R24.3	
transmission	R24.1	
residential cooling		
residential heat balance (RHB) method	F17.2	
residential load factor (RLF) method	F17.2	
residential heating	F17.11	
snow-melting systems	A51.1	
Load collector ratio (LCR)	A35.21	
Local exhaust. *See* **Exhaust**		
Loss coefficients		
control valves	F3.9	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Loss coefficients (*Cont.*)	
duct fitting database	F21.10
fittings	F3.8
Louvers	F15.29
Low-temperature water (LTW) system	S13.1
LPG. *See* **Liquefied petroleum gas (LPG)**	
LTW. *See* **Low-temperature water (LTW) system**	
Lubricants	R12
(*See also* **Lubrication; Oil**)	
additives	R12.4
ammonia refrigeration	R2.7
component characteristics	R12.3
effects	R12.28
evaporator return	R12.15
foaming	R12.27
halocarbon refrigeration	
compressor floodback protection	R1.31
liquid indicators	R1.32
lubricant management	R1.10
moisture indicators	R1.31
purge units	R1.32
receivers	R1.32
refrigerant driers	R1.31
separators	R1.30
strainers	R1.31
surge drums or accumulators	R1.31
mineral oil	
aromatics	R12.3
naphthenes (cycloparaffins)	R12.3
nonhydrocarbons	R12.3
paraffins	R12.3
miscibility	R12.13
moisture content	R8.1
oxidation	R12.28
properties	R12.4
floc point	R12.21
viscosity	R12.5
refrigerant	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Lubricants (*Cont.*)			
contamination	R7.7		
reactions with	R6.5		
solutions	R12.8		
requirements	R12.2		
separators	R11.23		
solubility			
air	R12.27		
hydrocarbon gases	R12.22		
refrigerant solutions	R12.10	12	14
water	R12.26		
stability	R12.28		
synthetic lubricants	R12.3		
testing	R12.1		
wax separation	R12.21		
Lubrication	R12		
combustion turbines	S7.21		
compressors			
centrifugal	S38.36		
reciprocating	S38.10		
rotary	S38.13		
single-screw	S38.15		
twin-screw	S38.21		
engines	S7.12		

M

Mach number	S38.31		
Maintenance. (*See also* **Operation and maintenance**)			
absorption units	R18.7		
air cleaners	S29.8		
air conditioners, retail store	A2.1		
air washers	S41.9		
chillers	S43.5	12	
coils			
air-cooling and dehumidifying	S23.15		
air-heating	S27.5		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Maintenance. (*See also* **Operation and maintenance**) (*Cont.*)		
combined heat and power (CHP) systems	S7.17	
condensers	S39	
air-cooled	S39.13	
evaporative	S39.18	
water-cooled	S39.7	
cooking equipment	A33.29	
coolers, liquid	S42.6	
cooling towers	S40.14	
costs	A37.7	
documentation	A39.7	
energy recovery equipment	S26.6	11
evaporative coolers	S41.9	
filters, air	S29.8	
gaseous air cleaners	A46.15	
industrial air-conditioning systems	A14.8	
infrared heaters	S16.5	
kitchen ventilation systems	A33.28	31
laboratory HVAC equipment	A16.18	
liquid chillers	S43.15	
makeup air units	S28.9	
manual	A39.8	
solar energy systems	A35.24	
turbines		
combustion	S7.22	
steam	S7.30	
unit heaters	S28.8	
Makeup air units	S28.8	
applications	S28.8	
codes	S28.9	
commissioning	S28.9	
controls	A47.16	S28.9
design	S28.8	
maintenance	S28.9	
selection	S28.8	
standards	S28.9	
types	S28.8	
Malls	A2.6	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Manometers, differential pressure readout	A38.12	
Manufactured homes	A1.7	
airflow modeling example	F13.18	
Masonry, insulation	F26.7	
(*See also* **Building envelopes**)		
Mass transfer	F6	
convection	F6.5	
eddy diffusion	F6.9	
Lewis relation	F6.9	F9.4
energy recovery, air-to-air	S26.5	
heat transfer simultaneous with	F6.9	
air washers	F6.11	
cooling coils	F6.12	
cooling towers	F6.12	
dehumidifying coils	F6.12	
direct-contact equipment	F6.10	
enthalpy potential	F6.9	
molecular diffusion	F6.1	
in liquids and solids	F6.4	
two-film theory	S30.20	
Mass-transit systems		
buses	A11.1	2
bus garages	A15.21	
bus terminals	A15.23	
diesel locomotive facilities	A15.27	
enclosed vehicular facilities	A15.1	
environmental control	A11.1	
fixed-guideway vehicles	A11.1	
rail cars	A11.1	5
rapid transit	A11.5	A15.11
stations	A15.14	
thermal comfort	A11.1	A15.15
thermal load analysis	A11.2	A15.15
tunnels		
railroad	A15.16	
rapid transit	A15.11	
subway	A15.11	
ventilation	A11.1	A15.5

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
McLeod gages	F36.14		
Mean infectious dose (ID_{50})	A59.8		
Mean lethal dose (LD_{50})	A59.8		
Mean radiant temperature (MRT)	A54.1		
Mean temperature difference	F4.21		
Measurement	F36		
(*See also* **Instruments**)			
air exchange rates	F16.12		
airflow	A38.2		
air infiltration	F36.24		
air leakage	F16.16		
airtightness	F36.24		
carbon dioxide	F36.25		
combustion analysis	F36.34		
contaminants	F36.34		
data acquisition	F36.34		
electricity	F36.26		
fluid flow	A38.11	F3.10	F36.20
gaseous contaminants	A46.5		
heat transfer in insulation	F36.33		
humidity	F36.10		
light levels	F36.30		
moisture content	F36.32	R7.3	
in refrigeration systems	R8.3		
moisture transfer	F36.32		
odors	F12.5		
pressure	F36.13		
rotative speed	F36.27		
sound	F36.27		
temperature	F36.4		
thermal comfort	F36.31		
uncertainty analysis	A41.13	F36.3	
velocity	F36.15		
vibration	F36.27		
Meat	R30		
display refrigerators	R15.7		
food processing	R30.1		
frozen	R30.16		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Meat (*Cont.*)		
packaged fresh cuts	R30.11	
processing facilities		
boxed beef	R30.7	
carcass coolers	R30.2	8
energy conservation	R30.17	
pork trimmings	R30.10	
processed meats	R30.12	
sanitation	R30.1	
shipping docks	R30.17	
variety meats	R30.10	
retail storage	R15.12	
thermal properties	R19.1	
Mechanical equipment room, central		
central fan room	A4.6	
floor-by-floor fan rooms	A4.6	
floor-by-floor units	A4.6	
multiple floors	A4.5	
Mechanical traps, steam systems	S11.8	
Medium-temperature water (MTW) system	S13.1	
Meshes, for computational fluid dynamics	F13.4	
refining	F13.11	
Metabolic rate	F9.6	
Metals and alloys, low-temperature	R48.6	
Microbial growth	R22.4	
Microbial volatile organic chemicals (MVOCs)	F10.7	
Microbiology of foods	R22.1	
Microphones	F36.27	
Mines	A29	
heat sources	A29.2	
mechanical refrigeration plants	A29.9	
spot coolers	A29.10	
ventilation	A29.1	
wall rock heat flow	A29.3	
Modeling. (*See also* **Data-driven modeling; Energy**, modeling)		
airflow	A18.5	
around buildings	F24.9	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Modeling. (*See also* **Data-driven modeling; Energy**, modeling) (*Cont.*)			
in buildings	F13.1		
contaminant transport	F13.1	16	
multizone	F13.1	14	
turbulence	F13.3		
wind tunnels	F24.10		
boilers	F19.12		
compressor	F19.14		
condenser and evaporator	F19.14		
controls	F19.21		
cooling tower	F19.15		
moisture in buildings	F25.16		
systems	F19.15		
thermal (hot-box method)	F25.8		
validation	F19.29		
Moist air			
psychrometrics	F1.1		
thermodynamic properties			
standard pressure	F1.14		
temperature scale	F1.2		
transport properties	F1.19		
viscosity	F1.19		
Moisture			
in animal facilities	A24.2		
in building materials	F25.10		
capacity	F25.2		
combustion	F28.12		
condensation	S22.3		
content	F25.2		
control	F25	F26	F27
terminology	F25.1		
diffusivity	F36.32		
farm crops content	A25.1		
flow			
and air- and heat flow	F25.14		
isothermal	F25.14		
mechanisms	F25.12		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Moisture (*Cont.*)		
modeling	F25.16	
flux	F25.2	
hygrothermal modeling	F25.16	
in insulation	F26.1	
for refrigeration piping	R10	
measurement	F36.32	
paint, effects on	F25.17	
permeability	F36.32	
permeance	F36.32	
problems, in buildings	F25.10	
ratio	F25.2	
in refrigerant systems		
control	R7.1	
desiccants	R7.3	
driers	R7.6	
drying methods	R7.2	
effects	R7.1	
hydrocarbon gases' solubility	R12.22	
indicators	R7.3	
lubricant solubility	R12.26	
measurement	R7.3	R8.3
solubility	R7.1	
sources	R7.1	R8.1
solar vapor drive	F25.3	
sorption isotherms	F36.32	
storage in building materials	F26.15	
transfer	F25.2	
examples	F27.7	
transient	F25.14	
transmission data	F26.1	
water vapor retarders	F16.17	F26.12
Mold	F25.17	
Montreal Protocol	F29.1	
Motors	S45	
air volume control	S45.11	
bearing currents, VFD-induced	S45.9	
codes	S45.2	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Motors (*Cont.*)			
compressors	S38.6		
controls	S45.6		
current imbalance	S45.2		
efficiency	S45.2		
evaporative cooling	A52.12		
field assembly and refrigerant contamination	R7.8		
furnaces, residential	S33.2		
general purpose	S45.3		
harmonics	S45.16		
hermetic	S45.4		
burnout	R7.8	8	
impedance	S45.13		
induction	S45.3		
integral thermal protection	S45.5		
inverter duty	S45.14		
noise	S45.15		
operation above base speed	S45.8		
power factor correction capacitors	S45.17		
power supply (ac)	S45.1		
protection	S45.5		
pumps, centrifugal	S44.8	13	14
service factor	S45.4		
standards	S45.2		
starting, and electricity	S45.7		
switching times	S45.13		
torque	S45.4		
in variable-frequency drives	S45.13		
voltage imbalance	S45.1		
Movie theaters	A5.3		
MRT. *See* **Mean radiant temperature (MRT)**			
Multifamily residences	A1.6		
Multiple-use complexes			
air conditioning	A6.8		
design criteria	A6.1		
load characteristics	A6.1		
systems	A6.1	2	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Multiple-use complexes (*Cont.*)		
energy inefficient	A6.2	
total energy	A6.3	
Multisplit unitary equipment	S49.1	
Multizone airflow modeling	F13.14	
applications example	F13.18	
approaches	F13.16	
verification and validation	F13.17	
Museums, galleries, archives, and libraries		
air distribution	A23.18	
air filtration	A23.18	
artifact deterioration	A23.5	
building construction	A23.12	
dehumidification	A23.17	19
exhibit cases	A23.5	
humidification	A23.17	
mold growth	A23.5	
outside air	A23.17	
relative humidity, effect on artifacts	A23.5	
system selection	A23.16	
temperature, effect on artifacts	A23.3	
MVOCs. *See* **Microbial volatile organic compounds (MVOCs)**		
N		
Natatoriums. (*See also* **Swimming pools)**		
air conditioning	A5.6	
dehumidifiers	S25.5	
duct design	A5.7	
envelope design	A5.7	
load estimation	A5.6	
pool water chemistry	A5.7	
ventilation requirements	A5.6	
Natural gas	F28.5	
liquefaction	R47.8	
liquefied	R47.3	
pipe sizing	F22.20	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Natural gas (*Cont.*)			
processing	R47.19		
separation	R47.18		
Navier-Stokes equations	F13.1		
Reynolds-averaged	F13.3		
NC curves. *See* **Noise criterion (NC) curves**			
Net positive suction head (NPSH)	A34.27	R2.3	S44.10
Night setback, recovery	A42.36		
Nitrogen			
liquid	R47.3		
recovery	R47.17		
Noise	F8.13		
(*See also* **Sound**)			
air conditioners, room	S50.4		
combustion	F28.17		
compressors			
centrifugal	S38.5	23	34
scroll	S38.26		
single-screw	S38.18		
condensing units	R15.18		
control, with insulation	F23.6		
controls	A18.19		
engine test facilities	A17.4		
fans	S21.10		
fluid flow	F3.13		
health effects	F10.21		
valves	S47.2		
water pipes	F22.5		
Noise criterion (NC) curves	F8.16		
Noncondensable gases			
condensers, water-cooled	S39.6		
refrigerant contamination	R7.7		
NPSH. *See* **Net positive suction head (NPSH)**			
NTU. *See* **Number of transfer units (NTU)**			
Nuclear facilities	A28		
air filtration	A28.3	8	
basic technology	A28.1		
codes	A28.12		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Nuclear facilities (*Cont.*)		
criticality	A28.1	
decommissioning	A28.11	
Department of Energy facilities requirements		
confinement systems	A28.4	
ventilation	A28.4	
fire protection	A28.2	
HVAC design considerations	A28.1	
Nuclear Regulatory Commission requirements		
boiling water reactors	A28.9	
laboratories	A28.11	
medical and research reactors	A28.11	
other buildings and rooms	A28.9	
power plants	A28.6	
pressurized water reactors	A28.8	
radioactive waste facilities	A28.11	
safety design	A28.1	
standards	A28.12	
tornado and wind protection	A28.2	
Number of transfer units (NTU)		
cooling towers	S40.19	
heat transfer	F4.22	
Nursing facilities	A8.14	
service water heating	A50.14	
Nuts, storage	R42.7	

O

Odors	F12	
analytical measurement	F12.5	
control of, in industrial exhaust gas cleaning	S30.25	27
factors affecting	F12.2	5
odor units	F12.5	
olf unit	F12.6	
sense of smell	F12.1	
sensory measurement	F12.2	
acceptability	F12.5	
sources	F12.1	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Odors (*Cont.*)		
suprathreshold intensity	F12.3	
threshold	F12.1	
ODP. *See* **Ozone depletion potential (ODP)**		
Office buildings		
air conditioning	A3.2	A3.3
space requirements	A3.5	
service water heating	A50.14	18
tall	A4	
Oil, fuel	F28.6	
characteristics	F28.6	
distillate oils	F28.6	
handling	S31.15	
heating value	F28.7	
pipe sizing	F22.21	
preparation	S31.16	
residual oils	F28.6	
storage buildings	A27.9	
storage tanks	S31.14	
sulfur content	F28.7	
viscosity	F28.6	
Oil. (*See also* **Lubricants**)		
in refrigerant systems	R12.3	
in two-phase flow	F5.13	
Olf unit	F12.6	
One-pipe systems		
chilled-water	S13.19	
steam convection heating	S11.12	
1993 *Fundamentals*, Chapter 33, pp. 18-19		
(*See explanation on first page of index.*)		
Operating costs	A37.4	
Operation and maintenance	A39	
(*See also* **Maintenance**)		
compressors	S38.36	
desiccant dehumidifiers	S24.7	
documentation	A39.8	
industrial exhaust systems	A32.9	
exhaust gas cleaning equipment	S30.29	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Operation and maintenance (*Cont.*)	
laboratory HVAC equipment	A16.18
manuals	A39.8
new technology	A39.9
responsibilities	A39.8
Optimization	A42.4
applications	
dynamic	A42.15
static	A42.9
dynamic	A42.7
static	A42.4
Outdoor air, free cooling	
cooling towers	S40.12
liquid chillers	S43.12
Outpatient health care facilities	A8.14
Owning costs	A37.1
Oxygen	
in aircraft cabins	A12.9
liquid	R47.3
recovery	R47.17
Ozone	
activated carbon air cleaner	A46.13
in aircraft cabins	
catalytic converters	A12.14
limits	A12.15
electronic air filters	S29.8
health effects	F10.15
Ozone depletion potential (ODP)	R6.1

P

PAC. *See* **Polycyclic aromatic compounds (PAC)**	
Packaged terminal air conditioners (PTACs)	S50.5
residential	A1.6
Packaged terminal heat pumps (PTHPs)	S50.5
residential	A1.6
PAH. *See* **Polycyclic aromatic hydrocarbons (PAH)**	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Paint, and moisture problems	F25.17
Panel heating and cooling	S6
(*See also* **Radiant heating and cooling**)	
advantages	S6.1
air-heated/cooled panels	S6.18
capillary tube mats	S6.7
control	S6.19
cooling	S6.1
design	S6.6
calculations	S6.8
disadvantages	S6.2
electric heating systems	S6.16
ceiling	S6.16
floor	S6.18
wall	S6.18
heat flux	
combined	S6.5
natural convection	S6.3
thermal radiation	S6.2
heating	S6.1
hybrid HVAC	S6.1
hydronic systems	S6.10
ceiling	S6.13
design considerations	S6.10
distribution and layout	S6.14
floor	S6.15
wall	S6.15
Paper	
moisture content	A20.2
photographic	A22.1
storage	A22.3
Paper products facilities	A26
air conditioning	A26.2
conduction drying	A30.3
control rooms	A26.3
evaporative cooling	A52.13
finishing area	A26.3
machine area	A26.2

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Paper products facilities (*Cont.*)		
system selection	A26.4	
testing laboratories	A26.4	
Paraffins	R12.3	
Parallel compressor systems	R15.14	
Particulate matter, indoor air quality (IAQ)	F10.4	6
Pasteurization	R33.2	
beverages	R39.6	
dairy products	R33.2	
eggs	R34.4	10
juices	R38.4	7
Peanuts, drying	A25.8	
PEL. *See* **Permissible exposure limits (PEL)**		
Performance contracting	A41.2	
Permafrost stabilization	R45.4	
Permeability		
clothing	F9.8	
vapor	F36.32	
water vapor	F25.2	
Permeance		
air	F25.2	
thickness	F36.32	
water vapor	F25.2	
Permissible exposure limits (PELs)	F10.6	
Personal environmental control (PEC) systems	F9.25	
Pharmaceutical manufacturing cleanrooms	A18.7	
Phase-change materials, thermal storage of	S51.15	26
Photographic materials	A22	
processing and printing requirements	A22.1	
storage	A22.1	3
unprocessed materials	A22.1	
Photovoltaic (PV) systems	S36.18	
(*See also* **Solar energy**)		
Physical properties of materials	F33	
boiling points	F33.1	2
density		
liquids	F33.2	
solids	F33.3	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Physical properties of materials (*Cont.*)		
vapors	F33.1	
emissivity of solids	F33.3	
freezing points	F33.2	
heat of fusion	F33.2	
heat of vaporization	F33.2	
solids	F33.3	
specific heat		
liquids	F33.2	
solids	F33.3	
vapors	F33.1	2
thermal conductivity		
solids	F33.3	
vapors	F33.1	
viscosity		
liquids	F33.2	
vapors	F33.1	
Physiological principles, humans. (*See also* **Comfort**)		
adaptation	F9.16	
age	F9.16	
body surface area (DuBois)	F9.3	
clothing	F9.8	
cooling load	F18.3	
DuBois equation	F9.3	
energy balance	F9.2	
heat stress	F9.21	26
heat transfer coefficients		
convective	F9.7	
evaporative	F9.8	
Lewis relation	F9.4	
radiative	F9.7	
hypothalamus	F9.1	
hypothermia	F9.1	
latent heat loss	F9.3	10
mechanical efficiency	F9.6	
metabolic rate	F9.6	
models	F9.19	
respiratory heat loss	F9.4	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Physiological principles, humans. (*See also* **Comfort**) (*Cont.*)			
seasonal rhythms	F9.17		
sensible heat loss	F9.3		
sex	F9.17		
skin heat loss	F9.3	5	
skin wettedness	F9.21		
thermal exchanges	F9.2		
thermoregulation	F9.1		
vasodilation	F9.1		
Pigs. *See* **Swine**			
Pipes	S46		
(*See also* **Piping**)			
buried, heat transfer analysis	S12.15		
codes	S46.6		
cold springing	S12.23	S46.12	
computer analysis	A40.11		
copper tube	S46.1		
expansion	S12.22		
expansion bends	S46.11		
expansion joints	S46.12		
expansion loops	S46.10	11	
fittings	S46.2		
fluid flow	F3.1		
heat transfer analysis	S12.13		
insulation	F23.13		
hangers	F23.13		
installation	F23.13		
underground	F23.15		
iron	S46.2		
joining methods	S46.2		
plastic	F22.10	S46.7	8
selection	S46.6		
sizing	F22		
ammonia systems capacity tables	R2.9	10	
fittings	F22.1	7	
fuel oil	F22.21		
gas	F22.20		
hydronic systems	F22.6	S13.23	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Pipes (*Cont.*)				
insulation and vapor retarders	R2.11			
isolated line sections	R2.11			
pressure drop equations	F22.1			
refrigerant, retail food store refrigeration	R15.13			
service water	F22.8			
steam	F22.15			
valves	F22.1	7	R2.8	
water	F22.5			
standards, fittings	S46.2			
steel	S46.1			
stress calculations	S46.7			
supporting elements	S12.23	S46.8		
Piping. (*See also* **Pipes**)				
boilers	S11.3			
capacity tables	R1.6			
codes	S46.6			
cooling towers	S14.2	S40.11		
district heating and cooling				
distribution system	S12.10			
heat transfer	S12.13			
hydraulics	S12.10			
insulation thickness	S12.22			
leak detection	S12.30			
valve vaults	S12.30			
geotheral energy systems	A34.7			
heat carrying capacity	S13.3			
hydronic snow melting	A51.11			
insulation	R10.1			
radiant panels, hydronic	S6.14			
refrigerant				
ammonia systems	R2.1	R3.6		
below-ambient	R10.1			
halocarbon systems	R1.1			
heat gain limits	R10.1			
insulation	R10.1	4		
jacketing	R10.7			
pipe preparation	R10.2			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Piping. (*See also* **Pipes**) (*Cont.*)			
supports and hangers	R10.8		
vapor retarders	R10.7		
service hot water	A50.5		
solar energy	A35.12	S37.3	
sound			
control	A48.46		
transmission	A38.24		
standards	S12.24	S46.6	
system identification	F37.10		
systems			
ammonia refrigeration	R2.8		
compressor piping	R2.11	12	
condenser and receiver piping	R2.16		
evaporator piping	R2.18		
halocarbon refrigeration			
capacity tables	R1.3	11	
compressor	R1.24		
defrost gas supply lines	R1.21		
discharge lines	R1.19		
double hot-gas risers	R1.19		
draining prevention	R1.19		
evaporator	R1.28		
gas velocity	R1.1		
hot-gas	R1.20	34	
insulation	R1.5		
liquid cooler, flooded	R1.26	26	
location and arrangement	R1.5		
minimum gas velocities	R1.19		
oil transport up risers	R1.19		
refrigerant feed devices	R1.26		
single riser and oil separator	R1.19		
vibration and noise	R1.5		
solar energy	A35.12	S37.6	7
steam	S11.3	5	
water	S13.6	S15.5	
unit heaters	S28.7		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Piping. (*See also* **Pipes**) (*Cont.*)		
vibration control	A48.46	
vibration transmission	A38.24	
Pitot-static tubes	F36.17	
Pitot tubes	A38.2	F36.17
Places of assembly	A5	
air conditioning	A5.2	
air distribution	A5.2	
air filtration	A5.1	
air stratification	A5.2	
arenas	A5.4	
atriums	A5.9	
auditoriums	A5.3	
concert halls	A5.4	
convention centers	A5.5	
exhibition centers	A5.5	
fairs	A5.8	
gymnasiums	A5.5	
houses of worship	A5.3	
lighting loads	A5.1	
mechanical equipment rooms	A5.3	
movie theaters	A5.3	
natatoriums	A5.6	
playhouses	A5.3	
precooling	A5.2	
sound control	A5.1	
space conditions	A5.1	
stadiums	A5.4	
temporary exhibit buildings	A5.8	
vibration control	A5.1	
Planes. *See* **Aircraft**		
Plank's equation	R20.7	
Plant environments	A24.10	
controlled-environment rooms	A24.16	
design	A24.10	
greenhouses	A24.10	
carbon dioxide enrichment	A24.14	
cooling	A24.12	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Plant environments (*Cont.*)	
energy conservation	A24.15
evaporative cooling	A24.13
heating	A24.11
heat loss calculation	A24.11
humidity control	A24.14
photoperiod control	A24.14
shading	A24.13
site selection	A24.10
supplemental irradiance	A24.14
ventilation	A24.12
other facilities	A24.21
photoperiod control	A24.14
phytotrons	A24.18
plant growth chambers	A24.16
supplemental irradiance	A24.14
Plenums	
construction	S19.7
mixing	S4.7
sound attenuation	A48.18
stratification in	A38.2
PMV. *See* **Predicted mean vote (PMV)**	
Police stations	A9.1
Pollutant transport modeling. *See* **Contaminants,** indoor, concentration prediction	
Pollution, air, and combustion	F28.7 14
Polycyclic aromatic hydrocarbons (PAHs)	F10.6
Polydimethylsiloxane	F31.13
Ponds, spray	S40.6
Pope cell	F36.12
Positive positioners	F7.8
Potatoes	
processed	R40.5
storage	A52.14
Poultry. (*See also* **Animal environments; Chickens; Turkeys**)	
chilling	R31.1
decontamination	R31.4

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Poultry. (*See also* **Animal environments; Chickens; Turkeys**) (*Cont.*)		
freezing	R31.5	
packaging	R31.7	
processing	R31.1	4
processing plant sanitation	R31.9	
recommended environment	A24.8	
refrigeration, retail	R31.10	
storage	R31.10	
tenderness control	R31.10	
thawing	R31.11	
Power-law airflow model	F13.14	
Power plants	A27	
buildings		
oil pump	A27.9	
oil storage	A27.9	
steam generator	A27.4	
turbine generator	A27.7	
coal-handling facilities	A27.6	9
combined heat and power (CHP)	S7.1	
combustion turbine areas	A27.8	
control center	A27.9	
cooling	A27.10	
design criteria	A27.1	
evaporative cooling	A52.13	
fuel cells	S7.22	
heating	A27.10	
turbines		
combustion	S7.17	
steam	S7.24	
ventilation	A27.4	
rates	A27.3	
PPD. *See* **Predicted percent dissatisfied (PPD)**		
Prandtl number	F4.17	
Precooling		
buildings	A42.37	
flowers, cut	R28.11	
fruits and vegetables, load calculation	R28.1	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Precooling (*Cont.*)				
indirect evaporative	A52.2			
places of assembly	A5.2			
Predicted mean vote (PMV)	F36.31			
comfort	F9.17			
Predicted percent dissatisfied (PPD)	F9.18			
Preschools	A7.1			
Pressure				
absolute	F36.13			
aircraft cabins	A12.9	11	13	15
clean spaces	A18.16			
differential	F36.13			
conversion to head	A38.12			
hospitals	A8.3	4		
readout	A38.12			
dynamic	F36.13			
gage	F36.13			
measurement	A38.2	F36.13		
sensors	F7.10			
smoke control	A53.5	9		
stairwells	A53.9	10		
static control	A47.8	F36.13		
steam systems	S11.4			
units	F36.13			
vacuum	F36.13			
Pressure drop. (*See also* **Darcy-Weisbach equation**)				
correlations	F5.13			
district heating and cooling	S12.11			
pipe sizing	F22.1			
in plate heat exchangers	F5.16			
two-phase fluid flow	F5.13			
Primary-air systems	S5.10			
Printing plants	A20			
air conditioning	A20.1			
air filtration	A20.4			
binding areas	A20.5			
collotype printing rooms	A20.4			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Printing plants (*Cont.*)				
letterpress areas	A20.2			
lithographic pressrooms	A20.3			
paper moisture content control	A20.2			
platemaking rooms	A20.2			
relief printing areas	A20.2			
rotogravure pressrooms	A20.4			
salvage systems	A20.4			
shipping areas	A20.5			
ink drying	A30.3			
Prisons	A9.3			
Produce				
desiccation	R21.1			
deterioration rate	R21.1			
display refrigerators	R15.8			
Propane				
commercial	F28.5			
furnaces, residential	S33.10			
Propylene glycol, hydronic systems	S13.23			
Psychrometers	F1.13			
Psychrometrics	F1			
air handlers	S4.4			
chart	F1.15			
adiabatic mixing	F1.17			
heat absorption and moisture gain	F1.18			
moist air, cooling and heating	F1.16			
thermodynamic properties	F1.14			
evaporative cooling systems	A52.1	10	17	18
humidity parameters	F1.2			
industrial drying	A30.1			
moist air				
standard atmosphere, U.S.	F1.1			
thermal conductivity	F1.19			
thermodynamic properties	F1.2	14		
transport properties	F1.19			
viscosity	F1.19			
perfect gas equations	F1.12			
water at saturation, thermodynamic properties	F1.2			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
PTACs. *See* **Packaged terminal air conditioners (PTACs)**			
PTHPs. *See* **Packaged terminal heat pumps (PTHPs)**			
Public buildings. *See* **Commercial and public buildings**; **Places of assembly**			
Pulldown load	R15.5		
Pumps			
centrifugal	S44		
affinity laws	S44.8		
antifreeze effect on	S13.24		
arrangement	S44.11		
compound	S13.8		
pumping	S13.7	S44.11	
standby pump	S13.8	S44.12	
two-speed motors	S44.13		
casing	S44.2		
cavitation	S44.10		
commissioning	S44.15		
construction	S44.1		
efficiency, best efficiency point (BEP)	S44.7		
energy conservation	S44.15		
impellers, trimming	S44.6	8	9
installation	S44.15		
mixing	S13.8		
motors	S44.14		
operation	S44.15		
performance	S13.6	S44.4	
power	S44.7		
radial thrust	S44.9		
selection	S44.10		
types	S44.2		
variable-speed	S13.8		
chilled-water	A42.12	25	27
sequencing	A42.25	29	
condenser water	A42.12		
as fluid flow indicators	A38.13		
geothermal wells	A34.28		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Pumps (*Cont.*)				
lineshaft	A34.6			
submersible	A34.6			
horsepower	S44.7			
hydronic snow melting	A51.12			
liquid overfeed systems	R4.4			
solar energy systems	A35.12			
systems, water	S13.6	S15.5		
variable-speed	A42.14	27		
Purge units, centrifugal chillers	S43.11			
R				
Radiant heating and cooling	A55	S6.1	S15	S33.4
(*See also* **Panel heating and cooling**)				
applications	A54.8			
asymmetry	A54.5			
beam heating design	A54.4	S16.5		
control	A47.4			
design	A54.2	3		
direct infrared	A54.1	4	8	
equations	A54.2			
floor reradiation	A54.5			
infrared	A54.1	4	8	S16
beam heater design	S16.5			
control	S16.4			
efficiency	S16.3			
electric	S16.2			
energy conservation	S16.1			
gas-fired	S16.1			
indirect	S16.2			
maintenance	S16.5			
oil-fired	S16.3			
precautions	S16.4			
reflectors	S16.4			
installation	A54.7			
intensity	S16.1			
panels	A54.1	8	S34.4	S36.6

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Radiant heating and cooling (*Cont.*)			
applications	A54.8		
control	A47.4		
heating	S34.4		
hydronic systems	S36.6		
radiation patterns	A54.5		
snow-melting systems	A51.16		
terminology			
adjusted dry-bulb temperature	A54.1		
ambient temperature	A54.1		
angle factor	S16.5		
effective radiant flux (ERF)	A54.2	S16.5	
fixture efficiency	S16.4		
mean radiant temperature (MRT)	A54.1	S6.1	
operative temperature	A54.1		
pattern efficiency	S16.4		
radiant flux distribution	S16.6		
radiation-generating ratio	S16.4		
test instruments	A54.7		
total space heating	A54.6		
Radiant time series (RTS) method	F18.2	20	
factors	F18.21		
load calculations, nonresidential	F18.1		
Radiation			
atmospheric	A35.5		
diffuse	F15.15	18	
electromagnetic	F10.22		
ground-reflected	F15.15		
optical waves	F10.23		
radiant balance	F4.15		
radio waves	F10.23		
solar	A35.3		
thermal	F4.2	11	S6.1
angle factors	F4.13		
blackbody	F4.12		
black surface	F4.2		
display cases	R15.4		
energy transfer	F4.11		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Radiation (*Cont.*)			
exchange between surfaces	F4.14		
in gases	F4.16		
gray	F4.2	13	
heat transfer	F4.2		
infrared	F15.16		
Kirchoff's law	F4.13		
monochromatic emissive power	F4.12		
nonblack	F4.12		
spectral emissive power	F4.12		
transient	F4.8		
Radiators	S36.1	5	
design	S36.3		
nonstandard condition corrections	S36.3		
types	S36.1		
Radioactive gases, contaminants	F11.19		
Radiometers	A54.7		
Radon	F10.11	17	22
control	A46.13	F16.21	
indoor concentrations	F11.17		
Rail cars			
air conditioning	A11.5		
air distribution	A11.7		
heaters	A11.7		
vehicle types	A11.5		
Railroad tunnels, ventilation			
design	A15.17		
diesel locomotive facilities	A15.27		
equipment	A15.33		
locomotive cooling requirements	A15.17		
tunnel aerodynamics	A15.17		
tunnel purge	A15.18		
Rain, and building envelopes	F25.4		
RANS. *See* **Reynolds-Averaged Navier-Stokes (RANS) equation**			
Rapid-transit systems. *See* **Mass-transit systems**			
Rayleigh number	F4.19		
RC curves. *See* **Room criterion (RC) curves**			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Receivers			
ammonia refrigeration systems			
high-pressure	R2.3		
piping	R2.16		
through-type	R2.16		
halocarbon refrigerant	R1.21		
liquid overfeed systems	R4.7		
Recycling refrigerants	R9.3		
Refrigerant/absorbent pairs	F2.15		
Refrigerant-control devices	R11		
air conditioners	S49.6	S50.2	
automobile air conditioning	A10.8		
capillary tubes	R11.24		
coolers, liquid	S42.5		
heat pumps			
system	S9.7		
unitary	S49.10		
lubricant separators	R11.23		
pressure transducers	R11.4		
sensors	R11.4		
short-tube restrictors	R11.31		
switches			
differential control	R11.2		
float	R11.3		
pressure control	R11.1		
valves, control			
check	R11.21		
condenser pressure regulators	R11.15		
condensing water regulators	R11.20		
expansion	R11.5	10	14
float	R11.17		
pressure relief devices	R11.22		
solenoid	R11.17		
suction pressure regulators	R11.14		
Refrigerants	F29.1		
absorption solutions	F30.69		
ammonia	F30.38	R6.4	
chemical reactions	R6.5		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Refrigerants (*Cont.*)	
refrigeration system practices	R2.1
refrigeration systems	R3.1
ammonia/water	F30.69
analysis	R6.4
automobile air conditioning	A10.11
azeotropic	F2.6
bakeries	R41.7
carbon dioxide	F30.42
refrigeration systems	R3.1
cascade refrigeration systems	R48.3
CFC conversion	R12.28
compatibility with other materials	R6.9
elastomers	R6.11
electrical insulation	R6.9
plastics	R6.11
compositional groups	R6.1
ammonia	R6.4
chlorofluorocarbons	R6.1
fluoroethanes	R6.3
fluoroethers	R6.3
fluoromethanes	R6.3
fluoropropanes	R6.3
hydrocarbons	R6.4
hydrochlorofluorocarbons	R6.1
hydrofluorocarbons	R6.3
computer analysis	A40.16
contaminants in	R7
generation by high temperature	R6.9
cryogenic fluids	F30.58
effect on materials	F29.9
emissions	R9.1
environmental acceptability	R6.1
halocarbons	
azeotropic blends	F30.37
ethane series	F30.10
methane series	F30.2
propane series	F30.25

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Refrigerants (*Cont.*)			
propylene series	F30.26		
zeotropic blends	F30.30		
halocarbons	R6.4		
flow rate	R1.1		
hydrolysis	R6.5		
refrigeration system practices	R1.1		
thermal stability	R6.4		
hydrocarbons			
ethane	F30.46		
ethylene	F30.54		
isobutane	F30.52		
methane	F30.44		
n-butane	F30.50		
propane	F30.48		
propylene	F30.56		
hydrocarbons	R6.4		
insulation for piping	R10.1		
leak detection	F29.9	R8.4	R9.2
lines			
oil management	R1.10		
sizing	R1.2		
lithium bromide/water	F30.69		
lubricant solutions	R12.8		
moisture in	R7.1		
performance	F29.8		
phaseout, costs	A37.8		
piping	R1.1		
pressure drop			
discharge lines	R1.5		
suction lines	R1.4		
properties	F29.1	R6.1	4
electrical	F29.6		
global environmental	F29.1		
physical	F29.5		
rail car air conditioning	A11.5		
reclamation	R9.4		
removing contaminants	R9.2		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Refrigerants (*Cont.*)		
recovery	R9.3	
recycling	R9.3	
safety	F29.9	
classifications	F29.2	
sound velocity	F29.8	
systems		
chemistry	R6.1	
lubricants	R12.1	
thermodynamic properties	F30.1	
thermophysical properties	R3.2	
transport properties	F30	
water/steam	F30.40	
zeotropic	F2.6	10
Refrigerant transfer units (RTU), liquid chillers	S43.11	
Refrigerated facilities	R23	
air handling and purification	R21.10	
automated	R23.4	15
construction	R23.4	
controlled-atmosphere storage	R23.3	
controls	R21.10	
design		
building configuration	R23.1	
initial building considerations	R23.1	
location	R23.1	
shipping and receiving docks	R23.3	
single-story structures	R23.2	
specialized storage facilities	R23.3	
stacking arrangement	R23.2	
utility space	R23.3	
freezers	R23.10	
insulation	R23.12	
load calculations	R24.1	
refrigerated rooms	R23.4	
refrigeration systems		
condensate drains	R23.9	
defrosting	R23.9	
fan-coil units	R23.8	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Refrigerated facilities (*Cont.*)			
multiple installations	R23.10		
unitary	R23.7		
valves	R23.9		
sanitation	R21.10		
temperature pulldown	R23.15		
vapor retarders	R23.5	12	
Refrigeration	F1.1		
(*See also* **Absorption**)			
absorption cycle	F2.13		
air coolers, forced-circulation	R14.1		
air transport	R27.3	5	
ammonia systems	R2		
compressors	R2.2	11	
controls	R2.7		
converting systems	R2.22		
equipment	R2.2		
evaporative condensers	R2.17		
liquid recirculation (overfeed)	R2.22	23	
lubricant management	R2.7		
multistage systems	R2.21		
piping	R2.8		
safety	R2.27		
system selection	R2.1		
two-stage screw compressor	R2.21		
valves	R2.9		
vessels	R2.3		
autocascade systems	R48.1		
azeotropic mixture	F2.6		
beverage plants	R39.11		
biomedical applications	R49.1		
breweries	R39.3		
carbon dioxide systems	R3.1		
cascade systems	R48.5		
chemical industry	R46.1	2	5
coefficient of performance (COP)	F2.3	14	
compression cycles			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Refrigeration (*Cont.*)		
Carnot cycle	F2.6	8
Lorenz cycle	F2.9	
multistage	F2.10	
zeotropic mixture	F2.10	
concrete	R45.1	
condensers, cascade	R5.1	
food		
eggs and egg products	R34.1	
fish	R32.1	
vegetables	R37.1	
food processing facilities	R40.1	
banana ripening rooms	R36.5	
control of microorganisms	R22.3	
meat plants	R30.1	
food service equipment	R16	
fruits, fresh	R35.1	R36
halocarbon systems	R1	
accessories	R1.29	
heat exchangers	R1.29	
lubricant management	R1.10	
refrigerant receivers	R1.23	
subcoolers	R1.30	
valves	R1.10	
heat reclaim, service water heating	A50.4	27
ice rinks	R44.1	
insulation	R10.1	
liquid overfeed systems	R4.1	
loads	R24.1	R40.3
low-temperature		
autocascade systems	R48.1	
cascade systems	R48.3	
heat transfer	R48.9	
material selection	R48.6	
secondary coolants	R48.10	
single-refrigerant systems	R48.2	
lubricant coolers	R5.2	
marine	R26	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Refrigeration (*Cont.*)		
fishing vessels	R26.7	
ships' stores	R26.4	
refrigerated-facility design	R23.1	
retail food store systems	R15.12	
secondary coolant systems	R13.1	
applications	R13.5	
coolant selection	R13.1	
design	R13.2	
soils, subsurface	R45.3	4
systems		
charging, factory	R8.4	
chemical reactions	R6.4	
component balancing	R5.1	
contaminant control	R7.1	9
copper plating	R6.8	
dehydration, factory	R8.1	
design balance points	R5.2	
energy and mass balance	R5.3	
evaluating system chemistry	R6.11	
moisture in	R8.1	
performance	R5.4	
reactions	R6.7	
testing, factory	R8.4	
ultralow-temperature	R48.1	
wineries	R39.8	
Refrigeration	F1.1	
(*See also* **Adsorption**)		
adsorption cycle	F2.20	
Refrigeration oils	R12	
(*See also* **Lubricants**)		
Refrigerators		
commercial		
blast	R16.3	
energy efficiency	R16.7	
freezers	R16.3	
temperatures	R16.2	
types	R16.1	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Refrigerators (*Cont.*)		
cryocoolers	R47.11	
food service	R16.1	
household	R17.1	
absorption cycle	R18.8	
cabinets	R17.2	
defrosting	R17.5	
durability	R17.12	
ice makers	R17.2	
performance evaluation	R17.9	
refrigerating systems	R17.4	
safety	R17.11	
mortuary	R16.3	
retail food store		
display	A2.3	R15.1
storage	R15.11	
walk-in	R16.3	
Regulators. (*See also* **Valves**)		
condenser pressure	R11.15	
condensing water	R11.20	
draft	S35.30	
pressure, steam	S11.9	
suction pressure	R11.14	
Residential systems	A1	
air cleaners	S29.8	
air leakage	F16.16	
calculation	F16.23	
climatic infiltration zones	F16.19	
codes	S19.1	
dehumidifiers	A1.5	
duct construction	S19.6	
equipment sizing	A1.2	
forced-air systems		
design	S10.1	3
distribution design	S10.6	
ducts	S10.4	9
furnace	S33.1	
zone control	S10.7	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Residential systems (*Cont.*)			
furnaces	S33.1		
gas burners	S31.5		
heating and cooling systems	A1.1		
humidifiers	S10.2	S22.6	
kitchen ventilation	A33.29		
materials	S19.1		
oil burners	S31.11		
ventilation	F16.18		
water heating	A50.12		
Resistance, thermal	F4	F25	F26
(*See also* **R-values)**			
calculation	F4.1		
contact	F4.8		
of flat assembly	F25.6		
of flat building components	F25.6		
overall	F4.3		
radiant panels	S6.6		
surface film	F25.6		
Resistance temperature devices (RTDs)	F7.9	F36.6	
Resistivity, thermal	F25.1		
Resource utilization factor (RUF)	F34.2		
Respiration of fruits and vegetables	R19.17		
Restaurants			
energy conservation	A33.1		
kitchen ventilation	A33.1		
service water heating	A50.14	15	21
Retail facilities	A2		
air conditioning	A2.1		
convenience centers	A2.6		
department stores	A2.5		
design considerations	A2.1		
discount and big-box stores	A2.2		
load determination	A2.1		
malls	A2.6		
multiple-use complexes	A2.7		
refrigeration	R15.1	R16	
shopping centers	A2.6		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Retail facilities (*Cont.*)		
small stores	A2.1	
supermarkets	A2.3	
refrigerators	R15.1	
service water heating	A50.15	
Retrofit performance monitoring	A41.4	
Retrofitting refrigerant systems, contaminant control	R7.9	
Reynolds-averaged Navier-Stokes (RANS) equation	F13.3	F24.10
airflow around buildings simulation	F24.11	
Reynolds number	F3.3	
Rice, drying	A25.9	
RMS. *See* **Root mean square (RMS)**		
Road tunnels	A15.3	
carbon monoxide		
allowable concentrations	A15.9	
analyzers and recorders	A15.10	11
computer analysis	A15.3	
vehicle emissions	A15.8	
ventilation		
air quantities	A15.8	9
computer analysis	A15.3	
controls	A15.11	
ducts	A15.10	
emergency	A15.1	9
enclosed facility	A15.3	
enhancements	A15.8	
equipment	A15.33	
hybrid	A15.8	
mechanical	A15.5	
natural	A15.5	
normal air quantities	A15.8	
normal conditions	A15.1	
pressure evaluation	A15.9	
temporary	A15.1	
Roof ponds, *Legionella pneumophila* control	A49.7	
Roofs		
U-factors	F27.2	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Room air distribution	A57	S20.1	
air terminals	A57.1		
chilled beams	A57.18	S20.9	
classification	A57.1	S20.2	
fully stratified	A57.6	S20.3	
mixed	A57.2	S20.1	
occupant comfort	A57.1	S20.1	
occupied zone	A57.1		
partially mixed	A57.9	S20.3	
Room criterion (RC) curves	F8.16		
Root mean square (RMS)	F36.1		
Roughness factors, ducts	F21.6		
RTDs. *See* **Resistance temperature devices (RTDs)**			
RTS. *See* **Radiant time series (RTS)**			
RTU. *See* **Refrigerant transfer units (RTU)**			
RUF. *See* **Resource utilization factor (RUF)**			
Rusting, of building components	F25.17		
R-values	F23	F25	F26
(*See also* **Resistance, thermal**)			
zone method of calculation	F27.5	5	

S

Safety			
air cleaners	A46.14	S29.10	
automatic controls	A47.18		
burners	S31.1	2	19
chemical plants	R46.2		
cryogenic equipment	R47.28		
electrical	A56.1		
filters, air	S29.10		
industrial exhaust gas cleaning	S30.29		
nuclear facilities	A28.1		
refrigerants	F29.2	9	
service water heating	A50.10		
solar energy systems	A35.24		
thermal insulation and fires	F23.6		
thermal insulation for	F23.2		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Safety (*Cont.*)		
UVGI systems	A60.11	S17.6
water systems	S15.7	
wood stoves	S34.6	
Safety showers, *Legionella pneumophila* control	A49.7	
Sanitation		
food production facilities	R22	
control of microorganisms	R22.4	
egg processing	R34.13	
HACCP	R22.4	
meat processing	R30.1	
poultry processing	R31.9	
regulations and standards	R22.5	
refrigerated storage facilities	R21.10	
Savings-to-investment-ratio (SIR)	A37.11	
Scale		
control	A49.4	
humidifiers	S22.5	
service water systems	A50.9	
water treatment	A49.4	
Schematic design	A58.9	
Schneider system	R23.7	
Schools		
air conditioning	A7.3	
service water heating	A50.22	
elementary	A50.14	
high schools	A50.14	20
Security. *See* **Chemical, biological, radiological, and explosive (CBRE) incidents**		
Seeds, storage	A25.11	
Seismic restraint	A48.51	A55.1
anchor bolts	A55.7	
design	A55.1	
design calculations		
examples	A55.8	
static analysis	A55.2	3
duct construction	S19.10	
dynamic analysis	A55.2	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Seismic restraint (*Cont.*)				
installation problems	A55.14			
snubbers	A55.8			
terminology	A55.2			
weld capacities	A55.8			
Semivolatile organic compounds (SVOCs)	F10.4	12	F11.14	
Sensors				
automatic controls	F7.8	10		
location	A47.21			
Separators, lubricant	R11.23			
Service water heating	A50			
combined heat and power (CHP)	S7.43			
commercial and institutional	A50.13			
corrosion	A50.9			
design considerations	A50.4			
distribution system				
for commercial kitchens	A50.8			
manifolding	A50.9			
piping	A50.5			
pressure differential	A50.5			
return pump sizing	A50.7			
two-temperature service	A50.8			
geothermal energy	A34.9			
indirect	A50.3	28		
industrial	A50.24			
Legionella pneumophila	A50.10			
pipe sizing	F22.8			
requirements	A50.11			
residential	A50.12			
safety	A50.10			
scale	A50.9			
sizing water heaters				
instantaneous and semi-instantaneous	A50.26			
refrigerant-based	A50.27			
storage heaters	A50.11	16		
solar energy	A35.13	18	25	A50.4
steam	S11.1			
system planning	A50.2			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Service water heating (*Cont.*)			
terminology	A50.1		
thermal storage	S51.16		
water heating equipment			
placement	A50.11		
sizing	A50.11	26	27
types	A50.2		
water quality	A50.9		
SES. *See* **Subway environment simulation (SES) program**			
Shading			
devices, indoor	F15.48		
fenestration	F15.2		
Ships	A13		
air conditioning			
air distribution	A13.2	4	
controls	A13.3	4	
design criteria	A13.1	3	
equipment selection	A13.2	3	
systems	A13.2	4	
cargo holds	R26.2		
cargo refrigeration	R26.1		
coils	A13.4		
ducts	A13.3		
fish freezing	R26.8		
fish refrigeration			
icing	R26.7	R32.1	
refrigerated seawater	R26.8	R32.2	
merchant	A13.1		
naval surface	A13.3		
refrigerated stores	R26.4		
refrigeration systems	R26.1		
regulatory agencies	A13.3		
Short-tube restrictors	R11.31		
Single-duct systems, all-air	S4.10		
SIR. *See* **Savings-to-investment ratio (SIR)**			
Skating rinks	R44.1		
Skylights, and solar heat gain	F15.27		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Slab heating	A51		
Slab-on-grade foundations	A44.11		
SLR. *See* **Solar-load ratio (SLR)**			
Smoke management	A53		
acceptance testing	A53.18		
atriums	A53.13		
computer analysis	A53.12	13	
design			
door-opening forces	A53.6		
flow areas	A53.6		
open doors	A53.8		
pressure differences	A53.8		
weather data	A53.8		
elevators	A53.11		
hospitals	A8.5		
large open spaces			
plugholing	A53.16		
plume	A53.13		
prestratification layer	A53.17		
smoke filling	A53.14	15	
steady clear height and upper layer exhaust	A53.15		
steady fire	A53.13		
unsteady fire	A53.13	15	
zone fire models	A53.13		
methods			
airflow	A53.5		
buoyancy	A53.6		
compartmentation	A53.4	9	
dilution near fire	A53.5		
pressurization	A53.5	9	10
remote dilution	A53.4		
rapid-transit systems	A15.13		
road tunnels	A15.9		
smoke dampers	A53.8		
smoke movement			
buoyancy	A53.3		
expansion	A53.3		
HVAC systems	A53.4		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Smoke management (*Cont.*)		
stack effect	A53.2	
wind	A53.3	
stairwells		
analysis	A53.9	
compartmentation	A53.9	
open doors	A53.10	
pressurization	A53.10	11
pressurized	A53.9	
zones	A53.11	
Snow-melting systems	A51	
back and edge heat losses	A51.7	8
control	A51.10	
electric system design		
constant wattage systems	A51.15	
electrical equipment	A51.13	
gutters and downspouts	A51.17	
heat flux	A51.13	
idling	A51.18	
heating elements	A51.13	
infrared systems	A51.16	
installation	A51.16	
mineral insulated cable	A51.13	
free area ratio	A51.1	
freeze protection systems	A51.10	17
heat balance	A51.1	
heating requirement		
annual operating data	A51.8	
heat flux equations	A51.2	
hydronic and electric	A51.1	
load frequencies	A51.3	
surface size	A51.7	
transient heat flux	A51.7	
weather data	A51.3	
wind speed	A51.7	
hydronic system design		
components	A51.10	
controls	A51.13	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Snow-melting systems (*Cont.*)					
fluid heater	A51.12				
heat transfer fluid	A51.10				
piping	A51.11				
pump selection	A51.12				
thermal stress	A51.13				
operating costs	A51.10				
slab design, hydronic and electric	A51.8				
snow detectors	A51.10				
Snubbers, seismic	A55.8				
Sodium chloride brines	F31.1				
Soft drinks	R39.10				
Soils. (*See also* **Earth**)					
stabilization	R45.3	4			
temperature calculation	S12.14				
thermal conductivity	F26.18	S12.12			
Solar energy	A35	S37.1			
(*See also* **Solar heat gain**; **Solar radiation**)					
active systems	A35.16	17	19		
airflow	A35.25				
collectors	A35.5	6	11	25	S37.3
array design	S37.7				
concentrating	A35.8				
construction	S37.6				
design and installation	A35.25				
efficiency	A35.10				
flat plate	A35.5				
module design	S37.6				
mounting	A35.23				
performance	A35.9	S37.8			
selection	S37.10				
testing	S37.10				
types	S37.3				
constant	A35.1				
control	A35.24	26	S37.17		
automatic temperature	S37.17				
differential temperature	S37.17				
hot-water dump	S37.18				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Solar energy (*Cont.*)			
overtemperature protection	S37.18		
cooling systems	A35.15	18	26
absorption refrigeration	A35.18	S37.4	10
sizing	A35.19		
types	A35.15		
design, installation, operation checklist	A35.25		
design values, solar irradiation	A35.4		
domestic hot water	A35.13	25	
equipment	S37.1		
freeze protection	A35.24	S37.2	19
heat exchangers	A35.12	S37.15	
external	S37.16		
freeze protection	S37.19		
internal	S37.16		
performance	S37.17		
requirements	S37.15		
heating systems	A35.16	S51.2	
active	A35.16	17	
air	S37.2	8	11
components	A35.11		
control	A35.12		
design	S37.1		
direct circulation	A35.14	S37.2	
hybrid	A35.16		
indirect	A35.14	S37.2	
integral collector storage systems	A35.15	S37.3	
liquid	S37.2	7	11
passive	A35.16		
pool heating	A35.15		
recirculation	A35.15		
residential	A1.4		
sizing	A35.19		
thermosiphon	A35.13		
heat pump systems	S9.4		
hybrid systems	A35.16		
hydraulics	A35.25		
installation	A35.23		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Solar energy (*Cont.*)					
irradiation	A35.4	F14.7			
maintenance	A35.24				
overheat protection	A35.24				
passive systems	A35.16	21			
photovoltaic (PV) systems	A35.26	S37.19			
quality and quantity	A35.1				
radiation at earth's surface	A35.3	4			
safety	A35.24				
service water heating systems	A35.13	18	25	A50.4	S51.2
sizing heating and cooling systems	A35.19				
solar-combi systems	S37.1				
spectrum	A35.3				
start-up procedure	A35.24				
thermal storage systems	A35.11	25			
short circuiting	S37.14				
sizing	S37.14				
time	A35.1	3			
types	S37.14				
uses	A35.25				
Solar heat gain	F15	F18.14			
calculation	F15.17	28			
coefficient	F15.17				
residential load calculations	F17.9				
roof overhangs	F15.29				
skylights	F15.27				
Solar-load ratio (SLR)	A35.21				
Solar-optical glazing	F15.13				
Solar radiation	F14.7	F15.17			
calculation of, on surfaces of various orientations	F14.10				
clear-sky	F14.8				
daylighting	F15.1				
flux	F15.29				
optical properties	F15.15				
Solid fuel					
burners	S31.16				
coal	F28.8				
coke	F28.11				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Solvent drying, constant-moisture	A30.7	
Soot	F28.17	
Sorbents	F32.1	
Sorption isotherm	F25.10	F26.19
Sound	F8	
(*See also* **Noise**)		
air outlets	S20.2	
attenuators	A48.18	
bandwidths	F8.4	
combustion	F28.17	
compressors	A48.15	
computerized analysis	A40.11	
cooling towers	S40.13	
ducts	A48.12	
loudness	F8.14	
measurement	F36.27	
basics	F8.5	
instrumentation	A38.18	F8.4
level meter	F8.4	
power	F8.2	
pressure	F8.1	
speed	F8.2	
terminology		
bandwidths	F8.8	
controlling	F8.11	
decibel	F8.1	
frequency	F8.2	
frequency spectrum	F8.15	
intensity	F8.2	
level	F8.1	
loudness	F8.14	
pressure	F8.1	
quality	F8.14	
wavelength	F8.2	
testing	A38.18	
time averaging	F8.4	
transmission	A38.19	
humidity affecting	S22.2	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Sound (*Cont.*)			
paths	F8.9		
troubleshooting	A38.20		
typical sources	F8.10		
unit heaters	S28.6		
Sound control	A48	F8	
(*See also* **Noise)**			
acoustical design of HVAC systems	A48.1		
air handlers	S4.9		
A-weighted sound level (dBA)	F8.16		
barriers	A48.33	F8.11	
ceiling sound transmission	A48.38		
chillers	A48.15		
clean spaces	A18.19		
combustion turbines	S7.22		
cooling towers	S40.14		
data reliability	A48.1		
design	A48.8	38	F8.15
ducts	A48.12	S19.8	
sound attenuation	A48.18	F8.13	
enclosures	F8.13		
engines	S7.15		
engine test facilities	A17.4		
equipment sound levels	A48.8		
fans	A48.10		
fume hood duct design	A48.34		
hotels and motels	A6.8		
insertion loss	A48.21		
justice facilities	A9.5	6	
mechanical equipment rooms	A48.35		
noise criterion (NC) curves	F8.16		
outdoor equipment	A48.33		
piping	A48.46	51	
places of assembly	A5.1		
return air system sound transmission	A48.37		
rooftop air handlers	A48.11		
room criterion (RC) curves	F8.16		
room sound correction	A48.31		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Sound control (*Cont.*)			
standards	A48.54		
terminology	F8.11		
troubleshooting	A38.20		
variable-air-volume (VAV) systems	A48.10		
Soybeans, drying	A25.7		
Specific heat			
equation	F2.5		
foods	R19.7		
liquids	F33.2		
materials	F33.1		
Spot cooling			
evaporative	A52.12		
industrial environments	A31.3	6	A52.12
makeup air units	S28.8		
mines	A29.10		
Spot heating	A54.4		
Stack effect			
duct design	F21.2		
multizone airflow modeling	F13.14		
smoke movement	A53.2		
Stadiums	A5.4		
Stairwells, smoke control	A53.9		
Standard atmosphere, U.S.	F1.1		
Standards	F39		
(*See also* **Codes)**			
air cleaners	S29.3	4	
air conditioners	S49		
packaged terminal	S50.7		
room	S50.4		
unitary	S49.5	6	
air distribution	A57.1		
boilers	S32.6		
chilled-beam system	A57.18		
chimneys, fireplaces, and gas vents	S35.29	34	
condensers	S39		
evaporative	S39.18		
water-cooled	S39.7		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Standards (*Cont.*)		
coolers, liquid	S42.4	
data processing	A19.16	
dehumidifiers, room	S25.3	
duct construction	S19.1	
commercial	S19.6	
industrial	S19.8	
residential	S19.6	
electrical	A56.15	
filters, air	S29.3	4
furnaces	S33.11	
heaters	S34.6	7
heat pumps	S49	
packaged terminal	S50.7	
unitary	S49.5	6
water-source	S49.11	
indoor air quality (IAQ)	F10.12	
liquid chillers	S43.5	
makeup air units	S28.9	
motors	S45.2	14
nuclear facilities	A28.12	
pipe fittings	S46.2	
piping	S12.24	S46.6
sound control	A48.54	
tall buildings	A4.14	
ventilation	F16.18	
vibration control	A48.54	
Standards (*See also* **Codes**)	S52	
Static electricity and humidity	S22.2	
Steam		
quality	S11.2	
sources	S11.2	
testing, adjusting, balancing	A38.14	
thermophysical properties	F30.40	
Steam systems	S11	
air, effects of	S11.2	
boilers	S11.3	S32.1

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Steam systems (*Cont.*)			
classification	S11.2		
coils, air-heating	S27.1		
combined heat and power (CHP) distribution	S7.43		
combined steam and water	S11.15		
condensate removal	S11.6		
drainage and return	S12.11		
drip stations	S12.11		
return pipes	S12.24		
convection heating	S11.11		
design	S11.2	S36.3	
piping	S11.5		
pressure	S11.4		
distribution	S11.12		
district heating and cooling	S12.23		
valve vaults	S12.30		
district heating and cooling	S12.5	24	35
flash steam	S11.14		
percentage	S11.2		
flash tank	S11.15		
gas, effects of	S11.2		
generator buildings	A27.4		
heat exchangers	S11.3		
heating	A49.11		
heat recovery			
direct recovery	S11.15		
flash steam	S11.14		
waste heat boilers	S11.3		
makeup air units	S28.8		
one-pipe systems	S11.12		
1993 *Fundamentals*, Chapter 33, pp. 18			
(*See explanation on first page of index.*)			
piping			
distribution	S11.5		
Hartford loop	S11.3		
inlet orifices	S11.13		
return	S11.3	6	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Steam systems (*Cont.*)			
sizing	F22.15		
supply	S11.3	5	12
terminal equipment	S11.6		
temperature control	S11.13		
terminal equipment			
forced-convection	S11.11		
natural convection	S11.11	S36.1	
piping design	S11.6		
radiant panel	S11.11		
traps	S11.7		
turbines	S7.24		
two-pipe systems	S11.12		
unit			
heaters	S28.4		
ventilators	S28.1		
valves			
pressure-reducing	S11.9		
safety	S11.9		
temperature control	S11.13		
water, effects of	S11.2		
Steam traps	S11.7		
Stefan-Boltzmann equation	F4.2	12	
Stevens' law	F12.3		
Stirling cycle	R47.14		
Stokers	S31.16		
Storage			
apples	A52.14	R35.1	3
controlled-atmosphere	R35.1	3	
bakery ingredients	R41.1		
candy	R42.5		
carbon dioxide	R39.12		
citrus	A52.14	R36.3	
cold, facility design	R23.1		
compressed gases	A16.8		
controlled-atmosphere (CA)	R23.3		
cryogenic fluids	R47.26		
desiccant dehumidification	S24.8		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Storage (*Cont.*)		
high-pressure	S24.11	
design, refrigerated-facility	R23.1	
eggs	R34.5	
farm crops	A25.9	
fish		
fresh	R32.3	
frozen	R32.7	
flowers, cut	R21.12	
food, canned or dried	R21.11	
fruit		
dried	R42.7	
fresh	R35.1	
furs and fabrics	R21.11	
ice	R43.4	
meat products, frozen	R30.16	
milk	R33.4	
nursery stock	R21.12	
nuts	R42.7	
photographic materials	A22.3	4
unprocessed	A22.1	
potatoes	A52.14	
poultry products	R31.10	
refrigerated-facility design	R23.1	
seeds	A25.11	R21.13
tanks, secondary coolant systems	R13.2	
vegetables	R37.3	
dried	R42.7	
wine	R39.10	
wood products	A26.2	
Stoves, heating	S34.5	
Stratification		
of air		
in places of assembly	A5.2	
in plenums	A38.2	
of water, in thermal storage tanks	S51.4	
Stroboscopes	F36.27	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Subcoolers			
condensers	S39		
evaporative	S39.17		
water-cooled	S39.5		
two-stage	R1.30		
Subway environment simulation (SES) program	A15.3		
Subway systems. (*See also* **Mass-transit systems**)			
car air conditioning	A11.5		
station air conditioning	A15.14		
ventilation	A15.11		
Suction risers	R2.26		
Sulfur content, fuel oils	F28.7		
Superconductivity, diamagnetism	R47.5		
Supervisory control	A42		
air-handling systems			
air distribution	A42.1		
sequencing	A42.35		
set point reset	A42.36		
building temperature set point			
night setback recovery	A42.36		
precooling	A42.37		
chilled-water pumps	A42.12	25	27
chillers			
load distribution	A42.30		
sequencing	A42.29	32	
computerized	A40.17		
cooling tower fans	A42.14	21	
cool thermal storage systems	A42.38		
ice storage control optimization	A42.8		
forecasting energy requirements	A42.40		
optimization methods	A42.5		
Supply air outlets (*See also* **Air outlets**)	S20.1		
Surface effect. *See* **Coanda effect**			
Surface transportation			
automobiles	A10.1		
buses	A11.2		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Surface transportation (*Cont.*)	
fixed-guideway vehicles	A11.7
rail cars	A11.5
Surface water heat pump (SWHP)	A34.12
heat exchanger	S49.10
Sustainability	F16.1 F35.1 S49.2
and air, noise, and water pollution	F35.3
chimney	S35.1
chlorofluorocarbon (CFC) production	F35.4
climate change	F35.4
design process	F35.5
energy resources	F35.2 5
factors impacting	F35.2
global warming	F35.4
and green design	F35.1
greenhouse gas (GHG) emissions	F35.4
infiltration	F16.1
in integrated building design	A58.3
material resources	F35.3
ozone	F35.4
renewable energy	F35.2
and solid and liquid waste disposal	F35.3
standards of care	F35.4
unitary systems	S49.2
ventilation	F16.1
water use	F35.3
SVFs. *See* **Synthetic vitreous fibers (SVFs)**	
SVOCs. *See* **Semivolatile organic compounds (SVOCs)**	
SWHP. *See* **Surface water heat pump (SWHP)**	
Swimming pools. (*See also* **Natatoriums**)	
dehumidifiers	S25.5
solar heating	A35.15
water chemistry	A5.7
water heating for	A50.23
Swine, recommended environment	A24.7
Symbols	F37
Synthetic vitreous fibers (SVFs)	F10.5

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
T				
Tachometers	F36.27			
Tall buildings	A4			
codes	A4.14			
HVAC design process	A4.3			
hydrostatic considerations	A4.11			
life safety	A4.14			
low-temperature air VAV systems	A4.5			
refrigeration machine location	A4.11			
reverse stack effect	A4.1			
stack effect	A4.1			
elevator doors	A4.2			
heating problems	A4.2			
manual doors	A4.2			
minimizing	A4.2			
smoke and odor propagation	A4.2			
standards	A4.14			
system selection	A4.4			
underfloor air distribution (UFAD) systems	A4.5			
vertical transportation	A4.13			
water distribution systems	A4.11			
Tanks, secondary coolant systems	R13.2			
Temperature				
ambient	A54.1			
changeover	S5.12	13		
dew-point	F1.12	13		
dry-bulb, adjusted	A54.1			
effective	A52.10	F9.21		
humid operative	F9.21			
mean radiant	A54.1	F9.10	F36.31	S6.1
measurement	F36.4			
odors affected by	F12.2			
operative	A54.1			
plane radiant	F9.11	F36.31		
radiant asymmetry	F9.11			
sensors	F7.9			
sol-air	F18.22			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Temperature (*Cont.*)			
and task performance	F9.13		
vertical differences	F9.15		
wet-bulb	F1.12	13	F9.22
wet-globe	F9.22		
wind chill index	F9.23		
Temperature-controlled transport	R25.1		
Temperature index	S22.3		
Terminal units	A47.12	S20.8	
air distribution	S4.15		
boxes			
reheat	A47.13	S4.15	
variable-air-volume (VAV)	A48.11		
bypass	S20.9		
ceiling	S20.8		
chilled beams	S5.7		
constant volume	S4.15		
dual-duct	S20.8		
fan-coil	S5.6		
fan-powered	A47.12	S4.16	S20.8
humidifiers	S4.17		
induction	A47.14	S4.16	
induction units	S5.10		
radiant floor heat	S5.9		
radiant panels	S5.9		
reheat	S20.8		
steam systems	S11.11		
throttling	S4.16		
unit ventilators	S5.6		
variable-air-volume (VAV)	S4.16		
Terminology	R50		
Terrorism. *See* **Chemical, biological, radiological, and explosive (CBRE) incidents**			
TES. *See* **Thermal energy storage (TES)**			
Testing			
air cleaners	A46.16	S29.3	
air conditioners, packaged terminal	S50.7		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Testing (*Cont.*)		
air leakage, fan pressurization	F16.14	
clean spaces	A18.7	
compressors		
centrifugal	S38.32	
positive-displacement	S38.5	
condensers	S39	
evaporative	S39.18	
water-cooled	S39.7	
cooling towers	A38.15	S40.18
desiccant dehumidification for	S24.10	12
duct efficiency	S10.9	
fans	S21.2	
filters, air	S29.3	
heaters	S34.7	
heat pumps		
packaged terminal air conditioners (PTACs)	S50.7	
water-source	S49.11	
industrial exhaust systems	A32.9	
radiant heating system	A54.7	
refrigeration systems		
compressor	R8.5	
leak detection	R8.4	
performance testing	R8.5	
refrigerators, household	R17.9	
smoke control systems	A53.18	
solar collectors	S37.10	
sound		
instrumentation	A38.18	
procedure	A38.19	
transmission problems	A38.19	24
vibration		
equipment	A38.22	
instrumentation	A38.21	
isolators	A38.21	A48.53
piping transmission	A38.24	
procedure	A38.21	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Testing, adjusting, and balancing.		
(*See also* **Balancing**)		
air diffusers	A38.2	
air distribution systems	A38.3	
reporting results	A38.6	
airflow measurement	A38.2	
balancing procedure	A38.5	
central plant chilled-water systems	A38.14	
cooling towers	A38.15	
design considerations	A38.1	
dual-duct systems	A38.4	
duct design	F21.19	
energy audit field survey	A38.17	
fluid flow measurement	A38.11	
HVAC systems	A38.1	
hydronic systems	A38.6	
heat transfer vs. flow	A38.6	7
water-side balancing		
instrumentation	A38.8	
proportional method	A38.9	
rated differential method	A38.10	
sizing balancing valves	A38.8	
temperature difference method	A38.9	
total heat transfer method	A38.11	
induction systems	A38.5	
instruments	A38.3	
sound transmission problems	A38.19	24
steam distribution systems	A38.14	
temperature controls	A38.16	
terminology	A38.1	
variable-air-volume (VAV) systems	A38.6	
TETD/TA. *See* **Total equivalent temperature differential method with time averaging (TETD/TA)**		
TEWI. *See* **Total equivalent warning impact (TEWI)**		
Textile processing plants	A21	
air conditioning design		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Textile processing plants (*Cont.*)			
air cleaning	A21.5	7	
air distribution	A21.6		
collector systems	A21.5		
health considerations	A21.7		
energy conservation	A21.7		
fabric making	A21.3		
fiber making	A21.1		
yarn making	A21.2		
TFM. *See* **Transfer function method (TFM)**			
Theaters	A5.3		
Thermal bridges	F25.8		
Thermal comfort. *See* **Comfort**			
Thermal emittance	F25.2		
Thermal energy storage (TES)	S8.5	S51	
Thermal properties	F26.1		
air spaces	F26.12		
of food	R19		
insulation materials	F26.1		
safety	F26.12		
Thermal resistivity	F25.1		
Thermal storage	S51		
applications	S51.21		
benefits	S51.3		
building mass	S51.18		
combined heat and power (CHP)	S7.39		
controls	S51.1		
sequence	S51.28		
strategies	A42.37		
cool storage	A42.38	S51.1	22
district cooling	S51.21		
district heating	S51.7		
district heating and cooling	S12.8		
electrically charged storage	S51.16		
brick storage heaters	S51.16		
central furnace	S51.18		
heat pump boosters	S51.18		
room units	S51.16		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Thermal storage (*Cont.*)					
underfloor heat	S51.18				
water heaters	S51.16	18			
equipment					
cooling	S51.4				
heating	S51.16				
heat storage	S51.1	16			
ice	R43.3				
ice storage	S51.1	2			
charging and discharging	A42.38				
control optimization	A42.8				
encapsulated ice	S51.2	13	16		
harvesting system	S51.2	6	14		
ice on coil	S51.1	9	12		
piping	S51.26				
slurries	S51.15				
industrial refrigeration	S51.22				
insulation	S51.6				
latent energy change	S51.2				
media	S51.2	4			
mission-critical operations	S51.22				
off-peak, heating	S51.16				
operation	S51.28				
phase-change materials	S51.2	15	26		
piping, ice storage	S51.26				
process cooling	S51.22				
retrofits	S51.17				
solar energy systems	A35.11	16	25	S37.3	11
	S51.2				
system sizing	S51.22				
terminology	S51.1				
water storage	S51.4	33			
aquifers	S51.6				
performance	S51.5				
tank insulation	S37.13	S51.6			
temperature range	S51.4				
thermal stratification	S51.4	5			
water heaters	S51.16	18			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Thermal storage (*Cont.*)	
water systems, medium- and high-temperature	S15.7
water treatment	S51.6
Thermal transmission data	F26
Thermistors	R11.4
Thermodynamics	F2.1
absorption refrigeration cycles	F2.13
bubble point	F2.6
compressed liquid	F2.2
compression refrigeration cycles	F2.6
cooling and freezing of foods	R20.1
cycle	F2.2
dew point	F2.6
dry saturated vapor	F2.2
enthalpy	F2.5
entropy	F2.5
equations of state	F2.4
laws	F2.2
liquid	F2.2
multicomponent systems	F2.5
principles	F2.1
process	F2.2
properties	F2.2
calculation	F2.5
zeotropic mixture	F2.10
pure substance	F2.2
of refrigerants	F30
refrigeration cycle analysis	F2.3
saturated liquid or vapor	F2.2
subcooled liquid	F2.2
superheated vapor	F2.2
terminology	F2.1
vapor	F2.2
Thermometers	F36.5
black globe	A54.7
error sources	F36.5
infrared	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Thermometers (*Cont.*)					
radiometers	A54.7	F36.9			
thermography	F36.9				
liquid-in-glass	F36.5				
resistance					
semiconductors	F36.6				
temperature devices (RTDs)	F36.6				
thermistors	F36.6				
thermocouples	F36.7				
Thermopile	F7.4	F36.9	R45.4		
Thermosiphons					
heat exchangers	S26.16				
solar energy systems	A35.13				
Thermostats					
heater control	S34.2	4			
heating/cooling	F7.11				
location	A47.21				
types	F7.11				
Three-pipe distribution	S5.5				
Tobacco smoke					
contaminants	A46.2	9	10	F11.2	18
environmental (ETS)	F10.6				
Tollbooths					
air quality criteria	A15.26				
ventilation	A15.27	33			
Total equivalent temperature differential method with time averaging (TETD/TA)	F18.49				
Total equivalent warming impact (TEWI)	R6.1	R15.16			
Trailers and trucks, refrigerated (*See also* **Cargo containers**)	R25				
Transducers, pneumatic pressure	F7.10				
Transfer function method (TFM)	A40.9	F18.49			
Transmittance, thermal	F25.2				
of flat building component	F25.7				
thermal bridging	F25.8				
Transmitters, pneumatic pressure	F7.10				
Transpiration	R19.19				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Transportation centers			
commercial and public buildings	A3.6		
ventilation	A15.11	23	
Transport properties of refrigerants	F30		
Traps			
ammonia refrigeration systems			
liquid	R2.18		
liquid level indicators	R2.5		
purge units	R2.6		
suction accumulator	R2.4		
vertical suction	R2.4		
steam systems	S11.7		
thermostatic	S11.7		
Trucks, refrigerated	R25		
(*See also* **Cargo containers**)			
Tuning automatic control systems	F7.18		
Tunnels, vehicular	A15.1		
fires	A15.3		
railroad	A15.16		
rapid transit	A15.11		
road	A15.3		
Turbines	S7		
benefits	S8.2		
chiller systems	S8.5		
absorption	S8.5		
mechanical	S8.5		
thermal energy storage (TES)	S8.5		
combustion	S7.17	46	S8.1
Brayton cycle	S7.18		
components	S7.18		
controls	S7.22		
dual-shaft	S7.19		
emissions	S7.22		
evaporative cooling applications	S7.20	S8.3	
exhaust gas systems	S7.21		
fuels	S7.19		
heat recovery	S7.37		
inlet cooling	S8		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Turbines (*Cont.*)		
instruments	S7.22	
lubrication	S7.21	
maintenance	S7.22	
noise control	S7.22	
performance	S7.19	
single-shaft	S7.18	
split-shaft	S7.19	
starting systems	S7.21	
thermal output	S7.33	
engine test facilities, gas	A17.3	
expansion	S7.31	S43.1
fogging	S8.4	
gas	S7.18	
evaporative cooling	A52.13	
hybrid	S8.6	
microturbines	S7.17	
steam		
applications	S7.46	
axial flow	S7.24	
heat recovery	S7.37	
maintenance	S7.30	
wet compression	S8.4	
wetted media	S8.4	
Turbochargers, heat recovery	S7.34	
Turbulence modeling	F13.3	
identification	F13.10	
Turbulent flow, fluids	F3.3	
Turndown ratio, design capacity	S13.4	
Two-node model, for thermal comfort	F9.18	
Two-pipe systems	S5.5	S13.19
air-to-transmission ratio	S5.13	
central ventilation	S5.12	
changeover temperature	S5.13	
chilled-water	S13.19	
electric heat	S5.15	
nonchangeover design	S5.14	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Two-pipe systems (*Cont.*)			
steam convection heating	S11.12		
zoning	S5.14		
U			
U.S. Marshal spaces	A9.5		
U-factor			
center-of-glass	F15.3		
doors	F15.11	F27.7	
edge-of-glass	F15.3		
fenestration products	F15.6		
of flat building assembly	F25.7		
frame	F15.3		
thermal transmittance	F15.3		
windows	F27.7		
Ultralow-penetration air (ULPA) filters	S29.6	S30.3	
Ultraviolet (UV) lamp systems	S17		
in-duct airstream disinfection	A60.7		
lamps	A60.1	S17.1	3
germicidal	A60.4	S17.3	
maintenance	A60.12	S17.6	
photodegradation	S17.5		
safety	A60.11	S17.6	
surface disinfection	A60.10		
terminology	S17.1		
upper-air	A60.10		
Ultraviolet air and surface treatment	A60		
Ultraviolet germicidal irradiation (UVGI)	S16.1		
[*See also* **Ultraviolet (UV) lamp systems**]			
in-duct airstream disinfection	A60.7		
systems	A60.7		
terminology	A60.3		
Uncertainty analysis			
measurement	A41.13	14	F36.3
statistical regression	A41.14		
Underfloor air distribution (UFAD) systems	A4.5	A57.9	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links			
Unitary systems	S49			
floor-by-floor systems	S2.7			
heat pumps	S2.3	S49.1	8	10
outdoor equipment	S2.8			
self-contained	S2.7			
split systems	S2.6	S49.1		
through-the-wall	S2.3			
window-mounted	S2.3			
Unit heaters. *See* **Heaters**				
Units and conversions	F38.1			
Unit ventilators	S28.1			
Utility interfacing, electric	S7.43			
UV. *See* **Ultraviolet (UV) lamp systems**				
UVGI. *See* **Ultraviolet germicidal irradiation (UVGI)**				

V

Vacuum cooling, of fruits and vegetables	R28.9			
Validation, of airflow modeling	F13.9	10	17	
Valves	S46			
(*See also* **Regulators**)				
actuators	S47.5			
ammonia refrigeration systems				
control	R2.9			
float control	R2.20			
relief	R2.10			
solenoid	R2.10			
stop	R2.9			
authority	S47.8			
automatic	S47.4			
actuators	S47.4			
applications	S47.9			
control	F7.4	S47.6		
expansion	S23.2			
flow characteristics	S47.7			
sizing	S47.8			
types	S47.6			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Valves (*Cont.*)		
backflow-prevention devices	S47.13	
balancing	S47.9	
sizing	A38.8	
body styles	S47.2	
cavitation	S47.2	
check	R11.21	S47.12
compressors, reciprocating	S38.10	
condensing-pressure-regulating	R11.15	
constant-pressure expansion	R11.14	
control valves	F3.8	
coefficient	F3.9	
discharge bypass	R11.16	
expansion		
constant-pressure	R11.11	14
electric	R11.10	
thermostatic	R11.5	
float control	R11.17	
flow coefficient	S47.2	9
friction losses	F22.1	7
geothermal energy	A34.7	
halocarbon refrigeration systems		
equivalent lengths	R1.10	
float control	R1.26	
hydronic systems		
control	S13.16	
safety relief	S13.20	
manual	S47.3	
selection	S47.3	
materials	S47.1	
multiple-purpose	S47.10	
noise	S47.2	
pressure drop	F22.1	7
pressure-reducing makeup water	S47.12	
pressure relief	S47.10	
safety	R11.22	
ratings	S47.1	
refrigerant control	R11.4	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Valves (*Cont.*)			
regulating and throttling	R11.11		
safety	S47.10		
solar energy systems	A35.12		
solenoid	R11.17	S47.6	
steam system	S11.9	13	
stop-check	S47.13		
suction pressure regulating	R11.14		
thermostatic	S11.13	S47.11	
water hammer	S47.2		
zone control	S11.13		
Vaporization systems	S8.6		
liquefied natural gas (LNG)	S8.6		
Vapor pressure	F27.8	F33.2	
Vapor retarders, jackets	F23.12		
Variable-air-volume (VAV) systems			
all-air			
dual-duct	S4.12		
single-duct	S4.11		
control	A42.1	3	36
diversity	A38.5		
dual-duct systems	S4.12		
duct static pressure control	A47.8		
fan			
selection	A48.10		
sequencing	A47.9		
unstable operation	A47.9		
humidity control	S22.11		
museums, galleries, archives, and libraries	A23.19		
pressure-dependent systems	A38.4		
pressure-independent systems	A38.4		
single-duct	S4.11		
sound control	A48.10		
static pressure control	A38.4		
static pressure reset	A42.36		
system types	A38.5		
terminal boxes	A47.13	A48.11	
testing, adjusting, balancing	A38.4		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Variable-air-volume (VAV) systems (*Cont.*)			
variable-speed drives	S45.12		
versus constant air volume (CAV)	A16.12		
Variable-frequency drives	S45.12		
and bearing currents	S45.9		
carrier frequencies	S45.15		
conductor impedance	S45.13		
control	S45.9	12	
generator-powered	S45.16	17	
harmonic disturbances	S45.15		
motors	S45.14		
impedance	S45.13		
pulse width modulation	S45.13		
transistors	S45.12		
voltage waveform distortion	S45.15		
Variable refrigerant flow (VRF)	S18.1	S49.1	13
applications	S18.2		
life-cycle analysis tools	S18.3		
life-cycle operating costs	S18.3		
multisplit system	S18.2		
system design example	S18.8		
VAV. *See* **Variable-air-volume (VAV) systems**			
Vegetables	R37		
air transport	R27.1		
cooling	R28.1		
deterioration rate	R21.1		
display refrigerators	R15.8		
dried, storage	R42.7		
frozen	R40.3		
misters and *Legionella pneumophila* control	A49.7		
refrigeration	R37.1		
storage	R37.3		
thermal properties	R19.1		
transport	R37.2		
Vehicles			
ac- or dc-powered, transit	A11.5		
design	R25.1		
equipment attachment provisions	R25.3		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Vehicles (*Cont.*)		
sanitation	R25.3	
temperature-controlled	R25.1	
use	R25.10	
Vena contracta	F3.4	
Vending machines	R16.5	
Ventilation	F16	
age of air	F16.4	
air change effectiveness	F16.5	
aircraft	A12.6	15
air exchange rate	F16.3	12
airflow	F16.3	
animal environments	A24.5	
bus garages	A15.21	
bus terminals	A15.23	
cargo containers	R25.5	
climatic infiltration zones	F16.19	
dilution	A31.2	A46.6
displacement	S4.14	
driving mechanisms	F16.12	
effectiveness	F16.5	
engine test facilities	A17.1	
forced	F16.1	
garages, residential	F16.20	
gaseous contaminant control	A46.6	
greenhouses	A24.12	
health care facilities	A8.1	
hospitals	A8.2	
nursing facilities	A8.14	
outpatient	A8.14	
hybrid	F16.14	
indoor air quality (IAQ)	F16.10	
industrial environments	A31	
exhaust systems	A32.1	
kitchens	A33	
laboratories	A16.8	
latent heat load	F16.11	F17.7
leakage function	F16.15	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Ventilation (*Cont.*)		
mechanical	F16.1	F24.7
mines	A29	
multiple spaces	F16.28	
natatoriums	A5.6	
natural		
airflow	F16.1	12
guidelines	F16.14	
stack effect	F16.13	
wind	F16.13	F24.7
nuclear facilities	A28.4	
odor dilution	F12.5	
power plants	A27.4	
railroad tunnels	A15.16	
rapid-transit systems	A15.11	
residential	F16.18	
road tunnels	A15.3	5
roof ventilators	A31.4	
security concerns	A59.7	
sensible heat load	F16.11	F17.7
ships	A13.1	
standards	F16.18	
terminology	F16.1	
thermal loads	F16.11	
tollbooths	A15.26	
wind effect on	F24.7	
Ventilators		
roof	A31.4	
unit		
capacity	S28.3	
control	A47.15	S28.3
location	S28.1	
selection	S28.1	
types	S28.1	
Venting		
furnaces	S33.2	
gas appliances	S35.19	
oil-fired appliances	S35.21	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Verification, of airflow modeling	F13.9	10	17
Vessels, ammonia refrigeration systems	R2.3		
Vibration	F8.17		
compressors			
centrifugal	S38.34		
positive-displacement	S38.5		
scroll	S38.26		
single-screw	S38.18		
critical speeds	S21.10		
health effects	F10.19		
measurement	F36.29		
instrumentation	A38.21		
testing	A38.21		
Vibration control	A48		
air handlers	S4.9		
clean spaces	A18.19		
criteria	A48.43		
data reliability	A48.1		
ducts	A48.51		
engines	S7.15		
equipment vibration	A38.22		
analysis	A38.23		
fans	S21.11		
floor flexibility	A48.53		
isolators			
noise	A48.41		
resonance	A48.54		
specifications	A48.44		
testing	A38.21		
piping			
connectors	A48.50		
noise	A48.46		
resilient hangers and supports	A48.50		
places of assembly	A5.1		
resonance	A48.53		
seismic restraint	A48.51	A55.1	
standards	A48.54		
troubleshooting	A38.23	A48.52	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Viral pathogens	F10.8
Virgin rock temperature (VRT), and heat release rate	A29.3
Viscosity	F3.1
fuel oils	F28.6
lubricants	R12.5
modeling	F13.10
moist air	F1.19
Volatile organic compounds (VOCs)	F10.11
contaminants	A46.2
Voltage	A56.1
imbalance	S45.1
utilization	S45.1
Volume ratio, compressors	
rotary vane	S38.14
single-screw	S38.16
twin-screw	S38.21
VRF. *See* **Variable refrigerant flow (VRF)**	
VRT. *See* **Virgin rock temperature (VRT)**	

W

Walls			
glass block	F15.27		
masonry construction	F27.4		
steel frame construction	F27.4		
wood-frame construction	F27.3		
Warehouses	A3.8		
Water			
boiler thermal models	F19.12		
coils	S23.2		
air-heating	S27.2		
coolers	R39.11		
distribution	S3.6	S13.10	S15.5
central plants	S12.9		
district heating and cooling	S12.23		
filtration	A49.7		
hammer	F22.6		
pipe stress	S12.10		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links				
Water (*Cont.*)					
heating					
geothermal energy systems	A34.9				
solar energy systems	A35.13				
water treatment for	A49.10				
humidifier supply	S22.5				
properties	A49.1	S15.2			
refrigerant	F30.40				
in refrigerant systems. *See* **Moisture** in refrigerant systems					
systems, pipe sizing	F22.5				
thermal storage systems	S51.4	16	33		
use and sustainability	F35.3				
vapor (*See also* **Moisture**)					
control	F25.2				
flow	F25.12				
resistance	F25.2				
retarders	F26.6	R10.7	R23.5	12	S22.2
terminology	F25.2				
transmission	F26.12				
Water heaters					
blending injection	A50.4				
boilers (indirect)	A50.28				
circulating tank	A50.4				
combination	A50.4				
electric	A50.3				
gas-fired	A50.2				
heat pump	S49.4				
indirect	A50.3	28			
instantaneous	A50.3	26			
oil-fired	A50.2				
placement	A50.11				
refrigeration heat reclaim	A50.4	27			
semi-instantaneous	A50.4	26			
sizing	A50.11	26	27		
solar energy	A50.4				
storage	A50.2	3	11		
terminology	A50.1				

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Water heaters (*Cont.*)			
usable hot-water storage	A50.10		
waste heat recovery	A50.4		
Water horsepower, pump	S44.7		
Water/lithium bromide absorption			
components	R18.1		
control	R18.6		
double-effect chillers	R18.3		
maintenance	R18.7		
operation	R18.6		
single-effect chillers	R18.2		
single-effect heat transformers	R18.3		
terminology	R18.1		
Water-source heat pump (WSHP)	S2.4	S49.10	
Water systems	S13		
air elimination	S13.21		
antifreeze	S13.23		
precautions	S13.25		
capacity control	S13.13		
chilled-water	S13.1	17	
combined heat and power (CHP) distribution	S7.44		
district heating and cooling	S12.24	37	
closed	S13.1	2	S15.1
components	S13.2		
condenser water	S14.1		
closed	S14.4		
once-through	S14.1		
open cooling tower	S14.1		
overpressure precautions	S14.4		
systems	S14.1		
water economizer	S14.3		
control valve sizing	S13.16		
Darcy-Weisbach equation	S44.5		
district heating and cooling	S12.5		
dual-temperature (DTW)	S13.1	19	
equipment layout	S13.22		
expansion tanks			
functions of	S13.4	11	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links	
Water systems (*Cont.*)		
sizing equations	S13.5	
fill water	S13.20	
four-pipe	S13.20	
freeze prevention	S13.23	
hot-water		
boilers	S32.1	
combined heat and power (CHP)		
distribution	S7.44	
district heating and cooling	S12.36	
high-temperature (HTW)	S13.1	
loads	S13.2	
low-temperature (LTW)	S13.1	
design considerations	S36.3	
heating systems	S13.16	
loads	S13.2	
nonresidential	S13.16	
terminal equipment	S36.1	
medium- and high-temperature	S13.1	S15
air-heating coils	S15.6	
boilers	S15.2	
cascade systems	S15.5	
circulating pumps	S15.5	
control	S15.6	
design	S15.2	
direct-contact heaters	S15.5	
direct-fired generators	S15.2	
distribution	S15.5	
expansion tanks	S15.3	
heat exchangers	S15.6	
piping design	S15.5	
pressurization	S15.3	
safety	S15.7	
space heating	S15.6	
thermal storage	S15.7	
water treatment	S15.7	
medium-temperature (MTW)	S13.2	
loads	S13.2	

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Water systems (*Cont.*)			
makeup	S13.20		
medium- and high-temperature	S15.1		
open	S13.2	S14.1	
pipe sizing	S13.23		
piping	S13.11		
water distribution	S13.6		
pressure drop determination	S13.23	S44.5	
pumps	S44.1		
pump curves	S13.6	S44.4	
pumping	S13.7	S44.11	
standby pump	S13.8	S44.12	
two-speed motors	S44.13		
safety relief valves	S13.20		
steam and, combined	S11.15		
in tall buildings	A4.11		
temperature classifications	S13.1		
turndown ratio	S13.4		
two-pipe	S13.19		
water horsepower	S44.7		
Water treatment	A49		
air washers	A49.9	S41.9	
biological control	A49.5		
Legionella pneumophila	A49.6		
boilers	A49.10		
brine systems	A49.10		
closed recirculating systems	A49.10		
condensers, evaporative	S39.18		
condenser water	S14.3		
cooling towers	A49.4	8	S40.16
corrosion control	A49.2	9	
evaporative coolers	S41.9		
filtration	A49.7		
fundamentals	A49.1		
heating systems	A49.10		
ice makers	A49.7	9	
medium- and high-temperature systems	S15.7		
nonchemical (physical)	A49.5		

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links		
Water treatment (*Cont.*)			
once-through systems	A49.9		
open recirculating systems	A49.9		
scale control	A49.4		
sprayed-coil units	A49.9		
steam and condensate systems	A49.11		
terminology	A49.11		
thermal storage	S51.6		
Water vapor control	A44.6		
Water vapor permeance/permeability	F26.16	17	
Water vapor retarders	F26.6		
Water wells	A34.26		
Weather data. *See* **Climatic design information**			
Welding sheet metal	S19.11		
Wet-bulb globe temperature (WBGT), heat stress	A31.5		
Wheels, rotary enthalpy	S26.9		
Whirlpools and spas			
Legionella pneumophila control	A49.7		
service water heating	A50.24		
Wien's displacement law	F4.12		
Wind. (*See also* **Climate design information**; **Weather data**)			
data sources	F24.6		
effect on			
chimneys	S35.3	32	
smoke movement	A53.3		
system operation	F24.7		
pressure	F24.3		
Wind chill index	F9.23		
Windows. (*See also* **Fenestration**)			
air leakage	F15.49		
solar gain	F15.13	17	
U-factors	F15.3	6	F27.7
Wind restraint design	A55.15		
minimum design wind load	A55.16		
Wineries			
refrigeration	R39.8		
temperature control			

This page has been reformatted by Knovel to provide easier navigation.

Index Terms	Links
Wineries (*Cont.*)	
fermentation	R39.9
storage	R39.10
wine production	R39.8
Wood construction, and moisture	F25.10
dimensional changes	F25.10
Wood products facilities	A26.1
evaporative cooling	A52.13
process area	A26.2
storage	A26.2
Wood pulp	A26.2
Wood stoves	S34.5
World Wide Web (WWW)	A40.8
WSHP. *See* **Water-source heat pump (WSHP)**	
WWW. *See* **World Wide Web (WWW)**	

X

Xenon	R47.18

This page has been reformatted by Knovel to provide easier navigation.

Copyrighted Materials
Copyright © 2013 American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc. Retrieved from www.knovel.com

COMMENT PAGE

ASHRAE publications strive to present the most current and useful information possible. If you would like to comment on chapters in this or any volume of the *ASHRAE Handbook*, please use one of the following methods:

- Fill out the comment form on the ASHRAE web site (www.ashrae.org)
- E-mail the editor at mowen@ashrae.org
- Cut out this page and fax it to the editor at 678-539-2187, or mail it to

Handbook Editor
ASHRAE
1791 Tullie Circle
Atlanta, GA 30329 USA

Please provide your contact information if you would like a response. (Personal identification information will not be used for any purpose beyond responding to your comments.)

Name: _____ **Phone:** _____

E-mail: _____ **Fax:** _____

Address: _____ **Preferred Contact Method(s):** _____

_____ _____