

Selected files

3 printable files

index.html
index.js
style.css

index.html

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <link rel="stylesheet" href="style.css">
7      <link>
8      <title>Workout Generator</title>
9  </head>
10 <body>
11     <h1 id="welcome-screen">WELCOME!</h1>
12     <h1>Select your workout intensity:</h1>
13     <div class="workoutIntensityButtons">
14         <label>
15             <input type="radio" name="workoutIntensity" value="low">Low Intensity</input>
16         </label>
17         <label>
18             <input type="radio" name="workoutIntensity" value="medium">Medium
Intensity</input>
19         </label>
20         <label>
21             <input type="radio" name="workoutIntensity" value="high">High Intensity</input>
22         </label>
23     </div>
24     <h1>Select up to 3 body section(s)/workout type(s):</h1>
25     <div class="bodySections">
26         <label>
27             <input type="checkbox" name="bodySections" value="upperBody">Upper Body</input>
28         </label>
29         <label>
30             <input type="checkbox" name="bodySections" value="legs">Legs</input>
31         </label>
32         <label>
33             <input type="checkbox" name="bodySections" value="abs">Abs</input>
34         </label>
35         <label>
36             <input type="checkbox" name="bodySections"
value="endurance">Endurance/Cardio</input>
37         </label>
38         <label>
39             <input type="checkbox" name="bodySections" value="flexibility">Flexibility</input>

```

```

40     </label>
41 </div>
42 <div class="button-container">
43   <button onclick="generateWorkout(getSelectedIntensity())" id="generateWorkoutButto-
n">Generate Workout</button>
44   <!-- the function call ^ -->
45 </div>
46 <div id="para1"></div>
47 <!--
48   main features:
49   function a)
50     have buttons with user input. These buttons are split into 3 sections: workout
intensity, body part(s, up to 3)(pass a list into function), and perhaps workout type.
51     upon completion of clicking all of these, there will be a generate workout button,
return workoutintensity, body part(s) and workout type. This will call function b
52   Function b:
53     will take parameters of workout. First parameter, workout intensity will have an if
statement that will depending on intensity, generate x number of reptitions.
54     Set that to variable called num reps.
55     Next, body part(s). For each body part provided, iterate over and call generate
exercise for each, creating a new array for all and these connect to the final array of all
the arrays
56     depending on intensity, it will generate x amount of exercises per
57     optional workout type: this parameter would call within and filter out, so in my big
fat text file of workout types it'll be classified by intensity/type and if workout type is
58     at home it will only take workouts from at home. At the end of all of it and filtered,
all the workouts will be returned as one giant array in an array
59     -->
60   <script src="index.js"></script>
61 </body>
62
63 </html>

```

index.js

```

1  const upperBodyWorkouts = ["tricep dips", "arm circles", "pushups", "arm front raises", "arm
lateral raises"]
2  const legWorkouts = ["bodyweight squats", "lunge/reverse lunges", "calf raises", "step ups",
"straight leg raises"]
3  const abWorkouts = ["situps", "curl up/crunches", "oblique heel touches", "mountain
climbers", "Russian Twist"]
4  const cardioEnduranceWorkouts = ["high knees", "jog(in place)", "upper arm plank", "forearm
plank", "squat hold"]
5  const flexibilityWorkouts = ["hamstring stretch", "downward dog", "quad stretch", "butterfly
stretch", "hip stretch"]
6  //arrays /lists holding workouts
7  const bodySectionCheckboxes = document.getElementsByName("bodySections")
8  const intensityLevel = document.getElementsByName("workoutIntensity")
9  const para1 = document.getElementById("para1")
10 //get stuff from html
11 const maxBodySectionCheckables = 3;

```

```
12 //number set to max checkboxes of body sections you can have at once else there will be an
    array getting thrown
13 let bodySectionCheckedCount = 0;
14 let selectedBodySections = []; //an array that holds all check boxes actively checked
15 let selectedIntensityValue; //the variable holding what the radio button holding intensity
    level's value is
16 let numReps; //pre initializing the various variables that are needed in the generate workout
    function
17 let numExercises;
18 let finalWorkout;
19 let workoutType;
20
21 for (const bodySectionCheckbox of bodySectionCheckboxes) { //finds what values are selected
    from the checkbox and puts it into an array for future usage
22     bodySectionCheckbox.addEventListener("change", function () { //add event listener
        attaches a function to if a button changed everytime as in when the button is changed the
        function below is called
23         if (this.checked) {
24             if (selectedBodySections.length >= maxBodySectionCheckables) { //checks if there
                are already 3 boxes checked, meaning you cannot check it again
25                 this.checked = false;
26                 alert(`You can only select up to ${maxBodySectionCheckables} options.`);
                //sends alert
27                 return;
28             }
29             selectedBodySections.push(this.value); //if it isn't max array length, it will
                push it to the end of the array selectedBodySections
30         } else {
31             selectedBodySections = selectedBodySections.filter(value => value !==
                this.value); // Remove from array if unchecked, for each value if the value doesn't equal the
                value that is checked/ want to remove
32             //it will evaluate to true and those that are true and put it into a new array,
                which will then be assigned to the same selectedBodySections array.
33         }
34     });
35 }
36 function getValues(intensityLevel) { //this is the check to make sure everything has been
    selected before proceeding onto generateWorkout.
37     if (intensityLevel && selectedBodySections.length !== 0) {
38         return true
39     }
40     else {
41         alert("Please fill out the whole form");
42         return false
43     }
44 }
45 function getSelectedIntensity() { //gets the selected intensity by upon clicking
    generateWorkout it will call this, get the selected intensity if it exists, which then goes
    into getValues as a parameter.
46     let selected = document.querySelector('input[name="workoutIntensity"]:checked');
47     return selected ? selected.value : null; //condition if true ? if false return as null
48 }
```

```
49 function generateWorkout(intensity) {
50   if (!getValues(intensity)) {
51     return
52   } //if the values haven't been fully selected, end function
53   selectedIntensityValue = intensity
54   para1.innerHTML = "" //resets the paragraph thing where the actual workout will spawn
55   switch (selectedIntensityValue) { //sets the cases for each possible
selectedIntensityValue
56     case "low":
57       numReps = 5
58       numExercises = 1
59       break
60     case "medium":
61       numReps = 15
62       numExercises = 3
63       break
64     case "high":
65       numReps = 25
66       numExercises = 5
67       break
68   }
69   let tempArray = [] //create temporary arrays to shuffle workouts
70   let tempValue;
71   let feederWorkout
72   for (let section of selectedBodySections) { //sets each temporary feederworkout array to
the workout array selected by checkbox for each body section selected
73     switch (section) {
74       case "upperBody":
75         feederWorkout = upperBodyWorkouts
76         workoutType = "reps"
77         break
78       case "legs":
79         feederWorkout = legWorkouts
80         workoutType = "reps"
81         break
82       case "abs":
83         feederWorkout = abWorkouts
84         workoutType = "reps"
85         break
86       case "endurance":
87         feederWorkout = cardioEnduranceWorkouts
88         workoutType = "time"
89         break
90       case "flexibility":
91         feederWorkout = flexibilityWorkouts
92         workoutType = "time"
93         break
94     }
95     let lenArray = feederWorkout.length
96     for (let i = 0; i < lenArray; i++) { //shuffle the array
```

```

97     tempValue = feederWorkout[Math.floor(Math.random() * feederWorkout.length)]
//pick a random index from feederWorkout and set that to tempValue
98     tempArray.push(tempValue) //put tempValue into tempArray
99     feederWorkout = feederWorkout.filter(value => value !== tempValue) //remove
tempValue from the original array
100 }
101 for (let i = 0; i < numExercises; i++) {
102     feederWorkout.push(tempArray.pop()) //get rid of tempArray by putting the new
reordered version into feederWorker
103     console.log(feederWorkout)
104 }
105 if (workoutType === "reps") { //sets the actual workout text based on what type of
workout it was
106     para1.innerHTML += `<h1>Body Section: ${section}</h1> <h2>Exercises:</h2>
<p>Reps: ${numReps}</p> <p>${feederWorkout.join(", ")}</p>`
107 }
108 else {
109     para1.innerHTML += `<h1>Body Section: ${section}</h1> <h2>Exercises:</h2>
<p>Time: ${numReps} seconds</p> <p>${feederWorkout.join(", ")}</p>`;
110 }
111 }
112 }

```

style.css

```

1  #welcome-screen{
2      display: flex;
3      font-size: 10vw;
4      font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
5      color:rgb(0, 102, 255);
6      justify-content: center;
7      background-image: linear-gradient(to top, rgb(132, 228, 228), rgb(195, 255, 195));
8      border-style:ridge;
9      border-color: darkslategray
10     border-width: 5px;
11     border-radius: 60px;
12 }
13 /* p{
14     font-size: 100px;
15 } */
16 body {
17     font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif
18 }
19 #generateWorkoutButton{
20     width: 300px;
21     height: 100px;
22     border-style: ridge;
23     border-color:rgb(132, 228, 228);
24     border-width: 2px;
25     border-radius: 60px;

```

```
26     font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,  
    sans-serif;  
27     font-size: 30px;  
28     margin: 15px;  
29 }  
30 .button-container{  
31     display: flex;  
32     justify-content: center;  
33 }
```