

```

import React, { useState, useEffect } from 'react';
import { motion, AnimatePresence, useScroll, useTransform } from 'framer-motion';
import {
  ChevronRight,
  Check,
  ArrowRight,
  Zap,
  Layers,
  MousePointer2,
  Clock,
  ShieldCheck,
  Menu,
  X,
  Loader2,
  TrendingUp,
  BarChart3,
  Timer
} from 'lucide-react';

// --- Constants & Theme ---
const COLORS = {
  vaporWhite: '#FAFAF9',
  carbon: '#1A1A1A',
  intOrange: '#FF4F00', // International Orange
  mistGrey: '#E5E5E5',
};

// --- Components ---

const Button = ({ children, variant = 'primary', className = '', isLoading = false, ...props }) => {
  const variants = {
    primary: `bg-[#FF4F00] text-white hover:shadow-[0_0_20px_rgba(255,79,0,0.3)]
    hover:scale-[1.02] active:scale-[0.98]`,
    secondary: `border border-[#E5E5E5] text-[#1A1A1A] bg-transparent hover:bg-white
    hover:scale-[1.02] active:scale-[0.98]`,
  };

  return (
    <motion.button
      whileHover={{ y: -2 }}
      transition={{ type: 'spring', stiffness: 400, damping: 10 }}
      className={`px-8 py-4 rounded-lg font-medium transition-all duration-300 flex items-center
      justify-center gap-2 ${variants[variant]} ${className}`}
      disabled={isLoading}
    >

```

```

    {...props}
  >
    {isLoading ? <Loader2 className="animate-spin" size={20} /> : children}
  </motion.button>
);
};

```

```

const FadeUp = ({ children, delay = 0 }) => (
  <motion.div
    initial={{ opacity: 0, y: 20 }}
    whileInView={{ opacity: 1, y: 0 }}
    viewport={{ once: true, margin: "-100px" }}
    transition={{ duration: 0.8, ease: [0.16, 1, 0.3, 1], delay }}
  >
    {children}
  </motion.div>
);

```

// --- Modal Component ---

```

const LeadModal = ({ isOpen, onClose, onSubmit, formData, handleInputChange, formStatus })
=> {
  return (
    <AnimatePresence>
      {isOpen && (
        <>
          <motion.div
            initial={{ opacity: 0 }}
            animate={{ opacity: 1 }}
            exit={{ opacity: 0 }}
            onClick={onClose}
            className="fixed inset-0 bg-[#1A1A1A]/80 backdrop-blur-sm z-[60]"
          />
          <motion.div
            initial={{ opacity: 0, scale: 0.95, y: 20 }}
            animate={{ opacity: 1, scale: 1, y: 0 }}
            exit={{ opacity: 0, scale: 0.95, y: 20 }}
            className="fixed left-4 right-4 md:left-1/2 md:top-1/2 md:-translate-x-1/2
md:-translate-y-1/2 w-auto md:w-full md:max-w-lg bg-white rounded-2xl p-8 z-[70] shadow-2xl
border border-[#E5E5E5] overflow-y-auto max-h-[90vh]"
          >
            <div className="absolute top-4 right-4 cursor-pointer text-[#1A1A1A]/40
hover:text-[#1A1A1A] transition-colors" onClick={onClose}>
              <X size={24} />
            </div>

```

```

<div className="mb-8">
  <h2 className="text-3xl font-bold tracking-tight text-[#1A1A1A] mb-2">Let's Build
It.</h2>
  <p className="text-[#1A1A1A]/60 text-sm">Enter your details below to secure your
48-hour sprint slot.</p>
</div>

<form onSubmit={onSubmit} className="space-y-5">
  <div className="grid grid-cols-2 gap-4">
    <div className="space-y-2">
      <label className="text-xs font-bold text-[#1A1A1A]/60 ml-1 uppercase
tracking-wider">First name</label>
      <input
        id="firstName"
        type="text"
        required
        value={formData.firstName}
        onChange={handleInputChange}
        className="w-full bg-[#FAFAF9] border border-[#E5E5E5] rounded-lg px-4 py-3
text-[#1A1A1A] focus:outline-none focus:border-[#FF4F00] focus:ring-1 focus:ring-[#FF4F00]
transition-all"
      />
    </div>
    <div className="space-y-2">
      <label className="text-xs font-bold text-[#1A1A1A]/60 ml-1 uppercase
tracking-wider">Last name</label>
      <input
        id="lastName"
        type="text"
        required
        value={formData.lastName}
        onChange={handleInputChange}
        className="w-full bg-[#FAFAF9] border border-[#E5E5E5] rounded-lg px-4 py-3
text-[#1A1A1A] focus:outline-none focus:border-[#FF4F00] focus:ring-1 focus:ring-[#FF4F00]
transition-all"
      />
    </div>
  </div>
  <div className="space-y-2">
    <label className="text-xs font-bold text-[#1A1A1A]/60 ml-1 uppercase
tracking-wider">Phone number</label>
    <input

```

```

        id="phone"
        type="tel"
        value={formData.phone}
        onChange={handleInputChange}
        className="w-full bg-[#FAFAF9] border border-[#E5E5E5] rounded-lg px-4 py-3
text-[#1A1A1A] focus:outline-none focus:border-[#FF4F00] focus:ring-1 focus:ring-[#FF4F00]
transition-all"
      />
    </div>

```

```

    <div className="space-y-2">
      <label className="text-xs font-bold text-[#1A1A1A]/60 ml-1 uppercase
tracking-wider">Email address</label>
      <input
        id="email"
        type="email"
        required
        value={formData.email}
        onChange={handleInputChange}
        className="w-full bg-[#FAFAF9] border border-[#E5E5E5] rounded-lg px-4 py-3
text-[#1A1A1A] focus:outline-none focus:border-[#FF4F00] focus:ring-1 focus:ring-[#FF4F00]
transition-all"
      />
    </div>

```

```

    <div className="flex items-start gap-3 pt-2">
      <div className="relative flex items-center pt-1">
        <input
          id="agree"
          type="checkbox"
          checked={formData.agree}
          onChange={handleInputChange}
          className="peer h-5 w-5 cursor-pointer appearance-none rounded border
border-[#E5E5E5] checked:border-[#FF4F00] checked:bg-[#FF4F00] transition-all"
        />
        <Check size={12} className="pointer-events-none absolute left-1/2 top-[55%]
-translate-x-1/2 -translate-y-1/2 text-white opacity-0 peer-checked:opacity-100" />
      </div>
      <label htmlFor="agree" className="text-xs text-[#1A1A1A]/60 leading-relaxed
cursor-pointer select-none">
        By submitting, I agree to Chalom Enterprises LLC processing my personal data in
line with the privacy policy.
      </label>
    </div>

```

```

        <Button
          type="submit"
          className="w-full text-lg"
          isLoading={formStatus === 'submitting'}
        >
          {formStatus === 'success' ? 'Received! We'll be in touch.' : 'Get My Page in 48
Hours'}
        </Button>
      </form>
    </motion.div>
  </>
)}
</AnimatePresence>
);
};

const Navbar = ({ onOpenModal }) => {
  return (
    <nav className="fixed top-0 left-0 right-0 z-50 bg-[#FAFAF9]/90 backdrop-blur-md border-b
border-[#E5E5E5] px-6 py-4">
      <div className="max-w-7xl mx-auto flex items-center justify-between">
        <div className="text-xl font-bold tracking-tight text-[#1A1A1A]">
          CHALOM <span className="font-light">ENTERPRISES</span>
        </div>

        <div className="hidden md:flex items-center gap-8 text-sm font-medium
text-[#1A1A1A]">
          <Button onClick={onOpenModal} className="py-2 px-5 text-sm">Get My Page in 48
Hours</Button>
        </div>

        <div className="md:hidden">
          <Menu size={24} />
        </div>
      </div>
    </nav>
  );
};

const BentoGrid = () => {
  return (
    <div className="grid grid-cols-1 md:grid-cols-3 gap-6 max-w-6xl mx-auto w-full">
      {/* Speed - Large Card (Span 2) */}

```

```

<motion.div
  whileHover={{ y: -5 }}
  className="md:col-span-2 p-8 md:p-10 rounded-3xl bg-[#1A1A1A] text-white border
border-white/10 relative overflow-hidden group shadow-2xl"
  >
    <div className="absolute top-0 right-0 p-8 opacity-10 group-hover:opacity-20
transition-opacity duration-500">
      <Clock size={180} />
    </div>
    <div className="absolute -bottom-20 -left-20 w-64 h-64 bg-[#FF4F00]/20 rounded-full
blur-[80px]" />

    <div className="relative z-10 h-full flex flex-col justify-between">
      <div className="mb-8">
        <div className="w-14 h-14 rounded-2xl bg-[#FF4F00] flex items-center justify-center
mb-6 shadow-[0_0_30px_rgba(255,79,0,0.4)]">
          <Zap className="text-white" size={28} />
        </div>
        <h3 className="text-3xl font-bold mb-4">Speed: The 48-Hour Sprint</h3>
        <p className="text-white/60 text-lg leading-relaxed max-w-lg">
          In the digital economy, speed is currency. We deploy your custom asset in 48 hours,
          allowing you to validate offers and capture market share while competitors are still drafting
          emails.
        </p>
      </div>

      <div className="flex items-center gap-4 text-sm font-bold text-[#FF4F00] uppercase
tracking-widest">
        <span>Rapid Deployment Protocol</span>
        <div className="h-px bg-[#FF4F00]/30 flex-1" />
      </div>
    </div>
  </motion.div>

  { /* Strategy - Tall Card (Span 1) */ }
  <motion.div
    whileHover={{ y: -5 }}
    className="md:col-span-1 p-8 rounded-3xl bg-[#1A1A1A] text-white border
border-white/10 relative overflow-hidden group shadow-2xl flex flex-col"
    >
      <div className="absolute -right-10 top-10 opacity-10 group-hover:scale-110
transition-transform duration-500">
        <Layers size={140} />
      </div>

```

```

<div className="relative z-10 flex-1">
  <div className="w-12 h-12 rounded-xl bg-white/10 flex items-center justify-center mb-6
border border-white/10">
    <MousePointer2 className="text-[#FF4F00]" size={24} />
  </div>
  <h3 className="text-2xl font-bold mb-4">Strategy</h3>
  <p className="text-white/60 leading-relaxed mb-8">
    Beautiful design is worthless if it doesn't sell. We use proven psychological triggers
and layout frameworks to guide visitors from "Curious" to "Customer."
  </p>
</div>
{/* Mini Chart Visualization */}
<div className="w-full bg-white/5 rounded-xl p-4 border border-white/5
backdrop-blur-sm">
  <div className="flex justify-between items-end h-24 gap-2">
    {[40, 65, 45, 80, 55, 90].map((h, i) => (
      <div key={i} className="w-full bg-[#FF4F00]" style={{ height: `${h}%`, opacity: 0.2 +
(i * 0.15), borderRadius: '4px' }} />
    ))}
  </div>
  <div className="flex justify-between mt-2 text-[10px] text-white/40 font-mono
uppercase">
    <span>Acq</span>
    <span>Conv</span>
    <span>Ret</span>
  </div>
</div>
</motion.div>

{/* Scale - Wide Card (Span 3) */}
<motion.div
  whileHover={{ y: -5 }}
  className="md:col-span-3 p-8 md:p-10 rounded-3xl bg-[#1A1A1A] text-white border
border-white/10 relative overflow-hidden flex flex-col md:flex-row items-center gap-12 group
shadow-2xl"
  >
  <div className="flex-1 relative z-10 order-2 md:order-1">
    <div className="w-12 h-12 rounded-xl bg-white/10 flex items-center justify-center mb-6
border border-white/10">
      <TrendingUp className="text-[#FF4F00]" size={24} />
    </div>
    <h3 className="text-3xl font-bold mb-4">Scale: Built for Growth</h3>
    <p className="text-white/60 text-lg leading-relaxed max-w-2xl">

```

Forget drag-and-drop limitations. We build on a modern React stack that handles infinite traffic, integrates seamlessly with your CRM, and adapts instantly as your business evolves.

```
    </p>
  </div>

  { /* Decorative graphic matching reference style */
    <div className="w-full md:w-1/3 order-1 md:order-2">
      <div className="aspect-video md:aspect-auto md:h-40 bg-gradient-to-br
from-[#FF4F00]/20 to-transparent rounded-2xl border border-[#FF4F00]/30 flex items-center
justify-center relative overflow-hidden group-hover:border-[#FF4F00]/50 transition-colors
duration-500">
        <div className="absolute inset-0 bg-[#FF4F00]/5" />
        <div className="flex flex-col items-center">
          <div className="text-[#FF4F00] font-bold text-5xl tracking-tighter mb-1">10X</div>
          <div className="text-xs font-mono text-[#FF4F00]/60 uppercase
tracking-widest">Scalability</div>
        </div>
      </div>
    </div>
  </div>
</motion.div>
</div>
);
};
```

```
export default function App() {
  const { scrollY } = useScroll();
  const heroBgY = useTransform(scrollY, [0, 500], [0, 100]);

  // Modal State
  const [isModalOpen, setIsModalOpen] = useState(false);

  // --- Form Logic ---
  const [formData, setFormData] = useState({
    firstName: "",
    lastName: "",
    phone: "",
    email: "",
    agree: false
  });
  const [formStatus, setFormStatus] = useState('idle'); // idle, submitting, success, error

  // Payment Link Configuration
  // IMPORTANT: Replace this with your actual Stripe or PayPal link
```

```

const PAYMENT_LINK = "https://buy.stripe.com/your-payment-link-here";

// Initialize EmailJS
useEffect(() => {
  const script = document.createElement('script');
  script.src = "https://cdn.jsdelivr.net/npm/@emailjs/browser@3/dist/email.min.js";
  script.async = true;
  script.onload = () => {
    // Initialize with your Public Key
    if (window.emailjs) {
      window.emailjs.init("esHHIWZpJtb8DN8g7");
    }
  };
  document.body.appendChild(script);

  return () => {
    if (document.body.contains(script)) {
      document.body.removeChild(script);
    }
  }
}, []);

const handleInputChange = (e) => {
  const { id, value, type, checked } = e.target;
  setFormData(prev => ({
    ...prev,
    [id]: type === 'checkbox' ? checked : value
  }));
};

const handleSubmit = async (e) => {
  e.preventDefault();
  if (!formData.agree) {
    alert("Please agree to the terms to proceed.");
    return;
  }

  setFormStatus('submitting');

  try {
    // EmailJS Credentials
    const SERVICE_ID = "service_l247vee";
    const TEMPLATE_ID = "template_fewdw6i";

```

```

const templateParams = {
  to_name: "Chalom Enterprises",
  from_name: `${formData.firstName} ${formData.lastName}`,
  phone: formData.phone,
  email: formData.email,
  message: "User requested 48-hour page offer."
};

if (window.emailjs) {
  await window.emailjs.send(SERVICE_ID, TEMPLATE_ID, templateParams);
} else {
  console.warn("EmailJS not loaded yet");
  // Simulated success if EmailJS fails to load instantly
  await new Promise(resolve => setTimeout(resolve, 1000));
}

setFormStatus('success');
setFormData({ firstName: "", lastName: "", phone: "", email: "", agree: false });
setTimeout(() => {
  setFormStatus('idle');
  setIsModalOpen(false);
}, 3000);

} catch (error) {
  console.error("Email submission error:", error);
  // Fallback
  window.location.href = `mailto:contact@chalomenterprises.com?subject=New Lead:
${formData.firstName} ${formData.lastName}&body=Name: ${formData.firstName}
${formData.lastName}%0D%0APhone: ${formData.phone}%0D%0AEmail: ${formData.email}`;
  setFormStatus('success');
  setTimeout(() => {
    setFormStatus('idle');
    setIsModalOpen(false);
  }, 3000);
}
};

return (
  <div className={`min-h-screen bg-[#FAFAF9] text-[#1A1A1A] selection:bg-[#FF4F00]
selection:text-white font-sans overflow-x-hidden`}>
    <Navbar onOpenModal={() => setIsModalOpen(true)} />

    <LeadModal
      isOpen={isModalOpen}

```

```

    onClose={() => setIsModalOpen(false)}
    onSubmit={handleSubmit}
    formData={formData}
    handleInputChange={handleInputChange}
    formStatus={formStatus}
  />

  {/ * Hero Section */}
  <section className="relative pt-32 pb-20 md:pt-48 md:pb-32 px-6 overflow-hidden
bg-[#0A0A0A] text-white">
    {/ * Grid Background Pattern */}
    <div className="absolute inset-0 z-0 opacity-20 pointer-events-none"
      style={{
        backgroundImage: `linear-gradient(rgba(255, 255, 255, 0.05) 1px, transparent 1px),
linear-gradient(90deg, rgba(255, 255, 255, 0.05) 1px, transparent 1px)`,
        backgroundSize: '40px 40px'
      }}
    />

    {/ * Animated Aurora Glow */}
    <div className="absolute bottom-0 left-1/2 -translate-x-1/2 w-full max-w-4xl h-[400px]
bg-gradient-to-t from-[#FF4F00] via-[#FF4F00]/30 to-transparent blur-[120px] opacity-60 z-0
pointer-events-none" />

    {/ * Content Container */}
    <div className="max-w-7xl mx-auto grid lg:grid-cols-2 gap-12 lg:gap-20 items-center
relative z-10">

      {/ * Left Column: Text */}
      <div className="text-left">
        <FadeUp>
          <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-white/5
border border-white/10 text-[#FF4F00] text-xs font-bold uppercase tracking-wider mb-8">
            <div className="w-2 h-2 rounded-full bg-[#FF4F00] animate-pulse" />
            Waitlist Open
          </div>
          <h1 className="text-5xl md:text-7xl font-bold tracking-tighter leading-[0.9] mb-8">
            10X your Reach with a <span className="text-transparent bg-clip-text
bg-gradient-to-r from-[#FF4F00] to-orange-200">Custom</span> landing page.
          </h1>
        </FadeUp>

        <FadeUp delay={0.1}>
          <p className="text-xl md:text-2xl text-white/60 leading-relaxed mb-10 max-w-lg">

```

Designed, written, and built in 48 hours. Stop losing leads to generic templates and DIY headaches.

```
</p>
</FadeUp>

<FadeUp delay={0.2}>
  <div className="flex flex-col sm:flex-row items-start gap-6">
    <Button onClick={() => setIsModalOpen(true)} className="w-full sm:w-auto text-lg
px-8 py-4 bg-[#FF4F00] text-white hover:bg-[#FF4F00]/90 border-0">
      Get My Page in 48 Hours
    </Button>
    <div className="flex flex-col justify-center h-full py-2">
      <p className="text-xs font-bold text-white/40 uppercase tracking-widest">
        Strictly limited to<br/>2 clients per week.
      </p>
    </div>
  </div>
</FadeUp>
</div>

{/* Right Column: Animation Element (Card) */}
<FadeUp delay={0.3}>
  <div className="relative w-full max-w-md mx-auto lg:mx-0 lg:ml-auto">
    {/* Card Container */}
    <div className="bg-[#151515] border border-white/10 rounded-3xl p-6 shadow-2xl
relative overflow-hidden backdrop-blur-xl">
      {/* Card Header */}
      <div className="flex justify-between items-start mb-8">
        <div>
          <div className="text-xs font-mono text-white/40 uppercase tracking-widest
mb-1">Optimization</div>
          <div className="text-2xl font-bold text-white">Site Performance</div>
        </div>
        <div className="px-3 py-1 rounded bg-[#FF4F00]/10 border border-[#FF4F00]/20
text-[#FF4F00] text-xs font-bold flex items-center gap-1">
          <Check size={12} /> 100
        </div>
      </div>

      {/* Animated Graph */}
      <div className="h-32 w-full relative mb-8">
        <svg className="w-full h-full overflow-visible" preserveAspectRatio="none"
viewBox="0 0 100 50">
          {/* Gradient definition */}
```

```

<defs>
  <linearGradient id="gradient" x1="0%" y1="0%" x2="0%" y2="100%">
    <stop offset="0%" stopColor="#FF4F00" stopOpacity="0.2" />
    <stop offset="100%" stopColor="#FF4F00" stopOpacity="0" />
  </linearGradient>
</defs>
{/* Area under curve */}
<motion.path
  d="M0,45 C20,45 30,30 50,25 C70,20 80,10 100,5 V50 H0 Z"
  fill="url(#gradient)"
  initial={{ opacity: 0 }}
  animate={{ opacity: 1 }}
  transition={{ duration: 1, delay: 0.5 }}
/>
{/* Line */}
<motion.path
  d="M0,45 C20,45 30,30 50,25 C70,20 80,10 100,5"
  fill="none"
  stroke="#FF4F00"
  strokeWidth="2"
  strokeLinecap="round"
  initial={{ pathLength: 0 }}
  animate={{ pathLength: 1 }}
  transition={{ duration: 1.5, ease: "easeOut" }}
/>
{/* Dot at end */}
<motion.circle
  cx="100" cy="5" r="2" fill="#1A1A1A" stroke="#FF4F00" strokeWidth="2"
  initial={{ scale: 0 }}
  animate={{ scale: 1 }}
  transition={{ delay: 1.5 }}
/>
</svg>
</div>

```

```

{/* Metrics */}
<div className="space-y-3">
  <div className="flex items-center justify-between p-3 rounded-lg bg-white/5
border border-white/5">
    <div className="flex items-center gap-3">
      <div className="w-2 h-2 rounded-full bg-green-500
shadow-[0_0_8px_rgba(34,197,94,0.5)]" />
      <span className="text-sm text-white/80">Conversion Score</span>
    </div>
  </div>

```

```

        <span className="text-sm font-mono font-bold text-white">100</span>
      </div>
      <div className="flex items-center justify-between p-3 rounded-lg bg-white/5
border border-white/5">
        <div className="flex items-center gap-3">
          <div className="w-2 h-2 rounded-full bg-blue-500
shadow-[0_0_8px_rgba(59,130,246,0.5)]" />
            <span className="text-sm text-white/80">Refresh Time</span>
          </div>
          <span className="text-sm font-mono font-bold text-white">0.2s</span>
        </div>
      </div>
    </div>

    {/* Floating Abstract Shapes behind card */}
    <div className="absolute -top-10 -right-10 w-32 h-32 bg-[#FF4F00] rounded-full
blur-[80px] opacity-20 -z-10" />
  </div>
</FadeUp>
</div>
</section>

{/* Problem Section */}
<section className="py-24 md:py-32 px-6 bg-[#1A1A1A] text-white">
  <div className="max-w-7xl mx-auto grid md:grid-cols-2 gap-16 items-center">
    <div>
      <FadeUp>
        <h2 className="text-4xl md:text-6xl font-bold tracking-tight mb-8">
          The "Middle Ground" didn't exist. <br/>Until now.
        </h2>
        <p className="text-lg md:text-xl text-white/60 leading-relaxed mb-8">
          You have two bad options. The Agency Route costs $15k and takes 6 weeks. The DIY
Route costs you your sanity and credibility.
        </p>
        <p className="text-lg md:text-xl text-white/60 leading-relaxed">
          You need speed, but you cannot sacrifice quality. You need a partner who
understands conversion psychology, not just pixel placement.
        </p>
      </FadeUp>
    </div>
    <div className="space-y-6">
      <FadeUp delay={0.1}>

```

```

    <div className="p-8 rounded-xl bg-white/5 border border-white/10 transition-all
duration-500 hover:bg-white/10 hover:border-white/20
hover:shadow-[0_0_30px_rgba(255,255,255,0.05)] cursor-default group">
      <div className="text-[#FF4F00] font-bold mb-2 group-hover:scale-105
transition-transform duration-300 origin-left">Option 01</div>
      <h3 className="text-xl font-bold mb-2">The Agency Route</h3>
      <p className="text-white/50 text-sm leading-relaxed">Too expensive, too slow, and
often results in lost momentum before you even launch.</p>
    </div>
  </FadeUp>
  <FadeUp delay={0.2}>
    <div className="p-8 rounded-xl bg-white/5 border border-white/10 transition-all
duration-500 hover:bg-white/10 hover:border-white/20
hover:shadow-[0_0_30px_rgba(255,255,255,0.05)] cursor-default group">
      <div className="text-[#FF4F00] font-bold mb-2 group-hover:scale-105
transition-transform duration-300 origin-left">Option 02</div>
      <h3 className="text-xl font-bold mb-2">The DIY Route</h3>
      <p className="text-white/50 text-sm leading-relaxed">Cheap tools that lead to
unprofessional results and wasted hours wrestling with builders.</p>
    </div>
  </FadeUp>
</div>
</div>
</section>

```

```

{ /* Solution Section */ }
<section className="py-24 md:py-40 px-6">
  <div className="max-w-7xl mx-auto text-center mb-20">
    <FadeUp>
      <h2 className="text-4xl md:text-6xl font-bold tracking-tight mb-6
text-[#1A1A1A]">Speed. Strategy. Scale.</h2>
      <p className="text-xl text-[#1A1A1A]/60 max-w-3xl mx-auto leading-relaxed">
        We take your offer and translate it into a visual narrative that compels action. This is a
white-glove "Done-For-You" service.
      </p>
    </FadeUp>
  </div>

  <div className="flex justify-center px-4">
    <FadeUp delay={0.2}>
      <BentoGrid />
    </FadeUp>
  </div>
</section>

```

```

    { /* Features Grid */
    <section className="py-24 md:py-32 px-6 bg-[#F3F3F2]">
      <div className="max-w-7xl mx-auto">
        <div className="mb-20">
          <FadeUp>
            <h2 className="text-4xl md:text-6xl font-bold tracking-tight
text-[#1A1A1A]">Everything you need to launch.</h2>
          </FadeUp>
        </div>

        <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-8">
          {[
            {
              title: "Strategic Copywriting",
              desc: "We refine your messaging, sharpen hooks, and structure arguments to
overcome objections.",
              icon: MousePointer2
            },
            {
              title: "Custom Design",
              desc: "No templates. A unique interface that makes your brand look like a 5-figure
investment.",
              icon: Layers
            },
            {
              title: "Conversion Engineering",
              desc: "Every button placement and color choice is intentional. We build for one metric:
Conversion.",
              icon: Zap
            },
            {
              title: "Speed Optimization",
              desc: "Lightweight, modern frameworks ensuring instant load times on all devices.",
              icon: Clock
            }
          ]}.map((feature, i) => (
            <FadeUp key={i} delay={i * 0.1}>
              <div className="group p-8 rounded-xl bg-white border border-[#E5E5E5] h-full
transition-all duration-500 hover:border-[#FF4F00]/30 hover:-translate-y-2
hover:shadow-[0_20px_40px_-15px_rgba(255,79,0,0.12)] cursor-default">
                <feature.icon className="text-[#FF4F00] mb-6 transition-transform duration-500
group-hover:scale-110 group-hover:rotate-3" size={32} />

```

```

        <div className="text-sm font-bold text-[#1A1A1A]/20 mb-2 transition-colors
duration-500 group-hover:text-[#FF4F00]/40">0{i+1}.</div>
        <h3 className="text-xl font-bold mb-4 transition-colors duration-500
group-hover:text-[#1A1A1A]">{feature.title}</h3>
        <p className="text-[#1A1A1A]/60 text-sm leading-relaxed">{feature.desc}</p>
    </div>
    </FadeUp>
  )}
</div>
</div>
</section>

```

```

{ /* Process Section */ }
<section className="py-24 md:py-40 px-6">
  <div className="max-w-4xl mx-auto">
    <FadeUp>
      <h2 className="text-4xl md:text-6xl font-bold tracking-tight text-center mb-20
text-[#1A1A1A]">From Concept to Live in 48 Hours.</h2>
    </FadeUp>

    <div className="space-y-16">
      {[
        { step: "Step 1", title: "The Download", text: "You complete a specific, deep-dive
questionnaire about your offer. We get everything we need to win." },
        { step: "Step 2", title: "The Build", text: "We go dark for 48 hours. We write the copy,
design the interface, and build the live page while you focus on business." },
        { step: "Step 3", title: "The Handover", text: "We deliver your mobile-responsive page.
Final tweaks are made, and you go live instantly." }
      ].map((item, i) => (
        <FadeUp key={i} delay={i * 0.1}>
          <div className="flex flex-col md:flex-row gap-8 items-start group">
            <div className="text-sm font-bold uppercase tracking-widest text-[#FF4F00] pt-1
group-hover:scale-110 transition-transform duration-300">{item.step}</div>
            <div>
              <h3 className="text-2xl font-bold mb-3 transition-colors duration-300
group-hover:text-[#FF4F00]">{item.title}</h3>
              <p className="text-lg text-[#1A1A1A]/60 leading-relaxed">{item.text}</p>
            </div>
          </div>
        </FadeUp>
      )})
    </div>
  </div>
</section>

```

```

{ /* Social Proof */
<section className="py-24 md:py-40 px-6">
  <div className="max-w-7xl mx-auto">
    <FadeUp>
      <h2 className="text-3xl md:text-5xl font-bold tracking-tight text-center mb-20
text-[#1A1A1A]">Success Loves Speed.</h2>
    </FadeUp>

    <div className="grid md:grid-cols-2 gap-8">
      {[
        {
          quote: "I was dreading the 6-week agency timeline. They delivered a page that
outperformed my old site by 30% in just two days. Unbelievable efficiency.",
          author: "Sarah J.",
          title: "Executive Coach"
        },
        {
          quote: "The best investment I made for my launch. It looks like I spent $15k, but it was
ready in a weekend.",
          author: "Marc D.",
          title: "SaaS Founder"
        }
      ]}.map((testimonial, i) => (
        <FadeUp key={i} delay={i * 0.1}>
          <div className="p-10 rounded-xl bg-[#F3F3F2] border border-[#E5E5E5]
transition-all duration-500 hover:bg-white hover:shadow-[0_20px_40px_rgba(0,0,0,0.03)]
cursor-default">
            <p className="text-xl italic leading-relaxed mb-8
text-[#1A1A1A]/80">{testimonial.quote}</p>
            <div className="font-bold text-[#1A1A1A]">{testimonial.author} — <span
className="font-normal text-[#1A1A1A]/50">{testimonial.title}</span></div>
          </div>
        </FadeUp>
      )))
    </div>
  </div>
</section>

{ /* Final CTA */
<section className="py-32 md:py-56 px-6 bg-[#1A1A1A] text-white text-center relative
overflow-hidden">
  { /* Abstract Glow */

```

```
<div className="absolute bottom-0 left-1/2 -translate-x-1/2 w-full max-w-4xl h-64
bg-[#FF4F00]/20 blur-[100px] -z-10 rounded-full" />
```

```
<div className="max-w-4xl mx-auto">
  <FadeUp>
    <h2 className="text-5xl md:text-8xl font-bold tracking-tighter leading-none mb-8">
      You are one asset away from scaling.
    </h2>
    <p className="text-xl md:text-2xl text-white/60 mb-12 max-w-2xl mx-auto
leading-relaxed">
      More leads. More sales. One powerful page.
    </p>
    <Button onClick={() => setIsModalOpen(true)} className="mx-auto text-xl px-12
py-6">Get My Page in 48 Hours</Button>
  </FadeUp>
</div>
</section>
```

```
{/* Pricing Section (Moved to Bottom) */}
<section id="pricing-section" className="py-24 md:py-32 px-6 bg-white border-y
border-[#E5E5E5]">
  <div className="max-w-3xl mx-auto text-center">
    <FadeUp>
      <h2 className="text-sm font-bold uppercase tracking-[0.2em] text-[#FF4F00]
mb-6">One Offer. One Price.</h2>
      <div className="relative p-12 rounded-2xl border-2 border-[#1A1A1A] bg-[#FAFAF9]
transition-all duration-700 hover:shadow-[0_40px_80px_rgba(255,79,0,0.15)]
hover:border-[#FF4F00]/50 group">
        <h3 className="text-3xl font-bold mb-2">The 48-Hour Sprint</h3>
        <div className="text-6xl font-bold tracking-tighter mb-8 group-hover:scale-105
transition-transform duration-500">$1,000</div>
```

```
<ul className="text-left space-y-4 mb-10 max-w-xs mx-auto">
  {[
    "Full Page Copywriting & Strategy",
    "Custom High-Fidelity Design",
    "Logo & Branding",
    "Payment Integration",
    "Mobile & Tablet Optimization",
    "Domain Connection & Tech Setup",
    "3 Rounds of Revisions",
    "48-Hour Turnaround"
  ].map((item, i) => (
    <li key={i} className="flex items-center gap-3 text-sm font-medium">
```

```

        <Check size={16} className="text-[#FF4F00] flex-shrink-0" />
        {item}
      </li>
    )}
  </ul>

  <Button onClick={() => window.open(PAYMENT_LINK, '_blank')} className="w-full
text-lg">Secure Your Slot</Button>
  <p className="mt-6 text-xs font-bold text-[#1A1A1A]/40 uppercase tracking-widest">
    Currently booking for next week. Only 3 slots remaining.
  </p>
</div>
</FadeUp>
</div>
</section>

{/* Footer */}
<footer className="py-12 px-6 bg-[#FAFAF9] border-t border-[#E5E5E5]">
  <div className="max-w-7xl mx-auto">
    <div className="flex flex-col md:flex-row justify-between items-center gap-8 mb-12">
      <div className="text-lg font-bold tracking-tight text-[#1A1A1A]">
        CHALOM ENTERPRISES
      </div>
    </div>
    <div className="flex flex-col md:flex-row justify-between items-center gap-4 text-xs
font-medium text-[#1A1A1A]/40 uppercase tracking-widest">
      <div>Built by © Chalom Enterprises LLC.</div>
      <div className="text-center md:text-right">Custom landing pages built to convert — in
48 hours.</div>
      <div className="hover:text-[#1A1A1A] cursor-pointer transition-colors">Privacy
Policy</div>
    </div>
  </div>
</footer>
</div>
);
}

```