

Rice Varietal Distribution in Sri Lanka - 2015



Rice Research and Development Institute
Department of Agriculture

December 2016



This volume provides the rice variety distribution in Sri Lanka for the year 2015, prepared using information pertaining to Maha 2014/15 and Yala 2015 seasons.

Highlights

- ❖ The most popular rice variety is Bg 352 (18.7% of area) followed by Bg 300 (15.6% of area).
- ❖ Bg 352 and Bg 300 are widely cultivated in Mahaweli areas and Kurunegala district respectively.
- ❖ 3 ½ months maturity age group is adopted in 70.3% of the area cultivated.
- ❖ Traditional varieties are adopted in 0.46% of the area cultivated. (a reduction of 0.83% compared to 2014).
- ❖ White-pericarp varieties are adopted in 82% of area cultivated.
- ❖ Long grain rice varieties are adopted in 75.6% of area cultivated.

New Rice Variety Released in 2015

At 311 - Neeroga



- Common name: "Neeroga"
- Maturity duration: 93 days
- Recommended for general cultivation
- Potential yield: 5.6 t/ha
- Red-pericarp and long slender variety
- Moderately resistant to Brown Plant Hopper, Rice Gall Midge & Rice Blast
- Good grain quality / Red Basmathi
- Glycemic Index (GI) - 55 ± 5

Table 1: Summary of rice varietal distribution in Sri Lanka – 2015

Age Group	Variety	Grain Type	Maha 2014/15		Yala 2015		Annual	
			(ha)	%	(ha)	%	(ha)	%
New Improved Varieties (NIV)								
2 ½ months	Bg 250	White,LG	4,164	0.55	2,360	0.49	6,523	0.52
	Sub Total		4,164	0.55	2,360	0.49	6,523	0.52
3 months	Bw 272-6b	Red,LG	1,245	0.16	863	0.18	2,108	0.17
	Bg 300	White,LG	122,984	16.17	71,373	14.69	194,356	15.59
	Bg 301	Red,LG	425	0.06	0	0.00	425	0.03
	At 303	Red,LG	952	0.13	2,540	0.52	3,492	0.28
	Bg 304	White,LG	191	0.03	259	0.05	450	0.04
	Bg 305	White,LG	954	0.13	3,537	0.73	4,491	0.36
	At 306	White,LG	107	0.01	208	0.04	315	0.03
	At 307	White,LG	26,000	3.42	15,495	3.19	41,496	3.33
	At 308	White,SG	19,199	2.52	12,525	2.58	31,724	2.55
	Other		48	0.01	170	0.03	218	0.02
	Sub Total		172,105	22.62	106,970	22.02	279,075	22.39
	3 ½ months	Bg 34-6	Red,LG	150	0.02	0	0.00	150
Bg 94-1		White,LG	37,677	4.95	25,453	5.24	63,130	5.06
Bw 267-3		White,LG	201	0.03	39	0.01	240	0.02
At 16		Red,LG	11	0.00	0	0.00	11	0.00
Bg 350		Red,LG	165	0.02	385	0.08	550	0.04
Bw 351		Red,LG	372	0.05	0	0.00	372	0.03
Bg 352		White,LG	142,656	18.75	89,799	18.49	232,455	18.65
At 353		Red,LG	8,229	1.08	5,637	1.16	13,866	1.11
At 354		White,LG	105	0.01	40	0.01	145	0.01
Ld 355		White,SG	20	0.00	0	0.00	20	0.00
Ld 356		Red,SG	1,803	0.24	413	0.09	2,216	0.18
Bg 357		White,LG	16,308	2.14	10,695	2.20	27,003	2.17
Bg 358		White,SG	80,925	10.64	43,341	8.92	124,267	9.97
Bg 359		White,LG	38,402	5.05	21,602	4.45	60,004	4.81
Bg 360		White,SG	45,806	6.02	24,334	5.01	70,139	5.63
Bw 361		Red,LG	6,087	0.80	298	0.06	6,385	0.51
At 362		Red,LG	80,074	10.53	74,574	15.35	154,648	12.41
Bw 363		White,LG	82	0.01	1,115	0.23	1,197	0.10
Bw 364		Red,LG	3,419	0.45	1,929	0.40	5,349	0.43
Ld 365		Red,SG	5,553	0.73	3,661	0.75	9,215	0.74
Bg 366		White,LG	30,215	3.97	25,437	5.24	55,652	4.46
Bw 367		White,SG	9,457	1.24	13,313	2.74	22,771	1.83
Ld 368		Red,SG	4,418	0.58	2,577	0.53	6,995	0.56
Bg 369		White,LG	13	0.00	0	0.00	13	0.00
Bg 370		White,SG	241	0.03	166	0.03	407	0.03
Ld 371		White,SG	1	0.00	10	0.00	11	0.00
Bw 372		Red,LG	35	0.00	240	0.05	275	0.02
Other			9,825	1.29	8,790	1.81	18,616	1.49
Sub Total		522,251	68.65	353,849	72.85	876,099	70.28	

Age Group	Variety	Grain Type	Maha 2014/15		Yala 2015		Annual	
			(ha)	%	(ha)	%	(ha)	%
4-4 ½ months	Bg 11-11	White,SG	14	0.00	0	0.00	14	0.00
	Bg 379-2	White,LG	13,150	1.73	8,241	1.70	21,391	1.72
	Bg 380	White,LG	20	0.00	0	0.00	20	0.00
	Bw 400	Red,LG	15	0.00	0	0.00	15	0.00
	Bg 400-1	White,LG	2,834	0.37	370	0.08	3,204	0.26
	At 402	Red,LG	2,296	0.30	182	0.04	2,478	0.20
	Bg 403	White,LG	3,577	0.47	1,767	0.36	5,344	0.43
	At 405	White,LG	512	0.07	90	0.02	602	0.05
	Bg 406	Red,LG	6,308	0.83	2,163	0.45	8,471	0.68
	Ld 408	Red,LG	137	0.02	94	0.02	231	0.02
	Bg 450	White,SG	2,473	0.33	1,584	0.33	4,057	0.33
	Bg 454	White,LG	20	0.00	14	0.00	34	0.00
	Pokuru Samba*	White,SG	18,500	2.43	4,888	1.01	23,388	1.88
	Other		6,205	0.82	1,651	0.34	7,855	0.63
	Sub Total		56,060	7.37	21,044	4.33	77,104	6.19
5-6 months	Bg 745	White,SG	50	0.01	8	0.00	58	0.00
	Bg 3-5	White,LG	32	0.00	4	0.00	36	0.00
	Bg 38	White,SG	299	0.04	8	0.00	307	0.02
	Other		347	0.05	0	0.00	347	0.03
	Sub Total		728	0.10	20	0.00	748	0.06
Old Improved Varieties (OIV)								
	H4	Red,LG	354	0.05	198	0.04	552	0.04
	CO-10	Red,LG	189	0.02	80	0.02	269	0.02
	Other		383	0.05	0	0.00	383	0.03
	Sub Total		926	0.12	278	0.06	1,204	0.10
Traditional Rice Varieties			4,545	0.60	1214	0.25	5759	0.46
Total			760,779	100.00	485,733	100.00	1,246,512	100.00

Note: LG=Long Grain (Nadu), SG=Short Grain (Samba), *Not a recommended rice variety




Figure 1 : Cultivated extents of ten most popular rice varieties in Sri Lanka - 2015




Figure 2 : Cultivated extents of ten most popular rice varieties in major three districts of Sri Lanka 2015

Table 2 : Cultivated extent of rice by variety category - 2015

Category	Maha 2014/15		Yala 2015		Annual Extent	
	(ha)	%	(ha)	%	(ha)	%
New Improved Varieties	755,307	99.28	484,242	99.69	1,239,549	99.44
Old Improved Varieties	926	0.12	278	0.06	1,204	0.10
Traditional Rice Varieties	4,545	0.60	1,214	0.25	5,759	0.46






Figure 3 : Cultivated extent of rice by variety category - 2015

Table 3 : Varietal distribution of new improved varieties according to age group - 2015

Age Group	Maha 2014/15		Yala 2015		Annual Extent	
	(ha)	%	(ha)	%	(ha)	%
2 ½ Months	4,164	0.55	2,360	0.49	6523	0.53
3 Months	172,105	22.62	106,970	22.02	279,075	22.51
3½ Months	522,251	68.65	353,849	72.85	876,099	70.68
4-4½ Months	56,060	7.37	21,044	4.33	77,104	6.22
5-6 Months	728	0.01	20	0.004	748	0.06

**Figure 4 : Varietal distribution of new improved varieties according to age group - 2015****Figure 5 a : Spread of three major rice varieties in each district including Mahaweli areas in dry zone- 2015**







Figure 8 : Variety spread according to grain types - 2015



Note: Popular rice varieties in last five years relative to 2010

Figure 9 : Spread of popular rice varieties in Sri Lanka (2010 - 2015)




Figure 10: Distribution of rice varieties by different age groups 2010 - 2015




Figure 11: Distribution of rice varieties by grain type and colour 2010 - 2015

Table 4: New rice varieties released by RRDI after 2000

Year of release	Variety	Maturity group	Grain size and colour	Area of recommendation
2002	At 362	3½	Red - IB	General cultivation
2002	Bw 361	3½	Red - IB	General cultivation - Tolerant to iron toxicity
2003	Bw 363	3½	White - IB	General cultivation - Tolerant to iron toxicity
2004	At 306	3	White - LS	Basmati type for general cultivation
2005	Bg 250	2½	White - IB	Drought and flooded area (as escape)
2005	At 307	3	White - IB	General cultivation
2005	Bg 406	4 - 4½	Red - IB	Northern region
2005	Bg 407H	4 - 4½	White - IB	High potential area (1 st hybrid variety)
2005	Bg 454	4 - 4½	White - IB	General cultivation with assured supply of water
2006	Bw 364	3½	White - IB	Wet zone - Tolerant to iron toxicity
2008	Ld 365	3½	Red - SR	Wet zone
2008	At 308	3	White - SR	General cultivation
2009	Bg 366	3½	White - IB	General cultivation
2010	Ld 408	4 - 4½	Red - IB	General cultivation
2011	Bw 367	3 ½	White - SR	General cultivation - Tolerant to iron toxicity
2011	Ld 368	3½	Red - SR	Wet zone
2012	Bg 369	3½	White - LM	Saline prone areas
2013	Bg 370	3½	White - SR	General cultivation
2013	Ld 371	3½	White - SR	Wet zone
2013	Bw 372	3½	Red - IB	Wet zone - Tolerant to iron toxicity
2013	At 309	3	White - LS	General cultivation - For rice based products
2014	At 373	3½	White - SR	General cultivation - Ambalantota Suwanda Samba
2014	Bg 251	2½	White - IB	Drought prone areas
2014	Bg 310	3	White - IB	General cultivation - salinity tolerant
2014	Bg 455	4½	Red - IB	Flood prone areas
2015	At 311	3	Red - LS	General cultivation
Long grain (Nadu) : LM (Long Medium), LS (Long Slender), IB (Intermediate Bold) Short grain (Samba) : Short Round				

Message from Director RRDI....

Rice Research and Development Institute is the national center for the development and primary dissemination of rice technologies to improve the productivity and profitability of rice farming and quality of rice. In order to achieve the stated objective, a need of a sound database on rice varietal distribution is of vital importance.

RRDI has been on the process of estimating the rice varietal distribution of Sri Lanka for many decades with the cooperation of Provincial and Inter-provincial Department of Agriculture and Mahaweli Authority of Sri Lanka.

This newsletter on varietal distribution is highly used by scientists, students, academia and Policy Planners. I greatly appreciate the effort made by Socio Economics Division of Rice Research and Development Institute for this endeavour.

Dr. Amitha P. Bentota

Director (Rice Research and Development)

Prepared by

J.K.Galabada, Agricultural Economist, RRDI
N.L.Sudheera, Agricultural Economist, RRDI
S.W.N.P.Senadheera, Development Officer, RRDI
B.G.C.A.Gamlath, Research Assistant, RRDI
S.G.Kaushalya, Technical Assistant, RRDI

With courtesy of

Dr.Amitha P. Bentota, Director (Rice Research and Development), RRDI
Dr.R.S.K.Keerthisena, Additional Director (Rice Research and Development), RRDI
Mr. D.N.Sirisena, Deputy Director (Rice Research and Development), RRDI



Contact

Rice Research and Development Institute, Batalagoda, Ibbagamuwa
TP: 037-2258560/1, Fax: 037-2259881, e-mail: bgsocioeco@gmail.com



Designed by:
NATIONAL AGRICULTURE INFORMATION & COMMUNICATION CENTRE,
Department of Agriculture

Printed by:
Agriculture Publication Unit
Department of Agriculture