ConTEXt

comandi

IT

ConTEXt

comandi

AfterPar	`\AfterPar {...}`
Alphabeticnumerals	`\Alphabeticnumerals {...}`
AMSTEX	`\AMSTEX`
AmSTeX	`\AmSTeX`
And	`\And`
abjadnaivenumerals	`\abjadnaivenumerals {...}`
abjadnodotnumerals	`\abjadnodotnumerals {...}`
abjadnumerals	`\abjadnumerals {...}`
activatespacehandler	`\activatespacehandler {...}`
actualday	`\actualday`
actualmonth	`\actualmonth`
actualyear	`\actualyear`
acute	`\acute {...}`
adaptcollector	`\adaptcollector [...] [..=..]`
adaptfontfeature	`\adaptfontfeature [...] [..=..]`
adaptpapersize	`\adaptpapersize [...] [...]`
adattacampo	`\adattacampo [...] [..=..]`
adattalayout	`\adattalayout [...] [..=..]`
addfeature	`\addfeature [...]`
addfeature:direct	`\addfeature {...}`
addtocommalist	`\addtocommalist {...} \...`
addtoJSpreamble	`\addtoJSpreamble {...} {...}`
addvalue	`\addvalue {...} {...}`
aftersplitstring	`\aftersplitstring ... \at ... \to \...`
aftertestandsplitstring	`\aftertestandsplitstring ... \at ... \to \...`
al	`\al {...} {...} [...]`
alignbottom	`\alignbottom`
aligned	`\aligned [...] {...}`
alignedbox	`\alignedbox [...] \... {...}`
alignedline	`\alignedline {...} {...} {...}`
alignhere	`\alignhere`
alignmentcharacter	`\alignmentcharacter`
allineacentro	`\allineacentro {...}`
allineadestra	`\allineadestra {...}`
allineasinistra	`\allineasinistra {...}`
allinputpaths	`\allinputpaths`
alphabeticnumerals	`\alphabeticnumerals {...}`
alwayscitation	`\alwayscitation [..=..] [...]`
alwayscitation:alternative	`\alwayscitation [...] [...]`
alwayscitation:userdata	`\alwayscitation [..=..] [..=..]`
alwayscite	`\alwayscite [..=..] [...]`
alwayscite:alternative	`\alwayscite [...] [...]`
alwayscite:userdata	`\alwayscite [..=..] [..=..]`
ambiente	`\ambiente [...]`
ambiente:string	`\ambiente ...`
ampersand	`\ampersand`
anchor	`\anchor [...] [..=..] [..=..] {...}`
ap	`\ap {...}`
apagina	`\apagina [...]`
appendetoks	`\appendetoks ... \to \...`
appendgvalue	`\appendgvalue {...} {...}`
appendtocommalist	`\appendtocommalist {...} \...`
appendtoks	`\appendtoks ... \to \...`
appendtoksonce	`\appendtoksonce ... \to \...`
appendvalue	`\appendvalue {...} {...}`
apply	`\apply {...} {...}`
applyalternativestyle	`\applyalternativestyle {...}`
applyprocessor	`\applyprocessor {...} {...}`
applytocharacters	`\applytocharacters \... {...}`
applytofirstcharacter	`\applytofirstcharacter \... {...}`
applytosplitstringchar	`\applytosplitstringchar \... {...}`
applytosplitstringcharspaced	`\applytosplitstringcharspaced \... {...}`
applytosplitstringline	`\applytosplitstringline \... {...}`
applytosplitstringlinespaced	`\applytosplitstringlinespaced \... {...}`
applytosplitstringword	`\applytosplitstringword \... {...}`
applytosplitstringwordspaced	`\applytosplitstringwordspaced \... {...}`
applytowords	`\applytowords \... {...}`
ap:instance	`\HIGH {...}`
ap:instance:unitshigh	`\unitshigh {...}`
arabicdecimals	`\arabicdecimals {...}`
arabicexnumerals	`\arabicexnumerals {...}`
arabicnumerals	`\arabicnumerals {...}`

arg	`\arg {...}`
asciimode	`\asciimode`
asciistr	`\asciistr {...}`
assignalfadimension	`\assignalfadimension {...} \... {...} {...} {...}`
assigndimen	`\assigndimen \... {...}`
assigndimension	`\assigndimension {...} \... {...} {...} {...}`
assignifempty	`\assignifempty \... {...}`
assigntranslation	`\assigntranslation [..=..] \to \...`
assignvalue	`\assignvalue {...} \... {...} {...} {...}`
assignwidth	`\assignwidth {...} \... {...} {...}`
assumelongusagecs	`\assumelongusagecs \... {...}`
astype	`\astype {...}`
attachment:instance	`\ATTACHMENT [...] [..=..]`
attachment:instance:attachment	`\attachment [...] [..=..]`
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ... {...}`
autodirvbox	`\autodirvbox ... {...}`
autodirvtop	`\autodirvtop ... {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics {...}`
autoorientation	`\autoorientation {...}`
autopagestaterealpage	`\autopagestaterealpage {...}`
autopagestaterealpageorder	`\autopagestaterealpageorder {...}`
autorule	`\autorule ... \relax`
autosetups	`\autosetups {...}`
autostarttesto	`\autostarttesto ... \autostoptesto`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...] {...}`
bar	`\bar {...}`
barracolori	`\barracolori [...]`
barrainterazione	`\barrainterazione [...] [..=..]`
bar:instance	`\BAR {...}`
bar:instance:hiddenbar	`\hiddenbar {...}`
bar:instance:nobar	`\nobar {...}`
bar:instance:overbar	`\overbar {...}`
bar:instance:overbars	`\overbars {...}`
bar:instance:overstrike	`\overstrike {...}`
bar:instance:overstrikes	`\overstrikes {...}`
bar:instance:underbar	`\underbar {...}`
bar:instance:underbars	`\underbars {...}`
bar:instance:underdash	`\underdash {...}`
bar:instance:underdashes	`\underdashes {...}`
bar:instance:underdot	`\underdot {...}`
bar:instance:underdots	`\underdots {...}`
bar:instance:underrandom	`\underrandom {...}`
bar:instance:underrandoms	`\underrandoms {...}`
bar:instance:understrike	`\understrike {...}`
bar:instance:understrikes	`\understrikes {...}`
basegrid	`\basegrid [..=..]`
baselinebottom	`\baselinebottom`
baselineleftbox	`\baselineleftbox {...}`
baselinemiddlebox	`\baselinemiddlebox {...}`
baselinerightbox	`\baselinerightbox {...}`
bbordermatrix	`\bbordermatrix {...}`
bbox	`\bbox {...}`
beforesplitstring	`\beforesplitstring ... \at ... \to \...`
beforetestandsplitstring	`\beforetestandsplitstring ... \at ... \to \...`
beginblock:example	`\beginBLOCK [...] [..=..] ... \endBLOCK`
beginhbox	`\beginhbox ... \endhbox`

beginofshapebox	`\beginofshapebox ... \endofshapebox`
beginvbox	`\beginvbox ... \endvbox`
beginvtop	`\beginvtop ... \endvtop`
begstrut	`\begstrut ... \endstrut`
bigg	`\bigg ...`
bigger	`\bigger`
biggl	`\biggl ...`
biggm	`\biggm ...`
biggr	`\biggr ...`
bigl	`\bigl ...`
bigm	`\bigm ...`
bigr	`\bigr ...`
bigskip	`\bigskip`
bitmapimage	`\bitmapimage [..=..] {...}`
blap	`\blap {...}`
bleed	`\bleed [..=..] {...}`
bleedheight	`\bleedheight`
bleedwidth	`\bleedwidth`
blockligatures	`\blockligatures [...]`
blocksynctexfile	`\blocksynctexfile [...]`
blockuservariable	`\blockuservariable {...}`
bodyfontenvironmentlist	`\bodyfontenvironmentlist`
bodyfontsize	`\bodyfontsize`
boldface	`\boldface`
booleanmodevalue	`\booleanmodevalue {...}`
bordermatrix	`\bordermatrix {...}`
bottombox	`\bottombox {...}`
bottomleftbox	`\bottomleftbox {...}`
bottomrightbox	`\bottomrightbox {...}`
boxcursor	`\boxcursor`
boxmarker	`\boxmarker {...} {...}`
boxofsize	`\boxofsize \... ... {...}`
boxreference	`\boxreference [...] \... {...}`
bpar	`\bpar ... \epar`
bpos	`\bpos {...}`
breakhere	`\breakhere`
breve	`\breve {...}`
bTABLE	`\bTABLE [..=..] ... \eTABLE`
bTABLEbody	`\bTABLEbody [..=..] ... \eTABLEbody`
bTABLEfoot	`\bTABLEfoot [..=..] ... \eTABLEfoot`
bTABLEhead	`\bTABLEhead [..=..] ... \eTABLEhead`
bTABLEnested	`\bTABLEnested [..=..] ... \eTABLEnested`
bTABLEnext	`\bTABLEnext [..=..] ... \eTABLEnext`
bTC	`\bTC [..=..] ... \eTC`
bTD	`\bTD [..=..] ... \eTD`
bTDs	`\bTDs [...] ... \eTDs`
bTH	`\bTH [..=..] ... \eTH`
bTN	`\bTN [..=..] ... \eTN`
bTR	`\bTR [..=..] ... \eTR`
bTRs	`\bTRs [...] ... \eTRs`
bTX	`\bTX [..=..] ... \eTX`
bTY	`\bTY [..=..] ... \eTY`
btxabbreviatedjournal	`\btxabbreviatedjournal {...}`
btxaddjournal	`\btxaddjournal [...] [...]`
btxalwayscitation	`\btxalwayscitation [..=..] [...]`
btxalwayscitation:alternative	`\btxalwayscitation [...] [...]`
btxalwayscitation:userdata	`\btxalwayscitation [..=..] [..=..]`
btxauthorfield	`\btxauthorfield {...}`
btxdetail	`\btxdetail {...}`
btxdirect	`\btxdirect {...}`
btxdoif	`\btxdoif {...} {...}`
btxdoifcombiinlistelse	`\btxdoifcombiinlistelse {...} {...} {...} {...}`
btxdoifelse	`\btxdoifelse {...} {...} {...}`
btxdoifelsecombiinlist	`\btxdoifelsecombiinlist {...} {...} {...} {...}`
btxdoifelsesameasprevious	`\btxdoifelsesameasprevious {...} {...} {...}`
btxdoifelsesameaspreviouschecked	`\btxdoifelsesameaspreviouschecked {...} {...} {...} {...}`
btxdoifelseuservariable	`\btxdoifelseuservariable {...} {...} {...}`
btxdoifnot	`\btxdoifnot {...} {...}`
btxdoifsameaspreviouscheckedelse	`\btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}`
btxdoifsameaspreviouselse	`\btxdoifsameaspreviouselse {...} {...} {...}`
btxdoifuservariableelse	`\btxdoifuservariableelse {...} {...} {...}`
btxexpandedjournal	`\btxexpandedjournal {...}`

```
btxfield                                          \btxfield {...}
btxfieldname                                      \btxfieldname {...}
btxfieldtype                                      \btxfieldtype {...}
btxfirstofrange                                   \btxfirstofrange {...}
btxflush                                          \btxflush {...}
btxflushauthor                                    \btxflushauthor [...] {...}
btxflushauthorinverted                            \btxflushauthorinverted {...}
btxflushauthorinvertedshort                       \btxflushauthorinvertedshort {...}
btxflushauthorname                                \btxflushauthorname {...}
btxflushauthornormal                              \btxflushauthornormal {...}
btxflushauthornormalshort                         \btxflushauthornormalshort {...}
btxflushsuffix                                    \btxflushsuffix
btxfoundname                                      \btxfoundname {...}
btxfoundtype                                      \btxfoundtype {...}
btxhiddencitation                                 \btxhiddencitation [...]
btxhybridcite                                     \btxhybridcite [..=..] [...]
btxhybridcite:alternative                         \btxhybridcite [...] [...]
btxhybridcite:direct                              \btxhybridcite {...}
btxhybridcite:userdata                            \btxhybridcite [..=..] [..=..]
btxlistcitation                                   \btxlistcitation [..=..] [...]
btxlistcitation:alternative                       \btxlistcitation [...] [...]
btxlistcitation:userdata                          \btxlistcitation [..=..] [..=..]
btxloadjournalist                                 \btxloadjournalist [...]
btxoneorrange                                     \btxoneorrange {...} {...} {...}
btxremapauthor                                    \btxremapauthor [...] [...]
btxsavejournalist                                 \btxsavejournalist [...]
btxsetup                                          \btxsetup {...}
btxsingularorplural                               \btxsingularorplural {...} {...} {...}
btxsingularplural                                 \btxsingularplural {...} {...} {...}
btxtextcitation                                   \btxtextcitation [..=..] [...]
btxtextcitation:alternative                       \btxtextcitation [...] [...]
btxtextcitation:userdata                          \btxtextcitation [..=..] [..=..]
buildmathaccent                                   \buildmathaccent {...} {...}
buildtextaccent                                   \buildtextaccent {...} {...}
buildtextbottomcomma                              \buildtextbottomcomma {...}
buildtextbottomdot                                \buildtextbottomdot {...}
buildtextcedilla                                  \buildtextcedilla {...}
buildtextgrave                                    \buildtextgrave {...}
buildtextmacron                                   \buildtextmacron {...}
buildtextognek                                    \buildtextognek {...}
Cap                                               \Cap {...}
Caps                                              \Caps {...}
CONTEXT                                           \CONTEXT
ConTeXt                                           \ConTeXt
Context                                           \Context
ConvertConstantAfter                              \ConvertConstantAfter \... {...} {...}
ConvertToConstant                                 \ConvertToConstant \... {...} {...}
calligrafico                                      \calligrafico
cambiaafontdeltesto                               \cambiaafontdeltesto [...]
camel                                             \camel {...}
campi                                             \campi [...] [...]
cap                                               \cap {...}
capello                                           \capello
capoverso:instance                                \SECTION [...] {...}
capoverso:instance:assignment                     \SECTION [..=..]
capoverso:instance:assignment:chapter             \chapter [..=..]
capoverso:instance:assignment:part                \part [..=..]
capoverso:instance:assignment:section             \section [..=..]
capoverso:instance:assignment:subject             \subject [..=..]
capoverso:instance:assignment:subsection          \subsection [..=..]
capoverso:instance:assignment:subsubject          \subsubject [..=..]
capoverso:instance:assignment:subsubsection       \subsubsection [..=..]
capoverso:instance:assignment:subsubsubject       \subsubsubject [..=..]
capoverso:instance:assignment:subsubsubsection    \subsubsubsection [..=..]
capoverso:instance:assignment:subsubsubsubject    \subsubsubsubject [..=..]
capoverso:instance:assignment:title               \title [..=..]
capoverso:instance:chapter                        \chapter [...] {...}
capoverso:instance:ownnumber                      \SECTION [...] {...} {...}
capoverso:instance:ownnumber:chapter              \chapter [...] {...} {...}
capoverso:instance:ownnumber:part                 \part [...] {...} {...}
```

```
capoverso:instance:ownnumber:section          \section [...] {...} {...}
capoverso:instance:ownnumber:subject          \subject [...] {...} {...}
capoverso:instance:ownnumber:subsection       \subsection [...] {...} {...}
capoverso:instance:ownnumber:subsubject       \subsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsection    \subsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubject    \subsubsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsection \subsubsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubject \subsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubsection \subsubsubsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubsubject \subsubsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:title            \title [...] {...} {...}
capoverso:instance:part                        \part [...] {...}
capoverso:instance:section                     \section [...] {...}
capoverso:instance:subject                     \subject [...] {...}
capoverso:instance:subsection                  \subsection [...] {...}
capoverso:instance:subsubject                  \subsubject [...] {...}
capoverso:instance:subsubsection               \subsubsection [...] {...}
capoverso:instance:subsubsubject               \subsubsubject [...] {...}
capoverso:instance:subsubsubsection            \subsubsubsection [...] {...}
capoverso:instance:subsubsubsubject            \subsubsubsubject [...] {...}
capoverso:instance:subsubsubsubsection         \subsubsubsubsection [...] {...}
capoverso:instance:subsubsubsubsubject         \subsubsubsubsubject [...] {...}
capoverso:instance:title                       \title [...] {...}
catcodetablename                               \catcodetablename
cbox                                           \cbox ... {...}
centeraligned                                  \centeraligned {...}
centerbox                                       \centerbox ... {...}
centeredbox                                     \centeredbox ... {...}
centeredlastline                                \centeredlastline
centerednextbox                                 \centerednextbox ... {...}
centerline                                      \centerline {...}
centro                                          \centro ...
cfrac                                           \cfrac [...] {...} {...}
characterkerning:example                        \CHARACTERKERNING [...] {...}
chardescription                                 \chardescription {...}
charwidthlanguage                               \charwidthlanguage
check                                           \check {...}
checkcharacteralign                             \checkcharacteralign {...}
checkedblank                                    \checkedblank [...]
checkedchar                                     \checkedchar {...} {...}
checkedfiller                                   \checkedfiller {...}
checkedstrippedcsname                           \checkedstrippedcsname \...
checkinjector                                   \checkinjector [...]
checknextindentation                            \checknextindentation [...]
checknextinjector                               \checknextinjector [...]
checkpage                                       \checkpage [...] [..=..]
checkparameters                                 \checkparameters [...]
checkpreviousinjector                           \checkpreviousinjector [...]
checksoundtrack                                 \checksoundtrack {...}
checktwopassdata                                \checktwopassdata {...}
checkvariables                                  \checkvariables [...] [..=..]
chemical                                        \chemical [...] [...] [...]
chemicalbottext                                 \chemicalbottext {...}
chemicalmidtext                                 \chemicalmidtext {...}
chemicalsymbol                                  \chemicalsymbol [...]
chemicaltext                                    \chemicaltext {...}
chemicaltoptext                                 \chemicaltoptext {...}
chim                                            \chim {...} {...} {...}
chineseallnumerals                              \chineseallnumerals {...}
chinesecapnumerals                              \chinesecapnumerals {...}
chinesenumerals                                 \chinesenumerals {...}
circondato                                      \circondato [..=..] {...}
citation                                        \citation [..=..] [...]
citation:alternative                            \citation [...] [...]
citation:direct                                 \citation {...}
citation:userdata                               \citation [..=..] [..=..]
cite                                            \cite [..=..] [...]
cite:alternative                                \cite [...] [...]
cite:direct                                     \cite {...}
cite:userdata                                   \cite [..=..] [..=..]
clap                                            \clap {...}
classfont                                       \classfont {...} {...}
```

```
cldcommand                                      \cldcommand {...}
cldcontext                                      \cldcontext {...}
cldloadfile                                     \cldloadfile {...}
cldprocessfile                                  \cldprocessfile {...}
clip                                            \clip [..=..] {...}
clippedoverlayimage                             \clippedoverlayimage {...}
clonacampo                                      \clonacampo [...] [...] [...] [...]
collect                                         \collect {...}
collectedtext                                   \collectedtext [..=..] [..=..] {...} {...}
collectexpanded                                 \collectexpanded {...}
colonna                                         \colonna [...]
colorcomponents                                 \colorcomponents {...}
colore                                          \colore [...] {...}
colored                                         \colored [..=..] {...}
colored:name                                    \colored [...] {...}
coloregrigio                                    \coloregrigio [...] {...}
coloronly                                       \coloronly [...] {...}
columnbreak                                     \columnbreak [...]
columnsetspanwidth                              \columnsetspanwidth {...}
combinepages                                    \combinepages [...] [..=..]
commalistelement                                \commalistelement
commalistsentence                               \commalistsentence [...] [...]
commalistsize                                   \commalistsize
commento                                        \commento (...,...) (...,...) [..=..] {...}
commento:instance                               \COMMENT [...] [..=..] {...}
commento:instance:comment                       \comment [...] [..=..] {...}
comparedimension                                \comparedimension {...} {...}
comparedimensioneps                             \comparedimensioneps {...} {...}
completebtxrendering                            \completebtxrendering [...] [..=..]
completecombinedlist:instance                   \completoCOMBINEDLIST [..=..]
completecombinedlist:instance:content           \completocontent [..=..]
completelist                                    \completelist [...] [..=..]
completelistoffloats:instance                   \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals         \completelistofchemicals [..=..]
completelistoffloats:instance:figures           \completelistoffigures [..=..]
completelistoffloats:instance:graphics          \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi        \completelistofintermezzi [..=..]
completelistoffloats:instance:tables            \completelistoftables [..=..]
completelistofpublications                      \completelistofpublications [...] [..=..]
completelistofsorts                             \completelistofsorts [...] [..=..]
completelistofsorts:instance                    \completelistofSORTS [..=..]
completelistofsorts:instance:logos              \completelistoflogos [..=..]
completelistofsynonyms                          \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance                 \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations   \completelistofabbreviations [..=..]
completeregister                                \completeregister [...] [..=..]
completeregister:instance                       \completoREGISTER [..=..]
completeregister:instance:index                 \completoindex [..=..]
complexorsimple                                 \complexorsimple \...
complexorsimpleempty                            \complexorsimpleempty \...
complexorsimpleempty:argument                   \complexorsimpleempty {...}
complexorsimple:argument                        \complexorsimple {...}
componenet                                      \componenet [...]
componenet:string                               \componenet ...
composedcollector                               \composedcollector {...}
composedlayer                                   \composedlayer {...}
compounddiscretionary                           \compounddiscretionary
compresult                                      \compresult
confrontagruppocolori                           \confrontagruppocolori [...]
confrontatavolozza                              \confrontatavolozza [...]
constantdimen                                   \constantdimen \...
constantdimenargument                           \constantdimenargument \...
constantemptyargument                           \constantemptyargument \...
constantnumber                                  \constantnumber \...
constantnumberargument                          \constantnumberargument \...
contentreference                                \contentreference [...] [..=..] {...}
continuednumber                                 \continuednumber {...}
continueifinputfile                             \continueifinputfile {...}
convertargument                                 \convertargument ... \to \...
convertcommand                                  \convertcommand \... \to \...
convertedcounter                                \convertedcounter [...] [..=..]
converteddimen                                  \converteddimen {...} {...}
```

```
convertedsubcounter                          \convertedsubcounter [...] [...] [..=..]
convertinumero                               \convertinumero {...} {...}
convertmonth                                 \convertmonth {...}
convertvalue                                 \convertvalue ... \to \...
convertvboxtohbox                            \convertvboxtohbox
copiacampo                                   \copiacampo [...] [...]
copyboxfromcache                             \copyboxfromcache {...} {...} ...
copylabeltext:instance                       \copyLABELtesto [...] [..=..]
copylabeltext:instance:btxlabel              \copybtxlabeltesto [...] [..=..]
copylabeltext:instance:head                  \copyheadtesto [...] [..=..]
copylabeltext:instance:label                 \copylabeltesto [...] [..=..]
copylabeltext:instance:mathlabel             \copymathlabeltesto [...] [..=..]
copylabeltext:instance:operator              \copyoperatortesto [...] [..=..]
copylabeltext:instance:prefix                \copyprefixtesto [...] [..=..]
copylabeltext:instance:suffix                \copysuffixtesto [...] [..=..]
copylabeltext:instance:taglabel              \copytaglabeltesto [...] [..=..]
copylabeltext:instance:unit                  \copyunittesto [...] [..=..]
copypages                                    \copypages [...] [..=..] [..=..]
copyparameters                               \copyparameters [...] [...] [...]
copyposition                                 \copyposition {...} {...}
copysetups                                   \copysetups [...] [...]
correggispaziobianco                         \correggispaziobianco {...}
corsivo                                      \corsivo
corsivograssetto                             \corsivograssetto
countersubs                                  \countersubs [...] [...]
counttoken                                   \counttoken ... \in ... \to \...
counttokens                                  \counttokens ... \to \...
cramped                                      \cramped {...}
crampedclap                                  \crampedclap {...}
crampedllap                                  \crampedllap {...}
crampedrlap                                  \crampedrlap {...}
crlf                                         \crlf
crlfplaceholder                              \crlfplaceholder
ctop                                         \ctop ... {...}
ctxcommand                                   \ctxcommand {...}
ctxdirectcommand                             \ctxdirectcommand {...}
ctxdirectlua                                 \ctxdirectlua {...}
ctxfunction                                  \ctxfunction {...}
ctxfunctiondefinition:example                \CTXFUNCTIONDEFINITION
ctxfunction:example                          \CTXFUNCTION
ctxlatecommand                               \ctxlatecommand {...}
ctxlatelua                                   \ctxlatelua {...}
ctxloadluafile                               \ctxloadluafile {...}
ctxlua                                       \ctxlua {...}
ctxluabuffer                                 \ctxluabuffer [...]
ctxluacode                                   \ctxluacode {...}
ctxreport                                    \ctxreport {...}
ctxscanner:example                           \CTXSCANNER
ctxsprint                                    \ctxsprint {...}
currentassignmentlistkey                     \currentassignmentlistkey
currentassignmentlistvalue                   \currentassignmentlistvalue
currentbtxuservariable                       \currentbtxuservariable {...}
currentcommalistitem                         \currentcommalistitem
currentcomponent                             \currentcomponent
currentenvironment                           \currentenvironment
currentfeaturetest                           \currentfeaturetest
currentinterface                             \currentinterface
currentlabel:example                         \currentETICHETTA [...] {...}
currentlanguage                              \currentlanguage
currentlistentrydestinationattribute         \currentlistentrydestinationattribute
currentlistentrylimitedtext                  \currentlistentrylimitedtext {...}
currentlistentrynumber                       \currentlistentrynumber
currentlistentrypagenumber                   \currentlistentrypagenumber
currentlistentryreferenceattribute           \currentlistentryreferenceattribute {...}
currentlistentrytitle                        \currentlistentrytitle
currentlistentrytitlerendered                \currentlistentrytitlerendered
currentlistsymbol                            \currentlistsymbol
currentmainlanguage                          \currentmainlanguage
currentmessagetext                           \currentmessagetext
currentmoduleparameter                       \currentmoduleparameter {...}
currentoutputstream                          \currentoutputstream
currentproduct                               \currentproduct
```

```
currentproject                        \currentproject
currentregime                         \currentregime
currentregisterpageuserdata           \currentregisterpageuserdata {...}
currentresponses                      \currentresponses
currenttime                           \currenttime [...]
currentvalue                          \currentvalue
currentxtablecolumn                   \currentxtablecolumn
currentxtablerow                      \currentxtablerow
DAYLONG                               \DAYLONG {...}
DAYSHORT                              \DAYSHORT {...}
d                                     \d {...}
da                                    \da [...]
daqualcheparte                        \daqualcheparte {...} {...} [...]
data                                  \data [..=..] [...]
datadioggi                            \datadioggi [...]
datadioggi:name                       \datadioggi [...]
datasetvariable                       \datasetvariable {...} {...} {...}
data:name                             \data [..=..] [...]
daylong                               \daylong {...}
dayoftheweek                          \dayoftheweek {...} {...} {...}
dayshort                              \dayshort {...}
dayspermonth                          \dayspermonth {...} {...}
dddot                                 \dddot {...}
ddot                                  \ddot {...}
decrement                             \decrement \...
decrementcounter                      \decrementcounter [...] [...]
decrementedcounter                    \decrementedcounter [...]
decrementpagenumber                   \decrementpagenumber
decrementsubpagenumber                \decrementsubpagenumber
decrementvalue                        \decrementvalue {...}
decrement:argument                    \decrement (...)
defaultinterface                      \defaultinterface
defaultobjectpage                     \defaultobjectpage
defaultobjectreference                \defaultobjectreference
defcatcodecommand                     \defcatcodecommand \... ... {...}
defconvertedargument                  \defconvertedargument \... {...}
defconvertedcommand                   \defconvertedcommand \... \...
defconvertedvalue                     \defconvertedvalue \... {...}
defineactivecharacter                 \defineactivecharacter ... {...}
definealternativestyle                \definealternativestyle [...] [...] [...]
defineanchor                          \defineanchor [...] [...] [..=..] [..=..]
defineattachment                      \defineattachment [...] [...] [..=..]
defineattribute                       \defineattribute [...] [...]
definebackground                      \definebackground [...] [...] [..=..]
definebar                             \definebar [...] [...] [..=..]
definebodyfontswitch                  \definebodyfontswitch [...] [...]
definebreakpoint                      \definebreakpoint [...] [...] [..=..]
definebreakpoints                     \definebreakpoints [...]
definebtx                             \definebtx [...] [...] [..=..]
definebtxdataset                      \definebtxdataset [...] [...] [..=..]
definebtxregister                     \definebtxregister [...] [...] [..=..]
definebtxrendering                    \definebtxrendering [...] [...] [..=..]
definebutton                          \definebutton [...] [...] [..=..]
definecapitals                        \definecapitals [...] [...] [..=..]
definecharacterkerning                \definecharacterkerning [...] [...] [..=..]
definecharacterspacing                \definecharacterspacing [...]
definechemical                        \definechemical [...] {...}
definechemicals                       \definechemicals [...] [...] [..=..]
definechemicalsymbol                  \definechemicalsymbol [...] [...]
definecollector                       \definecollector [...] [...] [..=..]
definecolumnbreak                     \definecolumnbreak [...] [...]
definecolumnsetarea                   \definecolumnsetarea [...] [...] [..=..]
definecolumnsetspan                   \definecolumnsetspan [...] [...] [..=..]
definecombination                     \definecombination [...] [...] [..=..]
definecomment                         \definecomment [...] [...] [..=..]
definecomplexorsimple                 \definecomplexorsimple \...
definecomplexorsimpleempty            \definecomplexorsimpleempty \...
definecomplexorsimpleempty:argument   \definecomplexorsimpleempty {...}
definecomplexorsimple:argument        \definecomplexorsimple {...}
defineconversionset                   \defineconversionset [...] [...] [...]
definecounter                         \definecounter [...] [...] [..=..]
definedataset                         \definedataset [...] [...] [..=..]
```

```
definedate                      \definedate [...] [...]
definedelimitedtext             \definedelimitedtext [...] [...] [..=..]
definedfont                     \definedfont [...]
definedocument                  \definedocument [...] [...] [..=..]
defineeffect                    \defineeffect [...] [...] [..=..]
defineexpandable                \defineexpandable [...] \... {...}
defineexpansion                 \defineexpansion [...] [...] [..=..]
defineexternalfigure            \defineexternalfigure [...] [...] [..=..]
definefacingfloat               \definefacingfloat [...] [...] [..=..]
definefallbackfamily            \definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset     \definefallbackfamily [...] [...] [...] [...]
definefieldbody                 \definefieldbody [...] [...] [..=..]
definefieldbodyset              \definefieldbodyset [...] [...]
definefieldcategory             \definefieldcategory [...] [...] [..=..]
definefileconstant              \definefileconstant {...} {...}
definefilefallback              \definefilefallback [...] [...]
definefilesynonym               \definefilesynonym [...] [...]
definefiller                    \definefiller [...] [...] [..=..]
definefirstline                 \definefirstline [...] [...] [..=..]
definefittingpage               \definefittingpage [...] [...] [..=..]
definefontalternative           \definefontalternative [...]
definefontfallback              \definefontfallback [...] [...] [...] [..=..]
definefontfamily                \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset          \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name     \definefontfamilypreset [...] [...]
definefontfamily:preset         \definefontfamily [...] [...] [...] [...]
definefontfeature               \definefontfeature [...] [...] [..=..]
definefontfile                  \definefontfile [...] [...] [..=..]
definefontsize                  \definefontsize [...]
definefontsolution              \definefontsolution [...] [...] [..=..]
defineformula                   \defineformula [...] [...] [..=..]
defineformulaalternative        \defineformulaalternative [...] [...] [...]
defineformulaframed             \defineformulaframed [...] [...] [..=..]
defineframedcontent             \defineframedcontent [...] [...] [..=..]
defineframedtable               \defineframedtable [...] [...]
definefrozenfont                \definefrozenfont [...] [...]
defineglobalcolor               \defineglobalcolor [...] [..=..]
defineglobalcolor:name          \defineglobalcolor [...] [...]
definegraphictypesynonym        \definegraphictypesynonym [...] [...]
definegridsnapping              \definegridsnapping [...] [...]
defineheadalternative           \defineheadalternative [...] [...] [..=..]
definehelp                      \definehelp [...] [...] [..=..]
definehigh                      \definehigh [...] [...] [..=..]
definehighlight                 \definehighlight [...] [...] [..=..]
definehspace                    \definehspace [...] [...] [...]
definehyphenationfeatures       \definehyphenationfeatures [...] [..=..]
defineindentedtext              \defineindentedtext [...] [...] [..=..]
defineindenting                 \defineindenting [...] [...]
defineinitial                   \defineinitial [...] [...] [..=..]
defineinsertion                 \defineinsertion [...] [...] [..=..]
defineinteraction               \defineinteraction [...] [...] [..=..]
defineinteractionbar            \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant         \defineinterfaceconstant {...} {...}
defineinterfaceelement          \defineinterfaceelement {...} {...}
defineinterfacevariable         \defineinterfacevariable {...} {...}
defineinterlinespace            \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor         \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                 \defineitemgroup [...] [...] [..=..]
defineitems                     \defineitems [...] [...] [..=..]
definelabelclass                \definelabelclass [...] [...]
definelayer                     \definelayer [...] [...] [..=..]
definelayerpreset               \definelayerpreset [...] [..=..]
definelayerpreset:name          \definelayerpreset [...] [...]
definelinefiller                \definelinefiller [...] [...] [..=..]
definelinenote                  \definelinenote [...] [...] [..=..]
definelinenumbering             \definelinenumbering [...] [...] [..=..]
definelines                     \definelines [...] [...] [..=..]
definelistalternative           \definelistalternative [...] [...] [..=..]
definelistextra                 \definelistextra [...] [...] [..=..]
definelow                       \definelow [...] [...] [..=..]
definelowhigh                   \definelowhigh [...] [...] [..=..]
definelowmidhigh                \definelowmidhigh [...] [...] [..=..]
```

```
defineMPinstance                    \defineMPinstance [...] [...] [..=..]
definemarginblock                   \definemarginblock [...] [...] [..=..]
definemargindata                    \definemargindata [...] [...] [..=..]
definemarker                        \definemarker [...]
definemathaccent                    \definemathaccent ... ...
definemathalignment                 \definemathalignment [...] [...] [..=..]
definemathcases                     \definemathcases [...] [...] [..=..]
definemathcommand                   \definemathcommand [...] [...] [...] {...}
definemathdouble                    \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible          \definemathdoubleextensible [...] [...] [...] [...]
definemathematics                   \definemathematics [...] [...] [..=..]
definemathextensible                \definemathextensible [...] [...] [...]
definemathfence                     \definemathfence [...] [...] [..=..]
definemathfraction                  \definemathfraction [...] [...] [..=..]
definemathframed                    \definemathframed [...] [...] [..=..]
definemathmatrix                    \definemathmatrix [...] [...] [..=..]
definemathornament                  \definemathornament [...] [...] [..=..]
definemathover                      \definemathover [...] [...] [...]
definemathoverextensible            \definemathoverextensible [...] [...] [...]
definemathovertextextensible        \definemathovertextextensible [...] [...] [...]
definemathradical                   \definemathradical [...] [...] [..=..]
definemathstackers                  \definemathstackers [...] [...] [..=..]
definemathstyle                     \definemathstyle [...] [...]
definemathtriplet                   \definemathtriplet [...] [...] [...]
definemathunder                     \definemathunder [...] [...] [...]
definemathunderextensible           \definemathunderextensible [...] [...] [...]
definemathundertextextensible       \definemathundertextextensible [...] [...] [...]
definemathunstacked                 \definemathunstacked [...] [...] [...]
definemeasure                       \definemeasure [...] [...]
definemessageconstant               \definemessageconstant {...}
definemixedcolumns                  \definemixedcolumns [...] [...] [..=..]
definemode                          \definemode [...] [...]
definemulticolumns                  \definemulticolumns [...] [...] [..=..]
definemultitonecolor                \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                    \definenamedcolor [...] [..=..]
definenamedcolor:name               \definenamedcolor [...] [...]
definenamespace                     \definenamespace [...] [..=..]
definenarrower                      \definenarrower [...] [...] [..=..]
definenote                          \definenote [...] [...] [..=..]
defineorientation                   \defineorientation [...] [...] [..=..]
defineornament:collector            \defineornament [...] [..=..] [..=..]
defineornament:layer                \defineornament [...] [..=..] [..=..]
defineoutputroutine                 \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand          \defineoutputroutinecommand [...]
definepage                          \definepage [...] [...]
definepagebreak                     \definepagebreak [...] [...]
definepagechecker                   \definepagechecker [...] [...] [..=..]
definepagecolumns                   \definepagecolumns [...] [...] [..=..]
definepageinjection                 \definepageinjection [...] [...] [..=..]
definepageinjectionalternative      \definepageinjectionalternative [...] [...] [..=..]
definepageshift                     \definepageshift [...] [...] [...]
definepagestate                     \definepagestate [...] [...] [..=..]
definepairedbox                     \definepairedbox [...] [...] [..=..]
defineparagraph                     \defineparagraph [...] [...] [..=..]
defineparallel                      \defineparallel [...] [...]
defineparbuilder                    \defineparbuilder [...]
defineperiodkerning                 \defineperiodkerning [...] [...] [..=..]
defineplaceholder                   \defineplaceholder [...] [...] [..=..]
defineplacement                     \defineplacement [...] [...] [..=..]
definepositioning                   \definepositioning [...] [...] [..=..]
defineprefixset                     \defineprefixset [...] [...] [...]
defineprocesscolor                  \defineprocesscolor [...] [...] [..=..]
defineprocessor                     \defineprocessor [...] [...] [..=..]
definepushbutton                    \definepushbutton [...] [..=..]
definepushsymbol                    \definepushsymbol [...] [...]
definerenderingwindow               \definerenderingwindow [...] [...] [..=..]
defineresetset                      \defineresetset [...] [...] [...]
defineruby                          \defineruby [...] [...] [..=..]
definescale                         \definescale [...] [...] [..=..]
definescript                        \definescript [...] [...] [..=..]
definesectionlevels                 \definesectionlevels [...] [...]
defineselector                      \defineselector [...] [..=..]
```

```
defineseparatorset                    \defineseparatorset [...] [...] [...]
defineshift                           \defineshift [...] [...] [..=..]
definesidebar                         \definesidebar [...] [...] [..=..]
definesort                            \definesort [...] [...] [...] {...}
definespotcolor                       \definespotcolor [...] [...] [..=..]
definestyleinstance                   \definestyleinstance [...] [...] [...] [...]
definesubformula                      \definesubformula [...] [...] [..=..]
definesynonym                         \definesynonym [...] [...] [...] {...} {...}
definesystemattribute                 \definesystemattribute [...] [...]
definesystemconstant                  \definesystemconstant {...}
definesystemvariable                  \definesystemvariable {...}
defineTABLEsetup                      \defineTABLEsetup [...] [..=..]
definetextbackground                  \definetextbackground [...] [...] [..=..]
definetextflow                        \definetextflow [...] [...] [..=..]
definetextnote                        \definetextnote [...] [...] [..=..]
definetokenlist                       \definetokenlist [...]
definetooltip                         \definetooltip [...] [...] [..=..]
definetransparency:1                  \definetransparency [...] [...]
definetransparency:2                  \definetransparency [...] [..=..]
definetransparency:3                  \definetransparency [...] [...]
definetwopasslist                     \definetwopasslist {...}
definetypeface                        \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix                \definetypescriptprefix [...] [...]
definetypescriptsynonym               \definetypescriptsynonym [...] [...]
definetypesetting                     \definetypesetting [...] [...] [..=..]
defineunit                            \defineunit [...] [...] [..=..]
defineuserdata                        \defineuserdata [...] [...] [..=..]
defineuserdataalternative             \defineuserdataalternative [...] [...] [..=..]
defineviewerlayer                     \defineviewerlayer [...] [...] [..=..]
definevspace                          \definevspace [...] [...] [...]
definevspacing                        \definevspacing [...] [...]
definevspacingamount                  \definevspacingamount [...] [...] [...]
definextable                          \definextable [...] [...] [..=..]
definisci                             \definisci [...] \... {...}
definisciaccento                      \definisciaccento ... ... ...
definisciambientefontdeltesto         \definisciambientefontdeltesto [...] [...] [..=..]
definisciblocco                       \definisciblocco [...] [...] [..=..]
definiscibloccosezione                \definiscibloccosezione [...] [...] [..=..]
definiscibuffer                       \definiscibuffer [...] [...] [..=..]
definiscicampo                        \definiscicampo [...] [...] [...] [...] [...]
definiscicapoversi                    \definiscicapoversi [...] [...] [..=..]
definiscicarattere                    \definiscicarattere ... ...
definiscicolore                       \definiscicolore [...] [..=..]
definiscicolore:name                  \definiscicolore [...] [...]
definiscicomando                      \definiscicomando ... ...
definisciconversione                  \definisciconversione [...] [...] [...]
definisciconversione:list             \definisciconversione [...] [...] [...]
definiscidescrizione                  \definiscidescrizione [...] [...] [..=..]
definiscidimensionicarta              \definiscidimensionicarta [...] [..=..]
definiscidimensionicarta:name         \definiscidimensionicarta [...] [...] [...]
definiscielenco                       \definiscielenco [...] [...] [..=..]
definiscielencocombinato              \definiscielencocombinato [...] [...] [..=..]
definiscienumerazione                 \definiscienumerazione [...] [...] [..=..]
definiscietichetta                    \definiscietichetta [...] [...] [..=..]
definiscifigurasimbolo                \definiscifigurasimbolo [...] [...] [..=..]
definiscifont                         \definiscifont [...] [...] [..=..]
definiscifontdeltesto                 \definiscifontdeltesto [...] [...] [...] [..=..]
definiscifontdeltesto:argument        \definiscifontdeltesto [...] [...] [...] [...]
definiscifont:argument                \definiscifont [...] [...] [...]
definisciformatoriferimento           \definisciformatoriferimento [...] [...] [..=..]
definiscigruppocolonne                \definiscigruppocolonne [...] [...] [..=..]
definiscigruppocolori                 \definiscigruppocolori [...] [...] [x:y:z,..]
definiscihbox                         \definiscihbox [...] [...]
definisciincorniciato                 \definisciincorniciato [...] [...] [..=..]
definisciiniziatermina                \definisciiniziatermina [...] [...] [..=..]
definiscilayout                       \definiscilayout [...] [...] [..=..]
definiscimakeup                       \definiscimakeup [...] [...] [..=..]
definiscimarcatura                    \definiscimarcatura [...] [...] [..=..]
definiscimenuinterazione              \definiscimenuinterazione [...] [...] [..=..]
definiscimodellotabella               \definiscimodellotabella [...] [|...|] [...] [...]
definiscioggettomobile                \definiscioggettomobile [...] [...] [..=..]
definiscioggettomobile:name           \definiscioggettomobile [...] [...] [...]
```

```
definisciordinamento                      \definisciordinamento [...] [...] [...]
definisciprofilo                          \definisciprofilo [...] [...] [..=..]
definisciprogramma                        \definisciprogramma [...] [...] [...]
definisciregistro                         \definisciregistro [...] [...] [..=..]
definisciriferimento                      \definisciriferimento [...] [...]
definiscisezione                          \definiscisezione [...]
definiscisimbolo                          \definiscisimbolo [...] [...] [...]
definiscisinonimi                         \definiscisinonimi [...] [...] [...] [...]
definiscisinonimofont                     \definiscisinonimofont [...] [...] [..=..]
definiscisottocampo                       \definiscisottocampo [...] [...] [...]
definiscisovrapposizione                  \definiscisovrapposizione [...] [...] [...]
definiscistackcampi                       \definiscistackcampi [...] [...] [..=..]
definiscistile                            \definiscistile [...] [...] [..=..]
definiscistilefont                        \definiscistilefont [...] [...]
definiscitabulato                         \definiscitabulato [...] [...] [|...|]
definiscitavolozza                        \definiscitavolozza [...] [..=..] ᴼᴾᵀ
definiscitavolozza:name                   \definiscitavolozza [...] [...]
definiscitesta                            \definiscitesta [...] [...] [..=..]
definiscitesto                            \definiscitesto [...] [...] [...] [...] [...] [...] [...]
definiscitestoincorniciato                \definiscitestoincorniciato [...] [...] [..=..]
definiscitype                             \definiscitype [...] [...] [..=..]
definiscityping                           \definiscityping [...] [...] [..=..]
defrostparagraphproperties                \defrostparagraphproperties
delimited                                 \delimited [...] [...] {...}
delimitedtext                             \delimitedtext [...] [...] {...}
delimitedtext:instance                    \DELIMITEDTEXT [...] {...}
delimitedtext:instance:aside              \aside [...] {...}
delimitedtext:instance:blockquote         \blockquote [...] {...}
delimitedtext:instance:quotation          \quotation [...] {...}
delimitedtext:instance:quote              \quote [...] {...}
delimitedtext:instance:speech             \speech [...] {...}
depthofstring                             \depthofstring {...}
depthonlybox                              \depthonlybox {...}
depthspanningtext                         \depthspanningtext {...} {...} {...}
depthstrut                                \depthstrut
descrizione:example                       \DESCRIZIONE [...] {...} ... \par
destra                                    \destra ...
determinacaratteristicheregistro          \determinacaratteristicheregistro [...] [..=..]
determinacarattersticheelenco             \determinacarattersticheelenco [...] [..=..]
determinanumerotesta                      \determinanumerotesta [...]
determinenoflines                         \determinenoflines {...}
devanagarinumerals                        \devanagarinumerals {...}
digits                                    \digits {...}
digits:string                             \digits ...
dimensiontocount                          \dimensiontocount {...} \...
directboxfromcache                        \directboxfromcache {...} {...}
directcolor                               \directcolor [...]
directcolored                             \directcolored [..=..]
directcolored:name                        \directcolored [...]
directconvertedcounter                    \directconvertedcounter {...} {...}
directcopyboxfromcache                    \directcopyboxfromcache {...} {...}
directdummyparameter                      \directdummyparameter {...}
directgetboxllx                           \directgetboxllx ...
directgetboxlly                           \directgetboxlly ...
directhighlight                           \directhighlight {...} {...}
directlocalframed                         \directlocalframed [...] {...}
directluacode                             \directluacode {...}
directparwrapper                          \directparwrapper {...} {...}
directselect                              \directselect {...} {...} {...} {...} {...} {...}
directsetbar                              \directsetbar {...} ᴼᴾᵀ   ᴼᴾᵀ   ᴼᴾᵀ   ᴼᴾᵀ   ᴼᴾᵀ
directsetup                               \directsetup {...}
directsymbol                              \directsymbol {...} {...}
directvspacing                            \directvspacing {...}
dis                                       \dis {...}
disabledirectives                         \disabledirectives [...]
disableexperiments                        \disableexperiments [...]
disablemode                               \disablemode [...]
disableoutputstream                       \disableoutputstream
disableparpositions                       \disableparpositions
disableregime                             \disableregime
disabletrackers                           \disabletrackers [...]
displaymath                               \displaymath {...}
```

```
displaymathematics                      \displaymathematics {...}
displaymessage                          \displaymessage {...}
disposeluatable                         \disposeluatable \...
distributedhsize                        \distributedhsize {...} {...} {...}
dividedsize                             \dividedsize {...} {...} {...}
doadaptleftskip                         \doadaptleftskip {...}
doadaptrightskip                        \doadaptrightskip {...}
doaddfeature                            \doaddfeature {...}
doassign                                \doassign [...] [..=..]
doassignempty                           \doassignempty [...] [..=..]
doboundtext                             \doboundtext {...} {...} {...}
docheckassignment                       \docheckassignment {...}
docheckedpair                           \docheckedpair {...}
documentvariable                        \documentvariable {...}
dodoubleargument                        \dodoubleargument \... [...] [...]
dodoubleargumentwithset                 \dodoubleargumentwithset \... [...] [...]
dodoubleempty                           \dodoubleempty \... [...] [...]
dodoubleemptywithset                    \dodoubleemptywithset \... [...] [...]
dodoublegroupempty                      \dodoublegroupempty \... {...} {...}
doeassign                               \doeassign [...] [..=..]
doexpandedrecurse                       \doexpandedrecurse {...} {...}
dofastloopcs                            \dofastloopcs {...} \...
dogetattribute                          \dogetattribute {...}
dogetattributeid                        \dogetattributeid {...}
dogetcommacommandelement                \dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty                     \dogobbledoubleempty [...] [...]
dogobblesingleempty                     \dogobblesingleempty [...]
dohyphens                               \dohyphens
doif                                    \doif {...} {...} {...}
doifallcommon                           \doifallcommon {...} {...} {...}
doifallcommonelse                       \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse                      \doifalldefinedelse {...} {...} {...}
doifallmodes                            \doifallmodes {...} {...} {...}
doifallmodeselse                        \doifallmodeselse {...} {...} {...}
doifassignmentelse                      \doifassignmentelse {...} {...} {...}
doifassignmentelsecs                    \doifassignmentelsecs {...} \... \...
doifblackelse                           \doifblackelse {...} {...} {...}
doifbothsides                           \doifbothsides {...} {...} {...}
doifbothsidesoverruled                  \doifbothsidesoverruled {...} {...} {...}
doifboxelse                             \doifboxelse {...} {...} {...} {...}
doifbufferelse                          \doifbufferelse {...} {...} {...}
doifcheckedpagestate                    \doifcheckedpagestate {...} {...} {...} {...} {...} {...} {...}
doifcolor                               \doifcolor {...} {...}
doifcolorelse                           \doifcolorelse {...} {...} {...}
doifcommandhandler                      \doifcommandhandler \... {...} {...}
doifcommandhandlerelse                  \doifcommandhandlerelse \... {...} {...} {...}
doifcommon                              \doifcommon {...} {...} {...}
doifcommonelse                          \doifcommonelse {...} {...} {...} {...}
doifcontent                             \doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse               \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse                \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                             \doifcounter {...} {...}
doifcounterelse                         \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse           \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                             \doifdefined {...} {...}
doifdefinedcounter                      \doifdefinedcounter {...} {...}
doifdefinedcounterelse                  \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                         \doifdefinedelse {...} {...} {...}
doifdimensionelse                       \doifdimensionelse {...} {...} {...}
doifdimenstringelse                     \doifdimenstringelse {...} {...} {...}
doifdocumentargument                    \doifdocumentargument {...} {...}
doifdocumentargumentelse                \doifdocumentargumentelse {...} {...} {...}
doifdocumentfilename                    \doifdocumentfilename {...} {...}
doifdocumentfilenameelse                \doifdocumentfilenameelse {...} {...} {...}
doifdocumentvariable                    \doifdocumentvariable {...} {...}
doifdocumentvariableelse                \doifdocumentvariableelse {...} {...} {...}
doifdrawingblackelse                    \doifdrawingblackelse {...} {...}
doifelse                                \doifelse {...} {...} {...} {...}
doifelseallcommon                       \doifelseallcommon {...} {...} {...} {...}
doifelsealldefined                      \doifelsealldefined {...} {...} {...}
doifelseallmodes                        \doifelseallmodes {...} {...} {...}
doifelseassignment                      \doifelseassignment {...} {...} {...}
```

```
doifelseassignmentcs                 \doifelseassignmentcs {...} \... \...
doifelseblack                        \doifelseblack {...} {...} {...}
doifelsebox                          \doifelsebox {...} {...} {...} {...}
doifelseboxincache                   \doifelseboxincache {...} {...} {...} {...}
doifelsebuffer                       \doifelsebuffer {...} {...} {...}
doifelsecolor                        \doifelsecolor {...} {...} {...}
doifelsecommandhandler               \doifelsecommandhandler \... {...} {...} {...}
doifelsecommon                       \doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined            \doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber             \doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter                      \doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature        \doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused           \doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown          \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused           \doifelsecurrentsynonymused {...} {...}
doifelsedefined                      \doifelsedefined {...} {...} {...}
doifelsedefinedcounter               \doifelsedefinedcounter {...} {...} {...}
doifelsedimension                    \doifelsedimension {...} {...} {...}
doifelsedimenstring                  \doifelsedimenstring {...} {...} {...}
doifelsedocumentargument             \doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename             \doifelsedocumentfilename {...} {...} {...}
doifelsedocumentvariable             \doifelsedocumentvariable {...} {...} {...}
doifelsedrawingblack                 \doifelsedrawingblack {...} {...}
doifelseempty                        \doifelseempty {...} {...} {...}
doifelseemptyvalue                   \doifelseemptyvalue {...} {...} {...}
doifelseemptyvariable                \doifelseemptyvariable {...} {...} {...} {...}
doifelseenv                          \doifelseenv {...} {...} {...}
doifelsefastoptionalcheck            \doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs          \doifelsefastoptionalcheckcs \... \...
doifelsefieldbody                    \doifelsefieldbody {...} {...} {...}
doifelsefieldcategory                \doifelsefieldcategory {...} {...} {...}
doifelsefigure                       \doifelsefigure {...} {...} {...}
doifelsefile                         \doifelsefile {...} {...} {...}
doifelsefiledefined                  \doifelsefiledefined {...} {...} {...}
doifelsefileexists                   \doifelsefileexists {...} {...} {...}
doifelsefirstchar                    \doifelsefirstchar {...} {...} {...} {...}
doifelseflagged                      \doifelseflagged {...} {...} {...}
doifelsefontchar                     \doifelsefontchar {...} {...} {...} {...}
doifelsefontfeature                  \doifelsefontfeature {...} {...} {...}
doifelsefontpresent                  \doifelsefontpresent {...} {...} {...}
doifelsefontsynonym                  \doifelsefontsynonym {...} {...} {...}
doifelseframed                       \doifelseframed \... {...} {...}
doifelsehasspace                     \doifelsehasspace {...} {...} {...}
doifelsehelp                         \doifelsehelp {...} {...}
doifelseincsname                     \doifelseincsname {...} {...} {...} {...}
doifelseindented                     \doifelseindented {...} {...}
doifelseinelement                    \doifelseinelement {...} {...} {...}
doifelseinputfile                    \doifelseinputfile {...} {...} {...}
doifelseinsertion                    \doifelseinsertion {...} {...} {...}
doifelseinset                        \doifelseinset {...} {...} {...} {...}
doifelseinstring                     \doifelseinstring {...} {...} {...} {...}
doifelseinsymbolset                  \doifelseinsymbolset {...} {...} {...} {...}
doifelseintoks                       \doifelseintoks {...} {...} {...} {...}
doifelseintwopassdata                \doifelseintwopassdata {...} {...} {...} {...}
doifelseitalic                       \doifelseitalic {...} {...}
doifelselanguage                     \doifelselanguage {...} {...} {...}
doifelselayerdata                    \doifelselayerdata {...} {...} {...}
doifelselayoutdefined                \doifelselayoutdefined {...} {...} {...}
doifelselayoutsomeline               \doifelselayoutsomeline {...} {...} {...}
doifelselayouttextline               \doifelselayouttextline {...} {...} {...}
doifelseleapyear                     \doifelseleapyear {...} {...} {...}
doifelselist                         \doifelselist {...} {...} {...}
doifelselocation                     \doifelselocation {...} {...}
doifelselocfile                      \doifelselocfile {...} {...} {...}
doifelseMPgraphic                    \doifelseMPgraphic {...} {...} {...}
doifelsemainfloatbody                \doifelsemainfloatbody {...} {...}
doifelsemarkedcontent                \doifelsemarkedcontent {...} {...} {...}
doifelsemarkedpage                   \doifelsemarkedpage {...} {...} {...}
doifelsemarking                      \doifelsemarking {...} {...} {...}
doifelsemeaning                      \doifelsemeaning \... \... {...} {...}
doifelsemessage                      \doifelsemessage {...} {...} {...} {...}
doifelsemode                         \doifelsemode {...} {...} {...}
```

```
doifelsenextbgroup                  \doifelsenextbgroup {...} {...}
doifelsenextbgroupcs                \doifelsenextbgroupcs \... \...
doifelsenextchar                    \doifelsenextchar {...} {...} {...}
doifelsenextoptional                \doifelsenextoptional {...} {...}
doifelsenextoptionalcs              \doifelsenextoptionalcs \... \...
doifelsenextparenthesis             \doifelsenextparenthesis {...} {...}
doifelsenonzeropositive             \doifelsenonzeropositive {...} {...} {...}
doifelsenoteonsamepage              \doifelsenoteonsamepage {...} {...} {...}
doifelsenothing                     \doifelsenothing {...} {...} {...}
doifelsenumber                      \doifelsenumber {...} {...} {...}
doifelseobjectfound                 \doifelseobjectfound {...} {...} {...} {...}
doifelseobjectreferencefound        \doifelseobjectreferencefound {...} {...} {...} {...}
doifelseoddpage                     \doifelseoddpage {...} {...}
doifelseoddpagefloat                \doifelseoddpagefloat {...} {...}
doifelseoldercontext                \doifelseoldercontext {...} {...} {...}
doifelseolderversion                \doifelseolderversion {...} {...} {...} {...}
doifelseorientation                 \doifelseorientation {...} {...} {...}
doifelseoverlapping                 \doifelseoverlapping {...} {...} {...} {...}
doifelseoverlay                     \doifelseoverlay {...} {...} {...}
doifelseparallel                    \doifelseparallel {...} {...} {...} {...}
doifelseparentfile                  \doifelseparentfile {...} {...} {...}
doifelseparwrapper                  \doifelseparwrapper {...} {...} {...}
doifelsepath                        \doifelsepath {...} {...} {...}
doifelsepathexists                  \doifelsepathexists {...} {...} {...}
doifelsepatterns                    \doifelsepatterns {...} {...} {...}
doifelseposition                    \doifelseposition {...} {...} {...}
doifelsepositionaction              \doifelsepositionaction {...} {...} {...}
doifelsepositiononpage              \doifelsepositiononpage {...} {...} {...} {...}
doifelsepositionsonsamepage         \doifelsepositionsonsamepage {...} {...} {...}
doifelsepositionsonthispage         \doifelsepositionsonthispage {...} {...} {...}
doifelsepositionsused               \doifelsepositionsused {...} {...}
doifelsereferencefound              \doifelsereferencefound {...} {...} {...}
doifelserightpage                   \doifelserightpage {...} {...}
doifelserightpagefloat              \doifelserightpagefloat {...} {...}
doifelserighttoleftinbox            \doifelserighttoleftinbox ... {...} {...}
doifelsesamelinereference           \doifelsesamelinereference {...} {...} {...}
doifelsesamestring                  \doifelsesamestring {...} {...} {...} {...}
doifelsesetups                      \doifelsesetups {...} {...} {...}
doifelsesomebackground              \doifelsesomebackground {...} {...} {...}
doifelsesomespace                   \doifelsesomespace {...} {...} {...}
doifelsesomething                   \doifelsesomething {...} {...} {...}
doifelsesometoks                    \doifelsesometoks \... {...} {...}
doifelsestringinstring              \doifelsestringinstring {...} {...} {...} {...}
doifelsestructurelisthasnumber      \doifelsestructurelisthasnumber {...} {...}
doifelsestructurelisthaspage        \doifelsestructurelisthaspage {...} {...}
doifelsesymboldefined               \doifelsesymboldefined {...} {...} {...}
doifelsesymbolset                   \doifelsesymbolset {...} {...} {...}
doifelsetext                        \doifelsetext {...} {...} {...}
doifelsetextflow                    \doifelsetextflow {...} {...} {...}
doifelsetextflowcollector           \doifelsetextflowcollector {...} {...} {...}
doifelsetopofpage                   \doifelsetopofpage {...} {...}
doifelsetypingfile                  \doifelsetypingfile {...} {...} {...}
doifelseundefined                   \doifelseundefined {...} {...} {...}
doifelseurldefined                  \doifelseurldefined {...} {...} {...}
doifelsevalue                       \doifelsevalue {...} {...} {...} {...}
doifelsevaluenothing                \doifelsevaluenothing {...} {...} {...}
doifelsevariable                    \doifelsevariable {...} {...} {...} {...}
doifempty                           \doifempty {...} {...}
doifemptyelse                       \doifemptyelse {...} {...} {...}
doifemptytoks                       \doifemptytoks \... {...}
doifemptyvalue                      \doifemptyvalue {...} {...}
doifemptyvalueelse                  \doifemptyvalueelse {...} {...} {...}
doifemptyvariable                   \doifemptyvariable {...} {...} {...}
doifemptyvariableelse               \doifemptyvariableelse {...} {...} {...} {...}
doifenv                             \doifenv {...} {...}
doifenvelse                         \doifenvelse {...} {...} {...}
doiffastoptionalcheckcselse         \doiffastoptionalcheckcselse \... \...
doiffastoptionalcheckelse           \doiffastoptionalcheckelse {...} {...}
doiffieldbodyelse                   \doiffieldbodyelse {...} {...} {...}
doiffieldcategoryelse               \doiffieldcategoryelse {...} {...} {...}
doiffigureelse                      \doiffigureelse {...} {...} {...}
doiffile                            \doiffile {...} {...}
```

```
doiffiledefinedelse              \doiffiledefinedelse {...} {...} {...}
doiffileelse                     \doiffileelse {...} {...} {...}
doiffileexistselse               \doiffileexistselse {...} {...} {...}
doiffirstcharelse                \doiffirstcharelse {...} {...} {...} {...}
doifflaggedelse                  \doifflaggedelse {...} {...} {...}
doiffontcharelse                 \doiffontcharelse {...} {...} {...} {...}
doiffontfeatureelse              \doiffontfeatureelse {...} {...} {...}
doiffontpresentelse              \doiffontpresentelse {...} {...} {...}
doiffontsynonymelse              \doiffontsynonymelse {...} {...} {...}
doifhasspaceelse                 \doifhasspaceelse {...} {...} {...}
doifhelpelse                     \doifhelpelse {...} {...}
doifincsnameelse                 \doifincsnameelse {...} {...} {...} {...}
doifinelementelse                \doifinelementelse {...} {...} {...}
doifinputfileelse                \doifinputfileelse {...} {...} {...}
doifinsertionelse                \doifinsertionelse {...} {...} {...}
doifinset                        \doifinset {...} {...} {...}
doifinsetelse                    \doifinsetelse {...} {...} {...} {...}
doifinstring                     \doifinstring {...} {...} {...}
doifinstringelse                 \doifinstringelse {...} {...} {...} {...}
doifinsymbolset                  \doifinsymbolset {...} {...} {...} {...}
doifinsymbolsetelse              \doifinsymbolsetelse {...} {...} {...} {...}
doifintokselse                   \doifintokselse {...} {...} {...} {...}
doifintwopassdataelse            \doifintwopassdataelse {...} {...} {...} {...}
doifitalicelse                   \doifitalicelse {...} {...}
doiflanguageelse                 \doiflanguageelse {...} {...} {...}
doiflayerdataelse                \doiflayerdataelse {...} {...} {...}
doiflayoutdefinedelse            \doiflayoutdefinedelse {...} {...} {...}
doiflayoutsomelineelse           \doiflayoutsomelineelse {...} {...} {...}
doiflayouttextlineelse           \doiflayouttextlineelse {...} {...} {...}
doifleapyearelse                 \doifleapyearelse {...} {...} {...}
doiflistelse                     \doiflistelse {...} {...} {...}
doiflocationelse                 \doiflocationelse {...} {...}
doiflocfileelse                  \doiflocfileelse {...} {...} {...}
doifMPgraphicelse                \doifMPgraphicelse {...} {...} {...}
doifmainfloatbodyelse            \doifmainfloatbodyelse {...} {...}
doifmarkingelse                  \doifmarkingelse {...} {...} {...}
doifmeaningelse                  \doifmeaningelse \... \... {...} {...}
doifmessageelse                  \doifmessageelse {...} {...} {...} {...}
doifmode                         \doifmode {...} {...}
doifmodeelse                     \doifmodeelse {...} {...} {...}
doifnextbgroupcselse             \doifnextbgroupcselse \... \...
doifnextbgroupelse               \doifnextbgroupelse {...} {...}
doifnextcharelse                 \doifnextcharelse {...} {...} {...}
doifnextoptionalcselse           \doifnextoptionalcselse \... \...
doifnextoptionalelse             \doifnextoptionalelse {...} {...}
doifnextparenthesiselse          \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse          \doifnonzeropositiveelse {...} {...} {...}
doifnot                          \doifnot {...} {...} {...}
doifnotallcommon                 \doifnotallcommon {...} {...} {...}
doifnotallmodes                  \doifnotallmodes {...} {...} {...}
doifnotcommandhandler            \doifnotcommandhandler \... {...} {...}
doifnotcommon                    \doifnotcommon {...} {...} {...}
doifnotcounter                   \doifnotcounter {...} {...}
doifnotdocumentargument          \doifnotdocumentargument {...} {...}
doifnotdocumentfilename          \doifnotdocumentfilename {...} {...}
doifnotdocumentvariable          \doifnotdocumentvariable {...} {...}
doifnotempty                     \doifnotempty {...} {...}
doifnotemptyvalue                \doifnotemptyvalue {...} {...}
doifnotemptyvariable             \doifnotemptyvariable {...} {...} {...}
doifnotenv                       \doifnotenv {...} {...}
doifnoteonsamepageelse           \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected               \doifnotescollected {...} {...}
doifnotfile                      \doifnotfile {...} {...}
doifnotflagged                   \doifnotflagged {...} {...}
doifnothing                      \doifnothing {...} {...}
doifnothingelse                  \doifnothingelse {...} {...} {...}
doifnotinset                     \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat          \doifnotinsidesplitfloat {...}
doifnotinstring                  \doifnotinstring {...} {...} {...}
doifnotmode                      \doifnotmode {...} {...}
doifnotnumber                    \doifnotnumber {...} {...}
doifnotsamestring                \doifnotsamestring {...} {...} {...}
```

doifnotsetups	`\doifnotsetups {...} {...}`
doifnotvalue	`\doifnotvalue {...} {...} {...}`
doifnotvariable	`\doifnotvariable {...} {...} {...}`
doifnumber	`\doifnumber {...} {...}`
doifnumberelse	`\doifnumberelse {...} {...} {...}`
doifobjectfoundelse	`\doifobjectfoundelse {...} {...} {...} {...}`
doifobjectreferencefoundelse	`\doifobjectreferencefoundelse {...} {...} {...} {...}`
doifoddpageelse	`\doifoddpageelse {...} {...}`
doifoddpagefloatelse	`\doifoddpagefloatelse {...} {...}`
doifoldercontextelse	`\doifoldercontextelse {...} {...} {...}`
doifolderversionelse	`\doifolderversionelse {...} {...} {...} {...}`
doifoutervmode	`\doifoutervmode {...}`
doifoverlappingelse	`\doifoverlappingelse {...} {...} {...} {...}`
doifoverlayelse	`\doifoverlayelse {...} {...} {...}`
doifparallelelse	`\doifparallelelse {...} {...} {...} {...}`
doifparentfileelse	`\doifparentfileelse {...} {...} {...}`
doifpathelse	`\doifpathelse {...} {...} {...}`
doifpathexistselse	`\doifpathexistselse {...} {...} {...}`
doifpatternselse	`\doifpatternselse {...} {...} {...}`
doifposition	`\doifposition {...} {...} {...}`
doifpositionaction	`\doifpositionaction {...} {...} {...}`
doifpositionactionelse	`\doifpositionactionelse {...} {...} {...}`
doifpositionelse	`\doifpositionelse {...} {...} {...}`
doifpositiononpageelse	`\doifpositiononpageelse {...} {...} {...} {...}`
doifpositionsonsamepageelse	`\doifpositionsonsamepageelse {...} {...} {...}`
doifpositionsonthispageelse	`\doifpositionsonthispageelse {...} {...} {...}`
doifpositionsusedelse	`\doifpositionsusedelse {...} {...}`
doifreferencefoundelse	`\doifreferencefoundelse {...} {...} {...}`
doifrightpageelse	`\doifrightpageelse {...} {...}`
doifrightpagefloatelse	`\doifrightpagefloatelse {...} {...}`
doifrighttoleftinboxelse	`\doifrighttoleftinboxelse ... {...} {...}`
doifsamelinereferenceelse	`\doifsamelinereferenceelse {...} {...} {...}`
doifsamestring	`\doifsamestring {...} {...} {...}`
doifsamestringelse	`\doifsamestringelse {...} {...} {...} {...}`
doifsetups	`\doifsetups {...} {...}`
doifsetupselse	`\doifsetupselse {...} {...} {...}`
doifsomebackground	`\doifsomebackground {...} {...} {...}`
doifsomebackgroundelse	`\doifsomebackgroundelse {...} {...} {...}`
doifsomespaceelse	`\doifsomespaceelse {...} {...} {...}`
doifsomething	`\doifsomething {...} {...}`
doifsomethingelse	`\doifsomethingelse {...} {...} {...}`
doifsometoks	`\doifsometoks \... {...}`
doifsometokselse	`\doifsometokselse \... {...} {...}`
doifstringinstringelse	`\doifstringinstringelse {...} {...} {...} {...}`
doifstructurelisthasnumberelse	`\doifstructurelisthasnumberelse {...} {...}`
doifstructurelisthaspageelse	`\doifstructurelisthaspageelse {...} {...}`
doifsymboldefinedelse	`\doifsymboldefinedelse {...} {...} {...}`
doifsymbolsetelse	`\doifsymbolsetelse {...} {...} {...}`
doiftext	`\doiftext {...} {...} {...}`
doiftextelse	`\doiftextelse {...} {...} {...}`
doiftextflowcollectorelse	`\doiftextflowcollectorelse {...} {...} {...}`
doiftextflowelse	`\doiftextflowelse {...} {...} {...}`
doiftopofpageelse	`\doiftopofpageelse {...} {...}`
doiftypingfileelse	`\doiftypingfileelse {...} {...} {...}`
doifundefined	`\doifundefined {...} {...}`
doifundefinedcounter	`\doifundefinedcounter {...} {...}`
doifundefinedelse	`\doifundefinedelse {...} {...} {...}`
doifunknownfontfeature	`\doifunknownfontfeature {...} {...} {...}`
doifurldefinedelse	`\doifurldefinedelse {...} {...} {...}`
doifvalue	`\doifvalue {...} {...} {...}`
doifvalueelse	`\doifvalueelse {...} {...} {...} {...}`
doifvaluenothing	`\doifvaluenothing {...} {...}`
doifvaluenothingelse	`\doifvaluenothingelse {...} {...} {...}`
doifvaluesomething	`\doifvaluesomething {...} {...}`
doifvariable	`\doifvariable {...} {...} {...}`
doifvariableelse	`\doifvariableelse {...} {...} {...} {...}`
doindentation	`\doindentation`
dollar	`\dollar`
doloop	`\doloop {...}`
doloopoverlist	`\doloopoverlist {...} {...}`
donothing	`\donothing`
dontconvertfont	`\dontconvertfont`

dontleavehmode	`\dontleavehmode`
dontpermitspacesbetweengroups	`\dontpermitspacesbetweengroups`
dopositionaction	`\dopositionaction {...}`
doprocesslocalsetups	`\doprocesslocalsetups {...}`
doquadrupleargument	`\doquadrupleargument \... [...] [...] [...] [...]`
doquadrupleempty	`\doquadrupleempty \... [...] [...] [...] [...]`
doquadruplegroupempty	`\doquadruplegroupempty \... {...} {...} {...} {...}`
doquintupleargument	`\doquintupleargument \... [...] [...] [...] [...] [...]`
doquintupleempty	`\doquintupleempty \... [...] [...] [...] [...] [...]`
doquintuplegroupempty	`\doquintuplegroupempty \... {...} {...} {...} {...} {...}`
dorechecknextindentation	`\dorechecknextindentation`
dorecurse	`\dorecurse {...} {...}`
dorepeatwithcommand	`\dorepeatwithcommand [...] \...`
doreplacefeature	`\doreplacefeature {...}`
doresetandafffeature	`\doresetandafffeature {...}`
doresetattribute	`\doresetattribute {...}`
dorotatebox	`\dorotatebox {...} \... {...}`
dosetattribute	`\dosetattribute {...} {...}`
dosetleftskipadaption	`\dosetleftskipadaption {...}`
dosetrightskipadaption	`\dosetrightskipadaption {...}`
dosetupcheckedinterlinespace	`\dosetupcheckedinterlinespace {..=..}`
dosetupcheckedinterlinespace:argument	`\dosetupcheckedinterlinespace {...}`
dosetupcheckedinterlinespace:name	`\dosetupcheckedinterlinespace {...}`
doseventupleargument	`\doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]`
doseventupleempty	`\doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]`
dosingleargument	`\dosingleargument \... [...]`
dosingleempty	`\dosingleempty \... [...]`
dosinglegroupempty	`\dosinglegroupempty \... {...}`
dosixtupleargument	`\dosixtupleargument \... [...] [...] [...] [...] [...] [...]`
dosixtupleempty	`\dosixtupleempty \... [...] [...] [...] [...] [...] [...]`
dosomebreak	`\dosomebreak \...`
dostarttagged	`\dostarttagged {...} {...} ... \dostoptagged`
dostepwiserecurse	`\dostepwiserecurse {...} {...} {...} {...}`
dosubtractfeature	`\dosubtractfeature {...}`
dotfill	`\dotfill`
dotfskip	`\dotfskip {...}`
dotoks	`\dotoks \...`
dotripleargument	`\dotripleargument \... [...] [...] [...]`
dotripleargumentwithset	`\dotripleargumentwithset \... [...] [...] [...]`
dotripleempty	`\dotripleempty \... [...] [...] [...]`
dotripleemptywithset	`\dotripleemptywithset \... [...] [...] [...]`
dotriplegroupempty	`\dotriplegroupempty \... {...} {...} {...}`
doublebond	`\doublebond`
dowith	`\dowith {...} {...}`
dowithnextbox	`\dowithnextbox {...} \... {...}`
dowithnextboxcontent	`\dowithnextboxcontent {...} {...} \... {...}`
dowithnextboxcontentcs	`\dowithnextboxcontentcs \... \... \... {...}`
dowithnextboxcs	`\dowithnextboxcs \... \... {...}`
dowithpargument	`\dowithpargument \...`
dowithrange	`\dowithrange {...} \...`
dowithwargument	`\dowithwargument \...`
dpofstring	`\dpofstring {...}`
dummydigit	`\dummydigit`
dummyparameter	`\dummyparameter {...}`
ETEX	`\ETEX`
EveryLine	`\EveryLine {...}`
EveryPar	`\EveryPar {...}`
edefconvertedargument	`\edefconvertedargument \... {...}`
efcmaxheight	`\efcmaxheight {...}`
efcmaxwidth	`\efcmaxwidth {...}`
efcminheight	`\efcminheight {...}`
efcminwidth	`\efcminwidth {...}`
efcparameter	`\efcparameter {...} {...}`
effect	`\effect [...] {...}`
elaborablocchi	`\elaborablocchi [...] [...] [..=..]`
elapsedseconds	`\elapsedseconds`
elapsedsteptime	`\elapsedsteptime`
elapsedtime	`\elapsedtime`
elementi	`\elementi [..=..] {...}`
elemento	`\elemento [...]`
em	`\em`
emphasisboldface	`\emphasisboldface`

emphasistypeface	\emphasistypeface
emptylines	\emptylines [...]
emspace	\emspace
enableasciimode	\enableasciimode
enabledirectives	\enabledirectives [...]
enableexperiments	\enableexperiments [...]
enablemode	\enablemode [...]
enableoutputstream	\enableoutputstream [...]
enableparpositions	\enableparpositions
enableregime	\enableregime [...]
enabletrackers	\enabletrackers [...]
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [...] {...} ... \par
env	\env {...}
envvar	\envvar {...} {...}
epos	\epos {...}
equaldigits	\equaldigits {...}
eTeX	\eTeX
etichetta:example	\ETICHETTA [...] {...}
executeifdefined	\executeifdefined {...} {...}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \... {...} {...}
expanded	\expanded {...}
expandeddoif	\expandeddoif {...} {...} {...}
expandeddoifelse	\expandeddoifelse {...} {...} {...} {...}
expandeddoifnot	\expandeddoifnot {...} {...} {...}
expandfontsynonym	\expandfontsynonym \... {...}
expdoif	\expdoif {...} {...} {...}
expdoifcommonelse	\expdoifcommonelse {...} {...} {...} {...}
expdoifelse	\expdoifelse {...} {...} {...} {...}
expdoifelsecommon	\expdoifelsecommon {...} {...} {...} {...}
expdoifelseinset	\expdoifelseinset {...} {...} {...} {...}
expdoifinsetelse	\expdoifinsetelse {...} {...} {...} {...}
expdoifnot	\expdoifnot {...} {...} {...}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {...}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {...}
externalfigurecollectionminheight	\externalfigurecollectionminheight {...}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {...}
externalfigurecollectionparameter	\externalfigurecollectionparameter {...} {...}
fakebox	\fakebox ...
fastdecrement	\fastdecrement \...
fastincrement	\fastincrement \...
fastlocalframed	\fastlocalframed [...] [..=..] {...}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {...} {...}
fastsetup	\fastsetup {...}
fastsetupwithargument	\fastsetupwithargument {...} {...}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {...} {...}
fastswitchtobodyfont	\fastswitchtobodyfont {...}
fastsxsy	\fastsxsy {...} {...} {...}
feature	\feature [...] [...]
feature:direct	\feature {...} {...}
fence	\fence
fenced	\fenced [...] {...}
fence:example	\FENCE {...}
fetchallmarkings	\fetchallmarkings [...] [...]
fetchallmarks	\fetchallmarks [...]
fetchmark	\fetchmark [...] [...]
fetchmarking	\fetchmarking [...] [...] [...]
fetchonemark	\fetchonemark [...] [...]
fetchonemarking	\fetchonemarking [...] [...] [...]
fetchruntinecommand	\fetchruntinecommand \... {...}
fetchtwomarkings	\fetchtwomarkings [...] [...]
fetchtwomarks	\fetchtwomarks [...]
fieldbody	\fieldbody [...] [..=..]
fifthoffivearguments	\fifthoffivearguments {...} {...} {...} {...} {...}
fifthofsixarguments	\fifthofsixarguments {...} {...} {...} {...} {...} {...}
figuraesterna	\figuraesterna [...] [...] [..=..]
figurefilename	\figurefilename

```
figurefilepath                         \figurefilepath
figurefiletype                         \figurefiletype
figurefullname                         \figurefullname
figureheight                           \figureheight
figurenaturalheight                    \figurenaturalheight
figurenaturalwidth                     \figurenaturalwidth
figuresymbol                           \figuresymbol [...] [..=..]
figurewidth                            \figurewidth
filename                               \filename {...}
filledhboxb                            \filledhboxb ... {...}
filledhboxc                            \filledhboxc ... {...}
filledhboxg                            \filledhboxg ... {...}
filledhboxk                            \filledhboxk ... {...}
filledhboxm                            \filledhboxm ... {...}
filledhboxr                            \filledhboxr ... {...}
filledhboxy                            \filledhboxy ... {...}
filler                                 \filler [...]
fillupto                               \fillupto [...] {...}
filterfromnext                         \filterfromnext {...} {...} {...} {...} {...} {...} {...}
filterfromvalue                        \filterfromvalue {...} {...} {...}  OPT    OPT    OPT    OPT
filterpages                            \filterpages [...] [...] [..=..]
filterreference                        \filterreference {...}
findtwopassdata                        \findtwopassdata {...} {...}
finishregisterentry                    \finishregisterentry [...] [..=..] [..=..]
firstcharacter                         \firstcharacter
firstcounter                           \firstcounter [...] [...]
firstcountervalue                      \firstcountervalue [...]
firstinlist                            \firstinlist [...]
firstoffivearguments                   \firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments                   \firstoffourarguments {...} {...} {...} {...}
firstofonargument                      \firstofoneargument {...}
firstofoneunexpanded                   \firstofoneunexpanded {...}
firstofsixarguments                    \firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments                  \firstofthreearguments {...} {...} {...}
firstofthreeunexpanded                 \firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments                    \firstoftwoarguments {...} {...}
firstoftwounexpanded                   \firstoftwounexpanded {...} {...}
firstrealpage                          \firstrealpage
firstrealpagenumber                    \firstrealpagenumber
firstsubcountervalue                   \firstsubcountervalue [...] [...]
firstsubpagenumber                     \firstsubpagenumber
firstuserpage                          \firstuserpage
firstuserpagenumber                    \firstuserpagenumber
fitfieldframed                         \fitfieldframed [..=..] {...}
fittopbaselinegrid                     \fittopbaselinegrid {...}
flag                                   \flag {...}
floatuserdataparameter                 \floatuserdataparameter {...}
flushbox                               \flushbox {...} {...}
flushboxregister                       \flushboxregister ...
flushcollector                         \flushcollector [...]
flushedrightlastline                   \flushedrightlastline
flushlayer                             \flushlayer [...]
flushlocalfloats                       \flushlocalfloats
flushnextbox                           \flushnextbox
flushnotes                             \flushnotes
flushoutputstream                      \flushoutputstream [...]
flushshapebox                          \flushshapebox
flushtextflow                          \flushtextflow {...}
flushtokens                            \flushtokens [...]
flushtoks                              \flushtoks \...
fontalternative                        \fontalternative
fontbody                               \fontbody
fontchar                               \fontchar {...}
fontcharbyindex                        \fontcharbyindex {...}
fontclass                              \fontclass
fontclassname                          \fontclassname {...} {...}
fontface                               \fontface
fontfeaturelist                        \fontfeaturelist [...] [...]
fontsize                               \fontsize
fontstyle                              \fontstyle
forcecharacterstripping                \forcecharacterstripping
forcelocalfloats                       \forcelocalfloats
```

forgeteverypar	\forgeteverypar
forgetparagraphfreezing	\forgetparagraphfreezing
forgetparameters	\forgetparameters [...] [..=..]
forgetparskip	\forgetparskip
forgetparwrapper	\forgetparwrapper
forgetragged	\forgetragged
formula	\formula [...] {...}
foundbox	\foundbox {...} {...}
fourthoffivearguments	\fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments	\fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments	\fourthofsixarguments {...} {...} {...} {...} {...} {...}
frameddimension	\frameddimension {...}
framedparameter	\framedparameter {...}
frazione:instance	\FRACTION {...} {...}
frazione:instance:binom	\binom {...} {...}
frazione:instance:dbinom	\dbinom {...} {...}
frazione:instance:dfrac	\dfrac {...} {...}
frazione:instance:frac	\frac {...} {...}
frazione:instance:sfrac	\sfrac {...} {...}
frazione:instance:tbinom	\tbinom {...} {...}
frazione:instance:xfrac	\xfrac {...} {...}
frazione:instance:xxfrac	\xxfrac {...} {...}
freezedimenmacro	\freezedimenmacro \... \...
freezemeasure	\freezemeasure [...] [...]
freezeparagraphproperties	\freezeparagraphproperties
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [...] {...}
frozenhbox	\frozenhbox {...}
frule	\frule ... \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {...}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {...}
gdefconvertedargument	\gdefconvertedargument \... {...}
gdefconvertedcommand	\gdefconvertedcommand \... \...
getboxfromcache	\getboxfromcache {...} {...} ...
getboxllx	\getboxllx ...
getboxlly	\getboxlly ...
getbufferdata	\getbufferdata [...]
getcommacommandsize	\getcommacommandsize [...]
getcommalistsize	\getcommalistsize [...]
getdatavalue	\getdatavalue {...}
getdayoftheweek	\getdayoftheweek {...} {...} {...}
getdayspermonth	\getdayspermonth {...} {...}
getdefinedbuffer	\getdefinedbuffer [...]
getdocumentargument	\getdocumentargument {...}
getdocumentargumentdefault	\getdocumentargumentdefault {...} {...}
getdocumentfilename	\getdocumentfilename {...}
getdummyparameters	\getdummyparameters [..=..]
getemptyparameters	\getemptyparameters [...] [..=..]
geteparameters	\geteparameters [...] [..=..]
getexpandedparameters	\getexpandedparameters [...] [..=..]
getfiguredimensions	\getfiguredimensions [...] [..=..]
getfirstcharacter	\getfirstcharacter {...}
getfirsttwopassdata	\getfirsttwopassdata {...}
getfromcommacommand	\getfromcommacommand [...] [...]
getfromcommalist	\getfromcommalist [...] [...]
getfromluatable	\getfromluatable \... {...}
getfromtwopassdata	\getfromtwopassdata {...} {...}
getglyphdirect	\getglyphdirect {...} {...}
getglyphstyled	\getglyphstyled {...} {...}
getgparameters	\getgparameters [...] [..=..]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {...}
getlocalfloat	\getlocalfloat {...}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [...] [..=..] {...}
getmessage	\getmessage {...} {...}
getnamedglyphdirect	\getnamedglyphdirect {...} {...}
getnamedglyphstyled	\getnamedglyphstyled {...} {...}
getnamedtwopassdatalist	\getnamedtwopassdatalist \... {...}

getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getparwrapper	`\getparwrapper {...}`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount \... {...} {...}`
getrandomdimen	`\getrandomdimen \... {...} {...}`
getrandomfloat	`\getrandomfloat \... {...} {...}`
getrandomnumber	`\getrandomnumber \... {...} {...}`
getrandomseed	`\getrandomseed \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getsubstring	`\getsubstring {...} {...} {...}`
gettokenlist	`\gettokenlist [...]`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuserdata	`\getuserdata`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
giornosettimana	`\giornosettimana {...}`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty \...`
globalpopbox	`\globalpopbox ...`
globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`
globalpushmacro	`\globalpushmacro \...`
globalpushreferenceprefix	`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`
globalswapcounts	`\globalswapcounts \... \...`
globalswapdimens	`\globalswapdimens \... \...`
globalswapmacros	`\globalswapmacros \... \...`
globalundefine	`\globalundefine {...}`
glyphfontfile	`\glyphfontfile {...}`
gobbledoubleempty	`\gobbledoubleempty [...] [...]`
gobbleeightarguments	`\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}`
gobblefivearguments	`\gobblefivearguments {...} {...} {...} {...} {...}`
gobblefiveoptionals	`\gobblefiveoptionals [...] [...] [...] [...] [...]`
gobblefourarguments	`\gobblefourarguments {...} {...} {...} {...}`
gobblefouroptionals	`\gobblefouroptionals [...] [...] [...] [...]`
gobbleninearguments	`\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {`
gobbleoneargument	`\gobbleoneargument {...}`
gobbleoneoptional	`\gobbleoneoptional [...]`
gobblesevenarguments	`\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}`
gobblesingleempty	`\gobblesingleempty [...]`
gobblesixarguments	`\gobblesixarguments {...} {...} {...} {...} {...} {...}`
gobblespacetokens	`\gobblespacetokens`
gobbletenarguments	`\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {.`
gobblethreearguments	`\gobblethreearguments {...} {...} {...}`
gobblethreeoptionals	`\gobblethreeoptionals [...] [...] [...]`
gobbletwoarguments	`\gobbletwoarguments {...} {...}`
gobbletwooptionals	`\gobbletwooptionals [...] [...]`
gobbleuntil	`\gobbleuntil \...`
gobbleuntilrelax	`\gobbleuntilrelax ... \relax`
grabbufferdata	`\grabbufferdata [...] [...] [...] [...]`
grabbufferdatadirect	`\grabbufferdatadirect {...} {...} {...}`
grabuntil	`\grabuntil {...} \...`
grafiamanuale	`\grafiamanuale`

grande	\grande ...
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {...}
grayvalue	\grayvalue {...}
greedysplitstring	\greedysplitstring ... \at ... \to \... \and \...
greeknumerals	\greeknumerals {...}
griglia	\griglia [..=..]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {...} {...}
gsetboxllx	\gsetboxllx ... {...}
gsetboxlly	\gsetboxlly ... {...}
gujaratinumerals	\gujaratinumerals {...}
gurmurkhinumerals	\gurmurkhinumerals {...}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {...}
handletokens	\handletokens ... \with \...
hash	\hash
hat	\hat {...}
hboxofvbox	\hboxofvbox ...
hboxreference	\hboxreference [...] {...}
hbox:example	\hboxBOX {...}
hdofstring	\hdofstring {...}
headhbox	\headhbox ... {...}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox ... {...}
headwidth	\headwidth
hebrewnumerals	\hebrewnumerals {...}
heightanddepthofstring	\heightanddepthofstring {...}
heightofstring	\heightofstring {...}
heightspanningtext	\heightspanningtext {...} {...} {...}
help:instance	\HELP [...] {...} {...}
help:instance:helptext	\helptext [...] {...} {...}
hexnumber	\hexnumber {...}
hexstringtonumber	\hexstringtonumber {...}
hglue	\hglue ...
hiddencitation	\hiddencitation [...]
hiddencite	\hiddencite [...]
highlight	\highlight [...] {...}
highlight:example	\HIGHLIGHT {...}
highordinalstr	\highordinalstr {...}
hilo	\hilo [...] {...} {...}
himilo	\himilo {...} {...} {...}
hl	\hl [...]
horizontalgrowingbar	\horizontalgrowingbar [..=..]
horizontalpositionbar	\horizontalpositionbar [..=..]
hpackbox	\hpackbox
hpackedbox	\hpackedbox
hphantom	\hphantom {...}
hpos	\hpos {...} {...}
hsizefraction	\hsizefraction {...} {...}
hsmash	\hsmash {...}
hsmashbox	\hsmashbox ...
hsmashed	\hsmashed {...}
hspace	\hspace [...] [...]
htdpofstring	\htdpofstring {...}
htofstring	\htofstring {...}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {...}
hyphenatedfile	\hyphenatedfile {...}
hyphenatedfilename	\hyphenatedfilename {...}
hyphenatedhbox	\hyphenatedhbox {...}

```
hyphenatedpar                              \hyphenatedpar {...}
hyphenatedurl                              \hyphenatedurl {...}
hyphenatedword                             \hyphenatedword {...}
INRSTEX                                    \INRSTEX
ibox                                       \ibox {...}
idxfromluatable                            \idxfromluatable \... ...
ifassignment                               \ifassignment ... \else ... \fi
iff                                        \iff
ifinobject                                 \ifinobject ... \else ... \fi
ifinoutputstream                           \ifinoutputstream ... \else ... \fi
ifparameters                               \ifparameters ... \else ... \fi
iftrialtypesetting                         \iftrialtypesetting ... \else ... \fi
ignoreimplicitspaces                       \ignoreimplicitspaces
ignoretagsinexport                         \ignoretagsinexport [...]
ignorevalue                                \ignorevalue {...}
ignoto                                     \ignoto
immediatesavetwopassdata                   \immediatesavetwopassdata {...} {...} {...}
impliedby                                  \impliedby
implies                                    \implies
imposta                                    \imposta [...]
impostaallineamento                        \impostaallineamento [...]
impostaambientefontdeltesto                \impostaambientefontdeltesto [...] [...] [..=..]
impostaampiezzariga                        \impostaampiezzariga [...]
impostabarrainterazione                    \impostabarrainterazione [...] [..=..]
impostablocco                              \impostablocco [...] [..=..]
impostabloccosezione                       \impostabloccosezione [...] [..=..]
impostabuffer                              \impostabuffer [...] [..=..]
impostacampi                               \impostacampi [...] [..=..] [..=..] [..=..]
impostacampo                               \impostacampo [...] [...] [..=..] [..=..] [..=..]
impostacapoversi                           \impostacapoversi [...] [...] [..=..]
impostacapoversi:assignment                \impostacapoversi [...] [..=..]
impostacaption                             \impostacaption [...] [..=..]
impostacaptions                            \impostacaptions [...] [..=..]
impostacima                                \impostacima [...] [..=..]
impostaclippling                           \impostaclippling [..=..]
impostacolonne                             \impostacolonne [..=..]
impostacolore                              \impostacolore [...]
impostacolori                              \impostacolori [..=..]
impostacommento                            \impostacommento [...] [..=..]
impostacommentopagina                      \impostacommentopagina [..=..]
impostadescrizioni                         \impostadescrizioni [...] [..=..]
impostadimensionicarta                     \impostadimensionicarta [...] [..=..]
impostadimensionicarta:name                \impostadimensionicarta [...] [...]
impostaelementi                            \impostaelementi [...] [..=..]
impostaelencazioni                         \impostaelencazioni [...] [..=..]
impostaelenco                              \impostaelenco [...] [..=..]
impostaelencocombinato                     \impostaelencocombinato [...] [..=..]
impostaelencocombinato:instance            \impostaCOMBINEDLIST [..=..]
impostaelencocombinato:instance:content    \impostacontent [..=..]
impostaenumerazioni                        \impostaenumerazioni [...] [..=..]
impostafigureesterne                       \impostafigureesterne [...] [..=..]
impostafondo                               \impostafondo [...] [..=..]
impostafontdeltesto                        \impostafontdeltesto [...]
impostaforms                               \impostaforms [..=..]
impostaformule                             \impostaformule [...] [..=..]
impostagruppocolonne                       \impostagruppocolonne [...] [..=..]
impostaincorniciato                        \impostaincorniciato [...] [..=..]
impostainiziatermina                       \impostainiziatermina [...] [..=..]
impostainstestazione                       \impostainstestazione [...] [..=..]
impostainterazione                         \impostainterazione [...] [..=..]
impostainterazione:name                    \impostainterazione [...]
impostainterlinea                          \impostainterlinea [...] [..=..]
impostainterlinea:argument                 \impostainterlinea [...]
impostainterlinea:name                     \impostainterlinea [...]
impostalayout                              \impostalayout [...] [..=..]
impostalayout:name                         \impostalayout [...]
impostalineemargine                        \impostalineemargine [...] [..=..]
impostalineenere                           \impostalineenere [..=..]
impostalineeriempimento                    \impostalineeriempimento [..=..]
impostalineesottili                        \impostalineesottili [..=..]
impostalineetesto                          \impostalineetesto [..=..]
impostalingua                              \impostalingua [...] [..=..]
```

```
impostamaiuscole                               \impostamaiuscole [...] [..=..]
impostamakeup                                  \impostamakeup [...] [..=..]
impostamarcatura                               \impostamarcatura [...] [..=..]
impostamenuinterazione                         \impostamenuinterazione [...] [..=..]
impostamenzione                                \impostamenzione [..=..]
impostanotepdp                                 \impostanotepdp [..=..]
impostanumerazionecapoversi                    \impostanumerazionecapoversi [..=..]
impostanumerazionepagina                       \impostanumerazionepagina [..=..]
impostanumerazionerighe                        \impostanumerazionerighe [...] [..=..]
impostanumeropagina                            \impostanumeropagina [..=..]
impostanumerosottopagina                       \impostanumerosottopagina [..=..]
impostanumerotesta                             \impostanumerotesta [...] [...]
impostaoggettimobili                           \impostaoggettimobili [...] [..=..]
impostaoggettomobile                           \impostaoggettomobile [...] [..=..]
impostaordinamento                             \impostaordinamento [...] [..=..]
impostaoutput                                  \impostaoutput [...]
impostaparranging                              \impostaparranging [...]
impostapdp                                     \impostapdp [...] [..=..]
impostapiustretto                              \impostapiustretto [...] [..=..]
impostaposizionamento                          \impostaposizionamento [...] [..=..]
impostaposizionamentoopposti                   \impostaposizionamentoopposti [..=..]
impostaprogrammi                               \impostaprogrammi [..=..]
impostaregistro                                \impostaregistro [...] [..=..]
impostaregistro:argument                       \impostaregistro [...] [...] [..=..]
impostaregistro:instance                       \impostaREGISTER [...] [..=..]
impostaregistro:instance:index                 \impostaindex [...] [..=..]
impostarientro                                 \impostarientro [...]
impostariferimento                             \impostariferimento [..=..]
impostarighe                                   \impostarighe [...] [..=..]
impostarigheriempimento                        \impostarigheriempimento [..=..]
impostarigovuoto                               \impostarigovuoto [...]
impostarotazione                               \impostarotazione [..=..]
impostaschermointerazione                      \impostaschermointerazione [..=..]
impostasegnosillabazione                       \impostasegnosillabazione [..=..]
impostasetsimboli                              \impostasetsimboli [...]
impostasfondi                                  \impostasfondi [...] [...] [..=..]
impostasfondi:page                             \impostasfondi [...] [..=..]
impostasfondo                                  \impostasfondo [...] [..=..]
impostasinonimi                                \impostasinonimi [...] [..=..]
impostasistema                                 \impostasistema [..=..]
impostaspaziatura                              \impostaspaziatura [...]
impostaspaziobianco                            \impostaspaziobianco [...]
impostaspezzamentooggettomobile                \impostaspezzamentooggettomobile [..=..]
impostastrut                                   \impostastrut [...]
impostatabelle                                 \impostatabelle [..=..]
impostatabulato                                \impostatabulato [...] [...] [..=..]
impostatavolozza                               \impostatavolozza [...]
impostatesta                                   \impostatesta [...] [..=..]
impostateste                                   \impostateste [...] [..=..]
impostatesticima                               \impostatesticima [...] [...] [...] [...] [...]
impostatestifondo                              \impostatestifondo [...] [...] [...] [...] [...]
impostatestiincorniciati                       \impostatestiincorniciati [...] [..=..]
impostatestiintestazioni                       \impostatestiintestazioni [...] [...] [...] [...] [...]
impostatestipdp                                \impostatestipdp [...] [...] [...] [...] [...]
impostatesto                                   \impostatesto [...] [..=..]
impostatestoetichette:instance                 \impostaLABELtesto [...] [..=..]
impostatestoetichette:instance:btxlabel        \impostabtxlabeltesto [...] [..=..]
impostatestoetichette:instance:head            \impostaheadtesto [...] [..=..]
impostatestoetichette:instance:label           \impostalabeltesto [...] [..=..]
impostatestoetichette:instance:mathlabel       \impostamathlabeltesto [...] [..=..]
impostatestoetichette:instance:operator        \impostaoperatortesto [...] [..=..]
impostatestoetichette:instance:prefix          \impostaprefixtesto [...] [..=..]
impostatestoetichette:instance:suffix          \impostasuffixtesto [...] [..=..]
impostatestoetichette:instance:taglabel        \impostataglabeltesto [...] [..=..]
impostatestoetichette:instance:unit            \impostaunittesto [...] [..=..]
impostatestotesti                              \impostatestotesti [...] [...] [...] [...] [...]
impostatolleranza                              \impostatolleranza [...]
impostatransizionepagina                       \impostatransizionepagina [...]
impostatype                                    \impostatype [...] [..=..]
impostatyping                                  \impostatyping [...] [..=..]
impostaurl                                     \impostaurl [..=..]
imposta:direct                                 \imposta {...}
```

```
in                                          \in {...} {...} [...]
inclinato                                   \inclinato
inclinatograssetto                          \inclinatograssetto
includemenu                                 \includemenu [...]
includesvgbuffer                            \includesvgbuffer [...] [..=..]
includesvgfile                              \includesvgfile [...] [..=..]
includeversioninfo                          \includeversioninfo {...}
incorniciato                                \incorniciato [..=..] {...}
incorniciato:instance                       \FRAMED [..=..] {...}
incorniciato:instance:fitfieldframed        \fitfieldframed [..=..] {...}
incorniciato:instance:unframed              \unframed [..=..] {...}
incrementa                                  \incrementa \...
incrementa:argument                         \incrementa (...)
incrementcounter                            \incrementcounter [...] [...]
incrementedcounter                          \incrementedcounter [...]
incrementpagenumber                         \incrementpagenumber
incrementsubpagenumber                      \incrementsubpagenumber
incrementvalue                              \incrementvalue {...}
indentation                                 \indentation
infofont                                    \infofont
infofontbold                                \infofontbold
inheritparameter                            \inheritparameter [...] [...] [...]
inhibitblank                                \inhibitblank
initializeboxstack                          \initializeboxstack {...}
inizia                                       \inizia [...] ... \termina
iniziaalignment                             \iniziaalignment [...] ... \terminaalignment
iniziaallineacentro                         \iniziaallineacentro ... \terminaallineacentro
iniziaallineadestra                         \iniziaallineadestra ... \terminaallineadestra
iniziaallineasinistra                       \iniziaallineasinistra ... \terminaallineasinistra
iniziaallmodes                              \iniziaallmodes [...] ... \terminaallmodes
iniziaambiente                              \iniziaambiente [...] ... \terminaambiente
iniziaambientebloccosezione                 \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
iniziaambiente:string                       \iniziaambiente ... ... \terminaambiente
iniziaasciimode                             \iniziaasciimode ... \terminaasciimode
iniziaattachment:instance                   \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance:attachment        \iniziaattachment [...] [..=..] ... \terminaattachment
iniziabar                                   \iniziabar [...] ... \terminabar
iniziabbordermatrix                         \iniziabbordermatrix ... \terminabbordermatrix
iniziabitmapimage                           \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix                          \iniziabordermatrix ... \terminabordermatrix
iniziabtxrenderingdefinitions               \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitio
iniziabuffer                                \iniziabuffer [...] ... \terminabuffer
iniziabuffer:instance                       \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance:hiding                \iniziahiding ... \terminahiding
iniziacapoverso                             \iniziacapoverso [...] [..=..] ... \terminacapoverso
iniziacapoverso:instance                    \iniziaSECTION [..=..] [..=..] ... \terminaSECTION
iniziacapoverso:instance:chapter            \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso:instance:part               \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:section            \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject            \iniziasubject [..=..] [..=..] ... \terminasubject
iniziacapoverso:instance:subsection         \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsubject         \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubsection      \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
iniziacapoverso:instance:subsubsubject      \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection   \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsec
iniziacapoverso:instance:subsubsubsubject   \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsub
iniziacapoverso:instance:title              \iniziatitle [..=..] [..=..] ... \terminatitle
iniziacatcodetable                          \iniziacatcodetable \... ... \terminacatcodetable
iniziacenteraligned                         \iniziacenteraligned ... \terminacenteraligned
iniziacharacteralign                        \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign:argument               \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences                         \iniziacheckedfences ... \terminacheckedfences
iniziachemical                              \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella                           \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato                          \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect                               \iniziacollect ... \terminacollect
iniziacollecting                            \iniziacollecting ... \terminacollecting
iniziacolore                                \iniziacolore [...] ... \terminacolore
iniziacolorintent                           \iniziacolorintent [...] ... \terminacolorintent
iniziacoloronly                             \iniziacoloronly [...] ... \terminacoloronly
```

```
iniziacolorset                              \iniziacolorset [...] ... \terminacolorset
iniziacolumnset                             \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnsetspan                         \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan
iniziacolumnset:example                     \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET
iniziacombination                           \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination:matrix                    \iniziacombination [...] [...] ... \terminacombination
iniziacommentopagina                        \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance                     \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment             \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet                            \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet:string                     \iniziacomponenet ... ... \terminacomponenet
iniziacontextcode                           \iniziacontextcode ... \terminacontextcode
iniziacontextdefinitioncode                 \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction                           \iniziactxfunction ... ... \terminactxfunction
iniziactxfunctiondefinition                 \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
iniziacurrentcolor                          \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentlistentrywrapper               \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper
iniziadelimited                             \iniziadelimited [...] [...] [...] ... \terminadelimited
iniziadelimitedtext                         \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext
iniziadelimitedtext:instance                \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside          \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote     \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation      \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote          \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:speech         \iniziaspeech [...] [...] ... \terminaspeech
iniziadescrizione:example                   \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example:title             \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadisplaymath                           \iniziadisplaymath ... \terminadisplaymath
iniziadmath                                 \iniziadmath ... \terminadmath
iniziadocument                              \iniziadocument [...] [..=..] ... \terminadocument
iniziadocument:example                      \iniziadocument [...] [..=..] ... \terminadocument
iniziaeffect                                \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example                        \iniziaEFFECT ... \terminaEFFECT
iniziaelement                               \iniziaelement {...} [..=..] ... \terminaelement
iniziaelemento                              \iniziaelemento [...] ... \terminaelemento
iniziaembeddedxtable                        \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name                   \iniziaembeddedxtable [...] ... \terminaembeddedxtable
iniziaenumerazione:example                  \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example:title            \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaexceptions                            \iniziaexceptions [...] ... \terminaexceptions
iniziaexpanded                              \iniziaexpanded ... \terminaexpanded
iniziaexpandedcollect                       \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaextendedcatcodetable                  \iniziaextendedcatcodetable \... ... \terminaextendedcatcodetable
iniziaexternalfigurecollection              \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollec
iniziafacingfloat                           \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura                                \iniziafigura [...] [...] [..=..] ... \terminafigura
iniziafisso                                 \iniziafisso [...] ... \terminafisso
iniziafittingpage                           \iniziafittingpage [...] [..=..] ... \terminafittingpage
iniziafittingpage:instance                  \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage           \iniziaMPpage [..=..] ... \terminaMPpage
iniziafittingpage:instance:TEXpage          \iniziaTEXpage [..=..] ... \terminaTEXpage
iniziafloatcombination                      \iniziafloatcombination [..=..] ... \terminafloatcombination
iniziafloatcombination:matrix               \iniziafloatcombination [...] ... \terminafloatcombination
iniziafloattext:instance                    \iniziaFLOATtesto [...] [...] {...} ... \terminaFLOATtesto
iniziafloattext:instance:chemical           \iniziachemicaltesto [...] [...] {...} ... \terminachemicaltesto
iniziafloattext:instance:figure             \iniziafiguretesto [...] [...] {...} ... \terminafiguretesto
iniziafloattext:instance:graphic            \iniziagraphictesto [...] [...] {...} ... \terminagraphictesto
iniziafloattext:instance:intermezzo         \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
iniziafloattext:instance:table              \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafont                                  \iniziafont [...] ... \terminafont
iniziafontclass                             \iniziafontclass [...] ... \terminafontclass
iniziafontsolution                          \iniziafontsolution [...] ... \terminafontsolution
iniziaformula                               \iniziaformula [...] ... \terminaformula
iniziaformula:assignment                    \iniziaformula [..=..] ... \terminaformula
iniziaformula:instance                      \iniziaFORMULAformula [...] ... \terminaFORMULAformula
iniziaformula:instance:md                   \iniziamdformula [...] ... \terminamdformula
iniziaformula:instance:mp                   \iniziampformula [...] ... \terminampformula
iniziaformula:instance:sd                   \iniziasdformula [...] ... \terminasdformula
iniziaformula:instance:sp                   \iniziaspformula [...] ... \terminaspformula
iniziaformule                               \iniziaformule [...] ... \terminaformule
iniziaframedcell                            \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcontent                         \iniziaframedcontent [...] ... \terminaframedcontent
```

```
iniziaframedrow                                    \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedtable                                  \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziagridsnapping                                 \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping:list                            \iniziagridsnapping [...] ... \terminagridsnapping
iniziahboxestohbox                                 \iniziahboxestohbox ... \terminahboxestohbox
iniziahboxregister                                 \iniziahboxregister ... ... \terminahboxregister
iniziahelp:instance                                \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance:helptext                       \iniziahelptext [...] ... \terminahelptext
iniziahighlight                                    \iniziahighlight [...] ... \terminahighlight
iniziahyphenation                                  \iniziahyphenation [...] ... \terminahyphenation
iniziaimath                                        \iniziaimath ... \terminaimath
iniziaimpaccato                                    \iniziaimpaccato [...] ... \terminaimpaccato
iniziaincorniciato                                 \iniziaincorniciato [...] [..=..] ... \terminaincorniciato
iniziaindentedtext                                 \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext:example                         \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
iniziainterazione                                  \iniziainterazione [...] ... \terminainterazione
iniziainterface                                    \iniziainterface ... ... \terminainterface
iniziaintertext                                    \iniziaintertext ... \terminaintertext
iniziaitemgroup                                    \iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup
iniziaitemgroup:instance                           \iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP
iniziaitemgroup:instance:itemize                   \iniziaitemize [...] [..=..] ... \terminaitemize
iniziaJScode                                       \iniziaJScode ... ... ... ... \terminaJScode
iniziaJSpreamble                                   \iniziaJSpreamble ... ... ... ... \terminaJSpreamble
iniziaknockout                                     \iniziaknockout ... \terminaknockout
inizialayout                                       \inizialayout [...] ... \terminalayout
inizialinealignment                                \inizialinealignment [...] ... \terminalinealignment
inizialineamargine                                 \inizialineamargine [...] ... \terminalineamargine
inizialineamargine:assignment                      \inizialineamargine [..=..] ... \terminalineamargine
inizialineatesto                                   \inizialineatesto {...} ... \terminalineatesto
inizialinecorrection                               \inizialinecorrection [...] ... \terminalinecorrection
inizialinefiller                                   \inizialinefiller [...] [..=..] ... \terminalinefiller
inizialinenumbering                                \inizialinenumbering [...] [..=..] ... \terminalinenumbering
inizialinenumbering:argument                       \inizialinenumbering [...] [...] ... \terminalinenumbering
inizialinetable                                    \inizialinetable ... \terminalinetable
inizialinetablebody                                \inizialinetablebody ... \terminalinetablebody
inizialinetablecell                                \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablehead                                \inizialinetablehead ... \terminalinetablehead
inizialingua                                       \inizialingua [...] ... \terminalingua
inizialocalfootnotes                               \inizialocalfootnotes ... \terminalocalfootnotes
inizialocalheadsetup                               \inizialocalheadsetup ... \terminalocalheadsetup
inizialocallinecorrection                          \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocalnotes                                   \inizialocalnotes [...] ... \terminalocalnotes
inizialocalsetups                                  \inizialocalsetups [...] [...] ... \terminalocalsetups
inizialocalsetups:string                           \inizialocalsetups ... ... \terminalocalsetups
inizialua                                          \inizialua ... \terminalua
inizialuacode                                      \inizialuacode ... \terminaluacode
inizialuaparameterset                              \inizialuaparameterset [...] ... \terminaluaparameterset
inizialuasetups                                    \inizialuasetups [...] [...] ... \terminaluasetups
inizialuasetups:string                             \inizialuasetups ... ... \terminaluasetups
iniziaMPclip                                       \iniziaMPclip {...} ... \terminaMPclip
iniziaMPcode                                       \iniziaMPcode {...} ... \terminaMPcode
iniziaMPdefinitions                                \iniziaMPdefinitions {...} ... \terminaMPdefinitions
iniziaMPdrawing                                    \iniziaMPdrawing [...] ... \terminaMPdrawing
iniziaMPenvironment                                \iniziaMPenvironment [...] ... \terminaMPenvironment
iniziaMPextensions                                 \iniziaMPextensions {...} ... \terminaMPextensions
iniziaMPinclusions                                 \iniziaMPinclusions [...] {...} ... \terminaMPinclusions
iniziaMPinitializations                            \iniziaMPinitializations ... \terminaMPinitializations
iniziaMPpositiongraphic                            \iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic
iniziaMPpositionmethod                             \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod
iniziaMPrun                                        \iniziaMPrun {...} ... \terminaMPrun
iniziamakeup                                       \iniziamakeup [...] [..=..] ... \terminamakeup
iniziamakeup:instance                              \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup
iniziamakeup:instance:middle                       \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance:page                         \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance:standard                     \iniziastandardmakeup [..=..] ... \terminastandardmakeup
iniziamakeup:instance:text                         \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamarginblock                                  \iniziamarginblock [...] ... \terminamarginblock
iniziamarkedcontent                                \iniziamarkedcontent [...] ... \terminamarkedcontent
iniziamarkpages                                    \iniziamarkpages [...] ... \terminamarkpages
iniziamathalignment:instance                       \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
iniziamathalignment:instance:align                 \iniziaalign [..=..] ... \terminaalign
iniziamathalignment:instance:mathalignment         \iniziamathalignment [..=..] ... \terminamathalignment
```

```
iniziamathcases:instance                          \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathcases:instance:cases                    \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases                \iniziamathcases [..=..] ... \terminamathcases
iniziamathmatrix:instance                         \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix              \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:matrix                  \iniziamatrix [..=..] ... \terminamatrix
iniziamathmatrix:instance:thematrix               \iniziathematrix [..=..] ... \terminathematrix
iniziamathmode                                    \iniziamathmode ... \terminamathmode
iniziamathstyle                                   \iniziamathstyle [...] ... \terminamathstyle
iniziamatrices                                    \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned                                  \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo                             \iniziamenuinterattivo [...] ... \terminamenuinterattivo
iniziamettiformula                                \iniziamettiformula [..=..] ... \terminamettiformula
iniziamettiformula:argument                       \iniziamettiformula [...] ... \terminamettiformula
iniziamiddlealigned                               \iniziamiddlealigned ... \terminamiddlealigned
iniziamixedcolumns                                \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
iniziamixedcolumns:instance                       \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns          \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:columns               \iniziacolumns [..=..] ... \terminacolumns
iniziamixedcolumns:instance:itemgroupcolumns      \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
iniziamode                                        \iniziamode [...] ... \terminamode
iniziamodeset                                     \iniziamodeset [...] {...} ... \terminamodeset
iniziamodule                                      \iniziamodule [...] ... \terminamodule
iniziamoduletestsection                           \iniziamoduletestsection ... \terminamoduletestsection
iniziamodule:string                               \iniziamodule ... ... \terminamodule
iniziamulticolumns                                \iniziamulticolumns [..=..] ... \terminamulticolumns
inizianamedsection                                \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection
inizianamedsubformulas                            \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas
inizianarrower                                    \inizianarrower [...] ... \terminanarrower
inizianarrower:example                            \iniziaNARROWER [...] ... \terminaNARROWER
inizianegativo                                    \inizianegativo ... \terminanegativo
inizianicelyfilledbox                             \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox
inizianointerference                              \inizianointerference ... \terminanointerference
inizianotallmodes                                 \inizianotallmodes [...] ... \terminanotallmodes
inizianota:instance                               \iniziaNOTE [...] ... \terminaNOTE
inizianota:instance:assignment                    \iniziaNOTE [..=..] ... \terminaNOTE
inizianota:instance:assignment:endnote            \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment:footnote           \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:endnote                       \iniziaendnote [...] ... \terminaendnote
inizianota:instance:footnote                      \iniziafootnote [...] ... \terminafootnote
inizianotext                                      \inizianotext ... \terminanotext
inizianotmode                                     \inizianotmode [...] ... \terminanotmode
iniziaopposto                                     \iniziaopposto ... \terminaopposto
iniziaoutputstream                                \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoverprint                                   \iniziaoverprint ... \terminaoverprint
iniziapagecolumns                                 \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance                        \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS
iniziapagecolumns:name                            \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagefigure                                  \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagelayout                                  \iniziapagelayout [...] ... \terminapagelayout
iniziapar                                         \iniziapar [...] [..=..] ... \terminapar
iniziaparagraphs                                  \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphscell                              \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphs:example                          \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
iniziaparallel:example                            \iniziaPARALLEL ... \terminaPARALLEL
iniziaparbuilder                                  \iniziaparbuilder [...] ... \terminaparbuilder
iniziaplacefloat                                  \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat
iniziaplacefloat:instance                         \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
iniziaplacefloat:instance:chemical                \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
iniziaplacefloat:instance:figure                  \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
iniziaplacefloat:instance:graphic                 \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic
iniziaplacefloat:instance:intermezzo              \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
iniziaplacefloat:instance:table                   \iniziamettitable [..=..] [..=..] ... \terminamettitable
iniziaplacepairedbox                              \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
iniziaplacepairedbox:instance                     \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend              \iniziamettilegend [..=..] ... \terminamettilegend
iniziapositioning                                 \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay                             \iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo                                    \iniziapositivo ... \terminapositivo
iniziaposporre                                    \iniziaposporre [...] ... \terminaposporre
iniziapostponingnotes                             \iniziapostponingnotes ... \terminapostponingnotes
iniziaprocessassignmentcommand                    \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentc
```

```
iniziaprocessassignmentlist            \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist
iniziaprocesscommacommand              \iniziaprocesscommacommand [...] ... \terminaprocesscommacommand
iniziaprocesscommalist                 \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprodotto                         \iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string                  \iniziaprodotto ... ... \terminaprodotto
iniziaprogetto                         \iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto:string                  \iniziaprogetto ... ... \terminaprogetto
iniziaprotectedcolors                  \iniziaprotectedcolors ... \terminaprotectedcolors
iniziapubblicazione                    \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziarandomized                       \iniziarandomized ... \terminarandomized
iniziarawsetups                        \iniziarawsetups [...] [...] ... \terminarawsetups
iniziarawsetups:string                 \iniziarawsetups ... ... \terminarawsetups
iniziareadingfile                      \iniziareadingfile ... \terminareadingfile
iniziaregime                           \iniziaregime [...] ... \terminaregime
iniziareusableMPgraphic                \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic
iniziariga                             \iniziariga [...]
iniziarighe:instance                   \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance:lines             \inizialines [..=..] ... \terminalines
iniziaruby                             \iniziaruby [...] ... \terminaruby
iniziascript                           \iniziascript [...] ... \terminascript
iniziasectionblock                     \iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock:instance            \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:backmatter \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:bodymatter \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter \iniziafrontmatter [..=..] ... \terminafrontmatter
iniziasectionlevel                     \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel
iniziasetups                           \iniziasetups [...] [...] ... \terminasetups
iniziasetups:string                    \iniziasetups ... ... \terminasetups
iniziasfondo                           \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo:example                   \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziashift                            \iniziashift [...] ... \terminashift
iniziasidebar                          \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns                    \iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasospeso                          \iniziasospeso [..=..] {...} ... \terminasospeso
iniziasospeso:argument                 \iniziasospeso [...] {...} ... \terminasospeso
iniziasovrapponi                       \iniziasovrapponi ... \terminasovrapponi
iniziaspecialitem:item                 \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none                 \iniziaspecialitem [...] ... \terminaspecialitem
iniziaspecialitem:symbol               \iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziasplitformula                     \iniziasplitformula ... \terminasplitformula
iniziasplittext                        \iniziasplittext ... \terminasplittext
iniziaspread                           \iniziaspread ... \terminaspread
iniziastartstop:example                \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastaticMPfigure                   \iniziastaticMPfigure {...} ... \terminastaticMPfigure
iniziastaticMPgraphic                  \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastretto                          \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto:assignment               \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name                     \iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter       \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle                            \iniziastyle [..=..] ... \terminastyle
iniziastyle:argument                   \iniziastyle [...] ... \terminastyle
iniziastyle:instance                   \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas                      \iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel                     \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel
iniziasubsentence                      \iniziasubsentence ... \terminasubsentence
iniziasubstack                         \iniziasubstack ... \terminasubstack
iniziasymbolset                        \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziaTABLE                            \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody                        \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEfoot                        \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead                        \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext                        \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella                          \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella:name                     \iniziatabella [...] [..=..] ... \terminatabella
iniziatabelle                          \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle:name                     \iniziatabelle [...] ... \terminatabelle
iniziatabulato                         \iniziatabulato [|...|] [..=..] ... \terminatabulato
iniziatabulato:instance                \iniziaTABULATE [..=..] [..=..] ... \terminaTABULATE
iniziatabulato:instance:fact           \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:legend         \inizialegend [...] [..=..] ... \terminalegend
iniziatesta                            \iniziatesta [...] {...} ... \terminatesta
```

```
iniziatestatabella                              \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabulato                             \iniziatestatabulato [...] ... \terminatestatabulato
iniziatesto                                     \iniziatesto ... \terminatesto
iniziatestoaiuto                                \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoetichetta:instance                   \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel          \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance:head              \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:label             \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:mathlabel         \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:operator          \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
iniziatestoetichetta:instance:prefix            \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:suffix            \iniziasuffixtesto [...] [...] ... \terminasuffixtesto
iniziatestoetichetta:instance:taglabel          \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:unit              \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoincorniciato:instance                \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext     \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode                                   \iniziatexcode ... \terminatexcode
iniziatexdefinition                             \iniziatexdefinition ... ... ... ... ... ... ... ... \terminatexdefini
iniziatextbackground                            \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackgroundmanual                      \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
iniziatextbackground:example                    \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextcolor                                 \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolorintent                           \iniziatextcolorintent ... \terminatextcolorintent
iniziatextflow                                  \iniziatextflow [...] ... \terminatextflow
iniziatokenlist                                 \iniziatokenlist [...] ... \terminatokenlist
iniziatokens                                    \iniziatokens [...] ... \terminatokens
iniziatransparent                               \iniziatransparent [...] ... \terminatransparent
iniziatypescript                                \iniziatypescript [...] [...] [...] ... \terminatypescript
iniziatypescriptcollection                      \iniziatypescriptcollection [...] ... \terminatypescriptcollection
iniziatyping:instance                           \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument                  \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA              \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP               \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML        \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX              \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:typing           \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:XML              \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA                       \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP                        \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML                 \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX                        \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:typing                    \iniziatyping [..=..] ... \terminatyping
iniziatyping:instance:XML                       \iniziaXML [..=..] ... \terminaXML
iniziauniqueMPgraphic                           \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
iniziauniqueMPpagegraphic                       \iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic
iniziaunpacked                                  \iniziaunpacked ... \terminaunpacked
iniziausableMPgraphic                           \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic
iniziauseMPgraphic                              \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
iniziausemathstyleparameter                     \iniziausemathstyleparameter \... ... \terminausemathstyleparameter
iniziauserdata                                  \iniziauserdata [...] [..=..] ... \terminauserdata
iniziausingbtxspecification                     \iniziausingbtxspecification [...] ... \terminausingbtxspecification
iniziavaia                                      \iniziavaia [...] ... \terminavaia
iniziavboxregister                              \iniziavboxregister ... ... \terminavboxregister
iniziavboxtohbox                                \iniziavboxtohbox ... \terminavboxtohbox
iniziavboxtohboxseparator                       \iniziavboxtohboxseparator ... \terminavboxtohboxseparator
iniziaviewerlayer                               \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example                       \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister                              \iniziavtopregister ... ... \terminavtopregister
iniziaxcell                                     \iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcellgroup                                \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxcolumn                                   \iniziaxcolumn [..=..] ... \terminaxcolumn
iniziaxcolumn:name                              \iniziaxcolumn [...] ... \terminaxcolumn
iniziaxgroup                                    \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxmldisplayverbatim                        \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim
iniziaxmlinlineverbatim                         \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlraw                                    \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups                                 \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups:string                          \iniziaxmlsetups ... ... \terminaxmlsetups
iniziaxrow                                      \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrowgroup                                 \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxtable                                    \iniziaxtable [..=..] ... \terminaxtable
iniziaxtablebody                                \iniziaxtablebody [..=..] ... \terminaxtablebody
```

```
iniziaxtablebody:name                    \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot                         \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name                    \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablehead                         \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead:name                    \iniziaxtablehead [...] ... \terminaxtablehead
iniziaxtablenext                         \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext:name                    \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtable:example                     \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:name                        \iniziaxtable [...] ... \terminaxtable
inlinebuffer                             \inlinebuffer [...]
inlinedbox                               \inlinedbox {...}
inlinemath                               \inlinemath {...}
inlinemathematics                        \inlinemathematics {...}
inlinemessage                            \inlinemessage {...}
inlineordisplaymath                      \inlineordisplaymath {...} {...}
inlineprettyprintbuffer                  \inlineprettyprintbuffer {...} {...}
inlinerange                              \inlinerange [...]
innerflushshapebox                       \innerflushshapebox
input                                    \input {...}
inputfilebarename                        \inputfilebarename
inputfilename                            \inputfilename
inputfilerealsuffix                      \inputfilerealsuffix
inputfilesuffix                          \inputfilesuffix
inputgivenfile                           \inputgivenfile {...}
input:string                             \input ...
inriga                                   \inriga {...} [...]
insertpages                              \insertpages [...] [...] [..=..]
inspectluatable                          \inspectluatable \...
installactionhandler                     \installactionhandler {...}
installactivecharacter                   \installactivecharacter ...
installalingua                           \installalingua [...] [..=..]
installalingua:name                      \installalingua [...] [...]
installanddefineactivecharacter          \installanddefineactivecharacter ... {...}
installattributestack                    \installattributestack \...
installautocommandhandler                \installautocommandhandler \... {...} \...
installautosetuphandler                  \installautosetuphandler \... {...}
installbasicautosetuphandler             \installbasicautosetuphandler \... {...} \...
installbasicparameterhandler             \installbasicparameterhandler \... {...}
installbottomframerenderer               \installbottomframerenderer {...} {...}
installcommandhandler                    \installcommandhandler \... {...} \...
installcorenamespace                     \installcorenamespace {...}
installctxfunction                       \installctxfunction \... {...}
installctxscanner                        \installctxscanner \... {...}
installdefinehandler                     \installdefinehandler \... {...} \...
installdefinitionset                     \installdefinitionset \... {...}
installdefinitionsetmember               \installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler              \installdirectcommandhandler \... {...}
installdirectparameterhandler            \installdirectparameterhandler \... {...}
installdirectparametersethandler         \installdirectparametersethandler \... {...}
installdirectsetuphandler                \installdirectsetuphandler \... {...}
installdirectstyleandcolorhandler        \installdirectstyleandcolorhandler \... {...}
installframedautocommandhandler          \installframedautocommandhandler \... {...} \...
installframedcommandhandler              \installframedcommandhandler \... {...} \...
installglobalmacrostack                  \installglobalmacrostack \...
installleftframerenderer                 \installleftframerenderer {...} {...}
installmacrostack                        \installmacrostack \...
installnamespace                         \installnamespace {...}
installoutputroutine                     \installoutputroutine \... {...}
installpagearrangement                   \installpagearrangement ... {...}
installparameterhandler                  \installparameterhandler \... {...}
installparameterhashhandler              \installparameterhashhandler \... {...}
installparametersethandler               \installparametersethandler \... {...}
installparentinjector                    \installparentinjector \... {...}
installprotectedctxfunction              \installprotectedctxfunction \... {...}
installprotectedctxscanner               \installprotectedctxscanner \... {...}
installrightframerenderer                \installrightframerenderer {...} {...}
installrootparameterhandler              \installrootparameterhandler \... {...}
installsetuphandler                      \installsetuphandler \... {...}
installsetuponlycommandhandler           \installsetuponlycommandhandler \... {...}
installshipoutmethod                     \installshipoutmethod {...} {...}
installsimplecommandhandler              \installsimplecommandhandler \... {...} \...
installsimpleframedcommandhandler        \installsimpleframedcommandhandler \... {...} \...
```

```
installstyleandcolorhandler          \installstyleandcolorhandler \... {...}
installswitchcommandhandler           \installswitchcommandhandler \... {...} \...
installswitchsetuphandler             \installswitchsetuphandler \... {...}
installtexdirective                   \installtexdirective {...} {...} {...}
installtextracker                     \installtextracker {...} {...} {...}
installtopframerenderer               \installtopframerenderer {...} {...}
installunitsseparator                 \installunitsseparator {...} {...}
installunitsspace                     \installunitsspace {...} {...}
installversioninfo                    \installversioninfo {...} {...}
integerrounding                       \integerrounding {...}
intertext                             \intertext {...}
interwordspaceafter                   \interwordspaceafter
interwordspacebefore                  \interwordspacebefore
interwordspaces                       \interwordspaces {...}
interwordspacesafter                  \interwordspacesafter {...}
interwordspacesbefore                 \interwordspacesbefore {...}
intorno                               \intorno [...]
invokepagehandler                     \invokepagehandler {...} {...}
italiccorrection                      \italiccorrection
italicface                            \italicface
itemtag                               \itemtag [...]
jobfilename                           \jobfilename
jobfilesuffix                         \jobfilesuffix
kap                                   \kap {...}
keeplinestogether                     \keeplinestogether {...}
keepunwantedspaces                    \keepunwantedspaces
kerncharacters                        \kerncharacters [...] {...}
koreancirclenumerals                  \koreancirclenumerals {...}
koreannumerals                        \koreannumerals {...}
koreannumeralsc                       \koreannumeralsc {...}
koreannumeralsp                       \koreannumeralsp {...}
koreanparentnumerals                  \koreanparentnumerals {...}
LAMSTEX                               \LAMSTEX
LATEX                                 \LATEX
LamSTeX                               \LamSTeX
LaTeX                                 \LaTeX
Lettera                               \Lettera {...}
Lettere                               \Lettere {...}
LUAJITTEX                             \LUAJITTEX
LUAMETATEX                            \LUAMETATEX
LUATEX                               \LUATEX
Lua                                   \Lua
LuajitTeX                             \LuajitTeX
LuaMetaTeX                            \LuaMetaTeX
LuaTeX                                \LuaTeX
labellanguage:instance                \LABELlingua
labellanguage:instance:btxlabel       \btxlabellingua
labellanguage:instance:head           \headlingua
labellanguage:instance:label          \labellingua
labellanguage:instance:mathlabel      \mathlabellingua
labellanguage:instance:operator       \operatorlingua
labellanguage:instance:prefix         \prefixlingua
labellanguage:instance:suffix         \suffixlingua
labellanguage:instance:taglabel       \taglabellingua
labellanguage:instance:unit           \unitlingua
labeltexts:instance                   \LABELtexts {...} {...}
labeltexts:instance:head              \headtexts {...} {...}
labeltexts:instance:label             \labeltexts {...} {...}
labeltexts:instance:mathlabel         \mathlabeltexts {...} {...}
languageCharacters                    \languageCharacters {...}
languagecharacters                    \languagecharacters {...}
languagecharwidth                     \languagecharwidth {...}
lastcounter                           \lastcounter [...] [...]
lastcountervalue                      \lastcountervalue [...]
lastdigit                             \lastdigit {...}
lastlinewidth                         \lastlinewidth
lastnaturalboxdp                      \lastnaturalboxdp
lastnaturalboxht                      \lastnaturalboxht
lastnaturalboxwd                      \lastnaturalboxwd
lastparwrapper                        \lastparwrapper {...}
lastpredefinedsymbol                  \lastpredefinedsymbol
lastrealpage                          \lastrealpage
```

```
lastrealpagenumber              \lastrealpagenumber
lastsubcountervalue             \lastsubcountervalue [...] [...]
lastsubpagenumber               \lastsubpagenumber
lasttwodigits                   \lasttwodigits {...}
lastuserpage                    \lastuserpage
lastuserpagenumber              \lastuserpagenumber
lateluacode                     \lateluacode {...}
layeredtext                     \layeredtext [..=..] [..=..] {...} {...}
layerheight                     \layerheight
layerwidth                      \layerwidth
lazysavetaggedtwopassdata       \lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata             \lazysavetwopassdata {...} {...} {...}
lbox                            \lbox ... {...}
lchexnumber                     \lchexnumber {...}
lchexnumbers                    \lchexnumbers {...}
leftbottombox                   \leftbottombox {...}
leftbox                         \leftbox {...}
lefthbox                        \lefthbox {...}
leftlabeltext:instance          \leftLABELtesto {...}
leftlabeltext:instance:head     \leftheadtesto {...}
leftlabeltext:instance:label    \leftlabeltesto {...}
leftlabeltext:instance:mathlabel \leftmathlabeltesto {...}
leftline                        \leftline {...}
leftorrighthbox                 \leftorrighthbox ... {...}
leftorrightvbox                 \leftorrightvbox ... {...}
leftorrightvtop                 \leftorrightvtop ... {...}
leftskipadaption                \leftskipadaption
leftsubguillemot                \leftsubguillemot
lefttopbox                      \lefttopbox {...}
lefttoright                     \lefttoright
lefttorighthbox                 \lefttorighthbox ... {...}
lefttorightvbox                 \lefttorightvbox ... {...}
lefttorightvtop                 \lefttorightvtop ... {...}
letbeundefined                  \letbeundefined {...}
letcatcodecommand               \letcatcodecommand \... ... \...
letcscsname                     \letcscsname \... \csname ... \endcsname
letcsnamecs                     \letcsnamecs \csname ... \endcsname \...
letcsnamecsname                 \letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter               \letdummyparameter {...} \...
letempty                        \letempty \...
letgvalue                       \letgvalue {...} \...
letgvalueempty                  \letgvalueempty {...}
letgvalurelax                   \letgvalurelax {...}
lettera                         \lettera {...}
letterampersand                 \letterampersand
letterat                        \letterat
letterbackslash                 \letterbackslash
letterbar                       \letterbar
letterbgroup                    \letterbgroup
letterclosebrace                \letterclosebrace
lettercolon                     \lettercolon
letterdollar                    \letterdollar
letterdoublequote               \letterdoublequote
lettere                         \lettere {...}
letteregroup                    \letteregroup
letterescape                    \letterescape
letterexclamationmark           \letterexclamationmark
letterhash                      \letterhash
letterhat                       \letterhat
letterleftbrace                 \letterleftbrace
letterleftbracket               \letterleftbracket
letterleftparenthesis           \letterleftparenthesis
letterless                      \letterless
lettermore                      \lettermore
letteropenbrace                 \letteropenbrace
letterpercent                   \letterpercent
letterquestionmark              \letterquestionmark
letterrightbrace                \letterrightbrace
letterrightbracket              \letterrightbracket
letterrightparenthesis          \letterrightparenthesis
lettersinglequote               \lettersinglequote
letterslash                     \letterslash
```

```
letterspacing                      \letterspacing [...] {...}
lettertilde                        \lettertilde
letterunderscore                   \letterunderscore
letvalue                           \letvalue {...} \...
letvalueempty                      \letvalueempty {...}
letvaluerelax                      \letvaluerelax {...}
lfence                             \lfence {...}
lhbox                              \lhbox {...}
limitatefirstline                  \limitatefirstline {...} {...} {...}
limitatelines                      \limitatelines {...} {...} {...}
limitatetext                       \limitatetext {...} {...} {...}
limitatetext:list                  \limitatetext {...} {...} {...}
lineanera                          \lineanera [..=..]
lineasottile                       \lineasottile
lineatesto                         \lineatesto [...] {...}
linebox                            \linebox {...}
lineenere                          \lineenere [..=..]
lineeriempimento                   \lineeriempimento [..=..] {...} {...}
lineesottili                       \lineesottili [..=..]
linefillerhbox                     \linefillerhbox [...] ... {...}
linefillervbox                     \linefillervbox [...] ... {...}
linefillervtop                     \linefillervtop [...] ... {...}
linenote:instance                  \LINENOTE {...}
linenote:instance:linenote         \linenote {...}
linespanningtext                   \linespanningtext {...} {...} {...}
lingua                             \lingua [...]
linguaprincipale                   \linguaprincipale [...]
lingua:example                     \LANGUAGE
listcitation                       \listcitation [..=..] [...]
listcitation:alternative           \listcitation [...] [...]
listcitation:userdata              \listcitation [..=..] [..=..]
listcite                           \listcite [..=..] [...]
listcite:alternative               \listcite [...] [...]
listcite:userdata                  \listcite [..=..] [..=..]
listnamespaces                     \listnamespaces
literalmode                        \literalmode
llap                               \llap {...}
loadanyfile                        \loadanyfile [...]
loadanyfileonce                    \loadanyfileonce [...]
loadbtxdefinitionfile              \loadbtxdefinitionfile [...]
loadbtxreplacementfile             \loadbtxreplacementfile [...]
loadcldfile                        \loadcldfile [...]
loadcldfileonce                    \loadcldfileonce [...]
loadfontgoodies                    \loadfontgoodies [...]
loadluafile                        \loadluafile [...]
loadluafileonce                    \loadluafileonce [...]
loadspellchecklist                 \loadspellchecklist [...] [...]
loadtexfile                        \loadtexfile [...]
loadtexfileonce                    \loadtexfileonce [...]
loadtypescriptfile                 \loadtypescriptfile [...]
localframed                        \localframed [...] [..=..] {...}
localframedwithsettings            \localframedwithsettings [...] [..=..] {...}
localhsize                         \localhsize
localpopbox                        \localpopbox ...
localpopmacro                      \localpopmacro \...
localpushbox                       \localpushbox ...
localpushmacro                     \localpushmacro \...
localundefine                      \localundefine {...}
locatedfilepath                    \locatedfilepath
locatefilepath                     \locatefilepath {...}
locfilename                        \locfilename {...}
lomihi                             \lomihi {...} {...} {...}
lowerbox                           \lowerbox {...} \... {...}
lowercased                         \lowercased {...}
lowercasestring                    \lowercasestring ... \to \...
lowercasing                        \lowercasing
lowerleftdoubleninequote           \lowerleftdoubleninequote
lowerleftsingleninequote           \lowerleftsingleninequote
lowerrightdoubleninequote          \lowerrightdoubleninequote
lowerrightsingleninequote          \lowerrightsingleninequote
lowhigh:instance                   \LOWHIGH [...] {...} {...}
lowmidhigh:instance                \LOWMIDHIGH {...} {...} {...}
```

```
lrtbbox                 \lrtbbox {...} {...} {...} {...} {...}
ltop                    \ltop ... {...}
ltrhbox                 \ltrhbox ... {...}
ltrvbox                 \ltrvbox ... {...}
ltrvtop                 \ltrvtop ... {...}
luacode                 \luacode {...}
luaconditional          \luaconditional \...
luaenvironment          \luaenvironment ...
luaexpanded             \luaexpanded {...}
luaexpr                 \luaexpr {...}
luafunction             \luafunction {...}
luajitTeX               \luajitTeX
luamajorversion         \luamajorversion
luametaTeX              \luametaTeX
luaminorversion         \luaminorversion
luaparameterset         \luaparameterset {...} {...}
luasetup                \luasetup {...}
luaTeX                  \luaTeX
luaversion              \luaversion
lunghezzaelenco         \lunghezzaelenco
MESE                    \MESE {...}
METAFONT                \METAFONT
METAFUN                 \METAFUN
METAPOST                \METAPOST
MetaFont                \MetaFont
MetaFun                 \MetaFun
MetaPost                \MetaPost
MKII                    \MKII
MKIV                    \MKIV
MKIX                    \MKIX
MKLX                    \MKLX
MKVI                    \MKVI
MKXI                    \MKXI
MKXL                    \MKXL
MONTHLONG               \MONTHLONG {...}
MONTHSHORT              \MONTHSHORT {...}
MPanchor                \MPanchor {...}
MPbetex                 \MPbetex {...}
MPc                     \MPc {...}
MPcode                  \MPcode {...} {...}
MPcolor                 \MPcolor {...}
MPcoloronly             \MPcoloronly {...}
MPcolumn                \MPcolumn {...}
MPd                     \MPd {...}
MPdrawing               \MPdrawing {...}
MPfontsizehskip         \MPfontsizehskip {...}
MPgetmultipars          \MPgetmultipars {...} {...}
MPgetmultishape         \MPgetmultishape {...} {...}
MPgetposboxes           \MPgetposboxes {...} {...}
MPh                     \MPh {...}
MPII                    \MPII
MPIV                    \MPIV
MPinclusions            \MPinclusions [...] {...} {...}
MPLX                    \MPLX
MPleftskip              \MPleftskip {...}
MPll                    \MPll {...}
MPlr                    \MPlr {...}
MPls                    \MPls {...}
MPmenubuttons           \MPmenubuttons {...}
MPn                     \MPn {...}
MPoptions               \MPoptions {...}
MPoverlayanchor         \MPoverlayanchor {...}
MPp                     \MPp {...}
MPpage                  \MPpage {...}
MPpardata               \MPpardata {...}
MPplus                  \MPplus {...} {...} {...}
MPpos                   \MPpos {...}
MPpositiongraphic       \MPpositiongraphic {...} {..=..}
MPposset                \MPposset {...}
MPr                     \MPr {...}
MPrawvar                \MPrawvar {...} {...}
MPregion                \MPregion {...}
```

```
MPrest                                          \MPrest {...} {...}
MPrightskip                                     \MPrightskip {...}
MPrs                                            \MPrs {...}
MPstring                                        \MPstring {...}
MPtext                                          \MPtext {...}
MPtransparency                                  \MPtransparency {...}
MPul                                            \MPul {...}
MPur                                            \MPur {...}
MPVI                                            \MPVI
MPv                                             \MPv {...} {...} {...}
MPvar                                           \MPvar {...}
MPvariable                                      \MPvariable {...}
MPvv                                            \MPvv {...} {...}
MPw                                             \MPw {...}
MPwhd                                           \MPwhd {...}
MPXL                                            \MPXL
MPx                                             \MPx {...}
MPxy                                            \MPxy {...}
MPxywhd                                         \MPxywhd {...}
MPy                                             \MPy {...}
m                                               \m [...] {...}
maiuscoletto                                    \maiuscoletto {...}
maiuscolo                                       \maiuscolo {...}
makecharacteractive                             \makecharacteractive ...
makerawcommalist                                \makerawcommalist [...] \...
makestrutofbox                                  \makestrutofbox ...
mapfontsize                                     \mapfontsize [...] [...]
marcatura                                       \marcatura (...,...) (...,...) [...]
margindata                                      \margindata [...] [..=..] [..=..] {...}
margindata:instance                             \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin                \atleftmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin               \atrightmargin [..=..] [..=..] {...}
margindata:instance:ininner                     \ininner [..=..] [..=..] {...}
margindata:instance:ininneredge                 \ininneredge [..=..] [..=..] {...}
margindata:instance:ininnermargin               \ininnermargin [..=..] [..=..] {...}
margindata:instance:inleft                      \inleft [..=..] [..=..] {...}
margindata:instance:inleftedge                  \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftmargin                \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin                    \inmargin [..=..] [..=..] {...}
margindata:instance:inother                     \inother [..=..] [..=..] {...}
margindata:instance:inouter                     \inouter [..=..] [..=..] {...}
margindata:instance:inouteredge                 \inouteredge [..=..] [..=..] {...}
margindata:instance:inoutermargin               \inoutermargin [..=..] [..=..] {...}
margindata:instance:inright                     \inright [..=..] [..=..] {...}
margindata:instance:inrightedge                 \inrightedge [..=..] [..=..] {...}
margindata:instance:inrightmargin               \inrightmargin [..=..] [..=..] {...}
margindata:instance:margintext                  \margintext [..=..] [..=..] {...}
markcontent                                     \markcontent [...] {...}
markedpages                                     \markedpages [...]
markinjector                                    \markinjector [...]
markpage                                        \markpage [...] [...]
markreferencepage                               \markreferencepage
mat                                             \mat {...}
matematica                                      \matematica [...] {...}
matematica:assignment                           \matematica [..=..] {...}
math                                            \math [...] {...}
mathbf                                          \mathbf
mathbi                                          \mathbi
mathblackboard                                  \mathblackboard
mathbs                                          \mathbs
mathcommand:example                             \MATHCOMMAND {...} {...}
mathdefault                                     \mathdefault
mathdouble                                      \mathdouble [...] {...} {...} {...}
mathdoubleextensible:instance                   \MATHDOUBLEEXTENSIBLE {...} {...}
mathdoubleextensible:instance:doublebar         \doublebar {...} {...}
mathdoubleextensible:instance:doublebrace       \doublebrace {...} {...}
mathdoubleextensible:instance:doublebracket     \doublebracket {...} {...}
mathdoubleextensible:instance:doubleparent      \doubleparent {...} {...}
mathdoubleextensible:instance:overbarunderbar   \overbarunderbar {...} {...}
mathdoubleextensible:instance:overbraceunderbrace \overbraceunderbrace {...} {...}
mathdoubleextensible:instance:overbracketunderbracket \overbracketunderbracket {...} {...}
mathdoubleextensible:instance:overparentunderparent \overparentunderparent {...} {...}
```

```
mathextensible:instance                          \MATHEXTENSIBLE {...} {...}
mathextensible:instance:cleftarrow               \cleftarrow {...} {...}
mathextensible:instance:crightarrow              \crightarrow {...} {...}
mathextensible:instance:crightoverleftarrow      \crightoverleftarrow {...} {...}
mathextensible:instance:eleftarrowfill           \eleftarrowfill {...} {...}
mathextensible:instance:eleftharpoondownfill     \eleftharpoondownfill {...} {...}
mathextensible:instance:eleftharpoonupfill       \eleftharpoonupfill {...} {...}
mathextensible:instance:eleftrightarrowfill      \eleftrightarrowfill {...} {...}
mathextensible:instance:eoverbarfill             \eoverbarfill {...} {...}
mathextensible:instance:eoverbracefill           \eoverbracefill {...} {...}
mathextensible:instance:eoverbracketfill         \eoverbracketfill {...} {...}
mathextensible:instance:eoverparentfill          \eoverparentfill {...} {...}
mathextensible:instance:erightarrowfill          \erightarrowfill {...} {...}
mathextensible:instance:erightharpoondownfill    \erightharpoondownfill {...} {...}
mathextensible:instance:erightharpoonupfill      \erightharpoonupfill {...} {...}
mathextensible:instance:etwoheadrightarrowfill   \etwoheadrightarrowfill {...} {...}
mathextensible:instance:eunderbarfill            \eunderbarfill {...} {...}
mathextensible:instance:eunderbracefill          \eunderbracefill {...} {...}
mathextensible:instance:eunderbracketfill        \eunderbracketfill {...} {...}
mathextensible:instance:eunderparentfill         \eunderparentfill {...} {...}
mathextensible:instance:mequal                   \mequal {...} {...}
mathextensible:instance:mhookleftarrow           \mhookleftarrow {...} {...}
mathextensible:instance:mhookrightarrow          \mhookrightarrow {...} {...}
mathextensible:instance:mLeftarrow               \mLeftarrow {...} {...}
mathextensible:instance:mLeftrightarrow          \mLeftrightarrow {...} {...}
mathextensible:instance:mleftarrow               \mleftarrow {...} {...}
mathextensible:instance:mleftharpoondown         \mleftharpoondown {...} {...}
mathextensible:instance:mleftharpoonup           \mleftharpoonup {...} {...}
mathextensible:instance:mleftrightarrow          \mleftrightarrow {...} {...}
mathextensible:instance:mleftrightharpoons       \mleftrightharpoons {...} {...}
mathextensible:instance:mmapsto                  \mmapsto {...} {...}
mathextensible:instance:mRightarrow              \mRightarrow {...} {...}
mathextensible:instance:mrel                     \mrel {...} {...}
mathextensible:instance:mrightarrow              \mrightarrow {...} {...}
mathextensible:instance:mrightharpoondown        \mrightharpoondown {...} {...}
mathextensible:instance:mrightharpoonup          \mrightharpoonup {...} {...}
mathextensible:instance:mrightleftharpoons       \mrightleftharpoons {...} {...}
mathextensible:instance:mrightoverleftarrow      \mrightoverleftarrow {...} {...}
mathextensible:instance:mtriplerel               \mtriplerel {...} {...}
mathextensible:instance:mtwoheadleftarrow        \mtwoheadleftarrow {...} {...}
mathextensible:instance:mtwoheadrightarrow       \mtwoheadrightarrow {...} {...}
mathextensible:instance:tequal                   \tequal {...} {...}
mathextensible:instance:thookleftarrow           \thookleftarrow {...} {...}
mathextensible:instance:thookrightarrow          \thookrightarrow {...} {...}
mathextensible:instance:tLeftarrow               \tLeftarrow {...} {...}
mathextensible:instance:tLeftrightarrow          \tLeftrightarrow {...} {...}
mathextensible:instance:tleftarrow               \tleftarrow {...} {...}
mathextensible:instance:tleftharpoondown         \tleftharpoondown {...} {...}
mathextensible:instance:tleftharpoonup           \tleftharpoonup {...} {...}
mathextensible:instance:tleftrightarrow          \tleftrightarrow {...} {...}
mathextensible:instance:tleftrightharpoons       \tleftrightharpoons {...} {...}
mathextensible:instance:tmapsto                  \tmapsto {...} {...}
mathextensible:instance:tRightarrow              \tRightarrow {...} {...}
mathextensible:instance:trel                     \trel {...} {...}
mathextensible:instance:trightarrow              \trightarrow {...} {...}
mathextensible:instance:trightharpoondown        \trightharpoondown {...} {...}
mathextensible:instance:trightharpoonup          \trightharpoonup {...} {...}
mathextensible:instance:trightleftharpoons       \trightleftharpoons {...} {...}
mathextensible:instance:trightoverleftarrow      \trightoverleftarrow {...} {...}
mathextensible:instance:ttriplerel               \ttriplerel {...} {...}
mathextensible:instance:ttwoheadleftarrow        \ttwoheadleftarrow {...} {...}
mathextensible:instance:ttwoheadrightarrow       \ttwoheadrightarrow {...} {...}
mathextensible:instance:xequal                   \xequal {...} {...}
mathextensible:instance:xhookleftarrow           \xhookleftarrow {...} {...}
mathextensible:instance:xhookrightarrow          \xhookrightarrow {...} {...}
mathextensible:instance:xLeftarrow               \xLeftarrow {...} {...}
mathextensible:instance:xLeftrightarrow          \xLeftrightarrow {...} {...}
mathextensible:instance:xleftarrow               \xleftarrow {...} {...}
mathextensible:instance:xleftharpoondown         \xleftharpoondown {...} {...}
mathextensible:instance:xleftharpoonup           \xleftharpoonup {...} {...}
mathextensible:instance:xleftrightarrow          \xleftrightarrow {...} {...}
mathextensible:instance:xleftrightharpoons       \xleftrightharpoons {...} {...}
```

```
mathextensible:instance:xmapsto                                        \xmapsto {...} {...}
mathextensible:instance:xRightarrow                                    \xRightarrow {...} {...}
mathextensible:instance:xrel                                           \xrel {...} {...}
mathextensible:instance:xrightarrow                                    \xrightarrow {...} {...}
mathextensible:instance:xrightharpoondown                              \xrightharpoondown {...} {...}
mathextensible:instance:xrightharpoonup                                \xrightharpoonup {...} {...}
mathextensible:instance:xrightleftharpoons                             \xrightleftharpoons {...} {...}
mathextensible:instance:xrightoverleftarrow                            \xrightoverleftarrow {...} {...}
mathextensible:instance:xtriplerel                                     \xtriplerel {...} {...}
mathextensible:instance:xtwoheadleftarrow                              \xtwoheadleftarrow {...} {...}
mathextensible:instance:xtwoheadrightarrow                             \xtwoheadrightarrow {...} {...}
mathfraktur                                                            \mathfraktur
mathframed:instance                                                    \MATHFRAMED [..=..] {...}
mathframed:instance:inmframed                                          \inmframed [..=..] {...}
mathframed:instance:mcframed                                           \mcframed [..=..] {...}
mathframed:instance:mframed                                            \mframed [..=..] {...}
mathfunction                                                           \mathfunction {...}
mathit                                                                 \mathit
mathitalic                                                             \mathitalic
mathmatrix:instance                                                    \MATHMATRIX [..=..] {...}
mathmatrix:instance:thematrix                                          \thematrix [..=..] {...}
mathop                                                                 \mathop {...}
mathornament:example                                                   \MATHORNAMENT {...}
mathover                                                               \mathover [...] {...} {...}
mathoverextensible:example                                            \MATHOVEREXTENSIBLE {...}
mathovertextextensible:instance                                        \MATHOVERTEXTEXTENSIBLE {...} {...}
mathovertextextensible:instance:overbar                                \overbar {...} {...}
mathovertextextensible:instance:overbartext                            \overbartext {...} {...}
mathovertextextensible:instance:overbrace                              \overbrace {...} {...}
mathovertextextensible:instance:overbracetext                          \overbracetext {...} {...}
mathovertextextensible:instance:overbracket                            \overbracket {...} {...}
mathovertextextensible:instance:overbrackettext                        \overbrackettext {...} {...}
mathovertextextensible:instance:overleftarrow                          \overleftarrow {...} {...}
mathovertextextensible:instance:overleftharpoondown                    \overleftharpoondown {...} {...}
mathovertextextensible:instance:overleftharpoonup                      \overleftharpoonup {...} {...}
mathovertextextensible:instance:overleftrightarrow                     \overleftrightarrow {...} {...}
mathovertextextensible:instance:overparent                             \overparent {...} {...}
mathovertextextensible:instance:overparenttext                         \overparenttext {...} {...}
mathovertextextensible:instance:overrightarrow                         \overrightarrow {...} {...}
mathovertextextensible:instance:overrightharpoondown                   \overrightharpoondown {...} {...}
mathovertextextensible:instance:overrightharpoonup                     \overrightharpoonup {...} {...}
mathovertextextensible:instance:overtwoheadleftarrow                   \overtwoheadleftarrow {...} {...}
mathovertextextensible:instance:overtwoheadrightarrow                  \overtwoheadrightarrow {...} {...}
mathradical:example                                                    \MATHRADICAL [...] {...}
mathrm                                                                 \mathrm
mathscript                                                             \mathscript
mathsl                                                                 \mathsl
mathss                                                                 \mathss
mathtext                                                               \mathtext ... {...}
mathtextbf                                                             \mathtextbf ... {...}
mathtextbi                                                             \mathtextbi ... {...}
mathtextbs                                                             \mathtextbs ... {...}
mathtextit                                                             \mathtextit ... {...}
mathtextsl                                                             \mathtextsl ... {...}
mathtextttf                                                            \mathtextttf ... {...}
mathtf                                                                 \mathtf
mathtriplet                                                            \mathtriplet [...] {...} {...} {...}
mathtriplet:example                                                    \MATHTRIPLET [...] {...} {...} {...}
mathtt                                                                 \mathtt
mathunder                                                              \mathunder [...] {...} {...}
mathunderextensible:example                                            \MATHUNDEREXTENSIBLE {...}
mathundertextextensible:instance                                       \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathundertextextensible:instance:underbar                              \underbar {...} {...}
mathundertextextensible:instance:underbartext                          \underbartext {...} {...}
mathundertextextensible:instance:underbrace                            \underbrace {...} {...}
mathundertextextensible:instance:underbracetext                        \underbracetext {...} {...}
mathundertextextensible:instance:underbracket                          \underbracket {...} {...}
mathundertextextensible:instance:underbrackettext                      \underbrackettext {...} {...}
mathundertextextensible:instance:underleftarrow                        \underleftarrow {...} {...}
mathundertextextensible:instance:underleftharpoondown                  \underleftharpoondown {...} {...}
mathundertextextensible:instance:underleftharpoonup                    \underleftharpoonup {...} {...}
mathundertextextensible:instance:underleftrightarrow                   \underleftrightarrow {...} {...}
```

mathundertextextensible:instance:underparent	\underparent {...} {...}
mathundertextextensible:instance:underparenttext	\underparenttext {...} {...}
mathundertextextensible:instance:underrightarrow	\underrightarrow {...} {...}
mathundertextextensible:instance:underrightharpoondown	\underrightharpoondown {...} {...}
mathundertextextensible:instance:underrightharpoonup	\underrightharpoonup {...} {...}
mathundertextextensible:instance:undertwoheadleftarrow	\undertwoheadleftarrow {...} {...}
mathundertextextensible:instance:undertwoheadrightarrow	\undertwoheadrightarrow {...} {...}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword ... {...}
mathwordbf	\mathwordbf ... {...}
mathwordbi	\mathwordbi ... {...}
mathwordbs	\mathwordbs ... {...}
mathwordit	\mathwordit ... {...}
mathwordsl	\mathwordsl ... {...}
mathwordtf	\mathwordtf ... {...}
math:assignment	\math [..=..] {...}
maxaligned	\maxaligned {...}
mbox	\mbox {...}
measure	\measure {...}
measured	\measured {...}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [...] [..=..]
mese	\mese {...}
message	\message {...}
mettielenco	\mettielenco [...] [..=..]
mettielencocombinato	\mettielencocombinato [...] [..=..]
mettielencocombinato:instance	\mettiCOMBINEDLIST [..=..]
mettielencocombinato:instance:content	\metticontent [..=..]
mettifiancoafianco	\mettifiancoafianco {...} {...}
mettiformula	\mettiformula [...] {...}
mettiingriglia	\mettiingriglia [...] {...}
mettiingriglia:list	\mettiingriglia [...] {...}
mettinotepdp	\mettinotepdp [..=..]
mettinotepdplocali	\mettinotepdplocali [..=..]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [...] [..=..]
mettiregistro:instance	\mettiREGISTER [..=..]
mettiregistro:instance:index	\mettiindex [..=..]
mettisegnalibro	\mettisegnalibro [...] [...] [..=..]
mettisottoformula	\mettisottoformula [...] {...}
mettiunosullaltro	\mettiunosullaltro {...} {...}
mfence	\mfence {...}
mfunction	\mfunction {...}
mfunctionlabeltext	\mfunctionlabeltext {...}
mhbox	\mhbox {...}
middlealigned	\middlealigned {...}
middlebox	\middlebox {...}
midhbox	\midhbox {...}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox ... {...}
mixedcaps	\mixedcaps {...}
mkvibuffer	\mkvibuffer [...]
moduleparameter	\moduleparameter {...} {...}
molecule	\molecule {...}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {...}
monthshort	\monthshort {...}
mostraambientefontdeltesto	\mostraambientefontdeltesto [...]
mostracolore	\mostracolore [...]
mostracornice	\mostracornice [...] [...]
mostrafontdeltesto	\mostrafontdeltesto [...]
mostragriglia	\mostragriglia [...]
mostragruppocolori	\mostragruppocolori [...] [...]
mostraimpostazioni	\mostraimpostazioni [...]
mostralyout	\mostralyout [...]
mostramakeup	\mostramakeup [...]
mostrasetsimboli	\mostrasetsimboli [...]
mostrastampa	\mostrastampa [...] [...] [..=..]

```
mostrastruts                        \mostrastruts
mostratavolozza                     \mostratavolozza [...] [...]
mprandomnumber                      \mprandomnumber
mtext                               \mtext {...}
m:assignment                        \m [..=..] {...}
NormalizeFontHeight                 \NormalizeFontHeight \... {...} {...} {...}
NormalizeFontWidth                  \NormalizeFontWidth \... {...} {...} {...}
NormalizeTextHeight                 \NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth                  \NormalizeTextWidth {...} {...} {...}
Numeri                              \Numeri {...}
Numeriromani                        \Numeriromani {...}
namedheadnumber                     \namedheadnumber {...}
namedstructureheadlocation          \namedstructureheadlocation {...}
namedstructureuservariable          \namedstructureuservariable {...} {...}
namedstructurevariable              \namedstructurevariable {...} {...}
namedtaggedlabeltexts               \namedtaggedlabeltexts {...} {...} {...} {...} {...}
nascondiblocchi                     \nascondiblocchi [...] [...]
naturalhbox                         \naturalhbox ... {...}
naturalhpack                        \naturalhpack ... {...}
naturaltpack                        \naturaltpack ... {...}
naturalvbox                         \naturalvbox ... {...}
naturalvcenter                      \naturalvcenter ... {...}
naturalvpack                        \naturalvpack ... {...}
naturalvtop                         \naturalvtop ... {...}
naturalwd                           \naturalwd ...
negatecolorbox                      \negatecolorbox ...
negated                             \negated {...}
negemspace                          \negemspace
negenspace                          \negenspace
negthinspace                        \negthinspace
newattribute                        \newattribute \...
newcatcodetable                     \newcatcodetable \...
newcounter                          \newcounter \...
newevery                            \newevery \... \...
newfrenchspacing                    \newfrenchspacing
newluatable                         \newluatable \...
newmode                             \newmode {...}
newsignal                           \newsignal \...
newsystemmode                       \newsystemmode {...}
nextbox                             \nextbox
nextboxdp                           \nextboxdp
nextboxht                           \nextboxht
nextboxhtdp                         \nextboxhtdp
nextboxwd                           \nextboxwd
nextcounter                         \nextcounter [...] [...]
nextcountervalue                    \nextcountervalue [...]
nextdepth                           \nextdepth
nextparagraphs                      \nextparagraphs
nextparagraphs:example              \successivoPARAGRAPHS
nextrealpage                        \nextrealpage
nextrealpagenumber                  \nextrealpagenumber
nextsubcountervalue                 \nextsubcountervalue [...] [...]
nextsubpagenumber                   \nextsubpagenumber
nextuserpage                        \nextuserpage
nextuserpagenumber                  \nextuserpagenumber
nientelineecimafondo                \nientelineecimafondo
nientelineintestazionepdp           \nientelineintestazionepdp
nientespazio                        \nientespazio
nocap                               \nocap {...}
nocharacteralign                    \nocharacteralign
nocitation                          \nocitation [...]
nocitation:direct                   \nocitation {...}
nocite                              \nocite [...]
nocite:direct                       \nocite {...}
nodetostring                        \nodetostring \... {...}
noffigurepages                      \noffigurepages
noflines                            \noflines
noflinesinbox                       \noflinesinbox ...
noflocalfloats                      \noflocalfloats
noheightstrut                       \noheightstrut
nohyphens                           \nohyphens
noindentation                       \noindentation
```

```
noitem                                  \noitem
nonfrenchspacing                        \nonfrenchspacing
nonmathematics                          \nonmathematics {...}
nonvalidassignment                      \nonvalidassignment {...}
normalboldface                          \normalboldface
normale                                 \normale
normalframedwithsettings                \normalframedwithsettings [..=..] {...}
normalitalicface                        \normalitalicface
normalizebodyfontsize                   \normalizebodyfontsize \... {...}
normalizedfontsize                      \normalizedfontsize
normalizefontdepth                      \normalizefontdepth \... {...} {...} {...}
normalizefontheight                     \normalizefontheight \... {...} {...} {...}
normalizefontline                       \normalizefontline \... {...} {...} {...}
normalizefontwidth                      \normalizefontwidth \... {...} {...} {...}
normalizetextdepth                      \normalizetextdepth {...} {...} {...}
normalizetextheight                     \normalizetextheight {...} {...} {...}
normalizetextline                       \normalizetextline {...} {...} {...}
normalizetextwidth                      \normalizetextwidth {...} {...} {...}
normalslantedface                       \normalslantedface
normaltypeface                          \normaltypeface
nota                                    \nota [...] [...]
nota:instance                           \NOTE [...] {...}
nota:instance:assignment                \NOTE [..=..]
nota:instance:assignment:endnote        \endnote [..=..]
nota:instance:assignment:footnote       \footnote [..=..]
nota:instance:endnote                   \endnote [...] {...}
nota:instance:footnote                  \footnote [...] {...}
notesymbol                              \notesymbol [...] [...]
notragged                               \notragged
ntimes                                  \ntimes {...} {...}
numberofpoints                          \numberofpoints {...}
numeri                                  \numeri {...}
numeriromani                            \numeriromani {...}
numeroformula                           \numeroformula [...]
numeropagina                            \numeropagina
numeropaginacompleto                    \numeropaginacompleto
numerotesta                             \numerotesta [...] [...]
numerotestacorrente                     \numerotestacorrente
obeydepth                               \obeydepth
objectdepth                             \objectdepth
objectheight                            \objectheight
objectmargin                            \objectmargin
objectwidth                             \objectwidth
obox                                    \obox {...}
octnumber                               \octnumber {...}
octstringtonumber                       \octstringtonumber {...}
offset                                  \offset [..=..] {...}
offsetbox                               \offsetbox [..=..] \... {...}
onedigitrounding                        \onedigitrounding {...}
ordinaldaynumber                        \ordinaldaynumber {...}
ordinalstr                              \ordinalstr {...}
ornamenttext:collector                  \ornamenttext [..=..] [..=..] {...} {...}
ornamenttext:direct                     \ornamenttext [...] {...} {...}
ornamenttext:layer                      \ornamenttext [..=..] [..=..] {...} {...}
ornament:example                        \ORNAMENT {...} {...}
outputfilename                          \outputfilename
outputstreambox                         \outputstreambox [...]
outputstreamcopy                        \outputstreamcopy [...]
outputstreamunvbox                      \outputstreamunvbox [...]
outputstreamunvcopy                     \outputstreamunvcopy [...]
over                                    \over [...]
overlaybutton                           \overlaybutton [...]
overlaybutton:direct                    \overlaybutton {...}
overlaycolor                            \overlaycolor
overlaydepth                            \overlaydepth
overlayfigure                           \overlayfigure {...}
overlayheight                           \overlayheight
overlayimage                            \overlayimage {...}
overlaylinecolor                        \overlaylinecolor
overlaylinewidth                        \overlaylinewidth
overlayoffset                           \overlayoffset
overlayrollbutton                       \overlayrollbutton [...] [...]
```

overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {...} {...}
PAROLA	\PAROLA {...}
PAROLE	\PAROLE {...}
Parola	\Parola {...}
Parole	\Parole {...}
PDFcolor	\PDFcolor {...}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {...} \...
PointsToReal	\PointsToReal {...} \...
PointsToWholeBigPoints	\PointsToWholeBigPoints {...} \...
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {...}
pagearea	\pagearea [...] [...] [...]
pagebreak	\pagebreak [...]
pagefigure	\pagefigure [...] [..=..]
pageinjection	\pageinjection [...] [..=..]
pageinjection:assignment	\pageinjection [..=..] [..=..]
pagestaterealpage	\pagestaterealpage {...} {...}
pagestaterealpageorder	\pagestaterealpageorder {...} {...}
pagina	\pagina [...]
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {...}
paroladestra	\paroladestra [...] {...}
pdfactualtext	\pdfactualtext {...} {...}
pdfbackendactualtext	\pdfbackendactualtext {...} {...}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate	\pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo	\pdfbackendsetinfo {...} {...}
pdfbackendsetname	\pdfbackendsetname {...} {...}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource	\pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern	\pdfbackendsetpattern {...} {...}
pdfbackendsetshade	\pdfbackendsetshade {...} {...}
pdfcolor	\pdfcolor {...}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {...}
pedap	\pedap [...] {...} {...}
ped:instance	\LOW {...}
ped:instance:unitslow	\unitslow {...}
percent	\percent
percentdimen	\percentdimen {...} {...}
perlungo	\perlungo {...}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {...}
persiannumerals	\persiannumerals {...}
phantom	\phantom {...}
phantombox	\phantombox [..=..]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {...} {...} {...}

```
placeattachments                            \placeattachments
placebtxrendering                           \placebtxrendering [...] [..=..]
placecitation                               \placecitation [...]
placecomments                               \placecomments
placecurrentformulanumber                   \placecurrentformulanumber
placedbox                                   \placedbox {...}
placefloat                                  \placefloat [...] [...] [...] {...} {...}
placefloatcaption                           \placefloatcaption [...] [..=..] [..=..]
placefloatwithsetups                        \placefloatwithsetups [...] [...] [...] {...} {...}
placefloat:instance                         \mettiFLOAT [...] [...] {...} {...}
placefloat:instance:chemical                \mettichemical [...] [...] {...} {...}
placefloat:instance:figure                  \mettifigure [...] [...] {...} {...}
placefloat:instance:graphic                 \mettigraphic [...] [...] {...} {...}
placefloat:instance:intermezzo              \mettiintermezzo [...] [...] {...} {...}
placefloat:instance:table                   \mettitable [...] [...] {...} {...}
placeframed                                 \placeframed [...] [..=..] {...}
placehelp                                   \placehelp
placeholder                                 \placeholder [...]
placeinitial                                \placeinitial [...]
placelayer                                  \placelayer [...]
placelayeredtext                            \placelayeredtext [...] [..=..] [..=..] {...} {...}
placelistoffloats:instance                  \placelistofFLOATS [..=..]
placelistoffloats:instance:chemicals        \placelistofchemicals [..=..]
placelistoffloats:instance:figures          \placelistoffigures [..=..]
placelistoffloats:instance:graphics         \placelistofgraphics [..=..]
placelistoffloats:instance:intermezzi       \placelistofintermezzi [..=..]
placelistoffloats:instance:tables           \placelistoftables [..=..]
placelistofpublications                     \placelistofpublications [...] [..=..]
placelistofsorts                            \placelistofsorts [...] [..=..]
placelistofsorts:instance                   \placelistofSORTS [..=..]
placelistofsorts:instance:logos             \placelistoflogos [..=..]
placelistofsynonyms                         \placelistofsynonyms [...] [..=..]
placelistofsynonyms:instance                \placelistofSYNONYMS [..=..]
placelistofsynonyms:instance:abbreviations  \placelistofabbreviations [..=..]
placelocalnotes                             \placelocalnotes [...] [..=..]
placement                                   \placement [...] [..=..] {...}
placement:example                           \PLACEMENT [..=..] {...}
placenamedfloat                             \placenamedfloat [...] [...]
placenamedformula                           \placenamedformula [...] {...} {...}
placenotes                                  \placenotes [...] [..=..]
placepairedbox                              \placepairedbox [...] [..=..] {...} {...}
placepairedbox:instance                     \mettiPAIREDBOX [..=..] {...} {...}
placepairedbox:instance:legend              \mettilegend [..=..] {...} {...}
placeparallel                               \placeparallel [...] [...] [..=..]
placerawheaddata                            \placerawheaddata [...]
placerawheadnumber                          \placerawheadnumber [...]
placerawheadtext                            \placerawheadtext [...]
placerawlist                                \placerawlist [...] [..=..]
placerenderingwindow                        \placerenderingwindow [...] [...]
popattribute                                \popattribute \...
popmacro                                    \popmacro \...
popmode                                     \popmode [...]
popsystemmode                               \popsystemmode {...}
positionoverlay                             \positionoverlay {...}
positionregionoverlay                       \positionregionoverlay {...} {...}
posizionanumerotesta                        \posizionanumerotesta [...]
posizionatestotesta                         \posizionatestotesta [...]
posizione                                   \posizione [..=..] (...,...) {...}
postponenotes                               \postponenotes
predefinedfont                              \predefinedfont [...]
predefinefont                               \predefinefont [...] [...]
predefinesymbol                             \predefinesymbol [...]
prefixedpagenumber                          \prefixedpagenumber
prendibuffer                                \prendibuffer [...]
prendibuffer:instance                       \prendiBUFFER
prendimarcatura                             \prendimarcatura [...] [...] [...]
prependetoks                                \prependetoks ... \to \...
prependgvalue                               \prependgvalue {...} {...}
prependtocommalist                          \prependtocommalist {...} \...
prependtoks                                 \prependtoks ... \to \...
prependtoksonce                             \prependtoksonce ... \to \...
prependvalue                                \prependvalue {...} {...}
```

```
prerollblank                          \prerollblank [...]
presetdocument                        \presetdocument [...] [..=..]
presetfieldsymbols                    \presetfieldsymbols [...]
presetlabeltext:instance              \presetLABELtesto [...] [..=..]
presetlabeltext:instance:btxlabel     \presetbtxlabeltesto [...] [..=..]
presetlabeltext:instance:head         \presetheadtesto [...] [..=..]
presetlabeltext:instance:label        \presetlabeltesto [...] [..=..]
presetlabeltext:instance:mathlabel    \presetmathlabeltesto [...] [..=..]
presetlabeltext:instance:operator     \presetoperatortesto [...] [..=..]
presetlabeltext:instance:prefix       \presetprefixtesto [...] [..=..]
presetlabeltext:instance:suffix       \presetsuffixtesto [...] [..=..]
presetlabeltext:instance:taglabel     \presettaglabeltesto [...] [..=..]
presetlabeltext:instance:unit         \presetunittesto [...] [..=..]
pretocommalist                        \pretocommalist {...} \...
prettyprintbuffer                     \prettyprintbuffer {...} {...}
prevcounter                           \prevcounter [...] [...]
prevcountervalue                      \prevcountervalue [...]
preventmode                           \preventmode [...]
prevrealpage                          \prevrealpage
prevrealpagenumber                    \prevrealpagenumber
prevsubcountervalue                   \prevsubcountervalue [...] [...]
prevsubpage                           \prevsubpage
prevsubpagenumber                     \prevsubpagenumber
prevuserpage                          \prevuserpage
prevuserpagenumber                    \prevuserpagenumber
primasottopagina                      \primasottopagina
procent                               \procent
processaction                         \processaction [...] [..,..=>..,..]
processallactionsinset                \processallactionsinset [...] [..,..=>..,..]
processassignlist                     \processassignlist [...] \...
processassignmentcommand              \processassignmentcommand [..=..] \...
processassignmentlist                 \processassignmentlist [..=..] \...
processbetween                        \processbetween {...} \...
processbodyfontenvironmentlist        \processbodyfontenvironmentlist \...
processcolorcomponents                \processcolorcomponents {...}
processcommacommand                   \processcommacommand [...] \...
processcommalist                      \processcommalist [...] \...
processcommalistwithparameters        \processcommalistwithparameters [...] \...
processcontent                        \processcontent {...} \...
processfile                           \processfile {...}
processfilemany                       \processfilemany {...}
processfilenone                       \processfilenone {...}
processfileonce                       \processfileonce {...}
processfirstactioninset               \processfirstactioninset [...] [..,..=>..,..]
processisolatedchars                  \processisolatedchars {...} \...
processisolatedwords                  \processisolatedwords {...} \...
processlinetablebuffer                \processlinetablebuffer [...]
processlinetablefile                  \processlinetablefile {...}
processlist                           \processlist {...} {...} {...} \...
processMPbuffer                       \processMPbuffer [...]
processMPfigurefile                   \processMPfigurefile {...}
processmonth                          \processmonth {...} {...} {...}
processranges                         \processranges [...] \...
processseparatedlist                  \processseparatedlist [...] [...] {...}
processtexbuffer                      \processTEXbuffer [...]
processtokens                         \processtokens {...} {...} {...} {...} {...}
processuntil                          \processuntil \...
processxtablebuffer                   \processxtablebuffer [...]
processyear                           \processyear {...} {...} {...} {...}
prodotto                              \prodotto [...]
prodotto:string                       \prodotto ...
profiledbox                           \profiledbox [...] [..=..] {...}
profilegivenbox                       \profilegivenbox {...} ...
progetto                              \progetto [...]
progetto:string                       \progetto ...
programma                             \programma [...]
pseudoMixedCapped                     \pseudoMixedCapped {...}
pseudoSmallCapped                     \pseudoSmallCapped {...}
pseudoSmallcapped                     \pseudoSmallcapped {...}
pseudosmallcapped                     \pseudosmallcapped {...}
pulsante                              \pulsante [..=..] {...} [...]
pulsantemenu:button                   \pulsantemenu [..=..] {...} {...}
```

pulsantemenu:interactionmenu	`\pulsantemenu [...] [..=..] {...} {...}`
pulsante:example	`\BUTTON [..=..] {...} [...]`
pulsantinterazione	`\pulsantinterazione [..=..] [...]`
punti	`\punti [...]`
punti:assignment	`\punti [..=..]`
punto	`\punto {...}`
purenumber	`\purenumber {...}`
pusharrangedpages	`\pusharrangedpages ... \poparrangedpages`
pushattribute	`\pushattribute \...`
pushbar	`\pushbar [...] ... \popbar`
pushbutton	`\pushbutton [...] [...]`
pushcatcodetable	`\pushcatcodetable ... \popcatcodetable`
pushcolore	`\pushcolore [...] ... \popcolore`
pushendofline	`\pushendofline ... \popendofline`
pushindentation	`\pushindentation ... \popindentation`
pushMPdrawing	`\pushMPdrawing ... \popMPdrawing`
pushmacro	`\pushmacro \...`
pushmathstyle	`\pushmathstyle ... \popmathstyle`
pushmode	`\pushmode [...]`
pushoutputstream	`\pushoutputstream [...]`
pushpath	`\pushpath [...] ... \poppath`
pushpunctuation	`\pushpunctuation ... \poppunctuation`
pushrandomseed	`\pushrandomseed ... \poprandomseed`
pushreferenceprefix	`\pushreferenceprefix {...} ... \popreferenceprefix`
pushsfondo	`\pushsfondo [...] ... \popsfondo`
pushsystemmode	`\pushsystemmode {...}`
putboxincache	`\putboxincache {...} {...} ...`
putnextboxincache	`\putnextboxincache {...} {...} \... {...}`
qquad	`\qquad`
quad	`\quad`
quads	`\quads [...]`
qualcheriga	`\qualcheriga [...]`
quarterstrut	`\quarterstrut`
quitcommalist	`\quitcommalist`
quitprevcommalist	`\quitprevcommalist`
quittypescriptscanning	`\quittypescriptscanning`
ReadFile	`\ReadFile {...}`
raggedbottom	`\raggedbottom`
raggedcenter	`\raggedcenter`
raggedleft	`\raggedleft`
raggedright	`\raggedright`
raggedwidecenter	`\raggedwidecenter`
raisebox	`\raisebox {...} \... {...}`
randomizetext	`\randomizetext {...}`
randomnumber	`\randomnumber {...} {...}`
rawcounter	`\rawcounter [...] [...]`
rawcountervalue	`\rawcountervalue [...]`
rawdate	`\rawdate [...]`
rawdoifelseinset	`\rawdoifelseinset {...} {...} {...} {...}`
rawdoifinset	`\rawdoifinset {...} {...} {...}`
rawdoifinsetelse	`\rawdoifinsetelse {...} {...} {...} {...}`
rawgetparameters	`\rawgetparameters [...] [..=..]`
rawprocessaction	`\rawprocessaction [...] [..,..=>..,..]`
rawprocesscommacommand	`\rawprocesscommacommand [...] \...`
rawprocesscommalist	`\rawprocesscommalist [...] \...`
rawstructurelistuservariable	`\rawstructurelistuservariable {...}`
rawsubcountervalue	`\rawsubcountervalue [...] [...]`
rbox	`\rbox ... {...}`
readfile	`\readfile {...} {...} {...}`
readfixfile	`\readfixfile {...} {...} {...} {...}`
readjobfile	`\readjobfile {...} {...} {...}`
readlocfile	`\readlocfile {...} {...} {...}`
readsetfile	`\readsetfile {...} {...} {...} {...}`
readsysfile	`\readsysfile {...} {...} {...}`
readtexfile	`\readtexfile {...} {...} {...}`
readxmlfile	`\readxmlfile {...} {...} {...}`
realpagenumber	`\realpagenumber`
realSmallCapped	`\realSmallCapped {...}`
realSmallcapped	`\realSmallcapped {...}`
realsmallcapped	`\realsmallcapped {...}`
recursedepth	`\recursedepth`
recurselevel	`\recurselevel`

recursestring	\recursestring
redoconvertfont	\redoconvertfont
referencecolumnnumber	\referencecolumnnumber
referenceformat:example	*\REFERENCEFORMAT* {...} {...} [...]
referencepagedetail	\referencepagedetail
referencepagestate	\referencepagestate
referenceprefix	\referenceprefix
referencerealpage	\referencerealpage
referencesymbol	\referencesymbol
referring	\referring (...,...) (...,...) [...]
registerattachment	\registerattachment [...] [..=..]
registerctxluafile	\registerctxluafile {...} {...}
registerexternalfigure	\registerexternalfigure [...] [...] [..=..]
registerfontclass	\registerfontclass {...}
registerhyphenationexception	\registerhyphenationexception [...] [...]
registerhyphenationpattern	\registerhyphenationpattern [...] [...]
registermenubuttons	\registermenubuttons [...] [...]
registerparwrapper	\registerparwrapper {...} {...} {...}
registerparwrapperreverse	\registerparwrapperreverse {...} {...} {...}
registersort	\registersort [...] [...]
registersynonym	\registersynonym [...] [...]
registerunit	\registerunit [...] [..=..]
registro:instance	*\REGISTER* [...] {..+...+..}
registro:instance:index	*\index* [...] {..+...+..}
registro:instance:ownnumber	*\REGISTER* [...] {...} {..+...+..}
registro:instance:ownnumber:index	*\index* [...] {...} {..+...+..}
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura [...]
relatemarking	\relatemarking [...] [...]
relateparameterhandlers	\relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined	\relaxvalueifundefined {...}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist {...} \...
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent [...]
removepunctuation	\removepunctuation
removesubstring	\removesubstring ... \from ... \to \...
removetoks	\removetoks ... \from \...
removeunwantedspaces	\removeunwantedspaces
repeathead	\repeathead [...]
replacefeature	\replacefeature [...]
replacefeature:direct	\replacefeature {...}
replaceincommalist	\replaceincommalist \... {...}
replaceword	\replaceword [...] [...] [...]
rescan	\rescan {...}
rescanwithsetup	\rescanwithsetup {...} {...}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature [...]
resetandaddfeature:direct	\resetandaddfeature {...}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {...}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer [...]
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector [...]
resetcounter	\resetcounter [...] [...]
resetctxscanner	\resetctxscanner \...
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {...}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [...] [...]
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector [...]

resetinteractionmenu	\resetinteractionmenu [...]
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer [...]
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance [...]
resetmarker	\resetmarker [...]
resetmode	\resetmode {...}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [...] [...]
resetpath	\resetpath
resetpenalties	\resetpenalties \...
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference [...]
resetreplacements	\resetreplacements
resetscript	\resetscript
resetsetups	\resetsetups [...]
resetshownsynonyms	\resetshownsynonyms [...]
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {...}
resettimer	\resettimer
resettokenlist	\resettokenlist [...]
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings [...]
resetusedsynonyms	\resetusedsynonyms [...]
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {...}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {...}
resolvedglyphdirect	\resolvedglyphdirect {...} {...}
resolvedglyphstyled	\resolvedglyphstyled {...} {...}
restartcounter	\restartcounter [...] [...] [...]
restorebox	\restorebox {...} {...}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter [...]
restorecurrentattributes	\restorecurrentattributes {...}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
retestfeature	\retestfeature
reusableMPgraphic	\reusableMPgraphic {...} {..=..}
reuseMPgraphic	\reuseMPgraphic {...} {..=..}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox ... {...}
reversehpack	\reversehpack ... {...}
reversetpack	\reversetpack ... {...}
reversevbox	\reversevbox ... {...}
reversevboxcontent	\reversevboxcontent ...
reversevpack	\reversevpack ... {...}
reversevtop	\reversevtop ... {...}
revivefeature	\revivefeature
rfence	\rfence {...}
rhbox	\rhbox {...}
rif	\rif [...] [...]
riferimento	\riferimento [...] {...}
riferimentopagina	\riferimentopagina [...]
riferimentotesto	\riferimentotesto [...] {...}
riflessione	\riflessione {...}
riga	\riga {...}
rigariempimento	\rigariempimento [..=..]
rightbottombox	\rightbottombox {...}
rightbox	\rightbox {...}
righthbox	\righthbox {...}
rightlabeltext:instance	*\rightLABELtesto* {...}
rightlabeltext:instance:head	*\rightheadtesto* {...}
rightlabeltext:instance:label	*\rightlabeltesto* {...}
rightlabeltext:instance:mathlabel	*\rightmathlabeltesto* {...}
rightline	\rightline {...}

rightorleftpageaction	`\rightorleftpageaction {...} {...}`
rightpageorder	`\rightpageorder`
rightskipadaption	`\rightskipadaption`
rightsubguillemot	`\rightsubguillemot`
righttoleft	`\righttoleft`
righttolefthbox	`\righttolefthbox ... {...}`
righttoleftvbox	`\righttoleftvbox ... {...}`
righttoleftvtop	`\righttoleftvtop ... {...}`
righttopbox	`\righttopbox {...}`
rigovuoto	`\rigovuoto [...]`
ring	`\ring {...}`
rlap	`\rlap {...}`
robustaddtocommalist	`\robustaddtocommalist {...} \...`
robustdoifelseinset	`\robustdoifelseinset {...} {...} {...} {...}`
robustdoifinsetelse	`\robustdoifinsetelse {...} {...} {...} {...}`
robustpretocommalist	`\robustpretocommalist {...} \...`
rollbutton:button	`\rollbutton [..=..] ... [...]`
rollbutton:interactionmenu	`\rollbutton [...] [..=..] ... [...]`
roman	`\roman`
rtlhbox	`\rtlhbox ... {...}`
rtlvbox	`\rtlvbox ... {...}`
rtlvtop	`\rtlvtop ... {...}`
rtop	`\rtop ... {...}`
ruby	`\ruby [...] {...} {...}`
ruledhbox	`\ruledhbox ... {...}`
ruledhpack	`\ruledhpack ... {...}`
ruledmbox	`\ruledmbox {...}`
ruledtopv	`\ruledtopv ... {...}`
ruledtpack	`\ruledtpack ... {...}`
ruledvbox	`\ruledvbox ... {...}`
ruledvpack	`\ruledvpack ... {...}`
ruledvtop	`\ruledvtop ... {...}`
runMPbuffer	`\runMPbuffer [...]`
runninghbox	`\runninghbox {...}`
ruota	`\ruota [..=..] {...}`
russianNumerals	`\russianNumerals {...}`
russiannumerals	`\russiannumerals {...}`
ScaledPointsToBigPoints	`\ScaledPointsToBigPoints {...} \...`
ScaledPointsToWholeBigPoints	`\ScaledPointsToWholeBigPoints {...} \...`
Smallcapped	`\Smallcapped {...}`
safechar	`\safechar {...}`
samplefile	`\samplefile {...}`
sans	`\sans`
sansgrassetto	`\sansgrassetto`
sansnormal	`\sansnormal`
sansserif	`\sansserif`
savebox	`\savebox {...} {...} {...}`
savebtxdataset	`\savebtxdataset [...] [...] [..=..]`
savebuffer	`\savebuffer [..=..]`
savebuffer:list	`\savebuffer [...] [...]`
savecolore	`\savecolore ... \restorecolore`
savecounter	`\savecounter [...]`
savecurrentattributes	`\savecurrentattributes {...}`
savenormalmeaning	`\savenormalmeaning \...`
savetaggedtwopassdata	`\savetaggedtwopassdata {...} {...} {...} {...}`
savetwopassdata	`\savetwopassdata {...} {...} {...}`
sbox	`\sbox {...}`
scala	`\scala [...] [..=..] {...}`
schermo	`\schermo [...]`
script:instance	`\SCRIPT`
script:instance:ethiopic	`\ethiopic`
script:instance:hangul	`\hangul`
script:instance:hanzi	`\hanzi`
script:instance:latin	`\latin`
script:instance:nihongo	`\nihongo`
script:instance:test	`\test`
script:instance:thai	`\thai`
scrividentroelenco	`\scrividentroelenco [...] [..=..] {...}`
scriviinelenco	`\scriviinelenco [...] [..=..] {...} {...}`
secondoffivearguments	`\secondoffivearguments {...} {...} {...} {...} {...}`
secondoffourarguments	`\secondoffourarguments {...} {...} {...} {...}`
secondofsixarguments	`\secondofsixarguments {...} {...} {...} {...} {...} {...}`

secondofthreearguments	`\secondofthreearguments {...} {...} {...}`
secondofthreeunexpanded	`\secondofthreeunexpanded {...} {...} {...}`
secondoftwoarguments	`\secondoftwoarguments {...} {...}`
secondoftwounexpanded	`\secondoftwounexpanded {...} {...}`
seeregister:instance	*\vediREGISTER* `[...] {..+...+..} {...}`
seeregister:instance:index	*\vediindex* `[...] {..+...+..} {...}`
segnalibro	`\segnalibro [...] {...}`
select	`\select {...} {...} {...} {...} {...} {...}`
selezionablocchi	`\selezionablocchi [...]`OPT `[...]`OPT `[..=..]`OPT OPT
serializecommalist	`\serializecommalist [...]`
serializedcommalist	`\serializedcommalist`
serif	`\serif`
serifbold	`\serifbold`
serifnormal	`\serifnormal`
setautopagestaterealpageno	`\setautopagestaterealpageno {...}`
setbar	`\setbar [...]`
setbigbodyfont	`\setbigbodyfont`
setboxllx	`\setboxllx ... {...}`
setboxlly	`\setboxlly ... {...}`
setbreakpoints	`\setbreakpoints [...]`
setbuffer	`\setbuffer [...] ... \endbuffer`
setcapstrut	`\setcapstrut`
setcatcodetable	`\setcatcodetable \...`
setcharacteralign	`\setcharacteralign {...} {...}`
setcharacteraligndetail	`\setcharacteraligndetail {...} {...} {...} {...}`
setcharactercasing	`\setcharactercasing [...]`
setcharactercleaning	`\setcharactercleaning [...]`
setcharacterkerning	`\setcharacterkerning [...]`
setcharacterspacing	`\setcharacterspacing [...]`
setcharacterstripping	`\setcharacterstripping [...]`
setcharstrut	`\setcharstrut {...}`
setcollector	`\setcollector [...] [..=..] {...}`
setcolormodell	`\setcolormodell [...]`
setcounter	`\setcounter [...] [...] [...]`
setcounterown	`\setcounterown [...] [...] [...]`
setctxluafunction	`\setctxluafunction {...} {...}`
setcurrentfontclass	`\setcurrentfontclass {...}`
setdataset	`\setdataset [...] [...] [..=..]`
setdatavalue	`\setdatavalue {...} {...}`
setdefaultpenalties	`\setdefaultpenalties`
setdigitsmanipulation	`\setdigitsmanipulation [...]`
setdirection	`\setdirection [...]`
setdocumentargument	`\setdocumentargument {...} {...}`
setdocumentargumentdefault	`\setdocumentargumentdefault {...} {...}`
setdocumentfilename	`\setdocumentfilename {...} {...}`
setdummyparameter	`\setdummyparameter {...} {...}`
setelementexporttag	`\setelementexporttag [...] [...] [...]`
setemeasure	`\setemeasure {...} {...}`
setevalue	`\setevalue {...} {...}`
setevariable	`\setevariable {...} {...} {...}`
setevariables	`\setevariables [...] [..=..]`
setexpansion	`\setexpansion [...]`
setfirstline	`\setfirstline [...]`
setfirstpasscharacteralign	`\setfirstpasscharacteralign`
setflag	`\setflag {...}`
setfont	`\setfont ...`
setfontcolorsheme	`\setfontcolorsheme [...]`
setfontfeature	`\setfontfeature {...}`
setfontsolution	`\setfontsolution [...]`
setfontstrut	`\setfontstrut`
setfractions	`\setfractions`
setglobalscript	`\setglobalscript [...]`
setgmeasure	`\setgmeasure {...} {...}`
setgvalue	`\setgvalue {...} {...}`
setgvariable	`\setgvariable {...} {...} {...}`
setgvariables	`\setgvariables [...] [..=..]`
sethboxregister	`\sethboxregister ... {...}`
sethyphenatedurlafter	`\sethyphenatedurlafter {...}`
sethyphenatedurlbefore	`\sethyphenatedurlbefore {...}`
sethyphenatedurlnormal	`\sethyphenatedurlnormal {...}`
sethyphenationfeatures	`\sethyphenationfeatures [...]`
setinitial	`\setinitial [...] [..=..]`

setinjector	\setinjector [...] [...] [...]
setinteraction	\setinteraction [...]
setinterfacecommand	\setinterfacecommand {...} {...}
setinterfaceconstant	\setinterfaceconstant {...} {...}
setinterfaceelement	\setinterfaceelement {...} {...}
setinterfacemessage	\setinterfacemessage {...} {...} {...}
setinterfacevariable	\setinterfacevariable {...} {...}
setinternalrendering	\setinternalrendering [...] [...] {...}
setitaliccorrection	\setitaliccorrection [...]
setJSpreamble	\setJSpreamble {...} {...}
setlayer	\setlayer [...] [...] [..=..] {...}
setlayerframed	\setlayerframed [...] [..=..] [..=..] {...}
setlayerframed:combination	\setlayerframed [...] [..=..] {...}
setlayertext	\setlayertext [...] [..=..] [..=..] {...}
setlinefiller	\setlinefiller [...]
setlocalhsize	\setlocalhsize [...]
setlocalscript	\setlocalscript [...]
setluatable	\setluatable \... {...}
setMPlayer	\setMPlayer [...] [...] [..=..] {...}
setMPpositiongraphic	\setMPpositiongraphic {...} {...} {..=..}
setMPpositiongraphicrange	\setMPpositiongraphicrange {...} {...} {...} {..=..}
setMPtext	\setMPtext {...} {...}
setMPvariable	\setMPvariable [...] [..=..]
setMPvariables	\setMPvariables [...] [..=..]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder [...]
setmarker	\setmarker [...] [...]
setmarking	\setmarking [...] {...}
setmathstyle	\setmathstyle {...}
setmeasure	\setmeasure {...} {...}
setmessagetext	\setmessagetext {...} {...}
setmode	\setmode {...}
setnostrut	\setnostrut
setnote	\setnote [...] [...] {...}
setnotetext	\setnotetext [...] [...] {...}
setnotetext:assignment	\setnotetext [...] [..=..]
setnote:assignment	\setnote [...] [..=..]
setobject	\setobject {...} {...} \... {...}
setoldstyle	\setoldstyle
setpagereference	\setpagereference {...} {...}
setpagestate	\setpagestate [...] [...]
setpagestaterealpageno	\setpagestaterealpageno {...} {...}
setparagraphfreezing	\setparagraphfreezing
setpenalties	\setpenalties \... {...} {...}
setpercentdimen	\setpercentdimen {...} {...}
setperiodkerning	\setperiodkerning [...]
setposition	\setposition {...}
setpositionbox	\setpositionbox {...} \... {...}
setpositiondata	\setpositiondata {...} {...} {...} {...}
setpositiondataplus	\setpositiondataplus {...} {...} {...} {...} {...}
setpositiononly	\setpositiononly {...}
setpositionplus	\setpositionplus {...} {...} \... {...}
setpositionstrut	\setpositionstrut {...}
setprofile	\setprofile [...]
setrandomseed	\setrandomseed {...}
setreference	\setreference [...] [..=..]
setreferencedobject	\setreferencedobject {...} {...} \... {...}
setregisterentry	\setregisterentry [...] [..=..] [..=..]
setreplacements	\setreplacements [...] [...]
setrigidcolumnbalance	\setrigidcolumnbalance ...
setrigidcolumnhsize	\setrigidcolumnhsize {...} {...} {...}
setscript	\setscript [...]
setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [...] [..=..]
setsimplecolumnshsize	\setsimplecolumnshsize [..=..]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {...} {...} {...}
setstructurepageregister	\setstructurepageregister [...] [..=..] [..=..]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {...}

settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settestcrlf	`\settestcrlf`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...} \... {...}`
settightreferencedobject	`\settightreferencedobject {...} {...} \... {...}`
settightstrut	`\settightstrut`
settightunreferencedobject	`\settightunreferencedobject {...} {...} \... {...}`
settokenlist	`\settokenlist [...] {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...} {...}`
setugvalue	`\setugvalue {...} {...}`
setunreferencedobject	`\setunreferencedobject {...} {...} \... {...}`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`
setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`
setupbleeding	`\setupbleeding [..=..]`
setupbookmark	`\setupbookmark [..=..]`
setupbtx	`\setupbtx [...] [..=..]`
setupbtxdataset	`\setupbtxdataset [...] [..=..]`
setupbtxlist	`\setupbtxlist [...] [..=..]`
setupbtxregister	`\setupbtxregister [...] [..=..]`
setupbtxrendering	`\setupbtxrendering [...] [..=..]`
setupbtx:name	`\setupbtx [...]`
setupbutton	`\setupbutton [...] [..=..]`
setupcharacteralign	`\setupcharacteralign [..=..]`
setupcharacterkerning	`\setupcharacterkerning [...] [..=..]`
setupcharacterspacing	`\setupcharacterspacing [...] [...] [..=..]`
setupchemical	`\setupchemical [...] [..=..]`
setupchemicalframed	`\setupchemicalframed [...] [..=..]`
setupcollector	`\setupcollector [...] [..=..]`
setupcolumnsetarea	`\setupcolumnsetarea [...] [..=..]`
setupcolumnsetareatext	`\setupcolumnsetareatext [...] [...]`
setupcolumnsetlines	`\setupcolumnsetlines [...] [...] [...] [...]`
setupcolumnsetspan	`\setupcolumnsetspan [...] [..=..]`
setupcolumnsetstart	`\setupcolumnsetstart [...] [...] [...] [...]`
setupcombination	`\setupcombination [...] [..=..]`
setupcounter	`\setupcounter [...] [..=..]`
setupdataset	`\setupdataset [...] [..=..]`
setupdelimitedtext	`\setupdelimitedtext [...] [..=..]`
setupdescription	`\setupdescription [...] [..=..]`
setupdirections	`\setupdirections [..=..]`
setupdocument	`\setupdocument [...] [..=..]`
setupeffect	`\setupeffect [...] [..=..]`
setupenumeration	`\setupenumeration [...] [..=..]`
setupenv	`\setupenv [..=..]`
setupexpansion	`\setupexpansion [...] [..=..]`
setupexport	`\setupexport [..=..]`
setupexternalfigure	`\setupexternalfigure [...] [..=..]`
setupexternalsoundtracks	`\setupexternalsoundtracks [..=..]`
setupfacingfloat	`\setupfacingfloat [...] [..=..]`
setupfieldbody	`\setupfieldbody [...] [..=..]`
setupfieldcategory	`\setupfieldcategory [...] [..=..]`
setupfieldcontentframed	`\setupfieldcontentframed [...] [..=..]`
setupfieldlabelframed	`\setupfieldlabelframed [...] [..=..]`
setupfieldtotalframed	`\setupfieldtotalframed [...] [..=..]`
setupfiller	`\setupfiller [...] [..=..]`
setupfirstline	`\setupfirstline [...] [..=..]`
setupfittingpage	`\setupfittingpage [...] [..=..]`
setupfloatframed	`\setupfloatframed [...] [..=..]`
setupfontexpansion	`\setupfontexpansion [...] [..=..]`
setupfontprotrusion	`\setupfontprotrusion [...] [..=..]`
setupfonts	`\setupfonts [..=..]`
setupfontsolution	`\setupfontsolution [...] [..=..]`
setupformula	`\setupformula [...] [..=..]`
setupformulaframed	`\setupformulaframed [...] [..=..]`
setupframedcontent	`\setupframedcontent [...] [..=..]`
setupframedtable	`\setupframedtable [...] [..=..]`
setupframedtablecolumn	`\setupframedtablecolumn [...] [...] [..=..]`

setupframedtablerow	`\setupframedtablerow [...] [...] [..=..]`
setupframedtext	`\setupframedtext [...] [..=..]`
setupglobalreferenceprefix	`\setupglobalreferenceprefix [...]`
setupheadalternative	`\setupheadalternative [...] [..=..]`
setuphelp	`\setuphelp [...] [..=..]`
setuphigh	`\setuphigh [...] [..=..]`
setuphighlight	`\setuphighlight [...] [..=..]`
setuphyphenation	`\setuphyphenation [..=..]`
setupindentedtext	`\setupindentedtext [...] [..=..]`
setupinitial	`\setupinitial [...] [..=..]`
setupinsertion	`\setupinsertion [...] [..=..]`
setupitaliccorrection	`\setupitaliccorrection [...]`
setupitemgroup	`\setupitemgroup [...] [...] [...] [..=..]`
setupitemgroup:assignment	`\setupitemgroup [...] [..=..]`
setupitemgroup:instance	`\impostaITEMGROUP [...] [...] [..=..]`
setupitemgroup:instance:itemize	`\impostaitemize [...] [...] [..=..]`
setuplabel	`\setuplabel [...] [..=..]`
setuplayer	`\setuplayer [...] [..=..]`
setuplayeredtext	`\setuplayeredtext [...] [..=..]`
setuplayouttext	`\setuplayouttext [...] [...] [..=..]`
setuplinefiller	`\setuplinefiller [...] [..=..]`
setuplinefillers	`\setuplinefillers [...] [..=..]`
setuplinenote	`\setuplinenote [...] [..=..]`
setuplinetable	`\setuplinetable [...] [...] [..=..]`
setuplistalternative	`\setuplistalternative [...] [..=..]`
setuplistextra	`\setuplistextra [...] [..=..]`
setuplocalfloats	`\setuplocalfloats [..=..]`
setuplocalinterlinespace	`\setuplocalinterlinespace [...] [..=..]`
setuplocalinterlinespace:argument	`\setuplocalinterlinespace [...]`
setuplocalinterlinespace:name	`\setuplocalinterlinespace [...]`
setuplow	`\setuplow [...] [..=..]`
setuplowhigh	`\setuplowhigh [...] [..=..]`
setuplowmidhigh	`\setuplowmidhigh [...] [..=..]`
setupMPgraphics	`\setupMPgraphics [..=..]`
setupMPinstance	`\setupMPinstance [...] [..=..]`
setupMPpage	`\setupMPpage [..=..]`
setupMPvariables	`\setupMPvariables [...] [..=..]`
setupmarginblock	`\setupmarginblock [...] [..=..]`
setupmargindata	`\setupmargindata [...] [..=..]`
setupmarginframed	`\setupmarginframed [...] [..=..]`
setupmarginrule	`\setupmarginrule [...] [..=..]`
setupmathalignment	`\setupmathalignment [...] [..=..]`
setupmathcases	`\setupmathcases [...] [..=..]`
setupmathematics	`\setupmathematics [...] [..=..]`
setupmathfence	`\setupmathfence [...] [..=..]`
setupmathfraction	`\setupmathfraction [...] [..=..]`
setupmathfractions	`\setupmathfractions [...] [..=..]`
setupmathframed	`\setupmathframed [...] [..=..]`
setupmathmatrix	`\setupmathmatrix [...] [..=..]`
setupmathornament	`\setupmathornament [...] [..=..]`
setupmathradical	`\setupmathradical [...] [..=..]`
setupmathstackers	`\setupmathstackers [...] [..=..]`
setupmathstyle	`\setupmathstyle [...]`
setupmixedcolumns	`\setupmixedcolumns [...] [..=..]`
setupmodule	`\setupmodule [...] [..=..]`
setupmulticolumns	`\setupmulticolumns [...] [..=..]`
setupnotation	`\setupnotation [...] [..=..]`
setupnotations	`\setupnotations [...] [..=..]`
setupnote	`\setupnote [...] [..=..]`
setupnotes	`\setupnotes [...] [..=..]`
setupoffset	`\setupoffset [..=..]`
setupoffsetbox	`\setupoffsetbox [..=..]`
setuporientation	`\setuporientation [...] [..=..]`
setupoutputroutine	`\setupoutputroutine [...] [..=..]`
setupoutputroutine:name	`\setupoutputroutine [...]`
setuppagechecker	`\setuppagechecker [...] [..=..]`
setuppagecolumns	`\setuppagecolumns [...] [..=..]`
setuppageinjection	`\setuppageinjection [...] [..=..]`
setuppageinjectionalternative	`\setuppageinjectionalternative [...] [..=..]`
setuppageshift	`\setuppageshift [...] [...] [...]`
setuppagestate	`\setuppagestate [...] [..=..]`
setuppairedbox	`\setuppairedbox [...] [..=..]`

setuppairedbox:instance	\impostaPAIREDBOX [..=..]
setuppairedbox:instance:legend	\impostalegend [..=..]
setuppaper	\setuppaper [..=..]
setupparagraph	\setupparagraph [...] [..=..]
setupparagraphintro	\setupparagraphintro [...] [...]
setupparallel	\setupparallel [...] [...] [..=..]
setupperiodkerning	\setupperiodkerning [...] [..=..]
setupperiods	\setupperiods [..=..]
setupplaceholder	\setupplaceholder [...] [..=..]
setupplacement	\setupplacement [...] [..=..]
setuppositionbar	\setuppositionbar [..=..]
setupprocessor	\setupprocessor [...] [..=..]
setupprofile	\setupprofile [...] [..=..]
setupquotation	\setupquotation [..=..]
setuprealpagenumber	\setuprealpagenumber [..=..]
setupreferenceformat	\setupreferenceformat [...] [..=..]
setupreferenceprefix	\setupreferenceprefix [...]
setupreferencestructureprefix	\setupreferencestructureprefix [...] [...] [..=..]
setupregisters	\setupregisters [...] [..=..]
setupregisters:argument	\setupregisters [...] [...] [..=..]
setuprenderingwindow	\setuprenderingwindow [...] [..=..]
setupruby	\setupruby [...] [..=..]
setups	\setups [...]
setupscale	\setupscale [...] [..=..]
setupscript	\setupscript [...] [..=..]
setupscripts	\setupscripts [...] [..=..]
setupselector	\setupselector [...] [..=..]
setupshift	\setupshift [...] [..=..]
setupsidebar	\setupsidebar [...] [..=..]
setupspellchecking	\setupspellchecking [..=..]
setupstretched	\setupstretched [..=..]
setupstyle	\setupstyle [...] [..=..]
setupsubformula	\setupsubformula [...] [..=..]
setupsubformulas	\setupsubformulas [...] [..=..]
setupsymbols	\setupsymbols [..=..]
setupsynctex	\setupsynctex [..=..]
setups:direct	\setups {...}
setupTABLE	\setupTABLE [...] [...] [..=..]
setupTEXpage	\setupTEXpage [..=..]
setuptagging	\setuptagging [..=..]
setuptextbackground	\setuptextbackground [...] [..=..]
setuptextflow	\setuptextflow [...] [..=..]
setuptextnote	\setuptextnote [...] [..=..]
setuptooltip	\setuptooltip [...] [..=..]
setupunit	\setupunit [...] [..=..]
setupuserdata	\setupuserdata [...] [..=..]
setupuserdataalternative	\setupuserdataalternative [...] [..=..]
setupuserpagenumber	\setupuserpagenumber [..=..]
setupversion	\setupversion [...]
setupviewerlayer	\setupviewerlayer [..=..]
setupvspacing	\setupvspacing [...]
setupwithargument	\setupwithargument {...} {...}
setupwithargumentswapped	\setupwithargumentswapped {...} {...}
setupxml	\setupxml [..=..]
setupxtable	\setupxtable [...] [..=..]
setuvalue	\setuvalue {...} {...}
setuxvalue	\setuxvalue {...} {...}
setvalue	\setvalue {...} {...}
setvariable	\setvariable {...} {...} {...}
setvariables	\setvariables [...] [..=..]
setvboxregister	\setvboxregister ... {...}
setvisualizerfont	\setvisualizerfont [...]
setvtopregister	\setvtopregister ... {...}
setwidthof	\setwidthof ... \to \...
setxmeasure	\setxmeasure {...} {...}
setxvalue	\setxvalue {...} {...}
setxvariable	\setxvariable {...} {...} {...}
setxvariables	\setxvariables [...] [..=..]
sfondo	\sfondo {...}
sfondo:example	\SFONDO {...}
shapedhbox	\shapedhbox {...}
shiftbox	\shiftbox {...}

```
shift:instance                          \SHIFT {...}
shift:instance:shiftdown                \shiftdown {...}
shift:instance:shiftup                  \shiftup {...}
showallmakeup                           \showallmakeup
showattributes                          \showattributes
showboxes                               \showboxes
showbtxdatasetauthors                   \showbtxdatasetauthors [..=..]
showbtxdatasetauthors:argument          \showbtxdatasetauthors [...]
showbtxdatasetcompleteness              \showbtxdatasetcompleteness [..=..]
showbtxdatasetcompleteness:argument     \showbtxdatasetcompleteness [...]
showbtxdatasetfields                    \showbtxdatasetfields [..=..]
showbtxdatasetfields:argument           \showbtxdatasetfields [...]
showbtxfields                           \showbtxfields [..=..]
showbtxfields:argument                  \showbtxfields [...]
showbtxhashedauthors                    \showbtxhashedauthors [...]
showbtxtables                           \showbtxtables [...]
showchardata                            \showchardata {...}
showcharratio                           \showcharratio {...}
showcolorbar                            \showcolorbar [...]
showcolorcomponents                     \showcolorcomponents [...]
showcolorset                            \showcolorset [...]
showcolorstruts                         \showcolorstruts
showcounter                             \showcounter [...]
showdirectives                          \showdirectives
showdirsinmargin                        \showdirsinmargin
showedebuginfo                          \showedebuginfo
showexperiments                         \showexperiments
showfont                                \showfont [...] [...]
showfontdata                            \showfontdata
showfontexpansion                       \showfontexpansion
showfontitalics                         \showfontitalics
showfontkerns                           \showfontkerns
showfontparameters                      \showfontparameters
showfontstrip                           \showfontstrip [...]
showfontstyle                           \showfontstyle [...] [...] [...] [...]
showglyphdata                           \showglyphdata
showglyphs                              \showglyphs
showgridsnapping                        \showgridsnapping
showhelp                                \showhelp {...} [...]
showhyphenationtrace                    \showhyphenationtrace [...] [...]
showhyphens                             \showhyphens {...}
showinjector                            \showinjector [...]
showjustification                       \showjustification
showkerning                             \showkerning {...}
showlayoutcomponents                    \showlayoutcomponents
showligature                            \showligature {...}
showligatures                           \showligatures [...]
showlogcategories                       \showlogcategories
showluatables                           \showluatables
showmargins                             \showmargins
showmessage                             \showmessage {...} {...} {...}
showminimalbaseline                     \showminimalbaseline
shownextbox                             \shownextbox \... {...}
showotfcomposition                      \showotfcomposition {...} {...} {...}
showparentchain                         \showparentchain \... {...}
showparwrapperstate                     \showparwrapperstate {...}
showsetupsdefinition                    \showsetupsdefinition [...]
showtimer                               \showtimer {...}
showtokens                              \showtokens [...]
showtrackers                            \showtrackers
showvalue                               \showvalue {...}
showvariable                            \showvariable {...} {...}
showwarning                             \showwarning {...} {...} {...}
signalrightpage                         \signalrightpage
simbolo                                 \simbolo [...] [...]
simbolo:direct                          \simbolo {...}
simplealignedbox                        \simplealignedbox {...} {...} {...}
simplealignedboxplus                    \simplealignedboxplus {...} {...} {...} {...}
simplealignedspreadbox                  \simplealignedspreadbox {...} {...} {...}
simplegroupedcommand                    \simplegroupedcommand {...} {...}
simplereversealignedbox                 \simplereversealignedbox {...} {...} {...}
simplereversealignedboxplus             \simplereversealignedboxplus {...} {...} {...} {...}
```

```
singalcharacteralign              \singalcharacteralign {...} {...}
singlebond                        \singlebond
sinistra                          \sinistra ...
sixthofsixarguments               \sixthofsixarguments {...} {...} {...} {...} {...} {...}
slantedface                       \slantedface
slicepages                        \slicepages [...] [..=..] [..=..]
slovenianNumerals                 \slovenianNumerals {...}
sloveniannumerals                 \sloveniannumerals {...}
smallcappedcharacters             \smallcappedcharacters {...}
smallcappedromannumerals          \smallcappedromannumerals {...}
smaller                           \smaller
smallskip                         \smallskip
smash                             \smash [...] {...}
smashbox                          \smashbox ...
smashboxed                        \smashboxed ...
smashedhbox                       \smashedhbox ... {...}
smashedvbox                       \smashedvbox ... {...}
snaptogrid                        \snaptogrid [...] \... {...}
snaptogrid:list                   \snaptogrid [...] \... {...}
someheadnumber                    \someheadnumber [...] [...]
somekindoftab                     \somekindoftab [..=..]
somelocalfloat                    \somelocalfloat
somenamedheadnumber               \somenamedheadnumber {...} {...}
someplace                         \someplace {...} {...} {...} {...} {...} [...]
sorting:instance                  \SORTING [...] {...}
sorting:instance:logo             \logo [...] {...}
sottopaginasuccessiva             \sottopaginasuccessiva
spaceddigits                      \spaceddigits {...}
spaceddigitsmethod                \spaceddigitsmethod
spaceddigitsseparator             \spaceddigitsseparator
spaceddigitssymbol                \spaceddigitssymbol
spanishNumerals                   \spanishNumerals {...}
spanishnumerals                   \spanishnumerals {...}
spazifissi                        \spazifissi
spazio                            \spazio
spaziofisso                       \spaziofisso
spessoreriga                      \spessoreriga
spezzaoggettomobile               \spezzaoggettomobile [..=..] {...} {...}
splitatasterisk                   \splitatasterisk ... \... \...
splitatcolon                      \splitatcolon ... \... \...
splitatcolons                     \splitatcolons ... \... \...
splitatcomma                      \splitatcomma ... \... \...
splitatperiod                     \splitatperiod ... \... \...
splitdfrac                        \splitdfrac {...} {...}
splitfilename                     \splitfilename {...}
splitfrac                         \splitfrac {...} {...}
splitoffbase                      \splitoffbase
splitofffull                      \splitofffull
splitoffkind                      \splitoffkind
splitoffname                      \splitoffname
splitoffpath                      \splitoffpath
splitoffroot                      \splitoffroot
splitofftokens                    \splitofftokens ... \from ... \to \...
splitofftype                      \splitofftype
splitstring                       \splitstring ... \at ... \to \... \and \...
spreadhbox                        \spreadhbox ...
sqrt                              \sqrt [...] {...}
stackcampi                        \stackcampi [...] [...] [..=..]
stackrel                          \stackrel {...} {...}
stackscripts                      \stackscripts
startlinenote:instance            \iniziaLINENOTE [...] {...}
startlinenote:instance:linenote   \inizialinenote [...] {...}
startregister                     \startregister [...] [...] [...] [...] {..+...+..} ... \stopregister [
startstop:example                 \STARTSTOP {...}
startstructurepageregister        \startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstruc
stirato                           \stirato [..=..] {...}
stoplinenote:instance             \terminaLINENOTE [...]
stoplinenote:instance:linenote    \terminalinenote [...]
strictdoifelsenextoptional        \strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse        \strictdoifnextoptionalelse {...} {...}
stripcharacter                    \stripcharacter ... \from ... \to \...
strippedcsname                    \strippedcsname \...
```

strippedcsname:string	\strippedcsname ...
stripspaces	\stripspaces \from ... \to \...
structurelistuservariable	\structurelistuservariable {...}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {...}
structurevariable	\structurevariable {...}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {...}
strutwd	\strutwd
style	\style [..=..] {...}
styleinstance	\styleinstance [...]
style:argument	\style [...] {...}
style:instance	\STYLE {...}
subpagenumber	\subpagenumber
subsentence	\subsentence {...}
substituteincommalist	\substituteincommalist {...} {...} \...
subtractfeature	\subtractfeature [...]
subtractfeature:direct	\subtractfeature {...}
swapcounts	\swapcounts \... \...
swapdimens	\swapdimens \... \...
swapface	\swapface
swapmacros	\swapmacros \... \...
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly [...]
switchstyleonly:command	\switchstyleonly \...
switchtocolor	\switchtocolor [...]
switchtointerlinespace	\switchtointerlinespace [...] [..=..]
switchtointerlinespace:argument	\switchtointerlinespace [...]
switchtointerlinespace:name	\switchtointerlinespace [...]
symbolreference	\symbolreference [...]
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [...] [...] [...]
synchronizeoutputstreams	\synchronizeoutputstreams [...]
synchronizestrut	\synchronizestrut {...}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {...}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {...}
synonym:instance	\SYNONYM [...] {...} {...}
synonym:instance:abbreviation	\abbreviation [...] {...} {...}
systemlog	\systemlog {...} {...} {...}
systemlogfirst	\systemlogfirst {...} {...} {...}
systemloglast	\systemloglast {...} {...} {...}
systemsetups	\systemsetups {...}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {...}
taggedlabeltexts	\taggedlabeltexts {...} {...} {...}
tbox	\tbox {...}
terminariga	\terminariga [...]
testandsplitstring	\testandsplitstring ... \at ... \to \... \and \...
testcolumn	\testcolumn [...] [...]
testfeature	\testfeature {...} {...}
testfeatureonce	\testfeatureonce {...} {...}
testoaiuto	\testoaiuto [...] {...} {...}
testoetichetta:instance	\LABELtesto {...}
testoetichetta:instance:btxlabel	\btxlabeltesto {...}
testoetichetta:instance:head	\headtesto {...}

testoetichetta:instance:label	`\labeltesto {...}`
testoetichetta:instance:mathlabel	`\mathlabeltesto {...}`
testoetichetta:instance:operator	`\operatortesto {...}`
testoetichetta:instance:prefix	`\prefixtesto {...}`
testoetichetta:instance:suffix	`\suffixtesto {...}`
testoetichetta:instance:taglabel	`\taglabeltesto {...}`
testoetichetta:instance:unit	`\unittesto {...}`
testoincorniciato:instance	`\FRAMEDTEXT [..=..] {...}`
testoincorniciato:instance:framedtext	`\framedtext [..=..] {...}`
testonotapdp	`\testonotapdp [...] {...}`
testonotapdp:assignment	`\testonotapdp [..=..]`
testoriempimento	`\testoriempimento [..=..] {...} {...}`
testpage	`\testpage [...] [...]`
testpageonly	`\testpageonly [...] [...]`
testpagesync	`\testpagesync [...] [...]`
testtokens	`\testtokens [...]`
tex	`\tex {...}`
texdefinition	`\texdefinition {...}`
texsetup	`\texsetup {...}`
textbackground:example	`\TEXTBACKGROUND {...}`
textcitation	`\textcitation [..=..] [...]`
textcitation:alternative	`\textcitation [...] [...]`
textcitation:userdata	`\textcitation [..=..] [..=..]`
textcite	`\textcite [..=..] [...]`
textcite:alternative	`\textcite [...] [...]`
textcite:userdata	`\textcite [..=..] [..=..]`
textcontrolspace	`\textcontrolspace`
textflowcollector	`\textflowcollector {...}`
textmath	`\textmath {...}`
textminus	`\textminus`
textnote:example	`\textnote [..=..] {...}`
textormathchar	`\textormathchar {...}`
textormathchars	`\textormathchars {...}`
textplus	`\textplus`
textvisiblespace	`\textvisiblespace`
thainumerals	`\thainumerals {...}`
thedatavalue	`\thedatavalue {...}`
thefirstcharacter	`\thefirstcharacter {...}`
thenormalizedbodyfontsize	`\thenormalizedbodyfontsize {...}`
theorientation	`\theorientation {...}`
theremainingcharacters	`\theremainingcharacters {...}`
thickspace	`\thickspace`
thinspace	`\thinspace`
thirdoffivearguments	`\thirdoffivearguments {...} {...} {...} {...} {...}`
thirdoffourarguments	`\thirdoffourarguments {...} {...} {...} {...}`
thirdofsixarguments	`\thirdofsixarguments {...} {...} {...} {...} {...} {...}`
thirdofthreearguments	`\thirdofthreearguments {...} {...} {...}`
thirdofthreeunexpanded	`\thirdofthreeunexpanded {...} {...} {...}`
threedigitrounding	`\threedigitrounding {...}`
tibetannumerals	`\tibetannumerals {...}`
tieniblocchi	`\tieniblocchi [...] [...]`
tightlayer	`\tightlayer [...]`
tilde	`\tilde {...}`
tinyfont	`\tinyfont`
tlap	`\tlap {...}`
tochar	`\tochar {...}`
tolinenote	`\tolinenote [...]`
tooltip:instance	`\TOOLTIP [..=..] {...} {...}`
tooltip:instance:argument	`\TOOLTIP [...] {...} {...}`
tooltip:instance:argument:tooltip	`\tooltip [...] {...} {...}`
tooltip:instance:tooltip	`\tooltip [..=..] {...} {...}`
topbox	`\topbox {...}`
topleftbox	`\topleftbox {...}`
toplinebox	`\toplinebox {...}`
toprightbox	`\toprightbox {...}`
topskippedbox	`\topskippedbox {...}`
tracecatcodetables	`\tracecatcodetables`
tracedfontname	`\tracedfontname {...}`
tracedpagestate	`\tracedpagestate`
traceoutputroutines	`\traceoutputroutines`
tracepositions	`\tracepositions`
traduci	`\traduci [..=..]`

```
transparencycomponents          \transparencycomponents {...}
transparent                     \transparent [...] {...}
triplebond                      \triplebond
truefilename                    \truefilename {...}
truefontname                    \truefontname {...}
ttraggedright                   \ttraggedright
twodigitrounding                \twodigitrounding {...}
tx                              \tx
txx                             \txx
typ                             \typ [..=..] {...}
type                            \type [..=..] {...}
typebuffer                      \typebuffer [...] [..=..]
typebuffer:instance             \typeBUFFER [..=..]
typedefinedbuffer               \typedefinedbuffer [...] [..=..]
typeface                        \typeface
typefile                        \typefile [...] [..=..] {...}
typeinlinebuffer                \typeinlinebuffer [...] [..=..]
typescriptone                   \typescriptone
typescriptprefix                \typescriptprefix {...}
typescriptthree                 \typescriptthree
typescripttwo                   \typescripttwo
typesetbuffer                   \typesetbuffer [...] [..=..]
typesetbufferonly               \typesetbufferonly [...]
typesetfile                     \typesetfile [...] [...] [..=..]
type:angles                     \type [..=..] <<...>>
type:example                    \TYPE [..=..] {...}
type:example:angles             \TYPE [..=..] <<...>>
typ:angles                      \typ [..=..] <<...>>
uchexnumber                     \uchexnumber {...}
uchexnumbers                    \uchexnumbers {...}
uconvertnumber                  \uconvertnumber {...} {...}
uedcatcodecommand               \uedcatcodecommand \... ... {...}
ultimasottopagina               \ultimasottopagina
undefinevalue                   \undefinevalue {...}
undepthed                       \undepthed {...}
underset                        \underset {...} {...}
undoassign                      \undoassign [...] [..=..]
unexpandeddocumentvariable      \unexpandeddocumentvariable {...}
unhhbox                         \unhhbox ... \with {...}
unihex                          \unihex {...}
uniqueMPgraphic                 \uniqueMPgraphic {...} {..=..}
uniqueMPpagegraphic             \uniqueMPpagegraphic {...} {..=..}
unita:instance                  \UNIT {...}
unita:instance:unit             \unit {...}
unprotect                       \unprotect ... \protect
unprotected                     \unprotected ... \par
unregisterhyphenationpattern    \unregisterhyphenationpattern [...] [...]
unregisterparwrapper            \unregisterparwrapper {...}
unspaceafter                    \unspaceafter \... {...}
unspaceargument                 \unspaceargument ... \to \...
unspaced                        \unspaced {...}
unspacestring                   \unspacestring ... \to \...
unstackscripts                  \unstackscripts
untexargument                   \untexargument {...} \to \...
untexcommand                    \untexcommand {...} \to \...
updateparagraphdemerits         \updateparagraphdemerits
updateparagraphpenalties        \updateparagraphpenalties
updateparagraphproperties       \updateparagraphproperties
updateparagraphshapes           \updateparagraphshapes
uppercased                      \uppercased {...}
uppercasestring                 \uppercasestring ... \to \...
uppercasing                     \uppercasing
upperleftdoubleninequote        \upperleftdoubleninequote
upperleftdoublesixquote         \upperleftdoublesixquote
upperleftsingleninequote        \upperleftsingleninequote
upperleftsinglesixquote         \upperleftsinglesixquote
upperrightdoubleninequote       \upperrightdoubleninequote
upperrightdoublesixquote        \upperrightdoublesixquote
upperrightsingleninequote       \upperrightsingleninequote
upperrightsinglesixquote        \upperrightsinglesixquote
url                             \url [...]
usablocco                       \usablocco [...] [...] [..=..]
```

usacartella	`\usacartella [...]`
usacolonnasonoraesterna	`\usacolonnasonoraesterna [...] [...]`
usadocumentoesterno	`\usadocumentoesterno [...] [...] [...]`
usafiguraesterna	`\usafiguraesterna [...] [...] [...] [..=..]`
usaJSscripts	`\usaJSscripts [...] [...]`
usamodulo	`\usamodulo [...] [...] [..=..]`
usasimboli	`\usasimboli [...]`
usaURL	`\usaURL [...] [...] [...] [...]`
usaurl	`\usaurl [...] [...] [...] [...]`
usealignparameter	`\usealignparameter \...`
useblankparameter	`\useblankparameter \...`
usebodyfont	`\usebodyfont [...]`
usebodyfontparameter	`\usebodyfontparameter \...`
usebtxdataset	`\usebtxdataset [...] [...] [..=..]`
usebtxdefinitions	`\usebtxdefinitions [...]`
usecitation	`\usecitation [...]`
usecitation:direct	`\usecitation {...}`
usecolors	`\usecolors [...]`
usecomponent	`\usecomponent [...]`
usedummycolorparameter	`\usedummycolorparameter {...}`
usedummystyleandcolor	`\usedummystyleandcolor {...} {...}`
usedummystyleparameter	`\usedummystyleparameter {...}`
useenvironment	`\useenvironment [...]`
useexternalrendering	`\useexternalrendering [...] [...] [...] [...]`
usefigurebase	`\usefigurebase [...]`
usefile	`\usefile [...] [...] [...]`
usefontpath	`\usefontpath [...]`
usegridparameter	`\usegridparameter \...`
usehyphensparameter	`\usehyphensparameter \...`
useindentingparameter	`\useindentingparameter \...`
useindentnextparameter	`\useindentnextparameter \...`
useinterlinespaceparameter	`\useinterlinespaceparameter \...`
uselanguageparameter	`\uselanguageparameter \...`
useluamodule	`\useluamodule [...]`
useluatable	`\useluatable \...`
useMPenvironmentbuffer	`\useMPenvironmentbuffer [...]`
useMPgraphic	`\useMPgraphic {...} {..=..}`
useMPlibrary	`\useMPlibrary [...]`
useMPrun	`\useMPrun {...} {...}`
useMPvariables	`\useMPvariables [...] [...]`
usemathstyleparameter	`\usemathstyleparameter \...`
useproduct	`\useproduct [...]`
useprofileparameter	`\useprofileparameter \...`
useproject	`\useproject [...]`
usereferenceparameter	`\usereferenceparameter \...`
userpagenumber	`\userpagenumber`
usesetupsparameter	`\usesetupsparameter \...`
usestaticMPfigure	`\usestaticMPfigure [..=..] [...]`
usesubpath	`\usesubpath [...]`
usetexmodule	`\usetexmodule [...] [...] [..=..]`
usetypescript	`\usetypescript [...] [...] [...]`
usetypescriptfile	`\usetypescriptfile [...]`
usezipfile	`\usezipfile [...] [...]`
utfchar	`\utfchar {...}`
utflower	`\utflower {...}`
utfupper	`\utfupper {...}`
utilityregisterlength	`\utilityregisterlength`
VerboseNumber	`\VerboseNumber {...}`
vaia	`\vaia {...} [...]`
vaiabox	`\vaiabox {...} [...]`
vaiapagina	`\vaiapagina {...} [...]`
vaigiu	`\vaigiu [...]`
validassignment	`\validassignment {...}`
valorecolore	`\valorecolore {...}`
vboxreference	`\vboxreference [...] {...}`
vec	`\vec {...}`
verbatim	`\verbatim {...}`
verbatimstring	`\verbatimstring {...}`
verbosenumber	`\verbosenumber {...}`
versione	`\versione [...]`
verticalgrowingbar	`\verticalgrowingbar [..=..]`
verticalpositionbar	`\verticalpositionbar [..=..]`

veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue ...
viewerlayer	\viewerlayer [...] {...}
vl	\vl [...]
vpackbox	\vpackbox
vpackedbox	\vpackedbox
vphantom	\vphantom {...}
vpos	\vpos {...} {...}
vsmash	\vsmash {...}
vsmashbox	\vsmashbox ...
vsmashed	\vsmashed {...}
vspace	\vspace [...] [...]
vspacing	\vspacing [...]
WidthSpanningText	\WidthSpanningText {...} {...} {...}
wdofstring	\wdofstring {...}
widthofstring	\widthofstring {...}
widthspanningtext	\widthspanningtext {...} {...} {...}
withoutpt	\withoutpt {...}
words	\words {...}
wordtonumber	\wordtonumber {...} {...}
writedatatolist	\writedatatolist [...] [..=..] [..=..]
writestatus	\writestatus {...} {...}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \... {...}
xmladdindex	\xmladdindex {...}
xmlafterdocumentsetup	\xmlafterdocumentsetup {...} {...} {...}
xmlaftersetup	\xmlaftersetup {...} {...}
xmlall	\xmlall {...} {...}
xmlappenddocumentsetup	\xmlappenddocumentsetup {...} {...}
xmlappendsetup	\xmlappendsetup {...}
xmlapplyselectors	\xmlapplyselectors {...}
xmlatt	\xmlatt {...} {...}
xmlattdef	\xmlattdef {...} {...} {...}
xmlattribute	\xmlattribute {...} {...} {...}
xmlattributedef	\xmlattributedef {...} {...} {...} {...}
xmlbadinclusions	\xmlbadinclusions {...}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup	\xmlbeforesetup {...} {...}
xmlchainatt	\xmlchainatt {...} {...}
xmlchainattdef	\xmlchainattdef {...} {...} {...}
xmlchecknamespace	\xmlchecknamespace {...} {...}
xmlcommand	\xmlcommand {...} {...} {...}
xmlconcat	\xmlconcat {...} {...} {...}
xmlconcatrange	\xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext	\xmlcontext {...} {...}
xmlcount	\xmlcount {...}
xmldefaulttotext	\xmldefaulttotext {...}
xmldepth	\xmldepth {...}
xmldirectives	\xmldirectives {...}
xmldirectivesafter	\xmldirectivesafter {...}
xmldirectivesbefore	\xmldirectivesbefore {...}
xmldisplayverbatim	\xmldisplayverbatim {...}
xmldoif	\xmldoif {...} {...} {...}
xmldoifatt	\xmldoifatt {...} {...}
xmldoifelse	\xmldoifelse {...} {...} {...} {...}
xmldoifelseatt	\xmldoifelseatt {...} {...} {...}
xmldoifelseempty	\xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty	\xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext	\xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue	\xmldoifelsevalue {...} {...} {...} {...}
xmldoifnot	\xmldoifnot {...} {...} {...}
xmldoifnotatt	\xmldoifnotatt {...} {...}
xmldoifnotselfempty	\xmldoifnotselfempty {...} {...}
xmldoifnottext	\xmldoifnottext {...} {...} {...}
xmldoifselfempty	\xmldoifselfempty {...} {...}
xmldoiftext	\xmldoiftext {...} {...} {...}
xmlelement	\xmlelement {...} {...}
xmlfilter	\xmlfilter {...} {...}
xmlfirst	\xmlfirst {...} {...}

```
xmlflush                        \xmlflush {...}
xmlflushcontext                 \xmlflushcontext {...}
xmlflushdocumentsetups          \xmlflushdocumentsetups {...} {...}
xmlflushlinewise                \xmlflushlinewise {...}
xmlflushpure                    \xmlflushpure {...}
xmlflushspacewise               \xmlflushspacewise {...}
xmlflushtext                    \xmlflushtext {...}
xmlinclude                      \xmlinclude {...} {...} {...}
xmlinclusion                    \xmlinclusion {...}
xmlinclusions                   \xmlinclusions {...}
xmlinfo                         \xmlinfo {...}
xmlinjector                     \xmlinjector {...}
xmlinlineprettyprint            \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext        \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim               \xmlinlineverbatim {...}
xmlinstalldirective             \xmlinstalldirective {...} {...}
xmllast                         \xmllast {...} {...}
xmllastatt                      \xmllastatt
xmllastmatch                    \xmllastmatch
xmllastpar                      \xmllastpar
xmlloadbuffer                   \xmlloadbuffer {...} {...} {...}
xmlloaddata                     \xmlloaddata {...} {...} {...}
xmlloaddirectives               \xmlloaddirectives {...}
xmlloadfile                     \xmlloadfile {...} {...} {...}
xmlloadonly                     \xmlloadonly {...} {...} {...}
xmlmain                         \xmlmain {...}
xmlmapvalue                     \xmlmapvalue {...} {...} {...}
xmlname                         \xmlname {...}
xmlnamespace                    \xmlnamespace {...}
xmlnonspace                     \xmlnonspace {...} {...}
xmlpar                          \xmlpar {...} {...}
xmlparam                        \xmlparam {...} {...} {...}
xmlpath                         \xmlpath {...}
xmlpos                          \xmlpos {...}
xmlposition                     \xmlposition {...} {...} {...}
xmlprependdocumentsetup         \xmlprependdocumentsetup {...} {...}
xmlprependsetup                 \xmlprependsetup {...}
xmlprettyprint                  \xmlprettyprint {...} {...}
xmlprettyprinttext              \xmlprettyprinttext {...} {...}
xmlprocessbuffer                \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                  \xmlprocessdata {...} {...} {...}
xmlprocessfile                  \xmlprocessfile {...} {...} {...}
xmlpure                         \xmlpure {...} {...}
xmlraw                          \xmlraw {...}
xmlrefatt                       \xmlrefatt {...} {...}
xmlregistereddocumentsetups     \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups             \xmlregisteredsetups
xmlregisterns                   \xmlregisterns {...} {...}
xmlremapname                    \xmlremapname {...} {...} {...} {...}
xmlremapnamespace               \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup          \xmlremovedocumentsetup {...} {...}
xmlremovesetup                  \xmlremovesetup {...}
xmlresetdocumentsetups          \xmlresetdocumentsetups {...}
xmlresetinjectors               \xmlresetinjectors
xmlresetsetups                  \xmlresetsetups {...}
xmlsave                         \xmlsave {...} {...}
xmlsetatt                       \xmlsetatt {...} {...} {...}
xmlsetattribute                 \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                    \xmlsetentity {...} {...}
xmlsetfunction                  \xmlsetfunction {...} {...} {...}
xmlsetinjectors                 \xmlsetinjectors [...]
xmlsetpar                       \xmlsetpar {...} {...} {...}
xmlsetparam                     \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                     \xmlsetsetup {...} {...} {...}
xmlsetup                        \xmlsetup {...} {...}
xmlshow                         \xmlshow {...}
xmlsnippet                      \xmlsnippet {...} {...}
xmlstrip                        \xmlstrip {...} {...}
xmlstripnolines                 \xmlstripnolines {...} {...}
xmlstripped                     \xmlstripped {...} {...}
xmlstrippednolines              \xmlstrippednolines {...} {...}
xmltag                          \xmltag {...}
```

xmltexentity	`\xmltexentity {...} {...}`
xmltext	`\xmltext {...} {...}`
xmltobuffer	`\xmltobuffer {...} {...} {...}`
xmltobufferverbose	`\xmltobufferverbose {...} {...} {...}`
xmltofile	`\xmltofile {...} {...} {...}`
xmlvalue	`\xmlvalue {...} {...} {...}`
xmlverbatim	`\xmlverbatim {...}`
xsplitstring	`\xsplitstring \... {...}`
xypos	`\xypos {...}`
yiddishnumerals	`\yiddishnumerals {...}`
zeronumberconversion	`\zeronumberconversion {...}`