Closing

April 28, 2019

```
In [ ]: import numpy as np
        import cv2
        def pad(img,shp):
                p=np.zeros((shp[0]+1,shp[1]+1))
                p[1:,1:]=np.copy(img)
                p[0,1:]=img[0]
                p[1:,0]=img[:,0]
                p[0,0] = img[0,0]
                p[-1,0] = img[-1,0]
                return p
        def comp_erosion(sample,metric):
                for i in range(2):
                        for j in range(2):
                                 if sample[i,j]!=metric[i,j]:
                                         return False
                return True
        def comp_dilation(sample,metric):
                for i in range(2):
                        for j in range(2):
                                 if sample[i,j]==metric[i,j]:
                                         return True
                return False
        def slice(img):
                temp=np.array(img)
                print(temp.shape)
                int_slice=np.zeros((temp.shape[0],temp.shape[1],8))
                for x in range(8):
                         int_slice[:,:,x]=temp\%(2)
                        temp=(temp/2).astype(int)
                return int_slice
        def stitch(int_slice,shp):
                out=np.zeros(shp)
                for x in range(8):
```

```
return out
       img=cv2.imread('cat.jpeg',0)
       shp=img.shape
       temp=pad(img,shp)
       int_slice=slice(temp)
       struct_el=np.array([[1,1],[1,1]])
       int_slice_new=np.zeros((shp[0],shp[1],8))
       for x in range(8):
               for i in range(shp[0]):
                       for j in range(shp[1]):
                               if comp_dilation(int_slice[i:i+2,j:j+2,x],struct_el):
                                      int_slice_new[i,j,x]=1
       int_slice=np.array(int_slice_new)
       int_slice_new=np.zeros((shp[0],shp[1],8))
       for x in range(8):
               test=pad(int_slice[:,:,x],shp)
               for i in range(shp[0]):
                       for j in range(shp[1]):
                              if comp_erosion(test[i:i+2,j:j+2],struct_el):
                                      int_slice_new[i,j,x]=1
       out=stitch(int_slice_new,shp)
       out=np.array(out, dtype = np.uint8)
       print(img)
       print(out)
       cv2.imshow('image', img)
       cv2.imshow('closed', out)
       cv2.waitKey(0)
       cv2.destroyAllWindows()
(351, 529)
[[14 21 29 ... 7 7 7]
[13 20 28 ... 6 6 6]
[12 19 28 ... 6 6 6]
[8 7 5 ... 0 0 0]
[986...000]
[10 9 7 ... 0 0 0]]
[[14 14 29 ... 7 7 7]
[14 14 29 ... 7 7 7]
[13 13 29 ... 6 6 6]
[7 7 6 ... 0 0 0]
[9 9 7 ... 0 0 0]
```

 $out=out+int_slice[:,:,x]*(2**x)$

```
[ 9 9 11 ... 0 0 0]]
```

In []: