


<Main 앱 UI>



< AppCam UI>



appCam

```
when Button1 .Click  
do close screen
```

```
when webApp .Initialize  
do set WebView1 . HomeUrl to " http://59.6.45.112:5000/appCam "
```

```
when Screen1.Initialize
do
  call getSetting

to getSetting
do
  set Web1.Url to "http://59.6.45.112:5000/main"
  call Web1.Get

when Web1.GotText
url responseCode responseType responseContent
do
  if get responseCode = 200
  then
    set global listJson to make a list get responseContent
    if get global listJson ≠ 0
    then
      call setState
      set 시계1.TimerInterval to 800
      set 시계1.TimerEnabled to true
    else
```

```
when 시계1.Timer
do
  set global 시간_카운터 to get global 시간_카운터 + 1
  if get global 시간_카운터 ≥ 1
  then
    set 시계1.TimerEnabled to false
    set serverState.Text to get global 새로고침_횟수
    set global 새로고침_횟수 to get global 새로고침_횟수 + 1
    set global 시간_카운터 to 0
    call refreshScreen
    call getSetting
```

```
when lamp_btn.Click
do
  if lamp_btn.Text = "켜기"
  then
    set global lamp to "1"
    set global 시간_카운터 to -100
    set lamp_btn.Text to "끄기"
    set lamp_btn.BackgroundColor to 
    set lampState.BackgroundColor to 
  else
    set global lamp to "0"
    set global 시간_카운터 to -100
    set lamp_btn.Text to "켜기"
    set lamp_btn.BackgroundColor to 
    set lampState.BackgroundColor to 
  call pushData
```

```
when food_btn.Click
do
  if food_btn.Text = "주기"
  then
    set global food to "1"
    set global 시간_카운터 to -100
    set food_btn.Text to "주는중"
    set food_btn.BackgroundColor to 
    set food_btn.Enabled to false
    set foodState.BackgroundColor to 
    call pushData
  else
```

```
when fan1_btn.Click
do
  if fan1_btn.Text = "켜기"
  then
    set global fan1 to "1"
    set global 시간_카운터 to -100
    set fan1_btn.Text to "끄기"
    set fan1_btn.BackgroundColor to 
    set fan1State.BackgroundColor to 
  else
    set global fan1 to "0"
    set global 시간_카운터 to -100
    set fan1_btn.Text to "켜기"
    set fan1_btn.BackgroundColor to 
    set fan1State.BackgroundColor to 
  call pushData
```

```
when pump1_btn.Click
do
  if pump1_btn.Text = "켜기"
  then
    set global pump1 to "1"
    set global 시간_카운터 to -100
    set pump1_btn.Text to "끄기"
    set pump1_btn.BackgroundColor to 
    set pump1State.BackgroundColor to 
  else
    set global pump1 to "0"
    set global 시간_카운터 to -100
    set pump1_btn.Text to "켜기"
    set pump1_btn.BackgroundColor to 
    set pump1State.BackgroundColor to 
  call pushData
```

Main UI 코드

```

when pump2_btn .Click
do
  if pump2_btn .Text = "켜기"
  then
    set global pump2 to 1
    set global 시간_카운터 to -100
    set pump2_btn .Text to "끄기"
    set pump2_btn .BackgroundColor to 
    set pump2State .BackgroundColor to 
  else
    set global pump2 to 0
    set global 시간_카운터 to -100
    set pump2_btn .Text to "켜기"
    set pump2_btn .BackgroundColor to 
    set pump2State .BackgroundColor to 
  end if
  call pushData

```

```

when pump3_btn .Click
do
  if pump3_btn .Text = "켜기"
  then
    set global pump3 to 1
    set global 시간_카운터 to -100
    set pump3_btn .Text to "끄기"
    set pump3_btn .BackgroundColor to 
    set pump3State .BackgroundColor to 
  else
    set global pump3 to 0
    set global 시간_카운터 to -100
    set pump3_btn .Text to "켜기"
    set pump3_btn .BackgroundColor to 
    set pump3State .BackgroundColor to 
  end if
  call pushData

```

```

when Button2 .Click
do
  if get global mode = 0
  then
    set global mode to 1
    set global 시간_카운터 to -100
    set modeState .BackgroundColor to 
  else
    set global mode to 0
    set global 시간_카운터 to -100
    set modeState .BackgroundColor to 
  end if
  call pushData

```

```

when pump4_btn .Click
do
  if pump4_btn .Text = "켜기"
  then
    set global pump4 to 1
    set global 시간_카운터 to -100
    set pump4_btn .Text to "끄기"
    set pump4_btn .BackgroundColor to 
    set pump4State .BackgroundColor to 
  else
    set global pump4 to 0
    set global 시간_카운터 to -100
    set pump4_btn .Text to "켜기"
    set pump4_btn .BackgroundColor to 
    set pump4State .BackgroundColor to 
  end if
  call pushData

```

```

when heater_btn .Click
do
  if heater_btn .Text = "켜기"
  then
    set global heater to 1
    set global 시간_카운터 to -100
    set heater_btn .Text to "끄기"
    set heater_btn .BackgroundColor to 
    set heaterState .BackgroundColor to 
  else
    set global heater to 0
    set global 시간_카운터 to -100
    set heater_btn .Text to "켜기"
    set heater_btn .BackgroundColor to 
    set heaterState .BackgroundColor to 
  end if
  call pushData

```

```

initialize global 새로고침_횟수 to 1
initialize global list/son to 

```

```

initialize global 시간_카운터 to 0

```

```

initialize global pushCount to 0

```

```

initialize global fan1 to 

```

```

initialize global fan2 to 

```

```

initialize global food to 

```

```

initialize global heater to 

```

```

initialize global lamp to 

```

```

initialize global mode to 

```

```

initialize global ph to 

```

```

initialize global pump1 to 

```

```

initialize global pump2 to 

```

```

initialize global pump3 to 

```

```

initialize global pump4 to 

```

```

initialize global temp to 

```



```

when Web2 .GotText
  url responseCode responseType responseContent
do

```

```

to refreshScreen
do
  set tempLbl .Text to get global temp
  set ph농도 .Text to join "PH"
  get global ph

  if get global lamp = "1"
  then
    set lamp_btn .Text to "117"
    set lamp_btn .BackgroundColor to 
    set lampState .BackgroundColor to 
  else
    set lamp_btn .Text to "켜기"
    set lamp_btn .BackgroundColor to 
    set lampState .BackgroundColor to 

  if get global fan1 = "1"
  then
    set fan1_btn .Text to "117"
    set fan1_btn .BackgroundColor to 
    set fan1State .BackgroundColor to 
  else
    set fan1_btn .Text to "켜기"
    set fan1_btn .BackgroundColor to 
    set fan1State .BackgroundColor to 

  if get global food = "0"
  then
    set food_btn .Text to "쭈기"
    set food_btn .BackgroundColor to 
    set food_btn .Enabled to true
    set foodState .BackgroundColor to 
  else
    set food_btn .Text to "쭈는중"
    set food_btn .BackgroundColor to 
    set food_btn .Enabled to false
    set foodState .BackgroundColor to 

```

```

  if get global pump1 = "1"
  then
    set pump1_btn .Text to "117"
    set pump1_btn .BackgroundColor to 
    set pump1State .BackgroundColor to 
  else
    set pump1_btn .Text to "켜기"
    set pump1_btn .BackgroundColor to 
    set pump1State .BackgroundColor to 

  if get global pump2 = "1"
  then
    set pump2_btn .Text to "117"
    set pump2_btn .BackgroundColor to 
    set pump2State .BackgroundColor to 
  else
    set pump2_btn .Text to "켜기"
    set pump2_btn .BackgroundColor to 
    set pump2State .BackgroundColor to 


  if get global pump3 = "1"
  then
    set pump3_btn .Text to "117"
    set pump3_btn .BackgroundColor to 
    set pump3State .BackgroundColor to 
  else
    set pump3_btn .Text to "켜기"
    set pump3_btn .BackgroundColor to 
    set pump3State .BackgroundColor to 


  if get global pump4 = "1"
  then
    set pump4_btn .Text to "117"
    set pump4_btn .BackgroundColor to 
    set pump4State .BackgroundColor to 
  else
    set pump4_btn .Text to "켜기"
    set pump4_btn .BackgroundColor to 
    set pump4State .BackgroundColor to 

  if get global heater = "1"
  then
    set heater_btn .Text to "117"
    set heater_btn .BackgroundColor to 
    set heaterState .BackgroundColor to 
  else
    set heater_btn .Text to "켜기"
    set heater_btn .BackgroundColor to 
    set heaterState .BackgroundColor to 

  if get global mode = "1"
  then
    set modeState .BackgroundColor to 
  else
    set modeState .BackgroundColor to 

```



Non-visible components

```
when modeSetting.Initialize
do
  set Web1.Url to "http://59.6.45.112:5000/getSetting"
  call Web1.Get
```

```
when Web1.GotText
  url responseCode responseType responseContent
do
  if get responseCode = 200
  then
    set global settingStr to get responseContent
    call splitData
    call refresh
```

```
when Button2.Click
do
  set Web2.Url to "http://59.6.45.112:5000/inputSetting?tempS="
  join get global tempS
  join "&foodS1="
  join get global foodS1
  join "&foodS2="
  join get global foodS2
  join "&foodS3="
  join get global foodS3
  join "&lampOnS="
  join get global lampOnS
  join "&lampOffS="
  join get global lampOffS
  call Web2.Get

when Web2.GotText
  url responseCode responseType responseContent
do
```

```
when tempRe.Click
do
  set global tempS to "0"
  set tempTb.Text to "°C"
  set tempLb.Text to "설정없음"
```

```
when foodRe1.Click
do
  set global foodS1 to "0"
  set foodLb1.Text to "설정없음"
```

```
when foodRe2.Click
do
  set global foodS2 to "0"
  set foodLb2.Text to "설정없음"
```

```
when foodRe3.Click
do
  set global foodS3 to "0"
  set foodLb3.Text to "설정없음"
```

```
when lampOffRe.Click
do
  set global lampOffS to "0"
  set lampOffTime.Text to "설정없음"
```

```
when lampOnRe.Click
do
  set global lampOnS to "0"
  set lampOnTime.Text to "설정없음"
```



```

when Button1.Click
do close screen

```

```

when Button10.Click
do if tempTb.Text = "0"
then set global tempS to tempTb.Text
set tempLb.Text to join get global tempS
"°C"
set tempTb.Text to "0"

```

```

initialize global settingStr to "0"
initialize global tempS to "0"
initialize global foodS1 to "0"
initialize global foodS2 to "0"
initialize global foodS3 to "0"
initialize global lampOnS to "0"
initialize global lampOffS to "0"

```

```

when foodSetting1.AfterTimeSet
do set foodLb1.Text to join foodSetting1.Hour
join "시"
join foodSetting1.Minute
"분"
set global foodS1 to join foodSetting1.Hour
join "h"
foodSetting1.Minute

```

```

when foodSetting2.AfterTimeSet
do set foodLb2.Text to join foodSetting2.Hour
join "시"
join foodSetting2.Minute
"분"
set global foodS2 to join foodSetting2.Hour
join "h"
foodSetting2.Minute

```

```

when foodSetting3.AfterTimeSet
do set foodLb3.Text to join foodSetting3.Hour
join "시"
join foodSetting3.Minute
"분"
set global foodS3 to join foodSetting3.Hour
join "h"

```

```

when lampOnSetting.AfterTimeSet
do set lampOnTime.Text to join lampOnSetting.Hour
join "시"
join lampOnSetting.Minute
"분"
set global lampOnS to join lampOnSetting.Hour
join "h"
lampOnSetting.Minute



```

```



when lampOffSetting.AfterTimeSet
do set lampOffTime.Text to join lampOffSetting.Hour
join "시"
join lampOffSetting.Minute
"분"
set global lampOffS to join lampOffSetting.Hour
join "h"
lampOffSetting.Minute

```

자동모드설정 코드



자동모드설정 코드



자동모드설정 코드