



GOVERNMENT COLLEGE JODHPUR

Rajasthan Finishing School Program

Salesforce Business Analyst

Sponsored By THE SMART BRIDGE

Trainer: Mir Abdul Rehman

Student Name : Chanchal

Email Id : chanchu041107@gmail.com



CUSTOMER SUPPORT CASE MANAGEMENT

Deep Query Ask – Updated Project Specification & Salesforce Service Cloud
Implementation Guide

Project Name: Customer Support Case Management

Platform: Salesforce Service Cloud

Role Focus: Salesforce Business Analyst (BA)

Approach: BA requirement discovery → functional design → configuration → validation → UAT

Update focus: This version combines the practical implementation content with deeper BA discovery, security, SLA, UAT, acceptance criteria, KPI and change-management sections.

1. PROJECT OVERVIEW & BUSINESS CASE

AS-IS Problem: Customer support is handled through emails, phone calls and Excel sheets. There is no centralized system for tracking complaints, ownership, status, response time or historical performance.

Key Business Pain Points

- Fragmented email and phone intake.
- Manual spreadsheet tracking.
- No consistent SLA monitoring or escalation.
- Repeated customer follow-ups for status.
- Limited visibility into open and overdue cases.
- Difficult to measure agent workload and performance.
- Limited historical information for audit and analysis.

Business Impact

- Delayed resolution and poorer customer experience.
- Higher administrative workload.
- Inconsistent case handling.
- Limited data-driven management decisions.
- Risk of SLA breaches and compliance issues.

2. BUSINESS OBJECTIVES – TO-BE

- Create one source of truth for support cases.
- Capture cases through Email-to-Case and Web-to-Case.

- Automate case assignment using approved rules.
- Standardize the case lifecycle from New to Closed.
- Track response and resolution timelines using Entitlements/Milestones.
- Improve customer communication.
- Provide real-time reports and dashboards.
- Measure workload, service quality and resolution performance.

3. DEEP BA REQUIREMENT DISCOVERY

Customer Support Case Management

The BA should clarify these questions with stakeholders before configuration so the solution reflects approved business rules rather than assumptions.

Customer & Intake

- Which channels can customers use?
- What information is mandatory at intake?
- How should duplicate requests be handled?
- Should customers receive automatic acknowledgement?

Classification & Priority

- What case types exist?
- Who decides High/Medium/Low priority?
- What makes a case critical?

Ownership & Escalation

- Which team owns each case type?
- When should Tier 1 transfer to Tier 2?
- What happens if the owner is unavailable?
- Who receives an escalation?

Closure & Reporting

- What is mandatory before closure?
- Who can close or reopen a case?
- Which KPIs must management monitor?
- What history is required for audit?

4. SCOPE

In Scope	Out of Scope / Future
Email-to-Case; Web-to-Case	CTI / telephony
Case fields, validation, lifecycle	AI chatbot / Agentforce
Queues and assignment rules	ERP / billing integration
Entitlements, milestones, escalation	Knowledge automation
Reports and dashboards	Unapproved integrations

5. AS-IS VS TO-BE

Area	AS-IS	TO-BE
Case intake	Emails, calls, Excel	Salesforce Cases
Assignment	Manual	Rules + queues
SLA	Not consistently tracked	Entitlements + Milestones
Customer updates	Manual	Automated where approved
Data quality	Missing/inconsistent	Validation + required data
Reporting	Manual	Real-time dashboards

6. END-TO-END TO-BE PROCESS

- 1. Customer submits issue by email or web form.
- 2. Salesforce creates the Case.
- 3. Case is classified by Type, Priority, Origin and required data.
- 4. Assignment rules route it to the correct queue/user.
- 5. Agent works the Case and updates Status.
- 6. Customer receives approved status communication.
- 7. SLA milestones are monitored.
- 8. At-risk/overdue cases are escalated as designed.
- 9. Agent records Resolution Summary and closes the Case.
- 10. Management reviews dashboards.

7. LOGICAL DATA MODEL

Object	Purpose	Relationship
Account	Customer organization	Account → Contacts/Cases
Contact	Customer individual	Contact → Cases
Case	Central support request	Linked to Account, Contact, Owner
EmailMessage	Email thread/history	Case → EmailMessages
Case Comment	Case communication/update	Linked to Case
Case History	Status/ownership changes	Linked to Case
Entitlement	SLA definition	Linked to Case
Case Milestone	SLA milestone tracking	Linked to Case

8. CASE DATA DICTIONARY

Field	Type	Requirement / Values
Origin	Picklist	Web, Email, Phone
Type	Picklist	Mechanical, Electrical, Electronic, Structural, Other
Priority	Picklist	High, Medium, Low
Status	Picklist	New, Working, Escalated, Closed
Subject	Text	Mandatory short issue title
Description	Long Text	Detailed customer issue
Resolution Summary	Long Text	Mandatory before closure
Case Owner	User/Queue	Set by approved routing logic

9. VALIDATION & DATA QUALITY

Requirement: A Case cannot be closed until resolution information is completed.

Example formula:

AND(ISPICKVAL(Status, "Closed"), ISBLANK(Resolution_Summary__c))

Error: Resolution Summary is mandatory prior to case closure.

The BA should confirm the final field/API name, closure criteria, exceptions and error



message with the business owner.

10. MILESTONE-BASED IMPLEMENTATION

Milestone 1 – BA Foundation

Understand stakeholders, users, process, scope and Salesforce navigation.

Deliverable: process + stakeholder notes.

Milestone 2 – Case Foundation

Define fields, picklists, required data and lifecycle.

Deliverable: field requirement document.

Milestone 3 – Intake Channels

Configure Email-to-Case/Web-to-Case and defaults.

Deliverable: intake flow.

Milestone 4 – Security

Define roles, profiles/permission sets, queues and visibility.

Deliverable: security matrix.

Milestone 5 – Assignment

Define routing by Type/Priority and validate workload.

Deliverable: assignment document.

Milestone 6 – SLA

Define Entitlements, Milestones, business hours and escalation.

Deliverable: SLA matrix.

Milestone 7 – Reporting

Define volume, backlog, aging, SLA and workload KPIs.

Deliverable: dashboard requirements.

Milestone 8 – UAT & Sign-off

Execute scenarios, record defects, retest and obtain approval.

Deliverable: UAT sign-off.

11. PRACTICAL SALESFORCE CONFIGURATION

1. Setup: Gear icon → Setup.

2. Case Fields: Object Manager → Case → Fields & Relationships. Review/create approved fields and picklists.



3. Validation: Case → Validation Rules → New. Add approved closure validation, check syntax, activate and save.

SETUP > OBJECT MANAGER

Case

- Details
- Fields & Relationships
- Case Page Layouts
- Case Close Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets

Validation Rules

1 Items, Sorted by Rule Name

RULE NAME	ERROR LOCATION	ERROR MESSAGE	ACTIVE	MODIFIED BY
Required_fields_on_case_formula	Top of Page	Please Fill Required Fields.	✓	Chanchal k , 9/16/2026, 11:48 PM

New

4. Queues: Setup → Queues → New. Create Tier-1 General Support, Tier-2 Technical Support and Finance & Billing if approved.

5. Email-to-Case: Setup → Email-to-Case → enable approved service option → create routing address → set defaults → verify → test inbound email.

Setup Home Object Manager

Quick Find

- Setup Home
- Salesforce Go
- Service Cloud Reports
- Commerce Setup Assistant
- Hyperforce Assistant
- Release Updates
- Salesforce Mobile App
- Lightning Usage
- AgentExchange Offers
- Sales Cloud Everywhere
- ADMINISTRATION

SETUP Email-to-Case

Routing Name	Support Email Roting
Email Address	chanchu041107@gmail.com [Verified]
Email Services Address	chanchu041107@2o4abqno1828gwluyxleomcmex2rxx9a1muu83nz1v8979.ak-1fb693ead_usa840.case.salesforce.com
Controlled by Permission Set	☐
Created By	Chanchal k , 9/16/2026, 11:58 PM
Modified By	Chanchal k , 9/17/2026, 12:00 AM

Email Settings

Save Email Headers	✓
Accept Email From	


Task Settings

Create Task from Email	✓
Task Status	Not Started

Case Settings

Case Status	Open
Case Priority	High

6. Web-to-Case: Setup → Web-to-Case → enable → set defaults → select fields → generate HTML → test submission.



The screenshot shows the Salesforce Setup interface for the 'Web-to-Case' feature. The left sidebar contains a navigation menu with categories like Feature Settings, Marketing, Service, and Development. The 'Web-to-Case' option is highlighted under the 'Service' category. The main content area is titled 'Web-to-Case' and includes sections for 'Basic Settings' and 'Auto-Response Email Settings'. In the 'Basic Settings' section, 'Enable Web-to-Case' is checked, 'Require reCAPTCHA Verification' is unchecked, and 'Default Case Origin' is set to 'Web'. In the 'Auto-Response Email Settings' section, the 'Default Response Template' is set to 'Support: Case Created (Web)', 'Hide Record Information' is unchecked, and there is a field for 'Email Signature'.

7. Assignment: Setup → Case Assignment Rules → New → add rule entries in approved priority order → test routing.

8. SLA: Configure Entitlements/Milestones after confirming targets, business hours, start/stop conditions and escalation owners.

9. Reporting: Create reports for open cases, overdue cases, aging, priority, type, owner and resolution performance.

12. SECURITY & ACCESS MODEL

The BA should define who can view, create, edit, assign and close Cases before security configuration. **Example role structure:** Service Leadership → Support Manager → Tier-1 Agent / Tier-2 Agent / Finance Support

BA questions: Which fields are sensitive? Who can edit priority? Who can reassign? Can agents see other teams' cases? Who can close/reopen?

Document approved answers in a Security & Access Matrix.

13. ASSIGNMENT LOGIC – EXAMPLE

Order	Condition	Assignee
1	Type = Electrical AND Priority = High	Tier-2 Technical Support
2	Type = Billing Query	Finance & Billing
3	Type = Other / General Inquiry	Tier-1 General Support
4	No match	Approved default queue



These are design examples; final criteria and queue names must be validated with stakeholders.

14. SLA & ESCALATION MATRIX

Area	BA must define
First Response	Target time, business hours, start condition
Resolution	Target time, business hours, completion condition
Warning	Time before breach for warning
Escalation	Recipient and action after threshold
Exceptions	Holidays, customer tiers, case-type exceptions
Reporting	SLA compliance metrics required by management

15. REPORT & DASHBOARD REQUIREMENTS

- Open Cases by Status/Priority.
- Cases by Type and Origin.
- Overdue and SLA-at-risk Cases.
- Average First Response Time.
- Average Resolution Time.
- Case Aging and Backlog.
- Cases by Queue/Agent.
- Closure and Resolution Summary completeness.
- Case-volume trend.



Case

Testing case

Priority

Medium

Status

New

Case Number

00001027

+ Follow

Edit

Delete

Change Owner

Feed

Related

Post

Email

Poll

Share an update...

Share

Most Recent Activity

Q Search this feed...

All Updates

Emails

Call Logs

Text Posts

Status Changes

Details

Case Owner

Chanchal k

Status

New

Case Number

00001027

Priority

Medium

Contact Name

Contact Phone

Account Name

Contact Email

Type

Case Origin

Web

Case Reason

16. USER STORIES & ACCEPTANCE CRITERIA

User Story – Intake: As a customer, I want my support email to create a Case automatically so my issue can be tracked.

Acceptance: Email creates one Case; Origin is Email; required data is captured; approved owner/queue is applied.

User Story – Assignment: As a support manager, I want Cases routed according to approved rules so the correct team receives them.

Acceptance: Matching Cases go to the correct queue; rules execute in intended order; non-matching Cases use the approved default.

User Story – Closure: As a support manager, I want resolution information captured before closure so completed Cases have an auditable outcome.

Acceptance: Closure is blocked without Resolution Summary and succeeds when the required summary is entered.

17. UAT TEST SCENARIOS

ID	Scenario	Expected Result
TC01	Create Case manually	Required data is accepted
TC02	Send customer email	Case is created automatically
TC03	Submit web form	Case is created with Web origin
TC04	High-priority technical issue	Routed to approved technical queue

TC05	Billing case	Routed to approved finance queue
TC06	Close without resolution	Validation blocks closure
TC07	Close with resolution	Case closes
TC08	SLA at risk	Configured warning/escalation occurs
TC09	Dashboard review	KPIs reflect test data

18. BA DELIVERABLE CHECKLIST

- Business Problem & Objectives
- Stakeholder / Requirement Notes
- AS-IS & TO-BE Process Map
- Scope & Assumptions
- Case Data Dictionary
- Security & Access Matrix
- Assignment Rules
- SLA / Entitlement Matrix
- Reports & Dashboard Requirements
- User Stories & Acceptance Criteria
- UAT Cases + Defect Log
- UAT Sign-off + Change Log

19. CHANGE REQUEST HANDLING

If a stakeholder requests a capability during UAT that was not approved in scope, the BA should document the request, clarify the business need, perform impact analysis and route it through the project's change-control process.

Change record: Request → Business reason → Scope impact → Effort/dependencies → Data/security impact → Testing impact → Schedule/cost impact → Decision owner → Approval → Updated documents.

20. FINAL BA DESIGN PATTERN



Business Need → Stakeholder Questions → Requirements → AS-IS → TO-BE → Data Model → Security → Automation → SLA → Reporting → User Stories → Acceptance Criteria → UAT → Sign-off → Change Management

Project Outcome: Salesforce Service Cloud provides a centralized Case process, structured data capture, automated intake/routing, SLA visibility, controlled closure and management reporting. The BA ensures each configuration decision is traceable to an approved requirement and validated with users.