UI Design Prompt

Cleaned and formatted transcription of the three supplied screenshots. Replace the bracketed placeholders before using the prompt.

You are a senior product designer and front-end engineer. Design and build [APP NAME], a [one-line purpose, e.g. "portal for browsing APIs, chatting with an AI assistant, and monitoring usage"] for [audience, e.g. "internal developers and business users"].

Match this visual language exactly: a calm, enterprise-grade developer tool in the spirit of Linear, Stripe and Untitled UI. Navy and brand blue, clean surfaces, dense but airy. Nothing decorative that doesn't carry information.

1. Design principles

- Every colour, shadow and radius comes from CSS custom properties. No hard-coded hex values in components.

- Light and dark themes are both first-class. Light is the default. Set the theme with data-theme on <html> before first paint (no flash) and save it in localStorage.

- Use one accent colour (brand blue) for primary actions, focus and the active state. Use status colours only for status.

- Build hierarchy with weight, size and surface contrast, not heavy borders or shadows.

- Every interactive element has hover, focus-visible, active, disabled and loading states.

2. Colour tokens

LIGHT

- bg #eef4fc (soft blue canvas) · surface #ffffff · surface-2 #f3f7fd

- border #dbe4f0 · border-strong #c3d0e2

- text #0b1d36 (navy) · text-2 #44536b · text-muted #637189

- accent #0066f5 · accent-hover #0052c7 · accent-soft rgba(0,102,245,.08) · accent-strong rgba(0,102,245,.16) · on-accent #fff

- focus-ring 0 0 0 3px rgba(0,102,245,.18)

- success #067647 / #ecfdf3 · warning #b54708 / #fffaeb · danger #b42318 / #fef3f2 · info #175cd3 / #eff8ff (fg/soft bg)

- shadow-sm 0 1px 2px rgba(16,24,40,.05) · shadow-md 0 4px 12px rgba(16,24,40,.08) · shadow-lg 0 12px 32px rgba(16,24,40,.14)

- overlay rgba(7,29,73,.35) · header-bg #fff · hero-bg linear-gradient(180deg,#e3eefc,#eef4fc)

- gradient-brand linear-gradient(135deg,#071d49,#0066f5)

DARK

- bg #0b1020 · surface #121a2e · surface-2 #182232 · border #243042 · border-strong #33415e

- text #e8edf5 · text-2 #9bacb4 · text-muted #8591a8

- accent #00a1ff · hover #38b6ff · soft rgba(0,161,255,.12) · strong rgba(0,161,255,.22) · on-accent #04122e

- success #34d399 · warning #fbbf24 · danger #f87171 · info #60a5fa (soft = same hue at 10–12% alpha)

- shadows rgba(0,0,0,.35) · header-bg #0d1426

DATA-VIZ (categorical, in this order, grey last)

- light: #0066f5 #0e9384 #dc6803 #6941c6 #c11574 #3e4784 #099250 #667085

- dark: #00a1ff #2dd4bf #f0bf24 #a78bfa #f472b6 #8098f9 #4ade80 #98a2b3

SEMANTIC FAMILIES (one hue each, used the same way everywhere)

- HTTP methods as fg + soft-bg badges: GET blue, POST green, PUT amber, PATCH teal, DELETE red.

- Environments as dot + label: DEV green, QA amber, POC violet, SANDBOX cyan, PROD red.

3. Typography

- Inter (fallbacks: -apple-system, Segoe UI). JetBrains Mono for code.

- Body 14–14.5px / 1.6. UI text 12–13px. Field labels 12px/500.

- Hero 2.8rem/700, letter-spacing -0.5px. Page title 26px/700, -0.01em. Section title 18–20px/600. Card title 1.25rem/600.

- Micro-labels and badges: 10–12px, 600, uppercase, letter-spacing .5px.

- Use only weights 500, 600 and 700. Use tabular figures for numbers.

4. Spacing, shape, motion

- 4px grid: 4, 6, 8, 12, 16, 20, 24, 32, 48.

- Radius: 6 (badges), 8 (buttons, icon tiles), 10 (segmented control, list rows), 12 (cards), 14 (composer, stats bar), 16 (dialogs), 999 (pills, version chips, hero CTA).

- Control heights: 32px toolbar, 34–36px header buttons, inputs and selects, 10 (segmented control, list rows), 12 (cards), 14 (composer, stats bar), 16 (dialogs), 999 (pills, version chips, hero CTA).

- Motion: 150–250ms ease, and cubic-bezier(.4,0,.2,1) for sliding indicators. Cards lift 2px on hover. Content enters with a fade and an 8px rise; sidebars slide in 20px. Respect prefers-reduced-motion.

- Thin custom scrollbars: 8px, rounded thumb, transparent track.

5. App shell

- Full-viewport flex column. The body never scrolls; each region scrolls on its own.

- HEADER (64px, header-bg, 1px bottom border), in three zones:

- Left: sidebar toggle (icon button, only on views with a sidebar), then the logo lockup with a small gradient badge (e.g. "AGENT", orange→red, 9–11px, 800 weight, wide tracking) under the wordmark.

- Center: segmented-control nav. Container is surface-2 with a 1px border, 10px radius and 3px padding. Options are icon + label, 32px tall. An absolutely positioned pill slides to the active tab (white with subtle shadow in light, accent-strong in dark). The active tab has text-colour label, weight 600 and an accent icon. Labels collapse to icons only below 760px, or earlier with 6+ tabs. Tabs the user isn't allowed to see (e.g. Admin) are hidden.

- Right: contextual secondary buttons (e.g. History), ONE primary button (e.g. "+ New chat"), a sun/moon theme toggle, and the user avatar (initial in a circle) with their name.

- LEFT SIDEBAR (320px, surface, right border): title; a labelled select; a search input with a leading icon and a clear button; then a scrollable grouped list.

- FOOTER: thin bar with header-bg and a top border. Org logo on the left, links and version on the right, and a faint geometric line pattern at ~6% opacity.

6. Screens

1. HOME

- Centred hero on hero-bg: large title, one-line subtitle (max 620px), a pill CTA (accent; hover = 1px lift + soft accent glow), and a row of pill "mode" buttons with icons.

- Stats bar (max 800px, centred): 2px brand-gradient border around a surface fill. Four stats separated by 1px vertical dividers. Each stat has a 38px tinted icon tile, a big value and a small label, plus an optional per-environment breakdown with coloured dots.

- "Available [items]" section: title, subtitle, a responsive card grid and pager arrows.

2. ITEM CARD

- 24px padding, 12px radius, shadow-md, 1px border in the item's own brand colour via color-mix (40%, rising to 75% on hover).

- Header: 56px logo tile (image, or a 2–3 letter abbreviation on the brand colour), name, muted description, version pill, plus a status badge filled with the item colour.

- Description takes the remaining height so cards in a row line up.

- Stats panel at the bottom on a 10% tint of the item colour, then a full-width action button.

3. CHAT WORKSPACE

- Context toolbar (52px, surface): 30px logo tile, title, muted subtitle with a version pill, and toolbar buttons on the right.

- Messages sit in a centred column, max 960px, with 20px gaps.

- Welcome state: 52px accent-soft icon tile, 24px title, a short description, a "Get started" grid of quick-action cards (label, description and an arrow that nudges right on hover), and a "Suggested prompts" list with a refresh button.

- User bubble: navy (#071d49 light / #1a3563 dark), white text, radius 16 16 4 16, max width 75%.

- Assistant message: 30px accent-soft avatar, an author + timestamp row, and a bordered surface card with radius 4 12 12 12. Full markdown support: headings 14.5–18px, tables, lists with muted markers, inline code chips, and dark code blocks with a header bar and copy button.

- Typing indicator (three bouncing dots) and a step indicator showing agent/tool progress.

- Composer pinned to the bottom: surface, border-strong, 14px radius. On focus-within it gets an accent border and the focus ring. Auto-growing textarea. Footer row with tool chips on the left and a 43px send button on the right (neutral until there is text, then accent). Below it, hint text: "Enter to send · Shift+Enter for new line".

4. DASHBOARD / OBSERVABILITY

- Title row with a pill access-tier tag, and 36px filter selects on the right.

- KPI cards and charts in the data-viz palette.

- Paginated tables: sticky header, surface-2 row hover, method and environment badges.

- Initial load shows skeleton shimmer. A refresh shows a 3px indeterminate bar at the top and keeps old data visible, dimmed.

5. DOCS

- Left nav of endpoints grouped by tag with method badges; the main pane shows rendered docs and code samples.

6. ADMIN

- Tabbed settings with tables, inline editing and confirm dialogs.

7. AUTH / LOADING SCREEN

- Full screen (#042656 in dark and white in light). A centred 64px spinner made from a conic-gradient ring (blue → purple → coral) with a pulsing centre dot, then a title and muted subtitle, and a Retry button on error.

7. Reusable primitives

- Button: primary, secondary, ghost, danger; 32 and 36px sizes; icon + label; loading state.

- IconButton: 36px, transparent until hover.

- SegmentedControl with a sliding indicator.

- Input, Search, Select, Textarea: border-strong; on focus, accent border + ring.

- Badge and Pill: neutral, status, method, environment.

- Card, StatTile, and an AppLogo tile.

- Modal: 4px backdrop blur on the overlay, 16px radius, max width 460–560px. Header with icon, title, hint and close button; actions right-aligned in the footer.

- Drawer (right side, e.g. chat history), Table + Pagination, Tabs, Tooltip, Toast.

- EmptyState, ErrorState (what failed, how to fix it, Retry), Skeleton, Spinner.

- Icons: one Lucide-style stroke set (24 grid, 2px stroke, round caps) using currentColor, at sizes 15, 16 and 18. Never use emoji as UI icons.

8. States and content

- Every designed view has four designed states: loading (a skeleton shaped like the final layout), empty (icon, one sentence, an action), error, and populated.

- Copy is short, sentence case, and buttons start with a verb ("New chat", "View docs", "Retry").

- Numbers use compact formatting (12.4k) with muted units.

9. Accessibility

- WCAG AA contrast in both themes. Never show status by colour alone; pair a dot with a label.

- Visible focus-visible state on everything: the 3px accent ring, or a 2px outline at 1–2px offset.

- Decorative icons are aria-hidden. Icon-only buttons get aria-label and title. Nav uses <nav aria-label> and aria-current="page"; toggles use aria-pressed.

- Esc closes dialogs and drawers. Modals trap focus and return it to the trigger on close.

10. Tech and deliverables

- [React 18+ with plain CSS custom properties, one CSS file per component] OR [Tailwind with these tokens mapped in theme.extend].

- Global tokens live in index.css: :root holds light tokens, and [data-theme="dark"] overrides only tokens. Components reference only tokens.

- Responsive: full layout at ≥1280px. Icon-only nav at 1040px when crowded. At 760px the sidebar becomes an overlay and cards drop to one column.

- Build order: tokens → app shell → primitives → screens. Use realistic sample data for [domain], not lorem ipsum.

Before coding, list the screens and components you'll build and confirm the token set. When done, check every screen in light and dark at 1440, 1024 and 768px widths.