### **Abstract**

In today's data-driven world, effective visualization is essential for making sense of complex datasets. Traditional 2D visualizations, while widely used, often fall short in conveying multidimensional insights due to their static and flat nature. This project addresses these limitations by developing a system that transforms textual descriptions of numerical data into dynamic visualizations rendered in Virtual Reality (VR) and Augmented Reality (AR) environments.

The system leverages Large Language Models (LLMs) to convert natural language input into structured tabular data in JSON format. A Retrieval-Augmented Generation (RAG) model is then used to determine the most appropriate visualization type—such as bar charts or line charts—based on the structure and content of the tabular data.

These visualizations are rendered as 3D models in VR and AR. In VR, users can explore the data through basic interactions like zooming, panning, and rotating. In AR, visualizations are presented as floating 3D models, offering a lightweight and portable viewing experience. This immersive approach enhances user understanding, enabling deeper insights and improved pattern recognition compared to traditional methods.

The system demonstrates potential across various domains—including education, healthcare, business analytics, and scientific research—where intuitive and interactive data exploration is vital for informed decision-making.

*Key words*: Virtual Reality (VR), Augmented Reality (AR), Data Visualization, Text-to-Table Conversion, Large Language Models (LLMs), Retrieval-Augmented Generation (RAG), JSON, Natural Language Processing (NLP), Interactive 3D Models, Immersive Analytics, Visualization Systems, Data Interpretation, Pattern Recognition, Data Science, Information Retrieval, Educational Technology, Business Intelligence, Scientific Visualization.

## Contents

List of	Figures	i
List of	Γables	ii
Nomen	clature	iii
1	Introduction	1
	1.1 Problem Definition	1
	1.2 Motivation	1
	1.3 Scope of Project and Objectives	1
	1.4 Functional and Non-Functional Requirements	2
	1.5 Organization of the Report	3
2	Literature Survey	4
3	Project Plan and Timeline	10
4	Implementation	12
	4.1 Architecture/Block Diagram	12
	4.2 Algorithm / Methodology	13
	4.3 Technology used	15
5	Results and Discussion.	16
6	Conclusion and Future Work	20
	6.1 Conclusions	20
	6.2 Scope for Future Work	21
Refere	ices	22
Ackno	vledgements	23

# **List of Figures**

2.1	Key areas explored in the Literature Survey	4
3.1	Project Timeline with Task-wise Breakdown and Scheduled Dates	11
4.1	Workflow Diagram for Generating VR Visualization from Textual Description of Numerical Data.	12
5.1	Converting text into structured tables using LLM	16
5.2	Custom dataset for RAG model training	17
5.3	Visualization type prediction by RAG model based on input JSON data	17
5.4	VR environment displaying a 3D visualization generated from JSON input	18
5.5	AR environment displaying a static 3D visualization	18

## **List of Tables**

2.1	Summary of Research Papers on Text-to-Table Conversion Methods	5
2.2	Summary of Research Papers on Text Processing Techniques	7

#### **Nomenclature**

VR Virtual Reality: A simulated 3D environment that immerses users in

a virtual world, allowing interaction with data.

AR A technology that overlays digital 3D visualizations onto the

real-world environment through a camera view, enabling contextual

data display without full immersion.

LLM Large Language Model: A machine learning model designed to

process and generate human-like text, used for converting textual

data to structured tables.

**RAG** Retrieval-Augmented Generation: A model that enhances accuracy

by retrieving relevant information to guide visualization selection.

**3D Visualization** Three-dimensional representation of data in a VR environment for

immersive exploration.

NLP Natural Language Processing: A field of AI enabling machines to

interpret and generate human language.

**Data Filtering** The process of selectively viewing subsets of data based on

user-defined conditions.

**Zooming** Adjusting the scale of a visualization to either zoom in on a specific

area or get an overview of the data.

Scale Adjustments Modifying the dimensions or proportions of a visualization to

highlight specific data aspects.

**User Interaction** The capability for users to manipulate and engage with visualized

data, such as filtering, rotating, or adjusting the scale.

**Data Representation** The method by which data is presented visually or in a structured

format, such as tables or charts.

Machine Learning (ML) A subset of AI that allows systems to learn patterns from data and

improve over time.

Data Science A field that uses scientific methods, algorithms, and systems to

extract knowledge from structured and unstructured data.

**Visualization Design** The practice of creating clear, effective visual representations of data

that are easy to interpret.

**Visualization Systems** Platforms that generate and display data visualizations for analysis,

from simple charts to complex 3D models.

Information Retrieval The process of obtaining relevant data from large datasets to

determine the best visualization type.

**Immersive Visualization** A method that allows users to interact with and explore data in a 3D,

engaging virtual environment.

**Interactive 3D Models** Visual representations of data in three dimensions, allowing users to

manipulate and gain insights.