

EXPERIMENT -1

ESC student' at line 2

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	YES		NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	

6 rows in set (0.02 sec)

ESC student' at line 2

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	YES		NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	

6 rows in set (0.02 sec)

ESC student' at line 2

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	YES		NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	

6 rows in set (0.02 sec)

ESC student' at line 2

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	YES		NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	

6 rows in set (0.02 sec)

ESC student' at line 2

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	YES		NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	

6 rows in set (0.02 sec)