

EXPERIMENT-2

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	
Address	varchar(15)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	
Address	varchar(15)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	
Address	varchar(15)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	
Address	varchar(15)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> SHOW COLUMNS FROM student;
```

Field	Type	Null	Key	Default	Extra
RegNo	int	NO	PRI	NULL	
Name	varchar(15)	YES		NULL	
Gender	char(1)	YES		NULL	
DOB	date	YES		NULL	
MobileNo	bigint	YES		NULL	
City	varchar(15)	YES		NULL	
Address	varchar(15)	YES		NULL	

```
7 rows in set (0.00 sec)
```