

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

## Mock Test 2

Total points 57/60

✓ What is false regarding inheritance? (Choose 2) \*

1/1

a.The last class in the inheritance path of any Pega class is @baseclass ✓

b.Pega is based on Java and uses single inheritance

c.The directed inheritance can be used before pattern inheritance ✓

d.With pattern inheritance, the parent class is explicitly specified

✓ What is true regarding decision tables and trees (Choose 2) \*

1/1

a.You should consider Decision Tree for simpler business logic

b.Decision table is the preferred business rule approach compared to Trees

c.A decision tree should be used when many different properties are part of the conditional logic ✓

d.The same result can be achieve using a table or a tree ✓

! ✓ Who is responsible for creating acceptance criteria and prioritizing

\*1/1

33°C Partly cloudy

Search               ENG IN

11:30 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

Who is responsible for creating acceptance criteria and prioritizing backlog items? \*1/1

- a. Subject Matter Expert
- b. Citizen Developer
- c. Product Owner
- d. Sponsor

In order to enable the "check out" feature you must ensure that? (Choose 2) \*1/2

- a. The operator is allowed to check out
- b. The operator group is allowed to check out
- c. The rulesets containing the rules you want to be able to check out are enabled for check out
- d. The application containing the rules you want to be able to check out are enabled for check out

! ✓ A PDF file attached to the case doesn't present all the information. Which rule or setting do you check to address this issue? (Choose 2) \*1/1

33°C Partly cloudy

Search                        11:32 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | + -  X 

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...> A         

✓ A PDF file attached to the case doesn't present all the information. Which \*1/1 rule or setting do you check to address this issue? (Choose 2)

- a. Check the settings that are used in the PDF document.
- b. Check the type of fields used in the PDF document.
- c. Check the section specified in the Create PDF step of the case life cycle. 
- d. Check the page orientation and size settings in the Create PDF step. 

✓ What are valid options for a Data Page source? (Choose 2) \*

1/1

- a. Data Transform 
- b. Data Type
- c. Connector 
- d. Utility

✗ In the Human Resources department, a goal and deadline date are \*0/1 assigned to each employee performance review case. For performance improvement plans cases, stakeholders want to override the default goal date but maintain the default deadline date. What two configuration steps do you take to meet this requirement? (Choose 2)

! 33°C Partly cloudy  Search             ENG IN   11:32 PM 18-06-2023 19

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

**X** In the Human Resources department, a goal and deadline date are assigned to each employee performance review case. For performance improvement plans cases, stakeholders want to override the default goal date but maintain the default deadline date. What two configuration steps do you take to meet this requirement? (Choose 2) \*0/1

a.In the Performance Improvement Plans data transform, for each case type, configure an Update Page action and set the goal date value.

b.Select the Call superclass data transform option in the Performance Improvement Plans data transform and clear the option in the parent data transform. X

c.In each case type data transform, set the goal date to the required value. ✓

d.Select the Call superclass data transform option in each of the case type data transforms.

Correct answer

c.In each case type data transform, set the goal date to the required value.

d.Select the Call superclass data transform option in each of the case type data transforms.

**✓** From App Studio you can style the application using \* 1/1

a.Themes ✓

! 33°C Partly cloudy

Search                     ENG IN 11:32 PM 18-06-2023 19

Mock Test 1 X | Mock Test 2 X | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

From App Studio you can style the application using \*

1/1

a.Themes ✓

b.Custom CSS

c.Skins

d.Mixins

Who are the non-technical business users involved in application development?

\*1/1

a.Subject Matter Expert

b.Citizen Developer ✓

c.Product Owner

d.Sponsor

A requirement states that if the request is less than EUR1000, the request is routed to a cost center manager. If the amount is greater than EUR1000, the request is also routed to a director. In addition, if the request is for customer billable expenses, the request must be approved by an Account payable manager.

\*1/1

33°C Partly cloudy

Search

Cloud

ENG IN

11:32 PM 18-06-2023

19









Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP... A ...

✓ In a healthcare organization, you want to generate a report to track the number of patient appointments per doctor in the last week (status of the case being resolved-completed). What would you use as part of the filtering criteria? \*1/1

a. Doctor  
 b. Case ID  
 c. Case Status   
 d. Case Date

✓ Identify the use case that requires creating a new role. \* 1/1

a. A new application is created.  
 b. An additional combination of channel interface and permissions is necessary.   
 c. The permissions for an existing role are too limited for the work to be done.  
 d. An additional person needs to interact with an application

✓ What is true about the clipboard? \* 1/1

a. Memory is organised in threads

! 33°C Partly cloudy Search ENG IN 11:32 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

What is true about the clipboard? \*

1/1

a. Memory is organised in thread ✓

b. You can edit the values of all the properties

c. You can access to the page related to a temporary case ✓

d. The clipboard is a live view on the memory and do not need to be refreshed

How do you organise users coming from different Business Units and working as a team?

\*1/1

a. Work Group ✓

b. Work Queue

c. Access Group

d. Shared Group

Associate inheritance type (Choose 1)

\*1/1

Description

a) You have defined a Flow Action rule in MyOrg-MyApp-Work and you are

33°C Partly cloudy

Search

Cloud ENG IN

11:33 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

Associate inheritance type (Choose 1) \*1/1

Description

a) You have defined a Flow Action rule in MyOrg-MyApp-Work and you are planning to reuse it in the class MyOrg-MyApp-Work-PO

b) You have defined a rule in a framework representing a regional bloc for the company offices (Like EU for instance) and you are planning to reuse it.

c) You want to reuse an OOTB rule applying to @baseclass.

d) You want to reuse a rule from the division layer of the class structure in your case type.

Source

1) Pattern inheritance

2) Directed inheritance

a.A1, B1, C2, D2

b.A1, B2, C2, D1 ✓

c.A2, B2, C1, D1

d.A2, B1, C1, D2

You want to display the number of products sold per sales representative \*1/1

33°C Partly cloudy

Search             

11:33 PM 18-06-2023 19



Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP... A 🔍 ⚡ 🌐 🌐 🌐 🌐 🌐 🌐 🌐 🌐

What are the types of validation for data?(choose 2) 1/1

- a.Property type ✓
- b.Validate rules ✓
- c.Java Validate rules
- d.When rules

You want to generate a report to determine the average total of purchase \*1/1 orders on your online shopping platform.

- a.Business metrics ✓
- b.Process metrics
- c.Case metrics
- d.User metrics

In a loan approval process, different levels of management need to review \*1/1 and approve loan applications based on the requested loan amount. Managers need to approve loan requests up to \$10,000, directors need to approve loan requests up to \$50,000, and the vice president needs to approve loan requests of \$50,000 or higher. How do you configure the

! 33°C Partly cloudy

Search                                        ENG IN 11:33 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evthH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

In a loan approval process, different levels of management need to review \*1/1 and approve loan applications based on the requested loan amount. Managers need to approve loan requests up to \$10,000, directors need to approve loan requests up to \$50,000, and the vice president needs to approve loan requests of \$50,000 or higher. How do you configure the approval process?

a. Select the reporting structure configuration with custom levels, then configure when rules to determine the number of levels. ✓

b. Select the authority matrix configuration option.

c. Select the reporting structure configuration, then select All levels.

d. Select the reporting structure configuration with custom levels, then configure a decision table to determine the number of levels.

A student submits a research proposal and the proposal must be approved by their academic advisor. If the proposed budget for the research is more than \$5000, then the proposal must be approved by additional faculty members above academic advisor. The list of additional approvers is already defined and there are no other conditions. Which of the following options can be used to configure the approval?

a. Reporting structure ✓

b. Authority matrix

33°C Partly cloudy

Search

Bing

File

Folder

File Explorer

Phone

OneDrive

PowerPoint

Word

Excel

Google Sheets

Google Slides

Google Docs

Cloud

ENG IN

11:33 PM

18-06-2023

19



Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfubxTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

What rule can reference a validation rule? (Choose 2) \*

1/1

a.A validation rule ✓

b.An edit validate rule

c.A flow action ✓

d.A flow

A new case is created with a default urgency of 15 and the first assignment of the case life cycle is reached at 8 am on Monday the 13th of July.

An initial delay of 4 hours is configured on the SLA and adds up 5 to the urgency.

The Goal line is set to 24 hours and the Dead line is set to 48 hours with both adding 5 to the urgency.

A Passed Dead Line is configured to wait for 6 hours 8 times and add 5 to the urgency.

What is the urgency of the case on Tuesday at 7pm?

\*1/1

a.20

b.25 ✓

c.30

d.35

33°C Partly cloudy

Search

11:33 PM 18-06-2023

ENG IN

19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9IQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP... A

✓ You want to have 2 managers approving and it doesn't matter who approves first but you want both approvals to continue processing the case \*1/1

- a. Create 2 processes with an approval step in each process
- b. Create 1 process with 2 approval steps in it
- c. Create 2 processes and add an execution condition to the second process
- d. Create 2 parallel processes with 1 approval in each

✗ What is true configuring portals in App Studio?(Choose 2) \* 0/1

- a. You can create new Pages
- b. You cannot add Portals to Roles
- c. You cannot add a dashboard
- d. You can configure what pages are visible depending on roles and portals

Correct answer

- a. You can create new Pages
- d. You can configure what pages are visible depending on roles and portals

! 33°C Partly cloudy ENG IN 11:33 PM 18-06-2023 19

Mock Test 1 x | 
  Mock Test 2 x | 
 +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dF0P...>
A<sup>3</sup> 🌐 ⚙ ⚡ 🌟 🛡 💬

✓ For which requirement must you configure a validate rule in Dev Studio? \* 1/1

a. The value of the Date of service field must be no more than 15 days for a critical issue, and up to 60 days in the future for an issue with a lower priority. ✓

b. The amount of a transfer between accounts must be greater than zero and less than the available balance of the originating account.

c. The format of the email must be one owned by the company.

d. An email address is required for a case to enter the Approval stage.

✓ You want to confirm the operator's information, in what category is the page related to the operator? \*1/1

a. System Pages ✓

b. User Pages

c. Data Pages

d. Work Pages

✓ You have designed either a decision table or a decision tree. You want to verify that the system can evaluate every row regardless of the input values. How do you test your decision logic? \*1/1

33°C Partly cloudy 11:33 PM 18-06-2023

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfubTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

...

✓ You have designed either a decision table or a decision tree. You want to \*1/1 verify that the system can evaluate every row regardless of the input values. How do you test your decision logic?

- a.Check the decision tree for conflicts. ✓
- b.Run the case and use the Tracer tool.
- c.Add the decision tree to a decision shape and create cases that use various test values.
- d.Check the decision tree for completeness.

✓ You want to enhance functionality of an existing application by updating \*1/1 some rules. You would like to have a beta-testers group to validate the changes before everyone can access it. Where do you save the updated rules? (Choose 1)

- a.In a new ruleset and the ruleset in a new application.
- b.In a new ruleset and the ruleset in a new version of the application.
- c.In a new minor version of the ruleset and the ruleset in a new application.
- d.In a new minor version of the ruleset and the ruleset in a new version of the application. ✓

!

33°C Partly cloudy

Search

...

...

11:34 PM 18-06-2023 19



Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

What are valid options for the refreshment strategy of a data page? \*1/1  
(Choose 3)

- a.Once per interaction ✓
- b.Date/Time property reference
- c.Timer ✓
- d.Do NOT refresh when ✓

In a mortgage loan case type, applicants enter data in the Credit score, Income, Assets, Liabilities, and Loan amount fields. The data is submitted on different processes in the case type. The system informs applicants that, based on the data they provided in the Financial information stage, there are no loans available, and the case does not enter the Loan stage. How would you configure the case type to perform the data validation described in this scenario? \*1/1

- a.Configure business logic validation on each form.
- b.Set the control for each field to allow only valid data.
- c.Configure business logic validation on the Loan stage. ✓
- d.Set each field to the appropriate field type to test for valid data.
- e.Configure business logic validation on the Financial information stage

! 33°C Partly cloudy Search                ENG IN 11:34 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

✓ You want to validate the format of a French Social Security Number (SSN). \*1/1

- a.declare expression rule
- b.validate rule
- c.edit format rule
- d.edit validate rule

✓ What are two ways to share attached PDF files beyond the case? (Choose 2) \*1/2

- a.Copy the file from the database server.
- b.Send the PDF by email using a Send email step.
- c.Copy the file from the application server.
- d.Download the attached PDF file.

✓ A healthcare provider wants to determine eligibility for a medical procedure based on certain criteria. • Patients with a medical condition of Category A are automatically rejected. • Patients with a medical condition of Category B are rejected if either their age is below 40 or their medical

33°C Partly cloudy

Search            

11:34 PM 18-06-2023 ENG IN

!

      

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOkstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP... A

✓ A healthcare provider wants to determine eligibility for a medical procedure based on certain criteria. • Patients with a medical condition of Category A are automatically rejected. • Patients with a medical condition of Category B are rejected if either their age is below 40 or their medical history indicates a high risk. • Patients with a medical condition of Category C are automatically approved. You use a decision tree to make the evaluations. Which two branch configurations do you use in the decision tree? (Choose Two) \*1/1

a. A top-level branch that evaluates the patient's age.

b. An otherwise branch that tests the medical condition is Category A.

c. A top-level branch that tests for medical condition is Category A.

d. Two nested branches – one to evaluate patient's age and another to evaluate ✓ their medical history.

✓ What are the different actions you can perform with a data transform? \*1/1 (Choose 3)

a. Loop through a Page List or Page Group ✓

b. Sort a Page List or a Page Group

c. Add conditional processing ✓

d. Execute another Data Transform ✓

! 33°C Partly cloudy Search ENG IN 11:34 PM 18-06-2023 19



Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP... A

✓ 1. In .Client.Address(shipping).PostCode apply the correct mapping (Choose 1) \*1/1

Property

a) .Client

b) .Address(Shipping)

c) .PostCode

Source

1) Single Page

2) Page List

3) Page Group

4) Single Value

a.A1, B2, C4

b.A2, B1, C3

c.A4, B3, C1

d.A1, B3, C4 ✓

! ✓ You want to ensure the value of the Social Security Number is 10 digits, how can you configure such validation? (Choose 2) \*1/1

33°C Partly cloudy Search 11:34 PM 18-06-2023 ENG IN 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

1/1

You want to ensure the value of the Social Security Number is 10 digits, how can you configure such validation? (Choose 2)

a. Set the type of the property to Integer and add a mix/max characters to the control settings ✓

b. Set the type of the property to Text and add a mix/max characters to the control settings

c. Add a validate rule to the view

d. Add an edit validate rule to the property ✓

1/1

Which requirement can you satisfy by creating a new work queue? \*

a. Auditors can access a secondary view with additional information, but other users cannot access the secondary view.

b. Requests for information from prospective customers are directed to the sales representative assigned to the appropriate territory.

c. Inquiries from customers with a higher status tier are triaged before inquiries from customers with a lower status tier.

d. Policy renewals can be processed by any customer service representative (CSR), while coverage changes are assigned to members of a specialized team of underwriters and CSRs. ✓

33°C Partly cloudy

Search

Cloud ENG IN 11:34 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

✓ A new case is created with a default urgency of 10 and the first assignment of the case life cycle is reached at 8 am on Monday the 13th of July. \*1/1

An initial delay of 4 hours is configured on the SLA for the assignment and adds up 5 to the urgency.

The Goal line is set to 24 hours and the Dead line is set to 48 hours with both adding 5 to the urgency.

A Passed Dead Line is configured to wait for 6 hours 8 times and add 5 to the urgency.

What is the urgency of the assignment on Wednesday at 7pm?

a.20

b.25

c.30

d.35 ✓

✓ A data transform should be used when (Choose 2) \* 1/1

a.Mapping data from an external System to Pega and vice versa ✓

b.Manipulate data in memory ✓

c.Query external system

d.Cache data in memory

33°C Partly cloudy

Search

Cloud ENG IN 11:34 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfubTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

What contains pyWorkCover page? \*

1/1

a.if the case is a top-level case then pyWorkCover is empty

b.The direct parent case of the current case ✓

c.The top-level parent case of the current case

d.All the meta data for the current case

A supervisor has requested a report that displays the employee training requests for each department in the organization. The supervisor wants the report to be organized in such a way that each department is listed only once, and the training requests are listed under the respective department. How should you configure the report?

\*1/1

a. Use the department column to group the results.

b. Filter the results to include only the department and training requests in the report.

c. Use the cost centre column to group the results ✓

d. Summarize the training requests column by count.

What is the impact of ticking the check box "call superclass"? \*

1/1

33°C Partly cloudy

Search                  ENG IN 11:34 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | Mock Test 2 | Mock Test 2 | Mock Test 2 | + | - | X

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

B

✓ What is the impact of ticking the check box "call superclass"? \* 1/1

- a. That tells the system to execute the current Data Transform when instantiating the case in order to set the default values
- b. That will first execute the Data Transform applying to the class @superclass
- c. This will execute the data transform with the same name applying to its parent class before the execution of the current data transform ✓
- d. This will execute the data transform with the same name applying to its parent class after the execution of the current data transform

✓ Which of the following statements are true about the dashboard? \*1/1  
(Choose 2)

- a. The dashboard displays key performance indicators (KPIs) and operational information about your application. ✓
- b. Each role-based interface includes a dashboard tailored to the role. ✓
- c. When a user with the Case Manager role signs in to the Pega application, they are presented with an empty dashboard that they must fill with widgets specific to the Case Manager role.
- d. The dashboard should contain all available widgets for a specific role to help increase productivity.

!

33°C Partly cloudy

Search B Cloud File Message Folder Task Phone Calender File Print Google Sheets Google Slides Google Chrome Google Sheets Google Slides Google Chrome

ENG IN 11:34 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

What is true about decision table? \*

1/1

- a. An empty cell for a column means the value is null or empty
- b. The relationship between the property and the values must be the same for each row
- c. A decision table can return true/false ✓
- d. The operator between column is always AND

Under which circumstances the Private Edit button appears? (Choose 2) \*

1/1

- a. If the user is not allowed to check out
- b. If the rule is locked by another operator ✓
- c. If the ruleset of the rule is locked ✓
- d. Only if the rule is an OOTB rule from Pega Platform.

What is false about Decision table? (Choose 3) \*

1/1

- a. You cannot save a decision table with an overlap ✓
- b. A decision table is always preferred to a decision tree ✓

33°C Partly cloudy

Search

Cloud ENG IN

11:34 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evtH55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

What is false about Decision table? (Choose 3) \* 1/1

- a. You cannot save a decision table with an overlap ✓
- b. A decision table is always preferred to a decision tree ✓
- c. You can check for conflicts and completeness
- d. You cannot save a decision table if the otherwise condition cannot be reached ✓

Which two statements best describe the relationship between rules in App Studio and Dev Studio? \*1/1

- a. Rule configurations performed in App Studio must be approved by a developer in Dev Studio.
- b. App Studio and Dev Studio store rules in different application layers.
- c. Developers in App Studio and Dev Studio configure the same rules, but Dev Studio provides more configuration options. ✓
- d. Developers can use Dev Studio to combine rules into solutions such as completed views or processes for use in App Studio. ✓

What is true about teams? \* 1/1

33°C Partly cloudy

Search

Cloud ENG IN 11:34 PM 18-06-2023 19

Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 1 | Mock Test 2 | +

<https://docs.google.com/forms/d/e/1FAIpQLSfuxbTJwCOKstKfbSUzfsRX0evth55KwJuzkIUz2go2s1u9lQ/viewscore?viewscore=AE0zAgABq2KNs-3dFOP...>

Which two statements best describe the relationship between rules in App Studio and Dev Studio? \*1/1

- a. Rule configurations performed in App Studio must be approved by a developer in Dev Studio.
- b. App Studio and Dev Studio store rules in different application layers.
- c. Developers in App Studio and Dev Studio configure the same rules, but Dev Studio provides more configuration options. ✓
- d. Developers can use Dev Studio to combine rules into solutions such as completed views or processes for use in App Studio. ✓

What is true about teams? \* 1/1

- a. A user can access only one work queue
- b. A user cannot have access to multiple work groups
- c. A work group has a manager and a default work queue. ✓
- d. A work queue has a manager and a default Business Unit

This form was created inside of Lakireddy Bali Reddy College of Engineering.

Google Forms

33°C Partly cloudy

Search

Cloud ENG IN 11:34 PM 18-06-2023 19