Experiment 9

AIM- Create Placement Dashboard using Data Controls & Crystal Reports

Default.aspx
Code:

```
<%@ Page Language="C#" AutoEventWireup="true"
  CodeBehind="Default.aspx.cs"
  Inherits="PlacementDashboard.Default" %>

<!DOCTYPE html>
<html>
<head runat="server">
  <title>Placement Dashboard</title>
</head>
<body>
<formid="form1" runat="server">

  <h1>PLACEMENT DASHBOARD</h1>

  <h2>Placement Summary</h2>

  <table border="1" cellpadding="5">
    <tr>
      <th>Details</th>
      <th>Value</th>
    </tr>
```

```
    <tr>
      <td>Total Students</td>
      <td><asp:Label ID="lblTotal" runat="server" /></td>
    </tr>
    <tr>
      <td>Placed Students</td>
      <td><asp:Label ID="lblPlaced" runat="server" /></td>
    </tr>
    <tr>
      <td>Not Placed Students</td>
      <td><asp:Label ID="lblNotPlaced" runat="server" /></td>
    </tr>
    <tr>
      <td>Placement Percentage</td>
      <td><asp:Label ID="lblPercentage" runat="server" /></td>
    </tr>
    <tr>
      <td>Highest Package</td>
      <td><asp:Label ID="lblHighestPackage" runat="server" /></td>
    </tr>
  </table>

  <br/>

  <asp:GridView ID="gvPlacements" runat="server"
    AutoGenerateColumns="False"
```

```
        BorderWidth="1"
        CellPadding="5"
        GridLines="Both">

        <Columns>
          <asp:BoundField DataField="EnrollmentNo" HeaderText="EnrollmentNo" />
          <asp:BoundField DataField="StudentName" HeaderText="StudentName" />
          <asp:BoundField DataField="Department" HeaderText="Department" />
          <asp:BoundField DataField="CompanyName" HeaderText="CompanyName" />
          <asp:BoundField DataField="PackageLPA" HeaderText="PackageLPA"
            DataFormatString="{0:F2}" />
        </Columns>

      </asp:GridView>

      <br />

      <ahref="Companies.aspx">View Companies</a>

    </form>
    </body>
    </html>
```

Default.aspx.cs

```
using System;
using System.Data;
using System.Data.SqlClient;
using System.Configuration;

namespace PlacementDashboard
{
  publicpartial class Default : System.Web.UI.Page
  {
    string cs = ConfigurationManager.ConnectionStrings["PlacementDB"].ConnectionString;

    protected void Page_Load(object sender, EventArgs e)
    {
      if(!IsPostBack)
      {
        LoadSummary();
        LoadStudents();
      }
    }

    voidLoadSummary()
    {
      using (SqlConnection con = new SqlConnection(cs))
      {
        con.Open();
```

```
            SqlCommand cmd = new SqlCommand(
               "SELECT COUNT(*) FROM Students", con);
            lblTotal.Text = cmd.ExecuteScalar().ToString();

            cmd = new SqlCommand(
               "SELECT COUNT(*) FROM Students WHERE IsPlaced=1", con);
            lblPlaced.Text = cmd.ExecuteScalar().ToString();

            cmd = new SqlCommand(
               "SELECT COUNT(*) FROM Students WHERE IsPlaced=0", con);
            lblNotPlaced.Text = cmd.ExecuteScalar().ToString();

            inttotal = Convert.ToInt32(lblTotal.Text);
            intplaced = Convert.ToInt32(lblPlaced.Text);

            double percentage = total > 0 ? (placed * 100.0) / total : 0;

            lblPercentage.Text = percentage.ToString("F2") + "%";

            cmd = new SqlCommand(
               "SELECT ISNULL(MAX(PackageLPA),0) FROM Placements", con);

            lblHighestPackage.Text =
               Convert.ToDecimal(cmd.ExecuteScalar()).ToString("F2") + " LPA";
        }
    }
```

```
voidLoadStudents()
{
  using(SqlConnection con = new SqlConnection(cs))
  {
    stringquery = @"
      SELECT S.EnrollmentNo,
          S.StudentName,
          S.Department,
          P.CompanyName,
          P.PackageLPA
      FROM Students S
      LEFT JOIN Placements P
      ONS.StudentId = P.StudentId";

    SqlDataAdapter da = new SqlDataAdapter(query, con);

    DataTable dt = new DataTable();
    da.Fill(dt);
    gvPlacements.DataSource = dt;
    gvPlacements.DataBind();
  }
 }
}
```

Companies.aspx

```
<%@ Page Language="C#" AutoEventWireup="true"
  CodeBehind="Companies.aspx.cs"
  Inherits="PlacementDashboard.Companies" %>

<!DOCTYPE html>
<html>
<head runat="server">
  <title>Companies</title>
</head>
<body>
<formid="form1" runat="server">

  <h2>COMPANY PLACEMENT DETAILS</h2>

  <asp:GridView ID="gvCompanies" runat="server"
    AutoGenerateColumns="True"
    BorderWidth="1"
    CellPadding="5"
    GridLines="Both">
  </asp:GridView>

  <br/>

  <ahref="Default.aspx">Back to Dashboard</a>
```

```
</form>
</body>
</html>
```

Companies.aspx.cs

```
using System;
using System.Data;
using System.Data.SqlClient;
using System.Configuration;

namespace PlacementDashboard
{
  publicpartial class Companies : System.Web.UI.Page
  {
    string cs = ConfigurationManager.ConnectionStrings["PlacementDB"].ConnectionString;

    protected void Page_Load(object sender, EventArgs e)
    {
      if(!IsPostBack)
      {
        LoadCompanies();
      }
    }

    voidLoadCompanies()
    {
      using (SqlConnection con = new SqlConnection(cs))
```

```
        {
            stringquery = @"
              SELECT P.CompanyName,
                   S.StudentName,
                   S.EnrollmentNo,
                   P.JobRole,
                   P.PackageLPA
              FROM Placements P
              INNER JOIN Students S
              ONP.StudentId = S.StudentId";

            SqlDataAdapter da = new SqlDataAdapter(query, con);

            DataTable dt = new DataTable();
            da.Fill(dt);

            gvCcompanies.DataSource = dt;
            gvCompanies.DataBind();
        }
      }
    }
}
```

SQL-query-

P9-Placement_Dashboard.sql

```
CREATE DATABASE PlacementDB;
GO

USE PlacementDB;
GO

CREATE TABLE Students
(
  StudentId INT PRIMARY KEY,
  EnrollmentNo VARCHAR(20) NOT NULL,
  StudentName VARCHAR(100) NOT NULL,
  Department VARCHAR(50) NOT NULL,
  PassingYear INT NOT NULL,
  IsPlaced BIT NOT NULL DEFAULT 0
);

CREATE TABLE Placements
(
  PlacementId INT PRIMARY KEY,
  StudentId INT NOT NULL UNIQUE,
  CompanyName VARCHAR(100) NOT NULL,
  JobRole VARCHAR(100) NOT NULL,
  PackageLPA DECIMAL(6,2) NOT NULL,
  FOREIGN KEY (StudentId)
    REFERENCES Students(StudentId)
```

```
);

INSERT INTO Students VALUES
(1, 'CE001', 'Aarav Patel', 'CE', 2026, 1),
(2, 'CE002', 'Diya Shah', 'CE', 2026, 1),
(3, 'CE003', 'Krish Mehta', 'CE', 2026, 1),
(4, 'CE004', 'Riya Joshi', 'CE', 2026, 0),
(5, 'CE005', 'Arjun Desai', 'CE', 2026, 0),
(6, 'CE006', 'Neha Trivedi', 'CE', 2026, 1),
(7, 'CE007', 'Dev Patel', 'CE', 2026, 1),
(8, 'CE008', 'Mira Shah', 'CE', 2026, 0);

INSERT INTO Placements VALUES
(1, 1, 'TCS', 'System Engineer', 3.60),
(2, 2, 'Infosys', 'Systems Engineer', 4.00),
(3, 3, 'Wipro', 'Project Engineer', 3.50),
(4, 6, 'TCS', 'Assistant System Engineer', 3.60),
(5, 7, 'Pinnacle IIT', 'Software Developer', 6.00);
GO
```

Displaying P9-Placement_Dashboard.sql.

Output-

PLACEMENT DASHBOARD

Placement Summary

Details	Value
Total Students	8
Placed Students	5
Not Placed Students	3
Placement Percentage	62.50%
Highest Package	6.00 LPA

EnrollmentNo	StudentName	Department	CompanyName	PackageLPA
CE001	Aarav Patel	CE	TCS	3.60
CE002	Diya Shah	CE	Infosys	4.00
CE003	Krish Mehta	CE	Wipro	3.50
CE004	Riya Joshi	CE		
CE005	Arjun Desai	CE		
CE006	Neha Trivedi	CE	TCS	3.60
CE007	Dev Patel	CE	Pinnacle IIT	6.00
CE008	Mira Shah	CE		

View Companies

COMPANY PLACEMENT DETAILS

CompanyName	StudentName	EnrollmentNo	JobRole	PackageLPA
TCS	Aarav Patel	CE001	Software Engineer	3.60
Infosys	Diya Shah	CE002	Systems Engineer	4.00
Wipro	Krish Mehta	CE003	Software Engineer	3.50
TCS	Neha Trivedi	CE006	Software Engineer	3.60
Pinnacle IIT	Dev Patel	CE007	Developer	6.00

Back to Dashboard