

C_TADM_23 Exam Questions:

This Questions are for SAP TADM Training Associates - Milan Parikh

* Indicates required question

1. Email *

2. Which of the following protocols is SAP's RFC protocol based on? Note: * 1 point
There are 2 correct answers to this question

Check all that apply.

- ☐ EDI
- ☒ CPI/C
- ☒ TCP/IP
- ☐ OData

3. How are savepoints triggered? * 1 point
Note: There are 2 correct answers to this question

Check all that apply.

- ☒ By performing a database backup
- ☒ By a database soft shutdown
- ☐ By performing a delta merge
- ☐ By issuing a transactional commit

restore

4. **What are start conditions of a background job in an AS ABAP-based SAP system? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☐ Starting of a dynamic work process
- ☒ Occurring of an event
- ☐ Locking user DDIC in client 000
- ☒ Reaching a specific date and time

5. **Which of the following actions can be executed in transaction Edit Profile Parameters (RZ11)? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☐ Download values of all profile parameters in one step
- ☐ Set new values for profile parameters in profile files
- ☒ Change values of dynamic profile parameters
- ☒ Display the value of individual profile parameters

6. **What action(s) can you perform in the SAP HANA cockpit to back up the complete database system?** * 1 point

Check all that apply.

- ☒ Back up the system database and all tenant databases individually
- ☐ Back up the system using a data snapshot.
- ☐ Back up the system using a fallback snapshot for every database
- ☐ Back up the system database and all tenant databases in one step

7. Which services can you stop in the SAP HANA cockpit (from the SYSTEMDB * 1 point

Manage Services app? Note:

There are 2 correct answers to this question

Check all that apply.

- ☐ Daemon
- ☒ Compile Server
- ☐ Index Server
- ☒ Preprocessor

8. Your SAP S/4HANA Server system consists of an ABAP Central Services instance, a Primary Application Server instance, and two Additional Application Server instances. * 1 point

How many system profile files are evaluated for this SAP system during a complete system start?

Check all that apply.

- ☒ 5
- ☐ 3
- ☐ 4
- ☐ 9

9. When performing a standard SAP HANA database system installation, which users will be created or validated during that installation? Note: There are 2 correct answers to this question * 1 point

Check all that apply.

- ☒ SYSTEM
- ☐ <sid>crypt
- ☐ SAP<SID>
- ☒ sapadm

10. **Which processes can run optionally as part of the Central Services instance of an AS ABAP-based SAP system? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☐ Message Server
- ☒ RFC Gateway
- ☒ SAP Web Dispatcher
- ☐ Enqueue Server

Web dispatcher advantages?
y sap recommends using web dispatcher?

militarized nd de militarized zone
only one url,one ip ,one port which r exposed
can act as load balancer above msg server

11. **Which of the following tools are used when importing a transport request? * 1 point**
Note: There are 3 correct answers to this question

Check all that apply.

[read in detail](#)

- ☒ tp call other tools
- ☐ R3Load
- ☒ R3Trans db operations,read data
- ☒ RDDIMPDP
- ☐ RDDIMPNEW

12. **What are prerequisites to use the Software Update Manager (SUM) to apply SAP Support Packages to an AS ABAP-based SAP system? Note: There are 3 correct answers to this question.** * 1 point

Check all that apply.

- ☐ The latest SAP kernel patch must have been applied to the SAP system
- ☒ The SUM archive must have been extracted.
- ☒ A suitable Stack XML file must exist
- ☐ The SUM archive must have been provided to the SAP Host Agent
- ☒ The SAP Host Agent must have been configured by SUM

recommended not must

13. You want to configure the TMS QA Approval procedure for an AS ABAP-based system landscape Which of the following are pre-defined approval steps that you can choose? * 1 point
- Note: There are 3 correct answers to this question.**

Check all that apply.

- ☐ To be approved by developer
- ☐ To be approved by project manager
- ☒ To be approved by request owner
- ☒ To be approved by department
- ☒ To be approved by system administration

14. Using standard transport protocol settings, after importing a transport request, which log Tile provides the return codes of the individual import steps? * 1 point
- {Note: These answers use the following abbreviations: year <YY>. week: <WW>. quarter <Q> SAP system ID <SID>. and a 5-digit number <nnnnn>.)**

Check all that apply.

- ☐ <SID>E9<nnnnn><SID>
- ☐ SLOG<YY><WW><SID>
- ☒ ALOG<YY><WW> <SID>
- ☐ ULOG<YY>_<Q>

15. Which tools can be used to create SAP Fiori catalogs? Note: There are 3 correct answers to this question * 1 point

Check all that apply.

- ☒ SAP Fiori launchpad settings (/UI2/FLP_CUS_CONF)
- ☒ SAP Fiori launchpad content manager (/UI2/FLPCM_CUST) client-specific CONF is for global
- ☒ SAP Fiori launchpad designer (/UI2/FLPD_CUST)
- ☒ SAP Fiori launchpad application manager (/UI2/FLPAM) for technical catalog
- ☐ SAP Fiori launchpad content aggregator (/UI2/FLPCA)

16. **You can use operation modes to change the quantity of which work process types? Note: There are 3 correct answers to this question**

* 1 point

Check all that apply.

- ☐ Standby dialog work process *it is a parametre*
- ☐ Spool work process
- ☒ Dialog work process
- ☒ Background work process
- ☒ Update work process

17. **When importing a transport request, which steps are executed by a batch job? Note: There are 3 correct answers to this question**

* 1 point

Check all that apply.

- ☐ Import of dictionary objects
- ☒ Distribution of dictionary objects
- ☒ Move name tab
- ☒ Activation of dictionary objects
- ☐ Activation of ABAP programs

18. **Which operating system process initiates the start procedure of an AS Java-based SAP system instance?**

* 1 point

Mark only one oval.

jlaunch - starts jstart processes

- ☐ jstart *java cluster process* *every server process will run in dedicated jvm*
- ☐ saphostexec
- ☐ sapcpe
- ☒ sapstartsrv

19. **You are using a standard three system landscape. DEV. QAS, and PRO** * 1 point
In which case will a change of a repository object in the QAS system be treated as correction?

Mark only one oval.

- ☒ If the original system of the object is QAS.
- ☐ If the object was created in DEV and transported to QAS via a transport of copies.
- ☐ If the object's name is in the SAP name range
- ☐ IF the object was created in DEV and transported to QAS via a workbench request

20. **When you install SAP Solution Manager Java, what information do you need to provide? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☒ The decision whether to install an SAP Gateway integrated in the SCS instance [done automatically](#)
- ☒ The package path to an archive for SAP JVM
- ☒ The decision to use an External AS ABAP-based SAP System as UME Data Source
- ☐ The package path to additional language installation media

21. **What is the purpose of a pre-production system in an AS ABAP-based four-system landscape? Hint There are 2 correct answers to this question** * 1 point

Mark only one oval.

- ☒ To detect cross reference errors.
- ☐ To implement urgent corrections
- ☐ To act as a failover system for the production system
- ☒ To isolate the next urgent correction or project cycle.

22. You want to enable HTTPS between the SAP Web Dispatcher and the FES System. What are some of the steps you need to perform? There are 2 correct answers to this question * 1 point

Check all that apply.

- ☒ In the SAP Web dispatcher's client PSE import the CA root certificate used for the FES server PSE
- ☒ In the SAP Web Dispatcher's server PSE import a signed server certificate to the pse management
- ☐ In the FES system Create a new key pair in the SAPSSLS view of the pse management
- ☐ In the FES System determine the signer of SSL server certificates used for the FES Server PSE

23. **When installing an SAP S/4HANA Server 2021 system, which actions can the Software Provisioning Manager (SWPM) perform only when the installation is started with the option SAPINST_STACK_XML?** * 1 point
Note: There are 3 correct answers to this question.

Check all that apply.

- ☒ Set the password of user DDIC in client 000
- ☒ Install additional languages
- ☒ Set up Transport Management System (TMS)
- ☒ Apply a SPAM/SAINT update
- ☐ Install an SAP Host Agent

24. **You are importing an SAP Support Package Slack with the Support Package Manager {transaction SPAM} Which steps require SAP system downtime?** * 1 point
Note: There are 2 correct answers to this question.

Check all that apply.

- ☐ Import of inactive dictionary objects (DD IMPORT)
- ☒ Modification adjustment of other objects (SPAU)
- ☐ Modification adjustment of dictionary objects (SPDD)
- ☒ Activation of dictionary objects (DD ACTIVATION)

25. **When performing a local client copy with transaction SCCLN. in which client is it recommended to start the client copy?** * 1 point

SCCL-Target

Mark only one oval.

- ☒ A client different from both the source and the target client
- ☐ Client 000
- ☐ Source Client
- ☐ Target Client

26. **Which characteristics describe an SAP HANA multitenant database container (MDC) system? Note: There are 3 correct answers to this question** * 1 point

Check all that apply.

- ☐ Each tenant database runs its own compile server and the preprocessor server.
- ☐ The name server owns Information about the location of tables and table partitions in databases.
- ☒ Database isolation increases the isolation between tenant databases on operating system level. tenant
- ☒ The name server provides index server functionality for the system database.
- ☒ A multitenant database container system is identified by a single system ID (SID).

index server per tenant not in sys db

27. **You have passed the initial authentication for an SAP Fiori transactional app. Which authentication technology is used for subsequent OData calls of this app"?** * 1 point

Mark only one oval.

- ☒ ABAP Session Security
- ☐ X.509 client certificates
- ☐ SAML 2.0
- ☐ SAP logon tickets

28. **Which tasks can you perform when using the SAP HANAdatabase lifecycle manager (HDBLCM) from the SAP HANA installation media? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☒ Extract the SAP HANA database system components.
- ☐ Rename the SAP HANA database system.
- ☐ Uninstall the SAP HANA database system and its components.
- ☒ Update the SAP HANA database system and its components

29. **How does SAP HANA encrypt the data persistence layer? *** 1 point

Mark only one oval.

- ☐ By table level
- ☐ By row level
- ☐ By column level
- ☒ By page level

30. **You are logged onto an AS ABAP-based SAP system** * 1 point

What happens when you release a task of a transport request that contains changes to a program?

Check all that apply.

- ☐ The repository locks are released.
- ☐ A temporary version is created in version management.
- ☒ The object list of the task is handed over to the transport request
- ☐ A data Tile and a cofile are created.

31. **In an AS ABAP-based SAP system you have triggered a test print and you** * 1 point

notice that no spool request has been generated.

What does SAP recommend you check to analyze the issue? Select 2

Check all that apply.

- ☐ Assignment of device type to output device
- ☐ The log of the host spooler on the corresponding host
- ☒ Developer traces of the spool work processes dev_spo located at file system
usr/sap/sid/instance/work
- ☐ Transaction Dumps (ST22) and Application Log (SLG1)

32. **You are updating an AS Java-based SAP system** * 1 point

Which actions can Software Update Manager execute? Note: There are 2 correct answers to this question.

Check all that apply.

- ☒ Update without using a stack configuration file (stack.xml file)
- ☐ Lock the development environment
- ☒ Check the archives' authenticity
- ☐ Request a Modification Adjustment

33. **Which file system locations do you need to specify when installing the SAP HANA multi-host database system using the default settings? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☒ /hana/log/<SID>
- ☐ /usr/sap/hostctrl
- ☐ /usr/sap/<SID>
- ☒ /hana/shared

34. **Which steps are mandatory to configure an AS ABAP-based SAP system for outbound mail? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☒ Maintain the default domain (transaction SCOT).
- ☒ Maintain and activate an SMTP node (transaction SCOT).
- ☐ Maintain and activate the SAPconnect node in the ICF (transaction SICF).
- ☐ Create a system user with authorization profile S_A SCON (transaction SU01).

35. **What are prerequisites for enabling communication between a standalone SAP Web Dispatcher and an AS ABAP-based SAP system? Note: There are 2 correct answers to this question** * 1 point

Check all that apply.

- ☒ Activation of ICF service /sap/public/icf_info/icr_groups
- ☐ Activation of ICF service /sap/public/ping
- ☐ Identification of the HTTP(S) port of the PAS instance's ICM process
- ☒ Identification of the HTTP(S) port of the ABAP message server

36. **When performing a local client copy, which client copy profiles are available? Note: There are 3 correct answers to this question**

* 1 point

Check all that apply.

- ☒ Customizing, User Master Records and User Variants
- ☒ Application Data and User Master Data
- ☒ User Master Records and Authorization Profiles
- ☐ Customizing Including Cross-Client Customizing
- ☒ All Client-Specific Data w/o Change Documents

37. **When restarting an Additional Application Server instance, which profiles are evaluated? Note: There are 2 correct answers to this question**

* 1 point

Check all that apply.

- ☒ Instance profile of the Additional Application Server
- ☒ Default profile
- ☐ Instance profile of the Central Services instance
- ☐ Instance profile of the Primary Application Server

38. **How can you register multiple SAP Gateway services simultaneously? Note: There are 2 correct answers to this question**

* 1 point

Check all that apply.

- ☐ Using task list SAP_GATEWAY_BASIC_CONFIG
- ☐ Using transaction /IWFND/GW_CLIENT.
- ☒ Using transaction /IWFND/MAINT SERVICE
- ☒ Using task list SAP_GATEWAY_ACTIVATE_ODATA_SERV

39. **What is the purpose of the SAP HANA secure user store (hdbuserstore)?** * 1 point

Note: There are 2 correct answers to this question

Check all that apply.

- ☒ To configure failover support in a 3-tier scenario
- ☒ To store connection information on the SAP HANA database client
- ☐ To configure an SAP HANA auto-restart for fault recovery
- ☐ To store connection information on the SAP HANA XS advanced engine

40. **Which file systems are supported for the data and log volumes of the SAP** * 1 point

HANA 2 0 database system? Note:

There are 2 correct answers to this question

Check all that apply.

- ☐ EXT4
- ☒ GPFS
- ☐ Btrfs
- ☒ XFS

41. **You are installing an SAP S/4HANA Server 2021 system, using s4xhost as** * 1 point

application server host and haxhost as database host Which actions can Software Provisioning Manager (SWPM) perform? Note: There are 2 correct answers to this question.

Check all that apply.

- ☐ Copy the database installation media from s4xhost to haxhost
- ☒ Set database import parameters for the database running on haxhost
- ☐ Install the database on haxhost
- ☒ Install the Central Services instance on s4xhost

42.

You plan to update an AS ABAP-based SAP system with the role "Quality Assurance System" What does SAP recommend you do before you start Software Update Manager (SUM) for this system? Note:
There are 2 correct answers to this question.

* 1 point

Check all that apply.

- ☐ Execute the SAP Load Generator (SGEN) transaction for invalid loads.
- ☒ Import the modification adjustment transports from the update of the "Development System".
- ☒ Follow the instructions from SAP Note 'Central Note - Software Update Manager' for the used version of SUM.
- ☐ Apply the latest SAP Host Agent patch.

43. **In an AS ABAP-based SAP system, a user performs the second dialog step in a dialog transaction. The dialog work process used in the first dialog step is occupied by a different user What happens with this second user request?**

* 1 point

Mark only one oval.

- ☐ The request remains in the request queue until the dialog work process that handled the first dialog step is free again
- ☒ The request is processed by another free dialog work process.
- ☐ The dialog work process that handled the first dialog step performs a rollout to handle the request.
- ☐ The request is processed asynchronously by an update work process.

44. You want to enable the context sensitive user assistance in the SAP Fiori * 1 point
launchpad. Where are the help
texts persisted?

Mark only one oval.

- ☐ At the BES system
- ☐ At a separate web server
- ☐ At the SAP web dispatcher
- ☒ At the FES System

45. In addition to a transaction code, what is required to define the target
mapping for a single ABAP * 1 point
transaction?

Mark only one oval.

- ☐ ICF service URL
- ☐ Application Configuration
- ☐ SAP Gateway Service
- ☒ System Alias

46. What can you configure in transaction SICF on the error pages tab of an ICF * 1 point
service? There are 2 correct answers to this question

Check all that apply.

- ☒ Logon errors
- ☐ Logon procedure
- ☐ GUI interface
- ☒ Logoff Page

47. In an SAP Fiori app what is used as source for the data in a dynamic tile? * 1 point
Please choose the correct answer.

Mark only one oval.

- ☐ InA
- ☒ OData
- ☐ RFC
- ☐ BSP

48. What is the database equivalent to an ABAP Managed Database Procedure (AMDP)? Please choose the correct answer * 1 point

Mark only one oval.

- ☐ Function import
- ☐ Aggregate function
- ☒ Stored Procedure
- ☐ Guided Procedure

49. What does task list SAP_ESH_INITIAL_SETUP_WRK_CLIENT do? There are 2 * 1 point
correct answers to this question

Check all that apply.

- ☐ Activate OData services for SAO Fiori search
- ☒ Create and index connectors
- ☒ Create an RFC destination to the FES system
- ☒ Active ICF services for ESH

50. Which of the following changes to the SAP Fiori launch pad can be transported using a transport request of type workbench? Please choose the correct answer. * 1 point

Mark only one oval.

- ☒ configuration changes to SAP Fiori Catalogs and groups
- ☐ Theme design changes
- ☐ customizing changes to SAP fiori catalogs and groups
- ☐ personalization changes

51. You want to create your own task list for the ABAP task manager (transaction STC01). Which functions are covered by tasks shipped by SAP? There are 3 correct answers to this question. * 1 point

Check all that apply.

- ☐ Register Notification Providers
- ☐ Modify SAP gateway aliases
- ☒ Set profile parameters
- ☒ Create Transport Requests
- ☒ Execute ABAP programs

52. Your AS ABAP-based SAP system does not start correctly and you need to analyze the log files. in which directory are the logs from the start process of the SAP system stored? Please choose the correct answer. * 1 point

Mark only one oval.

- ☐ /<sapmnt>/<SID>/global/sapcontrol
- ☐ /<sapmnt>/<SID>/<INSTANCE><No>/exe
- ☐ /<sapmnt>/trans/log
- ☒ /<sapmnt>/SID>/<Instance><no>/work

53. What are some of the steps to implement a transactional SAP Fiori app in a central hub deployment? There are 2 correct answers to this question * 1 point

Check all that apply.

- ☒ Activate the relevant ICF service for SAPUI5 in the FES system.
- ☒ Activate the relevant OData service in the FES system.
- ☐ Activate the relevant ICF service for SAPUI5 in the BES system.
- ☐ Activate the relevant OData service in the BES system...

54. You want to configure notification for SAP fiori. Which of the following steps do you have to perform in FES system? There are 3 correct answers to this question. * 1 point

Check all that apply.

- ☐ Register the desired notification provides
- ☒ Active the ICF service/sap/opu/odata4 for OData V4
- ☒ publish service group /IWNGW/NOTIFICATION
- ☒ Maintain and activate push channel with ID SAP_WEBSOCKET
- ☐ Activate the OData service /UI2/INTEROP

55. In an SAP Fiori app, what does an intent-based navigation consist of? There are 2 correct answers to this question. * 1 point

Check all that apply.

- ☐ Target URL
- ☒ Semantic object
- ☐ Application name
- ☒ Action

56. What happened when you execute a user comparison using transaction PFCG (Role Maintenance) in AS ABAP? * 1 point

Mark only one oval.

- ☐ Authorization objects are checked to find missing authorizations.
- ☐ Authorization in the user master record of two different users are compared.
- ☒ Profiles are added/deleted from the user master record if required.
- ☐ Role menus are added to a user master record based on the assigned roles

57. What are the advantages of using central hub deployment in an SAP Fiori environment compared to embedded deployment? There are 3 correct answers to this question. * 1 point

Check all that apply.

- ☐ Better performance by reducing the number of remote function calls
- ☒ Independent lifecycles of SAPUI5 Applications and back-end implementations
- ☒ Improved data changes tracking when using a single service user in the BES system
- ☒ Improved Security for internet-facing scenarios
- ☒ Support of routing and composition of multiple BES Systems

This content is neither created nor endorsed by Google.

Google Forms