

SAP S4HANA System Administration (C_TADM_23)

Question. 1

Which of the following actions can be executed in transaction Edit Profile Parameters (RZ11)? Note: There are 2 correct answers to this question.

- A. Download values of all profile parameters in one step.
- B. Display the value of individual profile parameters.
- C. Set new values for profile parameters in profile files.
- D. Change values of dynamic profile parameters.

Answers C D

→ B D BD

Question. 2

Which entity contain authorizations for users in an AS ABAP-based SAP system?

- A. Single role
- B. Composite role
- C. Authorization profile
- D. Authorization object

Answers D

Question. 3

Which of the following is a command line tool to start or stop SAP systems and SAP instances?

- A. Icmmon.
- B. JSmon.
- C. SAPControl.
- D. SAP MC

Answers C

Question. 4

When importing a transport request, which steps are executed by a batch job? Note: There are 3 correct answers to this question.

- A. Import of dictionary objects
- B. Distribution
- C. Activation of dictionary objects
- D. Move nametab
- E. Activation of ABAP programs

Answers B C D

Question. 5

You are using a Change and Transport System (CTS) for the transport of native SAP HANA applications. Which tool can you

use to create a transport request for these applications in the CTS system?

- A. Transport Organizer Web UI (in transaction STMS)
- B. Transport Organizer (Extended View) (in transaction SE01)
- C. Transport Organizer (in transaction SE09)
- D. Database Assistant (in transaction DB50N)

Answers C

Question. 6

When performing a local client copy with transaction SCCLN, in which client is it recommended to start the client copy?

- A. A client different from both the source and the target client
- B. The source client
- C. The target client

Answers A

Question. 7

How are savepoints triggered? Note: There are 2 correct answers to this question.

- A. By performing a database backup
- B. By a database soft shutdown
- C. By issuing a transactional commit
- D. By performing a delta merge

Answers A B

Question. 8

What can you do to determine the SAPUI5 patch level in an AS ABAP-based SAP system?

- A. Execute the ICF service /sap/public/bc/ui5_ui5
- B. Check the version of software component SAP_UI
- C. Use the program WDG_MAINTAIN_UR_MIMES
- D. Use the program /UI5/UI5_UPLOAD_PATCH_TO_MIME

Answers A

→ B B

Question. 9

What actions can you perform using the **SAP_FIORI_FOUNDATION_S4** task list? Note: There are 3 correct answers to this question.

- A. Schedule a job for calculation of SAPUI5 application index.
- B. Generate SAP Fiori foundation roles.
- C. Replicate backend catalogs.
- D. Enable SAP GUI for HTML.
- E. Create users with generated business roles.

Answers B C D

Question. 10

You plan to update an AS ABAP-based SAP system with the role "Quality Assurance System". Which of the following actions might be required before you start **Software Update Manager (SUM)** for this system? Note: There are 2 correct answers to this question.

- A. Import the modification adjustment transports from the update of the "Development System".
- B. Follow the instructions in the SAP Notes for the used version of SUM.
- C. Update the database software.
- D. Execute the SAP Load Generator (SGEN) transaction for invalid loads.

Answers B C

Question. 11

You are preparing an installation of an AS ABAP-based SAP system. You already downloaded all software that Maintenance Planner can calculate. What else must you download?

- A. SAP kernel
- B. SAPCAR
- C. SPAM/SAINT update
- D. SAP Host Agent

Answers B

Question. 12

When installing an SAP S/4HANA Server 1909 system, which actions can the Software Provisioning Manager (SWPM) perform only when the installation is started with the option SAPINST_STACK_XML? Note: There are 3 correct answers to this question.

- A. Apply a SPAM/SAINT update
- B. Set the password of user DDIC in client 000

- C. Set up Transport Management System (TMS)
- D. Import additional languages
- E. Install an SAP Host Agent

Answers A C D

Question. 13

You have passed the initial authentication for an SAP Fiori transactional app. Which authentication technology is used for subsequent OData calls of this app?

- A. SAML 2.0
- B. X.509 client certificates
- C. SAP logon tickets
- D. ABAP Session Security

Answers D

Question. 14

When releasing a workbench request from the development system, what are prerequisites for an export to take place? Note: There are 3 correct answers to this question.

- A. Repository objects within the workbench request must be assigned to a package.
- B. A delivery route from the development system to a subsequent system must exist.
- C. Repository objects within the workbench request must be assigned to the same transport layer.
- D. Packages used by objects in the workbench request must be assigned to a valid transport layer.

E. A consolidation route from the development system to a subsequent system must exist.

Answers A D E

Question. 15

What is the correct sequence of the following four steps when you restart the SAP HANA database system?

A. Row tables are loaded into memory. Column tables are loaded. Open transactions are recovered. Aborted transactions are rolled back.

B. Aborted transactions are rolled back. Open transactions are recovered. Row tables are loaded into memory. Column tables are loaded.

C. Row tables are loaded into memory. Open transactions are recovered. Aborted transactions are rolled back. Column tables are loaded.

D. Aborted transactions are rolled back. Row tables are loaded into memory. Open transactions are recovered. Column tables are loaded.

Answers C

Question. 16

Which app types need SAP HANA as system database? Note: There are 2 correct answers to this question.

A. Analytical apps

B. Fact sheet apps

C. Transactional apps

D. Classic applications

Answers A B

Question. 17

In an SAP S/4HANA Server system, a target system alias, FIORI, is maintained for source system alias S4FIN. Which connection is relevant for the extraction of back-end catalogs with alias S4FIN?

- A. S4FIN_RFC
- B. FIORI_RFC
- C. S4FIN_HTTPS
- D. FIORI_HTTPS

Answers B



Question. 18

Which file systems are supported for the data and log volumes of the SAP HANA 2.0 database system? Note: There are 2 correct answers to this question.

- A. OCFS2
- B. Btrfs
- C. XFS
- D. GPFS

Answers C D

Question. 19

From top to bottom, what is the hierarchy of the NetWeaver Administrator (NWA)?

- A. Work Set → Work Center → Function

- B. Work Center → Function → Work Set
- C. Work Center → Work Set → Function
- D. Function → Work Center → Work Set

Answers C

Question. 20

Which of the following background jobs has the highest priority?

- A. Class A job without a target server
- B. Class C job with a target server
- C. Class C job without a target server
- D. Class A job with a target server

Answers D

Question. 21

Under which Java System Properties category do you find an AS Java-based Manager in the SAP NetWeaver Administrator (NWA)?

- A. Kernel
- B. VM Environment
- C. Applications
- D. Services

Answers A

Question. 22

Which actions can be performed with the Software Update Manager (SUM) for an AS ABAP-based SAP system? Note: There are 3 correct answers to this question.

- A. Applying an SAP kernel patch
- B. Applying a SPAM/SAINT update
- C. Correcting software information via a CISI run
- D. Installing an SAP Host Agent
- E. Setting up the Transport Management System (TMS)

Answers A B C

Question. 23

What are prerequisites for enabling communication between a standalone SAP Web Dispatcher and an AS ABAP-based SAP system? Note: There are 2 correct answers to this question.

- A. Identification of the HTTP port of the ABAP message server
- B. Activation of ICF service /sap/public/icf_info/icr_groups
- C. Identification of the HTTP port of the PAS instance's ICM process
- D. Activation of ICF service /sap/public/ping

Answers A B

Question. 24

What are prerequisites to use the Software Update Manager to apply SAP Support Packages to an AS ABAP-based SAP system? Note: There are 3 correct answers to this question.

- A. A Stack XML file must exist.

- B. The SUM archive must have been provided to the SAP Host Agent
- C. The SAP Host Agent must have been configured by SUM.
- D. The SUM archive must have been extracted.
- E. The latest SAP kernel patch has been applied to the SAP system.

Answers A C D

Question. 25

What can you configure by maintaining table HTTPURLLOC?

- A. The hostname of the URL launched by transaction /UI2/FLP
- B. The URL of a local Web server for user assistance resources
- C. The URL used by classic applications
- D. The path of the URL launched by transaction /UI2/FLP

Answers A

Question. 26

In an AS ABAP-based SAP system, you need to create a user that is not enabled for dialog interaction and is subject to the validity period of passwords. Which user type do you choose?

- A. Communications Data
- B. Service
- C. Reference
- D. System

Answers A

Question. 27

Using standard transport protocol settings, after importing a transport request, which log file provides the return codes of the individual import steps? (Note: These answers use the following abbreviations: year <YY>, week: <WW>, quarter <Q>, SAP system ID <SID>, and a 5-digit number <nnnnn>.)

- A. ALOG<YY><WW>.<SID>
- B. ULOG<YY>_<Q>
- C. SLOG<YY><WW>.<SID>
- D. <SID>E9<nnnnn>.<SID>

Answers A

Question. 28

You are importing an SAP Support Package Stack with transaction SPAM. Which steps require SAP system downtime?

Note: There are 2 correct answers to this question.

- A. Modification adjustment of other objects (SPAU)
- B. Import of inactive dictionary objects (DD IMPORT)
- C. Activation of dictionary objects (DD ACTIVATION)
- D. Modification adjustment of dictionary objects (SPDD)

Answers A C

Question. 29

You are logged onto an AS ABAP-based SAP system. What happens when you release a task of a transport request that contains changes to a program?

- A. A data file and a cofile are created.

- B. The object list is handed over to the transport request.
- C. The repository locks are released.
- D. A version is created in version management.

Answers B

Question. 30

What is the definition of “Transport Group” in Transport Management System (TMS)?

- A. A collection of systems that are assigned to the same transport target group
- B. A collection of systems that share the same transport directory
- C. A collection of systems that are connected by transport routes
- D. A collection of systems that are controlled by the same transport domain controller

Answers B

Question. 31

In an embedded deployment, which protocol is used by object pages to access the SAP S/4HANA system?

- A. OData
- B. RFC
- C. DIAG
- D. InA

Answers A

Question. 32

Which services can you stop in the SAP HANA cockpit from the **SYSTEMDB Manage Services** app? **Note:** There are 2 correct answers to this question.

- A. Daemon
- B. Preprocessor
- C. Index server
- D. Compile server

Answers B D

Question. 33

During startup, an AS Java-based SAP system generates an error. Which file contains information about manager and services?

- A. dev_jstart
- B. dev_icm
- C. std_server<X>.out
- D. jvm_bootstrap.out

Answers C

Question. 34

What are some start conditions of a background job in an AS ABAP-based SAP system? **Note:** There are 3 correct answers to this question.

- A. Defining an external command
- B. Switching the operation mode
- C. Reaching a specific date and time

- D. Triggering a background event
- E. Creating a job server group

Answers D B C

Question. 35

Using standard tp settings, how does the transport strategy IQueue-Driven Transports, Mass transportsI differ from IQueue-Driven Transports, Single transportsI? **Note: There are 3 correct answers to this question.**

- A. Using the IImport RequestI button causes the imported transport requests to remain in the import queue.
- B. The IImport **All** RequestsI button is available.
- C. Return Code 16 is caused by an erroneous object in a transport request.
- D. Return Code 8 is considered a successful import.
- E. The import process can be scheduled in the background.

Answers A B D

ABE

Question. 36

When performing a standard SAP HANA database system installation, which users will be created or validated during that installation? **Note: There are 2 correct answers to this question.**

- A. SYSTEM
- B. SAP<SID>
- C. <sid>crypt
- D. Sapadm

Answers A D

Question. 37

You want to add an SAP Fiori group to a user's SAP Fiori launchpad. To what do you have to assign the SAP Fiori group?

- A. To a user group assigned to the user
- B. To a parameter ID of the user
- C. To a role assigned to the user
- D. To an authorization profile assigned to the user

Answers C

Question. 38

When performing a local client copy, which client copy profiles are available? Note: There are 3 correct answers to this question.

- A. All Client-Specific Data w/o Change Documents
- B. Customizing including Cross-Client Customizing
- C. Application Data and User Master Data
- D. Customizing, User Master Record and User Variants.
- E. User Master Records and Authorization Profiles

Answers A D E

Question. 39

Which processes can run optionally as part of ABAP SAP Central Services (ASCS)? Note: There are 2 correct answers to this question.

- A. RFC Gateway

- B. Message Server
- C. Enqueue Server
- D. SAP Web Dispatcher

Answers A D

Question. 40

In the role maintenance transaction (PFCG) of an AS ABAP-based SAP system, which step grants the authorizations of a role to a user master record?

- A. Assign a user to the role
- B. Save the role
- C. Generate the profile
- D. Perform a user comparison

Answers D

Question. 41

What is the purpose of the SAP HANA secure user store (hdbuserstore)? Note: There are 2 correct answers to this question.

- A. To store connection information on the SAP HANA XS advanced engine
- B. To configure an SAP HANA auto-restart for fault recovery
- C. To store connection information on the SAP HANA database client
- D. To configure failover support in a 3-tier scenario

Answers C D

Question. 42

You configure the Transport Management System (TMS) as part of the installation of an AS ABAP-based SAP system. What information can you supply for the first SAP system that uses a specific transport directory? Note: There are 3 correct answers to this question.

- A. The description of the AS ABAP-based SAP system
- B. The name of the Transport Domain
- C. The password of a new user that will be created
- D. The name of the Transport Group
- E. The user ID of a new user that will be created

Answers A B C

Question. 43

You are running an SAP HANA database in log mode "normal". Under what circumstances does the database automatically execute a regular log backup? Note: There are 2 correct answers to this question.

- A. When the time threshold is exceeded
- B. When the log segment is full
- C. When a commit occurs
- D. When the log buffer is full

Answers A B

Question. 44

What is the correct parameter replacement sequence in an AS java-based SAP system?

Note: the sequences below are sorted by priority from highest to lowest

1. Instance custom
2. Template default
3. Template custom

1. Template custom
2. Instance custom
3. Template default

1. Template default
2. Template custom
3. Instance custom

1. Instance custom
2. Template custom
3. Template default

Question. 45

When you install SAP Solution Manager 7.2 AS Java, what information do you need to provide? Note: There are 2 correct answers to this question.

- A. The decision whether to install an SAP Gateway integrated in the SCS instance
- B. The package path to an archive for SAP JVM
- C. The package path to additional language installation media
- D. The decision to use an External ABAP System as UME Data Source

Answers B D

Question. 46

You want to configure the transport domain for the transport of AS Java-based SAP systems (for example SAP Enterprise Portal).

Which entry type do you create for these systems in the **System Overview** area of the **Transport Management System** (transaction **STMS**)?

- A. Virtual System
- B. External System
- C. Java Stack Configuration
- D. Non-ABAP System

Answers D

Question. 47

Your SAP S/4HANA Server system consists of an ABAP Central Services instance, a Primary Application Server instance, and two Additional Application Server instances. How many system profile files are evaluated for this SAP system during system start?

- A. 9
- B. 5
- C. 8
- D. 4

Answers B

Question. 48

In which subdirectories of **sapmnt** can you find information about startup problems of an AS Java-based SAP system? Note: There are 2 correct answers to this question.

- A. D<instance no.>/work
- B. J<instance no.>/work
- C. J<instance no.>/log
- D. SCS<instance no.>/work

Answers B D

Question. 49

How does SAP HANA encrypt the data persistence layer?

- A. By row level
- B. By page level
- C. By column level
- D. By table level

Answers B

Question. 50

You want to perform rapid activation for SAP Fiori. In what order should you run the task lists?

- A. 1. SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 2. SAP_FIORI_FOUNDATION_S4 3. SAP_FIORI_CONTENT_ACTIVATION
- B. 1. SAP_FIORI_FOUNDATION_S4 2. SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 3. SAP_FIORI_CONTENT_ACTIVATION
- C. 1. SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 2. SAP_FIORI_CONTENT_ACTIVATION 3. SAP_FIORI_FOUNDATION_S4

D. 1. SAP_FIORI_FOUNDATION_S4 2.
SAP_FIORI_CONTENT_ACTIVATION 3.
SAP_GW_FIORI_ERP_ONE_CLNT_SETUP

Answers A

Question. 51

In an AS ABAP-based SAP system, where is the lock table stored?

- A. Main memory of the Primary Application Server instance
- B. File system of the Primary Application Server instance
- C. Main memory of the Central Services instance
- D. Database

Answers C

Question. 52

In ABAP programs, what are features of ABAP SQL that are not available with native SQL? Note: There are 2 correct answers to this question.

- A. Database independence
- B. Execution without a work process
- C. Execution of ABAP programs as database procedures
- D. Use of the AS ABAP data buffer

Answers A D

Question. 53

How can the system database administrator disable tenant database functionalities? Note: There are 2 correct answers to this question.

- A. Using the hdbuserstore tool
- B. Using the Manage Restricted Features app
- C. Using the Manage Database Configuration app
- D. Using the resident hdblcm tool

Answers B C

Question. 54

When using the java Startup and Control Framework to shut down an AS Java-based SAP system, which of the following stop the server process(es)?

- A. Instance Controller
- B. Database
- C. ICM
- D. Sapstartsrv

Answers D

Question. 55

Which file system locations do you need to specify when installing the SAP HANA multi-host database system using the default settings? Note: There are 2 correct answers to this question.

- A. /usr/sap/hostctrl
- B. /hana/shared
- C. /hana/log/<SID>

D. /usr/sap/<SID>

Answers B C

Question. 56

You want to configure the TMS QA Approval procedure for an AS ABAP-based system landscape. Which approval steps can you choose? Note: There are 3 correct answers to this question.

- A. To be approved by request owner
- B. To be approved by developer
- C. To be approved by system administration
- D. To be approved by project manager
- E. To be approved by department

Answers A C E

Question. 57

For an SAP HANA tailored datacenter integration (TDI) approach, what is the additional disk space factor required during delta merge operations?

- A. 2
- B. 3
- C. 1.6
- D. 1.2

Answers D

~~Question. 58~~

You are configuring outbound e-mails for an AS ABAP-based SAP system. What can you use to set the default domain?

- A. Report RSADRCK7
- B. Profile parameter is/SMTP/virt_host_<x>
- C. Transaction SCOT
- D. File DOMAIN.CFG

C

Answers C

Question. 59

In which situations can you resume the failed recovery of your productive SAP HANA tenant database? Note: There are 2 correct answers to this question.

- A. An aborted recovery of the configuration files
- B. An aborted recovery of a complete data backup
- C. An aborted recovery of a delta data backup
- D. An aborted recovery of a log backup

Answers C D

Question. 60

Which characteristics describe an SAP HANA multitenant database container (MDC) system? Note: There are 3 correct answers to this question.

- A. The name server provides index server functionality for the system database.
- B. Database isolation increases the isolation between tenant databases on operating system level.
- C. Each tenant database runs its own compile server and the preprocessor server.

- D. The name server owns information about the location of tables and table partitions in databases.
- E. A multitenant database container system is identified by a single system ID (SID).

Answers A B E

Question. 61

Which tasks can you perform when using the SAP HANA database lifecycle manager (HDBLCM) from the SAP HANA installation media? Note: There are 2 correct answers to this question.

- A. Rename the SAP HANA database system.
- B. Extract the SAP HANA database system components.
- C. Uninstall the SAP HANA database system and its components.
- D. Update the SAP HANA database system and its components.

Answers B D

Question. 62

Which of the following protocols is SAP's RFC protocol based on? Note: There are 2 correct answers to this question.

- A. OLE
- B. TCP/IP
- C. CPI-C
- D. OData

Answers B C

Question. 63

You are using a standard three system landscape, DEV, QAS, and PRD. When will a change of a repository object in the QAS system be treated as correction?

- A. If the object was created in DEV and transported to QAS via a transport of copies.
- B. If the object's name is in the SAP name range.
- C. If the object was created in DEV and transported to QAS via a workbench request.
- D. If the original system of the object is QAS.

Answers D

Question. 64

You are installing an SAP S/4HANA Server 1909 system, using s4xhost as application server host and haxhost as database host. Which actions can Software Provisioning Manager (SWPM) perform? Note: There are 3 correct answers to this question.

- A. Set database import parameters for the database running on haxhost
- B. Copy the database installation media from s4xhost to haxhost
- C. Install the Central Service instance on s4xhost
- D. Install the database on haxhost
- E. Copy the database backup media from s4xhost to haxhost

Answers A C D

Question. 65

Which parameters are mandatory when using the HDBLCM tool to install the SAP HANA database system in batch mode? Note:

There are 2 correct answers to this question.

- A. Installation path
- B. SAP HANA System ID (SID)
- C. Data and log path
- D. Password of user sapadm

Answers B D

Question. 66

The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? Note: There are 2 correct answers to this question.

- A. By providing an HTTP destination type H named FIORI_CLASSICUI_HTTPS (transaction SM59)
- B. By applying the correct settings in the SAP Fiori launchpad configuration (transaction /UI2/FLP_SYS_CONF or /UI2/FLP_CUS_CONF)
- C. By assigning the correct target mappings, shipped via catalog /UI2/CLASSICAL_GUI_MENU
- D. By assigning the authorization to start transaction SEARCH_SAP_MENU

Answers B C

Question. 67

You are updating an AS Java-based SAP system. Which actions can **Software Update Manager** execute? **Note:** There are 2 correct answers to this question.

- A. Lock the development environment
- B. Update without using a stack configuration file (stack.xml file)
- C. Update SAP Host Agent
- D. Check the archives' authenticity

Answers B D

Question. 68

Which of the following tools are used when importing a transport request? **Note:** There are 3 correct answers to this question.

- A. RDDIMPDP
- B. R3load
- C. tp
- D. RDDNEWPP
- E. R3trans

Answers A C E

Question. 69

You want to set up a printer locally on a Microsoft Windows-based AS ABAP. Which host spool access method must you use?

- A. L
- B. U

C. G

D. C

ACE

Answers D

Question. 70

You have configured an SAP Web Dispatcher and set:

wdisp/ssl_encrypt=2 icm/server_port_<xx>=...PROT=HTTP.

Which communication channels does this establish?

A. HTTP between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the SAP system

B. HTTPS between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP system

C. HTTP between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP system

D. HTTPS between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the SAP system

Answers A

Question. 71

Which tools can be used to create SAP Fiori catalogs? Note: There are 2 correct answers to this question.

A. SAP Fiori launchpad designer (/UI2/FLPD_CUST)

B. SAP Fiori launchpad content aggregator (/UI2/FLPCA)

C. SAP Fiori launchpad settings (/UI2/FLP_CUS_CONF)

D. SAP Fiori launchpad content manager (/UI2/FLPCM_CUST)

E. SAP Fiori launchpad application manager (/UI2/FLPAM)

Answers A B D

Question. 72

You are working in an AS ABAP-based SAP system that runs on Linux. here is the spool data stored when you use the value IGI for the profile parameter rspo/store_location?

- A. /usr/sap/<SID>/D<nn>/work
- B. /usr/sap/<SID>/sys/global
- C. /usr/sap/<SID>/D<nn>/data
- D. /usr/sap/<SID>/sys/profile

Answers B

Question. 73

During the installation of SAP Solution Manager AS ABAP 7.2, which of the following user IDs does SAPinst suggest for SAP Solution Manager AS Java 7.2? Note: There are 2 correct answers to this question.

- A. J2EE_ADMIN
- B. SAP*
- C. SAPJSF
- D. Administrator

Answers A C

Question. 74

For AS ABAP-based SAP systems, you can use Software Update Manager to update which of the following? Note: There are 2 correct answers to this question.

- A. Database system
- B. Software component SAP_BASIS

- C. Implemented SAP Notes
- D. SAP kernel

Answers B D

 Question. 75

During the import of a transport request, which tools write log files to the tmp subdirectory of the transport directory? Note: There are 3 correct answers to this question.

- A. RDDMNTAB
- B. R3load
- C. R3trans
- D. RDDMASGL
- E. Tp

BCE

Answers A C D

Question. 76

You are running an AS ABAP-based SAP system. Which parts does the Internet Server Cache (ISC) of the ICM process consist of? Note: There are 3 correct answers to this question.

- A. Browser cache
- B. CPU cache
- C. Disk cache
- D. UFO cache
- E. Memory cache

Answers C D E

Question. 77

How can you register multiple SAP Gateway services simultaneously? Note: There are 2 correct answers to this question.

- A. Using task list SAP_GATEWAY_ACTIVATE_ODATA_SERV.
- B. Using task list SAP_GATEWAY_BASIC_CONFIG.
- C. Using transaction /IWFND/GW_CLIENT.
- D. Using transaction /IWFND/MAINT_SERVICE.

Answers A D

Question. 78

You are installing a Primary Application Server and a Central Services instance for an AS Java-based SAP system. What is the minimum number of Java server nodes you must configure?

- A. 4
- B. 2
- C. 0
- D. 1


Answers D

Question. 79

Which work process types can create spool requests? Note: There are 2 correct answers to this question.

- A. Dialog
- B. Update
- C. Spool
- D. Background

Answers A B



Question. 80

Which instances have processes that establish a connection to the database of an SAP system? Note: There are 2 correct answers to this question.

- A. Enqueue Replication Server
- B. Primary Application Server
- C. Additional Application Server
- D. Central Services

Answers B C

Extra

Which changes in an AS Java-based SAP System require a restart of the affected server process(es) before they will take effect?

Note: There are 2 correct answers to this question.

- 1. A change of a manager property value
- 2. A change of the key phrase
- 3. A change of the UME data source (S)
- 4. A change of a Service property value

What are start conditions of a background job in an AS ABAP-based SAP system?

Note: There are 2 correct answers to this question.

- 1. Starting of a dynamic work process
- 2. Locking user DDIC in client 000
- 3. Ending of a predecessor job
- 4. Reaching a specific date and time

You have created a task list (STC01) in your development system.

What can you use to make the task list available in the quality assurance system?

1. A workbench request
2. A customizing request
3. File download and upload
4. An RFC-based distribution

In an AS ABAP-based SAP system, what can you use to change the value of a dynamically switchable parameter at runtime?

1. Report RSPFPAR
2. Transaction Edit profile parameters (RZ11)
3. Transaction Edit profiles (RZ10)
4. Command line tool sappfpar(RZ11)

you have restarted the primary application server instance. after the restart, change will take effect for which profiles? Note:- These are 2 correct answers to this question.

1. Central services instance profile
2. Default profile
3. Additional Application server instance profile
4. Primary Application Server instance profile

In an AS ABAP-based, you are printing a list to a remote printer (host spool access method S or U) using sap GUI.

What route does the printing data take?

1. Dialog Workprocess -> TemSe -> Spool Workprocess -> Printer
2. Spool Workprocess -> TemSe -> Printer
3. Dialog Workprocess -> Spool Workprocess -> TemSe -> Printer
4. Spool Workprocess -> TemSe -> Dispatcher -> Printer

Using the Java Startup and Control Framework, what is the correct sequence of steps to start an application server of an AS Java-based SAP system?

1. Start Offline Deployment
2. Start bootstrap process
3. Start ICM/Server process(es)
4. Connect to SCS instance

1. Connect to SCS instance
2. Start Offline Deployment
3. Start bootstrap process
4. Start ICM/Server process(es)

1. Start ICM/Server process(es)
2. Start Offline Deployment
3. Start bootstrap process
4. Connect to SCS instance

1. Connect to SCS instance
2. Start bootstrap process
3. Start Offline Deployment
4. Start ICM/Server process(es)

You are using the enhanced Change and Transport System (CTS+) for the transport of native SAP HANA Applications.

Which tool can you use to create a transport request for these applications in the CTS system?

- A. Transport Organizer Web UI (in transaction STMS)
- B. Transport Organizer (Extended View) (in transaction SE01)
- C. Transport Organizer (in transaction SE09)
- D. SAP HANA Cockpit

What is the purpose of a security policy in an AS ABAP-based SAP system?

- A. To define security relevant system profile parameters
- B. To Assign selected security attributes and their values to roles
- C. To assign selected security attributes and their values to users
- D. To define possible authentication mechanisms

How does a Transport of Copies differ from a Workbench Request? Note: There are 2 correct answers to this question

- A. After the import, repository objects in the target system are classified as copies.
- B. When creating the transport request, a target system without a consolidation route can be selected.
- C. No cofile is created, when releasing the transport request with the Transport Organizer (SE09).
- D. When importing, the transport request is not forwarded to subsequent delivery systems.

What action(s) can you perform in the SAP HANA cockpit to backup the complete database system?

- A. Back up the system database and all tenant databases individually.
- B. Back up the system database and all tenant databases in one step.
- C. Back up the system using a fallback snapshot for every database.
- D. Back up the system using a database snapshot and a data snapshot.

In an AS ABAP-based SAP system, a user performs the second dialog step in a dialog transaction. The dialog work process used in the first dialog step is occupied by a different user. What happens with this second user request?

- A. The dialog work process that handled the first dialog step performs a rollout to handle the request.
- B. The request is processed asynchronously by an update work process.
- C. The request remains in the request queue until the dialog work process that handled the first dialog step is free again.
- D. The request is processed by a different free dialog work process.

When restarting an Additional Application Server instance, which profiles are evaluated? Note:
There are 2 correct answers to this question

- A. Instance profiles of the Primary Application Server
- B. Instance profiles of the Additional Application Server
- C. Instance profile of the Central Services instance
- D. Default profile

You want to create an ABAP task list in a development system to transport it to the production system.
What must you do?

Note: There are 2 correct answers to this question.

- A. Assign the task list to a workbench transport request.
- B. Activate the task list
- C. Assign the task list to a customizing transport request.
- D. Assign the task list to a package.

Which operating system process initiates the start procedure of an AS Java-based SAP system instance?

- A. Sapcpe
- B. Sapstartsrv
- C. Saphostexec
- D. Jstast

What is the purpose of a pre-production system in an AS ABAP-based four-system landscape?

Note: There are 2 correct answers to this question.

- A. To isolate the next urgent correction or project cycle.
- B. To act as a failover system for the production system.
- C. To detect cross reference errors.
- D. To implement urgent corrections.

What is the purpose of a security policy in an AS ABAP-based SAP system?

Note: There are 2 correct answers to this question.

- A. To specify user-specific system logon behavior and password rules
- B. To create security-relevant system profile parameters
- C. To eliminate user authentication at system logon
- D. To restrict logon for selected users

In an SAP S/4HANA server system, which data can you NOT maintain for a technical user?

- A. Address
- B. Group
- C. Parameters
- D. Roles

Which steps are mandatory to configure an AS ABAP-based SAP system for outbound mail?

Note: There are 2 correct answers to this question.

- A. Maintain the default domain (transaction SCOT)
- B. Maintain and activate an SMTP node (transaction SCOT)
- C. Maintain and activate the SAPconnect node in the ICF (Transaction SICF)
- D. Create a system user with authorization profile S_A.SCON (transaction SU01)