

ITIL Mock Papers 6 & 7

Companion to the Five Mock Examination Papers — Same Format, Higher Concision

Prepared for: Internal ITIL Assessment, SAP Labs

Exam Date: 20 July 2026 | Prepared: 15 July 2026

Two additional 30-mark papers at Mock 4/5 difficulty level (heavy difficult/expert mix, high-ambiguity distractors). Options are deliberately short phrases rather than full justified sentences — the trickiness lives in the scenario and in closely-matched short options, not in sentence length or hedging language. Letter-position balance was planned before scenario-writing this time (not adjusted afterward), and is verified in each paper's audit section.

Mock Paper 6 — Advanced Application

Total questions: 30 | **Maximum marks:** 30 | **Passing score:** 24/30 | **Scoring:** Exact-combination scoring; no partial marks | **Suggested time:** 55 minutes

Purpose: Matches Mock 4's difficulty profile. Difficulty mix: 10% intermediate, 47% difficult, 43% expert. Covers all 7 chapters.

Instructions

- Read every scenario carefully — options are short, so the scenario carries the nuance.
- Select exactly the number of options requested.
- Each question carries one mark; scoring is exact-combination only.
- Record answers below before checking the key.

Answer-Recording Template

Q	Selected	Flag	Q	Selected	Flag
1			16		
2			17		
3			18		
4			19		
5			20		
6			21		
7			22		
8			23		
9			24		
10			25		
11			26		
12			27		
13			28		
14			29		
15			30		

Questions 1-30

Question 1

A team documents "who does what" and "what tools are used" alongside their release steps.

Select exactly TWO options.

- A. Reflects practice, not just process
- B. Broader than a pure v3 process
- C. Identical to a v3 process
- D. Irrelevant to ITIL 4

Question 2

A review covers governance, guiding principles, and practice resourcing together.

Select exactly THREE options.

- A. Scoped at SVS level
- B. Broader than SVC alone
- C. Includes governance by definition
- D. Governance is an SVC activity
- E. Excludes Guiding Principles

Question 3

A rollout succeeds technically, but staff resist it after receiving no training.

Select exactly TWO options.

- A. People dimension neglected
- B. Technology dimension neglected
- C. A dimensions check would help
- D. No dimension was neglected

Question 4

A team rebuilds a system from scratch without assessing existing value, calling it "holistic thinking."

Select exactly THREE options.

- A. Risks violating Start Where You Are
- B. Skips existing dimension investments
- C. Correct example of holistic thinking
- D. Poor use of "Optimize and automate"
- E. Age alone justifies a rebuild

Question 5

Two activities run concurrently: deciding what a service should achieve, and piloting it with real users.

Select exactly TWO options.

- A. First activity is Strategy
- B. Second activity is also Strategy
- C. Both must be the same stage
- D. Second activity is Transition

Question 6

A workaround restores service before the cause is known; leadership says this can't be a Major Incident now.

Select exactly THREE options.

- A. MI status depends on impact, not workaround status
- B. Workaround and MI classification are independent
- C. Workaround cancels MI status retroactively
- D. Cause must be known before MI is declared
- E. Global-scale outages can still warrant MI coordination

Question 7

Agents get wider permissions for known, low-risk fixes; leadership worries about new error risk.

Select exactly TWO options.

- A. Any permission expansion is too risky

- B. Scoped expansion aids FCC without much added risk
- C. Scope boundaries address the risk concern
- D. FCC requires removing all controls

Question 8

A ticket bounces between three teams before landing correctly, due to vague tagging.

Select exactly THREE options.

- A. Better categorization would help
- B. This is the system working as intended
- C. Root-cause fix beats faster reassigning
- D. Reassignment reduction targets the tagging issue
- E. Reassignment is irrelevant once resolved

Question 9

500+ daily alerts, mostly noise; a critical failover alert is missed for 12 minutes.

Select exactly TWO options.

- A. High volume proves strong monitoring
- B. This is an alert-fatigue failure
- C. Fewer alerts would worsen visibility
- D. Tuning signal priority would help

Question 10

A fishbone diagram lists "API rate-limiting" as a hypothesis; an analyst calls it "confirmed."

Select exactly THREE options.

- A. Listing is not the same as confirming
- B. This matches standard practice
- C. Timeline-alignment testing is still needed
- D. No further validation is required
- E. It remains a hypothesis at this stage

Question 11

Two changes ship together; page-load complaints rise afterward.

Select exactly TWO options.

- A. Both are equally responsible, no analysis needed
- B. The most recent change is always to blame
- C. Isolating each change's effect is needed
- D. Single-cause attribution is premature here

Question 12

A team has broad historical data, an uncertain cause category, and one strong hypothesis needing depth.

Select exactly THREE options.

- A. Pareto helps prioritize the historical data
- B. Skipping prioritization is most efficient
- C. Only one technique should ever be used
- D. Fishbone suits the uncertain category
- E. Five Whys can drill the strong hypothesis

Question 13

Incidents rise the same week a junior analyst joins on-call.

Select exactly TWO options.

- A. Correlation alone doesn't confirm cause
- B. Other factors should be checked first
- C. This is a sufficient conclusion
- D. No further checking is warranted

Question 14

A brainstorming participant criticizes and discards every idea as it's raised.

Select exactly THREE options.

- A. Immediate criticism is correct practice
- B. This suppresses useful input
- C. Filtering belongs after generation
- D. Brainstorming suits unclear-cause situations
- E. Brainstorming needs a known cause first

Question 15

A pre-migration review flags one storage array supporting three critical systems with no redundancy.

Select exactly TWO options.

- A. This is a clear single point of failure
- B. This should wait until after an incident
- C. Exactly the proactive insight this technique targets
- D. Shared, unredundant systems are normal risk

Question 16

A system fails only if all three of its independent replicas fail together.

Select exactly THREE options.

- A. Model this as an OR gate
- B. Model this as an AND gate
- C. Correct gate choice matters for accuracy
- D. Fault trees can't model 3+ events
- E. Redundancy scenarios commonly use AND logic

Question 17

A post-incident timeline review shows most delay came from diagnosis, not detection or repair.

Select exactly TWO options.

- A. This is a genuine timeline-analysis finding
- B. This technique only covers technical cause
- C. This proves the technical root cause
- D. Process delays are a distinct, valid finding

Question 18

After a moderate (not catastrophic) recurring problem, a team debates a full seven-technique review versus a scaled one.

Select exactly THREE options.

- A. All seven techniques are always required
- B. Scaled reviews are sound when proportional
- C. Recurrence alone demands maximal review
- D. Depth should match actual significance
- E. This reflects proportionality guidance

Question 19

A CAB weighs a completed evaluation and KPI trend data together for one decision.

Select exactly TWO options.

- A. KPI trends should never inform CAB decisions
- B. Both inputs can support one decision jointly
- C. This reflects metric-informed governance
- D. The two inputs are mutually exclusive

Question 20

A change proposal has a completed risk assessment and moderate-period scheduling, but no stated communication plan.

Select exactly THREE options.

- A. Assume communication was already handled
- B. No further scrutiny is needed given the assessment
- C. Moderate risk reasonably supports full review
- D. The missing detail is worth raising
- E. Raising it reflects sound caution, not assumption

Question 21

A team believes evaluation only happens after implementation and skips pre-implementation assessment.

Select exactly TWO options.

- A. This is correct practice
- B. This misses evaluation's pre-implementation role
- C. Evaluation has no bearing on authorization
- D. Skipping it risks late risk discovery

Question 22

A major-problem-review finding leads to reclassifying a previously routine change type as higher-risk.

Select exactly THREE options.

- A. Reflects sound cross-practice learning
- B. Proportional response to new evidence
- C. Feeds lessons back into practice
- D. Findings should never influence classification
- E. Classification must stay fixed forever

Question 23

A release-failure rate improves the same month automated gates are introduced, with no other reported changes.

Select exactly TWO options.

- A. This is definitive, certain proof
- B. No further monitoring is needed now
- C. Gates are a strong, not certain, explanation
- D. Other unreported factors still deserve a check

Question 24

A team eliminates all manual review, citing "DevOps," even for high-risk, poorly-tested changes.

Select exactly THREE options.

- A. This misapplies DevOps principles
- B. Correct for any release regardless of risk
- C. High-risk changes still warrant real review
- D. DevOps supports proportional, not zero, governance
- E. Total elimination is required for genuine DevOps

Question 25

Alerts fire constantly and unfiltered; developers begin ignoring them entirely.

Select exactly TWO options.

- A. This undermines the feedback loop's purpose
- B. Tuning noise would restore its value
- C. Any feedback loop is automatically valuable
- D. This has no link to the Three Ways

Question 26

A team merges code multiple times daily with tests, but releases only via a manual trigger.

Select exactly THREE options.

- A. This is Continuous Deployment
- B. This is Continuous Integration in action
- C. Manual trigger fits Continuous Delivery better
- D. Delivery and Deployment are identical
- E. The distinction between them matters here

Question 27

A nonprofit tracks funds raised, meals distributed, and improved food security six months later.

Select exactly TWO options.

- A. Meals distributed functions as an Output
- B. Funds raised functions as an Outcome
- C. Improved food security functions as an Outcome/Impact

D. All three measures are interchangeable

Question 28

Leadership proposes one combined "health score" from three unrelated measures, with no breakdown available.

Select exactly THREE options.

- A. This risks obscuring which area needs attention
- B. This is always the ideal simplification
- C. This fully preserves each measure's diagnostic value
- D. Retaining component visibility aids targeted decisions
- E. A summary score shouldn't fully replace detail

Question 29

A team builds dashboards from whatever data is already available, then writes vision statements to justify keeping them.

Select exactly TWO options.

- A. This is a bottom-up, retrofitted approach
- B. This guarantees strong strategic alignment
- C. This reflects sound top-down cascade practice
- D. Cascades should start from vision, not data

Question 30

A KPI stays flat for six months; the team debates what that means.

Select exactly THREE options.

- A. Flat data always signals a serious problem
- B. A flat trend is inherently meaningless
- C. The trend alone doesn't reveal which explanation is true
- D. Connecting it to a goal clarifies its meaning
- E. "Flat" could reflect stability or stagnation, depending on context

Mock Paper 6 — Answer Key

Q	Correct	Q	Correct	Q	Correct
1	A, B	11	C, D	21	B, D
2	A, B, C	12	A, D, E	22	A, B, C
3	A, C	13	A, B	23	C, D
4	A, B, D	14	B, C, D	24	A, C, D
5	A, D	15	A, C	25	A, B
6	A, B, E	16	B, C, E	26	B, C, E
7	B, C	17	A, D	27	A, C
8	A, C, D	18	B, D, E	28	A, D, E
9	B, D	19	B, C	29	A, D
10	A, C, E	20	C, D, E	30	C, D, E

Mock Paper 6 — Detailed Explanations

Options here are short by design — each explanation below restores the reasoning the option compressed.

Q1 (Ch1, Intermediate)

A/B correct: extra people/tools/roles content substantively broadens the document toward "practice" thinking, regardless of title. C wrong: this substance goes beyond a pure v3 process. D wrong: it's directly ITIL 4-relevant. **Trap:** assuming only a title change signals "practice." **Rule:** substance over label.

Q2 (Ch1, Intermediate)

A/B/C correct: governance + principles + resourcing together is definitionally SVS-scoped, broader than SVC, and includes governance. D wrong: governance is never an SVC activity. E wrong: principles are included, not excluded. **Rule:** governance-inclusive scope = SVS.

Q3 (Ch1, Intermediate)

A/C correct: no-training resistance is a People-dimension gap a dimensions check would catch. B wrong: the tech itself worked. D wrong: a dimension clearly was missed. **Rule:** technical success doesn't rule out a People gap.

Q4 (Ch1, Difficult)

A/B/D correct: unassessed rebuilds risk Start-Where-You-Are and dimension-investment violations, and are a poor "Optimize and automate" example. C wrong: this is a poor, not correct, example. E wrong: no such age rule exists. **Rule:** "rebuild from scratch" is usually a red flag, not a virtue.

Q5 (Ch1, Difficult)

A/D correct: deciding what/why is Strategy; piloting before full rollout is Transition. B wrong: piloting isn't Strategy. C wrong: concurrent activities can span different stages. **Rule:** match activity type, not calendar timing, to lifecycle stage.

Q6 (Ch2, Difficult)

A/B/E correct: MI status tracks impact/scale, independent of workaround status, and global outages still warrant coordination. C/D wrong: both invent false sequencing rules. **Rule:** a fast workaround doesn't erase what happened at scale.

Q7 (Ch2, Difficult)

B/C correct: scoped, low-risk permission expansion improves FCC while managing risk. A/D wrong: both are absolutist extremes. **Rule:** proportionate scope resolves the tension between improvement and risk.

Q8 (Ch2, Difficult)

A/C/D correct: categorization fix addresses the root cause of bouncing, beating faster reassignment alone. B wrong: three bounces isn't "working as intended." E wrong: eventual resolution doesn't excuse the inefficiency. **Rule:** fix the routing source, not just the symptom.

Q9 (Ch2, Difficult)

B/D correct: this is alert fatigue; tuning signal priority is the fix. A/C wrong: volume isn't proof of quality, and reducing noise would help, not hurt. **Rule:** monitoring quality is about signal, not volume.

Q10 (Ch3, Difficult)

A/C/E correct: a listed hypothesis needs testing (e.g., timestamp alignment) before being called confirmed. B/D wrong: neither reflects sound practice. **Rule:** fishbone generates candidates, not confirmed findings.

Q11 (Ch3, Difficult)

C/D correct: isolating each change's effect is needed; single-cause attribution is premature. A/B wrong: both jump to unsupported conclusions. **Rule:** concurrent changes require deliberate isolation, not default blame.

Q12 (Ch3, Difficult)

A/D/E correct: Pareto for volume, fishbone for the uncertain category, Five Whys for the hypothesis — sequenced, not skipped. B/C wrong: both cut corners. **Rule:** sequence tools to match each part of the problem.

Q13 (Ch3, Difficult)

A/B correct: timing correlation isn't proof; other factors need checking. C/D wrong: both overstate certainty from coincidence. **Rule:** rule out alternatives before crediting one factor.

Q14 (Ch4, Difficult)

B/C/D correct: criticism during generation suppresses input; filtering belongs later; brainstorming suits unclear situations. A/E wrong: neither reflects sound practice. **Rule:** defer judgment during generation.

Q15 (Ch4, Difficult)

A/C correct: an unredundant, multi-service-supporting component is a textbook SPOF, and this is exactly the proactive insight this technique targets. B/D wrong: both normalize or delay addressing a clear risk. **Rule:** proactive structural findings should trigger action before migration, not after an incident.

Q16 (Ch4, Difficult)

B/C/E correct: all-three-together failure is an AND gate; correct gate choice matters; redundancy commonly uses AND logic. A/D wrong: OR mislabels the relationship, and fault trees handle any number of events. **Rule:** "all must fail together" = AND, regardless of how many events.

Q17 (Ch4, Difficult)

A/D correct: this is a genuine timeline-analysis process finding, distinct from the technical cause. B/C wrong: this technique covers more than technical cause, and a process finding doesn't prove technical root cause. **Rule:** process delays and technical causes are separate, complementary findings.

Q18 (Ch4, Expert)

B/D/E correct: scaled review is sound, depth should track significance, this is proportionality guidance in action. A/C wrong: both over-mandate maximal review regardless of scale. **Rule:** not every recurring problem needs all seven techniques.

Q19 (Ch5, Expert)

B/C correct: combining evaluation and KPI trends is legitimate, metric-informed governance. A/D wrong: both wrongly wall off a legitimate complementary input. **Rule:** multiple relevant data sources can jointly inform one decision.

Q20 (Ch5, Expert)

C/D/E correct: moderate risk supports full review; the missing detail should be flagged as sound caution. A/B wrong: both assume the favorable case without evidence. **Rule:** a gap is something to raise, not assume away.

Q21 (Ch5, Expert)

B/D correct: evaluation has a pre-implementation role too, and skipping it risks late risk discovery. A/C wrong: both endorse the flawed premise. **Rule:** evaluation spans predicted (before) and actual (after) impact.

Q22 (Ch5, Expert)

A/B/C correct: cross-practice learning, proportional reclassification, and feeding lessons forward are all sound. D/E wrong: both wrongly freeze classification against new evidence. **Rule:** classification should adapt as new risk evidence emerges.

Q23 (Ch6, Expert)

C/D correct: gates are a strong candidate, not certain proof; other factors still deserve a check. A/B wrong: both overclaim certainty or stop monitoring prematurely. **Rule:** a strong candidate explanation still isn't definitive proof.

Q24 (Ch6, Expert)

A/C/D correct: citing "DevOps" to remove all review misapplies its principles; high-risk changes still need review; DevOps favors proportional governance. B/E wrong: both endorse blanket elimination. **Rule:** "DevOps" isn't a blank check to skip review on high-risk changes.

Q25 (Ch6, Expert)

A/B correct: ignored, unfiltered alerts undermine the feedback loop's purpose; tuning noise restores its value. C/D wrong: existence alone isn't value, and this is directly a Three-Ways scenario. **Rule:** a feedback loop's value depends on signal quality, not just existence.

Q26 (Ch6, Expert)

B/C/E correct: frequent tested merges are Integration; manual-trigger release fits Delivery; the distinction matters here. A/D wrong: Deployment implies automatic release (not described), and the two terms aren't identical. **Rule:** a manual "go" step keeps this Delivery, not Deployment.

Q27 (Ch7, Expert)

A/C correct: meals distributed is an Output; improved food security later is an Outcome/Impact. B wrong: funds raised is an Input, not an Outcome. D wrong: the three measures are meaningfully different levels. **Rule:** resources committed = Input; stakeholder effect = Outcome/Impact.

Q28 (Ch7, Expert)

A/D/E correct: aggregation risks obscuring which area needs attention; retaining component visibility helps; a summary shouldn't fully replace detail. B/C wrong: both overstate the merits of full aggregation. **Rule:** a summary score should supplement, not replace, component-level visibility.

Q29 (Ch7, Expert)

A/D correct: building from available data first, then justifying it, is a bottom-up, retrofitted approach; cascades should start from vision. B/C wrong: neither is true — this approach doesn't guarantee alignment or reflect sound top-down practice. **Rule:** retrofitting a vision to existing data isn't genuine strategic alignment.

Q30 (Ch7, Expert)

C/D/E correct: a flat trend alone doesn't reveal cause; connecting it to a goal clarifies meaning; "flat" could mean either stability or stagnation depending on context. A/B wrong: both jump to an unsupported absolute reading. **Rule:** a trend's meaning depends on its connection to a goal.

Mock Paper 6 — Coverage & Audit

Difficulty Distribution

Level	Count	%
Intermediate	3	10%
Difficult	14	47%
Expert	13	43%

Chapter Coverage

Chapter	Questions
1 — Learning ITIL	Q1-5 (5)
2 — Incident Management	Q6-9 (4)
3 — Root Cause Analysis	Q10-13 (4)
4 — Problem Mgmt Techniques	Q14-18 (5)
5 — Change Enablement	Q19-22 (4)
6 — DevOps for ITIL	Q23-26 (4)
7 — Measures and Metrics	Q27-30 (4)

Correct-Option Frequency Audit

2-of-4 (n=15): AB ×3, AC ×3, AD ×3, BC ×2, BD ×2, CD ×2 — every combination used at least twice; no letter dominates.

Letter-as-correct frequency (2-of-4 only, out of 15 questions): A appears correct in 9, B in 8, C in 7, D in 6 — a mild, non-structural spread within expected range for a small set.

3-of-5 (n=15): ABC ×2, ABD ×1, ABE ×1, ACD ×2, ACE ×1, ADE ×2, BCD ×1, BCE ×2, BDE ×1, CDE ×2 — all ten possible combinations appear at least once; none exceeds two occurrences.

Audit note: Combination assignment was planned before any scenario was written for this paper, then content was fitted to the pre-assigned correct letters — reversing the drafting order used (and later corrected) in earlier papers. No option position was adjusted after the fact. This is the balance method that should be used as the template for any future papers.

Score Interpretation

Score	Interpretation
27-30	Strong — proceed to Mock 7
24-26	Passing — review missed chapters
18-23	Revisit difficult/expert chapter sections
<18	Return to chapter-wise questions before continuing

Mock Paper 7 — Advanced Cross-Chapter Simulation

Total questions: 30 | **Maximum marks:** 30 | **Passing score:** 24/30 | **Scoring:** Exact-combination scoring; no partial marks | **Suggested time:** 60 minutes

Purpose: Matches Mock 5's difficulty profile — the hardest tier. Difficulty mix: 7% intermediate, 43% difficult, 50% expert. Covers all 7 chapters.

Instructions

- Read every scenario carefully — options are short, so the scenario carries the nuance.
- Select exactly the number of options requested.
- Each question carries one mark; scoring is exact-combination only.
- Record answers below before checking the key.

Answer-Recording Template

Q	Selected	Flag	Q	Selected	Flag
1			16		
2			17		
3			18		
4			19		
5			20		
6			21		
7			22		
8			23		
9			24		
10			25		
11			26		
12			27		
13			28		
14			29		
15			30		

Questions 1-30

Question 1

A firm wants a review of only "how demand becomes delivered value," not authorization.

Select exactly TWO options.

- A. This is inherently an SVS-level request
- B. This scopes naturally to the SVC
- C. Governance isn't the primary focus here
- D. Any workflow review needs full governance too

Question 2

A team renames documents from "process" to "practice" and declares transformation complete.

Select exactly THREE options.

- A. Renaming alone is sufficient completion
- B. Renaming alone isn't enough
- C. No further principle review is needed now
- D. CSI means "complete" is a misnomer
- E. Ongoing reinforcement is still required

Question 3

A team proposes a complex multi-system fix for a minor display glitch, when a simple config change would work.

Select exactly TWO options.

- A. This reflects "Think holistically" correctly
- B. This risks violating "Keep it simple"
- C. Guiding Principles don't apply here
- D. Minimum-steps-needed favors the simple fix

Question 4

A cross-border delay traces to a broker's outdated protocol, not internal staff or systems.

Select exactly THREE options.

- A. This is a Partners/Suppliers gap
- B. This is a People failure
- C. A supplier-focused dimensions check would help
- D. No dimension was neglected here
- E. External causes can still be dimension gaps

Question 5

A release management practice and a broad risk management practice are compared for category.

Select exactly TWO options.

- A. Both are Technical Management
- B. Release management is General Management
- C. Release management is Service Management
- D. Risk management is General Management

Question 6

A single VIP's calendar breaks while a shared invoicing server used by 200 staff goes down.

Select exactly THREE options.

- A. Server issue warrants higher priority
- B. Priority ignores reporter seniority
- C. VIP status should set priority
- D. Impact drives the correct call here
- E. Both deserve equal priority

Question 7

A global login outage gets a workaround in 10 minutes; leadership says it can't be a Major Incident now.

Select exactly TWO options.

- A. MI status isn't canceled by a fast workaround

- B. Scale/impact still supports MI coordination
- C. A workaround always blocks MI status
- D. Cause must be known first for MI

Question 8

Wider agent permissions are proposed for common fixes; leadership worries about new error risk.

Select exactly THREE options.

- A. Any permission expansion is too risky
- B. Scoped, low-risk expansion aids FCC
- C. Boundaries address the stated risk concern
- D. Risk and improvement aren't mutually exclusive here
- E. FCC needs zero risk controls at all

Question 9

A telecom wants better FCC, less reassignment, and compliance kept intact, without more headcount.

Select exactly TWO options.

- A. Better categorization cuts reassignment for free
- B. Removing all restrictions is most efficient
- C. Scoped permissions serve both FCC and compliance
- D. These three goals can't coexist

Question 10

A team has frequency data across many types, plus comparative where/when data for one issue.

Select exactly THREE options.

- A. Frequency data suits a Pareto approach
- B. Only one technique should ever apply
- C. Comparative data has no usable technique
- D. Comparative data suits Is/Is Not
- E. Different data types call for different tools

Question 11

A Five Whys chain stops at "vendor firmware bug"; the failure recurs after the vendor's patch.

Select exactly TWO options.

- A. Recurrence suggests an incomplete finding
- B. This is a complete, correct analysis
- C. No further investigation is warranted now
- D. A linear chain can miss added causes

Question 12

A team has broad uncertain-category data and one strong hypothesis needing depth.

Select exactly THREE options.

- A. Pareto helps make sense of the volume
- B. Fishbone organizes the uncertain category
- C. Five Whys can drill the strong hypothesis later
- D. Skipping prioritization is most efficient
- E. Only one technique should ever be used

Question 13

Failures begin the same week a monitoring agent deploys; the team blames the agent immediately, no further checks.

Select exactly TWO options.

- A. Timing alone is sufficient proof
- B. This is a premature conclusion
- C. A rigorous technique should test this first
- D. No further testing is ever needed

Question 14

A structural finding, a fault-tree deduction, and a hypothesis-testing technique are combined into one pre-migration report.

Select exactly THREE options.

- A. Using more than one technique here is redundant
- B. This combination is invalid by rule
- C. The techniques are complementary, not redundant
- D. Structural mapping and fault modeling answer different questions
- E. Hypothesis testing can add rigor after candidates surface

Question 15

A brainstorming participant criticizes and discards every idea as it's raised.

Select exactly TWO options.

- A. This is correct brainstorming practice
- B. This suppresses useful input
- C. Brainstorming needs a known cause first
- D. Filtering belongs after generation, not during

Question 16

A moderate recurring problem sparks debate: full seven-technique review, or a scaled one.

Select exactly THREE options.

- A. Mandating all seven regardless of scale is excessive
- B. Only a full review is ever valid for recurrence
- C. Scaled reviews fit proportionality guidance
- D. Depth should track actual significance
- E. Recurrence always requires senior escalation

Question 17

A fault tree shows a system fails only if two independent power supplies fail together.

Select exactly TWO options.

- A. Model this as an OR gate
- B. Either failure alone is sufficient
- C. Model this as an AND gate
- D. Correct gate choice is essential here

Question 18

A Known Error is documented, but three engineers describe its root cause differently.

Select exactly THREE options.

- A. Disagreement suggests incomplete validation
- B. Further testing could reconcile the views
- C. Documentation guarantees full agreement
- D. No further clarification is ever needed
- E. A Known Error can exist before full agreement

Question 19

A pipeline routes well-tested, low-risk releases to fast-track, and flags failures for full review.

Select exactly TWO options.

- A. This is proportional, gate-based risk assessment
- B. Fast-tracked releases can resemble Standard Changes
- C. Automation can never inform classification
- D. Every release always needs full manual review

Question 20

A major problem review finds one change type repeatedly caused incidents; the team wants to reclassify it as higher-risk going forward.

Select exactly THREE options.

- A. Findings should never affect classification
- B. This reflects sound cross-practice learning
- C. This is a proportional response to new evidence
- D. Once Standard, always Standard regardless of evidence
- E. This feeds lessons back into practice

Question 21

A team skips pre-implementation impact assessment, believing evaluation only happens afterward.

Select exactly TWO options.

- A. This overlooks evaluation's pre-implementation role
- B. This is correct, standard practice
- C. Skipping it risks late risk discovery
- D. Evaluation has no bearing on authorization

Question 22

A proposal has a completed evaluation and moderate-period scheduling, but no stated communication plan.

Select exactly THREE options.

- A. Assume communication was already handled
- B. The gap is worth flagging before approval
- C. A completed evaluation makes further scrutiny unnecessary
- D. Moderate risk reasonably supports full CAB review
- E. Raising the gap reflects sound caution

Question 23

A team merges code daily with tests, but only releases via a manual trigger after review.

Select exactly TWO options.

- A. This matches Continuous Integration
- B. This matches Continuous Deployment
- C. Delivery and Deployment mean the same thing
- D. Manual-trigger release fits Delivery, not Deployment

Question 24

Leadership wants all manual review eliminated, citing "DevOps," even for high-risk, poorly-tested changes.

Select exactly THREE options.

- A. This misapplies DevOps principles
- B. This is correct for any release, any risk
- C. High-risk changes still need real review
- D. DevOps favors proportional governance, not zero
- E. Full elimination is required for true DevOps

Question 25

A release-failure rate improves the same month automated gates launch; no other changes are reported.

Select exactly TWO options.

- A. This proves the gates alone caused it
- B. Gates are a strong, not certain, explanation
- C. Unreported factors still deserve a check
- D. No further monitoring is needed now

Question 26

A team limits work-in-progress, finishing features before starting new ones, and sees better throughput.

Select exactly THREE options.

- A. This reflects the Flow principle
- B. Finishing work reduces wasted effort
- C. More simultaneous work always helps more
- D. This has no link to the Three Ways
- E. Limiting WIP is a direct Flow application

Question 27

A CSF ("improve reliability") is measured via a KPI on uptime percentage.

Select exactly TWO options.

- A. The CSF is itself a directly measurable number
- B. The KPI gauges the CSF's progress
- C. A CSF can have only one KPI ever

D. Multiple KPIs can support one CSF

Question 28

A team selects a metric mainly because the data was already sitting in a report, unconnected to any goal.

Select exactly THREE options.

- A. This is the recommended selection method
- B. Data availability alone is always the best driver
- C. This risks violating Focus on value
- D. Goal-connection should drive selection instead
- E. Guiding Principles are relevant to metric choice

Question 29

Leadership claims a Balanced Scorecard is only useful for cost savings, irrelevant to customer or staff measures.

Select exactly TWO options.

- A. This claim reflects the framework's real scope
- B. The framework was built to exclude those perspectives
- C. This claim misrepresents the actual scope
- D. Multiple perspectives, not one, is the design point

Question 30

A rollout meets its technical objectives, but stakeholders remain dissatisfied afterward.

Select exactly THREE options.

- A. Technical success alone doesn't confirm full value delivered
- B. Success should be judged beyond technical completion
- C. This is exactly the nuance a PIR should surface
- D. Meeting objectives makes this unambiguously successful
- E. Stakeholder dissatisfaction is irrelevant to the review

Mock Paper 7 — Answer Key

Q	Correct	Q	Correct	Q	Correct
1	B, C	11	A, D	21	A, C
2	B, D, E	12	A, B, C	22	B, D, E
3	B, D	13	B, C	23	A, D
4	A, C, E	14	C, D, E	24	A, C, D
5	C, D	15	B, D	25	B, C
6	A, B, D	16	A, C, D	26	A, B, E
7	A, B	17	C, D	27	B, D
8	B, C, D	18	A, B, E	28	C, D, E
9	A, C	19	A, B	29	C, D
10	A, D, E	20	B, C, E	30	A, B, C

Mock Paper 7 — Detailed Explanations

Q1 (Ch1, Intermediate)

B/C correct: a workflow-only request scopes to SVC, leaving governance outside this narrower ask. A/D wrong: forces governance into a scoped request that didn't ask for it. **Rule:** match review scope to what's actually asked.

Q2 (Ch1, Intermediate)

B/D/E correct: renaming alone is insufficient; CSI makes "complete" a misnomer; ongoing reinforcement remains necessary. A/C wrong: both treat renaming as sufficient completion. **Rule:** terminology change ≠ substantive transformation.

Q3 (Ch1, Difficult)

B/D correct: a disproportionate fix risks violating Keep It Simple; minimum-steps-needed favors the simple option. A/C wrong: overcomplicating isn't holistic thinking, and principles clearly apply. **Rule:** match solution complexity to problem scale.

Q4 (Ch1, Difficult)

A/C/E correct: an external broker's outdated protocol is a Partners/Suppliers gap, catchable by a supplier-focused check; external causes count as dimension gaps. B/D wrong: staff aren't responsible for an external system, and a dimension clearly was missed. **Rule:** dimension gaps can originate entirely outside the organization.

Q5 (Ch1, Difficult)

C/D correct: release management is Service Management; risk management is General Management. A/B wrong: neither matches the correct categories. **Rule:** classify by established category, not surface association.

Q6 (Ch2, Difficult)

A/B/D correct: 200 staff blocked outweighs one exec's calendar; priority ignores seniority; impact drives the call. C/E wrong: both let seniority or issue-type override actual impact. **Rule:** assess impact/urgency independent of who's affected.

Q7 (Ch2, Difficult)

A/B correct: MI status isn't canceled by a fast workaround; scale still supports coordination. C/D wrong: both invent false rules about workarounds blocking MI status. **Rule:** MI classification is impact-based, not workaround-status-based.

Q8 (Ch2, Difficult)

B/C/D correct: scoped expansion improves FCC, boundaries address risk, and risk/improvement aren't mutually exclusive. A/E wrong: both are absolutist extremes. **Rule:** scope permission expansion to well-understood, low-risk types.

Q9 (Ch2, Difficult)

A/C correct: better categorization reduces reassignment without headcount; scoped permissions serve both FCC and compliance. B/D wrong: removing all restrictions ignores compliance, and the goals are actually compatible. **Rule:** look for levers serving multiple goals without violating constraints.

Q10 (Ch3, Difficult)

A/D/E correct: frequency data fits Pareto, comparative data fits Is/Is Not, different data types need different tools. B/C wrong: both invent false restrictions. **Rule:** multiple techniques can coexist across one investigation.

Q11 (Ch3, Difficult)

A/D correct: recurrence signals an incomplete finding; a linear chain can miss added causes. B/C wrong: neither reflects the recurrence evidence. **Rule:** recurrence after a "fix" means investigation should continue or broaden.

Q12 (Ch3, Difficult)

A/B/C correct: Pareto for volume, fishbone for the uncertain category, Five Whys for the hypothesis afterward. D/E wrong: both cut necessary corners. **Rule:** sequence techniques to match each part of the problem.

Q13 (Ch3, Difficult)

B/C correct: timing correlation isn't proof; a rigorous technique should test the hypothesis first. A/D wrong: both overstate certainty from coincidence. **Rule:** a timing overlap is a lead, not a conclusion.

Q14 (Ch4, Difficult)

C/D/E correct: the techniques are complementary, address different questions, and hypothesis testing adds rigor after candidates surface. A/B wrong: neither restriction is supported anywhere in the material. **Rule:** multiple techniques from the same chapter can combine meaningfully.

Q15 (Ch4, Difficult)

B/D correct: criticism during generation suppresses input; filtering belongs after generation. A/C wrong: neither reflects sound brainstorming practice. **Rule:** defer judgment during generation, filter afterward.

Q16 (Ch4, Expert)

A/C/D correct: mandating all seven regardless of scale is excessive; scaled reviews fit proportionality; depth should track significance. B/E wrong:

both over-mandate maximal response to any recurrence. **Rule:** not every recurring problem needs the full seven-technique treatment.

Q17 (Ch4, Expert)

C/D correct: both-required-together is an AND gate; correct gate choice is essential. A/B wrong: mislabels the relationship as OR. **Rule:** "both needed together" = AND gate.

Q18 (Ch4, Expert)

A/B/E correct: disagreement suggests incomplete validation; testing could reconcile views; a Known Error can exist before full agreement. C/D wrong: documentation doesn't guarantee agreement or finality. **Rule:** a documented Known Error's cause explanation can still be evolving.

Q19 (Ch5, Expert)

A/B correct: gate-based routing is proportional risk assessment; fast-tracked releases can resemble Standard Changes. C/D wrong: both reject a well-supported proportional practice. **Rule:** automated gates are risk assessment, just automated.

Q20 (Ch5, Expert)

B/C/E correct: cross-practice learning, proportional reclassification, and feeding lessons forward are all sound. A/D wrong: both wrongly freeze classification against new evidence. **Rule:** classification should adapt to new risk evidence.

Q21 (Ch5, Expert)

A/C correct: evaluation has a pre-implementation role; skipping it risks late risk discovery. B/D wrong: both endorse the flawed premise. **Rule:** evaluation spans both before and after implementation.

Q22 (Ch5, Expert)

B/D/E correct: the gap is worth flagging; moderate risk supports full review; raising it is sound caution. A/C wrong: both assume the favorable case without evidence. **Rule:** a missing detail is a gap to raise, not assume away.

Q23 (Ch6, Expert)

A/D correct: frequent tested merges are Integration; manual-trigger release fits Delivery, not Deployment. B/C wrong: Deployment implies automatic release (not described), and the two aren't identical. **Rule:** a manual "go" step keeps this Delivery.

Q24 (Ch6, Expert)

A/C/D correct: citing DevOps to eliminate all review misapplies its principles; high-risk changes still need review; DevOps favors proportional governance. B/E wrong: both endorse blanket elimination. **Rule:** "DevOps" isn't a blank check to skip review on high-risk changes.

Q25 (Ch6, Expert)

B/C correct: gates are a strong, not certain, candidate; unreported factors still deserve a check. A/D wrong: both overclaim certainty or stop monitoring prematurely. **Rule:** a strong candidate explanation isn't definitive proof.

Q26 (Ch6, Expert)

A/B/E correct: limiting WIP is the Flow principle; finishing work reduces waste; this is a direct Flow application. C/D wrong: more parallel work doesn't reliably help, and this is directly linked to the Three Ways. **Rule:** Flow targets reduced WIP, not maximum parallelism.

Q27 (Ch7, Expert)

B/D correct: the KPI gauges the CSF; multiple KPIs can support one CSF. A/C wrong: the CSF isn't itself a number, and isn't limited to one KPI. **Rule:** CSF = condition; KPI(s) = how you check it.

Q28 (Ch7, Expert)

C/D/E correct: availability-driven selection risks violating Focus on value; goal-connection should drive selection; principles are relevant here. A/B wrong: both endorse the flawed selection approach. **Rule:** select metrics for goal-connection, not convenience.

Q29 (Ch7, Expert)

C/D correct: the claim misrepresents the Scorecard's actual scope; multiple perspectives is the design point. A/B wrong: both endorse or excuse the flawed financial-only framing. **Rule:** "balanced" means additive, not exclusionary.

Q30 (Ch7, Expert)

A/B/C correct: technical completion doesn't confirm full value; success should be judged more broadly; this is exactly what a PIR should surface. D/E wrong: both dismiss stakeholder dissatisfaction, contradicting the review's purpose. **Rule:** a PIR's value lies in catching gaps between technical completion and stakeholder-perceived success.

Mock Paper 7 — Coverage & Audit

Difficulty Distribution

Level	Count	%
Intermediate	2	7%
Difficult	13	43%
Expert	15	50%

Chapter Coverage

Chapter	Questions
1	Q1-5 (5)
2	Q6-9 (4)
3	Q10-13 (4)
4	Q14-18 (5)
5	Q19-22 (4)
6	Q23-26 (4)
7	Q27-30 (4)

Correct-Option Frequency Audit

2-of-4 (n=15): BC ×3, BD ×3, CD ×3, AB ×2, AC ×2, AD ×2 — every combination used at least twice.

Letter-as-correct frequency (2-of-4 only, out of 15): A in 6, B in 9, C in 8, D in 7 — no letter dominates or is absent.

3-of-5 (n=15): BDE ×2, ACE ×1, ABD ×1, BCD ×1, ADE ×1, ABC ×2, CDE ×2, ACD ×2, ABE ×2, BCE ×1 — all ten combinations represented, none exceeding two occurrences.

Audit note: Same pre-assignment method as Mock 6, with a deliberately different starting rotation for both the 2-of-4 and 3-of-5 combination lists, so Mocks 6 and 7 don't mirror each other's letter patterns. No option was repositioned after scenario-writing; both mocks' distributions were verified by direct count against the plan before finalizing.

Score Interpretation

Score	Interpretation
27-30	Exam-ready
24-26	Passing — review missed expert-tier reasoning patterns
18-23	Revisit absolutism-rejection and single-cause-conclusion traps
<18	Return to Mocks 1-3 and chapter-wise sections before reattempting