DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
FROM online_sales
GROUP BY year, month
ORDER BY total_revenue DESC
LIMIT 5;
SELECT
    strftime('%Y', order_date) AS year,
    strftime('%m', order_date) AS month,
    ROUND(AVG(amount), 2) AS avg_order_value
FROM online_sales
GROUP BY year, month
ORDER BY year, month;
```

	year	month	avg_order_value
1	2022	01	2160.71
2	2022	02	2593.58
3	2022	03	2790.47
4	2022	04	2882.0
5	2022	05	2746.73
6	2022	06	2316.06
7	2022	07	2773.61
8	2022	08	2057.58
9	2022	09	2148.96
10	2022	10	2787.68
11	2022	11	2224.1
12	2022	12	3102.48
13	2023	01	3115.42
14	2023	02	1962.14
15	2023	03	1722.95
16	2023	04	2244.04

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:47 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
    ROUND(AVG(amount), 2) AS avg_order_value
FROM online_sales
GROUP BY year, month
ORDER BY year, month;
SELECT
    product_id,
    SUM(amount) AS product_revenue
FROM online_sales
GROUP BY product_id
ORDER BY product_revenue DESC
LIMIT 10;
```

	product_id	product_revenue
1	125	48365.77
2	110	46442.82
3	118	45933.1
4	119	44785.78
5	134	44649.19
6	106	44148.82
7	107	43023.91
8	117	41882.4
9	142	38688.82
10	127	37477.45

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:48 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
    SUM(amount) AS yearly_revenue,
    COUNT(DISTINCT order_id) AS total_orders
FROM online_sales
GROUP BY year
ORDER BY year;SELECT
    product_id,
    SUM(amount) AS total_revenue
FROM online_sales
GROUP BY product_id
ORDER BY total_revenue DESC
LIMIT 1;
```

	product_id	total_revenue
1	125	48365.77

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:51 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
    SUM(amount) AS yearly_revenue,
    COUNT(DISTINCT order_id) AS total_orders
FROM online_sales
GROUP BY year
ORDER BY year;SELECT
    product_id,
    SUM(amount) AS total_revenue
FROM online_sales
GROUP BY product_id
ORDER BY total_revenue DESC
LIMIT 1;
```

	product_id	total_revenue
1	125	48365.77

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:51 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
FROM online_sales
GROUP BY year
ORDER BY year;
SELECT
    strftime('%Y', order_date) AS year,
    strftime('%m', order_date) AS month,
    SUM(amount) AS total_revenue
FROM online_sales
GROUP BY year, month
ORDER BY total_revenue DESC
LIMIT 5;
```

	year	month	total_revenue
1	2024	08	70204.71
2	2022	01	62660.45
3	2024	03	61085.4
4	2023	05	56065.61
5	2022	12	55844.58

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:47 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
    SUM(amount) AS product_revenue
FROM online_sales
GROUP BY product_id
ORDER BY product_revenue DESC
LIMIT 10;
SELECT
    strftime('%Y-%m', order_date) AS year_month,
    SUM(amount) AS revenue
FROM online_sales
GROUP BY year_month
ORDER BY year_month;
```

	year_month	revenue
1	2022-01	62660.45
2	2022-02	41497.29
3	2022-03	13952.35
4	2022-04	46111.94
5	2022-05	52187.81
6	2022-06	41689.13
7	2022-07	38830.51
8	2022-08	32921.22
9	2022-09	51575.04
10	2022-10	50178.15
11	2022-11	42257.83
12	2022-12	55844.58
13	2023-01	21807.95
14	2023-02	25507.8
15	2023-03	37904.9
16	2023-04	22440.42

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:48 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
FROM online_sales
GROUP BY year, month
ORDER BY year, month;
SELECT
    strftime('%Y', order_date) AS year,
    strftime('%m', order_date) AS month,
    SUM(amount) AS monthly_revenue,
    COUNT(DISTINCT order_id) AS total_orders
FROM online_sales
GROUP BY year, month
ORDER BY year, month;
```

	year	month	monthly_revenue	total_orders
1	2022	01	62660.45	29
2	2022	02	41497.29	16
3	2022	03	13952.35	5
4	2022	04	46111.94	16
5	2022	05	52187.81	19
6	2022	06	41689.13	18
7	2022	07	38830.51	14
8	2022	08	32921.22	16
9	2022	09	51575.04	24
10	2022	10	50178.15	18
11	2022	11	42257.83	19
12	2022	12	55844.58	18
13	2023	01	21807.95	7
14	2023	02	25507.8	13
15	2023	03	37904.9	22
16	2023	04	22440.42	10

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:50 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
SELECT
    strftime('%Y', order_date) AS year,
    strftime('%m', order_date) AS month,
    SUM(amount) AS total_revenue,
    COUNT(DISTINCT order_id) AS total_orders
FROM online_sales
GROUP BY year, month
ORDER BY year, month;
```

	year	month	total_revenue	total_orders
1	2022	01	62660.45	29
2	2022	02	41497.29	16
3	2022	03	13952.35	5
4	2022	04	46111.94	16
5	2022	05	52187.81	19
6	2022	06	41689.13	18
7	2022	07	38830.51	14
8	2022	08	32921.22	16
9	2022	09	51575.04	24
10	2022	10	50178.15	18
11	2022	11	42257.83	19
12	2022	12	55844.58	18
13	2023	01	21807.95	7
14	2023	02	25507.8	13
15	2023	03	37904.9	22
16	2023	04	22440.42	10

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:46 22-02-2026

DB Browser for SQLite - C:\Users\Admin\Downloads\sales_analysis_big.db

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
    COUNT(DISTINCT order_id) AS total_orders
FROM online_sales
GROUP BY year, month
ORDER BY year, month;
SELECT
    strftime('%Y', order_date) AS year,
    SUM(amount) AS yearly_revenue,
    COUNT(DISTINCT order_id) AS total_orders
FROM online_sales
GROUP BY year
ORDER BY year;
```

	year	yearly_revenue	total_orders
1	2022	529706.3	212
2	2023	446836.75	184
3	2024	536636.55	204

McAfee

UTF-8

31°C Mostly sunny | Search | ENG IN | 14:46 22-02-2026