Servlets

Servlet technology is used to create a web application (resides at server side and generates a dynamic web page).

Servlet technology is robust and scalable because of java language. Before Servlet, CGI (Common Gateway Interface) scripting language was common as a server-side programming language. However, there were many disadvantages to this technology. We have discussed these disadvantages below.

There are many interfaces and classes in the Servlet API such as Servlet, GenericServlet, HttpServlet, ServletRequest, ServletResponse, etc.

What is a Servlet?

Servlet can be described in many ways, depending on the context.

- o Servlet is a technology which is used to create a web application.
- o Servlet is an API that provides many interfaces and classes including documentation.
- o Servlet is an interface that must be implemented for creating any Servlet.
- o Servlet is a class that extends the capabilities of the servers and responds to the incoming requests. It can respond to any requests.
- o Servlet is a web component that is deployed on the server to create a dynamic web page.


What is a web application?

A web application is an application accessible from the web. A web application is composed of web components like Servlet, JSP, Filter, etc. and other elements such as HTML, CSS, and JavaScript. The web components typically execute in Web Server and respond to the HTTP request.

CGI (Common Gateway Interface)

CGI technology enables the web server to call an external program and pass HTTP request information to the external program to process the request. For each request, it starts a new process.


Disadvantages of CGI

There are many problems in CGI technology:

1. If the number of clients increases, it takes more time for sending the response.
2. For each request, it starts a process, and the web server is limited to start processes.
3. It uses platform dependent language e.g. C, C++, perl.

Advantages of Servlet

There are many advantages of Servlet over CGI. The web container creates threads for handling the multiple requests to the Servlet. Threads have many benefits over the Processes such as they share a common memory area, lightweight, cost of communication between the threads are low. The advantages of Servlet are as follows:

1. **Better performance:** because it creates a thread for each request, not process.
2. **Portability:** because it uses Java language.
3. **Robust:** JVM manages Servlets, so we don't need to worry about the memory leak, garbage collection, etc.
4. **Secure:** because it uses java language.

Servlet API

The javax.servlet and javax.servlet.http packages represent interfaces and classes for servlet api.

The **javax.servlet** package contains many interfaces and classes that are used by the servlet or web container. These are not specific to any protocol.

The **javax.servlet.http** package contains interfaces and classes that are responsible for http requests only.

Let's see what are the interfaces of javax.servlet package.

Interfaces in javax.servlet package

There are many interfaces in javax.servlet package. They are as follows:

1. Servlet
2. ServletRequest
3. ServletResponse
4. RequestDispatcher
5. ServletConfig
6. ServletContext
7. SingleThreadModel
8. Filter
9. FilterConfig
10. FilterChain
11. ServletRequestListener
12. ServletRequestAttributeListener
13. ServletContextListener
14. ServletContextAttributeListener

Classes in javax.servlet package

There are many classes in javax.servlet package. They are as follows:

1. GenericServlet
2. ServletInputStream
3. ServletOutputStream
4. ServletRequestWrapper
5. ServletResponseWrapper
6. ServletRequestEvent
7. ServletContextEvent
8. ServletRequestAttributeEvent
9. ServletContextAttributeEvent
10. ServletException

11. UnavailableException

Interfaces in javax.servlet.http package

There are many interfaces in javax.servlet.http package. They are as follows:

1. HttpServletRequest
2. HttpServletResponse
3. HttpSession
4. HttpSessionListener
5. HttpSessionAttributeListener
6. HttpSessionBindingListener
7. HttpSessionActivationListener
8. HttpSessionContext (deprecated now)

Classes in javax.servlet.http package

There are many classes in javax.servlet.http package. They are as follows:

1. HttpServlet
2. Cookie
3. HttpServletRequestWrapper
4. HttpServletResponseWrapper
5. HttpSessionEvent
6. HttpSessionBindingEvent
7. HttpUtils (deprecated now)

Servlet Interface

Servlet interface provides commonbehaviorto all the servlets.Servlet interface defines methods that all servlets must implement.

Servlet interface needs to be implemented for creating any servlet (either directly or indirectly). It provides 3 life cycle methods that are used to initialize the servlet, to service the requests, and to destroy the servlet and 2 non-life cycle methods.

Methods of Servlet interface

There are 5 methods in Servlet interface. The init, service and destroy are the life cycle methods of servlet. These are invoked by the web container.

Method	Description
public void init(ServletConfig config)	initializes the servlet. It is the life cycle method of servlet and invoked by the web container only once.
public void service(ServletRequest	provides response for the incoming request. It is

request,ServletResponse response)	invoked at each request by the web container.
public void destroy()	is invoked only once and indicates that servlet is being destroyed.
public ServletConfig getServletConfig()	returns the object of ServletConfig.
public String getServletInfo()	returns information about servlet such as writer, copyright, version etc.

Life Cycle of a Servlet (Servlet Life Cycle)

The web container maintains the life cycle of a servlet instance. Let's see the life cycle of the servlet:

1. Servlet class is loaded.
2. Servlet instance is created.
3. init method is invoked.
4. service method is invoked.
5. destroy method is invoked.

As displayed in the above diagram, there are three states of a servlet: new, ready and end. The servlet is in new state if servlet instance is created. After invoking the init() method, Servlet comes in the ready state. In the ready state, servlet performs all the tasks. When the web container invokes the destroy() method, it shifts to the end state.

1) Servlet class is loaded

The classloader is responsible to load the servlet class. The servlet class is loaded when the first request for the servlet is received by the web container.

2) Servlet instance is created

The web container creates the instance of a servlet after loading the servlet class. The servlet instance is created only once in the servlet life cycle.

3) init method is invoked

1. **public void** init(ServletConfig config) **throws** ServletException

The web container calls the init method only once after creating the servlet instance. The init method is used to initialize the servlet. It is the life cycle method of the javax.servlet.Servlet interface. Syntax of the init method is given below:

4) service method is invoked

The web container calls the service method each time when request for the servlet is received. If servlet is not initialized, it follows the first three steps as described above then calls the service method. If servlet is initialized, it calls the service method. Notice that servlet is initialized only once. The syntax of the service method of the Servlet interface is given below:

1. **public void** service(ServletRequest request, ServletResponse response)
2. **throws** ServletException, IOException

5) destroy method is invoked

The web container calls the destroy method before removing the servlet instance from the service. It gives the servlet an opportunity to clean up any resource for example memory, thread etc. The syntax of the destroy method of the Servlet interface is given below:

1. **public void** destroy()

JSP

JSP technology is used to create web application just like Servlet technology. It can be thought of as an extension to Servlet because it provides more functionality than servlet such as expression language, JSTL, etc.

A JSP page consists of HTML tags and JSP tags. The JSP pages are easier to maintain than Servlet because we can separate designing and development. It provides some additional features such as Expression Language, Custom Tags, etc.

Advantages of JSP over Servlet

There are many advantages of JSP over the Servlet. They are as follows:

1) Extension to Servlet

JSP technology is the extension to Servlet technology. We can use all the features of the Servlet in JSP. In addition to, we can use implicit objects, predefined tags, expression language and Custom tags in JSP, that makes JSP development easy.

2) Easy to maintain

JSP can be easily managed because we can easily separate our business logic with presentation logic. In Servlet technology, we mix our business logic with the presentation logic.

3) Fast Development: No need to recompile and redeploy

If JSP page is modified, we don't need to recompile and redeploy the project. The Servlet code needs to be updated and recompiled if we have to change the look and feel of the application.

4) Less code than Servlet

In JSP, we can use many tags such as action tags, JSTL, custom tags, etc. that reduces the code. Moreover, we can use EL, implicit objects, etc.

The Lifecycle of a JSP Page

The JSP pages follow these phases:

- o   Translation of JSP Page
- o   Compilation of JSP Page
- o   Classloading (the classloader loads class file)
- o   Instantiation (Object of the Generated Servlet is created).
- o   Initialization (the container invokes jspInit() method).
- o   Request processing (the container invokes _jspService() method).
- o   Destroy (the container invokes jspDestroy() method).

As depicted in the above diagram, JSP page is translated into Servlet by the help of JSP translator. The JSP translator is a part of the web server which is responsible for translating the JSP page into Servlet. After that, Servlet page is compiled by the compiler and gets converted into the class file. Moreover, all the processes that happen in Servlet are performed on JSP later like initialization, committing response to the browser and destroy.

RMI (Remote Method Invocation)

The **RMI** (Remote Method Invocation) is an API that provides a mechanism to create distributed application in java. The RMI allows an object to invoke methods on an object running in another JVM.

The RMI provides remote communication between the applications using two objects *stub* and *skeleton*.

Understanding stub and skeleton

RMI uses stub and skeleton object for communication with the remote object.

A **remote object** is an object whose method can be invoked from another JVM. Let's understand the stub and skeleton objects:

stub

The stub is an object, acts as a gateway for the client side. All the outgoing requests are routed through it. It resides at the client side and represents the remote object. When the caller invokes method on the stub object, it does the following tasks:

1. It initiates a connection with remote Virtual Machine (JVM),
2. It writes and transmits (marshals) the parameters to the remote Virtual Machine (JVM),
3. It waits for the result
4. It reads (unmarshals) the return value or exception, and
5. It finally, returns the value to the caller.

skeleton

The skeleton is an object, acts as a gateway for the server side object. All the incoming requests are routed through it. When the skeleton receives the incoming request, it does the following tasks:

1. It reads the parameter for the remote method
2. It invokes the method on the actual remote object, and
3. It writes and transmits (marshals) the result to the caller.

In the Java 2 SDK, an stub protocol was introduced that eliminates the need for skeletons.

RMI Example

In this example, we have followed all the 6 steps to create and run the rmi application. The client application need only two files, remote interface and client application. In the rmi application, both client and server interacts with the remote interface. The client application invokes methods on the proxy object, RMI sends the request to the remote JVM. The return value is sent back to the proxy object and then to the client application.

<<Interface>>
Adder
public int add(int x, int y)

Client

proxy object

Server

Adder
Implementation