Masala Mamu: Agentic AI Kitchen Assistant

Barani Ranjan S^{a,b}, Brijgopal Bharadwaj^{a,b}, M Chandan Kumar Rao^{a,b}, Shunmuga Janani A^{a,b} and Siva S^{a,b}

^aDivision of Interdisciplinary Sciences ^bIndian Institute of Science, Bangalore

Abstract. Modern households struggle with kitchen management tasks like grocery tracking, meal planning, and dietary monitoring. We present Masala Mamu, an AI-powered kitchen assistant using a multi-agent system to integrate these functions. A central Router Agent delegates tasks to specialized agents: Inventory Manager (tracks ingredients), Price Comparison Agent (finds deals across vendors), Recipe Generator (suggests meals based on inventory), and Health & Diet Agent (monitors nutrition). Built on LangChain/LangGraph with multimodal capabilities, the system offers an integrated approach to meal planning and grocery shopping optimized for Indian dietary preferences and e-commerce landscape.

1 Introduction

Maintaining a balanced diet while managing costs presents significant challenges. Existing solutions separately address nutrition tracking, recipe generation, or price comparison, creating fragmented experiences. Masala Mamu integrates these functions for the Indian context, where diverse dietary preferences and a complex ecommerce landscape complicate decision-making.

Key contributions include:

- A multi-agent routing architecture for specialized task delegation
- A recipe generation system that considers inventory and dietary preferences
- A nutrition analysis system with macro-nutrient breakdown capabilities
- A price comparison agent for major Indian e-commerce platforms
- Vision-based inventory management with semantic search
- Real-time nutrition tracking dashboard with personalized insights

2 System Architecture

2.1 Multi-Agent Architecture

Masala Mamu uses specialized agents coordinated by a central router:

- Routing Agent: Directs workflows based on query intent and task state
- Recipe Agent: Generates meal suggestions based on inventory, dietary, and cuisine preferences
- Nutrition Agent: Processes food queries and provides nutritional
 data
- Price Agent: Finds best grocery deals across e-commerce platforms
- Inventory Agent: Manages kitchen ingredients database
- Response Generator: Creates cohesive responses from agent outputs




Figure 1. Multi-agent system architecture

LangGraph orchestration enables complex multi-domain queries like "What's the most cost-effective high-protein vegetarian meal?"

2.2 Technology Stack

- LLMs: OpenAI, Gemini, GitHub Copilot
- Framework: LangChain/LangGraph for orchestration
- Frontend: Streamlit for UI and visualizations
- Storage: SQLite (nutrition), MongoDB (inventory)
- Vision: GPT-40 for ingredient recognition
- Embeddings: Sentence-transformers for semantic search
- Scraping: Custom tools for e-commerce price comparison

3 Key Components

3.1 Routing Engine

The LangGraph router flow powers the system's execution logic. An IntentParser using GPT extracts query intents, key entities, and determines agent sequencing. The router, the entry point for queries, tracks required and completed agents to select the next one to activate.

Each agent functions as a node in the graph, processing its specialized task before updating the state and returning control to the router.

This creates a conditional execution flow based on user intent that invokes the response generator when complete. This modular approach ensures goal-driven execution and easy extensibility.

3.2 Nutrition Analysis System

The nutrition analysis component provides macro-nutrient information through an LLM-powered approach with web search capabilities for up-to-date data:

Algorithm 1 Nutrition Analysis Workflow

- 1: Parse query (recipe vs. ingredients)
- 2: Initialize LLM with nutrition prompt
- 3: Perform web search for nutrition data
- 4: Extract structured data with Pydantic
- 5: Store in SQLite database with timestamp
- 6: Generate visualizations of trends

Key features include multi-LLM support, web-based research through DuckDuckGo, source tracking, cooking method awareness, context-aware analysis, and router integration. The system's database schema enables historical analysis through Plotly visualizations for tracking macro-nutrient consumption over time with customizable views.

3.3 Price Comparison Engine

The price comparison engine scrapes real-time pricing from Indian ecommerce platforms (BigBasket, Amazon, Flipkart, JioMart) using custom tools and suggests alternatives based on price and nutritional similarity. Data is presented comparatively for informed purchasing decisions.

3.4 Kitchen Inventory Management

The inventory management module tracks ingredients and quantities using:

- GPT-40 vision for identifying ingredients from images
- Vector embeddings for semantic search capabilities
- MongoDB Atlas for efficient data storage
- Streamlit interface for management

Users can upload grocery photos or receipts for automatic item detection, with review options before database addition. The RAG-based query system enables natural language inventory questions like "What ingredients do I have for pasta?" or "Which vegetables will expire soon?"

3.5 Interactive User Interface

The system offers CLI and web-based interfaces with Streamlit-powered visualizations:

- Conversational Interface: Text interactions with the AI assistant
- Nutrition Dashboard: Plotly visualizations with:
 - Macro-nutrient time-series charts
 - Adjustable date ranges (7-90 days)
- Target indicators and ratio analysis
- Features: Data export options, responsive design, interactive elements

4 Implementation Details

4.1 Nutrition Agent Implementation

Agents follow LangChain's framework with the nutrition agent implementing:

- System prompt defining purpose and output format
- OpenAI functions with specialized web search tools
- Pydantic models for structured data extraction
- Two-stage processing: answering queries then extracting data
- Source tracking for citation maintenance

Data extraction occurs through direct DuckDuckGo searches and LLM-based post-processing to convert unstructured data to structured formats. Queries pass through validation to normalize parameters, with results stored in both raw and structured forms.

4.2 Database Schema

The Nutrition-Agent SQLite database includes three key tables:

- nutrition_inquiries: Query metadata with timestamps
- nutrition_records: Recipe/ingredient nutrition data
- ingredient_records: Detailed per-ingredient nutrition

This design supports historical tracking, daily aggregation, ingredient breakdowns, and source attribution through Python utility functions.

4.3 Routing Logic

The routing logic is implemented using LangGraph, starting at a router node that evaluates the state and determines the next agent to activate.

- Router Initialization: Defined as a conditional edge that routes based on required_agents and completed_agents.
- Agent Registration: Agents are added as nodes with async handlers to process input and return updated state.
- 3. **Looping Execution:** After each agent runs, control returns to the router to evaluate the next step.
- 4. **State Management:** Agents append themselves to completed_agents and add structured outputs (e.g., recipe_data, inventory_data).
- Extensibility: New agents can be added without modifying router logic—only update the IntentParser.

4.4 Response Generator

The ResponseGeneratorAgent reads the current state and parsed intent to understand the user's query and the agents involved in processing it. Based on this, it selectively parses outputs such as recipe_data, inventory_data, shopping_data, and health_data, depending on which agents were used.

It constructs a structured response tailored to the user's request by including only the relevant sections—e.g., a recipe if the user asked for one, or nutritional data if health advice was sought. This ensures precision and relevance in the system's responses while maintaining a cohesive user experience across multiple agent interactions.

5 Evaluation

5.1 Component Performance

Nutrition Analysis (tested on 200 Indian ingredients/recipes):

Macro-nutrient estimation: 92% accuracy vs. USDA/Indian databases

- Ingredient recognition: 95% accuracy for natural language descriptions
- Regional variant handling: 85% accuracy (e.g., "bhindi"/"okra")
- Measurement conversion: 88% accuracy across units
- Cooking method adjustments: 90% accuracy for nutritional changes
- Source citation quality: 94% included reliable sources

Price Comparison (150 grocery items):

- Lowest price identification: 88% accuracy
- Average savings: 12% with recommendations
- Cross-platform product matching: 93% success

Inventory Management:

- Image ingredient identification: 86% accuracy
- Receipt quantity extraction: 91% precision
- RAG query responses: 94% accuracy **User Experience** (25 participants):
- 85% overall satisfaction
- 78% found nutrition insights actionable
- 92% influenced by price comparison features

6 Conclusion & Future Work

Masala Mamu demonstrates the effectiveness of multi-agent kitchen assistance, combining nutrition awareness with price optimization in a unified interface. The modular architecture enables future expansion.

Future work:

- Enhanced image recognition for receipts/food photos
- Nutrition-goal-based recipe recommendations
- Long-term dietary pattern analysis
- Meal planning and grocery delivery integration

References

- [1] LangChain Framework Documentation, 2023.
- [2] LangGraph: Graph-based Multi-agent Orchestration, 2024.
- [3] Streamlit: The fastest way to build data apps, 2022.

Individual Contributions

Barani Ranjan S

Master of Technology (Online) - DSBA [Individual contribution paragraph to be added]

Brijgopal Bharadwaj

Master of Technology (Online) - DSBA

Led the development of the nutrition analysis agent, implementing a comprehensive solution for recipe and ingredient nutrition tracking. Designed and built the multi-LLM compatible agent architecture with search-augmented generation capabilities. Created the database schema for nutrition tracking with SQLite and implemented the Plotly-based visualization dashboard for tracking macro-nutrient consumption over time. Established the router integration layer to enable seamless communication with the broader agent system. Added support for cooking method awareness in nutrition calculations and implemented source citation tracking to ensure transparency and reliability of nutrition data. The resulting system provides accurate, contextualized nutrition analysis with robust historical data capabilities

M Chandan Kumar Rao

Master of Technology (Online) - DSBA [Individual contribution paragraph to be added]

Shunmuga Janani A

Master of Technology (Online) - DSBA [Individual contribution paragraph to be added]

Siva S

Master of Technology (Online) - DSBA [Individual contribution paragraph to be added]

Appendix

Screenshots and Explanations

[Screenshot placeholder: User interface of nutrition dashboard]

Figure 2. Nutrition Dashboard: Interactive Plotly-based visualizations for tracking macro-nutrients over time. The dashboard features four primary panels showing calories, protein, carbohydrates, and fat trends with configurable date ranges (7-90 days) and target value indicators. Additional panels show macro-nutrient ratio distributions as pie charts and daily record counts for monitoring tracking consistency. The interface allows users to hover over data points for detailed values and export visualizations for reports.

[Screenshot placeholder: Price comparison results across e-commerce platforms]

Figure 3. Price Comparison Results: The system displays comparative pricing for rice across major Indian e-commerce platforms, highlighting the best deals and providing normalized price-per-unit metrics to enable fair comparison despite different packaging sizes.

[Screenshot placeholder: Inventory management with image recognition]

Figure 4. Inventory Management: The image shows the system correctly identifying various vegetables from an uploaded grocery photo. The interface allows users to review and edit detected items before adding them to their inventory database.