


Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Apple music Editorial Pitch	1 m 50.908 s	1	1	0	0	6	6	0	0
Deezer music page	36.195 s	1	0	1	0	4	3	1	0
Spotify music Editorial Pitch	42.390 s	1	0	1	0	5	3	1	1


Tag		Scei	nario			Fea	ture	
Name	Τ	P	F	S	T	P	F	S
@appleMusic	1	1	0	0	1	1	0	0
@ap-01	1	1	0	0	1	1	0	0
@deezerMusic	2	0	2	0	2	0	2	0
@dp-01	1	0	1	0	1	0	1	0
@sp-01	1	0	1	0	1	0	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Apple music Editorial Pitch	1	1	0	0	1 m 50.908 s
2	Deezer music page	1	0	1	0	36.195 s
3	Spotify music Editorial Pitch	1	0	1	0	42.390 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Apple music Editorial Pitch	<u>Update Apple Music Editorial Pitch</u>	6	6	0	0	1 m 50.900 s
2	Deezer music page	Update data on Deezer music page using excel sheet	4	3	1	0	36.194 s
3	Spotify music Editorial Pitch	Update data on Spotify music page using excel sheet	5	3	1	1	42.390 s

DETAILED SECTION -- 6 --

Apple music Editorial Pitch


PASSED	DURATION - 1 m 50.908 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 12:00:32.377 am //	/ 12:02:23.285 am /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Update Apple Music Editorial Pitch




#	Step / Hook Details	Status	Duration
1	Given user is on Apple Music Page	PASSED	2.087 s
2	When user gets the title of the page	PASSED	2.021 s
3	Then page title should be "Apple Music Editorial Pitch"	PASSED	3.011 s
4	And Password inputTextBox should be displayed	PASSED	0.041 s
5	When user fills the AppleMusic form from given sheetName "Sheet1" and rowNumber 0	PASSED	58.866 s
6	Then verify all updated data on Summary page	PASSED	42.736 s

Deezer music page



DETAILED SECTION -- 7 --


Update data on Deezer music page using excel sheet




#	Step / Hook Details	Status	Duration
1	Given user is on Google form singin Page	PASSED	3.111 s
2	When user gets the title of the Google form singin page	PASSED	2.009 s
3	Then verify form page title should be "Google Forms: Sign-in"	PASSED	2.001 s
4	When user fills the DeezerMusic Form from given sheetName "Sheet1" and rowNumber 0	FAILED	27.580 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.DeezerMusicSteps.verify_form_page_title_should_be(DeezerMusicSteps.java:78) at stepdefinitions.DeezerMusicSteps.fillDeezerMusicData(DeezerMusicSteps.java:240) at stepdefinitions.DeezerMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(DeezerMusicSteps.java:228) at ?.user fills the DeezerMusic Form from given sheetName "Sheet1" and rowNumber 0(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.114 s
	Update_data_on_Deezer_music_page_using_excel_sheet		

Spotify music Editorial Pitch

DETAILED SECTION -- 8 --



Update data on Spotify music page using excel sheet



#	Step / Hook Details	Status	Duration
1	Given user is on Spotify Music Page	PASSED	12.672 s
2	When user gets the title of the page	PASSED	2.007 s
3	Then page title should be "Login - Spotify" of Spotify Music Page	PASSED	2.008 s
4	When user fills the SpotifyMusic Form from given sheetName "Sheet1" and rowNumber 0	FAILED	19.222 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for com.qa.util.ElementUtil\$1@5e62ca19 (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49) at com.qa.pages.SpotifyMusicPage.searchForArtistAndClickOnPitchAsPerStatus(SpotifyMusicPage.java:114) at stepdefinitions.SpotifyMusicSteps.user_search_with_click_on_pitch_a_song_next_to_it(SpotifyMusicSteps.java:102) at stepdefinitions.SpotifyMusicSteps.fillDeezerMusicData(SpotifyMusicSteps.java:259) at stepdefinitions.SpotifyMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(SpotifyMusicSteps.java:249) at ?.user fills the SpotifyMusic Form from given sheetName "Sheet1" and rowNumber 0(file:///C://Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/SpotifyMusic.feature:8) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.0.8', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.		

#	Step / Hook Details	Status	Duration
	openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\CHANDA~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56665}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	b9b66b61362a0bf06504ffe79be5a903		
	at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:190)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:489)		
	at com.qa.util.ElementUtil\$1.apply(ElementUtil.java:51)		
	at com.qa.util.ElementUtil\$1.apply(ElementUtil.java:1)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49)		
	at com.qa.pages.SpotifyMusicPage.searchForArtistAndClickOnPitchAsPerStatus(SpotifyMusicPage.java:114)		
	at stepdefinitions.SpotifyMusicSteps.user_search_with_click_on_pitch_a_song_next_to_it(SpotifyMusicSteps.java:102)		
	at stepdefinitions.SpotifyMusicSteps.fillDeezerMusicData(SpotifyMusicSteps.java:259)		
	at stepdefinitions.SpotifyMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(SpotifyMusicSteps.		
	java:249)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinition.execute(CoreStepDefinition.java.oo) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:10)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at totoacambertooreatament tokiestep reststep aangrischen eststep javatst		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.FickleRunners:NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FickleRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.punit.FeatureRunner.runChild(FeatureRunner.java:277) at org.junit.runners.ParentRunnersA.run(ParentRunner.java:331) at org.junit.runners.ParentRunnersA.schedule(ParentRunner.java:399) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:293) at org.junit.runners.ParentRunnersS.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunnersS.evaluate(ParentRunner.java:306) at org.junit.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:31) at org.junit.runners.ParentRunnersA.trun(ParentRunner.java:331) at org.junit.runners.ParentRunnersI.schedule(ParentRunner.java:39) at org.junit.runners.ParentRunner.S.evaluate(ParentRunner.java:39) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:39) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:39) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:39) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:39) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:29) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:29) at org.junit.runners.ParentRunner.scess\$100(ParentRunner.java:29) at org.junit.runner.s.ParentRunner.scess\$100(ParentRunner.java:29) at org.junit.runner.s.ParentRunner.scess\$100(ParentRunner.java:29) at org.junit.runner.s.ParentRunner.scess\$100(ParentRunner.java:29) at org.junit.runner.s.ParentRunner.scess\$100(ParentRunner.java:29) at org.junit.runner.s.ParentRunner.scess\$2.evaluate(ParentRunner.java:29) at org.junit.runner.scentRunner.runCestExecution.junit.runner.scentSecution.junit.runner.scentSecution.jun		
5	Then verify all updated data on Review page	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.0.8', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\CHANDA~1\AppData\L\}, goog:chromeOptions: {debuggerAddress: localhost:56665}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b9b66b61362a0bf06504ffe79be5a903	FAILED	0.002 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)		
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:46)		