

Cucumber Report

02-May-2023, 1:59:56 pm

Start : May 02, 1:59:41.387 pm

End : May 02, 1:59:53.089 pm

Duration : 11.702 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 2

FAILED - 1

SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Deezer music page</u>	11.702 s	1	0	1	0	3	2	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@dp-01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Deezer music page</u>	1	0	1	0	11.702 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Deezer music page</u>	<u>Update data on Deezer music page</u>	3	2	1	0	11.690 s

Deezer music page

FAILED	DURATION - 11.702 s	Scenarios		Steps	
/ 1:59:41.387 pm // 1:59:53.089 pm /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Update data on Deezer music page

<div>FAILED</div> <div>DURATION - 11.690 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:59:41.399 pm // 1:59:53.089 pm /				
Deezer music page				
@dp-01				

#	Step / Hook Details	Status	Duration
1	Given user is on Deezer Music Page	PASSED	6.390 s
2	When user gets the title of the Deezer Music page	PASSED	0.121 s
3	Then page title should be "Deezer Label Pitching Form"	FAILED	3.047 s
	java.lang.NullPointerException: Cannot invoke "String.contains(java.lang.CharSequence)" because "stepdefinitions.AppleMusicSteps.title" is null at stepdefinitions.AppleMusicSteps.page_title_should_be(AppleMusicSteps.java:202) at ?.page title should be "Deezer Label Pitching Form"(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.016 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.1.188', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:46)		