Cucumber Report

Start : May 02, 6:07:21.846 pm	End : May 02, 6:07:44.082 pm	Duration : 22.236 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Deezer music page	22.236 s	1	0	1	0	7	5	1	1

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@dp-01	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Deezer music page*	1	0	1	0	22.236 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Deezer music page	Update data on Deezer music page	7	5	1	1	22.223 s

Deezer music page

FAILED	DURATION - 22.236 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	
/ 6:07:21.846 pm // 6:07:44.082 pm /					

Update data on Deezer music page

FAILED	DURATION - 22.223 s		Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	
/ 6:07:21.859 pm // 6:07:44.082 pm /				
Deezer music page				
@dp-01				

#	Step / Hook Details	Status	Duration
1	Given user is on Google form singin Page	PASSED	2.056 s
2	When user gets the title of the Google form singin page	PASSED	2.028 s
3	Then form page title should be "Google Forms: Sign-in"	PASSED	3.008 s
4	When user enter "clienttestbm@gmail.com" on google form	PASSED	0.336 s
5	And user click on next btn on gmail login page	PASSED	2.343 s
6	And user enter "Secure@1234" on google form password page	FAILED	10.081 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: input[type='password'] (tried for 10 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
	    at com.qa.util.ElementUtil.explicitWait(ElementUtil.java:62)
	    at com.qa.pages.DeezerMusicPage.enterGmailUserPassword(DeezerMusicPage.java:57)
	    at stepdefinitions.DeezerMusicSteps.user_enter_on_google_form_password_page(DeezerMusicSteps.java:77)
	    at ?.user enter "Secure@1234" on google form password page(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer.feature:10)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css		

#	Step / Hook Details	Status	Duration

	selector","selector":"input[type='password']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.1.188', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\CHANDA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55395}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c04d731aac5cb79cbb74e01d938884a1 *** Element info: {Using=css selector, value=input[type='password']}
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420)
	  at org.openqa.selenium.By$ByCssSelector.findElement(By.java:431)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	  at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:205)
	  at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:201)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)
	  at com.qa.util.ElementUtil.explicitWait(ElementUtil.java:62)
	  at com.qa.pages.DeezerMusicPage.enterGmailUserPassword(DeezerMusicPage.java:57)
	  at stepdefinitions.DeezerMusicSteps.user_enter_on_google_form_password_page(DeezerMusicSteps.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
7	And user click on next btn on gmail password page	SKIPPED	0.002 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.214 s
	Update_data_on_Deezer_music_page		

#	Step / Hook Details	Status	Duration