


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Apple music Editorial Pitch	48.908 s	1	0	1	0	6	4	1	1	
Deezer music page	57.272 s	1	0	1	0	4	3	1	0	
Spotify music Editorial Pitch	16.665 s	1	0	1	0	5	3	1	1	


Tag		Scenario			Feature			
Name	Т	P	F	S	T	P	F	S
@appleMusic	1	0	1	0	1	0	1	0
@ap-01	1	0	1	0	1	0	1	0
@deezerMusic	2	0	2	0	2	0	2	0
@dp-01	1	0	1	0	1	0	1	0
@sp-01	1	0	1	0	1	0	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Apple music Editorial Pitch	1	0	1	0	48.908 s
2	Deezer music page	1	0	1	0	57.272 s
3	Spotify music Editorial Pitch	1	0	1	0	16.665 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Apple music Editorial Pitch	Update Apple Music Editorial Pitch	6	4	1	1	48.893 s
2	Deezer music page	Update data on Deezer music page using excel sheet	4	3	1	0	57.271 s
3	Spotify music Editorial Pitch	Update data on Spotify music page using excel sheet	5	3	1	1	16.665 s

DETAILED SECTION -- 6 --

Apple music Editorial Pitch

FAILED	DURATION - 48.908 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 6:08:03.577 pm // 6	5:08:52.485 pm /	Pass - 0	1	Pass - 4	6
		Fail - 1		Fail - 1	📜 🎽
		Skip - 0		Skip - 1	


Update Apple Music Editorial Pitch



#	Step / Hook Details	Status	Duration
1	Given user is on Apple Music Page	PASSED	3.947 s
2	When user gets the title of the page	PASSED	2.021 s
3	Then page title should be "Apple Music Editorial Pitch"	PASSED	3.008 s
4	And Password inputTextBox should be displayed	PASSED	0.116 s
5	When user fills the AppleMusic form from given sheetName "Sheet1" and rowNumber 0	FAILED	35.402 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (811, 442). Other element would receive the click: <div class="LoadingPage" id="SkinContent"></div> (Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.1.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\CHANDA~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60459}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cfa93df493c1dea2c3912edd1f519e6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77)		


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:351) at com.qa.util.ElementUtil.selectTypeOfValueFromTableOfAppleMusic(ElementUtil.java:351) at com.qa.pages.AppleMusicPage.selectTimedRelease(AppleMusic(Page.java:266) at stepdefinitions.AppleMusicSteps.user_select_under_timed_release_question_box(AppleMusicSteps.java:304) at stepdefinitions.AppleMusicSteps.tillAppleMusicData(AppleMusicSteps.java:131) at stepdefinitions.AppleMusicSteps.stillAppleMusicData(AppleMusicSteps.java:131) at stepdefinitions.AppleMusicSteps.stillAppleMusicData(AppleMusicSteps.java:191) at stepdefinitions.AppleMusicSteps.stillAp		
6	Then verify all updated data on Summary page	SKIPPED	0.003 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Update_Apple_Music_Editorial_Pitch **Marie Editorial_Pitch** **Transport of the control of the con	PASSED	0.481 s

Deezer music page



DETAILED SECTION -- 8 --

Update data on Deezer music page using excel sheet



#	Step / Hook Details	Status	Duration
1	Given user is on Google form singin Page	PASSED	13.312 s
2	When user gets the title of the Google form singin page	PASSED	2.017 s
3	Then verify form page title should be "Google Forms: Sign-in"	PASSED	2.004 s
4	When user fills the DeezerMusic Form from given sheetName "Sheet1" and rowNumber 0	FAILED	35.670 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for com.qa.util.ElementUtil\$1@75dc1c1c (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49) at com.qa.pages.DeezerMusicPage.clickOnUserIDPageNextBnt(DeezerMusicPage.java:96) at stepdefinitions.DeezerMusicSteps.user_click_on_next_btn_on_gmail_login_page(DeezerMusicSteps.java:90) at stepdefinitions.DeezerMusicSteps.fillDeezerMusicData(DeezerMusicSteps.java:235) at stepdefinitions.DeezerMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(DeezerMusicSteps. java:228) at ?.user fills the DeezerMusic Form from given sheetName "Sheet1" and rowNumber 0(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer.feature:8) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: '62be7d358', time: '2018-11-14708:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.1.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: (chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\CHANDA-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost:60496), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:489)		
	at com.qa.util.ElementUtil\$1.apply(ElementUtil.java:51)		
	at com.qa.util.ElementUtil\$1.apply(ElementUtil.java:1)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49)		
	at com.qa.pages.DeezerMusicPage.clickOnUserIDPageNextBtn(DeezerMusicPage.java:96)		
	at stepdefinitions.DeezerMusicSteps.user_click_on_next_btn_on_gmail_login_page(DeezerMusicSteps.java:90)		
	at stepdefinitions.DeezerMusicSteps.fillDeezerMusicData(DeezerMusicSteps.java:235)		
	at stepdefinitions.DeezerMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(DeezerMusicSteps.		
	java:228)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		
	(Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host:		
	'BC-LAP-M364', ip: '192.168.1.187', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome:		
	{chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\CHANDA~1\AppData\L}, goog:chromeOptions:		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	{debuggerAddress: localhost:60496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 686474ecbc542b8814ee4f3dbf1f7ff8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:46)		

Spotify music Editorial Pitch

FAILED	DURATION - 16.665 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 6:09:49.915 pn	m // 6:10:06.580 pm /	Pass - 0	1	Pass - 3	5
		Fail - 1		Fail - 1	👅 ŭ 🗾
		Skip - 0		Skip - 1	

Update data on Spotify music page using excel sheet



#	Step / Hook Details	Status	Duration
1	Given user is on Spotify Music Page	PASSED	9.246 s
2	When user gets the title of the page	PASSED	2.020 s
3	Then page title should be "Login - Spotify" of Spotify Music Page	PASSED	2.021 s
4	When user fills the SpotifyMusic Form from given sheetName "Sheet1" and rowNumber 0	FAILED	0.005 s
	java.io.FileNotFoundException: .\src\test\resources\testData\SignUpTestData.xlsx (The process cannot access the file because it is being used by another process) at java.base/java.io.RandomAccessFile.open0(Native Method) at java.base/java.io.RandomAccessFile.open(RandomAccessFile.java:344) at java.base/java.io.RandomAccessFile. <init>(RandomAccessFile.java:259) at java.base/java.io.RandomAccessFile.<init>(RandomAccessFile.java:213) at org.apache.poi.poifs.nio.FileBackedDataSource.newSrcFile(FileBackedDataSource.java:158) at org.apache.poi.poifs.nio.FileBackedDataSource.<init>(FileBackedDataSource.java:60)</init></init></init>		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.apache.poi.poifs.filesystem.POIFSFileSystem. <init>(POIFSFileSystem.java:217) at org.apache.poi.poifs.filesystem.POIFSFileSystem.<init>(POIFSFileSystem.java:170) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:322) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:296) at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:46) at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:36) at com.qa.util.ExcelReader.getData(ExcelReader.java:25) at stepdefinitions.SpotifyMusicSteps.getTestData(SpotifyMusicSteps.java:316) at stepdefinitions.SpotifyMusicSteps.fillDeezerMusicData(SpotifyMusicSteps.java:254) at stepdefinitions.SpotifyMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(SpotifyMusicSteps.java:249) at ?.user fills the SpotifyMusic Form from given sheetName "Sheet1" and rowNumber 0(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/SpotifyMusic.feature:8) * Not displayable characters are replaced by '?'.</init></init>		
5	Then verify all updated data on Review page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Update_data_on_Spotify_music_page_using_excel_sheet	PASSED	0.447 s