Cucumber Report

| Start : May 02, 2:00:18.366 pm	End : May 02, 2:02:15.541 pm	Duration : 1 m 57.175 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0

1

1

3

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
66 %
0 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Deezer music page	1 m 57.175 s	1	0	1	0	3	2	1	0

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@dp-01	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*

#	Feature Name	T	P	F	S	Duration
1	Deezer music page	1	0	1	0	1 m 57.175 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Deezer music page	Update data on Deezer music page	3	2	1	0	1 m 57.164 s

Deezer music page

FAILED	DURATION - 1 m 57.175 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:00:18.366 pm // 2:02:15.541 pm /					

Update data on Deezer music page

FAILED	DURATION - 1 m 57.164 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:00:18.377 pm // 2:02:15.541 pm /				
Deezer music page				
@dp-01				

#	Step / Hook Details	Status	Duration
1	Given user is on Deezer Music Page	PASSED	1 m 37.980 s
2	When user gets the title of the Deezer Music page	PASSED	0.062 s
3	Then page title should be "Deezer Label Pitching Form"	FAILED	3.354 s

	java.lang.NullPointerException: Cannot invoke "String.contains(java.lang.CharSequence)" because "stepdefinitions.AppleMusicSteps.title" is null
	   at stepdefinitions.AppleMusicSteps.page_title_should_be(AppleMusicSteps.java:202)
	   at ?.page title should be "Deezer Label Pitching Form"(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer.feature:7)
	* Not displayable characters are replaced by '?'.		

	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.054 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.1.188', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: driver.version: RemoteWebDriver
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:125)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:46)		