

Cucumber Report

29-Jul-2023, 12:50:03 am

Start : Jul 29, 12:48:20.210 am

End : Jul 29, 12:50:01.019 am

Duration : 1 m 40.809 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Deezer music page</u>	1 m 40.809 s	1	0	1	0	4	3	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@deezerMusic	1	0	1	0	1	0	1	0
@dp-01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Deezer music page</u>	1	0	1	0	1 m 40.809 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Deezer music page</u>	<u>Update data on Deezer music page using excel sheet</u>	4	3	1	0	1 m 40.799 s

Deezer music page

FAILED	DURATION - 1 m 40.809 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:48:20.210 am // 12:50:01.019 am /					

Update data on Deezer music page using excel sheet

FAILED	DURATION - 1 m 40.799 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:48:20.220 am // 12:50:01.019 am /				
Deezer music page				
@deezerMusic @dp-01				

#	Step / Hook Details	Status	Duration
1	Given user is on Google form singin Page	PASSED	2.511 s
2	When user gets the title of the Google form singin page	PASSED	2.023 s
3	Then verify form page title should be "Google Forms: Sign-in"	PASSED	2.019 s
4	When user fills the DeezerMusic Form from given sheetName "Sheet1" and rowNumber 0 org.openqa.selenium.TimeoutException: Expected condition failed: waiting for com.qa.util.ElementUtil\$1@5d08976a (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49) at com.qa.pages.DeezerMusicPage.UploadFileFromPressShotOrTheArtist(DeezerMusicPage.java:134) at stepdefinitions.DeezerMusicSteps. user_upload_file_from_path_by_clicking_add_file_button_of_press_shot_or_the_artist_if_provided(DeezerMusicSteps.java:191) at stepdefinitions.DeezerMusicSteps.fillDeezerMusicData(DeezerMusicSteps.java:257) at stepdefinitions.DeezerMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(DeezerMusicSteps.java:228) at ?.user fills the DeezerMusic Form from given sheetName "Sheet1" and rowNumber 0(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer.feature:8)	FAILED	1 m 31.379 s

#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.0.8', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\CHANDA~1\AppData\Local\Temp\chrome-win-114.0.5735.90\userDataDir}, goog:chromeOptions: {debuggerAddress: localhost:54800}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e8812484827b3f08be690d3efda96180</p> <p>at java.lang.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:489) at com.qa.util.ElementUtil\$.apply(ElementUtil.java:51) at com.qa.util.ElementUtil\$.apply(ElementUtil.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49) at com.qa.pages.DeezerMusicPage.UploadFileFromPressShotOrTheArtist(DeezerMusicPage.java:134) at stepdefinitions.DeezerMusicSteps. user_upload_file_from_path_by_clicking_add_file_button_of_press_shot_or_the_artist_if_provided(DeezerMusicSteps.java:191) at stepdefinitions.DeezerMusicSteps.fillDeezerMusicData(DeezerMusicSteps.java:257) at stepdefinitions.DeezerMusicSteps.user_fills_the_deezer_music_form_from_given_sheet_name_and_row_number(DeezerMusicSteps.java:228) at java.lang.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.lang.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.lang.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.110) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.0.8', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\CHANDA~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:54800}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e8812484827b3f08be690d3efda96180</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:46)</p>		