

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Deezer music page	1 m 5.345 s	1	0	1	0	31	12	1	18	


Tag		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@dp-01	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Deezer music page	1	0	1	0	1 m 5.345 s


SCENARIOS SUMMARY -- 5 --




#	-	Scenario Name	T	P	F	S	Duration
1	Deezer music page	Update data on Deezer music page	31	12	1	18	1 m 5.338 s

DETAILED SECTION -- 6 --

Deezer music page



Update data on Deezer music page



#	Step / Hook Details	Status	Duration
1	Given user is on Google form singin Page	PASSED	4.454 s
2	When user gets the title of the Google form singin page	PASSED	2.016 s
3	Then verify form page title should be "Google Forms: Sign-in"	PASSED	2.011 s
4	When user enter "dspPitching" on google form	PASSED	3.292 s
5	And user click on next btn on gmail login page	PASSED	2.282 s
6	And user enter "Secure@1234" on google form password page	PASSED	6.259 s
7	And user click on next btn on gmail password page	PASSED	12.756 s
8	And click on continue to google account link if displayed	PASSED	12.067 s
9	And user gets the title of the Google form page	PASSED	0.013 s
10	Then verify form page title should be "Deezer Label Pitching Form"	PASSED	2.016 s
11	When user enter "sarah.tassew@frtyfve.com" under Your email inputBox of Deeser Music Page	PASSED	0.642 s
12	And user click on next btn on Deezer music page	PASSED	3.629 s
13	And user enter "FUGA" under Distributor inputBox of Deeser Music Page	FAILED	10.090 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //span[normalize-space()='Distributor name']////input (tried for 10 second(s) with 500 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)		
	at com.qa.util.ElementUtil.explicitWait(ElementUtil.java:62)		
	at com.ga.util.ElementUtil.sendText(ElementUtil.java:99)		
	at com.qa.pages.DeezerMusicPage.enterDistributorNameOnDeezerPage(DeezerMusicPage.java:161)		
	at stepdefinitions.DeezerMusicSteps.user_enter_under_distributor_input_box_of_deeser_music_page(DeezerMusicSteps.java:119)		
	at ?.user enter "FUGA" under Distributor inputBox of Deeser Music Page(file:///C:/Users/ChandanThakur/		
	OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer.		
	feature:17)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//span[normalize-space()='Distributor name']///linput"} (Session info: chrome=112.0.5615.138) For		
	documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision:		
	'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.37.38', os.name: 'Windows 10', os.arch: 'amd64', os.		
	version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false,		
	browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir:		
	C:\Users\CHANDA~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54436}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(),		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 240babfc27b0e19230e8aba8b0f1951c *** Element info:		
	{Using=xpath, value=//span[normalize-space()='Distributor name']///input}		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.iava:122)		
	at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openga.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)		
	at org.openqa.selenium.By\$ByXPath.findElement(By.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:205)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:200)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.appty(ExpectedConditions.java.201) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at com.qa.util.ElementUtil.explicitWait(ElementUtil.java:62)		
1	at com.qa.util.ElementUtil.sendText(ElementUtil.java:99)		
	at com.qa.pages.DeezerMusicPage.enterDistributorNameOnDeezerPage(DeezerMusicPage.java:161)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.DeezerMusicSteps.user_enter_under_distributor_input_box_of_deeser_music_page(DeezerMusicSteps.java:119)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
14	And user enter "FRTYFVE" under Label name inputBox of Deeser Music Page	SKIPPED	0.002 s
15	And user enter "2023/04/21" under Release date inputBox in "yyyy/mm/dd" format of Deeser Music Page	SKIPPED	0.000 s
16	And user enter "58879990" under UPC inputBox of Deeser Music Page	SKIPPED	0.001 s
17	And user enter "Sophie Simmons" under Name of the artist inputBox of Deeser Music Page	SKIPPED	0.001 s
18	And user enter "If I Could" under Name of the release (track title as will be distributed) inputBox of Deeser Music Page	SKIPPED	0.001 s
19	And user select "Label submission priority" under Priority dropDown of Deeser Music Page	SKIPPED	0.000 s
20	And user select "SGL" under Kind of content checkbox of Deeser Music Page	SKIPPED	0.001 s
21	And user select "Arabic Music" under Main genre dropDown of Deeser Music Page	SKIPPED	0.000 s
22	And user enter "https://we.tl/t-wLcTn4g95P" under Listen link inputBox of Deeser Music Page	SKIPPED	0.001 s
23	And user enter "00:00 AM" under Time of release inputBox of Deeser Music Page	SKIPPED	0.001 s
24	And user select "Male" under Gender checkbox of Deeser Music Page	SKIPPED	0.001 s
25	And user click on next btn on Deezer music page	SKIPPED	0.001 s
26	And user upload file from path "C:\Users\ChandanThakur\OneDrive - Blenheim Chalcot LTF Ltd\BackNew\eclipse-workspace\ cucumber\DSP\src\test\resources\testData\testDocument.docx" by clicking Add file button of Press shot or the artist if provided	SKIPPED	0.001 s
27	And user enter "Rock" under Secondary Genre dropDown of Deeser Music Page	SKIPPED	0.001 s
28	And user enter "" under Subgenre input box of Deeser Music Page	SKIPPED	0.001 s
29	And user enter "Test entry for foucs track" under Focus track inputBox of Deeser Music Page only if "SGL" release is an album or an EP.	SKIPPED	0.000 s
30	And user enter "Testing artist info" under Artist info inputBox of Deeser Music Page	SKIPPED	0.001 s
31	And user enter "Tesingmarketing deaails" under Marketing details inputBox of Deeser Music Page	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.286 s
	Update_data_on_Deezer_music_page		
	Described Picking Form When an experiment was a server to water these of the 10 parts When an experiment was a server to water these of the 10 parts Ladin was an experiment was a server to water these of the 10 parts Ladin was an experiment was a server to water the 20 parts A service server to the 10 parts A service service service to the 10 parts A service service service service to the 10 parts A service service service service to the 10 parts A service se		