

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Spotify music Editorial Pitch	1 m 19.672 s	1	0	1	0	17	13	1	3


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@sp-02	1	0	1	0	1	0	1	0
@SpotifyMusic	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Spotify music Editorial Pitch	1	0	1	0	1 m 19.672 s


SCENARIOS SUMMARY -- 5




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Spotify music Editorial Pitch	Update Spotify Music Editorial Pitch	17	13	1	3	1 m 19.515 s

DETAILED SECTION -- 6 --

Spotify music Editorial Pitch



Update Spotify Music Editorial Pitch



#	Step / Hook Details	Status	Duration
1	Given user is on Spotify Music Page	PASSED	1.247 s
2	When user gets the title of the page	PASSED	2.024 s
3	Then page title should be "Login - Spotify" of Spotify Music Page	PASSED	2.027 s
4	When user enters Email or username "chandan.thakur@blenheimchalcot.com" on SpotifyMusic login page	PASSED	0.577 s
5	And user enters password "Secure@12071989" on SpotifyMusic login page	PASSED	0.318 s
6	And user click on Log In button on SpotifyMusic login page	PASSED	4.270 s
7	Then user should navigate to "Spotify for Artists" of Spotify Music Page	PASSED	1.034 s
8	When user search with "Adam Martin" click on Pitch a song next to it.	PASSED	6.939 s
9	And check if Choose a song to pitch is selected if not then select	PASSED	1.478 s
10	And user click on Next Btn on Spotify Music Page	PASSED	2.284 s
11	And user update "London, England, United Kingdom" for artist is from on Spotify Music Page	PASSED	1.603 s
12	And user click on Next Btn on Spotify Music Page	PASSED	2.401 s
13	And user select "Electronic, Ambient" under Choose up to 3genres questionBox on Spotify Music Page	PASSED	32.043 s
14	And user select "Chill, Party, Motivation" under Choose music cultures on Spotify Music Page	FAILED	14.575 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for com.qa.util.ElementUtil\$1@75c36570 (tried for 10 second(s) with		

#	Step / Hook Details	Status	Duration
	500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)		
	at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49)		
	at com.qa.util.ElementUtil.selectTypeOfValueFromTableOfAppleMusic(ElementUtil.java:320)		
	at com.qa.pages.SpotifyMusicPage.selectTypeOfMusicCulturelGenre(SpotifyMusicPage.java:192)		
	at stepdefinitions.SpotifyMusicSteps.user_select_under_choose_music_cultures_on_spotify_music_page(SpotifyMusicSteps.java:122)		
	at ?.user select "Chill, Party, Motivation" under Choose music cultures on Spotify Music Page(file:///C:/Users/ChandanThakur/		
	OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/		
	SpotifyMusic.feature:18)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not		
	found (Session info: chrome=113.0.5672.127) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info:		
	host: 'BC-LAP-M364', ip: '192.168.0.6', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.		
	openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127,		
	chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae, userDataDir: C:\Users\CHANDA~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53145}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:		
	WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		
	300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	9ccc691dcc2d5c63b6fbf53be2ea8915		
	at jdk.internal.reflect.GeneratedConstructorAccessor10.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:489)		
	at com.qa.util.ElementUtil\$1.apply(ElementUtil.java:51)		
	at com.qa.util.ElementUtil\$1.apply(ElementUtil.java:1)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at com.qa.util.ElementUtil.waitForPageLoad(ElementUtil.java:49)		
	at com.qa.util.ElementUtil.selectTypeOfValueFromTableOfAppleMusic(ElementUtil.java:320)		
	at com.qa.pages.SpotifyMusicPage.selectTypeOfMusicCulturelGenre(SpotifyMusicPage.java:192)		
	at stepdefinitions.SpotifyMusicSteps.user_select_under_choose_music_cultures_on_spotify_music_page(SpotifyMusicSteps.java:122)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
15	And user select "Rock" under Choose moods questionBox on Spotify Music Page	SKIPPED	0.001 s

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
16	And user select "None of these" under Choose song styles questionBox on Spotify Music Page	SKIPPED	0.001 s
17	And user select "Guitar" under Choose What instruments are on this song questionBox on Spotify Music Page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=113.0.5672.127) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.0.6', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae, userDataDir: C:UsersICHANDA~1NAppDatalL}, goog:chromeOptions: {debuggerAddress: localhost:53145}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFielinteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlot: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9ccc691dcc2d5c63b6fbf53be2ea8915 at jdk.internal.reflect.GeneratedConstructorAccessor10.newInstance(Unknown Source) at java.base/jdx.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.Http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWeb		