

| Feature           |              |   | Scenario |   |   |    | Step |   |    |  |
|-------------------|--------------|---|----------|---|---|----|------|---|----|--|
| Name              | Duration     | T | P        | F | S | T  | P    | F | S  |  |
| Deezer music page | 1 m 57.360 s | 1 | 0        | 1 | 0 | 31 | 14   | 1 | 16 |  |


| Tag    |   | Scer | nario |   | Feature |   |   |   |  |
|--------|---|------|-------|---|---------|---|---|---|--|
| Name   | T | P    | F     | S | T       | P | F | S |  |
| @dp-01 | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |  |

FEATURES SUMMARY -- 4



| # | Feature Name      | T | P | F | S | Duration     |
|---|-------------------|---|---|---|---|--------------|
| 1 | Deezer music page | 1 | 0 | 1 | 0 | 1 m 57.360 s |


SCENARIOS SUMMARY -- 5 --




| # | Feature Name      | Scenario Name                    | T  | P  | F | S  | Duration     |
|---|-------------------|----------------------------------|----|----|---|----|--------------|
| 1 | Deezer music page | Update data on Deezer music page | 31 | 14 | 1 | 16 | 1 m 57.342 s |

DETAILED SECTION -- 6 --

## **Deezer music page**



## **Update data on Deezer music page**



| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
| 1  | Given user is on Google form singin Page  | PASSED | 3.443 s  |
| 2  | When user gets the title of the Google form singin page   | PASSED | 2.012 s  |
| 3  | Then verify form page title should be "Google Forms: Sign-in"                                       | PASSED | 2.009 s  |
| 4  | When user enter "dspPitching" on google form  | PASSED | 3.268 s  |
| 5  | And user click on next btn on gmail login page  | PASSED | 2.289 s  |
| 6  | And user enter "Secure@1234" on google form password page   | PASSED | 6.251 s  |
| 7  | And user click on next btn on gmail password page   | PASSED | 12.195 s |
| 8  | And click on continue to google account link if displayed   | PASSED | 12.070 s |
| 9  | And user gets the title of the Google form page   | PASSED | 0.016 s  |
| 10 | Then verify form page title should be "Deezer Label Pitching Form"                                  | PASSED | 2.014 s  |
| 11 | When user enter "sarah.tassew@frtyfve.com" under Your email inputBox of Deeser Music Page           | PASSED | 0.741 s  |
| 12 | And user click on next btn on Deezer music page   | PASSED | 3.501 s  |
| 13 | And user enter "FUGA" under Distributor inputBox of Deeser Music Page                               | PASSED | 24.162 s |
| 14 | And user enter "FRTYFVE" under Label name inputBox of Deeser Music Page                             | PASSED | 20.098 s |
| 15 | And user enter "2023/04/21" under Release date inputBox in "yyyy/mm/dd" format of Deeser Music Page | FAILED | 20.128 s |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | java.lang.lllegalArgumentException: Release Date is not in the correct format. Please provide release date in yyyy/mm/dd format.  |        |          |
|   | at com.qa.pages.DeezerMusicPage.enterReleaseDate(DeezerMusicPage.java:188)  |        |          |
|   | at stepdefinitions.DeezerMusicSteps.user_enter_under_release_date_input_box_in_format_of_deeser_music_page(DeezerMusicSteps. java:130)  |        |          |
|   | at ?.user enter "2023/04/21" under Release date inputBox in "yyyy/mm/dd" format of Deeser Music Page(file:///C:/Users/ChandanThakur/OneDrive%20-%20Blenheim%20Chalcot%20LTF%20Ltd/BackNew/eclipse-workspace/cucumber/DSP/src/test/resources/AppFeatures/Deezer. feature:19)   |        |          |
|   | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"input[type='date']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'BC-LAP-M364', ip: '192.168.37.38', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\CHANDA~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56397}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, |        |          |
|   | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 84bd6a3c0926a01fd4c82f90f7de0552 *** Element info: {Using=css selector, value=input[type='date']}  |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  |        |          |
|   | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)   |        |          |
|   | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420)  |        |          |
|   | at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)   |        |          |
|   | at com.qa.pages.DeezerMusicPage.enterReleaseDate(DeezerMusicPage.java:174)  |        |          |
|   | at stepdefinitions.DeezerMusicSteps.user_enter_under_release_date_input_box_in_format_of_deeser_music_page(DeezerMusicSteps. java:130)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)   |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)                                  |         |          |
|    | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   |         |          |
|    | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  |         |          |
|    | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)                          |         |          |
|    | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   |         |          |
|    | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)  |         |          |
|    | at io.cucumber.core.runner.TestStep.run(TestStep.java:64)  |         |          |
|    | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  |         |          |
|    | at io.cucumber.core.runner.TestCase.run(TestCase.java:104)   |         |          |
|    | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)  |         |          |
|    | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)                                       |         |          |
|    | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)  |         |          |
|    | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)   |         |          |
|    | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  |         |          |
|    | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  |         |          |
|    | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)   |         |          |
|    | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  |         |          |
|    | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)   |         |          |
|    | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)   |         |          |
|    | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)   |         |          |
|    | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)  |         |          |
|    | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)   |         |          |
|    | at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  |         |          |
|    | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  |         |          |
|    | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)   |         |          |
|    | at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  |         |          |
|    | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)   |         |          |
|    | at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234)   |         |          |
|    | at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)   |         |          |
|    | at org.junit.runners.ParentRunner.run(ParentRunner.java:413)   |         |          |
|    | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)                           |         |          |
|    | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)  |         |          |
|    | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)                            |         |          |
|    | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)                            |         |          |
|    | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)                                 |         |          |
|    | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)                                |         |          |
|    | * Not displayable characters are replaced by '?'.  |         |          |
| 16 | And user enter "58879990" under UPC inputBox of Deeser Music Page  | SKIPPED | 0.002 s  |
| 17 | And user enter "Sophie Simmons" under Name of the artist inputBox of Deeser Music Page                                   | SKIPPED | 0.001 s  |
| 18 | And user enter "If I Could" under Name of the release (track title as will be distributed) inputBox of Deeser Music Page | SKIPPED | 0.001 s  |

DETAILED SECTION -- 9 --

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 19 | And user select "Label submission priority" under Priority dropDown of Deeser Music Page   | SKIPPED | 0.001 s  |
| 20 | And user select "SGL" under Kind of content checkbox of Deeser Music Page  | SKIPPED | 0.000 s  |
| 21 | And user select "Arabic Music" under Main genre dropDown of Deeser Music Page  | SKIPPED | 0.000 s  |
| 22 | And user enter "https://we.tl/t-wLcTn4g95P" under Listen link inputBox of Deeser Music Page  | SKIPPED | 0.000 s  |
| 23 | And user enter "00:00 AM" under Time of release inputBox of Deeser Music Page  | SKIPPED | 0.000 s  |
| 24 | And user select "Male" under Gender checkbox of Deeser Music Page  | SKIPPED | 0.000 s  |
| 25 | And user click on next btn on Deezer music page  | SKIPPED | 0.000 s  |
| 26 | And user upload file from path "C:\Users\ChandanThakur\OneDrive - Blenheim Chalcot LTF Ltd\BackNew\eclipse-workspace\  | SKIPPED | 0.000 s  |
|    | cucumber\DSP\src\test\resources\testData\testDocument.docx" by clicking Add file button of Press shot or the artist if provided  |         |          |
| 27 | And user enter "Rock" under Secondary Genre dropDown of Deeser Music Page  | SKIPPED | 0.001 s  |
| 28 | And user enter "" under Subgenre input box of Deeser Music Page  | SKIPPED | 0.001 s  |
| 29 | And user enter "Test entry for foucs track" under Focus track inputBox of Deeser Music Page only if "SGL" release is an album  | SKIPPED | 0.000 s  |
|    | or an EP.  |         |          |
| 30 | And user enter "Testing artist info" under Artist info inputBox of Deeser Music Page   | SKIPPED | 0.000 s  |
| 31 | And user enter "Tesingmarketing deaails" under Marketing details inputBox of Deeser Music Page   | SKIPPED | 0.000 s  |
|    | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  | PASSED  | 0.729 s  |
|    | Update_data_on_Deezer_music_page   |         |          |
|    | Clear Self-  Detect  Management  Managemen |         |          |