


## Exam Result

Course	Fiori App. Developer Questions/Dumps {C_FIORDEV_21}
Module	SAP Fiori Application Developer - Test 5
Min Marks (%)	66%
Right Answer	50
Wrong Answer	0
Your Score	100%
Result	Pass

[GO TO COURSE \(HTTPS://THEEXAMQUESTIONS.COM/PROFILE/MODULES/VMXKMFIXTXDLRMRYTfWV1YcEdRMVF3UIRsUVVUMDK=\)](https://theexamquestions.com/profile/modules/vmxkMFiXTdLRmRYYTFwV1YcEdRMVF3UIRsUVVUMDK=)

## Result Analysis

Your Result



## Question 1

Right

Ques:- Which function do you call on the ODataModel to trigger a deep insert?

- ☒ create
- ☐ insertDeep
- ☐ createDeep
- ☐ updateDeep

Correct Answer : 1

## Question 2

Right

Ques:- Which function must be called inside a control renderer to add the control ID to the DOM tree and support eventing?

- ☐ writelcon
- ☒ writeControlData

3. ☐ write
4. ☐ writeClasses

**Correct Answer : 2**

Question 3

Right

Ques:- Which modes are provided by the sap.m.SplitAppMode enumeration? (3 correct)

1. ☒ ShowHideMode
2. ☒ StretchCompressMode
3. ☐ HideShowMode
4. ☐ ShrinkCozyMode
5. ☒ PopoverMode

**Correct Answer : 1,2,5**

Question 4

Right

Ques:- When do you need to work with local data? (2 correct)

1. ☐ When you want to reduce the complexity of your application.
2. ☒ When working with static data.
3. ☒ To perform a quick test without creating live entities on the back-end server.
4. ☐ When performance is poor in the productive system.

**Correct Answer : 2,3**

Question 5

Right

Ques:- What query option is needed to access the data of an entity in the JSON format?

1. ☐ format=json
2. ☐ \$json
3. ☒ \$format=json

**Correct Answer : 3**

Question 6

Right

Ques:- What message types are known to SAPUI5? (2 correct)

1. ☐ UI message
2. ☒ Server message
3. ☒ Control message
4. ☐ Log message

**Correct Answer : 2,3**

Question 7

Right

Ques:- Which of the following statements are true with respect to QUnit? (3 correct)

1. ☒ QUnit is a JavaScript unit and integration test framework.
2. ☒ Is capable of testing any generic JavaScript code.
3. ☒ Supports asynchronous tests out-of-the-box.
4. ☐ Supports only synchronous testing out of the box.

**Correct Answer : 1,2,3**

Question 8

Right

Ques:- Which UI annotation is used to declare a field for the smart filter template?

1. ☒ UI.selectionField
2. ☐ UI.searchField
3. ☐ UI.finderField
4. ☐ UI.filterField

**Correct Answer : 1**

Question 9

Right

Ques:- Which aggregation is used to overwrite the standard behavior of a SmartField control.

1. ☒ configure
2. ☐ overwrite
3. ☐ extension

**Correct Answer : 1**

Question 10

Right

Ques:- Where is the best place to store local data when using the SAP Web IDE? (2 correct)

1. ☒ In the mockdata folder.
2. ☒ In the localService folder.
3. ☐ In the models folder.

**Correct Answer : 1,2**

Question 11

Right

Ques:- Which of the following best describes a commit?

1. ☒ With every commit, GIT takes a snapshot of the current state of the underlying files.
2. ☐ With every commit, GIT create a new branch.
3. ☐ A commit in GIT is a local operation.
4. ☐ With every commit, a new local repository is created.

**Correct Answer : 1**

Question 12

Right

Ques:- Is it possible to add an extension point in the component implementation?

1. ☒ No
2. ☐ Yes
3. ☐ It depends on the type of component.

Correct Answer : 1

Question 13

Right

Ques:- To what namespace is the ExtensionPoint class assigned?

1. ☐ sap.ui.extension
2. ☐ sap.m
3. ☐ sap.ui.core.extension
4. ☒ sap.ui.core

Correct Answer : 4

Question 14

Right

Ques:- Which of the following statements are true with regard to OPA5? (3 correct)

1. ☐ Is a view controller test framework.
2. ☒ Can be used for user interaction tests.
3. ☒ Provides the possibility to test navigation.
4. ☒ Can be used for SAPUI5 integration tests.

Correct Answer : 2,3,4

Question 15

Right

Ques:- Which file contains the initialization code for the UI library?

1. ☐ lib.dll
2. ☒ library.js
3. ☐ library.load.js
4. ☐ loadlibrary.js

Correct Answer : 2

Question 16

Right

Ques:-

What are the two aggregations provided by sap.m.SplitApp control to add page implementations? (2 correct)

1. ☐ detail
2. ☒ masterPages
3. ☐ mainPages
4. ☐ infoPages
5. ☒ detailPages

Correct Answer : 2,5

Question 17

Right

Ques:- How is the extension type called to hide UI controls?

1. ☐ Element modification
2. ☐ Control replacement
3. ☐ Control modification
4. ☒ View modification

Correct Answer : 4

Question 18

Right

Ques:- What method must be implemented on the back end to support deep inserts?

1. ☐ INSERT\_ENTITY\_DEEP
2. ☐ CREATE\_ENTITY\_DEEP
3. ☐ APPLY\_DEEP\_ENTITY
4. ☒ CREATE\_DEEP\_ENTITY

Correct Answer : 4

Question 19

Right

Ques:-

What is the best approach to showing a UI control on a desktop only, and not on a mobile device?

1. ☐ Use the Device API to check the environment and call setVisible on the UI control.
2. ☐ Use the UI control from sap.ui.commons. These UI controls can handle this automatically.
3. ☒ Use the standard CSS class sapUiVisibleOnlyOnDesktop.

Correct Answer : 3

Question 20

Right

Ques:- Which UI annotation is used in the object page to display the object header?

1. ☐ UI.headerObject
2. ☒ UI.headerInfo
3. ☐ UI.header
4. ☐ UI.objectheader

Correct Answer : 2

Question 21

Right

Ques:- When is the use of a master-detail pattern not recommended? (2 correct)

1. ☐ You want to display a single object.

2. ☒ When you want to display different facets of the same object, data, or both.
3. ☒ You need to offer complex filters for the master list of items.

**Correct Answer : 2,3**

Question 22

Right

Ques:-

Which of the following describe benefits of SAP Fiori elements? (2 correct)

1. ☒ Consistent UI design.
2. ☒ Less support effort.
3. ☐ Full control of the of the generated code at design time.
4. ☐ Flexibility and freedom in UI design.

**Correct Answer : 1,2**

Question 23

Right

Ques:- What parameter must you provide when calling the simulate function of the mock server?

1. ☐ The full qualified path to the model and the URI for the service document.
2. ☐ The autoRespondAfter parameter and the full qualified path to the local metadata file.
3. ☒ The full qualified path to the local metadata file and the folder where the model data are stored locally.

**Correct Answer : 3**

Question 24

Right

Ques:- Which of the following statements are true with regard to implementing your own renderer? (3 correct)

1. ☒ Implement a renderer class, derived from sap.ui.core.Renderer, in a separate file.
2. ☒ Assign a reference to the renderer property of the UI control.
3. ☐ Implement the render function inside the control.
4. ☒ Implement the renderer using AMD syntax.

**Correct Answer : 1,2,4**

Question 25

Right

Ques:- What layout control is used to achieve flexible and responsive layouts?

1. ☐ Splitter
2. ☐ VerticalLayout
3. ☒ Grid
4. ☐ FlexBox

**Correct Answer : 3**

Question 26

Right

Ques:-

What method is called inside the library.js file?

1. ☒ sap.ui.getCore().initLibrary
2. ☐ sap.ui.getCore().registerLibrary
3. ☐ sap.ui.getCore().runLibrary
4. ☐ sap.ui.getCore().loadLibrary

**Correct Answer : 1**

Question 27

Right

Ques:-

You want to define a property with the name width to enhance a standard UI5 control. The property should hold the current width of the UI control. What is the best approach to defining the type of such a property?

1. ☐ Define the property width of the type sap.ui.core.type.CSSSize.
2. ☐ Define the property width of the type sap.ui.core.Integer.
3. ☐ Define the property width of the type string.
4. ☒ Define the property width of the type sap.ui.core.CSSSize.

**Correct Answer : 4**

Question 28

Right

Ques:-

How does the OData Model handle XSRF tokens?

1. ☐ The OData Model fetches the token for each request and sends the token automatically with each request.
2. ☐ The OData Model does not handle XSRF-tokens. The developer must implement token handling.
3. ☒ The OData Model fetches the token when reading the metadata and sends the token automatically in each write request header.

**Correct Answer : 3**

Question 29

Right

Ques:- What is returned by the function createEntry?

1. ☐ The ID of the newly created entity.
2. ☒ A binding context object.
3. ☐ A newly created object in JSON-format.

**Correct Answer : 2**

Question 30

Right

Ques:- What types of extensions/replacements are supported by SAPUI5? (4 correct)

1. ☐ Manifest.json replacement
2. ☒ Implement UI Controller Hooks
3. ☒ View modification

4. ☐ Component replacement
5. ☒ View replacement
6. ☒ Replace service

**Correct Answer : 2,3,5,6**

Question 31

Right

Ques:- What are the different content densities provided by SAPUI5? (3 correct)

1. ☒ cozy
2. ☒ condensed
3. ☐ large
4. ☐ strict
5. ☒ compact

**Correct Answer : 1,2,5**

Question 32

Right

Ques:- What is the name of the aggregation of the sap.m.App control, or more precisely the name of the sap.m.NavContainer control, in which UI controls are aggregated?

1. ☒ pages
2. ☐ masterPages
3. ☐ fullPages
4. ☐ detailPages

**Correct Answer : 1**

Question 33

Right

Ques:- What is the namespace in which the smart controls are bundled?

1. ☐ sap.ui.smart
2. ☒ sap.ui.comp
3. ☐ sap.m

**Correct Answer : 2**

Question 34

Right

Ques:- What parameter is needed when instantiating a MockServer object?

1. ☐ uri
2. ☐ url
3. ☒ rootUri
4. ☐ rootUrl

**Correct Answer : 3**



## Question 35

Right

Ques:- How do you access the MessageManager?

- ☐ Each UI control provides a function to access the MessageManager.
- ☒ It is a singleton and can be accessed by the getMessageManager function on the core object.
- ☐ You have to instantiate the MessageManager using the constructor function.

**Correct Answer : 2**

## Question 36

Right

Ques:-

Does QUnit support SAPUI5 view tests?

- ☐ You can use the QUnit-extensions, called Selenium, to test SAPUI5 controls.
- ☐ Yes, you can implement a test class to test UI aspects of SAPUI5.
- ☒ No, for UI tests you must use OPA5.

**Correct Answer : 3**

## Question 37

Right

Ques:- In which state are the files in GIT when a remote repository is cloned? (3 correct)

- ☒ Staged and modified
- ☐ Tracked and staged
- ☒ Tracked and unmodified
- ☒ Modified and tracked

**Correct Answer : 1,3,4**

## Question 38

Right

Ques:- What is the base class for all UI controls in SAPUI5?

- ☐ sap.ui.Control
- ☒ sap.ui.core.Control
- ☐ sap.ui.base.Control
- ☐ sap.ui.Element

**Correct Answer : 2**

## Question 39

Right

Ques:-

What is meant by the phrase "SAPUI5 supports modification free enhancements"?

- ☐ SAP provides a service in the cloud to generate an enhanced application using aspect-oriented programming.
- ☐ The developer must create a copy of the application that should be enhanced and the enhancement is done in the copy.
- ☒ The delivered standard application remains unchanged and hence the extension is considered to be modification free.

Correct Answer : 3

Question 40

Right

Ques:- Which of the following SAP Fiori element based UIs are currently available? (3 correct)

1. ☐ Wizard Form
2. ☒ List Report
3. ☐ Master-Detail
4. ☒ Object Page
5. ☒ Overview Pages

Correct Answer : 2,4,5

Question 41

Right

Ques:- Which of the following statements are true for SAP Fiori elements? (2 correct)

1. ☐ Heavy UI coding is necessary when working with SAP Fiori Elements.
2. ☒ Apps are based on OData services and annotations.
3. ☒ SAP Fiori elements provide designs for UI patterns and predefined templates.

Correct Answer : 2,3

Question 42

Right

Ques:- What class in the SAPUI5 API supports back-end mock up and is recommended by SAP?

1. ☒ sap.ui.core.util.MockServer
2. ☐ sap.ui.app.MockServer
3. ☐ sap.ui.core.MockServer
4. ☐ sap.m.MockServer

Correct Answer : 1

Question 43

Right

Ques:- How can a renderer access the associated elements?

1. ☒ SAPUI5 provides functions to access all properties, associations, and aggregations.
2. ☐ The developer must define a property method in the control metadata and declare the access control.
3. ☐ The developer must implement an appropriate function to access the elements.

Correct Answer : 1

Question 44

Right

Ques:- Which of the following are the main states of a file in GIT? (3 correct)

1. ☒ Committed
2. ☒ Modified

3. ☐ Released
4. ☒ Changed

**Correct Answer : 1,2,4**

Question 45

Right

Ques:-

Which of the following aspects are true for a SAPUI5 UI element? (3 correct)

1. ☒ A UI element has an API.
2. ☒ A UI element can have events.
3. ☒ A UI element does not have a renderer.
4. ☐ A UI element has a renderer.

**Correct Answer : 1,2,3**

Question 46

Right

Ques:-

When do you use deep insert?

1. ☐ When working with aggregation binding to update / insert an entity in the bound complex structure.
2. ☐ When adding a new entity to an entity set.
3. ☒ When working with hierarchical data where the data can only be stored in the full hierarchy.

**Correct Answer : 3**

Question 47

Right

Ques:- What aspects of the runtime environment can be accessed by the Device API of SAPUI5? (4 correct)

1. ☒ Screen size
2. ☒ Orientation change
3. ☒ Operating system
4. ☒ Touch-specific features
5. ☐ Language

**Correct Answer : 1,2,3,4**

Question 48

Right

Ques:-

In what configuration area of the manifest.json file can you activate automatic message creation?

1. ☐ sap.ui
2. ☐ sap.app
3. ☒ sap.ui5

**Correct Answer : 3**

Question 49

Right

Ques:- When you implement a controller extension and you implement the onInit and onAfterRendering functions in the extension, when are they called?

1. ☒ After the corresponding functions from the standard controller.
2. ☐ Before the corresponding functions from the standard controller.
3. ☐ Only the functions of the controller extensions are called.

Correct Answer : 1

Question 50

Right

Ques:- What type of concurrency control is offered by OData?

1. ☐ No concurrency control
2. ☐ Pessimistic concurrency control
3. ☒ Optimistic concurrency control
4. ☐ Exclusive concurrency control

Correct Answer : 3



We are committed to make you clear your certification exam. Here you will find courses that are cheaper than other websites. We provide only unique questions and guarantee to get your exam cleared.

## COURSES

SAP Cloud (<https://Theexamquestions.Com/Category/Sap-Cloud>)

SAP Fiori (<https://Theexamquestions.Com/Category/Sap-Fiori>)

SAP HANA (<https://Theexamquestions.Com/Category/Sap-Hana>)

SAP ERP (<https://Theexamquestions.Com/Category/Sap-Erp>)

More Courses (<https://Theexamquestions.Com/Category/More-Courses>)

Books (<https://Theexamquestions.Com/Category/Sap-Books>)

## LINKS

FAQ (<https://Theexamquestions.Com/Faq>)

Money Back Guarantee (<https://Theexamquestions.Com/Money-Back-Guarantee>)

About Us (<https://Theexamquestions.Com/About-Us>)

Privacy Policy (<https://Theexamquestions.Com/Privacy-Policy>)

Terms & Conditions (<https://Theexamquestions.Com/Terms-And-Conditions>)

Contact Us (<https://Theexamquestions.Com/Contact>)

All Course Contents, Trademarks, Service Marks, Trade Names, Product Names And Logos Appearing On The Site Are The Property Of Their Respective Owners. The Website Theexamquestions.Com Is In No Way Affiliated With SAP SE. Copyright © 2021 [www.Theexamquestions.Com](http://www.Theexamquestions.Com). All Rights Reserved.