


Exam Result

Course	Fiori App. Developer Questions/Dumps {C_FIORDEV_21}
Module	SAP Fiori Application Developer - Test 2
Min Marks (%)	66%
Right Answer	49
Wrong Answer	0
Your Score	100%
Result	Pass

GO TO COURSE ([HTTPS://THEEXAMQUESTIONS.COM/PROFILE/MODULES/VMXKMFIXTXDLRMRYTFWV1YCEDRMVJXULRSUVVUMDK=](https://theexamquestions.com/profile/modules/vmxkMFiXTXdlRMRYTFwV1YcEdRMVJzUIRsUUVVUMDk=))

Result Analysis



Question 1

Right

Ques:-

You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? (2 Correct)

- 1. ☒ Retrieve the token and send it with each service request
- 2. ☒ Execute the Refresh method for an expired token
- 3. ☐ Include the token in the HTTP request body of each write request
- 4. ☐ Generate a token on each read and write request

Correct Answer : 1,2

Explanation

Link: https://help.sap.com/doc/saphelp_nw73ehp1/7.31.19/en-US/79/108d3aacaf4209b91b760280f82e13/content.htm?no_cache=true
(https://help.sap.com/doc/saphelp_nw73ehp1/7.31.19/en-US/79/108d3aacaf4209b91b760280f82e13/content.htm?no_cache=true)

<https://help.sap.com/viewer/e157c391253b4ecd93647bf232d18a83/Cloud/en-US/652fd37957d6406dbdc5150297991625.html>
(<https://help.sap.com/viewer/e157c391253b4ecd93647bf232d18a83/Cloud/en-US/652fd37957d6406dbdc5150297991625.html>)

<https://sapui5.hana.ondemand.com/sdk/#/topic/91f3e6056f4d1014b6dd926db0e91070>
(<https://sapui5.hana.ondemand.com/sdk/#/topic/91f3e6056f4d1014b6dd926db0e91070>)

Question 2

Right


Ques:-

What is Apache Cordova?

- ☒ An open source mobile development framework
- ☐ A cloud service to access data from mobile devices
- ☐ API provided by SAP to access mobile device features
- ☐ SAP product to run SAP Fiori applications on mobile device

Correct Answer : 1

Explanation

Link: https://en.wikipedia.org/wiki/Apache_Cordova (https://en.wikipedia.org/wiki/Apache_Cordova)

Question 3

Right

Ques:-

You are extending an SAP Fiori app. Which of the extension properties are defined in the manifest.json? (2 Correct)

- ☒ sap.ui.controllerExtensions
- ☐ sap.ui.modelModifications
- ☐ sap.ui.i18nModifications
- ☒ sap.ui.viewModifications

Correct Answer : 1,4

Explanation

Link: <https://sapui5.hana.ondemand.com/#/topic/7619517a92414e27b71f02094bd08d06>
(<https://sapui5.hana.ondemand.com/#/topic/7619517a92414e27b71f02094bd08d06>)

```
"sap.ui5":{
  "_version": "1.1.0",
  "dependencies": {
    "minUI5Version": "1.40.3"
  },
  "extends" :{
    "component": "samples.modify",
    "extensions": {
      "sap.ui.ViewModifications": {
        "samples.modify.View.S1": {
          "inputCanBeHidden": {
            "visible": false
          }
        }
      }
    }
  }
}
```

Listing 6.2 manifest.json Specifying the Hiding of the UI Control

Question 4

Right

Ques:-

Your customer asks you for the advantages of the Model View Controller (MVC) design pattern. Which of the following answers do you provide? (2 Correct)

1. ☒ MVC artifacts can be transported and debugged separately
2. ☐ The project team members that have extensive UI skills can concentrate in that area
3. ☐ The data that the models work with can be reused by several different applications
4. ☒ MVC is easy to implement for the project team members and supports quick coding

Correct Answer : 1,4

Explanation

Link: <https://www.brainvire.com/six-benefits-of-using-mvc-model-for-effective-web-application-development/>
(<https://www.brainvire.com/six-benefits-of-using-mvc-model-for-effective-web-application-development/>)

Question 5

Right

Ques:-

You need to strengthen the connection security between the Web IDE and the Hybrid App Toolkit Connector. Which of the following activities do you perform?

1. ☐ Install an X.509 certificate
2. ☐ Change the default port number
3. ☒ Replace the default API key
4. ☐ Run the connector with administrator rights

Correct Answer : 3

Explanation

Hybrid App Toolkit Connector

HAT Connector will be setup by the HAT Installer


Startup the HAT Connector

- On Windows, double-click run.cmd
- On Mac, (first `chmod +x *.sh`) run `./run.sh`

Strengthen the connection security with the API key

- Menu Tools > Preferences
- Replace the default `<apiKey>` value in the project config.json file with an alphanumeric string

Test connection from SAP Web IDE to the HAT Connector running locally on the developer workstation



Question 6

Right

Ques:-

You need to configure a SAP Web IDE destination to extend an existing SAP Fiori app. Which configuration setting for the WebIDEUsage property is required?

- ☐ ui5_execute_abap
- ☒ dev_abap
- ☐ odata_fiori
- ☐ extend_fiori

Correct Answer : 2

Explanation

WebIDEUsage	<p>Enter one or more of the following values:</p> <ul style="list-style-type: none"> • odata_abap: for the OData functionality of Gateway (corresponds to URL path <code>/sap/opu/odata</code>) • odata_gen: for generic OData functionality (service URL must be provided manually in the New Project wizard) <p>Caution</p> <p>Enter either the odata_abap value or the odata_gen value. Do not use both values at the same time.</p> <ul style="list-style-type: none"> • ui5_execute_abap: for executing SAPUI5 applications from the SAPUI5 ABAP Repository (corresponds to URL path <code>/sap/bc/ui5_ui5</code>) • dev_abap: for extensibility scenarios and developing or deploying to SAPUI5 ABAP Repository (corresponds to URL path <code>/sap/bc/adt</code>)
-------------	---

Link: <https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/5c3debce758a470e8342161457fd6f70.html>
(<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/5c3debce758a470e8342161457fd6f70.html>)

Question 7

Right

Ques:- Which SAP Fiori application is launched by using the search functionality instead of using a tile?

1. ☒ Factsheet
2. ☐ Analytical
3. ☐ Transactional
4. ☐ Legacy

Correct Answer : 1

Question 8

Right

Ques:-

Your customer requests a special create method to enable the creation of the full OData hierarchy. Which OData service method can you use?

1. ☐ EXECUTE_DEEP_INSERT
2. ☐ CREATE_STREAM
3. ☐ CREATE_BATCH_ENTITY
4. ☒ CREATE_DEEP_ENTITY

Correct Answer : 4

Explanation

Link: <https://blogs.sap.com/2016/10/13/create-deep-entity/> (<https://blogs.sap.com/2016/10/13/create-deep-entity/>)

<https://blogs.sap.com/2016/06/16/step-by-step-procedure-for-createdeepentity-in-post-operation/>
(<https://blogs.sap.com/2016/06/16/step-by-step-procedure-for-createdeepentity-in-post-operation/>)

<https://blogs.sap.com/2014/04/27/step-by-step-development-guide-for-createdeepentity-operation/>
(<https://blogs.sap.com/2014/04/27/step-by-step-development-guide-for-createdeepentity-operation/>)

Question 9

Right

Ques:-

You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? (2 Correct)

1. ☒ reset
2. ☐ oninit
3. ☐ listFilter
4. ☒ confirm

Correct Answer : 1,4

Explanation

The FacetFilter control is used to provide filtering functionality with multiple parameters.

Constructor Summary

new sap.m.FacetFilter (<https://sapui5.hana.ondemand.com/1.42.6/docs/api/symbols/sap.m.FacetFilter.html#constructor>)
(sId?, mSettings?) Constructor for a new FacetFilter.

Event Summary

confirm (<https://sapui5.hana.ondemand.com/1.42.6/docs/api/symbols/sap.m.FacetFilter.html#event:confirm>)(oControlEvent)Fired when the user confirms filter selection.

reset (<https://sapui5.hana.ondemand.com/1.42.6/docs/api/symbols/sap.m.FacetFilter.html#event:reset>)(oControlEvent)Fired when the Reset button is pressed to inform that all FacetFilterLists need to be reset.

Link: <https://sapui5.hana.ondemand.com/1.42.6/docs/api/symbols/sap.m.FacetFilter.html>
(<https://sapui5.hana.ondemand.com/1.42.6/docs/api/symbols/sap.m.FacetFilter.html>)

Question 10

Right

Ques:-

Your customer wants to enable the SAP Fiori app to be accessed in multiple languages. Which of the following activities do you perform? (3 Correct)

1. ☒ HTML -enable the special characters in the resource file
2. ☒ Create a resource file containing key/value pairs
3. ☒ Create a resource file for each language
4. ☐ Create a resource file with a .props extension
5. ☐ Create a view file and a controller file for each language

Correct Answer : 1,2,3

Explanation

Link: <https://sapyard.com/sapui5-resource-model-for-freshers/> (<https://sapyard.com/sapui5-resource-model-for-freshers/>)

Question 11

Right

Ques:-

Which of the following components make up the SAP Web IDE hybrid app toolkit? (3 correct)

1. ☒ SAP Web IDE plugin
2. ☐ SAP Cloud Platform service
3. ☒ Hybrid App Toolkit connector
4. ☒ SAP Hybrid App Toolkit companion

Correct Answer : 1,3,4

Explanation

Link: <https://blogs.sap.com/2018/05/22/creating-an-offline-crud-hybrid-mobile-app-in-sap-web-ide-full-stack-with-hybrid-application-toolkit/> (<https://blogs.sap.com/2018/05/22/creating-an-offline-crud-hybrid-mobile-app-in-sap-web-ide-full-stack-with-hybrid-application-toolkit/>)

<https://blogs.sap.com/2019/04/16/whats-new-with-hybrid-application-toolkit-in-2019/> (<https://blogs.sap.com/2019/04/16/whats-new-with-hybrid-application-toolkit-in-2019/>)

Question 12

Right

Ques:-

What happens if you execute an app that contains the following bootstrap file?
Please choose the correct answer.

```
<script src="resources/sap-ui-core.js" id="sap-ui-bootstrap"
data-sap-ui-libs="sap.m"
data-sap-ui-xx-bindingSyntax="complex"
data-sap-ui-resourceroots="{ 'sales.reporting': '/' }">
```

1. ☐ The bootstrap will NOT load and the application will produce an error message that the theme is missing
2. ☒ The bootstrap will load and the application will run successfully but without a theme
3. ☐ The bootstrap will load and the customer-defined default theme will be used
4. ☐ The bootstrap will load and the SAP default theme will be used

Correct Answer : 2

Explanation

The initial theme can be hardcoded in the application (in the script tag of the bootstrap loading SAPUI5) or in a JS configuration object defined before SAPUI5 is loaded, for example:

```
<script id="sap-ui-bootstrap"
  type="text/javascript"
  src="resources/sap-ui-core.js"
  data-sap-ui-theme="sap_belize">
</script>
```

link: <https://sapui5.hana.ondemand.com/sdk/#/topic/e9fc648661d84ed89360bbec3ae02611>
(<https://sapui5.hana.ondemand.com/sdk/#/topic/e9fc648661d84ed89360bbec3ae02611>)

Question 13

Right

Ques:-

What annotation is used to define the heading of list report?

1. ☐ @UI.headerInfo.typeName
2. ☒ @UI.headerInfo.typeNamePlural
3. ☐ @UI.LinelItem.headerTitle
4. ☐ @UI.header.title

Correct Answer : 2

Explanation

link: <https://help.sap.com/viewer/cc0c305d2fab47bd808adcad3ca7ee9d/7.5.9/en-US/f8af07bb0770414bb38a25cae29a12e9.html>
(<https://help.sap.com/viewer/cc0c305d2fab47bd808adcad3ca7ee9d/7.5.9/en-US/f8af07bb0770414bb38a25cae29a12e9.html>)

Question 14

Right

Ques:-

Why does SAP Fiori use an intent-based navigation?

1. ☐ Apps can be developed and deployed in parallel
2. ☒ Apps targets can be deployed separately
3. ☐ The concrete app targets can be deployed separately

4. ☐ App implementation make the app deployment easier

Correct Answer : 2

Explanation

link: <https://blogs.sap.com/2016/01/17/best-build-fiori-apps-rule-7-always-use-intent-based-navigation-to-navigate-within-an-app-and-between-apps/> (<https://blogs.sap.com/2016/01/17/best-build-fiori-apps-rule-7-always-use-intent-based-navigation-to-navigate-within-an-app-and-between-apps/>)

Question 15

Right

Ques:-

What attributes is assigned to @UI.fieldGroup to add an identifier?

1. ☒ Qualifier
2. ☐ Identifier
3. ☐ Quantity
4. ☐ Identity

Correct Answer : 1

Explanation

link: <https://help.sap.com/viewer/cc0c305d2fab47bd808adcad3ca7ee9d/7.5.9/en-US/72dd334ff1ba4681959fa2b873a0a415.html> (<https://help.sap.com/viewer/cc0c305d2fab47bd808adcad3ca7ee9d/7.5.9/en-US/72dd334ff1ba4681959fa2b873a0a415.html>)

Question 16

Right

Ques:-

Your customer extends an SAP Fiori app with View Replacement. Which activities do you perform?(2 Correct)

1. ☒ Create an SAPUI5 view that replaces the complete view
2. ☐ Identify a specific SAPUI5 control to be replaced
3. ☐ Create an SAPUI5 control that replaces the original control
4. ☒ Verify that adding custom content in the Extension Points will NOT suffice

Correct Answer : 1,4

Explanation

link: <https://sapui5.hana.ondemand.com/1.36.6/docs/guide/98861cf90b874e3394b666cfb347ff0b.html> (<https://sapui5.hana.ondemand.com/1.36.6/docs/guide/98861cf90b874e3394b666cfb347ff0b.html>)

Question 17

Right

Ques:-

Your customer needs an app that can perform data modifications. Which ODataModel binding-mode do you select?

1. ☐ One-way
2. ☐ Three-way
3. ☒ Two-way
4. ☐ One-time

Correct Answer : 3

Explanation

link: <https://sapui5.hana.ondemand.com/1.32.9/docs/guide/c72b922fdb59422496661000165d7ff1.html>
(<https://sapui5.hana.ondemand.com/1.32.9/docs/guide/c72b922fdb59422496661000165d7ff1.html>)

<https://sapui5.hana.ondemand.com/1.28.33/docs/guide/91f191d26f4d1014b6dd926db0e91070.html>
(<https://sapui5.hana.ondemand.com/1.28.33/docs/guide/91f191d26f4d1014b6dd926db0e91070.html>)

Question 18

Right

Ques:-

You develop an SAP Fiori sales app to display sales order information from the backend system. Which of the following model types do you use?

1. ☐ JSON model
2. ☐ XML model
3. ☒ OData model
4. ☐ Resource model

Correct Answer : 3

Explanation

link: <https://help.sap.com/viewer/0ce0b8c56fa74dd897ffda8407e8272/7.5.9/en-US/6c47b2b39db9404582994070ec3d57a2.html>
(<https://help.sap.com/viewer/0ce0b8c56fa74dd897ffda8407e8272/7.5.9/en-US/6c47b2b39db9404582994070ec3d57a2.html>)

Question 19

Right

Ques:-

Why do you use the Cordova and SAP Kapsel plug-ins when using the SAP Web IDE, SAP HAT add-on? (2 Correct)

1. ☒ To use offline OData
2. ☐ To enable multiple SAPUI5 apps
3. ☐ To use X.509 client certificates
4. ☒ To integrate device APIs

Correct Answer : 1,4

Explanation

link: <https://help.sap.com/doc/d9c75eebcfa840c8a4aa4b0e6a8136de/3.0.14/en-US/ed65d7f0acbd4ae2bb4bb59e0aa389ad.html>
(<https://help.sap.com/doc/d9c75eebcfa840c8a4aa4b0e6a8136de/3.0.14/en-US/ed65d7f0acbd4ae2bb4bb59e0aa389ad.html>)

<https://help.sap.com/doc/38ec5403bfbf4d7a8fdd3fee5f9605e0/3.0.14/en-US/7c035fab70061014a483940fd6c29742.html>
(<https://help.sap.com/doc/38ec5403bfbf4d7a8fdd3fee5f9605e0/3.0.14/en-US/7c035fab70061014a483940fd6c29742.html>)

Question 20

Right

Ques:-

Which options are known to consume SAP Fiori apps on mobile clients without using the SDK for iOS or Android? (3 correct)

1. ☐ SAP Fiori GUI Client
2. ☒ SAP Fiori in a browser
3. ☒ SAP Fiori Client app or custom SAP Fiori Client

4. ☒ SAP Fiori Mobile with Kapsel SDK

Correct Answer : 2,3,4

Question 21

Right

Ques:-

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

1. ☐ Assert.strictEqual(0,"","true");
2. ☐ Assert.strictEqual(0,null,"true");
3. ☒ Assert.strictEqual(0,-0,"true");
4. ☐ Assert.strictEqual(0,"0","true");

Correct Answer : 3

Explanation

Please execute in webide and test.

Question 22

Right

Ques:-

You need to consume the OData Service from the Gateway to create a new SAP Fiori app in the SAP Web IDE. What value do you configure in the WebIDEUsage property for the destination in the SAP HANA Cloud Platform?

1. ☐ odata_xs
2. ☒ odata_abap
3. ☐ dev_abap
4. ☐ odata_gen

Correct Answer : 2

Explanation

WebIDEUsage	<p>Enter one or more of the following values:</p> <ul style="list-style-type: none">• odata_abap: for the OData functionality of Gateway (corresponds to URL path /sap/opu/odata)• odata_gen: for generic OData functionality (service URL must be provided manually in the New Project wizard) <p>Caution</p> <p>Enter either the odata_abap value or the odata_gen value. Do not use both values at the same time.</p> <ul style="list-style-type: none">• ui5_execute_abap: for executing SAPUI5 applications from the SAPUI5 ABAP Repository (corresponds to URL path /sap/bc/ui5_ui5)• dev_abap: for extensibility scenarios and developing or deploying to SAPUI5 ABAP Repository (corresponds to URL path /sap/bc/adt)
-------------	--

Link: <https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/5c3debce758a470e8342161457fd6f70.html>
(<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/5c3debce758a470e8342161457fd6f70.html>)

Question 23

Right

Ques:-

What possible values can be used for the annotation @UI.LineItem.importance? (3 correct)

1. ☒ MEDIUM
2. ☒ LOW
3. ☒ HIGH
4. ☐ VERY_HIGH

Correct Answer : 1,2,3

Explanation

UI.LineItem.importance	<p>This annotation expresses the importance of dataFields or other annotations. The element can be used, for example, in dynamic rendering approaches with responsive design patterns.ExampleYou defined a table with several columns. The columns that need to be displayed always, get importance <i>HIGH</i>. This ensures that these columns are displayed in a table when this table is rendered on a small display.</p> <p>If no importance is defined, the line item is treated like having importance <i>LOW</i>.</p> <p>Values:</p> <p>String</p> <p>The following enumerations are provided:</p>	
	Value	Description
	<i>HIGH</i>	-
	<i>MEDIUM</i>	-
	<i>LOW</i>	-

Question 24

Right

Ques:-

Why do you explore the Problem Space in detail during a Design Thinking workshop?

1. ☐ To create desirable solutions
2. ☒ To understand user needs
3. ☐ To save costs in the evaluation phase
4. ☐ To validate solution ideas

Correct Answer : 2

Explanation

Link: <https://www.interaction-design.org/literature/article/stage-2-in-the-design-thinking-process-define-the-problem-and-interpret-the-results> (<https://www.interaction-design.org/literature/article/stage-2-in-the-design-thinking-process-define-the-problem-and-interpret-the-results>)

Question 25

Right

Ques:-

What goals are achieved by a Lean Development Infrastructure? (2 correct)

1. ☒ Either automates or provides self-service response
2. ☐ Used to increase the development effort
3. ☐ Used for ABAP development with Eclipse oxygen
4. ☒ Allows for faster innovation through independantly released and serial versions of components.

Correct Answer : 1,4

Explanation

Link: https://en.wikipedia.org/wiki/Lean_software_development (https://en.wikipedia.org/wiki/Lean_software_development)

<https://www.planview.com/resources/articles/lkdc-principles-lean-development/> (<https://www.planview.com/resources/articles/lkdc-principles-lean-development/>)

Question 26

Right

Ques:-

You finalized your app development in the SAP Web IDE and need to deploy it. Which deployment targets are offered? (3 Correct)

1. ☒ SAPUI5 ABAP Repository
2. ☒ SAP HANA Cloud Platform
3. ☐ SAPUI5 Java Repository
4. ☐ Deploy to SAP Fiori launchpad
5. ☒ Register to SAP Fiori launchpad

Correct Answer : 1,2,5

Explanation

Deploying Applications

You can deploy new applications from SAP Web IDE to different servers.

Deploy Applications to the SAPUI5 ABAP Repository (<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/1170ef65b7b3490687021c3132387829.html>)

You can deploy an existing application from the SAP Web IDE workspace to the SAPUI5 ABAP repository.

Update Existing Applications Residing in the SAPUI5 ABAP Repository

(<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/5384586829374597bbfe5bcc7ba1ff10.html>)

You can update your applications that reside in the SAPUI5 ABAP repository.

Deploy Applications to SAP Cloud Platform (<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/463b52bd34de4549ad05f6282ada02d6.html>)

You can deploy any project from SAP Web IDE to SAP Cloud Platform as a new application or as an update to a previously deployed application in any of your SAP Cloud Platform accounts.

Register Applications to SAP Fiori Launchpad (<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/b075d767e91f422b8b4be4e8c6fd5ab7.html>)

You can register your SAP Cloud Platform deployed application to SAP Fiori launchpad directly from SAP Web IDE. Once registration is complete, a new tile is created in SAP Fiori launchpad, assigned to a site, a catalog, and a group.

Check the Application Status (<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/5d0fcdcf6c8846dfbfd2e7790cdf9df3.html>)

You can check whether your application has been deployed to SAPUI5 ABAP Repository and/or SAP Cloud Platform.

Application Build (<https://help.sap.com/viewer/825270ffffe74d9f988a0f0066ad59f0/CF/en-US/dfb26ef028624cf486a8bbb0bfd459ff.html>)

Applications in production environments generally require a build to package resources in an optimal format, for example, to improve loading and delivery.

Question 27

Right

Ques:-

Which UI5 theme is replacing SAP Blue Crystal as the base Fiori theme?

1. ☐ SAP High Contrast Black
2. ☐ SAP Tradeshow
3. ☐ SAP Corbu
4. ☒ SAP Belize

Correct Answer : 4

Explanation

Link: <https://help.sap.com/viewer/bb49e152c3514105b4170e6802735425/1709.000/en-US/eba082f2edbe4416a83dddb343d0626f.html>
(<https://help.sap.com/viewer/bb49e152c3514105b4170e6802735425/1709.000/en-US/eba082f2edbe4416a83dddb343d0626f.html>)

Question 28

Right

Ques:-

Your customer needs to securely connect the SAP HANA Cloud Connector to the Web IDE of an on-premise system. How does the SAP HANA cloud connector help do this? (2 Correct)

1. ☒ It secures an SSL tunnel between the SAP Hana Cloud and the on-premise system
2. ☐ It initiates a cloud-based reverse-invoke process
3. ☐ It supports custom destination API configuration and certificate inspection
4. ☒ It creates connectivity by a reverse-invoke process on the on-premise system

Correct Answer : 1,4

Explanation

Link: <https://help.sap.com/viewer/0c381ce56b104c7faefdd2e3768463b1/1.1/en-US/5672bfb1c9094b6ebc0d7a3d04a60cb2.html>
(<https://help.sap.com/viewer/0c381ce56b104c7faefdd2e3768463b1/1.1/en-US/5672bfb1c9094b6ebc0d7a3d04a60cb2.html>)

<https://help.sap.com/viewer/cca91383641e40ffbe03bdc78f00f681/Cloud/en-US/e7ea82a4bb571014a4ceb61cb7e3d31f.html>
(<https://help.sap.com/viewer/cca91383641e40ffbe03bdc78f00f681/Cloud/en-US/e7ea82a4bb571014a4ceb61cb7e3d31f.html>)

Question 29

Right

Ques:-

Which tile types can you use to display real-time data values read from an OData service? (2 Correct)

1. ☒ App Launcher – Dynamic tile
2. ☒ KPI based tile
3. ☐ News tile
4. ☐ App Launcher – Static tile

Correct Answer : 1,2

Explanation

link: <https://blogs.sap.com/2020/03/05/sap-fiori-kpi-tiles/> (<https://blogs.sap.com/2020/03/05/sap-fiori-kpi-tiles/>)

<https://help.sap.com/viewer/a7b390faab1140c087b8926571e942b7/1709.001/en-US/92dda11afc814a538a8ec626f4a74c8d.html>
(<https://help.sap.com/viewer/a7b390faab1140c087b8926571e942b7/1709.001/en-US/92dda11afc814a538a8ec626f4a74c8d.html>)

Question 30

Right

Ques:-

What are the main characteristics of a search field in SAP Fiori element-based applications? (3 correct)

1. ☒ Finds a keyword in multiple fields
2. ☒ No value help dialog
3. ☒ Supports fuzzy search
4. ☐ Provides multiple search fields

Correct Answer : 1,2,3

Explanation

link: <https://www.123techguru.com/courses/using-searching-and-filtering-data-in-fiori-elements/>
(<https://www.123techguru.com/courses/using-searching-and-filtering-data-in-fiori-elements/>)

Question 31

Right

Ques:-

Which security features does the SAP Fiori provide to restrict the access to native device capabilities? (2 Correct)

1. ☒ Bridge for non-Fiori content
2. ☐ Encrypted storage of data on the device
3. ☒ Restricted device functionality using a client policy
4. ☐ Privacy screen

Correct Answer : 1,3

Explanation

link: <https://help.sap.com/doc/38ec5403bfbf4d7a8fdd3fee5f9605e0/3.0.14/en-US/0e5045937d1046279d539bdfc24f4d7.html>
(<https://help.sap.com/doc/38ec5403bfbf4d7a8fdd3fee5f9605e0/3.0.14/en-US/0e5045937d1046279d539bdfc24f4d7.html>)

Question 32

Right

Ques:-

You extend an SAP Fiori app. The visibility value of a View Button control needs to be modified. Which extension point do you use?

1. ☐ View Extension
2. ☐ View Visibility
3. ☐ View Replacement
4. ☒ View Modification

Correct Answer : 4

Explanation

View Modification

For modifying views, control properties of standard views can be changed.

The view modification is currently restricted to the visible property of controls, meaning that controls can be hidden in the custom application. The controls must have the visible property and the control's ID must be defined in the view. The view name together with the control ID uniquely determines the control in the standard application.

Question 33

Right

Ques:-

Your customer asks you to demonstrate their app with localization changes. Which activity do you perform?

1. ☒ Show the i18n.properties file translations
2. ☐ Configure the run configuration file in the app
3. ☐ Enable the preview frame in the run configuration
4. ☐ Configure the Supported Languages settings in the Project.json file

Correct Answer : 1

Explanation

Link: <https://sapui5.hana.ondemand.com/1.36.6/docs/guide/df86bfbeab0645e5b764ffa488ed57dc.html>
(<https://sapui5.hana.ondemand.com/1.36.6/docs/guide/df86bfbeab0645e5b764ffa488ed57dc.html>)

Question 34

Right

Ques:-

Which of the following user authentication and Single sign-on mechanisms are supported by SAP Fiori Client? (3 correct)

1. ☐ Iris scan
2. ☒ One-time password
3. ☒ SAML
4. ☒ X.509 client certificates

Correct Answer : 2,3,4

Explanation

Link: <https://help.sap.com/doc/38ec5403bfbf4d7a8fdd3fee5f9605e0/3.0.14/en-US/c7ee0275986543a9a9ddd1f1061f43e3.html>
(<https://help.sap.com/doc/38ec5403bfbf4d7a8fdd3fee5f9605e0/3.0.14/en-US/c7ee0275986543a9a9ddd1f1061f43e3.html>)?

Question 35

Right

Ques:-

Which tool do you use to deploy SAP Fiori app developments?

1. ☐ Process Modeler
2. ☐ Eclipse (SAP NetWeaver Developer Studio)
3. ☒ SAP WEB IDE
4. ☐ Object Navigator

Correct Answer : 3

Explanation

Ofcourse! It is webide

Link: <https://blogs.sap.com/2017/01/24/customizing-sap-fiori-launchpad-using-the-ui-theme-designer/>
(<https://blogs.sap.com/2017/01/24/customizing-sap-fiori-launchpad-using-the-ui-theme-designer/>)

<https://sapui5.hana.ondemand.com/1.32.7/docs/guide/723f4b2334e344c08269159797f6f796.html>
(<https://sapui5.hana.ondemand.com/1.32.7/docs/guide/723f4b2334e344c08269159797f6f796.html>)

Question 36

Right

Ques:- Your customer requires that the SAPUI5 design of all apps reference a specific and consistent look and feel. What do you create? (3 Correct)

1. ☒ Create a theme using the Theme Designer implementing the specific look and feel and reference this theme in the bootstrap of all apps
2. ☒ Create a model using the Web IDE implementing the specific look and feel and reference this model in the bootstrap of all apps
3. ☐ Create a module using the Web IDE implementing the specific look and feel and reference this module in the bootstrap of all apps
4. ☐ Create a global JavaScript file using the Web IDE implementing the specific look and feel and reference this file in the bootstrap of all apps
5. ☒ Create a css file using the Web IDE implementing the specific look and feel and reference this css in the bootstrap of all apps

Correct Answer : 1,2,5

Question 37

Right

Ques:-

What is the goal of every developer? (3 correct)

1. ☒ Less maintenance
2. ☒ Develop faster
3. ☐ Increase development effort
4. ☒ Increase efficiency

Correct Answer : 1,2,4

Explanation

As a developer, you would not want to increase development effort.

Question 38

Right

Ques:-

Which technologies are used to create Hybrid apps and SAPUI5 apps?

1. ☐ HTML, JSON and CSS3
2. ☐ XML, JSON and CSS
3. ☐ XML, JavaScript and CSS3
4. ☒ HTML5, JavaScript and CSS

Correct Answer : 4

Explanation

XML, JavaScript and CSS3

Question 39

Right

Ques:-

In the source code below, which of the following locations must reference the extension point? Please choose the correct answer.

```
<Page title="Title">
<content>
<Label text = "First name:"/>
<Input/>
<core:ExtensionPoint name="forMiddleName:"/>
<<Label text = "Last name:"/>
<Input/>
<Button text="Get Info" press="doGetInfo"/>
</content>
</Page>
</core:View>
```

1. ☐ Neo-app.json
2. ☒ Component.js
3. ☐ EmployeeData.view.xml
4. ☐ EmployeeDate.controller.js

Correct Answer : 2

Question 40

Right

Ques:-

You need the server to sort and filter the data used in your customer's app. Which SAPUI5-supported data model must you use?

1. ☐ JSONModel
2. ☐ ResourceModel
3. ☒ ODataModel
4. ☐ XMLModel

Correct Answer : 3

Explanation

Link: <https://sapui5.hana.ondemand.com/1.34.7/docs/guide/6c47b2b39db9404582994070ec3d57a2.html>
(<https://sapui5.hana.ondemand.com/1.34.7/docs/guide/6c47b2b39db9404582994070ec3d57a2.html>)

Question 41

Right

Ques:-

You develop an SAPUI5 app that can be extended. To allow your customer modifications, you set up a hook method. What activities are required to implement a hook method? (3 Correct)

1. ☐ Create a .js file in the Util folder to allow the customer to add custom code
2. ☒ Identify a strategic location in the controller for the customized code
3. ☐ Modify the bootstrap option to allow multi-layer extensions of the custom code
4. ☒ Define a new function name ensuring it is reserved for the extension
5. ☒ Add a code snippet to check if the method exists and execute it

Correct Answer : 2,4,5

Explanation

Link: <https://sapui5.hana.ondemand.com/#/topic/a264a9abf98d4caab9b027bc1005d8>
(<https://sapui5.hana.ondemand.com/#/topic/a264a9abf98d4caab9b027bc1005d8>)

<https://blogs.sap.com/2015/06/15/how-to-extend-a-sapui5-fiori-application-both-view-and-controller/>
(<https://blogs.sap.com/2015/06/15/how-to-extend-a-sapui5-fiori-application-both-view-and-controller/>)

Question 42

Right

Ques:-

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system. What do you create to implement a deep insert? (2 Correct)

1. ☐ Create individual structures for both Sales Order and Sales Order Items, and then batch them
2. ☐ Create a flat structure with Sales Order and Sales Order Items, and then add an expand command
3. ☒ Create a nested structure for Sales Order and Sales Order Items
4. ☒ Create an object structure that defines the hierarchy

Correct Answer : 3,4

Explanation

link: <https://www.saplearners.com/deep-insert-in-sap-netweaver-gateway/>

<https://blogs.sap.com/2017/07/18/steps-to-create-deep-insert-odata/> (<https://blogs.sap.com/2017/07/18/steps-to-create-deep-insert-odata/>)

<https://blogs.sap.com/2018/08/30/sap-gateway-deep-insert-end-to-end-scenario/> (<https://blogs.sap.com/2018/08/30/sap-gateway-deep-insert-end-to-end-scenario/>)

Question 43

Right

Ques:-

What annotations are required to declare that an ABAP Core Data System supports search capabilities?

1. ☐ @Search.allowed
2. ☒ @Search.searchable
3. ☐ @Search.possible

Correct Answer : 2

Explanation

Link: <https://blogs.sap.com/2014/12/04/enabling-search-in-sap-hana-using-cds/> (<https://blogs.sap.com/2014/12/04/enabling-search-in-sap-hana-using-cds/>)

Question 44

Right

Ques:-

While testing an SAP Fiori app you discover that a button on the page delivers no response. Which of the following agile pyramid options do you use?

1. ☒ OPA
2. ☐ Sinon
3. ☐ Mock server
4. ☐ QUnit

Correct Answer : 1

Explanation

Link: <https://sapui5.hana.ondemand.com/1.36.6/docs/guide/1b47457cbe4941ee926317d827517acb.html>
(<https://sapui5.hana.ondemand.com/1.36.6/docs/guide/1b47457cbe4941ee926317d827517acb.html>)

<https://sapui5.hana.ondemand.com/1.34.13/docs/guide/22f175e7084247bc896c15280af9d1dc.html>
(<https://sapui5.hana.ondemand.com/1.34.13/docs/guide/22f175e7084247bc896c15280af9d1dc.html>)

Question 45

Right

Ques:-

What is the purpose of build server?

1. ☒ Provides software that allows continuous integration.
2. ☐ Manage components, builds artifacts, and releases candidates in one central location
3. ☐ Used for version control
4. ☐ Used for code review

Correct Answer : 1

Explanation

A build server (<https://whatis.techtarget.com/definition/server>), also called a continuous integration (<https://searchsoftwarequality.techtarget.com/definition/continuous-integration>) server (CI server), is a centralized, stable and reliable environment for building (<https://searchsoftwarequality.techtarget.com/definition/build>) distributed development projects.

The build server starts with a clean slate, so no unapproved configurations or artifacts are present. Since the code is pulled from the repository (<https://searchoracle.techtarget.com/definition/repository>), only committed code will end up in the release version. This increases predictability by enforcing source control and making it possible to flag issues and notify developers quickly if there are conflicts or missing dependencies. It helps ensure that the same dynamic link (<https://searchwindowsserver.techtarget.com/definition/dynamic-link-library-DLL>) library is used for all builds and that out-of-sync check-ins don't lead to failure during quality assurance (<https://searchsoftwarequality.techtarget.com/definition/quality-assurance>) (QA) testing.

Question 46

Right

Ques:-

You need to explain the core functions of OPA5 for testing SAPUI5 apps. Which test options are offered by OPA5? (2 Correct)

1. ☐ Development tests
2. ☐ Load tests
3. ☒ Navigation tests
4. ☒ User interaction tests

Correct Answer : 3,4

Explanation

Link: <https://sapui5.hana.ondemand.com/1.36.6/docs/guide/10592affce3e4flba73c3125ee06e0b7.html>
(<https://sapui5.hana.ondemand.com/1.36.6/docs/guide/10592affce3e4flba73c3125ee06e0b7.html>)

<https://sapui5.hana.ondemand.com/1.32.7/docs/guide/19ccd473c9a14c2ab7529303a2232d2c.html>
(<https://sapui5.hana.ondemand.com/1.32.7/docs/guide/19ccd473c9a14c2ab7529303a2232d2c.html>)

Question 47

Right

Ques:-

Which SAP Fiori personalization elements holds all of the technical information needed to start an app?

1. ☐ Catalog
2. ☐ User Preferences
3. ☐ Group
4. ☒ Tile

Correct Answer : 4

Explanation

link: <https://blogs.sap.com/2015/07/13/configure-the-fiori-launchpad-tiles-using-catalogs-groups/>
(<https://blogs.sap.com/2015/07/13/configure-the-fiori-launchpad-tiles-using-catalogs-groups/>)

Question 48

Right

Ques:-

You need to maintain the mapping between an app URL and a destination in the SAPUI5 app. Which file do you maintain?

1. ☐ project.json
2. ☐ user-project.json
3. ☒ neo-app.json
4. ☐ path.json

Correct Answer : 3

Explanation

link: <https://sapui5.hana.ondemand.com/1.32.7/docs/guide/28fa7538c67e4280a0b7708de2951278.html>
(<https://sapui5.hana.ondemand.com/1.32.7/docs/guide/28fa7538c67e4280a0b7708de2951278.html>)

<https://sapui5.hana.ondemand.com/sdk/#/topic/f7abd1bbc766422e82476e333a46c9a1>
(<https://sapui5.hana.ondemand.com/sdk/#/topic/f7abd1bbc766422e82476e333a46c9a1>)

Question 49

Right

Ques:-

You need to implement an SAP Fiori transactional app for your customer. What benefits are available in the completed app? (2 Correct)

1. ☒ It allows UI changes without development privileges in the back-end
2. ☒ It allows access to the back end to edit document details
3. ☐ It allows drill-down details to be presented in the UI
4. ☐ It allows fast iterations for the UI apps

Correct Answer : 1,2

Explanation

link: https://www.tutorialspoint.com/sap_fiori/sap_fiori_transactional_apps.htm
(https://www.tutorialspoint.com/sap_fiori/sap_fiori_transactional_apps.htm)

<https://blogs.sap.com/2017/09/14/how-to-develop-a-transactional-app-using-the-new-abap-programming-model-for-sap-fiori/>
(<https://blogs.sap.com/2017/09/14/how-to-develop-a-transactional-app-using-the-new-abap-programming-model-for-sap-fiori/>)

<https://help.sap.com/doc/aa6e2a11c1844ebb93a6b4f44d5c0847/1.0%202016-07/en-US/frameset.htm?frameset.htm>
(<https://help.sap.com/doc/aa6e2a11c1844ebb93a6b4f44d5c0847/1.0%202016-07/en-US/frameset.htm?frameset.htm>)



We are committed to make you clear your certification exam. Here you will find courses that are cheaper than other websites. We provide only unique questions and guarantee to get your exam cleared.

COURSES

SAP Cloud ([Https://Theexamquestions.Com/Category/Sap-Cloud](https://Theexamquestions.Com/Category/Sap-Cloud))

SAP Fiori ([Https://Theexamquestions.Com/Category/Sap-Fiori](https://Theexamquestions.Com/Category/Sap-Fiori))

SAP HANA ([Https://Theexamquestions.Com/Category/Sap-Hana](https://Theexamquestions.Com/Category/Sap-Hana))

SAP ERP ([Https://Theexamquestions.Com/Category/Sap-Erp](https://Theexamquestions.Com/Category/Sap-Erp))

More Courses ([Https://Theexamquestions.Com/Category/More-Courses](https://Theexamquestions.Com/Category/More-Courses))

Books ([Https://Theexamquestions.Com/Category/Sap-Books](https://Theexamquestions.Com/Category/Sap-Books))

LINKS

FAQ ([Https://Theexamquestions.Com/Faq](https://Theexamquestions.Com/Faq))

Money Back Guarantee ([Https://Theexamquestions.Com/Money-Back-Guarantee](https://Theexamquestions.Com/Money-Back-Guarantee))

About Us ([Https://Theexamquestions.Com/About-Us](https://Theexamquestions.Com/About-Us))

Privacy Policy ([Https://Theexamquestions.Com/Privacy-Policy](https://Theexamquestions.Com/Privacy-Policy))

Terms & Conditions ([Https://Theexamquestions.Com/Terms-And-Conditions](https://Theexamquestions.Com/Terms-And-Conditions))

Contact Us ([Https://Theexamquestions.Com/Contact](https://Theexamquestions.Com/Contact))

All Course Contents, Trademarks, Service Marks, Trade Names, Product Names And Logos Appearing On The Site Are The Property Of Their Respective Owners. The Website Theexamquestions.Com Is In No Way Affiliated With SAP SE. Copyright © 2021 Www.Theexamquestions.Com. All Rights Reserved.