Left margin of an element can be changed using _____.

Select one:

- a. padding:
- b. margin:
- c. margin-left:
- d. text-indent:

With Internet Explorer, the default color for a normal link that has not been clicked is ____.

Select one:

- a. red
- b. green
- c. purple
- d. blue
- e. black

Title tag is nested within the ..... tag.

Select one:

- a. Body
- b. Head
- c. List
- d. Table
- e. style

Select the most suitable setup to simulate a private network over a public network

Select one:

- a. A extranet
- b. A virtual private network
- c. A wide area network
- d. A intranet
- e. WWW

Select the most suitable answer for the following given statements.

Statement 1: A LAN is a network in which the computers are physically close to each other.

Statement 2: A WAN is a network in which the computers are geologically separated in large distances.

Select one:

- a. Statement 1 is TRUE, Statement 2 is TRUE
- b. Statement 1 is FALSE, Statement 2 is FALSE
- c. Statement 1 is TRUE, Statement 2 is FALSE
- d. Statement 1 is FALSE, Statement 2 is TRUE

_____ is protocol used to control the secure sending of data on the internet.

Select one:

- a. HTTP
- b. HTTPS
- c. SMTP
- d. TCP/IP
- e. FTP

ered

of

tion

Users with computers connected to the Internet can access _____.

Select one:

- a. The World Wide Web
- b. E-mail
- c. Newsgroups
- d. All of the given services

PHP's numerically indexed array begin with position _____

Select one:

- a. null
- b. 1
- c. 2
- d. 0
- e. -1

PHP's numerically indexed array begin with position _____

Select one:

- a. 2
- b. -1
- c. 0
- d. null
- e. 1

The filesize() function returns the file size in _____

Select one:

- a. bytes
- b. bits
- c. kilobytes
- d. gigabytes
- e. terabyte

Which of the following are incorrect ways of creating an array in PHP?

i) state[0] = "karnataka";

ii) $state[] = array("karnataka");

iii) $state[0] = "karnataka";

iv) $state = array("karnataka");

Select one:

- a. i) and ii)
- b. ii) and iii)
- c. Only i)
- d. ii), iii) and iv)
- e. iii) and iv)

Which of the below statements is equivalent to $add += $add?

Select one:

- a. $add = $add
- b. $add = $add + 1
- c. $add = $add +$add
- d. $add = $add + $add + 1
- e. add = add + 1

45

nswered

ut of

uestion

What will be the output of the following PHP code?

```
<?php
  $a = "Sri     ";//05 spaces
  $a .= "Lanka";
  echo "$a";
?>
```

Select one:

- a. Sri Lanka
- b. Sri   Lanka
- c. SriLanka
- d. Lanka
- e. Sri

What will be the output of the following PHP code?

```
<?php
$fruits = array ("apple", "orange", array ("pear", "mango"),"banana");
echo (count($fruits, 1));
?>
```

Select one:

- a. 3
- b. No output
- c. 4
- d. 5
- e. 6

Which of these is a correct method to create a new array?

Select one:

- a. var myArray = new Array[];
- b. var myArray = {};
- c. var myArray = ();
- d. var myArray = array();
- e. var myArray = [];

The most suitable place(s) to insert a javascript code(s) in a page

Select one:

- a. inline
- b. inline and body
- c. head
- d. body
- e. both head and body

What will be the output of the following PHP code?

```
<?php
  $a = 'a';
  $b = "a";
  echo ($a === $b);
?>
```

Select one:

- a. 1
- b. False
- c. 0
- d. Error
- e. 5 === 5

Which statement will output $a on the screen?

Select one or more:

- [ ] a. echo "$$a";
- [ ] b. echo "/$a";
- [x] c. echo '$a';
- [ ] d. echo "$a;";
- [ ] e. echo "\$a";

ered

ion

What is **not** true about "POST" method

Select one:

- a. has no size limitations
- b. Good for sensitive and personal data
- c. Useful to bookmarked the results
- d. is not the default method of Form.
- e. Does not display the form data on the URL

What is the correct HTML DOM to change the value of the image in to newimage .jpg?

```
<img id="image" src="image.gif">
```

Select one:

- a. document.getElementById("image").src = " newimage .jpg";
- b. document.getElementByType("image").src = " newimage .jpg";
- c. document.getElementById("image").value = " newimage .jpg";
- d. document.getElementById("image").innerHtml = " newimage .jpg";
- e. document.getElementByImage("src") = " newimage .jpg";

Choose appropriate Option: JavaScript is also called as _____.

Select one:

- a. None of the above
- b. Compiling Scripting Language
- c. Server-Side Scripting Language
- d. Browser Side Scripting Language
- e. Client-Side Scripting Language

Select the correct organization which is mainly creating the Web Standards.

Select one:

- a. The World Wide Web Consortium
- b. National Institute of Standards and Technology
- c. International Standard Organization
- d. British Standards institute
- e. American National Standards Institute

Identify the attribute of <form> tag

Select one:

- a. accept
- b. action
- c. href
- d..methods
- e. alt

Default web page background and foreground color(s) are _____ _____

Select one:

- a. Green and Black
- b. Black and White
- c. White and Black
- d. Blue and White
- e. Black and Black

Which HTML attribute is used to define inline styles?

Select one:

- a. Styles
- b. Text
- c. Style
- d. CSS
- e. script

Which CSS property controls the text size?

Select one:

- a. font-style
- b. font-size
- c. text-style
- d. text-size

How do you add a background color for all "H1" elements?

Select one:

- a. h1 - h6 {background-color:#FFFFFF}
- b. all.h1 {background-color:#FFFFFF}
- c. h1.all {background-color:#FFFFFF}
- d. h1 {background-color:#FFFFFF}

Bulleted lists are also called _____ lists.

Select one:

- a. intranet
- b. unordered
- c. extranet
- d. newsnet
- e. point list

What is the correct HTML for making a single line text input field?

Select one:

- a. <input type="textfield">
- b. <input type="text">
- c. <textfield>
- d. <textinput type="text">
- e. <textarea></textarea>

d

n

Which of the following is not a browser ?

Select one:

- a. Netscape Navigator
- b. Microsoft Bing
- c. Chrome
- d. FireFox
- e. Opera

In case mouse moves over a link, _____ event will be detected.

Select one:

- a. onMouseOver
- b. onRollOver
- c. overMouse
- d. onClick
- e. All of the given

Padding is the space between _____.

Select one:

- a. Two tables
- b. Two borders
- c. Content and border
- d. Border and window
- e. two dives

Numbered lists are also called _____ lists.

Select one:

- a. browser
- b. manager
- c. ordered
- d. explorer
- e. bullet

Select the **incorrect** abbreviation

Select one:

- a. TCP: Transmission control protocol
- b. IP: Intranet Protocol
- c. HTTP: HyperText Transfer Protocol
- d. FTP: File Transfer Protocol
- e. HTTP: Hypertext Transfer Protocol

Bulleted lists are also called _____ lists.

Select one:

- a. intranet
- b. unordered
- c. extranet
- d. newsnet
- e. point list

stion 6

yet answered

ked out of

lag question

What are the server side web development technologies?

Select one:

- a. HTML5,VB Script, JavaScript and CSS
- b. IIS, Apache, Tomcat, Glassfish
- c. PHP,ASP.NET, JSP/Servlet
- d. HTML, CSS, XML, Java Script
- e. Mozilla, Firefox, Internet Explorer, Google Chrome

Select the **incorrect** statement associated with javascripts.

Select one:

- a. It is a lightweight programming language
- b. Usually embedded directly into HTML pages
- c. Script execute without preliminary compilation
- d. Need computer processer for preliminary compilation
- e. Everyone can use it without purchasing a license

```
<script>
var arr=[4,3,,1];
  for(i=0;i<4;i++){
document.writeln(arr[i]);
}
 </script>
```

What is the output of above code ?

Select one:

- a. 4 3
- b. 4 3 1
- c. Error
- d. 4 3 2 1
- e. 4 3 undefined 1

stion 38

yet answered

ked out of

Flag question

Consider the following code snippet , What will be the out put when you click on Try it button ?

```
<!DOCTYPE html>
<html>
<body>
<button onclick="myFunction()">Try it</button>
<p id="demo"></p>
<script>
function myFunction() {
  var text = "";
  var i;  for (i = 8; i >5; i--) {
    if (i === 7) {
      break;
    }
    text += "The number is " + i + ",";
  }
  document.getElementById("demo").innerHTML = text;
}
</script>
</body>
</html>
```

Select one:

- a. The number is 1,The number is 2,The number is 3,The number is 4,
- b. The number is 8,
- c. The number is 8,The number is 6,
- d. The number is 8,The number is 7,
- e. The number is 8,The number is 7,The number is 6,The number is 5

CSS definitions can be written in _____ to define the styles for entire site.

Select one:

- a. Body section
- b. Head section
- c. external file
- d. Anywhere in the web page

```
<p id="output"></p>
<script>
function getValue(){
  var a = b = 3;
}
getValue();
document.write((typeof a !== 'undefined')+ "+");
document.write((typeof b !== 'undefined'));
</script>
```

What will be the output of the above code?

Select one:

- a. false+true
- b. false+false
- c. true+false
- d. true,true
- e. false

The different ways to associate styles with a HTML document is/are

Select one:

- a. Embedded CSS with <style> element
- b. Inline CSS with style attribute.
- c. External CSS with <link> element.
- d. All are correct

Which of the following HTML tag could not be used as a selector in CSS?

Select one:

- a. <h1>
- b. <style>
- c. <a>
- d. <p>

To refer to an external CSS file within an HTML document, use:

Select one:

- a. <link href="stylesheet" type="text/css" href="mystyle.css">
- b. <link rel="stylesheet" type="text/css" href="mystyle.css">
- c. <link src="stylesheet" type="text/css" href="mystyle.css">
- d. <style href="stylesheet" type="text/css" href="mystyle.css">

What is the correct HTML for making a hyperlink?

Select one:

- a. <a href="http://www.sliit.com"> sliit</a>
- b. <a name="http://www.sliit.com"> sliit</a>
- c. <a url ="http://www.sliit.com">sliit</a>
- d. <a>http://www.sliit.com</a>
- e. <a src ="http://www.sliit.com">sliit</a>

Indicating the ____ of an image takes the burden off of the browser and helps Web pages load faster.

Select one:

- a. index
- b. width and height
- c. resolution
- d. style
- e. alt tag

How to create a checkbox in HTML?

Select one:

- a. <input type = "checkbox">
- b. <input type = "button">
- c. <checkbox>
- d. <input type="check">
- e. <button type="checkbox">

on 32

t answered

d out of

g question

What will be the output of the following JavaScript code?

```
<script language="javascript">
function x()
{
document.write(6+3+"8");
}
</script>
```

Select one:

- a. 17
- b. 638
- c. 98
- d. 2+5+"8"
- e. no Out put

ered

of

stion

What is the second level domain related to the following url.

www.ietf.org/rfc/rfc1738.txt

Select one:

- a. rfc1738.txt
- b. www
- c. ietf
- d. org
- e. rfc

Any computer that has the right software installed on it and is connected to the Internet can act as a Web _____.

Select one:

- a. server
- b. key
- c. proxy
- d. transfer protocol
- e. site

ed

on

Client-Server requests are initiated by:

Select one:

- a. The Client
- b. The Server
- c. None of these
- d. Browser
- e. Both Client and Server at once.

Question 17

Not yet answered

Marked out of 1.00

Flag question

Following JS Code Consists of different Type of Statements

```
<script type="text/javascript">
  var i = 10;
  if (i < 10) {
    document.write("<h1>This is a heading</h1>");
    document.write("<p>This is a paragraph.</p>");
    document.write("<p>This is another paragraph.</p>");
  }
</script>
```

Select one:

- a. Conditional Statement
- b. Declaration Statement
- c. All Type of Statements are included inside JS Code
- d. Executable Statement
- e. Assignment Statement

9

answered

out of

question

Select the tag which is dealing as a container?

Select one:

- a. <SELECT>
- b. <BODY>
- c. <INPUT>
- d. <LEGEND>
- e. <SELECT> and <BODY>

red

on

A company needs its business application's user interface to be redesigned and redeveloped without affecting any of its functionality or data access logic underneath, which of the following architectures is the most suitable to carry on this procedure safely?

Select one or more:

- a. Standalone Application
- b. 2-tier Client – Server Architecture
- c. 3-tier Client – Server Architecture
- d. All of Above
- e. None of the Above

Next page