Enroll: 230801313 Roll Number : 31
Name : Chand Kavar Division:C5

Unit 1

1. Create web form to print hello world.

Code:

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeBehind="p1.aspx.cs" Inherits="_230801313.Unit1.p1" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
        </div>
    </form>
</body>
</html>
```

Output:



Hello World

2. Create web form to print hello world with your name.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
public partial class p2 : System.Web.UI.Page
{
protected void Page_Load(object sender, EventArgs e)
{
Response.Write("Hello- Chand");
}
}
}
```

Output:



3. Create web form to print your name with address in new line.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p3 : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            Response.Write("Chand<br>Rajkot, Gujarat");
        }
    }
}
```

Output:



4. Create web form to print any digit.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p4 : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            Response.Write("Digit is: 7");
        }
    }
}
```

Output:



5. Create web form to print your name in label.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p5 : System.Web.UI.Page
    {
        protected void btnShow_Click(object sender, EventArgs e)
        {
            lblName.Text = "My Name is Chand";
        }
    }
}
```

Output:



6. Create web form to print any digit in label.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p6 : System.Web.UI.Page
    {
        protected void btnShow_Click(object sender, EventArgs e)
        {
            lblDigit.Text = "Digit is: 7";
        }
    }
}
```

Output:



7. Create web form to print sum of two variable.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p7 : System.Web.UI.Page
    {
        protected void btnSum_Click(object sender, EventArgs e)
        {
            int a = int.Parse(txtA.Text);
            int b = int.Parse(txtB.Text);

            Response.Write("Sum of two numbers = " + (a + b));
        }
    }
}
```

Output:



8. Create web form to print sum of two variable in label.

code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p8 : System.Web.UI.Page
    {
        protected void btnSum_Click(object sender, EventArgs e)
        {
            int a = int.Parse(txtA.Text);
            int b = int.Parse(txtB.Text);

            lblResult.Text = "Sum of two numbers = " + (a + b);
        }
    }
}
```

Output:



9. Create web form to print weather number is even/odd.
code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p9 : System.Web.UI.Page
    {
        protected void btnCheck_Click(object sender, EventArgs e)
        {
            int number = int.Parse(txtNumber.Text);

            if (number % 2 == 0)
                Response.Write("The number " + number + " is Even");
            else
                Response.Write("The number " + number + " is Odd");
        }
    }
}
```

Output:



10. Create web form to print weather number is positive/negative or zero.
code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p10 : System.Web.UI.Page
    {
        protected void btnCheck_Click(object sender, EventArgs e)
        {
            int number = int.Parse(txtNumber.Text);

            if (number > 0)
                Response.Write("The number " + number + " is
Positive");
            else if (number < 0)
                Response.Write("The number " + number + " is
Negative");
            else
                Response.Write("The number is Zero");
        }
    }
}
```

Output:



11. Create web form to print weather user is eligible for a vote or not.
code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p11 : System.Web.UI.Page
    {
        protected void btnCheck_Click(object sender, EventArgs e)
        {
            int age = int.Parse(txtAge.Text);

            if (age >= 18)
                Response.Write("User is Eligible for Vote");
            else
                Response.Write("User is Not Eligible for Vote");
        }
    }
}
```

Output:



12. Create web form to Swap two numbers

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p12 : System.Web.UI.Page
    {
        protected void btnSwap_Click(object sender, EventArgs e)
        {
            int a = int.Parse(txtA.Text);
            int b = int.Parse(txtB.Text);

            int temp;
            temp = a;
            a = b;
            b = temp;

            Response.Write("After Swap <br/>");
            Response.Write("First Number: " + a + "<br/>");
            Response.Write("Second Number: " + b);
        }
    }
}
```

Output:



13. Create web form to print 1 to 10 number using for, while and do while loop.

Code:

```
using System;
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p13 : System.Web.UI.Page
    {
        protected void btnFor_Click(object sender, EventArgs e)
        {
            Response.Write("For Loop:<br/>");
            for (int i = 1; i <= 10; i++)
            {
                Response.Write(i + "<br/>");
            }
        }

        protected void btnWhile_Click(object sender, EventArgs e)
        {
            Response.Write("While Loop:<br/>");
            int i = 1;
            while (i <= 10)
            {
                Response.Write(i + "<br/>");
                i++;
            }
        }

        protected void btnDoWhile_Click(object sender, EventArgs e)
        {
            Response.Write("Do While Loop:<br/>");
            int i = 1;
            do
            {
                Response.Write(i + "<br/>");
                i++;
            } while (i <= 10);
        }
    }
}
```

Output:


Program 13
localhost:44387/Unit1/P13.aspx
Do While Loop:
1
2
3
4
5
6
7
8
9
10
For Loop
While Loop
Do While Loop

14. Create web form to print 10 to 1 number using for, while and do while loop.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p14 : System.Web.UI.Page
    {
        protected void btnFor_Click(object sender, EventArgs e)
        {
            Response.Write("For Loop:<br/>");
            for (int i = 10; i >= 1; i--)
            {
                Response.Write(i + "<br/>");
            }
        }

        protected void btnWhile_Click(object sender, EventArgs e)
        {
            Response.Write("While Loop:<br/>");
            int i = 10;
            while (i >= 1)
            {
                Response.Write(i + "<br/>");
                i--;
            }
        }

        protected void btnDoWhile_Click(object sender, EventArgs e)
        {
            Response.Write("Do While Loop:<br/>");
            int i = 10;
            do
            {
                Response.Write(i + "<br/>");
                i--;
            } while (i >= 1);
        }
    }
}
```

Output:


Program 14
localhost:44387/Unit1/P14.aspx
Do While Loop:
10
9
8
7
6
5
4
3
2
1
For Loop
While Loop
Do While Loop

15. Create web form to print days according our choice by using switch case.

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p15 : System.Web.UI.Page
    {
        protected void btnShow_Click(object sender, EventArgs e)
        {
            int day = int.Parse(txtDay.Text);

            switch (day)
            {
                case 1:
                    Response.Write("Sunday");
                    break;
                case 2:
                    Response.Write("Monday");
                    break;
                case 3:
                    Response.Write("Tuesday");
                    break;
                case 4:
                    Response.Write("Wednesday");
                    break;
                case 5:
                    Response.Write("Thursday");
                    break;
                case 6:
                    Response.Write("Friday");
                    break;
                case 7:
                    Response.Write("Saturday");
                    break;
                default:
                    Response.Write("Invalid Day Number! Please enter
1-7.");
                    break;
            }
        }
    }
}
```

Output:


Program 15
localhost:44387/Unit1/P15.aspx
Thursday
Enter Day Number (1-7):
5
Show Day

16. Create Method for sum of two variable (Method overloading AND Method Overridding).

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
        public class CalculatorBase
    {
        public virtual int Sum(int a, int b)
        {
            return a + b;
        }
    }

    public class CalculatorDerived : CalculatorBase

    {
        public override int Sum(int a, int b)
        {
            return a + b + 0;
        }
        public int Sum(int a, int b, int c)
        {
            return a + b + c;
        }
    }

    public partial class p16 : System.Web.UI.Page

    {
        protected void btnSum_Click(object sender, EventArgs e)
        {
            CalculatorDerived calc = new CalculatorDerived();
            int sum2 = calc.Sum(5, 10);          // Overridden
method
            int sum3 = calc.Sum(5, 10, 15);      // Overloaded
method
            lblResult.Text = "Sum of 2 numbers: " + sum2 + "<br/>" +
                             "Sum of 3 numbers: " + sum3;
        }
    }
```

```
}
```

Output:


Program 16
localhost:44387/Unit1/p16.aspx
Show Sum
Sum of 2 numbers: 15
Sum of 3 numbers: 30

17. When Click on Button display alert dialog box .

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p17 : System.Web.UI.Page
    {
        protected void btnAlert_Click(object sender, EventArgs e)
        {
            string message = "Hello! This is an alert box.";
            ClientScript.RegisterStartupScript(this.GetType(),
"alert", "alert('" + message + "');", true);
        }
    }
}
```

Output:



18

Code:

Lb.dll:

```
using System;
usingSystem.Collections.Generic;
usingSystem.Linq;
usingSystem.Text;
usingSystem.Threading.Tasks;

namespace lb
{
publicclassClass1
    {
publicstaticint sum (int a , int b)
        {
return a + b;
        }
    }
}
```

.aspx:

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeBehind="p18.aspx.cs" Inherits="_230801313.Unit1.p18" %>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Program 18</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Button ID="btnCalculate" runat="server"
Text="Calculate Sum" OnClick="btnCalculate_Click"></asp:Button>
            <br /><br />
            <asp:Label ID="lblResult" runat="server"></asp:Label>
        </div>
    </form>
</body>
</html>
```

.cs:

```
using System;
using System.Collections.Generic;
using System.Linq;
```

```
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace _230801313.Unit1
{
    public partial class p18 : System.Web.UI.Page
    {
        protected void btnCalculate_Click(object sender, EventArgs
e)
        {
            Calculator calc = new Calculator();
            int result = calc.Sum(10, 20); //

            lblResult.Text = "Sum from Class Library: " + result;
        }
    }
}
```

Output: