

Syntax :- Substitute (text, oldtext, new text)

Ex :- Substitute (U<sub>2</sub>, "a", "@") : U<sub>2</sub> = Ram

Output :- R@am

17 :- Replace ( ) :- This function is same as Substitute But in this we replace the position that we given.

Syntax :- Replace (U<sub>8</sub> text, start num, num char, new text)

Ex :- Replace (U<sub>5</sub>, 2, 1, "@") : U<sub>5</sub> = mouni  
2 = Position we select

Output :- m@uni

Date :- 28.09.26

\* Transpose :- Function is used to paste the selected data. By copy the selected row that converts selected data into column like vice-versa. Step 1: Selected row data copy it and select one empty cell. Step 2: to go to ribbon select paste → paste special and select the Transpose then click **OK**

\* Paste link :- The Paste link is used to copy paste the selected data and that changes will occur in the New Paste data. Step 1: - Select the data and copy that and select the empty cell. Step 2: - Go to ribbon select Paste & then Paste special. Click on Paste link at the bottom left corner click **OK** if we modify in the selected cell it automatically changes.

## \* Paste Special Operation (Add, Subtract, Multiply, Divide):-

Allows to perform a mathematical operation on a range of target cells using a copied value all at once, without manually editing each formula.

Syntax :- Accessed via the Excel > (Right click) Paste Special > Choose an Operation under the Operation Section like add, sub, mult, divide)

Example:- if you copy a cell containing 10, select a range of numbers, right click, choose Paste Special & select multiply, Excel will multiply every selected cell's existing value by 10 instantly.

## \* Absolute Reference:- Remains Constant and Locked even when the formula is copied to a different cell, designed by the dollar sign

Syntax :- \$Column \$Row

Ex :- \$A\$1

## \* Relative Reference:- Change automatically when a formula is copied to another cell.

Syntax :- Column Row

Ex :- A1

\* Mixed Absolute Reference: This function is used to lock the both row and columns to calculate the Absolute values of rows & columns at a time. If we ~~can~~ increase or adding up the value in cell it will automatically generate the result.

Syntax:  $= \$A2 * B\$1$

Date: 30.09.26

↳ locking columns

\* Round(): This function is used to round the values with a decimal number and it will change the value in the Non-decimal value: (or) roundfigure value.

Syntax: Round (number, num-digits)

Ex: Round (A2, 0) → No digits Needed

Output: 5

if we Round by 2 decimal point

Ex: Round (A2, 2)

Output: 4.83

\* Roundup(): Function is same as the Round. But in this if we give a value like 2.3 in Normal Round function the value is 2 only. In this Roundup function it will increase the value to 3.

Syntax: Roundup (Num, num-digits)

Ex: Roundup (A3, 0) → A3 = 2.89

Output: 3

\* **Round down()**: This is the same like a Round function. But opposite to the Roundup function. Because it will reduce the value. If the given value is it will not consider the decimal point. Let's take a value 8.9451. It shows "8" it cuts the decimal value.

Syntax:  $\text{Round down}(\text{Num}, \text{Num\_digits})$

Ex:  $\text{Round down}(A8, 0)$   $A8 = 5.49$

Output: 5

\* **Power()**: Function is used to power the value in a given data.  $2^4$  it will calculate the selected data by the power.

Syntax:  $\text{Power}(\text{num}, \text{power})$

Ex:  $\text{Power}(C3, A3)$   $C3 = 6$

Output: 216

\* **Roman()**: This function is to convert the Numerical Number to Roman Number.

Syntax:  $=\text{Roman}(\text{num})$

Ex:  $=\text{Roman}(K2)$   $K2 = 5$

Output: V

If the Roman value wants to change into Number we use ARABIC

Syntax:  $=\text{Arabic}(L2)$   $L2 = IV$

Output: 4

\* Repeat(): Function is used to repeat the selected values in a given number of times

Syntax: REPT(M2, 5) M2 = 2

Output: 22222

if a Repeat value should be the same value of the number given that should repeat as per the number.

Syntax: Repeat(text, num-times)

Ex: Repeat(M2, M2) M2 = 5

Output: 55555 M2 = 2

if we have to repeat the symbols with the given number or selecting cells that symbol should repeat as per the no. of times in the cells automatically.

Syntax: Repeat(num text, num-times)

Ex: Repeat(\$P\$1, K2) P1 = 4

Output: ^^^^ K2 = ^

\* SQRT(): This Function is used to sqrt the value or given data numerical, it's a square root calculation.

Syntax: =SQRT(num)

Ex: =SQRT(R2) R2 = 16

Output: 4

if we do the calculation with a -1. multiply  
Syntax: R2\*-1 Output: -16